US 20250278181A1

(19) **United States**

(12) **Patent Application Publication**

HASHIMOTO

(10) **Pub. No.: US 2025/0278181 A1**

(43) **Pub. Date: Sep. 4, 2025**

(54) **INFORMATION PROCESSING APPARATUS, CONTROL METHOD OF INFORMATION PROCESSING APPARATUS, AND STORAGE MEDIUM**

(71) Applicant: **CANON KABUSHIKI KAISHA**, TOKYO (JP)

(72) Inventor: **YOSHINORI HASHIMOTO**, TOKYO (JP)

(21) Appl. No.: **19/062,473**

(22) Filed: **Feb. 25, 2025**

(30) **Foreign Application Priority Data**

Mar. 4, 2024 (JP) 2024-031958

Publication Classification

(51) **Int. Cl.**

G06F 3/04845	(2022.01)
G06F 3/0482	(2013.01)
G06F 3/0483	(2013.01)
G06T 11/60	(2006.01)

(52) **U.S. Cl.**

CPC ***G06F 3/04845*** (2013.01); ***G06F 3/0482*** (2013.01); ***G06F 3/0483*** (2013.01); ***G06T 11/60*** (2013.01); *G06T 2200/24* (2013.01)

(57) **ABSTRACT**

A control method of an information processing apparatus includes: performing control to maintain a state in which second content data is included in a second list indicated by a second region displayed after a second editing screen is displayed even in a case where the second content data is selected from the second list; and performing control to newly add third content data to a first list displayed after an operation to save the third content data without outputting is performed on the second editing screen.




100
110
CLIENT TERMINAL
CPU
111
ROM
112
RAM
113
Web BROWSER
114
PROGRAM ANALYSIS UNIT
115
CLIENT PROGRAM
116
PRINTING APPLICATION
117
STORAGE DEVICE
118
INPUT DEVICE
119
MONITOR
120
PRINTER
121
130
140
SERVER SYSTEM
141
Web APPLICATION
PROGRAM EXECUTION SERVER
142
SERVER PROGRAM
143
STORAGE SERVER
144
EDITING DATA
145
PRINTING DATA
146
PRINTING EXECUTION SERVER
147

FIG.1


START
ACCEPT INSTRUCTION TO SELECT CREATED PRODUCT
S201
TEMPLATE IS SELECTED?
S202
YES
NO
ACCEPT INSTRUCTION TO SELECT TEMPLATE
S203
EXECUTE EDITING PROCESSING
S204
WHICH BUTTON IS PRESSED?
S205
PRINT
END
SAVE
ACCEPT INSTRUCTION OF PREFLIGHT CHECK
S206
ACCEPT INSTRUCTION TO PRINT
S207
ACCEPT INSTRUCTION TO SAVE
S208
ACCEPT INSTRUCTION TO END
S209
END

FIG.2


141
POSTER EDITING APPLICATION
+
AUTO DESIGN
A4 CHANGE DOCUMENT SIZE
PREVIEW
?
SAVE
PRINT
TEMPLATE
FILE
PHOTO-GRAPH
CLIP ART
BACK-GROUND
QR CODE
TEXT
GRAPHIC
Farmer's
Market
9AM - 6AM
ADDRESS : xxxxxxxxxx
TEL : 01-2345-xxxx
380
360
370
390
340
330
321
331
320

FIG.3


401
PREFLIGHT CHECK
PLEASE CONFIRM BEFORE OUTPUT. PORTION RECOMMENDED TO BE REVISED FOR BETTER FINISHING IS FOUND.
CONFIRM REVISED PORTION
PROCEED WITHOUT REVISION
402
403

FIG.4


141
50
POSTER EDITING APPLICATION
+
MY POSTER
51
UNDER EDITING
OUTPUTTED
511
TITLE: POSTER (3)
LAST UPDATE DATE AND TIME : 2023/11/15 12:55:40
EDIT
PREVIEW
DELETE
513
514
515
512
TITLE: POSTER (4)
LAST UPDATE DATE AND TIME : 2023/11/16 13:05:50
EDIT
PREVIEW
DELETE

FIG.5A


141
50
POSTER EDITING APPLICATION
+
MY POSTER
UNDER EDITING
OUTPUTTED
52
521
TITLE: POSTER (1)
LAST UPDATE DATE AND TIME : 22023/11/13 10:35:20
EDIT
PREVIEW
DELETE
522
TITLE: POSTER (2)
LAST UPDATE DATE AND TIME : 2 2023/11/14 11:45:30
EDIT
PREVIEW
DELETE

FIG.5B


START
S601
WHICH BUTTON IS PRESSED?
"DELETE" BUTTON
"EDIT" BUTTON
"PREVIEW" BUTTON
S613
DELETE CONTENT
S602
CONTENT IS OUTPUTTED?
YES
NO
S603
DISPLAY MESSAGE PROMPTING DUPLICATION OF CONTENT
S604
DUPLICATE AND EDIT CONTENT?
YES
NO
S605
DUPLICATE CONTENT
S606
SET DUPLICATED CONTENT AS EDITING TARGET
S607
ACCEPT EDITING PROCESSING OF CONTENT
S608
CONTENT IS OUTPUTTED?
YES
NO
S610
EXECUTE PREFLIGHT CHECK
S611
THERE IS REVISED PORTION?
YES
NO
S612
CONFIRM REVISED PORTION?
YES
NO
S609
DISPLAY PREVIEW SCREEN
END

FIG.6


141
50
POSTER EDITING APPLICATION
+
MY POSTER
UNDER EDITING
OUTPUTTED
52
700
5211
EDIT
PREVIEW
DELETE
5212
5213
521
TITLE: POSTER (1)
LAST UPDATE DATE AND TIME : 2023/11/13 10:35:20
522
TITLE: POSTER (2)
LAST UPDATE DATE AND TIME : 2023/11/14 11:45:30
EDIT
PREVIEW
DELETE

FIG.7A


141
50
POSTER EDITING APPLICATION
+
MY POSTER
UNDER EDITING
OUTPUTTED
52
521
TITLE: POSTER (1)
LAST UPDATE DATE AND TIME : 2023/11/13 10:35:20
EDIT
PREVIEW
DELETE
73
MESSAGE
ONLY PREVIEW IS ALLOWED FOR OUTPUTTED CONTENT.
DO YOU COPY AND EDIT CONTENT?
74
75
YES (COPY AND EDIT)
NO

FIG.7B


141
50
POSTER EDITING APPLICATION
+
MY POSTER
51
UNDER EDITING
OUTPUTTED
511
TITLE: POSTER (3)
LAST UPDATE DATE AND TIME : 2023/11/15 12:55:40
EDIT
PREVIEW
DELETE
512
TITLE: POSTER (4)
LAST UPDATE DATE AND TIME : 2023/11/16 13:05:50
EDIT
PREVIEW
DELETE
518
TITLE: POSTER (1)(COPY)
LAST UPDATE DATE AND TIME : 2023/11/14 12:00:10
EDIT
PREVIEW
DELETE

FIG.8


141
50
POSTER EDITING APPLICATION
+
MY POSTER
UNDER EDITING
OUTPUTED
52
901
COPY AND EDIT
700
521
TITLE: POSTER (1)
PREVIEW
LAST UPDATE DATE AND TIME : 2023/11/13 10:35:20
DELETE
COPY AND EDIT
522
TITLE: POSTER (2)
PREVIEW
LAST UPDATE DATE AND TIME : 2023/11/14 11:45:30
DELETE

FIG.9


START
S1001
CONTENT IS OUTPUTTED?
YES
NO
S1002
DISPLAY MESSAGE PROMPTING DUPLICATION OF CONTENT
S1003
DUPLICATE AND EDIT CONTENT?
NO
YES
S1004
DUPLICATE CONTENT
S1007
DISPLAY PREVIEW SCREEN
S1005
SET DUPLICATED CONTENT AS EDITING TARGET
ACCEPT PROCESSING OF EDITING CONTENT
S1006
END

FIG.10



FIG.11A



FIG.11B



FIG.12A



FIG.12B


1100
FOLDER
FILE
HOME
SHARE
DISPLAY
1161
1163
1271
1300
1300
XXX.cpfx4
XXX_02.cpfx3
YYY.cpfx4
1272
YYY.png

FIG.13

INFORMATION PROCESSING APPARATUS, CONTROL METHOD OF INFORMATION PROCESSING APPARATUS, AND STORAGE MEDIUM

BACKGROUND OF THE INVENTION

Field of the Invention

[0001] The present disclosure relates to an information processing apparatus, a control method of the information processing apparatus, and a storage medium.

Description of the Related Art

[0002] There is a content creation application that designs a poster, a photo album, a photograph layout, or the like by arranging an object such as an image or a text in an editing region on a screen. In the above-mentioned application, content data that is "under editing" or "outputted" is saved in the application.

[0003] In the above-mentioned application, there is a technique called "preflight check" for previous analysis of the content data before being outputted to check whether the object is arranged properly. Japanese Patent Laid-Open No. 2009-9230 describes a technique in which, in a case of executing the preflight check to prompt a revision from a user, editing of only a portion that needs the revision is allowed while editing of a portion that does not need the revision is not allowed.

[0004] There has been demanded a technique of suppressing inadvertent editing of an outputted content.

SUMMARY OF THE INVENTION

[0005] A control method of an information processing apparatus according to an aspect of the present disclosure includes: generating content data; editing the content data based on a user operation; outputting the content data on which the editing is performed; displaying a first region indicating a first list, which is a list of the content data that is not outputted yet; displaying a second region indicating a second list, which is a list of the content data that is outputted already; displaying a first editing screen to edit first content data in a case where the first content data is selected from the first list; displaying a second editing screen to edit third content data obtained by duplicating second content data in a case where the second content data is selected from the second list; performing control to maintain a state in which the second content data is included in the second list indicated by the second region displayed after the second editing screen is displayed even in a case where the second content data is selected from the second list; and performing control to newly add the third content data to the first list displayed after an operation to save the third content data without outputting is performed on the second editing screen.

[0006] Further features of the present invention will become apparent from the following description of exemplary embodiments with reference to the attached drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0007] FIG. **1** is a diagram illustrating a configuration of an information processing system;

[0008] FIG. **2** is a flowchart illustrating an example of processing of a Web application;

[0009] FIG. **3** is a diagram illustrating an example of a screen in the Web application;

[0010] FIG. **4** is a diagram illustrating an example of a preflight check screen;

[0011] FIGS. **5**A and **5**B are diagrams illustrating a list display of created contents;

[0012] FIG. **6** is a flowchart illustrating an example of processing of editing limitation of an outputted content;

[0013] FIGS. **7**A and **7**B are diagrams illustrating a contents list screen;

[0014] FIG. **8** is a diagram illustrating the contents list screen;

[0015] FIG. **9** is a diagram illustrating the contents list screen;

[0016] FIG. **10** is a flowchart illustrating an example of the processing of editing limitation of the outputted content;

[0017] FIGS. **11**A and **11**B are diagrams illustrating a folder storing a content file;

[0018] FIGS. **12**A and **12**B are diagrams illustrating the folder storing the content file; and

[0019] FIG. **13** is a diagram illustrating the folder storing the content file.

DESCRIPTION OF THE EMBODIMENTS

[0020] Preferred embodiments of the present disclosure are described below in detail with reference to the appended drawings. Note that, the following embodiments are not intended to limit the matters of the present disclosure, and not all the combinations of the characteristics described in the following embodiments are necessarily required for the means for solving the problems of the present disclosure. Note that, the same reference numerals are provided to the same constituents.

First Embodiment

<Overview>

[0021] A content creation application described in the present embodiment is an application that designs a poster, a photo album, a photograph layout, or the like by arranging an object such as an image or a text in an editing region on a screen. The content creation application in the present disclosure is applicable to general layout software such as a poster editing application, a photo album editing application, or an object layout application. In the embodiments described below, as a specific example of the content creation application, the poster editing application that is a Web application is described as an example.

[0022] As described above, in the content creation application, content data that is "under editing" or "outputted" is saved in the application. For example, "outputted" is a state in which output processing on the content data is done. Specifically, the output processing on the content data is processing executed by a printer **121** and is print processing based on the content data, for example. Note that, the print processing is executed by transmitting the content data to the printer **121**, for example. In a case where printing based on the content data is completed by the printer **121**, it is assumed that the content data is in a state in which the print processing is done. Note that, the content data in this case may be transmitted from a client terminal **110** to the printer **121** via a server system **140** or may be transmitted from the client terminal **110** to the printer **121** without the server system **140**. Additionally, specifically, the output processing on the content data is order processing to order a content expressed by the content data, for example. The order processing is processing for payment to purchase the content expressed by the content data, for example. In a case where the processing for payment is completed, it is assumed that the content data is in a state in which the order processing is done. Moreover, specifically, the output processing on the content data is transmission (upload) processing to transmit (upload) the content data to an apparatus outside the client terminal **110** such as the server system **140** and the printer **121**, for example. In a case where the content data is transmitted (uploaded) to the apparatus outside the client terminal **110**, it is assumed that the content data is in a state in which the transmission (upload) processing is done. That is, in the content creation application, there are both the content data that is "under editing" and content data that is "outputted" in the application. In this case, although there is the content data that the user wants to save while maintaining the state at which the content data is outputted, there is a possibility that the user inadvertently edits and overwrites and saves the content data. In other words, in some cases, it is impossible to save the content data that the user wants to maintain in the state at which the content data is outputted. Additionally, it is impossible to distinguish the content data that is saved in the state at which the content data is outputted from the content data that is edited again after being outputted (regardless of whether it is purposely), and thus the convenience of the content management for the user is reduced.

[0023] In the embodiments described below, an example of suppressing the inadvertent editing of the outputted content data is described. Additionally, an example of facilitating the distinguishing the outputted content from the content that is edited again after being outputted is described. Note that, in the embodiments described below, the content may include both the data included in the content (hereinafter, also referred to as content data) and icon indicating the content.

<Information Processing System>

[0024] FIG. **1** is a diagram illustrating a configuration of an information processing system **100** in the present embodiment. The information processing system **100** is operated with the client terminal **110** and the server system **140** cooperating with each other via a network **130**.

[0025] First, a configuration of the server system **140** is described. The server system **140** that performs processing of a server in a Web application **141** includes a program execution server **142**, a storage server **144**, and a printing execution server **147**. The program execution server **142** executes a server program **143** that is a program operated by the server system **140**. The storage server **144** saves editing data **145** such as an image file and a printing data file in the Web application **141** and printing data **146**. The printing execution server **147** transmits the printing data **146** to a printing application **117** and performs printing. Note that, the program execution server **142**, the storage server **144**, and the printing execution server **147** may be implemented by physically separated apparatuses or may be implemented by a single apparatus.

[0026] Next, a configuration of the client terminal **110** is described. The client terminal **110** is an information processing apparatus and can be formed of a common personal computer or smartphone.

[0027] The client terminal **110** includes a CPU **111**, a ROM **112**, and a RAM **113**. Additionally, the client terminal **110** includes an input and output interface (not illustrated) so as to be connected with a storage device **118**, an input device **119**, a monitor **120**, the printer **121**, and the network **130** such as the Internet. The CPU **111** is a central processing unit and controls overall the client terminal **110** by executing an operating system (OS) stored in the storage device **118**, the ROM **112**, or the RAM **113**. Additionally, the CPU **111** executes a Web browser **114**, the printing application **117**, or another program stored in the ROM **112** or the RAM **113** to perform computation based on inputted data and processes and outputs the data. Moreover, the CPU **111** implements each function of the client terminal **110** by controlling each type of hardware. The ROM **112** is a read-only memory and stores each program. The RAM **113** is a random access memory and used as a working memory of the CPU **111**; however, a non-volatile RAM can also store each program.

[0028] The Web browser **114** browses a Website on the Internet and executes the Web application **141**. In general, the Web application **141** is formed of a client program **116** and the server program **143**. The entity of the client program **116** is a program such as Hypertext Markup Language (HTML) or JavaScript operated on the Web browser **114**. The entity of the server program **143** is a program operated on a Web server.

[0029] In a case where the Web application **141** is executed, first, the client terminal **110** receives the client program **116** forming a part of the Web application **141** from the server system **140**. Subsequently, a program analysis unit **115** of the Web browser **114** interprets and executes the client program **116** (script language such as HTML or JavaScript), and the Web application **141** is activated. The method of activating the Web application **141** includes a method of activation by inputting a URL to activate the Web browser **114** into the Web application **141**. To be more specific, once the URL is inputted into the Web browser **114**, the server system **140** transmits the client program **116** forming a part of the Web application **141** to the Web browser **114**. Subsequently, the Web browser **114** receives the client program **116** from the server system **140** to execute, and thus the Web application **141** is activated. In other words, in the Web application **141**, the Web browser **114** provides an execution instruction via the client program **116** to the server program **143** executed by a not-illustrated CPU on the program execution server **142**. To be more specific, the Web browser **114** is configured to output an execution command of the server program **143** to the server system **140** (the program execution server **142**) and display a processing result of the server program **143**.

[0030] The printing application **117** transmits the printing data **146** to the printer **121**, which is connected directly to or connected via the network **130** to the client terminal **110**, and performs printing.

[0031] The printer **121** executes printing based on the printing data created by the information processing system **100**. The storage device **118** is a storage device such as an HDD or an SSD that stores image data, a template, and the like. The input device **119** is an input device such as a keyboard or a pointing device that performs input into the information processing system **100**. Depending on a mode of the input device, the input device may be a touch panel that is integral with a monitor and receives an input with a direct touch on the monitor. The monitor **120** is a display apparatus that displays image information outputted by the information processing system **100**.

[0032] Note that, the configuration illustrated in FIG. **1** is merely an example and is not limited to this example. For example, a configuration in which the client terminal **110** includes at least one of the storage device **118**, the input device **119**, and the monitor **120** may be applicable.

<Web Application>

[0033] Next, basic processing of the Web application **141** that is performed in the present embodiment is described with reference to FIGS. **2** to **4**.

[0034] FIG. **2** is a flowchart illustrating an example of processing of the Web application. FIG. **3** is a diagram illustrating an example of a screen in the Web application. FIG. **4** is a diagram illustrating an example of a preflight check screen.

[0035] The processing in the flowchart illustrated in FIG. **2** is implemented with the CPU **111** reading out the client program **116** stored in the ROM **112** and the like of the client terminal **110** to the RAM **113** to execute. To be more specific, the processing in the flowchart illustrated in FIG. **2** is processing executed by the CPU **111** of the client terminal **110** including the Web browser **114**. That is, the processing is executed by the CPU **111** operating the Web browser **114** with the CPU **111** of the client terminal **110** reading out the client program **116** received from the server system **140** to the RAM **113** to execute. More specifically, the present processing is executed by the Web browser **114** with the program analysis unit **115** in the Web browser **114** interpreting and executing the client program **116** received from the server system **140** by the Web browser **114**. That is, the present processing may also be called processing that the client program **116** causes the Web browser **114** and the client terminal **110** to execute. With the Web browser **114** executing the client program **116**, the Web application **141** provided by the server system **140** is executed via the Web browser **114**.

[0036] Note that, a part of or all the functions of steps in FIG. **2** may be implemented by hardware such as an ASIC or an electronic circuit. A sign "S" in description of each processing means that it is a step in the corresponding sequence diagram (hereinafter, the same applies to a flowchart in the present specification). The processing in FIG. **2** is started after the Web browser **114** activates the Web application **141**.

[0037] In S**201**, the CPU **111** accepts an instruction to select a created product by the user. Then, the CPU **111** sets a type of the created product (a poster, a flyer, an album, a calendar, or the like) according to an operation by the user. Hereinafter, various types of processing are executed on the content data corresponding to the type set in this process. Additionally, the content data generated and edited in the present processing is data for printing of the created product of the type set in this process. Moreover, hereinafter, description is provided assuming that the poster is selected.

[0038] In S**202**, the CPU **111** determines whether a template is selected according to the operation by the user on the screen of the Web application **141** in FIG. **3**. The screen of the Web application **141** illustrated in FIG. **3** is a screen of the Web application **141** that is displayed by the Web browser **114** on the monitor **120**. Once the user selects a template selection button **321** in a category selection region **320**, the CPU **111** displays a list of templates in a template selection region **330**. In a case where the user selects the template from this region, a determination result in S**202** is true, and the process proceeds to S**203**.

[0039] In S**203**, the CPU **111** accepts an instruction to select the template. Then, the CPU **111** generates poster data using the selected template and displays the poster data in an editing region **340**. Note that, the poster data is the content data for printing of the poster. FIG. **3** illustrates an example of a case where the user selects a template **331** from the template selection region **330** and sets the layout thereof automatically. In a case where the processing in S**203** ends, or if the determination result in S**202** is false, the CPU **111** allows the process to proceed to S**204**.

[0040] In S**204**, the CPU **111** executes editing processing according to an editing operation from the user. The CPU **111** then reflects the editing content on the poster data to display in the editing region **340**. A specific example of the editing operation includes adding, moving, size changing, or the like of the object. Once the processing in S**204** ends, the CPU **111** allows the process to proceed to S**205**.

[0041] Note that, the Web application **141** has an environment setting function that allows the user to switch a display in a case of performing an editing work according to the preference. An example of the setting content includes display setting of a trimming region, display setting of a grid or a guide line as a guide for the arrangement in the editing region **340**, or the like. An environment setting button **390** is used for the user to switch the display in a case of performing the editing work according to the preference.

[0042] In S**205**, the CPU **111** determines which button is pressed on the screen illustrated in FIG. **3** according to the operation by the user. If a determination result of the present step is "print", in other words, if the pressing of a print button **360** is detected, the CPU **111** allows the process to proceed to S**206**. In S**206**, the CPU **111** accepts an instruction of preflight check before printing. Here, the preflight check is a function to analyze previously whether the object is properly arranged for the content data before being outputted and to prompt a revision from the user as needed. Once receiving the instruction of the preflight check, the CPU **111** analyzes the content data, and in a case where there is no portion that needs the revision, the CPU **111** ends the processing in S**206**. On the other hand, in a case where a portion that needs the revision is found, the CPU **111** displays a preflight check screen **401** illustrated in FIG. **4**.

[0043] The preflight check screen **401** in FIG. **4** is a screen displayed in a display region of the monitor **120**. The preflight check screen **401** in FIG. **4** includes a button **402** to "confirm a revised portion" and a button **403** to "proceed without revision". The button **402** to "confirm a revised portion" and the button **403** to "proceed without revision" are operation regions to accept the selection by the user. In a case where the user presses the button **402** to "confirm a revised portion" via the preflight check screen **401**, the CPU **111** accepts the user input, the display screen transitions to the editing region **340**, and the revision of the portion from the user is prompted. On the other hand, in a case where the user presses the button **403** to "proceed without revision" via the preflight check screen **401**, the CPU **111** accepts the user input and ends the processing in S**206**. Note that, although the preflight check is executed in the Web application **141** as an example in the present embodiment, it is not limited to this example. The preflight check may be executed in the printing application **117** that performs processing in a subsequent stage. Once the processing in S**206** ends, the CPU **111** allows the process to proceed to S**207**. In S**207**, the CPU **111** accepts the instruction of printing and transmits the content data to the printing application **117**.

[0044] If the determination result in S**205** is "save", in other words, if the pressing of a save button **370** is detected, the CPU **111** allows the process to proceed to S**208**. In S**208**, the CPU **111** executes processing of saving the content data. If the determination result in S**205** is "end", in other words, if the pressing of an end button **380** is detected, the CPU **111** allows the process to proceed to S**209**. In S**209**, the CPU **111** accepts an instruction to end the application.

[0045] Once the processing in any one of S**207**, S**208**, and S**209** ends, the CPU **111** accepts the ending of the content editing processing, and the sequence of processing is completed. Note that, although it is not illustrated, in a case where a button other than print, save, and end is pressed in S**205**, processing according to the pressed button may be performed, and thereafter, the determination in S**205** may be performed subsequently. The above is an overview of the basic processing of the Web application **141**.

<Contents List of Web Application>

[0046] FIGS. **5**A and **5**B are diagrams illustrating a list display of the created contents in the Web application **141** of the present embodiment. Each screen in FIGS. **5**A and **5**B is a screen displayed in the display region of the monitor **120**. In a case where the user edits or outputs (prints, orders, transmits, uploads, and the like) the content by using the Web application **141**, the CPU **111** saves the data of the content and displays the data on a contents list screen **50** illustrated in FIGS. **5**A and **5**B. FIG. **5**A is a screen of a list display of icons **511** and **512** indicating the content data that is "under editing". FIG. **5**B illustrates a screen of a list display of icons **521** and **522** indicating the content data that is "outputted".

[0047] As illustrated in FIGS. **5**A and **5**B, on the Web application **141** in the present embodiment, the icon indicating the content data that is "under editing" and the icon indicating the content data that is "outputted" are each categorized and displayed. In addition, it is possible to switch the display of the contents list with the user selecting either one of an "under editing" tab **51** in FIG. **5**A and an "outputted" tab **52** in FIG. **5**B. That is, the Web application **141** in the present embodiment displays in the display region a graphical user interface in which the icon of the content that is under editing and the icon of the content that is outputted are categorized in different regions, respectively. With each icon, a representative graphic, a title, the last update date and time, and the like of the content data are displayed together so as to facilitate the distinguishing of the content by the user. Note that, in a case where the content data is data for the printing of the content corresponding to a printed product of one page such as a poster or a flyer, the representative graphic of the content data is a whole image expressed by the content data, for example. Note that, in a case where the content data is data for the printing of the content corresponding to a printed product of multiple pages such as an album and a calendar, for example, the representative graphic of the content data is any one of the images expressed by the content data, which is a cover, for example. Note that, it is possible to set which content to be printed the content data is for by the processing in S**201** that is executed in a case of creating and editing the content data.

[0048] As indicated by a reference numeral provided in FIG. **5**A, on the contents list screen **50**, an edit button **513**, a preview button **514**, and a delete button **515** are arranged to each content correspondingly. Once the user presses the edit button **513**, the preview button **514**, or the delete button **515** of the content, the CPU **111** detects the pressing of the button and executes each processing. For example, once detecting the pressing of the edit button **513**, the CPU **111** transitions to an editing screen of the content data. Once detecting the pressing of the preview button **514**, the CPU **111** displays a preview of the content. Once detecting the pressing of the delete button **515**, the CPU **111** deletes the content. That is, the CPU **111** deletes the content data and the corresponding icon.

[0049] Note that, although a configuration in which the icons indicating the contents are displayed separately based on the status by using the "under editing" tab **51** and the "outputted" tab **52** is applied in the present embodiment, it is not limited thereto. A configuration in which icons of all the contents are mixed and displayed on the single contents list screen **50** may be applicable. The above is an overview of the list display of the contents of the Web application.

<Editing Limitation of Outputted Content Data>

[0050] FIG. **6** is a flowchart illustrating an example of processing of editing limitation of the outputted content. FIGS. **7**A, **7**B, **8**, and **9** are diagrams illustrating the contents list screen **50** in the present embodiment, which is a screen displayed in the display region of the monitor **120**. Hereinafter, the editing limitation of the outputted content performed in the present embodiment is described with reference to FIGS. **6** to **9**.

[0051] In the present embodiment, once the editing operation on the outputted content by the user is detected, limitation processing is performed so as to prompt the user to duplicate the content and set the duplicated content as an editing target instead of the outputted content. In the present embodiment, as illustrated in FIG. **7**A, it is assumed that there are the icons **521** and **522** of the content data that is "outputted" on the contents list screen **50**. In addition, a case in this state where the pressing of an "edit" button **5211** by the user using a cursor **700** on the icon **521** of the content data is detected is used as an example for description. That is, description is provided by using a case where the editing operation on the content data indicated by the icon **521** is accepted from the user as an example.

[0052] As with the processing described in FIG. **2**, processing in the flowchart illustrated in FIG. **6** is implemented with the CPU **111** reading out the client program **116** stored in the ROM **112** and the like of the client terminal **110** to the RAM **113** to execute. To be more specific, the processing in the flowchart illustrated in FIG. **2** is the processing executed by the CPU **111** of the client terminal **110** including the Web browser **114**. That is, with the Web browser **114** executing the client program **116**, the Web application **141** provided by the server system **140** is executed in the Web browser **114**. The disclosure of the processing in the flowchart illustrated in FIG. **6** is triggered with the user detecting the editing operation on the content. Specifically, triggered by the pressing of any one of the edit button, the preview button, or the delete button on the contents list screen **50**, the processing is started.

[0053] In S**601**, the CPU **111** detects which operation button is pressed for the target content. As described above, in the present example, the pressing of the "edit" button **5211** in FIG. **7**A is detected. In a case where the pressing of the "edit" button **5211** is detected, the CPU **111** allows the process to proceed to S**602**.

[0054] In S**602**, the CPU **111** determines whether the content that is a processing target for which the "edit" button **5211** is pressed is outputted. For example, in the present embodiment, since the content data indicated by the icon **521** that is the processing target is the content displayed in the "outputted" tab **52** in FIG. **7**A, the determination result in S**602** is true. If the determination result in S**602** is true, the CPU **111** allows the process to proceed to S**603**. If the determination result in S**602** is false, the CPU **111** allows the process to proceed to S**607**.

[0055] In S**603**, the CPU **111** displays a message prompting the duplication of the content. Specifically, a message dialogue **73** as illustrated in FIG. **7**B is displayed. The message dialogue **73** includes a message indicating that only a preview is allowed for the outputted content. Additionally, the message dialogue **73** includes a message asking whether to copy and edit the content.

[0056] Subsequently, in S**604**, the CPU **111** determines whether the user duplicates and edits the content that is the processing target. Specifically, whether the pressing of a "YES (copy and edit)" button **74** in the message dialogue **73** in FIG. **7**B is accepted or the pressing of a "NO" button **75** is accepted is determined. If the pressing of the "YES (copy and edit)" button **74** is accepted, the determination result in S**604** is true. If the pressing of the "NO" button **75** is accepted, the determination result in S**604** is false. If the determination result in S**604** is true, the CPU **111** allows the process to proceed to S**605**. If the determination result in S**604** is false, the CPU **111** ends the processing in the flowchart illustrated in FIG. **6**.

[0057] In S**605**, the CPU **111** duplicates the content that is the processing target without deleting the content that is the processing target from the "outputted" tab **52**. Specifically, the CPU **111** duplicates the content data indicated by the icon **521** displayed in the "outputted" tab **52**. In this process, the CPU **111** duplicates also an icon corresponding to the icon **521**. Note that, the duplication of the icon may be performed by duplicating the icon **521** directly or by generating a new icon indicating the content data from the duplicated content data. Thus, in S**605**, the content is duplicated without deleting the content that is the processing target from the "outputted" tab **52**. Therefore, in a case where the "outputted" tab **52** is displayed again after the processing in the present flowchart ends, the icon **521** of the content that is an original for the duplication is still displayed.

[0058] Subsequently, in S**606**, the CPU **111** sets the duplicated content as the editing target. Thus, the "under editing" tab **51** displays an icon **518** of the duplicated content as illustrated in FIG. **8**. FIG. **8** is a diagram illustrating a screen displayed in the "under editing" tab **51** after the duplicated content is set as the editing target. Note that, in the processing in S**606** in this case, the "under editing" tab **51** may not be displayed. In a state in which it is after the present processing and the content data indicated by the icon **518** is not outputted yet, if an operation to display the "under editing" tab **51** is performed by the user, the "under editing" tab **51** as illustrated in FIG. **8** is displayed. After the duplicated content is set as the editing target, the CPU **111** transitions to the editing screen to edit the duplicated content. Subsequently, the CPU **111** allows the process to proceed to S**607**.

[0059] In S**607**, the CPU **111** accepts the processing of editing the content. For example, in a case where the processing in S**607** is performed after S**606**, the CPU **111** accepts the processing of editing the content data of the duplicated content. On the other hand, in S**607** performed after it is determined in S**602** that the content is not outputted, the CPU **111** accepts the processing of editing the content data that is the processing target. Once the processing of editing the content data is completed, the CPU **111** ends the processing in the flowchart in FIG. **6**.

[0060] For example, in a case where the processing in S**607** ends after S**606**, the contents list screen **50** as illustrated in FIG. **8** is obtained. As indicated by the icon **518** in FIG. **8**, the content after the duplication is displayed in the "under editing" tab **51**. That is, it is possible to accept the "editing" operation by the user for the content after the duplication (corresponding to the icon **518**) as a content different from the outputted content (corresponding to the icon **521**). The above is a flow of the sequence of processing in a case where the "edit" button is pressed in the present embodiment.

[0061] Note that, in the example in FIG. **8**, the content after the duplication (corresponding to the icon **518**) is in a state in which the editing processing is performed by the user and the details thereof is saved. Therefore, the last update date and time of the content data after the duplication indicated by the icon **518** is different from the last update date and time of the content data (the icon **521**) in FIG. **7**A that is the content before the duplication. With the confirmation the last update date and time of each content, the user can recognize that the content indicated by the icon **518** is the content on which some kind of editing is performed after the content data of the content indicated by the icon **521** is outputted.

[0062] Note that, although an example in which a step of displaying the message prompting the duplication of the content in S**603** and determining whether to duplicate and edit the content in S**604** is described in the present example, it is not limited thereto. A configuration in which the processing in S**603** and S**604** may be skipped and the processing in S**605** is performed may be applicable.

[0063] Next, a case where a "preview" button **5212** is pressed on the contents list screen **50** is described.

[0064] In S**601**, the CPU **111** detects which operation button is pressed for the content that is the processing target. If the "preview" button **5212** in FIG. **7**A is pressed, the CPU **111** allows the process to proceed to S**608**.

[0065] In S**608**, the CPU **111** determines whether the content that is the processing target is outputted. If the content that is the processing target is not outputted, the CPU **111** allows the process to proceed to S**610**, and if the content that is the processing target is outputted, the CPU **111** allows the process to proceed to S**609**.

[0066] In S**610**, the CPU **111** executes the preflight check on the content that is the processing target. As described above, the preflight check is a function to analyze previously whether the object is properly arranged for the content data before being outputted and to prompt a revision from the user as needed. Once the instruction of the preflight check is accepted, the CPU **111** analyzes the content data and branches the processing as the processing in and after S**611** described below depending on whether there is the revised portion.

[0067] In S**611**, the CPU **111** determines whether there is the portion to be revised by the preflight check. If the determination result in S**611** is true, in other words, if there is the portion that should be revised, the CPU **111** allows the process to proceed to S**612**.

[0068] In S**612**, the CPU **111** displays the preflight check screen **401** illustrated in FIG. **4** and accepts the selection by the user that indicates whether to confirm the revised portion. If the determination result in S**612** is true, in other words, if the confirmation of the revised portion by the user is accepted, the CPU **111** allows the process to proceed to S**607**. In S**607**, the CPU **111** accepts the processing of editing the content. On the other hand, if the determination result in S**612** is false, in other words, if the confirmation of the revised portion by the user is not accepted, the CPU **111** allows the process to proceed to S**609**.

[0069] A case where the process proceeds to S**609** includes a case where there is no portion to be revised by the preflight check and a case where the selection indicating not to confirm the revised portion is accepted while the content that is the processing target is not outputted. Additionally, a case where the process proceeds to S**609** includes also a case where the content that is the processing target is outputted.

[0070] In S**609**, the CPU **111** displays a preview screen of the content that is the processing target. For example, in a case where the content that is the processing target is the outputted content, the preview screen of the outputted content is displayed such that the user can confirm a layout and the like at the time of being outputted. Here, as the processing in which the determination result in S**608** is true and the process proceeds to S**609**, the CPU **111** does not execute the preflight check on the outputted content in the present embodiment. In other words, the CPU **111** performs processing of avoiding the transition of the outputted (for example, printed) content to the editing screen based on the determination result of the preflight check. Thus, since the transition to the editing screen to edit the outputted content can be suppressed, it is possible to suppress the inadvertent editing of the outputted content by the user.

[0071] Additionally, in S**611**, if there is no portion to be revised by the preflight check and if the selection indicating not to confirm the revised portion is accepted, the CPU **111** displays the preview screen of the content that is the processing target. Once the processing in S**609** ends, the CPU **111** ends the processing in the flowchart illustrated in FIG. **6**. The above is a flow of the sequence of processing in a case where the "preview" button is pressed in the present embodiment.

[0072] Next, a case where the "delete" button is pressed on the contents list screen **50** is described.

[0073] In S**601**, the CPU **111** detects which operation button is pressed for the target content. In a case where a "delete" button **5213** in FIG. **7**A is pressed, the CPU **111** allows the process to proceed to S**613**. In S**613**, the CPU **111** deletes the content that is the processing target. That is, the CPU **111** deletes the content data that is the processing target and the corresponding icon. The CPU **111** then ends the processing in the flowchart illustrated in FIG. **6**. The above is a flow of the sequence of processing in a case where the "delete" button in the present embodiment is pressed.

[0074] Note that, although an example in which the duplication of another content is prompted in a case where the pressing of the "edit" button for the outputted content is detected is described in the present embodiment, it is not limited to this example. For example, as illustrated in FIG. **9**, a "copy and edit" button **901** may be displayed for the outputted content instead of the "edit" button. Then, it is possible to apply a configuration to perform the processing similar to that in a case where the "edit" button is pressed in the above-described example in a case where the "copy and edit" button **901** is pressed. As illustrated in FIG. **9**, the contents list screen may be formed as a UI indicating that the processing of duplication is performed in a case where the outputted content is edited. Thus, it is possible to suppress the inadvertent editing of the outputted content.

[0075] In the example in the flowchart illustrated in FIG. **6**, an example in which the preflight check of the outputted content is not performed in a case where "preview" is instructed is described. Although it is not illustrated, in addition to a case of "preview", for example, in a case where "print" is instructed, a similar configuration in which the CPU **111** does not perform the preflight check of the outputted content may be also applied.

[0076] Additionally, although a case where there is one user is assumed and described in the present embodiment, the present embodiment is useful also in a case where there are multiple users. For example, a case where the content data is co-edited to edit a design by multiple people is assumed. In this case, information of the user who outputs the content data may be displayed on the contents list in the "outputted" tab. According to the above-mentioned configuration, it is possible to clearly show which user outputs the content and when. Additionally, there may be a case where the multiple users edit the same content simultaneously. In the above-mentioned case, once a first user executes the output processing, the CPU **111** displays the content at a timepoint in which the first user executes the output processing and the information of the first user on the contents list in the "outputted" tab. On the other hand, a configuration in which, in a case where a second user who is currently editing the content executes saving after the editing is completed, for example, the second user is prompted to duplicate another content as described in the present embodiment may be applicable. Thus, in a case where the processing of the present embodiment is applied to multiple people, it is possible to use the processing as management of the work history of each person.

[0077] As described above, in the present embodiment, it is possible to suppress the inadvertent editing of the outputted content. That is, in the present embodiment, in a case where the editing operation on the outputted content is detected, the editing of the outputted content is not allowed, and the duplication as another editable content is prompted. Thus, it is possible to suppress the inadvertent editing of the outputted content by the user.

Second Embodiment

[0078] In the first embodiment, an example in which the content data is saved in the application is described. That is, a mode in which the content data is saved as a part of the data of the application is described. In the present embodiment, an example in which the saving of the content data is different from the first embodiment is described. Specifically, in the present embodiment, an example in which the content data is a content file saved outside the application is described. That is, in the present embodiment, an example in which the content may include the content data and the icon of the content file indicating the content data is described. The content file is file-managed under a file system of a common OS. Additionally, the content file is displayed by using a predetermined icon in the file system of the OS. In the present embodiment, an example in which it is possible to suppress the inadvertent editing of the outputted content even in a case of using the above-mentioned content file is described. Since the basic configuration in the present embodiment may be similar to the example described in the first embodiment, a different point is mainly described below.

<Editing Limitation of Outputted Content File>

[0079] Hereinafter, editing limitation of the outputted content file in the present embodiment is described with reference to mainly FIGS. **10** to **13**. FIG. **10** is a flowchart illustrating an example of processing of editing limitation of the outputted content. FIGS. **11**A, **11**B, **12**A, **12**B, and **13** are diagrams each illustrating a folder storing the content file, which is a screen displayed in the display region of the monitor **120**.

[0080] In the present embodiment, in a case where the content file saved in an external folder and the like is the outputted content file, editing of the outputted content file is not allowed, and the processing of prompting the duplication of another editable content file is performed.

[0081] Note that, the outputted content file in the present embodiment is a file in which the content is edited by the user by using the content creation application, and thereafter processing such as printing, ordering, transmitting, or uploading is executed. The information indicating whether the content file is outputted is held by the content file itself as attribute information. In other words, in a case where the output operation such as printing is executed by the user, the content file holds the information indicating that the own file is outputted as the attribute information. To be more specific, the application opens the content file of the content under editing and performs layout editing. Then, in a case where there is the output instruction from the user, the information indicating that the file is outputted is written in the attribute information of the opened content file. In this process, in a case where the latest editing content is not overwritten and saved in the content file, the content file is overwritten and saved with the latest (that is, at a time point of being outputted) content.

[0082] The content file is associated with an application that uses the content file by a function of the OS. In the file system of the OS, once an instruction to open the content file is inputted, the OS activates the application associated with the content file and allows for the operation such as editing or outputting in the application. A format (extension) of the content file is different depending on the application used, and in the present embodiment, poster data of a ".cpfx3" format is described as an example.

[0083] The processing in the flowchart illustrated in FIG. **10** is implemented with the CPU **111** reading out the client program **116** stored in the ROM **112** and the like of the client terminal **110** to the RAM **113** to execute. That is, as with the example described in the processing in FIG. **6**, the processing in FIG. **10** is processing executed by the Web browser **114** activated by the CPU **111**. With the Web browser **114** executing the client program **116**, the Web application **141** provided by the server system **140** is executed on the Web browser **114**.

[0084] In the present embodiment, as illustrated in FIG. **11**A, a state in which a storage folder **1100** of the content file includes a first content file **1161** of "outputted" is described as an example. The storage folder **1100** of the content file is displayed by the OS. In the present embodiment, a case where it is detected that the first content file **1161** of "outputted" stored in the storage folder **1100** is file-opened (edited) by the user operation is described as an example. Note that, as an example of the user operation of file-opening, in the present embodiment, an operation in which the user double-clicks the content file is performed. Once the double-click operation of the content file by the user is accepted, the OS activates the content creation application associated with the content file. Then, the activated application starts editing of the content file that accepts the double-click operation. Note that, as with the first embodiment, "outputting" of the "outputted" content herein is a collective term of printing, ordering, transmitting, or uploading, or processing that is equivalent thereof. Additionally, the file extension ".cpfx3" in FIGS. **11** to **13** is an extension of the poster data and is an example of the content file.

[0085] In a case where the editing operation (file-open) on the content file by the user is detected and the application is activated, the CPU **111** starts the processing in FIG. **10**.

[0086] In S**1001**, the CPU **111** determines whether the content that is the processing target is outputted. As described above, the CPU **111** determines whether the content that is the processing target is outputted with reference to the attribute information of the content file. In the present embodiment, the first content file **1161** (XXX.cpfx3) that is the processing target in FIG. **11**A is the content file including the information indicating that the file is outputted in the attribute information as described above. If the content that is the processing target is outputted, the CPU **111** allows the process to proceed to S**1002**, and if the content that is the processing target is not outputted, the CPU **111** allows the process to proceed to S**1006**.

[0087] In S**1002**, the CPU **111** displays the message prompting the duplication of the content. Specifically, the message dialogue **73** as illustrated in FIG. **7**B is displayed.

[0088] Subsequently, in S**1003**, the CPU **111** determines whether the user duplicates and edits the content that is the processing target. Specifically, the CPU **111** determines whether the pressing of the "YES (copy and edit)" button **74** in the message dialogue **73** in FIG. **7**B is accepted or the pressing of the "NO" button **75** is accepted. If the pressing of the "YES (copy and edit)" button **74** is accepted, it is determined that the user duplicates and edits the content that is the processing target, and the CPU **111** allows the process to proceed to S**1004**. If the pressing of the "NO" button **75** is accepted, it is determined that the user does not duplicate and edit the content that is the processing target, and the CPU **111** allows the process to proceed to S**1007**.

[0089] In S**1004**, the CPU **111** duplicates the content that is the processing target. In this duplication processing, the icon of the content file and the content data indicated by the content file are duplicated. Specifically, as illustrated in FIG. **11**B, the CPU **111** duplicates the first content file **1161**

(XXX.cpfx3) and generates a second content file **1162** (XXX_02.cpfx3). After S**1004**, the CPU **111** allows the process to proceed to S**1005**.

[0090] In S**1005**, the CPU **111** sets the second content file **1162** (XXX_02.cpfx3) generated by the duplication as the editing target. The CPU **111** then opens the second content file **1162** and transitions to a screen to edit the content of the second content file **1162**. After S**1005**, the CPU **111** allows the process to proceed to S**1006**.

[0091] In S**1006**, the CPU **111** accepts the processing of editing the content. For example, in a case the process proceeds to S**1006** after S**1005**, the CPU **111** accepts the editing processing of the second content file **1162** (XXX_02.cpfx3) generated by the duplication. In other words, the second content file **1162** (XXX_02.cpfx3) after the duplication can accept the "editing" operation by the user as a content file different from the outputted first content file **1161** (XXX.cpfx3).

[0092] Note that, as described above, it is a state in which the attribute information of the first content file **1161** includes the information indicating that the file is outputted. Therefore, in a case where the first content file **1161** is duplicated directly, the attribute information including the information indicating that the file is outputted is also duplicated directly. In other words, there is a possibility that it is determined in the subsequent processing that the file is outputted although outputting is not performed for the second content file **1162** after the duplication. Therefore, in the present embodiment, control to prevent the duplication of the attribute information may be performed in the duplication in S**1004**. Alternatively, after the second content file **1162**, which is after the duplication including the attribute information, is generated, the CPU **111** may perform processing of deleting the attribute information related to the information indicating that the file is outputted.

[0093] Next, processing in a case where it is determined in S**1003** that the first content file **1161** (XXX.cpfx3) is not duplicated and edited is described. In S**1007**, the CPU **111** displays a preview screen of the first content file **1161** (XXX.cpfx3). In other words, the CPU **111** allows the user to only browse the first content file **1161** (XXX.cpfx3). Thus, it is possible to suppress the inadvertent editing of the content file while allowing the user to confirm the details of the content file. Once the processing in S**1007** or the processing in S**1006** is completed, the CPU **111** ends the processing of the flowchart illustrated in FIG. **10**.

[0094] Once the processing of editing the content after S**1004** and S**1005** is completed, the storage folder **1100** of the content file as illustrated in FIG. **11**B is obtained. The above is a flow of the sequence of processing of the present embodiment.

[0095] Note that, although the content file outputted to the outside via the printer **121** and the like illustrated in FIG. **1** is applicable as the processing target file as described above in the present embodiment, it is not limited thereto. Specifically, the present embodiment is also applicable to the content file outputted as another file inside the client terminal **110** in FIG. **1**.

[0096] Description is provided by using a third content file **1271** (YYY.cpfx3) in FIG. **12**A as an example. A case where the editing work of the third content file **1271** (YYY.cpfx3) is completed by the user and thereafter the content file is outputted as another file **1272** (YYY.png) of another format (here, a PNG format) is assumed. The other file **1272** is an image file indicating the details of the content indicated by the third content file **1271**, for example. Thus, in a case where the other file **1272** is outputted, the CPU **111** may perform processing of suppressing the inadvertent editing of the third content file **1271** (YYY.cpfx3) that is the original data. That is, triggered by the outputting of the other file **1272**, the CPU **111** generates a fourth content file **1273** (XXX_02.cpfx3) by duplicating the outputted third content file **1271** (YYY.cpfx3) as illustrated in FIG. **12**B. Then, the fourth content file **1273** is opened, and the editing screen by the user for the content of the fourth content file **1273** is accepted. With the configuration as mentioned above, it is possible to suppress the inadvertent editing of the outputted content file even in a case where the other file is outputted to the inside of the client terminal **110**.

[0097] Additionally, it is also possible to visually display whether the content file in the storage folder **1100** is outputted. For example, as illustrated in FIG. **13**, the CPU **111** may display an outputted mark **1300** on the outputted first content file **1161** (XXX.cpfx4) and third content file **1271** (YYY.cpfx4). Thus, the user can perceive that only the browsing is allowed. In this case, for example, as illustrated in FIG. **13**, the extension of the outputted content file is set as "cpfx4" that is an extension different from "cpfx3". In this process, in the association of the extension in the OS, an application icon including the outputted mark **1300** is associated with the displayed icon of the extension "cpfx4". Thus, in the file system in the OS, the user can perceive that only the browsing is allowed.

[0098] Thus, it is possible to implement switching of the displaying of the outputted mark **1300** based on the type of the extension. Note that, since the processing of allowing for the duplication and editing of the other second content file **1162** (XXX.cpfx3) in a case where the outputted first content file **1161** (XXX.cpfx4) is file-opened is similar to the above-described processing, description is omitted.

[0099] As described above, in the present embodiment, in a case where the editing operation on the outputted content file is detected, the editing of the outputted content file is not allowed, and the duplication as the other editable content file is prompted. Thus, it is possible to suppress the inadvertent editing of the outputted content file.

Other Embodiments

[0100] The function of the Web application **141** described in each of the first embodiment and the second embodiment may have a mode in which the single Web application **141** has the functions of both the first and second embodiments. Alternatively, a first Web application having the function described in the first embodiment and a second Web application having the function described in the second embodiment may be provided separately. Additionally, the information processing system may include only the first Web application or only the second Web application.

[0101] Additionally, although an example in which each processing is executed by using the Web application **141** is described in the above-described embodiment, the mode of the Web application may not be applied. That is, an aspect in which the processing of each embodiment described above is executed by using a native application installed on the client terminal **110** that is the information processing apparatus may be applicable.

[0102] Moreover, the application to which the idea of the present disclosure is applicable is not limited to a poster editing application. For example, the present disclosure is applicable to general content creation software such as a layout editing application, an album editing application, or an image editing application that newly arranges the object data.

[0103] Furthermore, although an example in which a default name showing that it is a duplicated file is provided as a data name (a file name) of the duplicated data is described in each embodiment described above, it is not limited thereto. It is possible to perform control such that the user provides an arbitrary name.

[0104] Embodiment(s) of the present disclosure can also be realized by a computer of a system or apparatus that reads out and executes computer executable instructions (e.g., one or more programs) recorded on a storage medium (which may also be referred to more fully as a 'non-transitory computer-readable storage medium') to perform the functions of one or more of the above-described embodiment(s) and/or that includes one or more circuits (e.g., application specific integrated circuit (ASIC)) for performing the functions of one or more of the above-described embodiment(s), and by a method performed by the computer of the system or apparatus by, for example, reading out and executing the computer executable instructions from the storage medium to perform the functions of one or more of the above-described embodiment(s) and/or controlling the one or more circuits to perform the functions of one or more of the above-described embodiment(s). The computer may comprise one or more processors (e.g., central processing unit (CPU), micro processing unit (MPU)) and may include a network of separate computers or separate processors to read out and execute the computer executable instructions. The computer executable instructions may be provided to the computer, for example, from a network or the storage medium. The storage medium may include, for example, one or more of a hard disk, a random-access memory (RAM), a read only memory (ROM), a storage of distributed computing systems, an optical disk (such as a compact disc (CD), digital versatile disc (DVD), or Blu-ray Disc (BD)™), a flash memory device, a memory card, and the like.

[0105] While the present disclosure has been described with reference to exemplary embodiments, it is to be understood that the disclosure is not limited to the disclosed exemplary embodiments. The scope of the following claims is to be accorded the broadest interpretation so as to encompass all such modifications and equivalent structures and functions.

[0106] This application claims the benefit of Japanese Patent Application No. 2024-031958, filed Mar. 4, 2024, which is hereby incorporated by reference wherein in its entirety.

What is claimed is:

1. A control method of an information processing apparatus, comprising:

generating content data;

editing the content data based on a user operation;

outputting the content data on which the editing is performed;

displaying a first region indicating a first list, which is a list of the content data that is not outputted yet;

displaying a second region indicating a second list, which is a list of the content data that is outputted already;

displaying a first editing screen to edit first content data in a case where the first content data is selected from the first list;

displaying a second editing screen to edit third content data obtained by duplicating second content data in a case where the second content data is selected from the second list;

performing control to maintain a state in which the second content data is included in the second list indicated by the second region displayed after the second editing screen is displayed even in a case where the second content data is selected from the second list; and

performing control to newly add the third content data to the first list displayed after an operation to save the third content data without outputting is performed on the second editing screen.

2. The control method according to claim **1**, further comprising:

displaying a confirmation screen to confirm whether to duplicate the second content data in a case where the second content data is selected from the second list, wherein

in a case where a first operation is performed on the confirmation screen, the second editing screen is displayed,

in a case where a second operation is performed on the confirmation screen, the second editing screen is not displayed, and

in a case where the first content data is selected from the first list, the first editing screen is displayed without displaying a confirmation screen to confirm whether to duplicate the first content data.

3. The control method according to claim **2**, wherein

on the confirmation screen, in a case where the second operation is performed, a predetermined screen to confirm a content of the second content data outputted already is displayed.

4. The control method according to claim **3**, wherein

on the predetermined screen, control to prevent a user from editing the second content data is performed.

5. The control method according to claim **3**, wherein

a region corresponding to the second content data includes a first button and a second button,

in a case where an operation on the first button is performed, and the first operation is performed on the confirmation screen, the second editing screen is displayed,

in a case where an operation on the first button is performed, and the second operation is performed on the confirmation screen, the predetermined screen is displayed, and

in a case where an operation on the second button is performed, the predetermined screen is displayed.

6. The control method according to claim **1**, wherein

a first text, which is displayed on a button that is included in a region corresponding to the first content data in the first list and that displays the first editing screen, and a second text, which is displayed on a button that is included in a region corresponding to the second content data in the second list and that displays the second editing screen, are different from each other.

7. The control method according to claim **6**, wherein

the first text is a text indicating editing, and

the second text is a text indicating duplication and editing.

8. The control method according to claim **1**, wherein
a region corresponding to the first content data includes a first button and a second button,
in a case where an operation on the first button is performed, the first editing screen is displayed, and
in a case where an operation on the second button is performed, the first content data is deleted.

9. The control method according to claim **1**, wherein
outputting of the content data includes printing that is executed by a printing apparatus based on the content data.

10. The control method according to claim **1**, wherein
outputting of the content data includes transmitting of the content data to an apparatus outside the information processing apparatus.

11. The control method according to claim **1**, wherein
outputting of the content data includes ordering of a content expressed by the content data.

12. The control method according to claim **11**, wherein
ordering of a content expressed by the content data includes processing for payment to purchase the content expressed by the content data.

13. The control method according to claim **1**, wherein
the first region is displayed with a tab displaying the second region, and
in a case where the tab displaying the second region is selected, the second region is displayed with a tab displaying the first region.

14. The control method according to claim **1**, wherein
the content data is data corresponding to a poster or a photo album.

15. The control method according to claim **1**, wherein
the first region and the second region are displayed by a WEB browser of the information processing apparatus based on information received from a server outside the information processing apparatus.

16. The control method according to claim **1**, wherein
the first editing screen includes a region accepting an operation to save the first content data without outputting and a region accepting an operation to output the first content data, and
the second editing screen includes a region accepting an operation to save the third content data without outputting and a region accepting an operation to output the third content data.

17. The control method according to claim **1**, wherein
editing of the content data includes at least one of adding of an object in the content data, moving of an object in the content data, and size changing of an object in the content data.

18. The control method according to claim **1**, wherein
the region corresponding to the first content data includes a first button and a second button,
in a case where an operation on the first button is performed, the first editing screen is displayed,
in a case where an operation on the second button is performed, processing of checking a revised portion related to an object in the first content data is executed, and a screen to confirm a content of the first content data is displayed,
a region corresponding to the second content data includes a third button and a fourth button,
in a case where an operation on the third button is performed, the second editing screen is displayed, and
in a case where an operation on the fourth button is performed, processing of checking a revised portion related to an object in the second content data is not executed, and a screen to confirm a content of the second content data is displayed.

19. A non-transitory computer readable storage medium storing a program causing a computer of an information processing apparatus to execute the steps of:
generating content data;
editing the content data based on a user operation;
outputting the content data on which the editing is performed;
displaying a first region indicating a first list, which is a list of the content data that is not outputted yet;
displaying a second region indicating a second list, which is a list of the content data that is outputted already;
displaying a first editing screen to edit first content data in a case where the first content data is selected from the first list;
displaying a second editing screen to edit third content data obtained by duplicating second content data in a case where the second content data is selected from the second list;
performing control to maintain a state in which the second content data is included in the second list indicated by the second region displayed after the second editing screen is displayed even in a case where the second content data is selected from the second list; and
performing control to newly add the third content data to the first list displayed after an operation to save the third content data without outputting is performed on the second editing screen.

20. An information processing apparatus, comprising:
a generation unit configured to generate content data;
an editing unit configured to edit the content data based on a user operation;
an output unit configured to output the content data on which the editing is performed;
a first display unit configured to display a first region indicating a first list, which is a list of the content data that is not outputted yet;
a second display unit configured to display a second region indicating a second list, which is a list of the content data that is outputted already;
a third display unit configured to display a first editing screen to edit first content data in a case where the first content data is selected from the first list;
a fourth display unit configured to display a second editing screen to edit third content data obtained by duplicating second content data in a case where the second content data is selected from the second list;
a first control unit configured to perform control to maintain a state in which the second content data is included in the second list indicated by the second region displayed after the second editing screen is displayed even in a case where the second content data is selected from the second list; and
a second control unit configured to perform control to newly add the third content data to the first list displayed after an operation to save the third content data without outputting is performed on the second editing screen.

* * * * *