



US 20250263554A1

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2025/0263554 A1
BOUDREAUET al. (43) Pub. Date: Aug. 21, 2025

(54) ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

C09K 11/06 (2006.01)*G09F 9/30* (2006.01)*H05B 33/12* (2006.01)*H05B 33/14* (2006.01)*H10K 50/00* (2023.01)*H10K 59/00* (2023.01)*H10K 85/60* (2023.01)*H10K 99/00* (2023.01)

(71) Applicant: Universal Display Corporation, Ewing, NJ (US)

(52) U.S. Cl.

CPC *C09B 57/00* (2013.01); *C07D 209/82*(2013.01); *C07D 239/70* (2013.01); *C07D**239/78* (2013.01); *C07D 251/42* (2013.01);*C07F 15/00* (2013.01); *C09K 11/06* (2013.01);*G09F 9/30* (2013.01); *H05B 33/12* (2013.01);*H05B 33/14* (2013.01); *H10K 50/00*(2023.02); *H10K 59/00* (2023.02); *H10K**85/6572* (2023.02); *H10K 85/6574* (2023.02);*H10K 85/6576* (2023.02); *H10K 99/00*

(2023.02)

(72) Inventors: Pierre-Luc T. BOUDREAUET, Ewing, NJ (US); Bert ALLEYNE, Ewing, NJ (US)

(73) Assignee: Universal Display Corporation, Ewing, NJ (US)

(21) Appl. No.: 19/187,599

(22) Filed: Apr. 23, 2025

Related U.S. Application Data

(63) Continuation of application No. 15/792,893, filed on Oct. 25, 2017, now Pat. No. 12,317,745.


(60) Provisional application No. 62/419,620, filed on Nov. 9, 2016.

Publication Classification

(51) Int. Cl.

C09B 57/00 (2006.01)*C07D 209/82* (2006.01)*C07D 239/70* (2006.01)*C07D 239/78* (2006.01)*C07D 251/42* (2006.01)*C07F 15/00* (2006.01)**ABSTRACT**

This present invention includes novel ligands for metal complexes, which include three fused cycles or heterocycles. The first ring may be either a pyridine or a pyrimidine ring, which coordinates with the iridium metal. The second ring may be a six-membered ring, which may or may not contain nitrogen atoms. The third ring may be either a five or six membered ring. The combination of these aromatic rings provides near infrared or infrared emission in PHOLEDs devices. The bottom ring of the ligand is an alkylated cycle or heterocycle which provides a good efficiency and emission line shape.






Figure 1




Figure 2

ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of U.S. application Ser. No. 15/792,893, filed Oct. 25, 2017, which claims priority to U.S. Provisional Patent Application Ser. No. 62/419,620, filed Nov. 9, 2016, the entire contents of which are incorporated herein by reference.

FIELD

[0002] The present invention relates to compounds for use as emitters, and devices, such as organic light emitting diodes, including the same.


BACKGROUND

[0003] Opto-electronic devices that make use of organic materials are becoming increasingly desirable for a number of reasons. Many of the materials used to make such devices are relatively inexpensive, so organic opto-electronic devices have the potential for cost advantages over inorganic devices. In addition, the inherent properties of organic materials, such as their flexibility, may make them well suited for particular applications such as fabrication on a flexible substrate. Examples of organic opto-electronic devices include organic light emitting diodes/devices (OLEDs), organic phototransistors, organic photovoltaic cells, and organic photodetectors. For OLEDs, the organic materials may have performance advantages over conventional materials. For example, the wavelength at which an organic emissive layer emits light may generally be readily tuned with appropriate dopants.

[0004] OLEDs make use of thin organic films that emit light when voltage is applied across the device. OLEDs are becoming an increasingly interesting technology for use in applications such as flat panel displays, illumination, and backlighting. Several OLED materials and configurations are described in U.S. Pat. Nos. 5,844,363, 6,303,238, and 5,707,745, which are incorporated herein by reference in their entirety.

[0005] One application for phosphorescent emissive molecules is a full color display. Industry standards for such a display call for pixels adapted to emit particular colors, referred to as “saturated” colors. In particular, these standards call for saturated red, green, and blue pixels. Alternatively the OLED can be designed to emit white light. In conventional liquid crystal displays emission from a white backlight is filtered using absorption filters to produce red, green and blue emission. The same technique can also be used with OLEDs. The white OLED can be either a single EML device or a stack structure. Color may be measured using CIE coordinates, which are well known to the art.

[0006] One example of a green emissive molecule is tris(2-phenylpyridine) iridium, denoted Ir(ppy)₃, which has the following structure:



[0007] In this, and later figures herein, we depict the dative bond from nitrogen to metal (here, Ir) as a straight line.

[0008] As used herein, the term “organic” includes polymeric materials as well as small molecule organic materials that may be used to fabricate organic opto-electronic devices. “Small molecule” refers to any organic material that is not a polymer, and “small molecules” may actually be quite large. Small molecules may include repeat units in some circumstances. For example, using a long chain alkyl group as a substituent does not remove a molecule from the “small molecule” class. Small molecules may also be incorporated into polymers, for example as a pendent group on a polymer backbone or as a part of the backbone. Small molecules may also serve as the core moiety of a dendrimer, which consists of a series of chemical shells built on the core moiety. The core moiety of a dendrimer may be a fluorescent or phosphorescent small molecule emitter. A dendrimer may be a “small molecule,” and it is believed that all dendrimers currently used in the field of OLEDs are small molecules.

[0009] As used herein, “top” means furthest away from the substrate, while “bottom” means closest to the substrate. Where a first layer is described as “disposed over” a second layer, the first layer is disposed further away from substrate. There may be other layers between the first and second layer, unless it is specified that the first layer is “in contact with” the second layer. For example, a cathode may be described as “disposed over” an anode, even though there are various organic layers in between.

[0010] As used herein, “solution processible” means capable of being dissolved, dispersed, or transported in and/or deposited from a liquid medium, either in solution or suspension form.

[0011] A ligand may be referred to as “photoactive” when it is believed that the ligand directly contributes to the photoactive properties of an emissive material. A ligand may be referred to as “ancillary” when it is believed that the ligand does not contribute to the photoactive properties of an emissive material, although an ancillary ligand may alter the properties of a photoactive ligand.

[0012] As used herein, and as would be generally understood by one skilled in the art, a first “Highest Occupied Molecular Orbital” (HOMO) or “Lowest Unoccupied Molecular Orbital” (LUMO) energy level is “greater than” or “higher than” a second HOMO or LUMO energy level if the first energy level is closer to the vacuum energy level. Since ionization potentials (IP) are measured as a negative energy relative to a vacuum level, a higher HOMO energy level corresponds to an IP having a smaller absolute value (an IP that is less negative). Similarly, a higher LUMO energy level corresponds to an electron affinity (EA) having a smaller absolute value (an EA that is less negative). On a conventional energy level diagram, with the vacuum level at the top, the LUMO energy level of a material is higher than

the HOMO energy level of the same material. A “higher” HOMO or LUMO energy level appears closer to the top of such a diagram than a “lower” HOMO or LUMO energy level.


[0013] As used herein, and as would be generally understood by one skilled in the art, a first work function is “greater than” or “higher than” a second work function if the first work function has a higher absolute value. Because work functions are generally measured as negative numbers relative to vacuum level, this means that a “higher” work function is more negative. On a conventional energy level diagram, with the vacuum level at the top, a “higher” work function is illustrated as further away from the vacuum level in the downward direction. Thus, the definitions of HOMO and LUMO energy levels follow a different convention than work functions.

[0014] More details on OLEDs, and the definitions described above, can be found in U.S. Pat. No. 7,279,704, which is incorporated herein by reference in its entirety.

[0015] There is a need in the art for novel ligands for metal complexes which provide good efficiency and emission line shape and provide near infrared or infrared emission in PHOLED devices. The present invention addresses this unmet need in the art.


SUMMARY

[0016] According to an embodiment, a compound is provided that includes a ligand L_A having the structure of Formula I shown below



[0017] wherein ring A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;

[0018] wherein R is fused to ring B and has the formula II:



[0019] wherein the wave lines indicate bonds to ring B;

[0020] wherein ring D is fused to ring C;

[0021] wherein ring D is a 5-membered or 6-membered carbocyclic or heterocyclic aromatic ring;

[0022] wherein R^1 represents mono to maximum possible number of substitution;

[0023] wherein R^2 , R^3 , and R^4 represent mono to maximum possible number of substitution, or no substitution;

[0024] wherein X^1 , X^2 , X^3 , X^4 , X^5 , X^6 , X^7 , and X^8 are each independently carbon or nitrogen;

[0025] wherein at least two adjacent of X^1 , X^2 , X^3 , and X^4 are carbon and fuse to ring C;

[0026] wherein at least two adjacent of X^5 , X^6 , X^7 , and X^8 are carbon and fuse to ring D;

[0027] wherein R^2 , R^3 , and R^4 are each independently selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

[0028] wherein no two adjacent substituents of R^2 , R^3 , and R^4 are joined to form a ring;

[0029] wherein each R^1 is independently selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

[0030] wherein two adjacent R^1 are optionally joined to form or fuse into a ring;

[0031] wherein at least one R^1 is selected from the group consisting of alkyl, cycloalkyl, partially fluorinated variants thereof, partially or fully deuterated variants thereof, and combinations thereof;

[0032] wherein in each of the at least one R^1 , C having an F attached thereto is separated by at least one carbon atom from the aromatic ring;

[0033] wherein L_A is coordinated to a metal M;

[0034] wherein L_A is optionally linked with other ligands to comprise a tridentate, tetradeinate, pentadentate, or hexadentate ligand; and

[0035] wherein M is optionally coordinated to other ligands.

[0036] According to another embodiment, an organic light emitting diode/device (OLED) is also provided. The OLED can include an anode, a cathode, and an organic layer, disposed between the anode and the cathode. The organic layer can include a compound that includes a ligand L_A of Formula I. According to yet another embodiment, the organic light emitting device is incorporated into one or more devices selected from a consumer product, an electronic component module, and/or a lighting panel.

[0037] According to yet another embodiment, a formulation containing a compound that includes a ligand L_A of Formula I is provided.

BRIEF DESCRIPTION OF THE DRAWINGS

[0038] FIG. 1 shows an organic light emitting device.

[0039] FIG. 2 shows an inverted organic light emitting device that does not have a separate electron transport layer.

DETAILED DESCRIPTION

[0040] Generally, an OLED comprises at least one organic layer disposed between and electrically connected to an anode and a cathode. When a current is applied, the anode

injects holes and the cathode injects electrons into the organic layer(s). The injected holes and electrons each migrate toward the oppositely charged electrode. When an electron and hole localize on the same molecule, an “exciton,” which is a localized electron-hole pair having an excited energy state, is formed. Light is emitted when the exciton relaxes via a photoemissive mechanism. In some cases, the exciton may be localized on an excimer or an exciplex. Non-radiative mechanisms, such as thermal relaxation, may also occur, but are generally considered undesirable.

[0041] The initial OLEDs used emissive molecules that emitted light from their singlet states (“fluorescence”) as disclosed, for example, in U.S. Pat. No. 4,769,292, which is incorporated by reference in its entirety. Fluorescent emission generally occurs in a time frame of less than 10 nanoseconds.

[0042] More recently, OLEDs having emissive materials that emit light from triplet states (“phosphorescence”) have been demonstrated. Baldo et al., “Highly Efficient Phosphorescent Emission from Organic Electroluminescent Devices,” *Nature*, vol. 395, 151-154, 1998; (“Baldo-1”) and Baldo et al., “Very high-efficiency green organic light-emitting devices based on electrophosphorescence,” *Appl. Phys. Lett.*, vol. 75, No. 3, 4-6 (1999) (“Baldo-11”), are incorporated by reference in their entireties. Phosphorescence is described in more detail in U.S. Pat. No. 7,279,704 at cols. 5-6, which are incorporated by reference.

[0043] FIG. 1 shows an organic light emitting device 100. The figures are not necessarily drawn to scale. Device 100 may include a substrate 110, an anode 115, a hole injection layer 120, a hole transport layer 125, an electron blocking layer 130, an emissive layer 135, a hole blocking layer 140, an electron transport layer 145, an electron injection layer 150, a protective layer 155, a cathode 160, and a barrier layer 170. Cathode 160 is a compound cathode having a first conductive layer 162 and a second conductive layer 164. Device 100 may be fabricated by depositing the layers described, in order. The properties and functions of these various layers, as well as example materials, are described in more detail in U.S. Pat. No. 7,279,704 at cols. 6-10, which are incorporated by reference.

[0044] More examples for each of these layers are available. For example, a flexible and transparent substrate-anode combination is disclosed in U.S. Pat. No. 5,844,363, which is incorporated by reference in its entirety. An example of a p-doped hole transport layer is m-MTDATA doped with F₄-TCNQ at a molar ratio of 50:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. Examples of emissive and host materials are disclosed in U.S. Pat. No. 6,303,238 to Thompson et al., which is incorporated by reference in its entirety. An example of an n-doped electron transport layer is BPhen doped with Li at a molar ratio of 1:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. U.S. Pat. Nos. 5,703,436 and 5,707,745, which are incorporated by reference in their entireties, disclose examples of cathodes including compound cathodes having a thin layer of metal such as Mg:Ag with an overlying transparent, electrically-conductive, sputter-deposited ITO layer. The theory and use of blocking layers is described in more detail in U.S. Pat. No. 6,097,147 and U.S. Patent Application Publication No. 2003/0230980, which are incorporated by reference in their

entireties. Examples of injection layers are provided in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety. A description of protective layers may be found in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety.

[0045] FIG. 2 shows an inverted OLED 200. The device includes a substrate 210, a cathode 215, an emissive layer 220, a hole transport layer 225, and an anode 230. Device 200 may be fabricated by depositing the layers described, in order. Because the most common OLED configuration has a cathode disposed over the anode, and device 200 has cathode 215 disposed under anode 230, device 200 may be referred to as an “inverted” OLED. Materials similar to those described with respect to device 100 may be used in the corresponding layers of device 200. FIG. 2 provides one example of how some layers may be omitted from the structure of device 100.

[0046] The simple layered structure illustrated in FIGS. 1 and 2 is provided by way of non-limiting example, and it is understood that embodiments of the invention may be used in connection with a wide variety of other structures. The specific materials and structures described are exemplary in nature, and other materials and structures may be used. Functional OLEDs may be achieved by combining the various layers described in different ways, or layers may be omitted entirely, based on design, performance, and cost factors. Other layers not specifically described may also be included. Materials other than those specifically described may be used. Although many of the examples provided herein describe various layers as comprising a single material, it is understood that combinations of materials, such as a mixture of host and dopant, or more generally a mixture, may be used. Also, the layers may have various sublayers. The names given to the various layers herein are not intended to be strictly limiting. For example, in device 200, hole transport layer 225 transports holes and injects holes into emissive layer 220, and may be described as a hole transport layer or a hole injection layer. In one embodiment, an OLED may be described as having an “organic layer” disposed between a cathode and an anode. This organic layer may comprise a single layer, or may further comprise multiple layers of different organic materials as described, for example, with respect to FIGS. 1 and 2.

[0047] Structures and materials not specifically described may also be used, such as OLEDs comprised of polymeric materials (PLEDs) such as disclosed in U.S. Pat. No. 5,247,190 to Friend et al., which is incorporated by reference in its entirety. By way of further example, OLEDs having a single organic layer may be used. OLEDs may be stacked, for example as described in U.S. Pat. No. 5,707,745 to Forrest et al., which is incorporated by reference in its entirety. The OLED structure may deviate from the simple layered structure illustrated in FIGS. 1 and 2. For example, the substrate may include an angled reflective surface to improve out-coupling, such as a mesa structure as described in U.S. Pat. No. 6,091,195 to Forrest et al., and/or a pit structure as described in U.S. Pat. No. 5,834,893 to Bulovic et al., which are incorporated by reference in their entireties.

[0048] Unless otherwise specified, any of the layers of the various embodiments may be deposited by any suitable method. For the organic layers, preferred methods include thermal evaporation, ink-jet, such as described in U.S. Pat. Nos. 6,013,982 and 6,087,196, which are incorporated by

reference in their entireties, organic vapor phase deposition (OVPD), such as described in U.S. Pat. No. 6,337,102 to Forrest et al., which is incorporated by reference in its entirety, and deposition by organic vapor jet printing (OVJP), such as described in U.S. Pat. No. 7,431,968, which is incorporated by reference in its entirety. Other suitable deposition methods include spin coating and other solution based processes. Solution based processes are preferably carried out in nitrogen or an inert atmosphere. For the other layers, preferred methods include thermal evaporation. Preferred patterning methods include deposition through a mask, cold welding such as described in U.S. Pat. Nos. 6,294,398 and 6,468,819, which are incorporated by reference in their entireties, and patterning associated with some of the deposition methods such as ink-jet and OVJD. Other methods may also be used. The materials to be deposited may be modified to make them compatible with a particular deposition method. For example, substituents such as alkyl and aryl groups, branched or unbranched, and preferably containing at least 3 carbons, may be used in small molecules to enhance their ability to undergo solution processing. Substituents having 20 carbons or more may be used, and 3-20 carbons is a preferred range. Materials with asymmetric structures may have better solution processability than those having symmetric structures, because asymmetric materials may have a lower tendency to recrystallize. Dendrimer substituents may be used to enhance the ability of small molecules to undergo solution processing.

[0049] Devices fabricated in accordance with embodiments of the present invention may further optionally comprise a barrier layer. One purpose of the barrier layer is to protect the electrodes and organic layers from damaging exposure to harmful species in the environment including moisture, vapor and/or gases, etc. The barrier layer may be deposited over, under or next to a substrate, an electrode, or over any other parts of a device including an edge. The barrier layer may comprise a single layer, or multiple layers. The barrier layer may be formed by various known chemical vapor deposition techniques and may include compositions having a single phase as well as compositions having multiple phases. Any suitable material or combination of materials may be used for the barrier layer. The barrier layer may incorporate an inorganic or an organic compound or both. The preferred barrier layer comprises a mixture of a polymeric material and a non-polymeric material as described in U.S. Pat. No. 7,968,146, PCT Pat. Application Nos. PCT/US2007/023098 and PCT/US2009/042829, which are herein incorporated by reference in their entireties. To be considered a "mixture", the aforesaid polymeric and non-polymeric materials comprising the barrier layer should be deposited under the same reaction conditions and/or at the same time. The weight ratio of polymeric to non-polymeric material may be in the range of 95:5 to 5:95. The polymeric material and the non-polymeric material may be created from the same precursor material. In one example, the mixture of a polymeric material and a non-polymeric material consists essentially of polymeric silicon and inorganic silicon.

[0050] Devices fabricated in accordance with embodiments of the invention can be incorporated into a wide variety of electronic component modules (or units) that can be incorporated into a variety of electronic products or intermediate components. Examples of such electronic products or intermediate components include display screens,

lighting devices such as discrete light source devices or lighting panels, etc. that can be utilized by the end-user product manufacturers. Such electronic component modules can optionally include the driving electronics and/or power source(s). Devices fabricated in accordance with embodiments of the invention can be incorporated into a wide variety of consumer products that have one or more of the electronic component modules (or units) incorporated therein. A consumer product comprising an OLED that includes the compound of the present disclosure in the organic layer in the OLED is disclosed. Such consumer products would include any kind of products that include one or more light source(s) and/or one or more of some type of visual displays. Some examples of such consumer products include flat panel displays, computer monitors, medical monitors, televisions, billboards, lights for interior or exterior illumination and/or signaling, heads-up displays, fully or partially transparent displays, flexible displays, laser printers, telephones, mobile phones, tablets, phablets, personal digital assistants (PDAs), wearable devices, laptop computers, digital cameras, camcorders, viewfinders, micro-displays (displays that are less than 2 inches diagonal), 3-D displays, virtual reality or augmented reality displays, vehicles, video walls comprising multiple displays tiled together, theater or stadium screen, and a sign. Various control mechanisms may be used to control devices fabricated in accordance with the present invention, including passive matrix and active matrix. Many of the devices are intended for use in a temperature range comfortable to humans, such as 18 degrees C. to 30 degrees C., and more preferably at room temperature (20-25 degrees C.), but could be used outside this temperature range, for example, from -40 degree c. to +80 degree C.

[0051] The materials and structures described herein may have applications in devices other than OLEDs. For example, other optoelectronic devices such as organic solar cells and organic photodetectors may employ the materials and structures. More generally, organic devices, such as organic transistors, may employ the materials and structures.

[0052] The term "halo," "halogen," or "halide" as used herein includes fluorine, chlorine, bromine, and iodine.

[0053] The term "alkyl" as used herein contemplates both straight and branched chain alkyl radicals. Preferred alkyl groups are those containing from one to fifteen carbon atoms and includes methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 2,2-dimethylpropyl, and the like. Additionally, the alkyl group may be optionally substituted.

[0054] The term "cycloalkyl" as used herein contemplates cyclic alkyl radicals. Preferred cycloalkyl groups are those containing 3 to 10 ring carbon atoms and includes cyclopropyl, cyclopentyl, cyclohexyl, adamantyl, and the like. Additionally, the cycloalkyl group may be optionally substituted.

[0055] The term "alkenyl" as used herein contemplates both straight and branched chain alkene radicals. Preferred alkenyl groups are those containing two to fifteen carbon atoms. Additionally, the alkenyl group may be optionally substituted.

[0056] The term "alkynyl" as used herein contemplates both straight and branched chain alkyne radicals. Preferred

alkynyl groups are those containing two to fifteen carbon atoms. Additionally, the alkynyl group may be optionally substituted.

[0057] The terms “aralkyl” or “arylalkyl” as used herein are used interchangeably and contemplate an alkyl group that has as a substituent an aromatic group. Additionally, the aralkyl group may be optionally substituted.

[0058] The term “heterocyclic group” as used herein contemplates aromatic and non-aromatic cyclic radicals. Hetero-aromatic cyclic radicals also means heteroaryl. Preferred hetero-non-aromatic cyclic groups are those containing 3 to 7 ring atoms which includes at least one hetero atom, and includes cyclic amines such as morpholino, piperidino, pyrrolidino, and the like, and cyclic ethers, such as tetrahydrofuran, tetrahydropyran, and the like. Additionally, the heterocyclic group may be optionally substituted.

[0059] The term “aryl” or “aromatic group” as used herein contemplates single-ring groups and polycyclic ring systems. The polycyclic rings may have two or more rings in which two carbons are common to two adjoining rings (the rings are “fused”) wherein at least one of the rings is aromatic, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. Preferred aryl groups are those containing six to thirty carbon atoms, preferably six to twenty carbon atoms, more preferably six to twelve carbon atoms. Especially preferred is an aryl group having six carbons, ten carbons or twelve carbons. Suitable aryl groups include phenyl, biphenyl, triphenyl, triphenylene, tetraphenylenne, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene, preferably phenyl, biphenyl, triphenyl, triphenylene, fluorene, and naphthalene. Additionally, the aryl group may be optionally substituted.

[0060] The term “heteroaryl” as used herein contemplates single-ring hetero-aromatic groups that may include from one to five heteroatoms. The term heteroaryl also includes polycyclic hetero-aromatic systems having two or more rings in which two atoms are common to two adjoining rings (the rings are “fused”) wherein at least one of the rings is a heteroaryl, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. Preferred heteroaryl groups are those containing three to thirty carbon atoms, preferably three to twenty carbon atoms, more preferably three to twelve carbon atoms. Suitable heteroaryl groups include dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofluoropyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine, preferably dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, triazine, benzimidazole, 1,2-azaborine, 1,3-azaborine, 1,4-azaborine, borazine, and aza-analogs thereof. Additionally, the heteroaryl group may be optionally substituted.

[0061] The alkyl, cycloalkyl, alkenyl, alkynyl, aralkyl, heterocyclic group, aryl, and heteroaryl may be unsubstituted or may be substituted with one or more substituents selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, cyclic amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

[0062] As used herein, “substituted” indicates that a substituent other than H is bonded to the relevant position, such as carbon. Thus, for example, where R¹ is mono-substituted, then one R¹ must be other than H. Similarly, where R¹ is di-substituted, then two of R¹ must be other than H. Similarly, where R¹ is unsubstituted, R¹ is hydrogen for all available positions.


[0063] The “aza” designation in the fragments described herein, i.e. aza-dibenzofuran, aza-dibenzothiophene, etc. means that one or more of the C—H groups in the respective fragment can be replaced by a nitrogen atom, for example, and without any limitation, azatriphenylene encompasses both dibenzo[*fh*]quinoxaline and dibenzo[*fh*]quinoline. One of ordinary skill in the art can readily envision other nitrogen analogs of the aza-derivatives described above, and all such analogs are intended to be encompassed by the terms as set forth herein.

[0064] It is to be understood that when a molecular fragment is described as being a substituent or otherwise attached to another moiety, its name may be written as if it were a fragment (e.g. phenyl, phenylene, naphthyl, dibenzofuryl) or as if it were the whole molecule (e.g. benzene, naphthalene, dibenzofuran). As used herein, these different ways of designating a substituent or attached fragment are considered to be equivalent.

COMPOUNDS OF THE INVENTION


[0065] This invention includes phosphorescent metal complexes that include three fused cycles or heterocycles. In one embodiment, the first ring is either a pyridine or a pyrimidine, which can coordinate with the iridium metal. In one embodiment, the second ring is a six-membered ring, which may or may not contain nitrogen atoms. In one embodiment, the third ring is either a five or six membered ring. In one embodiment, the ligand contains a benzoquinazoline core combined with an alkylated phenyl, naphthalene, benzothiophene, quinoline, etc. The aliphatic chains have been found to be critical for obtaining a single regiosomer when cyclometallated with iridium. The combination of the aromatic groups results in very deep red emitters which may be useful in applications which require near-IR to IR emission. The aliphatic chains on the core of the ligand also improve the line shape of the emission and also increase the External Quantum Efficiency (EQE) of the emitters.

[0066] In one aspect, the present invention includes a compound comprising a ligand L_A of Formula I:



[0067] wherein ring A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;

[0068] wherein R is fused to ring B and has the formula II:



[0069] wherein the wave lines indicate bonds to ring B;

[0070] wherein ring D is fused to ring C;

[0071] wherein ring D is a 5-membered or 6-membered carbocyclic or heterocyclic aromatic ring;

[0072] wherein R¹ represents mono to maximum possible number of substitution;

[0073] wherein R², R³, and R⁴ represent mono to maximum possible number of substitution, or no substitution;

[0074] wherein X¹, X², X³, X⁴, X⁵, X⁶, X⁷, and X⁸ are each independently carbon or nitrogen;

[0075] wherein at least two adjacent of X¹, X², X³, and X⁴ are carbon and fuse to ring C;

[0076] wherein at least two adjacent of X⁵, X⁶, X⁷, and X⁸ are carbon and fuse to ring D;

[0077] wherein R², R³, and R⁴ are each independently selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

[0078] wherein no two adjacent substituents of R², R³, and R⁴ are joined to form a ring;

[0079] wherein each R¹ is independently selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

[0080] wherein two adjacent R¹ are optionally joined to form or fuse into a ring;

[0081] wherein at least one R¹ is selected from the group consisting of alkyl, cycloalkyl, partially fluorinated variants thereof, partially or fully deuterated variants thereof, and combinations thereof;

[0082] wherein in each of the at least one R¹, C having an F attached thereto is separated by at least one carbon atom from the aromatic ring;

[0083] wherein L_A is coordinated to a metal M;


[0084] wherein L_A is optionally linked with other ligands to comprise a tridentate, tetradeinate, pentadentate, or hexadentate ligand; and

[0085] wherein M is optionally coordinated to other ligands.


[0086] In one embodiment, M is selected from the group consisting of Ir, Rh, Re, Ru, Os, Pt, Au, and Cu. In one embodiment, M is Ir or Pt.

[0087] In one embodiment, X¹, X², X³, and X⁴ are carbon. In one embodiment, at least one of X¹, X², X³, and X⁴ is nitrogen. In one embodiment, X⁵, X⁶, X⁷, and X⁸ are carbon. In one embodiment, at least one of X⁵, X⁶, X⁷, and X⁸ is nitrogen.


[0088] In one embodiment, ring A is a 6-membered carbocyclic or heterocyclic aromatic ring and the at least one R¹ is para to M. In one embodiment, ring A is selected from the group consisting of:



-continued



-continued



[0089] wherein each bond is linked to Ring B and each bond is linked to the metal.




[0090] In one embodiment, ring D is 5-membered heteroaromatic ring. In one embodiment, ring D is benzene.

[0091] In one embodiment, ring D is selected from the group consisting of pyridine, pyrimidine, and triazine.

[0092] In one embodiment, at least one of rings C and D is a heteroaromatic ring.



[0093] In one embodiment, at least one R¹ is selected from the group consisting of methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 2,2-dimethylpropyl, cyclopentyl, cyclohexyl, and combinations thereof.

[0094] In one embodiment, the ligand L_A is selected from the group consisting of:








[0095] wherein each Y is independently carbon or nitrogen.




[0096] In one embodiment, the ligand L_A is selected from the group consisting of:



-continued




-continued



[0097] wherein each Y is independently carbon or nitrogen.

[0098] In one embodiment, the ligand L_A is selected from the group consisting of L_{A1} through L_{A1424} defined as follows:


L_{A1} to L_{A178} based on the formula of



Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	
L ₄₁	H	H	H	C	C	L ₄₉₀	R ^{B1}	H	H	C	C	
L ₄₂	H	R ^{B1}	H	C	C	L ₄₉₁	R ^{B1}	R ^{B1}	H	C	C	
L ₄₃	H	R ^{B2}	H	C	C	L ₄₉₂	R ^{B1}	R ^{B2}	H	C	C	
L ₄₄	H	R ^{B3}	H	C	C	L ₄₉₃	R ^{B1}	R ^{B3}	H	C	C	
L ₄₅	H	R ^{B4}	H	C	C	L ₄₉₄	R ^{B1}	R ^{B4}	H	C	C	
L ₄₆	H	R ^{B5}	H	C	C	L ₄₉₅	R ^{B1}	R ^{B5}	H	C	C	
L ₄₇	H	R ^{B6}	H	C	C	L ₄₉₆	R ^{B1}	R ^{B6}	H	C	C	
L ₄₈	H	R ^{B7}	H	C	C	L ₄₉₇	R ^{B1}	R ^{B7}	H	C	C	
L ₄₉	H	R ^{A2}	H	C	C	L ₄₉₈	R ^{B1}	R ^{A2}	H	C	C	
L ₄₁₀	H	R ^{A28}	H	C	C	L ₄₉₉	R ^{B1}	R ^{A28}	H	C	C	
L ₄₁₁	H	R ^{A29}	H	C	C	L ₄₁₀₀	R ^{B1}	R ^{A29}	H	C	C	
L ₄₁₂	H	H	R ^{B1}	C	C	L ₄₁₀₁	R ^{B1}	H	R ^{B1}	C	C	
L ₄₁₃	H	H	R ^{B2}	C	C	L ₄₁₀₂	R ^{B1}	H	R ^{B2}	C	C	
L ₄₁₄	H	H	R ^{B3}	C	C	L ₄₁₀₃	R ^{B1}	H	R ^{B3}	C	C	
L ₄₁₅	H	H	R ^{B4}	C	C	L ₄₁₀₄	R ^{B1}	H	R ^{B4}	C	C	
L ₄₁₆	H	H	R ^{B5}	C	C	L ₄₁₀₅	R ^{B1}	H	R ^{B5}	C	C	
L ₄₁₇	H	H	R ^{B6}	C	C	L ₄₁₀₆	R ^{B1}	H	R ^{B6}	C	C	
L ₄₁₈	H	H	R ^{B7}	C	C	L ₄₁₀₇	R ^{B1}	H	R ^{B7}	C	C	
L ₄₁₉	H	H	R ^{A2}	C	C	L ₄₁₀₈	R ^{B1}	H	R ^{A2}	C	C	
L ₄₂₀	H	H	R ^{A28}	C	C	L ₄₁₀₉	R ^{B1}	H	R ^{A28}	C	C	
L ₄₂₁	H	H	H	N	C	L ₄₁₁₀	R ^{B1}	H	H	N	C	
L ₄₂₂	H	R ^{B1}	H	N	C	L ₄₁₁₁	R ^{B1}	R ^{B1}	H	N	C	
L ₄₂₃	H	R ^{B2}	H	N	C	L ₄₁₁₂	R ^{B1}	R ^{B2}	H	N	C	
L ₄₂₄	H	R ^{B3}	H	N	C	L ₄₁₁₃	R ^{B1}	R ^{B3}	H	N	C	
L ₄₂₅	H	R ^{B4}	H	N	C	L ₄₁₁₄	R ^{B1}	R ^{B4}	H	N	C	
L ₄₂₆	H	R ^{B5}	H	N	C	L ₄₁₁₅	R ^{B1}	R ^{B5}	H	N	C	
L ₄₂₇	H	R ^{B6}	H	N	C	L ₄₁₁₆	R ^{B1}	R ^{B6}	H	N	C	
L ₄₂₈	H	R ^{B7}	H	N	C	L ₄₁₁₇	R ^{B1}	R ^{B7}	H	N	C	
L ₄₂₉	H	R ^{A2}	H	N	C	L ₄₁₁₈	R ^{B1}	R ^{A2}	H	N	C	
L ₄₃₀	H	R ^{A28}	H	N	C	L ₄₁₁₉	R ^{B1}	R ^{A28}	H	N	C	
L ₄₃₁	H	R ^{B1}	R ^{B1}	N	C	L ₄₁₂₀	R ^{B1}	R ^{B1}	R ^{B1}	N	C	
L ₄₃₂	H	R ^{B2}	R ^{B2}	N	C	L ₄₁₂₁	R ^{B1}	R ^{B2}	R ^{B2}	N	C	
L ₄₃₃	H	R ^{B3}	R ^{B3}	N	C	L ₄₁₂₂	R ^{B1}	R ^{B3}	R ^{B3}	N	C	
L ₄₃₄	H	R ^{B4}	R ^{B4}	N	C	L ₄₁₂₃	R ^{B1}	R ^{B4}	R ^{B4}	N	C	
L ₄₃₅	H	R ^{B5}	R ^{B5}	N	C	L ₄₁₂₄	R ^{B1}	R ^{B5}	R ^{B5}	N	C	
L ₄₃₆	H	R ^{B6}	R ^{B6}	N	C	L ₄₁₂₅	R ^{B1}	R ^{B6}	R ^{B6}	N	C	
L ₄₃₇	H	R ^{B7}	R ^{B7}	N	C	L ₄₁₂₆	R ^{B1}	R ^{B7}	R ^{B7}	N	C	
L ₄₃₈	H	R ^{A2}	R ^{A2}	N	C	L ₄₁₂₇	R ^{B1}	R ^{A2}	R ^{A2}	N	C	
L ₄₃₉	H	R ^{A28}	R ^{A28}	N	C	L ₄₁₂₈	R ^{B1}	R ^{A28}	R ^{A28}	N	C	
L ₄₄₀	H	R ^{A29}	R ^{A29}	N	C	L ₄₁₂₉	R ^{B1}	R ^{A29}	R ^{A29}	N	C	
L ₄₄₁	H	H	R ^{B1}	N	C	L ₄₁₃₀	R ^{B1}	H	R ^{B1}	N	C	
L ₄₄₂	H	H	R ^{B2}	N	C	L ₄₁₃₁	R ^{B1}	H	R ^{B2}	N	C	
L ₄₄₃	H	H	R ^{B3}	N	C	L ₄₁₃₂	R ^{B1}	H	R ^{B3}	N	C	
L ₄₄₄	H	H	R ^{B4}	N	C	L ₄₁₃₃	R ^{B1}	H	R ^{B4}	N	C	
L ₄₄₅	H	H	R ^{B5}	N	C	L ₄₁₃₄	R ^{B1}	H	R ^{B5}	N	C	
L ₄₄₆	H	H	R ^{B6}	N	C	L ₄₁₃₅	R ^{B1}	H	R ^{B6}	N	C	
L ₄₄₇	H	H	R ^{B7}	N	C	L ₄₁₃₆	R ^{B1}	H	R ^{B7}	N	C	
L ₄₄₈	H	H	R ^{A2}	N	C	L ₄₁₃₇	R ^{B1}	H	R ^{A2}	N	C	
L ₄₄₉	H	H	R ^{A28}	N	C	L ₄₁₃₈	R ^{B1}	H	R ^{A28}	N	C	
L ₄₅₀	H	H	H	C	N	L ₄₁₃₉	R ^{B1}	H	H	C	N	
L ₄₅₁	H	R ^{B1}	H	C	N	L ₄₁₄₀	R ^{B1}	R ^{B1}	H	C	N	
L ₄₅₂	H	R ^{B2}	H	C	N	L ₄₁₄₁	R ^{B1}	R ^{B2}	H	C	N	
L ₄₅₃	H	R ^{B3}	H	C	N	L ₄₁₄₂	R ^{B1}	R ^{B3}	H	C	N	
L ₄₅₄	H	R ^{B4}	H	C	N	L ₄₁₄₃	R ^{B1}	R ^{B4}	H	C	N	
L ₄₅₅	H	R ^{B5}	H	C	N	L ₄₁₄₄	R ^{B1}	R ^{B5}	H	C	N	
L ₄₅₆	H	R ^{B6}	H	C	N	L ₄₁₄₅	R ^{B1}	R ^{B6}	H	C	N	
L ₄₅₇	H	R ^{B7}	H	C	N	L ₄₁₄₆	R ^{B1}	R ^{B7}	H	C	N	
L ₄₅₈	H	R ^{A2}	H	C	N	L ₄₁₄₇	R ^{B1}	R ^{A2}	H	C	N	
L ₄₅₉	H	R ^{A28}	H	C	N	L ₄₁₄₈	R ^{B1}	R ^{A28}	H	C	N	
L ₄₆₀	H	R ^{A29}	H	C	N	L ₄₁₄₉	R ^{B1}	R ^{A29}	H	C	N	
L ₄₆₁	H	H	R ^{B1}	C	N	L ₄₁₅₀	R ^{B1}	R ^{B1}	R ^{B1}	C	N	
L ₄₆₂	H	H	R ^{B2}	R ^{B2}	C	N	L ₄₁₅₁	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L ₄₆₃	H	R ^{B3}	R ^{B3}	C	N	L ₄₁₅₂	R ^{B1}	R ^{B3}	R ^{B3}	C	N	
L ₄₆₄	H	R ^{B4}	R ^{B4}	C	N	L ₄₁₅₃	R ^{B1}	R ^{B4}	R ^{B4}	C	N	
L ₄₆₅	H	R ^{B5}	R ^{B5}	C	N	L ₄₁₅₄	R ^{B1}	R ^{B5}	R ^{B5}	C	N	
L ₄₆₆	H	R ^{B6}	R ^{B6}	C	N	L ₄₁₅₅	R ^{B1}	R ^{B6}	R ^{B6}	C	N	
L ₄₆₇	H	R ^{B7}	R ^{B7}	C	N	L ₄₁₅₆	R ^{B1}	R ^{B7}	R ^{B7}	C	N	
L ₄₆₈	H	R ^{A2}	R ^{A2}	C	N	L ₄₁₅₇	R ^{B1}	R ^{A2}	R ^{A2}	C	N	
L ₄₆₉	H	R ^{A28}	R ^{A28}	C	N	L ₄₁₅₈	R ^{B1}	R ^{A28}	R ^{A28}	C	N	

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A170}	H	H	H	N	N	L _{A159}	R ^{B1}	H	H	N	N
L _{A171}	H	R ^{B1}	H	N	N	L _{A160}	R ^{B1}	R ^{B1}	H	N	N
L _{A172}	H	R ^{B2}	H	N	N	L _{A161}	R ^{B1}	R ^{B2}	H	N	N
L _{A173}	H	R ^{B3}	H	N	N	L _{A162}	R ^{B1}	R ^{B3}	H	N	N
L _{A174}	H	R ^{B4}	H	N	N	L _{A163}	R ^{B1}	R ^{B4}	H	N	N
L _{A175}	H	R ^{B5}	H	N	N	L _{A164}	R ^{B1}	R ^{B5}	H	N	N
L _{A176}	H	R ^{B6}	H	N	N	L _{A165}	R ^{B1}	R ^{B6}	H	N	N
L _{A177}	H	R ^{B7}	H	N	N	L _{A166}	R ^{B1}	R ^{B7}	H	N	N
L _{A178}	H	R ^{A2}	H	N	N	L _{A167}	R ^{B1}	R ^{A28}	H	N	N
L _{A179}	H	R ^{A28}	H	N	N	L _{A168}	R ^{B1}	R ^{A29}	H	N	N
L _{A180}	H	R ^{A29}	H	N	N	L _{A169}	R ^{B1}	R ^{A29}	H	N	N
L _{A181}	H	H	R ^{B1}	N	N	L _{A170}	R ^{B1}	H	R ^{B1}	N	N
L _{A182}	H	H	R ^{B2}	N	N	L _{A171}	R ^{B1}	H	R ^{B2}	N	N
L _{A183}	H	H	R ^{B3}	N	N	L _{A172}	R ^{B1}	H	R ^{B3}	N	N
L _{A184}	H	H	R ^{B4}	N	N	L _{A173}	R ^{B1}	H	R ^{B4}	N	N
L _{A185}	H	H	R ^{B5}	N	N	L _{A174}	R ^{B1}	H	R ^{B5}	N	N
L _{A186}	H	H	R ^{B6}	N	N	L _{A175}	R ^{B1}	H	R ^{B6}	N	N
L _{A187}	H	H	R ^{B7}	N	N	L _{A176}	R ^{B1}	H	R ^{B7}	N	N
L _{A188}	H	H	R ^{A2}	N	N	L _{A177}	R ^{B1}	H	R ^{A2}	N	N
L _{A189}	H	H	R ^{A28}	N	N	L _{A178}	R ^{B1}	H	R ^{A28}	N	N


L_{A179} to L_{A356} based on the formula of

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A179}	R ^{B6}	H	H	C	C	L _{A268}	R ^{B8}	H	H	C	C
L _{A180}	R ^{B6}	R ^{B1}	H	C	C	L _{A269}	R ^{B8}	R ^{B1}	H	C	C
L _{A181}	R ^{B6}	R ^{B2}	H	C	C	L _{A270}	R ^{B8}	R ^{B2}	H	C	C
L _{A182}	R ^{B6}	R ^{B3}	H	C	C	L _{A271}	R ^{B8}	R ^{B3}	H	C	C
L _{A183}	R ^{B6}	R ^{B4}	H	C	C	L _{A272}	R ^{B8}	R ^{B4}	H	C	C
L _{A184}	R ^{B6}	R ^{B5}	H	C	C	L _{A273}	R ^{B8}	R ^{B5}	H	C	C
L _{A185}	R ^{B6}	R ^{B6}	H	C	C	L _{A274}	R ^{B8}	R ^{B6}	H	C	C
L _{A186}	R ^{B6}	R ^{B7}	H	C	C	L _{A275}	R ^{B8}	R ^{B7}	H	C	C
L _{A187}	R ^{B6}	R ^{A2}	H	C	C	L _{A276}	R ^{B8}	R ^{A2}	H	C	C
L _{A188}	R ^{B6}	R ^{A28}	H	C	C	L _{A277}	R ^{B8}	R ^{A28}	H	C	C
L _{A189}	R ^{B6}	R ^{A29}	H	C	C	L _{A278}	R ^{B8}	R ^{A29}	H	C	C
L _{A190}	R ^{B6}	H	R ^{B1}	C	C	L _{A279}	R ^{B8}	H	R ^{B1}	C	C
L _{A191}	R ^{B6}	H	R ^{B2}	C	C	L _{A280}	R ^{B8}	H	R ^{B2}	C	C
L _{A192}	R ^{B6}	H	R ^{B3}	C	C	L _{A281}	R ^{B8}	H	R ^{B3}	C	C
L _{A193}	R ^{B6}	H	R ^{B4}	C	C	L _{A282}	R ^{B8}	H	R ^{B4}	C	C
L _{A194}	R ^{B6}	H	R ^{B5}	C	C	L _{A283}	R ^{B8}	H	R ^{B5}	C	C
L _{A195}	R ^{B6}	H	R ^{B6}	C	C	L _{A284}	R ^{B8}	H	R ^{B6}	C	C
L _{A196}	R ^{B6}	H	R ^{B7}	C	C	L _{A285}	R ^{B8}	H	R ^{B7}	C	C
L _{A197}	R ^{B6}	H	R ^{A2}	C	C	L _{A286}	R ^{B8}	H	R ^{A2}	C	C
L _{A198}	R ^{B6}	H	R ^{A28}	C	C	L _{A287}	R ^{B8}	H	R ^{A28}	C	C
L _{A199}	R ^{B6}	H	H	N	C	L _{A288}	R ^{B8}	H	H	N	C
L _{A200}	R ^{B6}	R ^{B1}	H	N	C	L _{A289}	R ^{B8}	R ^{B1}	H	N	C
L _{A201}	R ^{B6}	R ^{B2}	H	N	C	L _{A290}	R ^{B8}	R ^{B2}	H	N	C
L _{A202}	R ^{B6}	R ^{B3}	H	N	C	L _{A291}	R ^{B8}	R ^{B3}	H	N	C
L _{A203}	R ^{B6}	R ^{B4}	H	N	C	L _{A292}	R ^{B8}	R ^{B4}	H	N	C
L _{A204}	R ^{B6}	R ^{B5}	H	N	C	L _{A293}	R ^{B8}	R ^{B5}	H	N	C
L _{A205}	R ^{B6}	R ^{B6}	H	N	C	L _{A294}	R ^{B8}	R ^{B6}	H	N	C
L _{A206}	R ^{B6}	R ^{B7}	H	N	C	L _{A295}	R ^{B8}	R ^{B7}	H	N	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A207}	R ^{B6}	R ^{A2}	H	N	C	L _{A296}	R ^{B8}	R ^{A2}	H	N	C
L _{A208}	R ^{B6}	R ^{A28}	H	N	C	L _{A297}	R ^{B8}	R ^{A28}	H	N	C
L _{A209}	R ^{B6}	R ^B	R ^{B1}	N	C	L _{A298}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A210}	R ^{B6}	R ^{B2}	R ^{B2}	N	C	L _{A299}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A211}	R ^{B6}	R ^{B3}	R ^{B3}	N	C	L _{A300}	R ^{B8}	R ^B	R ^{B3}	N	C
L _{A212}	R ^{B6}	R ^{B4}	R ^{B4}	N	C	L _{A301}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A213}	R ^{B6}	R ^{B5}	R ^{B5}	N	C	L _{A302}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A214}	R ^{B6}	R ^{B6}	R ^{B6}	N	C	L _{A303}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A215}	R ^{B6}	R ^{B7}	R ^{B7}	N	C	L _{A304}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L _{A216}	R ^{B6}	R ^{A2}	R ^{A2}	N	C	L _{A305}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A217}	R ^{B6}	R ^{A28}	R ^{A28}	N	C	L _{A306}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L _{A218}	R ^{B6}	R ^{A29}	R ^{A29}	N	C	L _{A307}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L _{A219}	R ^{B6}	H	R ^{B1}	N	C	L _{A308}	R ^{B8}	H	R ^{B1}	N	C
L _{A220}	R ^{B6}	H	R ^{B2}	N	C	L _{A309}	R ^{B8}	H	R ^{B2}	N	C
L _{A221}	R ^{B6}	H	R ^{B3}	N	C	L _{A310}	R ^{B8}	H	R ^{B3}	N	C
L _{A222}	R ^{B6}	H	R ^{B4}	N	C	L _{A311}	R ^{B8}	H	R ^{B4}	N	C
L _{A223}	R ^{B6}	H	R ^{B5}	N	C	L _{A312}	R ^{B8}	H	R ^{B5}	N	C
L _{A224}	R ^{B6}	H	R ^{B6}	N	C	L _{A313}	R ^{B8}	H	R ^{B6}	N	C
L _{A225}	R ^{B6}	H	R ^{B7}	N	C	L _{A314}	R ^{B8}	H	R ^{B7}	N	C
L _{A226}	R ^{B6}	H	R ^{A2}	N	C	L _{A315}	R ^{B8}	H	R ^{A2}	N	C
L _{A227}	R ^{B6}	H	R ^{A28}	N	C	L _{A316}	R ^{B8}	H	R ^{A28}	N	C
L _{A228}	R ^{B6}	H	H	C	N	L _{A317}	R ^{B8}	H	H	C	N
L _{A229}	R ^{B6}	R ^{B1}	H	C	N	L _{A318}	R ^{B8}	R ^{B1}	H	C	N
L _{A230}	R ^{B6}	R ^{B2}	H	C	N	L _{A319}	R ^{B8}	R ^{B2}	H	C	N
L _{A231}	R ^{B6}	R ^{B3}	H	C	N	L _{A320}	R ^{B8}	R ^{B3}	H	C	N
L _{A232}	R ^{B6}	R ^{B4}	H	C	N	L _{A321}	R ^{B8}	R ^{B4}	H	C	N
L _{A233}	R ^{B6}	R ^{B5}	H	C	N	L _{A322}	R ^{B8}	R ^{B5}	H	C	N
L _{A234}	R ^{B6}	R ^{B6}	H	C	N	L _{A323}	R ^{B8}	R ^{B6}	H	C	N
L _{A235}	R ^{B6}	R ^{B7}	H	C	N	L _{A324}	R ^{B8}	R ^{B7}	H	C	N
L _{A236}	R ^{B6}	R ^{A2}	H	C	N	L _{A325}	R ^{B&}	R ^{A2}	H	C	N
L _{A237}	R ^{B6}	R ^{A28}	H	C	N	L _{A326}	R ^{B8}	R ^{A28}	H	C	N
L _{A238}	R ^{B6}	R ^{A29}	H	C	N	L _{A327}	R ^{B8}	R ^{A29}	H	C	N
L _{A239}	R ^{B6}	R ^{B1}	R ^{B1}	C	N	L _{A328}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L _{A240}	R ^{B6}	R ^{B2}	R ^{B2}	C	N	L _{A329}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L _{A241}	R ^{B6}	R ^{B3}	R ^{B3}	C	N	L _{A330}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L _{A242}	R ^{B6}	R ^{B4}	R ^{B4}	C	N	L _{A331}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L _{A243}	R ^{B6}	R ^{B5}	R ^{B5}	C	N	L _{A332}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L _{A244}	R ^{B6}	R ^{B6}	R ^{B6}	C	N	L _{A333}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L _{A245}	R ^{B6}	R ^{B7}	R ^{B7}	C	N	L _{A334}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L _{A246}	R ^{B6}	R ^{A2}	R ^{A2}	C	N	L _{A335}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L _{A247}	R ^{B6}	R ^{A28}	R ^{A28}	C	N	L _{A336}	R ^{B8}	R ^{A28}	R ^{A28}	C	N
L _{A248}	R ^{B6}	H	H	N	N	L _{A337}	R ^{B8}	H	H	N	N
L _{A249}	R ^{B6}	R ^{B1}	H	N	N	L _{A338}	R ^{B8}	R ^{B1}	H	N	N
L _{A250}	R ^{B6}	R ^{B2}	H	N	N	L _{A339}	R ^{B8}	R ^{B2}	H	N	N
L _{A251}	R ^{B6}	R ^{B3}	H	N	N	L _{A340}	R ^{B8}	R ^{B3}	H	N	N
L _{A252}	R ^{B6}	R ^{B4}	H	N	N	L _{A341}	R ^{B8}	R ^{B4}	H	N	N
L _{A253}	R ^{B6}	R ^{B5}	H	N	N	L _{A342}	R ^{B8}	R ^{B5}	H	N	N
L _{A254}	R ^{B6}	R ^{B6}	H	N	N	L _{A343}	R ^{B8}	R ^{B6}	H	N	N
L _{A255}	R ^{B6}	R ^{B7}	H	N	N	L _{A344}	R ^{B8}	R ^B	H	N	N
L _{A256}	R ^{B6}	R ^{A2}	H	N	N	L _{A345}	R ^{B8}	R ^{A2}	H	N	N
L _{A257}	R ^{B6}	R ^{A28}	H	N	N	L _{A346}	R ^{B8}	R ^{A28}	H	N	N
L _{A258}	R ^{B6}	R ^{A29}	H	N	N	L _{A347}	R ^{B8}	R ^{A29}	H	N	N
L _{A259}	R ^{B6}	H	R ^{B1}	N	N	L _{A348}	R ^{B8}	H	R ^{B1}	N	N
L _{A260}	R ^{B6}	H	R ^{B2}	N	N	L _{A349}	R ^{B8}	H	R ^{B2}	N	N
L _{A261}	R ^{B6}	H	R ^{B3}	N	N	L _{A350}	R ^{B8}	H	R ^{B3}	N	N
L _{A262}	R ^{B6}	H	R ^{B4}	N	N	L _{A351}	R ^{B8}	H	R ^{B4}	N	N
L _{A263}	R ^{B6}	H	R ^{B5}	N	N	L _{A352}	R ^{B8}	H	R ^{B5}	N	N
L _{A264}	R ^{B6}	H	R ^{B6}	N	N	L _{A353}	R ^{B8}	H	R ^{B6}	N	N
L _{A265}	R ^{B6}	H	R ^{B7}	N	N	L _{A354}	R ^{B8}	H	R ^{B7}	N	N
L _{A266}	R ^{B6}	H	R ^{A2}	N	N	L _{A355}	R ^{B8}	H	R ^{A2}	N	N
L _{A267}	R ^{B6}	H	R ^{A28}	N	N	L _{A356}	R ^{B8}	H	R ^{A28}	N	N


L_{A357} to L_{A534} based on the formula of



Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A357}	H	H	H	C	C	L ₄₄₄₆	R ^{B1}	H	H	C	C
L _{A358}	H	R ^{B1}	H	C	C	L ₄₄₄₇	R ^{B1}	R ^B	H	C	C
L _{A359}	H	R ^{B2}	H	C	C	L ₄₄₄₈	R ^{B1}	R ^{B2}	H	C	C
L _{A360}	H	R ^{B3}	H	C	C	L ₄₄₄₉	R ^{B1}	R ^{B3}	H	C	C
L _{A361}	H	R ^{B4}	H	C	C	L ₄₄₅₀	R ^{B1}	R ^{B4}	H	C	C
L _{A362}	H	R ^{B5}	H	C	C	L ₄₄₅₁	R ^{B1}	R ^{B5}	H	C	C
L _{A363}	H	R ^{B6}	H	C	C	L ₄₄₅₂	R ^{B1}	R ^{B6}	H	C	C
L _{A364}	H	R ^{B7}	H	C	C	L ₄₄₅₃	R ^{B1}	R ^{B7}	H	C	C
L _{A365}	H	R ^{A2}	H	C	C	L ₄₄₅₄	R ^{B1}	R ^{A2}	H	C	C
L _{A366}	H	R ^{A28}	H	C	C	L ₄₄₅₅	R ^{B1}	R ^{A28}	H	C	C
L _{A367}	H	R ^{A29}	H	C	C	L ₄₄₅₆	R ^{B1}	R ^{A29}	H	C	C
L _{A368}	H	H	R ^{B1}	C	C	L ₄₄₅₇	R ^{B1}	H	R ^{B1}	C	C
L _{A369}	H	H	R ^{B2}	C	C	L ₄₄₅₈	R ^{B1}	H	R ^{B2}	C	C
L _{A370}	H	H	R ^{B3}	C	C	L ₄₄₅₉	R ^{B1}	H	R ^{B3}	C	C
L _{A371}	H	H	R ^{B4}	C	C	L ₄₄₆₀	R ^{B1}	H	R ^{B4}	C	C
L _{A372}	H	H	R ^{B5}	C	C	L ₄₄₆₁	R ^{B1}	H	R ^{B5}	C	C
L _{A373}	H	H	R ^{B6}	C	C	L ₄₄₆₂	R ^{B1}	H	R ^{B6}	C	C
L _{A374}	H	H	R ^B	C	C	L ₄₄₆₃	R ^{B1}	H	R ^{B7}	C	C
L _{A375}	H	H	R ^A	C	C	L ₄₄₆₄	R ^{B1}	H	R ^{A2}	C	C
L _{A376}	H	H	R ^{A28}	C	C	L ₄₄₆₅	R ^{B1}	H	R ^{A28}	C	C
L _{A377}	H	H	H	N	C	L ₄₄₆₆	R ^{B1}	H	H	N	C
L _{A378}	H	R ^{B1}	H	N	C	L ₄₄₆₇	R ^{B1}	R ^{B1}	H	N	C
L _{A379}	H	R ^{B2}	H	N	C	L ₄₄₆₈	R ^{B1}	R ^{B2}	H	N	C
L _{A380}	H	R ^{B3}	H	N	C	L ₄₄₆₉	R ^{B1}	R ^{B3}	H	N	C
L _{A381}	H	R ^{B4}	H	N	C	L ₄₄₇₀	R ^{B1}	R ^{B4}	H	N	C
L _{A382}	H	R ^{B5}	H	N	C	L ₄₄₇₁	R ^{B1}	R ^{B5}	H	N	C
L _{A383}	H	R ^{B6}	H	N	C	L ₄₄₇₂	R ^{B1}	R ^{B6}	H	N	C
L _{A384}	H	R ^{B7}	H	N	C	L ₄₄₇₃	R ^{B1}	R ^{B7}	H	N	C
L _{A385}	H	R ^{A2}	H	N	C	L ₄₄₇₄	R ^{B1}	R ^{A2}	H	N	C
L _{A386}	H	R ^{A28}	H	N	C	L ₄₄₇₅	R ^{B1}	R ^{A28}	H	N	C
L _{A387}	H	R ^{B1}	R ^{B1}	N	C	L ₄₄₇₆	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L _{A388}	H	R ^{B2}	R ^{B2}	N	C	L ₄₄₇₇	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L _{A389}	H	R ^{B3}	R ^{B3}	N	C	L ₄₄₇₈	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L _{A390}	H	R ^{B4}	R ^{B4}	N	C	L ₄₄₇₉	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L _{A391}	H	R ^{B5}	R ^{B5}	N	C	L ₄₄₈₀	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L _{A392}	H	R ^{B6}	R ^{B6}	N	C	L ₄₄₈₁	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L _{A393}	H	R ^{B7}	R ^{B7}	N	C	L ₄₄₈₂	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L _{A394}	H	R ^{A2}	R ^{A2}	N	C	L ₄₄₈₃	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L _{A395}	H	R ^{A28}	R ^{A28}	N	C	L ₄₄₈₄	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L _{A396}	H	R ^{A29}	R ^{A29}	N	C	L ₄₄₈₅	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L _{A397}	H	H	R ^{B1}	N	C	L ₄₄₈₆	R ^{B1}	H	R ^B	N	C
L _{A398}	H	H	R ^{B2}	N	C	L ₄₄₈₇	R ^{B1}	H	R ^{B2}	N	C
L _{A399}	H	H	R ^{B3}	N	C	L ₄₄₈₈	R ^{B1}	H	R ^{B3}	N	C
L _{A400}	H	H	R ^{B4}	N	C	L ₄₄₈₉	R ^{B1}	H	R ^{B4}	N	C
L _{A401}	H	H	R ^{B5}	N	C	L ₄₄₉₀	R ^{B1}	H	R ^{B5}	N	C
L _{A402}	H	H	R ^B	N	C	L ₄₄₉₁	R ^{B1}	H	R ^{B6}	N	C
L _{A403}	H	H	R ^{B7}	N	C	L ₄₄₉₂	R ^{B1}	H	R ^{B7}	N	C
L _{A404}	H	H	R ^{A2}	N	C	L ₄₄₉₃	R ^{B1}	H	R ^{A2}	N	C
L _{A405}	H	H	R ^{A28}	N	C	L ₄₄₉₄	R ^{B1}	H	R ^{A28}	N	C
L _{A406}	H	H	H	C	N	L ₄₄₉₅	R ^{B1}	H	H	C	N
L _{A407}	H	R ^{B1}	H	C	N	L ₄₄₉₆	R ^{B1}	R ^{B1}	H	C	N
L _{A408}	H	R ^{B2}	H	C	N	L ₄₄₉₇	R ^{B1}	R ^{B2}	H	C	N
L _{A409}	H	R ^{B3}	H	C	N	L ₄₄₉₈	R ^{B1}	R ^{B3}	H	C	N
L _{A410}	H	R ^{B4}	H	C	N	L ₄₄₉₉	R ^{B1}	R ^{B4}	H	C	N
L _{A411}	H	R ^{B5}	H	C	N	L ₄₅₀₀	R ^{B1}	R ^{B5}	H	C	N
L _{A412}	H	R ^{B6}	H	C	N	L ₄₅₀₁	R ^{B1}	R ^{B6}	H	C	N
L _{A413}	H	R ^{B7}	H	C	N	L ₄₅₀₂	R ^{B1}	R ^{B7}	H	C	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L ₄₄₁₄	H	R ^{A2}	H	C	N	L ₄₅₀₃	R ^{B1}	R ^{A2}	H	C	N
L ₄₄₁₅	H	R ^{A28}	H	C	N	L ₄₅₀₄	R ^{B1}	R ^{A28}	H	C	N
L ₄₄₁₆	H	R ^{A29}	H	C	N	L ₄₅₀₅	R ^{B1}	R ^{A29}	H	C	N
L ₄₄₁₇	H	R ^{B1}	R ^{B1}	C	N	L ₄₅₀₆	R ^{B1}	R ^{B1}	R ^{B1}	C	N
L ₄₄₁₈	H	R ^{B2}	R ^{B2}	C	N	L ₄₅₀₇	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L ₄₄₁₉	H	R ^{B3}	R ^{B3}	C	N	L ₄₅₀₈	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L ₄₄₂₀	H	R ^{B4}	R ^{B4}	C	N	L ₄₅₀₉	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L ₄₄₂₁	H	R ^{B5}	R ^{B5}	C	N	L ₄₅₁₀	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L ₄₄₂₂	H	R ^{B6}	R ^{B6}	C	N	L ₄₅₁₁	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L ₄₄₂₃	H	R ^{B7}	R ^{B7}	C	N	L ₄₅₁₂	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L ₄₄₂₄	H	R ^{A2}	R ^{A2}	C	N	L ₄₅₁₃	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L ₄₄₂₅	H	R ^{A28}	R ^{A28}	C	N	L ₄₅₁₄	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L ₄₄₂₆	H	H	H	N	N	L ₄₅₁₅	R ^{B1}	H	H	N	N
L ₄₄₂₇	H	R ^{B1}	H	N	N	L ₄₅₁₆	R ^{B1}	R ^{B1}	H	N	N
L ₄₄₂₈	H	R ^{B2}	H	N	N	L ₄₅₁₇	R ^{B1}	R ^{B2}	H	N	N
L ₄₄₂₉	H	R ^{B3}	H	N	N	L ₄₅₁₈	R ^{B1}	R ^{B3}	H	N	N
L ₄₄₃₀	H	R ^{B4}	H	N	N	L ₄₅₁₉	R ^{B1}	R ^{B4}	H	N	N
L ₄₄₃₁	H	R ^{B5}	H	N	N	L ₄₅₂₀	R ^{B1}	R ^{B5}	H	N	N
L ₄₄₃₂	H	R ^{B6}	H	N	N	L ₄₅₂₁	R ^{B1}	R ^{B6}	H	N	N
L ₄₄₃₃	H	R ^{B7}	H	N	N	L ₄₅₂₂	R ^{B1}	R ^{B7}	H	N	N
L ₄₄₃₄	H	R ^{A2}	H	N	N	L ₄₅₂₃	R ^{B1}	R ^{A2}	H	N	N
L ₄₄₃₅	H	R ^{A28}	H	N	N	L ₄₅₂₄	R ^{B1}	R ^{A28}	H	N	N
L ₄₄₃₆	H	R ^{A29}	H	N	N	L ₄₅₂₅	R ^{B1}	R ^{A29}	H	N	N
L ₄₄₃₇	H	H	R ^{B1}	N	N	L ₄₅₂₆	R ^{B1}	H	R ^{B1}	N	N
L ₄₄₃₈	H	H	R ^{B2}	N	N	L ₄₅₂₇	R ^{B1}	H	R ^{B2}	N	N
L ₄₄₃₉	H	H	R ^{B3}	N	N	L ₄₅₂₈	R ^{B1}	H	R ^{B3}	N	N
L ₄₄₄₀	H	H	R ^{B4}	N	N	L ₄₅₂₉	R ^{B1}	H	R ^{B4}	N	N
L ₄₄₄₁	H	H	R ^{B5}	N	N	L ₄₅₃₀	R ^{B1}	H	R ^{B5}	N	N
L ₄₄₄₂	H	H	R ^{B6}	N	N	L ₄₅₃₁	R ^{B1}	H	R ^{B6}	N	N
L ₄₄₄₃	H	H	R ^{B7}	N	N	L ₄₅₃₂	R ^{B1}	H	R ^{B7}	N	N
L ₄₄₄₄	H	H	R ^{A2}	N	N	L ₄₅₃₃	R ^{B1}	H	R ^{A2}	N	N
L ₄₄₄₅	H	H	R ^{A28}	N	N	L ₄₅₃₄	R ^{B1}	H	R ^{A28}	N	N


L₄₅₃₅ to L₄₇₁₂ based on the formula of

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L ₄₅₃₅	R ^{B6}	H	H	C	C	L ₄₆₂₄	R ^{B8}	H	H	C	C
L ₄₅₃₆	R ^{B6}	R ^{B1}	H	C	C	L ₄₆₂₅	R ^{B8}	R ^{B1}	H	C	C
L ₄₅₃₇	R ^{B6}	R ^{B2}	H	C	C	L ₄₆₂₆	R ^{B8}	R ^{B2}	H	C	C
L ₄₅₃₈	R ^{B6}	R ^{B3}	H	C	C	L ₄₆₂₇	R ^{B8}	R ^{B3}	H	C	C
L ₄₅₃₉	R ^{B6}	R ^{B4}	H	C	C	L ₄₆₂₈	R ^{B8}	R ^{B4}	H	C	C
L ₄₅₄₀	R ^{B6}	R ^{B5}	H	C	C	L ₄₆₂₉	R ^{B8}	R ^{B5}	H	C	C
L ₄₅₄₁	R ^{B6}	R ^{B6}	H	C	C	L ₄₆₃₀	R ^{B8}	R ^{B6}	H	C	C
L ₄₅₄₂	R ^{B6}	R ^{B7}	H	C	C	L ₄₆₃₁	R ^{B8}	R ^{B7}	H	C	C
L ₄₅₄₃	R ^{B6}	R ^{A2}	H	C	C	L ₄₆₃₂	R ^{B8}	R ^{A2}	H	C	C
L ₄₅₄₄	R ^{B6}	R ^{A28}	H	C	C	L ₄₆₃₃	R ^{B8}	R ^{A28}	H	C	C
L ₄₅₄₅	R ^{B6}	R ^{A29}	H	C	C	L ₄₆₃₄	R ^{B8}	R ^{A29}	H	C	C
L ₄₅₄₆	R ^{B6}	H	R ^{B1}	C	C	L ₄₆₃₅	R ^{B8}	H	R ^{B1}	C	C
L ₄₅₄₇	R ^{B6}	H	R ^{B2}	C	C	L ₄₆₃₆	R ^{B8}	H	R ^{B2}	C	C
L ₄₅₄₈	R ^{B6}	H	R ^{B3}	C	C	L ₄₆₃₇	R ^{B8}	H	R ^{B3}	C	C
L ₄₅₄₉	R ^{B6}	H	R ^{B4}	C	C	L ₄₆₃₈	R ^{B8}	H	R ^{B4}	C	C
L ₄₅₅₀	R ^{B6}	H	R ^{B5}	C	C	L ₄₆₃₉	R ^{B8}	H	R ^{B5}	C	C
L ₄₅₅₁	R ^{B6}	H	R ^{B6}	C	C	L ₄₆₄₀	R ^{B8}	H	R ^{B6}	C	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A4552}	R ^{B6}	H	R ^{B7}	C	C	L _{A641}	R ^{B8}	H	R ^{B7}	C	C
L _{A4553}	R ^{B6}	H	R ^{A2}	C	C	L _{A642}	R ^{B8}	H	R ^{A2}	C	C
L _{A4554}	R ^{B6}	H	R ^{A28}	C	C	L _{A643}	R ^{B8}	H	R ^{A28}	C	C
L _{A4555}	R ^{B6}	H	H	N	C	L _{A644}	R ^{B8}	H	H	N	C
L _{A4556}	R ^{B6}	R ^{B1}	H	N	C	L _{A645}	R ^{B8}	R ^{B1}	H	N	C
L _{A4557}	R ^{B6}	R ^{B2}	H	N	C	L _{A646}	R ^{B8}	R ^{B2}	H	N	C
L _{A4558}	R ^{B6}	R ^{B3}	H	N	C	L _{A647}	R ^{B8}	R ^{B3}	H	N	C
L _{A4559}	R ^{B6}	R ^{B4}	H	N	C	L _{A648}	R ^{B8}	R ^{B4}	H	N	C
L _{A4560}	R ^{B6}	R ^{B5}	H	N	C	L _{A649}	R ^{B8}	R ^{B5}	H	N	C
L _{A4561}	R ^{B6}	R ^{B6}	H	N	C	L _{A650}	R ^{B8}	R ^{B6}	H	N	C
L _{A4562}	R ^{B6}	R ^{B7}	H	N	C	L _{A651}	R ^{B8}	R ^{B7}	H	N	C
L _{A4563}	R ^{B6}	R ^{A2}	H	N	C	L _{A652}	R ^{B8}	R ^{A2}	H	N	C
L _{A4564}	R ^{B6}	R ^{A28}	H	N	C	L _{A653}	R ^{B8}	R ^{A28}	H	N	C
L _{A4565}	R ^{B6}	R ^{B1}	R ^{B1}	N	C	L _{A654}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A4566}	R ^{B6}	R ^{B2}	R ^{B2}	N	C	L _{A655}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A4567}	R ^{B6}	R ^{B3}	R ^{B3}	N	C	L _{A656}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L _{A4568}	R ^{B6}	R ^{B4}	R ^{B4}	N	C	L _{A657}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A4569}	R ^{B6}	R ^{B5}	R ^{B5}	N	C	L _{A658}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A4570}	R ^{B6}	R ^{B6}	R ^{B6}	N	C	L _{A659}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A4571}	R ^{B6}	R ^{B7}	R ^{B7}	N	C	L _{A660}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L _{A4572}	R ^{B6}	R ^{A2}	R ^{A2}	N	C	L _{A661}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A4573}	R ^{B6}	R ^{A28}	R ^{A28}	N	C	L _{A662}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L _{A4574}	R ^{B6}	R ^{A29}	R ^{A29}	N	C	L _{A663}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L _{A4575}	R ^{B6}	H	R ^{B1}	N	C	L _{A664}	R ^{B8}	H	R ^{B1}	N	C
L _{A4576}	R ^{B6}	H	R ^{B2}	N	C	L _{A665}	R ^{B8}	H	R ^{B2}	N	C
L _{A4577}	R ^{B6}	H	R ^{B3}	N	C	L _{A666}	R ^{B8}	H	R ^{B3}	N	C
L _{A4578}	R ^{B6}	H	R ^{B4}	N	C	L _{A667}	R ^{B8}	H	R ^{B4}	N	C
L _{A4579}	R ^{B6}	H	R ^{B5}	N	C	L _{A668}	R ^{B8}	H	R ^{B5}	N	C
L _{A4580}	R ^{B6}	H	R ^{B6}	N	C	L _{A669}	R ^{B8}	H	R ^{B6}	N	C
L _{A4581}	R ^{B6}	H	R ^{B7}	N	C	L _{A670}	R ^{B8}	H	R ^{B7}	N	C
L _{A4582}	R ^{B6}	H	R ^{A42}	N	C	L _{A671}	R ^{B8}	H	R ^{A42}	N	C
L _{A4583}	R ^{B6}	H	R ^{A28}	N	C	L _{A672}	R ^{B8}	H	R ^{A28}	N	C
L _{A4584}	R ^{B6}	H	H	C	N	L _{A673}	R ^{B8}	H	H	C	N
L _{A4585}	R ^{B6}	R ^{B1}	H	C	N	L _{A674}	R ^{B8}	R ^{B1}	H	C	N
L _{A4586}	R ^{B6}	R ^{B2}	H	C	N	L _{A675}	R ^{B8}	R ^{B2}	H	C	N
L _{A4587}	R ^{B6}	R ^{B3}	H	C	N	L _{A676}	R ^{B8}	R ^{B3}	H	C	N
L _{A4588}	R ^{B6}	R ^{B4}	H	C	N	L _{A677}	R ^{B8}	R ^{B4}	H	C	N
L _{A4589}	R ^{B6}	R ^{B5}	H	C	N	L _{A678}	R ^{B8}	R ^{B5}	H	C	N
L _{A4590}	R ^{B6}	R ^{B6}	H	C	N	L _{A679}	R ^{B8}	R ^{B6}	H	C	N
L _{A4591}	R ^{B6}	R ^{B7}	H	C	N	L _{A680}	R ^{B8}	R ^{B7}	H	C	N
L _{A4592}	R ^{B6}	R ^{A2}	H	C	N	L _{A681}	R ^{B8}	R ^{A2}	H	C	N
L _{A4593}	R ^{B6}	R ^{A28}	H	C	N	L _{A682}	R ^{B8}	R ^{A28}	H	C	N
L _{A4594}	R ^{B6}	R ^{A29}	H	C	N	L _{A683}	R ^{B8}	R ^{A29}	H	C	N
L _{A4595}	R ^{B6}	R ^{B1}	R ^{B1}	C	N	L _{A684}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L _{A4596}	R ^{B6}	R ^{B2}	R ^{B2}	C	N	L _{A685}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L _{A4597}	R ^{B6}	R ^{B3}	R ^{B3}	C	N	L _{A686}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L _{A4598}	R ^{B6}	R ^{B4}	R ^{B4}	C	N	L _{A687}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L _{A4599}	R ^{B6}	R ^{B5}	R ^{B5}	C	N	L _{A688}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L _{A4600}	R ^{B6}	R ^{B6}	R ^{B6}	C	N	L _{A689}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L _{A4601}	R ^{B6}	R ^{B7}	R ^{B7}	C	N	L _{A690}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L _{A4602}	R ^{B6}	R ^{A2}	R ^{A2}	C	N	L _{A691}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L _{A4603}	R ^{B6}	R ^{A28}	R ^{A28}	C	N	L _{A692}	R ^{B8}	R ^{A28}	R ^{A28}	C	N
L _{A4604}	R ^{B6}	H	H	N	N	L _{A693}	R ^{B8}	H	H	N	N
L _{A4605}	R ^{B6}	R ^{B1}	H	N	N	L _{A694}	R ^{B8}	R ^{B1}	H	N	N
L _{A4606}	R ^{B6}	R ^{B2}	H	N	N	L _{A695}	R ^{B8}	R ^{B2}	H	N	N
L _{A4607}	R ^{B6}	R ^{B3}	H	N	N	L _{A696}	R ^{B8}	R ^{B3}	H	N	N
L _{A4608}	R ^{B6}	R ^{B4}	H	N	N	L _{A697}	R ^{B8}	R ^{B4}	H	N	N
L _{A4609}	R ^{B6}	R ^{B5}	H	N	N	L _{A698}	R ^{B8}	R ^{B5}	H	N	N
L _{A4610}	R ^{B6}	R ^{B6}	H	N	N	L _{A699}	R ^{B8}	R ^{B6}	H	N	N
L _{A4611}	R ^{B6}	R ^{B7}	H	N	N	L _{A700}	R ^{B8}	R ^{B7}	H	N	N
L _{A4612}	R ^{B6}	R ^{A2}	H	N	N	L _{A701}	R ^{B8}	R ^{A2}	H	N	N
L _{A4613}	R ^{B6}	R ^{A28}	H	N	N	L _{A702}	R ^{B8}	R ^{A28}	H	N	N
L _{A4614}	R ^{B6}	R ^{A29}	H	N	N	L _{A703}	R ^{B8}	R ^{A29}	H	N	N
L _{A4615}	R ^{B6}	H	R ^{B1}	N	N	L _{A704}	R ^{B8}	H	R ^{B1}	N	N
L _{A4616}	R ^{B6}	H	R ^{B2}	N	N	L _{A705}	R ^{B8}	H	R ^{B2}	N	N
L _{A4617}	R ^{B6}	H	R ^{B3}	N	N	L _{A706}	R ^{B8}	H	R ^{B3}	N	N
L _{A4618}	R ^{B6}	H	R ^{B4}	N	N	L _{A707}	R ^{B8}	H	R ^{B4}	N	N
L _{A4619}	R ^{B6}	H	R ^{B5}	N	N	L _{A708}	R ^{B8}	H	R ^{B5}	N	N
L _{A4620}	R ^{B6}	H	R ^{B6}	N	N	L _{A709}	R ^{B8}	H	R ^{B6}	N	N
L _{A4621}	R ^{B6}	H	R ^{B7}	N	N	L _{A710}	R ^{B8}	H	R ^{B7}	N	N
L _{A4622}	R ^{B6}	H	R ^{A2}	N	N	L _{A711}	R ^{B8}	H	R ^{A2}	N	N
L _{A4623}	R ^{B6}	H	R ^{A28}	N	N	L _{A712}	R ^{B8}	H	R ^{A28}	N	N


L₄₇₁₃ to L₄₈₉₀ based on the formula of



Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L ₄₇₁₃	H	H	H	C	C	L ₄₈₀₂	R ^{B1}	H	H	C	C
L ₄₇₁₄	H	R ^{B1}	H	C	C	L ₄₈₀₃	R ^{B1}	R ^{B1}	H	C	C
L ₄₇₁₅	H	R ^{B2}	H	C	C	L ₄₈₀₄	R ^{B1}	R ^{B2}	H	C	C
L ₄₇₁₆	H	R ^{B3}	H	C	C	L ₄₈₀₅	R ^{B1}	R ^{B3}	H	C	C
L ₄₇₁₇	H	R ^{B4}	H	C	C	L ₄₈₀₆	R ^{B1}	R ^{B4}	H	C	C
L ₄₇₁₈	H	R ^{B5}	H	C	C	L ₄₈₀₇	R ^{B5}	R ^{B5}	H	C	C
L ₄₇₁₉	H	R ^{B6}	H	C	C	L ₄₈₀₈	R ^{B1}	R ^{B6}	H	C	C
L ₄₇₂₀	H	R ^{B7}	H	C	C	L ₄₈₀₉	R ^{B1}	R ^{B7}	H	C	C
L ₄₇₂₁	H	R ^{A2}	H	C	C	L ₄₈₁₀	R ^{B1}	R ^{A2}	H	C	C
L ₄₇₂₂	H	R ^{A28}	H	C	C	L ₄₈₁₁	R ^{B1}	R ^{A28}	H	C	C
L ₄₇₂₃	H	R ^{A29}	H	C	C	L ₄₈₁₂	R ^{B1}	R ^{A29}	H	C	C
L ₄₇₂₄	H	H	R ^{B1}	C	C	L ₄₈₁₃	R ^{B1}	H	R ^{B1}	C	C
L ₄₇₂₅	H	H	R ^{B2}	C	C	L ₄₈₁₄	R ^{B1}	H	R ^{B2}	C	C
L ₄₇₂₆	H	H	R ^{B3}	C	C	L ₄₈₁₅	R ^{B1}	H	R ^{B3}	C	C
L ₄₇₂₇	H	H	R ^{B4}	C	C	L ₄₈₁₆	R ^{B1}	H	R ^{B4}	C	C
L ₄₇₂₈	H	H	R ^{B5}	C	C	L ₄₈₁₇	R ^{B1}	H	R ^{B5}	C	C
L ₄₇₂₉	H	H	R ^{B6}	C	C	L ₄₈₁₈	R ^{B1}	H	R ^{B6}	C	C
L ₄₇₃₀	H	H	R ^{B7}	C	C	L ₄₈₁₉	R ^{B1}	H	R ^{B7}	C	C
L ₄₇₃₁	H	H	R ^{A2}	C	C	L ₄₈₂₀	R ^{B1}	H	R ^{A2}	C	C
L ₄₇₃₂	H	H	R ^{A28}	C	C	L ₄₈₂₁	R ^{B1}	H	R ^{A28}	C	C
L ₄₇₃₃	H	H	H	N	C	L ₄₈₂₂	R ^{B1}	H	H	N	C
L ₄₇₃₄	H	R ^{B1}	H	N	C	L ₄₈₂₃	R ^{B1}	R ^{B1}	H	N	C
L ₄₇₃₅	H	R ^{B2}	H	N	C	L ₄₈₂₄	R ^{B1}	R ^{B2}	H	N	C
L ₄₇₃₆	H	R ^{B3}	H	N	C	L ₄₈₂₅	R ^{B1}	R ^{B3}	H	N	C
L ₄₇₃₇	H	R ^{B4}	H	N	C	L ₄₈₂₆	R ^{B1}	R ^{B4}	H	N	C
L ₄₇₃₈	H	R ^{B5}	H	N	C	L ₄₈₂₇	R ^{B1}	R ^{B5}	H	N	C
L ₄₇₃₉	H	R ^{B6}	H	N	C	L ₄₈₂₈	R ^{B1}	R ^{B6}	H	N	C
L ₄₇₄₀	H	R ^{B7}	H	N	C	L ₄₈₂₉	R ^{B1}	R ^{B1}	H	N	C
L ₄₇₄₁	H	R ^{A2}	H	N	C	L ₄₈₃₀	R ^{B1}	R ^{A2}	H	N	C
L ₄₇₄₂	H	R ^{A28}	H	N	C	L ₄₈₃₁	R ^{B1}	R ^{A28}	H	N	C
L ₄₇₄₃	H	R ^{B1}	R ^{B1}	N	C	L ₄₈₃₂	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L ₄₇₄₄	H	R ^{B2}	R ^{B2}	N	C	L ₄₈₃₃	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L ₄₇₄₅	H	R ^{B3}	R ^{B3}	N	C	L ₄₈₃₄	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L ₄₇₄₆	H	R ^{B4}	R ^{B4}	N	C	L ₄₈₃₅	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L ₄₇₄₇	H	R ^{B5}	R ^{B5}	N	C	L ₄₈₃₆	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L ₄₇₄₈	H	R ^{B6}	R ^{B6}	N	C	L ₄₈₃₇	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L ₄₇₄₉	H	R ^{B7}	R ^{B7}	N	C	L ₄₈₃₈	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L ₄₇₅₀	H	R ^{A2}	R ^{A2}	N	C	L ₄₈₃₉	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L ₄₇₅₁	H	R ^{A28}	R ^{A28}	N	C	L ₄₈₄₀	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L ₄₇₅₂	H	R ^{A29}	R ^{A29}	N	C	L ₄₈₄₁	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L ₄₇₅₃	H	H	R ^{B1}	N	C	L ₄₈₄₂	R ^{B1}	H	R ^{B1}	N	C
L ₄₇₅₄	H	H	R ^{B2}	N	C	L ₄₈₄₃	R ^{B1}	H	R ^{B2}	N	C
L ₄₇₅₅	H	H	R ^{B3}	N	C	L ₄₈₄₄	R ^{B1}	H	R ^{B3}	N	C
L ₄₇₅₆	H	H	R ^{B4}	N	C	L ₄₈₄₅	R ^{B1}	H	R ^{B4}	N	C
L ₄₇₅₇	H	H	R ^{B5}	N	C	L ₄₈₄₆	R ^{B1}	H	R ^{B5}	N	C
L ₄₇₅₈	H	H	R ^{B6}	N	C	L ₄₈₄₇	R ^{B1}	H	R ^{B6}	N	C
L ₄₇₅₉	H	H	R ^{B7}	N	C	L ₄₈₄₈	R ^{B1}	H	R ^{B7}	N	C
L ₄₇₆₀	H	H	R ^{A2}	N	C	L ₄₈₄₉	R ^{B1}	H	R ^{A2}	N	C
L ₄₇₆₁	H	H	R ^{A28}	N	C	L ₄₈₅₀	R ^{B1}	H	R ^{A28}	N	C
L ₄₇₆₂	H	H	H	C	N	L ₄₈₅₁	R ^{B1}	H	H	C	N
L ₄₇₆₃	H	R ^{B1}	H	C	N	L ₄₈₅₂	R ^{B1}	R ^{B1}	H	C	N
L ₄₇₆₄	H	R ^{B2}	H	C	N	L ₄₈₅₃	R ^{B1}	R ^{B2}	H	C	N
L ₄₇₆₅	H	R ^{B3}	H	C	N	L ₄₈₅₄	R ^{B1}	R ^{B3}	H	C	N
L ₄₇₆₆	H	R ^{B4}	H	C	N	L ₄₈₅₅	R ^{B1}	R ^{B4}	H	C	N
L ₄₇₆₇	H	R ^{B5}	H	C	N	L ₄₈₅₆	R ^{B1}	R ^{B5}	H	C	N
L ₄₇₆₈	H	R ^{B6}	H	C	N	L ₄₈₅₇	R ^{B1}	R ^{B6}	H	C	N
L ₄₇₆₉	H	R ^{B7}	H	C	N	L ₄₈₅₈	R ^{B1}	R ^{B7}	H	C	N
L ₄₇₇₀	H	R ^{A2}	H	C	N	L ₄₈₅₉	R ^{B1}	R ^{A2}	H	C	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L ₄₇₇₁	H	R ^{A28}	H	C	N	L ₄₈₆₀	R ^{B1}	R ^{A28}	H	C	N
L ₄₇₇₂	H	R ^{A29}	H	C	N	L ₄₈₆₁	R ^{B1}	R ^{A29}	H	C	N
L ₄₇₇₃	H	R ^{B1}	R ^{B1}	C	N	L ₄₈₆₂	R ^{B1}	R ^{B1}	R ^{B1}	C	N
L ₄₇₇₄	H	R ^{B2}	R ^{B2}	C	N	L ₄₈₆₃	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L ₄₇₇₅	H	R ^{B3}	R ^{B3}	C	N	L ₄₈₆₄	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L ₄₇₇₆	H	R ^{B4}	R ^{B4}	C	N	L ₄₈₆₅	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L ₄₇₇₇	H	R ^{B5}	R ^{B5}	C	N	L ₄₈₆₆	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L ₄₇₇₈	H	R ^{B6}	R ^{B6}	C	N	L ₄₈₆₇	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L ₄₇₇₉	H	R ^{B7}	R ^{B7}	C	N	L ₄₈₆₈	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L ₄₇₈₀	H	R ^{A2}	R ^{A2}	C	N	L ₄₈₆₉	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L ₄₇₈₁	H	R ^{A28}	R ^{A28}	C	N	L ₄₈₇₀	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L ₄₇₈₂	H	H	H	N	N	L ₄₈₇₁	R ^{B1}	H	H	N	N
L ₄₇₈₃	H	R ^{B1}	H	N	N	L ₄₈₇₂	R ^{B1}	R ^{B1}	H	N	N
L ₄₇₈₄	H	R ^{B2}	H	N	N	L ₄₈₇₃	R ^{B1}	R ^{B2}	H	N	N
L ₄₇₈₅	H	R ^{B3}	H	N	N	L ₄₈₇₄	R ^{B1}	R ^{B3}	H	N	N
L ₄₇₈₆	H	R ^{B4}	H	N	N	L ₄₈₇₅	R ^{B1}	R ^{B4}	H	N	N
L ₄₇₈₇	H	R ^{B5}	H	N	N	L ₄₈₇₆	R ^{B1}	R ^{B5}	H	N	N
L ₄₇₈₈	H	R ^{B6}	H	N	N	L ₄₈₇₇	R ^{B1}	R ^{B6}	H	N	N
L ₄₇₈₉	H	R ^{B7}	H	N	N	L ₄₈₇₈	R ^{B1}	R ^{B7}	H	N	N
L ₄₇₉₀	H	R ^{A2}	H	N	N	L ₄₈₇₉	R ^{B1}	R ^{A2}	H	N	N
L ₄₇₉₁	H	R ^{A28}	H	N	N	L ₄₈₈₀	R ^{B1}	R ^{A28}	H	N	N
L ₄₇₉₂	H	R ^{A29}	H	N	N	L ₄₈₈₁	R ^{B1}	R ^{A29}	H	N	N
L ₄₇₉₃	H	H	R ^{B1}	N	N	L ₄₈₈₂	R ^{B1}	H	R ^{B1}	N	N
L ₄₇₉₄	H	H	R ^{B2}	N	N	L ₄₈₈₃	R ^{B1}	H	R ^{B2}	N	N
L ₄₇₉₅	H	H	R ^{B3}	N	N	L ₄₈₈₄	R ^{B1}	H	R ^{B3}	N	N
L ₄₇₉₆	H	H	R ^{B4}	N	N	L ₄₈₈₅	R ^{B1}	H	R ^{B4}	N	N
L ₄₇₉₇	H	H	R ^{B5}	N	N	L ₄₈₈₆	R ^{B5}	H	R ^{B5}	N	N
L ₄₇₉₈	H	H	R ^{B6}	N	N	L ₄₈₈₇	R ^{B1}	H	R ^{B6}	N	N
L ₄₇₉₉	H	H	R ^{B7}	N	N	L ₄₈₈₈	R ^{B1}	H	R ^{B7}	N	N
L ₄₈₀₀	H	H	R ^{A2}	N	N	L ₄₈₈₉	R ^{B1}	H	R ^{A2}	N	N
L ₄₈₀₁	H	H	R ^{A28}	N	N	L ₄₈₉₀	R ^{B1}	H	R ^{A28}	N	N


L₄₈₉₁ to L₄₁₀₆₈ based on the formula of

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L ₄₈₉₁	R ^{B6}	H	H	C	C	L ₄₉₈₀	R ^{B8}	H	H	C	C
L ₄₈₉₂	R ^{B6}	R ^{B1}	H	C	C	L ₄₉₈₁	R ^{B8}	R ^{B1}	H	C	C
L ₄₈₉₃	R ^{B6}	R ^{B2}	H	C	C	L ₄₉₈₂	R ^{B8}	R ^{B2}	H	C	C
L ₄₈₉₄	R ^{B6}	R ^{B3}	H	C	C	L ₄₉₈₃	R ^{B8}	R ^{B3}	H	C	C
L ₄₈₉₅	R ^{B6}	R ^{B4}	H	C	C	L ₄₉₈₄	R ^{B8}	R ^{B4}	H	C	C
L ₄₈₉₆	R ^{B6}	R ^{B5}	H	C	C	L ₄₉₈₅	R ^{B8}	R ^{B5}	H	C	C
L ₄₈₉₇	R ^{B6}	R ^{B6}	H	C	C	L ₄₉₈₆	R ^{B8}	R ^{B6}	H	C	C
L ₄₈₉₈	R ^{B6}	R ^{B7}	H	C	C	L ₄₉₈₇	R ^{B8}	R ^{B7}	H	C	C
L ₄₈₉₉	R ^{B6}	R ^{A2}	H	C	C	L ₄₉₈₈	R ^{B8}	R ^{A2}	H	C	C
L ₄₉₀₀	R ^{B6}	R ^{A28}	H	C	C	L ₄₉₈₉	R ^{B8}	R ^{A28}	H	C	C
L ₄₉₀₁	R ^{B6}	R ^{A29}	H	C	C	L ₄₉₉₀	R ^{B8}	R ^{A29}	H	C	C
L ₄₉₀₂	R ^{B6}	H	R ^{B1}	C	C	L ₄₉₉₁	R ^{B8}	H	R ^{B1}	C	C
L ₄₉₀₃	R ^{B6}	H	R ^{B2}	C	C	L ₄₉₉₂	R ^{B8}	H	R ^{B2}	C	C
L ₄₉₀₄	R ^{B6}	H	R ^{B3}	C	C	L ₄₉₉₃	R ^{B8}	H	R ^{B3}	C	C
L ₄₉₀₅	R ^{B6}	H	R ^{B4}	C	C	L ₄₉₉₄	R ^{B8}	H	R ^{B4}	C	C
L ₄₉₀₆	R ^{B6}	H	R ^{B5}	C	C	L ₄₉₉₅	R ^{B8}	H	R ^{B5}	C	C
L ₄₉₀₇	R ^{B6}	H	R ^{B6}	C	C	L ₄₉₉₆	R ^{B8}	H	R ^{B6}	C	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L ₄₉₀₈	R ^{B6}	H	R ^{B7}	C	C	L ₄₉₉₇	R ^{B8}	H	R ^{B7}	C	C
L ₄₉₀₉	R ^{B6}	H	R ^{A2}	C	C	L ₄₉₉₈	R ^{B8}	H	R ^{A2}	C	C
L ₄₉₁₀	R ^{B6}	H	R ^{A28}	C	C	L ₄₉₉₉	R ^{B8}	H	R ^{A28}	C	C
L ₄₉₁₁	R ^{B6}	H	H	N	C	L _{A1000}	R ^{B8}	H	H	N	C
L ₄₉₁₂	R ^{B6}	R ^{B1}	H	N	C	L _{A1001}	R ^{B1}	R ^{B1}	H	N	C
L ₄₉₁₃	R ^{B6}	R ^{B2}	H	N	C	L _{A1002}	R ^{B8}	R ^{B2}	H	N	C
L ₄₉₁₄	R ^{B6}	R ^{B3}	H	N	C	L _{A1003}	R ^{B8}	R ^{B3}	H	N	C
L ₄₉₁₅	R ^{B6}	R ^{B4}	H	N	C	L _{A1004}	R ^{B8}	R ^{B4}	H	N	C
L ₄₉₁₆	R ^{B6}	R ^{B5}	H	N	C	L _{A1005}	R ^{B8}	R ^{B5}	H	N	C
L ₄₉₁₇	R ^{B6}	R ^{B6}	H	N	C	L _{A1006}	R ^{B8}	R ^{B6}	H	N	C
L ₄₉₁₈	R ^{B6}	R ^{B7}	H	N	C	L _{A1007}	R ^{B8}	R ^{B7}	H	N	C
L ₄₉₁₉	R ^{B6}	R ^{A2}	H	N	C	L _{A1008}	R ^{B8}	R ^{A2}	H	N	C
L ₄₉₂₀	R ^{B6}	R ^{A28}	H	N	C	L _{A1009}	R ^{B8}	R ^{A28}	H	N	C
L ₄₉₂₁	R ^{B6}	R ^{B1}	R ^{B1}	N	C	L _{A1010}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L ₄₉₂₂	R ^{B6}	R ^{B2}	R ^{B2}	N	C	L _{A1011}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L ₄₉₂₃	R ^{B6}	R ^{B3}	R ^{B3}	N	C	L _{A1012}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L ₄₉₂₄	R ^{B6}	R ^{B4}	R ^{B4}	N	C	L _{A1013}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L ₄₉₂₅	R ^{B6}	R ^{B5}	R ^{B5}	N	C	L _{A1014}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L ₄₉₂₆	R ^{B6}	R ^{B6}	R ^{B6}	N	C	L _{A1015}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L ₄₉₂₇	R ^{B6}	R ^{B7}	R ^{B7}	N	C	L _{A1016}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L ₄₉₂₈	R ^{B6}	R ^{A2}	R ^{A2}	N	C	L _{A1017}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L ₄₉₂₉	R ^{B6}	R ^{A28}	R ^{A28}	N	C	L _{A1018}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L ₄₉₃₀	R ^{B6}	R ^{A29}	R ^{A29}	N	C	L _{A1019}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L ₄₉₃₁	R ^{B6}	H	R ^{B1}	N	C	L _{A1020}	R ^{B8}	H	R ^{B1}	N	C
L ₄₉₃₂	R ^{B6}	H	R ^{B2}	N	C	L _{A1021}	R ^{B8}	H	R ^{B2}	N	C
L ₄₉₃₃	R ^{B6}	H	R ^{B3}	N	C	L _{A1022}	R ^{B8}	H	R ^{B3}	N	C
L ₄₉₃₄	R ^{B6}	H	R ^{B4}	N	C	L _{A1023}	R ^{B8}	H	R ^{B4}	N	C
L ₄₉₃₅	R ^{B6}	H	R ^{B5}	N	C	L _{A1024}	R ^{B8}	H	R ^{B5}	N	C
L ₄₉₃₆	R ^{B6}	H	R ^{B6}	N	C	L _{A1025}	R ^{B8}	H	R ^{B6}	N	C
L ₄₉₃₇	R ^{B6}	H	R ^{B7}	N	C	L _{A1026}	R ^{B8}	H	R ^{B7}	N	C
L ₄₉₃₈	R ^{B6}	H	R ^{A2}	N	C	L _{A1027}	R ^{B8}	H	R ^{A2}	N	C
L ₄₉₃₉	R ^{B6}	H	R ^{A28}	N	C	L _{A1028}	R ^{B8}	H	R ^{A28}	N	C
L ₄₉₄₀	R ^{B6}	H	H	C	N	L _{A1029}	R ^{B8}	H	H	C	N
L ₄₉₄₁	R ^{B6}	R ^{B1}	H	C	N	L _{A1030}	R ^{B8}	R ^{B1}	H	C	N
L ₄₉₄₂	R ^{B6}	R ^{B2}	H	C	N	L _{A1031}	R ^{B8}	R ^{B2}	H	C	N
L ₄₉₄₃	R ^{B6}	R ^{B3}	H	C	N	L _{A1032}	R ^{B8}	R ^{B3}	H	C	N
L ₄₉₄₄	R ^{B6}	R ^{B4}	H	C	N	L _{A1033}	R ^{B8}	R ^{B4}	H	C	N
L ₄₉₄₅	R ^{B6}	R ^{B5}	H	C	N	L _{A1034}	R ^{B8}	R ^{B5}	H	C	N
L ₄₉₄₆	R ^{B6}	R ^{B6}	H	C	N	L _{A1035}	R ^{B8}	R ^{B6}	H	C	N
L ₄₉₄₇	R ^{B6}	R ^{B7}	H	C	N	L _{A1036}	R ^{B8}	R ^{B7}	H	C	N
L ₄₉₄₈	R ^{B6}	R ^{A2}	H	C	N	L _{A1037}	R ^{B8}	R ^{A2}	H	C	N
L ₄₉₄₉	R ^{B6}	R ^{A28}	H	C	N	L _{A1038}	R ^{B8}	R ^{A28}	H	C	N
L ₄₉₅₀	R ^{B6}	R ^{A29}	H	C	N	L _{A1039}	R ^{B8}	R ^{A29}	H	C	N
L ₄₉₅₁	R ^{B6}	R ^{B1}	R ^{B1}	C	N	L _{A1040}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L ₄₉₅₂	R ^{B6}	R ^{B2}	R ^{B2}	C	N	L _{A1041}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L ₄₉₅₃	R ^{B6}	R ^{B3}	R ^{B3}	C	N	L _{A1042}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L ₄₉₅₄	R ^{B6}	R ^{B4}	R ^{B4}	C	N	L _{A1043}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L ₄₉₅₅	R ^{B6}	R ^{B5}	R ^{B5}	C	N	L _{A1044}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L ₄₉₅₆	R ^{B6}	R ^{B6}	R ^{B6}	C	N	L _{A1045}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L ₄₉₅₇	R ^{B6}	R ^{B7}	R ^{B7}	C	N	L _{A1046}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L ₄₉₅₈	R ^{B6}	R ^{A2}	R ^{A2}	C	N	L _{A1047}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L ₄₉₅₉	R ^{B6}	R ^{A28}	R ^{A28}	C	N	L _{A1048}	R ^{B6}	R ^{A28}	R ^{A28}	C	N
L ₄₉₆₀	R ^{B6}	H	H	N	N	L _{A1049}	R ^{B8}	H	H	N	N
L ₄₉₆₁	R ^{B6}	R ^{B1}	H	N	N	L _{A1050}	R ^{B8}	R ^{B1}	H	N	N
L ₄₉₆₂	R ^{B6}	R ^{B2}	H	N	N	L _{A1051}	R ^{B8}	R ^{B2}	H	N	N
L ₄₉₆₃	R ^{B6}	R ^{B3}	H	N	N	L _{A1052}	R ^{B6}	R ^{B3}	H	N	N
L ₄₉₆₄	R ^{B6}	R ^{B4}	H	N	N	L _{A1053}	R ^{B8}	R ^{B4}	H	N	N
L ₄₉₆₅	R ^{B6}	R ^{B5}	H	N	N	L _{A1054}	R ^{B8}	R ^{B5}	H	N	N
L ₄₉₆₆	R ^{B6}	R ^{B6}	H	N	N	L _{A1055}	R ^{B8}	R ^{B6}	H	N	N
L ₄₉₆₇	R ^{B6}	R ^{B7}	H	N	N	L _{A1056}	R ^{B8}	R ^{B7}	H	N	N
L ₄₉₆₈	R ^{B6}	R ^{A2}	H	N	N	L _{A1057}	R ^{B8}	R ^{A2}	H	N	N
L ₄₉₆₉	R ^{B6}	R ^{A28}	H	N	N	L _{A1058}	R ^{B8}	R ^{A28}	H	N	N
L ₄₉₇₀	R ^{B6}	R ^{A29}	H	N	N	L _{A1059}	R ^{B8}	R ^{A29}	H	N	N
L ₄₉₇₁	R ^{B6}	H	R ^{B1}	N	N	L _{A1060}	R ^{B8}	H	R ^{B1}	N	N
L ₄₉₇₂	R ^{B6}	H	R ^{B2}	N	N	L _{A1061}	R ^{B8}	H	R ^{B2}	N	N
L ₄₉₇₃	R ^{B6}	H	R ^{B3}	N	N	L _{A1062}	R ^{B8}	H	R ^{B3}	N	N
L ₄₉₇₄	R ^{B6}	H	R ^{B4}	N	N	L _{A1063}	R ^{B8}	H	R ^{B4}	N	N
L ₄₉₇₅	R ^{B6}	H	R ^{B5}	N	N	L _{A1064}	R ^{B8}	H	R ^{B5}	N	N
L ₄₉₇₆	R ^{B6}	H	R ^{B6}	N	N	L _{A1065}	R ^{B8}	H	R ^{B6}	N	N
L ₄₉₇₇	R ^{B6}	H	R ^{B7}	N	N	L _{A1066}	R ^{B8}	H	R ^{B7}	N	N
L ₄₉₇₈	R ^{B6}	H	R ^{A2}	N	N	L _{A1067}	R ^{B8}	H	R ^{A2}	N	N
L ₄₉₇₉	R ^{B6}	H	R ^{A28}	N	N	L _{A1068}	R ^{B8}	H	R ^{A28}	N	N


L_{A1069} to L_{A1246} based on the formula of



Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L_{A1069}	H	H	H	C	C	L_{A1158}	R ^{B1}	H	H	C	C
L_{A1070}	H	R ^{B1}	H	C	C	L_{A1159}	R ^{B1}	R ^{B1}	H	C	C
L_{A1071}	H	R ^{B2}	H	C	C	L_{A1160}	R ^{B1}	R ^{B2}	H	C	C
L_{A1072}	H	R ^{B3}	H	C	C	L_{A1161}	R ^{B1}	R ^{B3}	H	C	C
L_{A1073}	H	R ^{B4}	H	C	C	L_{A1162}	R ^{B1}	R ^{B4}	H	C	C
L_{A1074}	H	R ^{B5}	H	C	C	L_{A1163}	R ^{B1}	R ^{B3}	H	C	C
L_{A1075}	H	R ^{B6}	H	C	C	L_{A1164}	R ^{B1}	R ^{B6}	H	C	C
L_{A1076}	H	R ^{B7}	H	C	C	L_{A1165}	R ^{B1}	R ^{B7}	H	C	C
L_{A1077}	H	R ^{A2}	H	C	C	L_{A1166}	R ^{B1}	R ^{A2}	H	C	C
L_{A1078}	H	R ^{A28}	H	C	C	L_{A1167}	R ^{B1}	R ^{A28}	H	C	C
L_{A1079}	H	R ^{A29}	H	C	C	L_{A1168}	R ^{B1}	R ^{A29}	H	C	C
L_{A1080}	H	H	R ^{B1}	C	C	L_{A1169}	R ^{B1}	H	R ^{B1}	C	C
L_{A1081}	H	H	R ^{B2}	C	C	L_{A1170}	R ^{B1}	H	R ^{B2}	C	C
L_{A1082}	H	H	R ^{B3}	C	C	L_{A1171}	R ^{B1}	H	R ^{B3}	C	C
L_{A1083}	H	H	R ^{B4}	C	C	L_{A1172}	R ^{B1}	H	R ^{B4}	C	C
L_{A1084}	H	H	R ^{B5}	C	C	L_{A1173}	R ^{B1}	H	R ^{B5}	C	C
L_{A1085}	H	H	R ^{B6}	C	C	L_{A1174}	R ^{B1}	H	R ^{B6}	C	C
L_{A1086}	H	H	R ^{B7}	C	C	L_{A1175}	R ^{B1}	H	R ^{B7}	C	C
L_{A1087}	H	H	R ^{A2}	C	C	L_{A1176}	R ^{B1}	H	R ^{A2}	C	C
L_{A1088}	H	H	R ^{A28}	C	C	L_{A1177}	R ^{B1}	H	R ^{A28}	C	C
L_{A1089}	H	H	H	N	C	L_{A1178}	R ^{B1}	H	H	N	C
L_{A1090}	H	R ^{B1}	H	N	C	L_{A1179}	R ^{B1}	R ^{B1}	H	N	C
L_{A1091}	H	R ^{B2}	H	N	C	L_{A1180}	R ^{B1}	R ^{B2}	H	N	C
L_{A1092}	H	R ^{B3}	H	N	C	L_{A1181}	R ^{B1}	R ^{B3}	H	N	C
L_{A1093}	H	R ^{B4}	H	N	C	L_{A1182}	R ^{B1}	R ^{B4}	H	N	C
L_{A1094}	H	R ^{B5}	H	N	C	L_{A1183}	R ^{B1}	R ^{B5}	H	N	C
L_{A1095}	H	R ^{B6}	H	N	C	L_{A1184}	R ^{B1}	R ^{B6}	H	N	C
L_{A1096}	H	R ^{B7}	H	N	C	L_{A1185}	R ^{B1}	R ^{B7}	H	N	C
L_{A1097}	H	R ^{A2}	H	N	C	L_{A1186}	R ^{B1}	R ^{A2}	H	N	C
L_{A1098}	H	R ^{A28}	H	N	C	L_{A1187}	R ^{B1}	R ^{A28}	H	N	C
L_{A1099}	H	R ^{B1}	R ^{B1}	N	C	L_{A1188}	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L_{A1100}	H	R ^{B2}	R ^{B2}	N	C	L_{A1189}	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L_{A1101}	H	R ^{B3}	R ^{B3}	N	C	L_{A1190}	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L_{A1102}	H	R ^{B4}	R ^{B4}	N	C	L_{A1191}	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L_{A1103}	H	R ^{B5}	R ^{B5}	N	C	L_{A1192}	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L_{A1104}	H	R ^{B6}	R ^{B6}	N	C	L_{A1193}	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L_{A1105}	H	R ^{B7}	R ^{B7}	N	C	L_{A1194}	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L_{A1106}	H	R ^{A2}	R ^{A2}	N	C	L_{A1195}	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L_{A1107}	H	R ^{A28}	R ^{A28}	N	C	L_{A1196}	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L_{A1108}	H	R ^{A29}	R ^{A29}	N	C	L_{A1197}	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L_{A1109}	H	H	R ^{B1}	N	C	L_{A1198}	R ^{B1}	H	R ^{B1}	N	C
L_{A1110}	H	H	R ^{B2}	N	C	L_{A1199}	R ^{B1}	H	R ^{B2}	N	C
L_{A1111}	H	H	R ^{B3}	N	C	L_{A1200}	R ^{B1}	H	R ^{B3}	N	C
L_{A1112}	H	H	R ^{B4}	N	C	L_{A1201}	R ^{B1}	H	R ^{B4}	N	C
L_{A1113}	H	H	R ^{B5}	N	C	L_{A1202}	R ^{B1}	H	R ^{B5}	N	C
L_{A1114}	H	H	R ^{B6}	N	C	L_{A1203}	R ^{B1}	H	R ^{B6}	N	C
L_{A1115}	H	H	R ^{B7}	N	C	L_{A1204}	R ^{B1}	H	R ^{B7}	N	C
L_{A1116}	H	H	R ^{A2}	N	C	L_{A1205}	R ^{B1}	H	R ^{A2}	N	C
L_{A1117}	H	H	R ^{A28}	N	C	L_{A1206}	R ^{B1}	H	R ^{A28}	N	C
L_{A1118}	H	H	H	C	N	L_{A1207}	R ^{B1}	H	H	C	N
L_{A1119}	H	R ^{B1}	H	C	N	L_{A1208}	R ^{B1}	R ^{B1}	H	C	N
L_{A1120}	H	R ^{B2}	H	C	N	L_{A1209}	R ^{B1}	R ^{B2}	H	C	N
L_{A1121}	H	R ^{B3}	H	C	N	L_{A1210}	R ^{B1}	R ^{B3}	H	C	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1122}	H	R ^{B4}	H	C	N	L _{A1211}	R ^{B1}	R ^{B4}	H	C	N
L _{A1123}	H	R ^{B5}	H	C	N	L _{A1212}	R ^{B1}	R ^{B5}	H	C	N
L _{A1124}	H	R ^{B6}	H	C	N	L _{A1213}	R ^{B1}	R ^{B6}	H	C	N
L _{A1125}	H	R ^{B7}	H	C	N	L _{A1214}	R ^{B1}	R ^{B7}	H	C	N
L _{A1126}	H	R ^{A2}	H	C	N	L _{A1215}	R ^{B1}	R ^{A2}	H	C	N
L _{A1127}	H	R ^{A28}	H	C	N	L _{A1216}	R ^{B1}	R ^{A28}	H	C	N
L _{A1128}	H	R ^{A29}	H	C	N	L _{A1217}	R ^{B1}	R ^{A29}	H	C	N
L _{A1129}	H	R ^{B1}	R ^{B1}	C	N	L _{A1218}	R ^{B1}	R ^{B1}	R ^{B1}	C	N
L _{A1130}	H	R ^{B2}	R ^{B2}	C	N	L _{A1219}	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L _{A1131}	H	R ^{B3}	R ^{B3}	C	N	L _{A1220}	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L _{A1132}	H	R ^{B4}	R ^{B4}	C	N	L _{A1221}	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L _{A1133}	H	R ^{B5}	R ^{B5}	C	N	L _{A1222}	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L _{A1134}	H	R ^{B6}	R ^{B6}	C	N	L _{A1223}	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L _{A1135}	H	R ^{B7}	R ^{B7}	C	N	L _{A1224}	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L _{A1136}	H	R ^{A2}	R ^{A2}	C	N	L _{A1225}	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L _{A1137}	H	R ^{A28}	R ^{A28}	C	N	L _{A1226}	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L _{A1138}	H	H	H	N	N	L _{A1227}	R ^{B1}	H	H	N	N
L _{A1139}	H	R ^{B1}	H	N	N	L _{A1228}	R ^{B1}	R ^{B1}	H	N	N
L _{A1140}	H	R ^{B2}	H	N	N	L _{A1229}	R ^{B1}	R ^{B2}	H	N	N
L _{A1141}	H	R ^{B3}	H	N	N	L _{A1230}	R ^{B1}	R ^{B3}	H	N	N
L _{A1142}	H	R ^{B4}	H	N	N	L _{A1231}	R ^{B1}	R ^{B4}	H	N	N
L _{A1143}	H	R ^{B5}	H	N	N	L _{A1232}	R ^{B1}	R ^{B5}	H	N	N
L _{A1144}	H	R ^{B6}	H	N	N	L _{A1233}	R ^{B1}	R ^{B6}	H	N	N
L _{A1145}	H	R ^{B7}	H	N	N	L _{A1234}	R ^{B1}	R ^{B7}	H	N	N
L _{A1146}	H	R ^{A2}	H	N	N	L _{A1235}	R ^{B1}	R ^{A2}	H	N	N
L _{A1147}	H	R ^{A28}	H	N	N	L _{A1236}	R ^{B1}	R ^{A28}	H	N	N
L _{A1148}	H	R ^{A29}	H	N	N	L _{A1237}	R ^{B1}	R ^{A29}	H	N	N
L _{A1149}	H	H	R ^{B1}	N	N	L _{A1238}	R ^{B1}	H	R ^{B1}	N	N
L _{A1150}	H	H	R ^{B2}	N	N	L _{A1239}	R ^{B1}	H	R ^{B2}	N	N
L _{A1151}	H	H	R ^{B3}	N	N	L _{A1240}	R ^{B1}	H	R ^{B3}	N	N
L _{A1152}	H	H	R ^{B4}	N	N	L _{A1241}	R ^{B1}	H	R ^{B4}	N	N
L _{A1153}	H	H	R ^{B5}	N	N	L _{A1242}	R ^{B1}	H	R ^{B5}	N	N
L _{A1154}	H	H	R ^{B6}	N	N	L _{A1243}	R ^{B1}	H	R ^{B6}	N	N
L _{A1155}	H	H	R ^{B7}	N	N	L _{A1244}	R ^{B1}	H	R ^{B7}	N	N
L _{A1156}	H	H	R ^{A2}	N	N	L _{A1245}	R ^{B1}	H	R ^{A2}	N	N
L _{A1157}	H	H	R ^{A28}	N	N	L _{A1246}	R ^{B1}	H	R ^{A28}	N	N

L_{A1247} to L_{A1424} based on the formula of

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1247}	R ^{B6}	H	H	C	C	L _{A1336}	R ^{B8}	H	H	C	C
L _{A1248}	R ^{B6}	R ^{B1}	H	C	C	L _{A1337}	R ^{B8}	R ^{B1}	H	C	C
L _{A1249}	R ^{B6}	R ^{B2}	H	C	C	L _{A1338}	R ^{B8}	R ^{B2}	H	C	C
L _{A1250}	R ^{B6}	R ^{B3}	H	C	C	L _{A1339}	R ^{B8}	R ^{B3}	H	C	C
L _{A1251}	R ^{B6}	R ^{B4}	H	C	C	L _{A1340}	R ^{B8}	R ^{B4}	H	C	C
L _{A1252}	R ^{B6}	R ^{B5}	H	C	C	L _{A1341}	R ^{B8}	R ^{B5}	H	C	C
L _{A1253}	R ^{B6}	R ^{B6}	H	C	C	L _{A1342}	R ^{B8}	R ^{B6}	H	C	C










-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1254}	R ^{B6}	R ^{B7}	H	C	C	L _{A1343}	R ^{B8}	R ^{B7}	H	C	C
L _{A1255}	R ^{B6}	R ^{A2}	H	C	C	L _{A1344}	R ^{B8}	R ^{A2}	H	C	C
L _{A1256}	R ^{B6}	R ^{A28}	H	C	C	L _{A1345}	R ^{B8}	R ^{A28}	H	C	C
L _{A1257}	R ^{B6}	R ^{A29}	H	C	C	L _{A1346}	R ^{B8}	R ^{A29}	H	C	C
L _{A1258}	R ^{B6}	H	R ^{B1}	C	C	L _{A1347}	R ^{B8}	H	R ^{B1}	C	C
L _{A1259}	R ^{B6}	H	R ^{B2}	C	C	L _{A1348}	R ^{B8}	H	R ^{B2}	C	C
L _{A1260}	R ^{B6}	H	R ^{B3}	C	C	L _{A1349}	R ^{B8}	H	R ^{B3}	C	C
L _{A1261}	R ^{B6}	H	R ^{B4}	C	C	L _{A1350}	R ^{B8}	H	R ^{B4}	C	C
L _{A1262}	R ^{B6}	H	R ^{B5}	C	C	L _{A1351}	R ^{B8}	H	R ^{B5}	C	C
L _{A1263}	R ^{B6}	H	R ^{B6}	C	C	L _{A1352}	R ^{B8}	H	R ^{B6}	C	C
L _{A1264}	R ^{B6}	H	R ^{B7}	C	C	L _{A1353}	R ^{B8}	H	R ^{B7}	C	C
L _{A1265}	R ^{B6}	H	R ^{A2}	C	C	L _{A1354}	R ^{B8}	H	R ^{A2}	C	C
L _{A1266}	R ^{B6}	H	R ^{A28}	C	C	L _{A1355}	R ^{B8}	H	R ^{A2}	C	C
L _{A1267}	R ^{B6}	H	H	N	C	L _{A1356}	R ^{B8}	H	H	N	C
L _{A1268}	R ^{B6}	R ^{B1}	H	N	C	L _{A1357}	R ^{B8}	R ^{B1}	H	N	C
L _{A1269}	R ^{B6}	R ^{B2}	H	N	C	L _{A1358}	R ^{B8}	R ^{B2}	H	N	C
L _{A1270}	R ^{B6}	R ^{B3}	H	N	C	L _{A1359}	R ^{B8}	R ^{B3}	H	N	C
L _{A1271}	R ^{B6}	R ^{B4}	H	N	C	L _{A1360}	R ^{B8}	R ^{B4}	H	N	C
L _{A1272}	R ^{B6}	R ^{B5}	H	N	C	L _{A1361}	R ^{B8}	R ^{B5}	H	N	C
L _{A1273}	R ^{B6}	R ^{B6}	H	N	C	L _{A1362}	R ^{B8}	R ^{B6}	H	N	C
L _{A1274}	R ^{B6}	R ^{B7}	H	N	C	L _{A1363}	R ^{B8}	R ^{B7}	H	N	C
L _{A1275}	R ^{B6}	R ^{A2}	H	N	C	L _{A1364}	R ^{B8}	R ^{A2}	H	N	C
L _{A1276}	R ^{B6}	R ^{A28}	H	N	C	L _{A1365}	R ^{B8}	R ^{A28}	H	N	C
L _{A1277}	R ^{B6}	R ^{B1}	R ^{B1}	N	C	L _{A1366}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A1278}	R ^{B6}	R ^{B2}	R ^{B2}	N	C	L _{A1367}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A1279}	R ^{B6}	R ^{B3}	R ^{B3}	N	C	L _{A1368}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L _{A1280}	R ^{B6}	R ^{B4}	R ^{B4}	N	C	L _{A1369}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A1281}	R ^{B6}	R ^{B5}	R ^{B5}	N	C	L _{A1370}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A1282}	R ^{B6}	R ^{B6}	R ^{B6}	N	C	L _{A1371}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A1283}	R ^{B6}	R ^{B7}	R ^{B7}	N	C	L _{A1372}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L _{A1284}	R ^{B6}	R ^{A2}	R ^{A2}	N	C	L _{A1373}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A1285}	R ^{B6}	R ^{A28}	R ^{A28}	C	L _{A1374}	R ^{B8}	R ^{A28}	R ^{A28}	N	C	
L _{A1286}	R ^{B6}	R ^{A29}	R ^{A29}	N	C	L _{A1375}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L _{A1287}	R ^{B6}	H	R ^{B1}	N	C	L _{A1376}	R ^{B8}	H	R ^{B1}	N	C
L _{A1288}	R ^{B6}	H	R ^{B2}	N	C	L _{A1377}	R ^{B8}	H	R ^{B2}	N	C
L _{A1289}	R ^{B6}	H	R ^{B3}	N	C	L _{A1378}	R ^{B8}	H	R ^{B3}	N	C
L _{A1290}	R ^{B6}	H	R ^{B4}	N	C	L _{A1379}	R ^{B8}	H	R ^{B4}	N	C
L _{A1291}	R ^{B6}	H	R ^{B5}	N	C	L _{A1380}	R ^{B8}	H	R ^{B5}	N	C
L _{A1292}	R ^{B6}	H	R ^{B6}	N	C	L _{A1381}	R ^{B8}	H	R ^{B6}	N	C
L _{A1293}	R ^{B6}	H	R ^{B7}	N	C	L _{A1382}	R ^{B8}	H	R ^{B7}	N	C
L _{A1294}	R ^{B6}	H	R ^{A2}	N	C	L _{A1383}	R ^{B8}	H	R ^{A2}	N	C
L _{A1295}	R ^{B6}	H	R ^{A28}	N	C	L _{A1384}	R ^{B8}	H	R ^{A28}	N	C
L _{A1296}	R ^{B6}	H	H	C	N	L _{A1385}	R ^{B8}	H	H	C	N
L _{A1297}	R ^{B6}	R ^{B1}	H	C	N	L _{A1386}	R ^{B8}	R ^{B1}	H	C	N
L _{A1298}	R ^{B6}	R ^{B2}	H	C	N	L _{A1387}	R ^{B8}	R ^{B2}	H	C	N
L _{A1299}	R ^{B6}	R ^{B3}	H	C	N	L _{A1388}	R ^{B8}	R ^{B3}	H	C	N
L _{A1300}	R ^{B6}	R ^{B4}	H	C	N	L _{A1389}	R ^{B8}	R ^{B4}	H	C	N
L _{A1301}	R ^{B6}	R ^{B5}	H	C	N	L _{A1390}	R ^{B8}	R ^{B5}	H	C	N
L _{A1302}	R ^{B6}	R ^{B6}	H	C	N	L _{A1391}	R ^{B8}	R ^{B6}	H	C	N
L _{A1303}	R ^{B6}	R ^{B7}	H	C	N	L _{A1392}	R ^{B8}	R ^{B7}	H	C	N
L _{A1304}	R ^{B6}	R ^{A2}	H	C	N	L _{A1393}	R ^{B8}	R ^{A2}	H	C	N
L _{A1305}	R ^{B6}	R ^{A28}	H	C	N	L _{A1394}	R ^{B8}	R ^{A28}	H	C	N
L _{A1306}	R ^{B6}	R ^{A29}	H	C	N	L _{A1395}	R ^{B8}	R ^{A29}	H	C	N
L _{A1307}	R ^{B6}	R ^{B1}	R ^{B1}	C	N	L _{A1396}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L _{A1308}	R ^{B6}	R ^{B2}	R ^{B2}	C	N	L _{A1397}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L _{A1309}	R ^{B6}	R ^{B3}	R ^{B3}	C	N	L _{A1398}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L _{A1310}	R ^{B6}	R ^{B4}	R ^{B4}	C	N	L _{A1399}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L _{A1311}	R ^{B6}	R ^{B5}	R ^{B5}	C	N	L _{A1400}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L _{A1312}	R ^{B6}	R ^{B6}	R ^{B6}	C	N	L _{A1401}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L _{A1313}	R ^{B6}	R ^{B7}	R ^{B7}	C	N	L _{A1402}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L _{A1314}	R ^{B6}	R ^{A2}	R ^{A2}	C	N	L _{A1403}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L _{A1315}	R ^{B6}	R ^{A28}	R ^{A28}	C	N	L _{A1404}	R ^{B8}	R ^{A28}	R ^{A28}	C	N
L _{A1316}	R ^{B6}	H	H	N	N	L _{A1405}	R ^{B8}	H	H	N	N
L _{A1317}	R ^{B6}	R ^{B1}	H	N	N	L _{A1406}	R ^{B8}	R ^{B1}	H	N	N
L _{A1318}	R ^{B6}	R ^{B2}	H	N	N	L _{A1407}	R ^{B8}	R ^{B2}	H	N	N
L _{A1319}	R ^{B6}	R ^{B3}	H	N	N	L _{A1408}	R ^{B8}	R ^{B3}	H	N	N
L _{A1320}	R ^{B6}	R ^{B4}	H	N	N	L _{A1409}	R ^{B8}	R ^{B4}	H	N	N
L _{A1321}	R ^{B6}	R ^{B5}	H	N	N	L _{A1410}	R ^{B8}	R ^{B5}	H	N	N
L _{A1322}	R ^{B6}	R ^{B6}	H	N	N	L _{A1411}	R ^{B8}	R ^{B6}	H	N	N
L _{A1323}	R ^{B6}	R ^{B7}	H	N	N	L _{A1412}	R ^{B8}	R ^{B7}	H	N	N
L _{A1324}	R ^{B6}	R ^{A2}	H	N	N	L _{A1413}	R ^{B8}	R ^{A2}	H	N	N
L _{A1325}	R ^{B6}	R ^{A28}	H	N	N	L _{A1414}	R ^{B8}	R ^{A28}	H	N	N
L _{A1326}	R ^{B6}	R ^{A29}	H	N	N	L _{A1415}	R ^{B8}	R ^{A29}	H	N	N
L _{A1327}	R ^{B6}	H	R ^{B1}	N	N	L _{A1416}	R ^{B8}	H	R ^{B1}	N	N













-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1328}	R ^{B6}	H	R ^{B2}	N	N	L _{A1417}	R ^{B8}	H	R ^{B2}	N	N
L _{A1329}	R ^{B6}	H	R ^{B3}	N	N	L _{A1418}	R ^{B8}	H	R ^{B3}	N	N
L _{A1330}	R ^{B6}	H	R ^{B4}	N	N	L _{A1419}	R ^{B8}	H	R ^{B4}	N	N
L _{A1331}	R ^{B6}	H	R ^{B5}	N	N	L _{A1420}	R ^{B8}	H	R ^{B5}	N	N
L _{A1332}	R ^{B6}	H	R ^{B6}	N	N	L _{A1421}	R ^{B8}	H	R ^{B6}	N	N
L _{A1333}	R ^{B6}	H	R ^{B7}	N	N	L _{A1422}	R ^{B8}	H	R ^{B7}	N	N
L _{A1334}	R ^{B6}	H	R ^{A2}	N	N	L _{A1423}	R ^{B8}	H	R ^{A2}	N	N
L _{A1335}	R ^{B6}	H	R ^{A28}	N	N	L _{A1424}	R ^{B8}	H	R ^{A28}	N	N











[0099] wherein R^{A1} to R^{A41} have the following structures

R^{A1}R^{A2}R^{A3}R^{A4}R^{A5}R^{A6}R^{A7}R^{A8}R^{A9}R^{A10}R^{A11}R^{A12}R^{A13}







-continued

R^{A14}R^{A15}R^{A16}R^{A17}R^{A18}R^{A19}R^{A20}R^{A21}R^{A22}R^{A23}R^{A24}R^{A25}


-continued

 R^{426}  R^{427}  R^{428}  R^{429}  R^{430}  R^{431}  R^{432}  R^{433}  R^{434}  R^{435}


-continued

 R^{436}  R^{437}  R^{438}  R^{439}  R^{440}  R^{441}






and

[0100] wherein R^{B1} to R^{B8} have the following structures: R^{B1}  R^{B2}  R^{B3}

-continued

 R^{B4}

-continued

 R^{B7} R^{B8} 

[0101] In one embodiment, the compound has a formula of $M(L_A)_n(L_B)_{m-n}$;


[0102] wherein M is Ir or Pt; L_B is a bidentate ligand; and

[0103] wherein when M is Ir, m is 3, and n is 1, 2, or 3; when M is Pt, m is 2, and n is 1, or 2.


[0104] In one embodiment, the compound has a formula of $\text{Ir}(L_A)_3$. In one embodiment, the compound has a formula of $\text{Ir}(L_A)(L_B)_2$ or $\text{Ir}(L_A)_2(L_B)$; and wherein L_B is different from L_A . In one embodiment, the compound has a formula of $\text{Pt}(L_A)(L_B)$; and wherein L_A and L_B can be the same or different.

[0105] In one embodiment, L_A and L_B are connected to form a tetradeятate ligand. In one embodiment, L_A and L_B are connected at two places to form a macrocyclic tetradeyatate ligand.

[0106] In one embodiment, L_B is selected from the group consisting of:



-continued



[0107] wherein each X¹ to X¹³ are independently selected from the group consisting of carbon and nitrogen;

[0108] wherein X is selected from the group consisting of BR', NR', PR', O, S, Se, C=O, S=O, SO₂, CR'R'', SiR'R'', and GeR'R'';


[0109] wherein R' and R'' are optionally fused or joined to form a ring;

[0110] wherein each R_a, R_b, R_c, and R_d may represent from mono substitution to the possible maximum number of substitution, or no substitution;







[0111] wherein R', R'', R_a, R_b, R_c, and R_d are each independently selected from the group consisting of hydrogen, deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alk-enyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acids, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and

[0112] wherein any two adjacent substituents of R_a, R_b, R_c, and R_d are optionally fused or joined to form a ring or to form a multidentate ligand.

[0113] In one embodiment, L_B is selected from the group consisting of:






-continued




[0114] In one embodiment, the compound is the Compound Ax having the formula $\text{Ir}(\text{L}_{Ai})_2(\text{L}_{Cj})$;










[0115] wherein $x=17i+j-17$; i is an integer from 1 to 1424, and j is an integer from 1 to 17; and wherein L_C is selected from the group consisting of:

 L_{C1}  L_{C2}  L_{C3} 


-continued

 L_{C4}










-continued

 L_{C9}  L_{C5}  L_{C10}  L_{C6}  L_{C11}  L_{C7}  L_{C12}  L_{C8}  L_{C13}

-continued

 L_{C14} 







[0118] wherein L_B is selected from the group consisting of:

 L_{B1}  L_{B2}  L_{B3}  L_{B4}  L_{B5}  L_{B6}  L_{C15} L_{C16}  L_{C17}






[0116] In one embodiment, the compound is the Compound By having the formula $Ir(L_{Ai})(L_{Bk})_2$ or Compound Cz having the formula $Ir(L_{Ai})_3$;

[0117] wherein $y=300i+k-300$, $z=i$; i is an integer from 1 to 1424, and k is an integer from 1 to 300; and


-continued

L_{B7}L_{B8}L_{B9}L_{B10}L_{B11}L_{B12}










-continued

L_{B13}L_{B14}L_{B15}L_{B16}L_{B17}


-continued

L_{B18}

-continued


L_{B23}L_{B19}L_{B24}L_{B20}L_{B25}L_{B21}L_{B26}L_{B22}L_{B27}

-continued



L_{B28}

-continued



L_B33

L_{B29}

The chemical structure shows a pyridine ring fused to a phenyl ring at the 4-position. The phenyl ring is further substituted with a CD₂ group at the para position.

L_B34

The chemical structure shows a pyridine ring fused to a phenyl ring at the 4-position. The phenyl ring has a single bond extending from its para position.

L_{B30}

The chemical structure shows a biphenyl system. The para position of one benzene ring is substituted with a diazo group ($\text{C}_6\text{H}_4-\text{N}_2$). The other para position is substituted with a 4-deuteriobutyl group ($\text{C}_6\text{H}_4-\text{CH}_2-\text{CD}_3$).

L_B35

The chemical structure shows a pyridine ring attached to a 2-ethylphenyl group at the 4-position.


L_{B31}

L-B36

The chemical structure shows a biphenyl system where one ring is substituted at the para position with an isobutyl group (-CH₂CH(CH₃)₂) and the other ring is substituted at the para position with an amino group (-NH₂). A dashed line extends from the nitrogen atom.


L_{B32}

-continued




L_B38

-continued




L_B43

L_B39




L_{B44}

L_{B40}




L_{B45}

L_{B41}




L_B46

L_{R42}











L_{B47}


-continued

 L_{B48} 










-continued

 L_{B53}  L_{B49}  L_{B50}  L_{B51}  L_{B52}  L_{B55}  L_{B56}  L_{B57} 


-continued

L_B58










-continued

L_B63L_B59L_B64L_B60L_B65L_B61L_B66L_B62L_B67


-continued

L_{B68}









-continued

L_{B73}L_{B69}L_{B74}L_{B70}L_{B75}L_{B71}L_{B76}L_{B72}L_{B77}


-continued

L_{B78}








-continued

L_{B83}L_{B79}L_{B84}L_{B80}L_{B85}L_{B81}L_{B86}L_{B82}


-continued

L_{B87}








-continued

L_{B91}L_{B88}L_{B92}L_{B89}L_{B93}L_{B90}L_{B94}


-continued

L_B95








-continued

L_B99L_B96L_B100L_B97L_B101L_B98L_B102


-continued

 L_{B103} 









-continued

 L_{B107}  L_{B104}  L_{B108}  L_{B105}  L_{B109}  L_{B106}  L_{B110} 


-continued

L_B111








-continued

L_B116L_B112L_B117L_B113L_B118L_B114L_B119L_B115


-continued

 L_{B120} 

-continued


 L_{B124}  L_{B121}  L_{B125}  L_{B122}  L_{B126}  L_{B123}  L_{B127} 

-continued







L_{B128}


-continued




L_B132



L_B134








J₄R131







L_B135


-continued

 L_{B136}  L_{B137}  L_{B138}  L_{B139}  L_{B140} 








-continued

 L_{B141}  L_{B142}  L_{B143}  L_{B144} 


-continued

L_B145








-continued

L_B149L_B146L_B150L_B147L_B151L_B148L_B152


-continued

L_B153








-continued

L_B157L_B154L_B158L_B155L_B159L_B156L_B160


-continued

L_B161








-continued

L_B165L_B162L_B166L_B163L_B167L_B164L_B168

-continued








L_B169

-continued









L_B173L_B170L_B174L_B171L_B175L_B172L_B176

-continued


-continued

 L_{B177}  L_{B178}  L_{B179}  L_{B180}  L_{B181}  L_{B182}  L_{B183} 








-continued

 L_{B184}  L_{B188}  L_{B185}  L_{B189}  L_{B186}  L_{B190}  L_{B187}  L_{B191} 


-continued

L_B192










-continued

L_B196L_B193L_B197L_B194L_B198L_B195L_B199


-continued

 L_{B200} 










-continued

 L_{B205}  L_{B201}  L_{B206}  L_{B202}  L_{B207}  L_{B203}  L_{B208}  L_{B204}  L_{B209} 


-continued

L_{B210}









-continued

L_{B215}L_{B211}L_{B216}L_{B212}L_{B217}L_{B213}L_{B218}L_{B214}L_{B219}


-continued

L_{B220}









-continued

L_{B224}L_{B221}L_{B225}L_{B222}L_{B226}L_{B223}L_{B227}L_{B228}


-continued

 L_{B229} 







-continued

 L_{B234}  L_{B230}  L_{B231}  L_{B235}  L_{B232} L_{B236}  L_{B233} L_{B237} 

-continued







 L_{B238} 

-continued


 L_{B242}  L_{B239}  L_{B240}  L_{B241}  L_{B243}  L_{B244} 

-continued








-continued

L_B245L_B248L_B246L_B249L_B247L_B250


-continued

 L_{B251} 








-continued

 L_{B255}  L_{B252}  L_{B256}  L_{B253}  L_{B257}  L_{B254}  L_{B258} 


-continued

L_B259










-continued

L_B263L_B260L_B264L_B261L_B265L_B262L_B266






-continued

L_{B267}







-continued

L_{B272}L_{B268}L_{B273}L_{B269}L_{B274}L_{B270}L_{B275}L_{B271}L_{B276}


-continued

 L_{B277}  L_{B278}  L_{B279}  L_{B280}  L_{B281} 










-continued

 L_{B282}  L_{B283}  L_{B284}  L_{B285}  L_{B286}  L_{B287} 




-continued

 L_{B288} 

-continued

 L_{B293}  L_{B294}  L_{B289}  L_{B295}  L_{B290}  L_{B296}  L_{B291}  L_{B297}  L_{B292} 

-continued

 L_{B298}  L_{B299}  L_{B300} 

[0119] In one embodiment, the consumer product is selected from the group consisting of a flat panel display, a computer monitor, a medical monitors television, a billboard, a light for interior or exterior illumination and/or signaling, a heads-up display, a fully or partially transparent display, a flexible display, a laser printer, a telephone, a cell phone, tablet, a phablet, a personal digital assistant (PDA), a wearable device, a laptop computer, a digital camera, a camcorder, a viewfinder, a micro-display that is less than 2 inches diagonal, a 3-D display, a virtual reality or augmented reality display, a vehicle, a video walls comprising multiple displays tiled together, a theater or stadium screen, and a sign.


[0120] In some embodiments, the OLED has one or more characteristics selected from the group consisting of being flexible, being rollable, being foldable, being stretchable, and being curved. In some embodiments, the OLED is transparent or semi-transparent. In some embodiments, the OLED further comprises a layer comprising carbon nanotubes.

[0121] In some embodiments, the OLED further comprises a layer comprising a delayed fluorescent emitter. In some embodiments, the OLED comprises a RGB pixel arrangement or white plus color filter pixel arrangement. In


some embodiments, the OLED is a mobile device, a hand held device, or a wearable device. In some embodiments, the OLED is a display panel having less than 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a display panel having at least 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a lighting panel.

[0122] In some embodiments of the emissive region, the emissive region further comprises a host, wherein the host comprises at least one selected from the group consisting of metal complex, triphenylene, carbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, aza-triphenylene, aza-carbazole, aza-dibenzothiophene, aza-dibenzofuran, and aza-dibenzoselenophene.










[0123] In some embodiment of the emissive region, the emissive region further comprises a host, wherein the host is selected from the group consisting of:




-continued






-continued



-continued




-continued




and combinations thereof.

[0124] In some embodiments, the compound can be an emissive dopant. In some embodiments, the compound can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence), triplet-triplet annihilation, or combinations of these processes.


[0125] According to another aspect, a formulation comprising the compound described herein is also disclosed.



[0126] The OLED disclosed herein can be incorporated into one or more of a consumer product, an electronic component module, and a lighting panel. The organic layer can be an emissive layer and the compound can be an emissive dopant in some embodiments, while the compound can be a non-emissive dopant in other embodiments.





[0127] The organic layer can also include a host. In some embodiments, two or more hosts are preferred. In some embodiments, the hosts used maybe a) bipolar, b) electron transporting, c) hole transporting or d) wide band gap materials that play little role in charge transport. In some embodiments, the host can include a metal complex. The host can be a triphenylene containing benzo-fused thiophene or benzo-fused furan. Any substituent in the host can be an unfused substituent independently selected from the group consisting of C_nH_{2n+1} , OC_nH_{2n+1} , OAr_1 , $N(C_nH_{2n+1})_2$, $N(Ar_1)(Ar_2)$, $CH=CH-C_nH_{2n+1}$, $C\equiv C=C_nH_{2n+1}$, Ar_1 , Ar_1-Ar_2 , and $C_nH_{2n}-Ar_1$, or the host has no substitutions. In the preceding substituents n can range from 1 to 10; and Ar_1 and Ar_2 can be independently selected from the group consisting of benzene, biphenyl, naphthalene, triphenylene, carbazole, and heteroaromatic analogs thereof. The host can be an inorganic compound. For example, a Zn containing inorganic material e.g. ZnS.



[0128] The host can be a compound comprising at least one chemical group selected from the group consisting of triphenylene, carbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, azatriphenylene, azacarbazole, azadibenzothiophene, aza-dibenzofuran, and aza-dibenzoselenophene. The host can include a metal complex. The host can be, but is not limited to, a specific compound selected from the group consisting of:

-continued







Conductivity Dopants:

[0132] A charge transport layer can be doped with conductivity dopants to substantially alter its density of charge carriers, which will in turn alter its conductivity. The conductivity is increased by generating charge carriers in the matrix material, and depending on the type of dopant, a change in the Fermi level of the semiconductor may also be achieved. Hole-transporting layer can be doped by p-type conductivity dopants and n-type conductivity dopants are used in the electron-transporting layer.





[0133] Non-limiting examples of the conductivity dopants that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP01617493, EP01968131, EP2020694, EP2684932, US20050139810, US20070160905, US20090167167, US2010288362, WO06081780, WO2009003455, WO2009008277, WO2009011327, WO2014009310, US2007252140, US2015060804 and US2012146012.



-continued




-continued



HIL/HTL:





[0134] A hole injecting/transporting material to be used in the present invention is not particularly limited, and any compound may be used as long as the compound is typically used as a hole injecting/transporting material. Examples of the material include, but are not limited to: a phthalocyanine or porphyrin derivative; an aromatic amine derivative; an indolocarbazole derivative; a polymer containing fluorohydrocarbon; a polymer with conductivity dopants; a conducting polymer, such as PEDOT/PSS; a self-assembly monomer derived from compounds such as phosphonic acid and silane derivatives; a metal oxide derivative, such as MoO_x ; a p-type semiconducting organic compound, such as 1,4,5,8,9,12-Hexazaazatriphenylenehexacarbonitrile; a metal complex, and a cross-linkable compounds.

[0135] Examples of aromatic amine derivatives used in HIL or HTL include, but not limit to the following general structures:




[0136] Each of A^1 to A^9 is selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuropyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each Ar may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acids, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

[0137] In one aspect, Ar¹ to Ar⁹ is independently selected from the group consisting of:



[0138] wherein k is an integer from 1 to 20; X¹⁰¹ to X¹⁰⁸ is C (including CH) or N; Z¹⁰¹ is NAr¹, O, or S; Ar¹ has the same group defined above.


[0139] Examples of metal complexes used in HIL or HTL include, but are not limited to the following general formula:




[0140] wherein Met is a metal, which can have an atomic weight greater than 40; (Y¹⁰¹-Y¹⁰²) is a bidentate ligand, Y¹⁰¹ and Y¹⁰² are independently selected from C, N, O, P, and S; L¹⁰¹ is an ancillary ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.

[0141] In one aspect, (Y¹⁰¹-Y¹⁰²) is a 2-phenylpyridine derivative. In another aspect, (Y¹⁰¹-Y¹⁰²) is a carbene ligand. In another aspect, Met is selected from Ir, Pt, Os, and Zn. In a further aspect, the metal complex has a smallest oxidation potential in solution vs. Fe/Fc couple less than about 0.6 V.


[0142] Non-limiting examples of the HIL and HTL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN102702075, DE102012005215, EP01624500, EP01698613, EP01806334, EP01930964, EP01972613, EP01997799, EP02011790, EP02055700, EP02055701, EP1725079, EP2085382, EP2660300, EP650955, JP07-073529, JP2005112765, JP2007091719, JP2008021687, JP2014-009196, KR20110088898, KR20130077473, TW201139402, U.S. Ser. No. 06/517,957, US20020158242, US20030162053, US20050123751, US20060182993, US20060240279, US20070145888, US20070181874, US20070278938, US20080014464, US20080091025, US20080106190, US20080124572, US20080145707, US20080220265, US20080233434, US20080303417, US2008107919, US20090115320, US20090167161, US2009066235, US2011007385, US20110163302, US2011240968, US2011278551, US2012205642, US2013241401, US20140117329, US2014183517, U.S. Pat. Nos. 5,061,569, 5,639,914, WO05075451, WO07125714, WO08023550, WO08023759, WO2009145016, WO2010061824, WO2011075644, WO2012177006, WO2013018530, WO2013039073, WO2013087142, WO2013118812, WO2013120577, WO2013157367, WO2013175747, WO2014002873, WO2014015935, WO2014015937, WO2014030872, WO2014030921, WO2014034791, WO2014104514, WO2014157018.






-continued






-continued






-continued




-continued






-continued




-continued






-continued






-continued






-continued






-continued




-continued




-continued




-continued



-continued



-continued




EBL:

[0143] An electron blocking layer (EBL) may be used to reduce the number of electrons and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies, and or longer lifetime, as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than the emitter closest to the EBL interface. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and or higher triplet energy than one or more of the hosts closest to the EBL interface. In one aspect, the compound used in EBL contains the same molecule or the same functional groups used as one of the hosts described below.

Host:


[0144] The light emitting layer of the organic EL device of the present invention preferably contains at least a metal complex as light emitting material, and may contain a host material using the metal complex as a dopant material. Examples of the host material are not particularly limited, and any metal complexes or organic compounds may be used as long as the triplet energy of the host is larger than that of the dopant. Any host material may be used with any dopant so long as the triplet criteria is satisfied.

[0145] Examples of metal complexes used as host are preferred to have the following general formula:



[0146] wherein Met is a metal; $(Y^{103}-Y^{104})$ is a bidentate ligand, Y^{103} and Y^{104} are independently selected from C, N, O, P, and S; L^{101} is an another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and $k'+k''$ is the maximum number of ligands that may be attached to the metal.

[0147] In one aspect, the metal complexes are:




[0148] wherein $(\text{O}-\text{N})$ is a bidentate ligand, having metal coordinated to atoms O and N.

[0149] In another aspect, Met is selected from Ir and Pt. In a further aspect, $(Y^{103}-Y^{104})$ is a carbene ligand.


[0150] Examples of other organic compounds used as host are selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, diben-

zofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, diaxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuropyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each option within each group may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acids, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.


[0151] In one aspect, the host compound contains at least one of the following groups in the molecule:



-continued




-continued







[0152] wherein each of R^{101} to R^{107} is independently selected from the group consisting of hydrogen, deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acids, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, and when it is aryl or heteroaryl, it has the similar definition as Ar's mentioned above. k is an integer from 0 to 20 or 1 to 20; k''' is an integer from 0 to 20. X^{101} to X^{108} is selected from C (including CH) or N. Z^{101} and Z^{102} is selected from NR^{101} , O, or S.


[0153] Non-limiting examples of the host materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP2034538, EP2034538A, EP2757608, JP2007254297, KR20100079458, KR2012008644, KR20120129733, KR20130115564, TW201329200, US20030175553, US20050238919, US20060280965, US20090017330, US20090030202, US20090167162, US20090302743, US20090309488, US20100012931, US20100084966, US20100187984, US2010187984, US2012075273, US2012126221, US2013009543, US2013105787, US2013175519, US2014001446, US20140183503, US20140225088, US2014034914, U.S. Pat. No. 7,154,114, WO2001039234, WO2004093207, WO2005014551, WO2005089025, WO2006072002, WO2006114966, WO2007063754, WO2008056746, WO2009003898, WO2009021126, WO2009063833, WO2009066778, WO2009066779, WO2009086028, WO2010056066, WO2010107244, WO2011081423, WO2011081431, WO2011086863, WO2012128298, WO2012133644, WO2012133649, WO2013024872, WO2013035275, WO2013081315, WO2013191404, WO2014142472,




-continued




-continued







-continued













-continued







-continued






-continued




-continued




-continued



-continued



-continued



Additional Emitters:



[0154] One or more additional emitter dopants may be used in conjunction with the compound of the present disclosure. Examples of the additional emitter dopants are not particularly limited, and any compounds may be used as long as the compounds are typically used as emitter materials. Examples of suitable emitter materials include, but are not limited to, compounds which can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence), triplet-triplet annihilation, or combinations of these processes.


[0155] Non-limiting examples of the emitter materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103694277, CN1696137, EB01238981, EP01239526, EP01961743, EP1239526, EP1244155, EP1642951, EP1647554, EP1841834, EP1841834B, EP2062907, EP2730583, JP2012074444, JP2013110263, JP4478555, KR1020090133652, KR20120032054, KR20130043460, TW201332980, U.S. Ser. No. 06/699,599, U.S. Ser. No.

06/916,554, US20010019782, US20020034656,
 US20030068526, US20030072964, US20030138657,
 US20050123788, US20050244673, US2005123791,
 US2005260449, US20060008670, US20060065890,
 US20060127696, US20060134459, US20060134462,
 US20060202194, US20060251923, US20070034863,
 US20070087321, US20070103060, US20070111026,
 US20070190359, US20070231600, US2007034863,
 US2007104979, US2007104980, US2007138437,
 US2007224450, US2007278936, US20080020237,
 US20080233410, US20080261076, US20080297033,
 US200805851, US2008161567, US2008210930,
 US20090039776, US20090108737, US20090115322,
 US20090179555, US2009085476, US2009104472,
 US20100090591, US20100148663, US20100244004,
 US20100295032, US2010102716, US2010105902,
 US2010244004, US2010270916, US20110057559,
 US20110108822, US20110204333, US2011215710,
 US2011227049, US2011285275, US2012292601,
 US20130146848, US2013033172, US2013165653,
 US2013181190, US201334521, US20140246656,
 US2014103305, U.S. Pat. Nos. 6,303,238, 6,413,656, 6,653,
 654, 6,670,645, 6,687,266, 6,835,469, 6,921,915, 7,279,704,


7,332,232, 7,378,162, 7,534,505, 7,675,228, 7,728,137,
 7,740,957, 7,759,489, 7,951,947, 8,067,099, 8,592,586,
 8,871,361, WO06081973, WO06121811, WO07018067,
 WO07108362, WO07115970, WO07115981,
 WO08035571, WO2002015645, WO2003040257,
 WO2005019373, WO2006056418, WO2008054584,
 WO2008078800, WO2008096609, WO2008101842,
 WO2009000673, WO2009050281, WO2009100991,
 WO2010028151, WO2010054731, WO2010086089,
 WO2010118029, WO2011044988, WO2011051404,
 WO2011107491, WO2012020327, WO2012163471,
 WO2013094620, WO2013107487, WO2013174471,
 WO2014007565, WO2014008982, WO2014023377,
 WO2014024131, WO2014031977, WO2014038456,
 WO2014112450.

-continued























-continued




-continued











-continued




-continued











-continued







-continued







-continued




-continued










-continued




-continued




-continued













-continued




-continued











-continued





-continued





-continued









-continued



-continued




HBL:



[0156] A hole blocking layer (HBL) may be used to reduce the number of holes and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies and/or longer lifetime as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and or higher triplet energy than the emitter closest to the HBL interface. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and or higher triplet energy than one or more of the hosts closest to the HBL interface.

[0157] In one aspect, compound used in HBL contains the same molecule or the same functional groups used as host described above.

[0158] In another aspect, compound used in HBL contains at least one of the following groups in the molecule:




[0159] wherein k is an integer from 1 to 20; L¹⁰¹ is an another ligand, k' is an integer from 1 to 3.

ETL:


[0160] Electron transport layer (ETL) may include a material capable of transporting electrons. Electron transport layer may be intrinsic (undoped), or doped. Doping may be used to enhance conductivity. Examples of the ETL material are not particularly limited, and any metal complexes or organic compounds may be used as long as they are typically used to transport electrons.

[0161] In one aspect, compound used in ETL contains at least one of the following groups in the molecule:




[0162] wherein R¹⁰¹ is selected from the group consisting of hydrogen, deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acids, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, when it is aryl or heteroaryl, it has the similar definition as Ar's mentioned above. Ar¹ to Ar³ has the similar definition as Ar's mentioned above. k is an integer from 1 to 20. X¹⁰¹ to X¹⁰⁸ is selected from C (including CH) or N.

[0163] In another aspect, the metal complexes used in ETL contains, but not limit to the following general formula:




[0164] wherein (O—N) or (N—N) is a bidentate ligand, having metal coordinated to atoms O, N or N, N; L¹⁰¹ is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal.








[0165] Non-limiting examples of the ETL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103508940, EP01602648, EP01734038, EP01956007, JP2004-022334, JP2005149918, JP2005-268199, KR0117693, KR20130108183, US20040036077, US20070104977, US2007018155, US20090101870, US20090115316, US20090140637, US20090179554, US2009218940, US2010108990, US2011156017, US2011210320, US2012193612, US2012214993, US2014014925, US2014014927, US20140284580, U.S. Pat. Nos. 6,656,612, 8,415,031, WO2003060956, WO2007111263, WO2009148269, WO2010067894, WO2010072300, WO2011074770, WO2011105373, WO2013079217, WO2013145667, WO2013180376, WO2014104499, WO2014104535,




-continued








-continued




-continued








-continued




-continued










-continued






-continued



-continued



-continued



Charge Generation Layer (CGL)

[0166] In tandem or stacked OLEDs, the CGL plays an essential role in the performance, which is composed of an n-doped layer and a p-doped layer for injection of electrons and holes, respectively. Electrons and holes are supplied from the CGL and electrodes. The consumed electrons and holes in the CGL are refilled by the electrons and holes injected from the cathode and anode, respectively; then, the bipolar currents reach a steady state gradually. Typical CGL materials include n and p conductivity dopants used in the transport layers.

[0167] In any above-mentioned compounds used in each layer of the OLED device, the hydrogen atoms can be partially or fully deuterated. Thus, any specifically listed substituent, such as, without limitation, methyl, phenyl, pyridyl, etc. may be undeuterated, partially deuterated, and fully deuterated versions thereof. Similarly, classes of substituents such as, without limitation, alkyl, aryl, cycloalkyl, heteroaryl, etc. also may be undeuterated, partially deuterated, and fully deuterated versions thereof.


Experimental

Materials Synthesis


[0168] All reactions were carried out under nitrogen atmosphere unless specified otherwise. All solvents for reactions are anhydrous and used as received from commercial sources.

Synthesis of Compound 14,708


Synthesis of 4-phenylbenzo[g]quinazoline



, and




-continued



[0169] In a flask equipped with a reflux condenser, phenyl magnesium bromide (3.0M in Et₂O, 127 mL, 382 mmol) and THF (350 mL) were combined at room temperature (rt) under argon. To this solution, benzo[g]quinazoline-4(1H)-one (30 g, 153 mmol) was charged portion wise over 1 hour. After the addition, the resulting slurry was heated to reflux for 5 hours, then stirred at rt for 16 hours. The reaction mixture was then cooled to 0° C. and then neutralized with 1 M aqueous HCl. The solution was then extracted with ethyl acetate and the combined organic extracts were dried (MgSO₄) and concentrated under reduced pressure. The residue was purified via flash chromatography using 0-40% ethyl acetate in hexanes. The pure fractions were combined and concentrated to give 4-phenylbenzo[g]quinazoline as a neon yellow solid (95% purity). The obtained product was further purified via reverse phase chromatography using acetonitrile/water (60/40 to 100/0) as the solvent system to afford the title compound as a neon yellow solid (4 g, 10% yield).

Synthesis of Compound 14,708




[0170] The iridium triflate salt (1.8 g, 2.427 mmol), 4-phenylbenzo[g]quinazoline (1.56 g, 6.07 mmol), and ethanol

(40 mL) were combined in a flask. The reaction was heated in an oil bath set at 95° C. over the weekend under nitrogen. Upon completion, the reaction was diluted with MeOH and filtered through celite using MeOH to get a brown precipitate. The brown precipitate was recovered using DCM. The crude product was purified with silica gel using a 95/5 toluene/ethyl acetate solvent system to provide 1.53 g of a dark greenish-brown solid (80% yield).


Synthesis of Compound 2,351

[0171] Synthesis of 4-(3,5-dimethylphenylbenzo[g]quinazoline




[0172] In a flask equipped with a condenser 1-bromo-3,5-dimethylbenzene (23.5 g, 127 mmol), magnesium turnings (3.72 g, 153 mmol) and THF (100 mL) were combined at rt under argon. The reaction was initiated with a chip of iodine and careful heating. Upon completion, the mixture was cooled to RT. Benzo[g]quinazoline-4(1H)-one (10 g, 51 mmol) was added portion wise over 1 hour. The resulting slurry was heated to reflux for 5 hours, then held at RT for 16 hours. The reaction mixture was then cooled to 0° C. and then neutralized with 1 M aqueous HCl. The solution was then extracted with ethyl acetate and the combined organic extracts were dried (MgSO₄) and concentrated under reduced pressure. The residual was purified via flash chromatography using 0-40% ethyl acetate in hexanes. The pure fractions were combined and concentrated to give a neon yellow solid (95% purity). The obtained product was further purified via reverse phase chromatography using acetonitrile/water (60/40 to 100/0) as the solvent system to afford the title compound as a neon yellow solid (2.2 g, 15% yield).

Synthesis of the Ir(III) Dimer



-continued




[0173] 4-(3,5-dimethylphenyl)benzo[g]quinazoline (3.49 g, 12.28 mmol), 2-ethoxyethanol (60 mL) and water (20 mL) were combined in a flask. The reaction was purged with nitrogen for 15 minutes, then Iridium(III) chloride tetrahydrate (1.40 g, 3.78 mmol) was added. The reaction was heated in an oil bath set at 105° C. overnight under nitrogen. The mixture was allowed to cool down to RT, diluted with MeOH, and the precipitate was filtered off. The solid was then dried under vacuum for two hours to get 2.63 g of a black solid for a 88% yield. The product was used in the next step without further purification.

Synthesis of Compound 2,351

was diluted with MeOH then a black precipitate was filtered off using celite. The precipitate was recovered using DCM to get 0.49 g of a green-brown solid. The crude product was purified with triethylamine pretreated silica gel using heptanes/DCM (90/10 to 60/40) as the solvent system. The dark green solid was crystallized suing a DCM/MeOH mixture to afford 0.34 g (21% yield) of the target

Device Examples

[0174] All example devices were fabricated by high vacuum (<10⁻⁷ Torr) thermal evaporation. The anode electrode was 1150 Å of indium tin oxide (ITO). The cathode consisted of 10 Å of Liq (8-hydroxyquinoline lithium) followed by 1,000 Å of Al. All devices were encapsulated with a glass lid sealed with an epoxy resin in a nitrogen glove box (<1 ppm of H₂O and O₂) immediately after fabrication, and a moisture getter was incorporated inside the package. The organic stack of the device examples consisted of sequentially, from the ITO surface, 100 of HATCN as the hole injection layer (HIL); 450 Å of HTM as a hole transporting layer (HTL); 400 Å of an emissive layer (EML) containing Compound H as a host, a stability dopant (SD) (18%), and Compound 2,351 as the emitter (3%); and 350 Å of Liq (8-hydroxyquinoline lithium) doped with 40%



The Ir(III) dimer (1.30 g, 0.818 mmol), 3,7-diethylnonane-4,6-dione (1.93 mL, 8.18 mmol), and 2-ethoxyethanol (15 mL) were combined in a flask. The reaction was purged with nitrogen for 15 minutes, and then potassium carbonate (1.13 g, 8.18 mmol) was added. The reaction was stirred at room temperature over the weekend under nitrogen. The reaction

of ETM as the ETL. The emitter was selected to provide the desired color, efficiency and lifetime. The stability dopant (SD) was added to the electron-transporting host to help transport positive charge in the emissive layer. Table 1 shows the device layer thickness and materials. The chemical structures of the device materials are shown below:




TABLE 1

Device layer materials and thicknesses		
Layer	Material	Thickness [Å]
Anode	ITO	1150
HIL	HATCN	100
HTL	HTM	450

TABLE 1-continued

Device layer materials and thicknesses		
Layer	Material	Thickness [Å]
EML	Compound H:SD 18%:Emitter 3%	400
ETL	Liq:ETM 40%	350
EIL	Liq	10
Cathode	Al	1000


TABLE 2

Device Example	Emitter	At 10 mA/cm ²				At 80 mA/cm ²
		λ_{max} [nm]	FWHM [nm]	Voltage [V]	EQE [%]	LT _{95%} [h]
Example 1	Compound 2,351	736	54	8.9	2.7	78

[0175] It is understood that the various embodiments described herein are by way of example only, and are not intended to limit the scope of the invention. For example, many of the materials and structures described herein may be substituted with other materials and structures without deviating from the spirit of the invention. The present invention as claimed may therefore include variations from the particular examples and preferred embodiments described herein, as will be apparent to one of skill in the art. It is understood that various theories as to why the invention works are not intended to be limiting.


What is claimed is:

1. A compound comprising a ligand L_A of Formula I:



wherein ring A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;

wherein R is fused to ring B and has the formula II:



wherein the wave lines indicate bonds to ring B;

wherein ring D is fused to ring C;

wherein ring D is a 5-membered or 6-membered carbocyclic or heterocyclic aromatic ring;

wherein R¹ represents mono to maximum possible number of substitution;

wherein R², R³, and R⁴ represent mono to maximum possible number of substitution, or no substitution; wherein X¹, X², X³, X⁴, X⁵, X⁶, X⁷, and X⁸ are each independently carbon or nitrogen;

wherein at least two adjacent of X¹, X², X³, and X⁴ are carbon and fuse to ring C;

wherein at least two adjacent of X⁵, X⁶, X⁷, and X⁸ are carbon and fuse to ring D;

wherein R², R³, and R⁴ are each independently selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

wherein no two adjacent substituents of R², R³, and R⁴ are joined to form a ring;

wherein each R¹ is independently selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

wherein two adjacent R¹ are optionally joined to form or fuse into a ring;

wherein at least one R¹ is selected from the group consisting of alkyl, cycloalkyl, partially fluorinated variants thereof, partially or fully deuterated variants thereof, and combinations thereof;

wherein in each of the at least one R¹, C having an F attached thereto is separated by at least one carbon atom from the aromatic ring;


wherein L_A is coordinated to a metal M;


wherein L_A is optionally linked with other ligands to comprise a tridentate, tetridentate, pentadentate, or hexadentate ligand; and

wherein M is optionally coordinated to other ligands.

2. The compound of claim 1, wherein M is selected from the group consisting of Ir, Rh, Re, Ru, Os, Pt, Au, and Cu.



3. The compound of claim 1, wherein the ligand L_A is selected from the group consisting of:





wherein each Y is independently carbon or nitrogen.

4. The compound of claim 1, wherein the ring A is selected from the group consisting of:



wherein each bond _____ is linked to Ring B and each bond is linked to the metal.

5. The compound of claim 1, wherein X^1 , X^2 , X^3 , and X^4 are carbon, and X^5 , X^6 , X^7 , and X^8 are carbon.

6. The compound of claim 1, wherein at least one of X^1 , X^2 , X^3 , and X^4 is nitrogen, or at least one of X^5 , X^6 , X^7 , and X^8 is nitrogen.

7. The compound of claim 1, wherein ring A is a 5-membered heteroaromatic ring.










8. The compound of claim 1, wherein ring A is a 6-membered carbocyclic or heterocyclic aromatic ring and the at least one R^1 is para to M.


9. The compound of claim 1, wherein at least one of rings C and D is a heteroaromatic ring.

10. The compound of claim 1, wherein two adjacent R^1 are joined to form or fuse into a ring;

11. The compound of claim 1, wherein the ligand L_A is selected from the group consisting of:

-continued






wherein each Y is independently carbon or nitrogen.

12. The compound of claim 1, wherein the ligand L_A is selected from the group consisting of L_{A1} through L_{A1424} defined as follows:

L_{A1} to L_{A178} based on the formula of




-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1}	H	H	H	C	C
L _{A2}	H	R ^{B1}	H	C	C
L _{A3}	H	R ^{B2}	H	C	C
L _{A4}	H	R ^{B3}	H	C	C
L _{A5}	H	R ^{B4}	H	C	C
L _{A6}	H	R ^{B5}	H	C	C
L _{A7}	H	R ^{B6}	H	C	C
L _{A8}	H	R ^{B7}	H	C	C
L _{A9}	H	R ^{A2}	H	C	C
L _{A10}	H	R ^{A28}	H	C	C
L _{A11}	H	R ^{A29}	H	C	C
L _{A12}	H	H	R ^{B1}	C	C
L _{A13}	H	H	R ^{B2}	C	C
L _{A14}	H	H	R ^{B3}	C	C
L _{A15}	H	H	R ^{B4}	C	C
L _{A16}	H	H	R ^{B5}	C	C
L _{A17}	H	H	R ^{B6}	C	C
L _{A18}	H	H	R ^{B7}	C	C
L _{A19}	H	H	R ^{A2}	C	C
L _{A20}	H	H	R ^{A28}	C	C
L _{A21}	H	H	H	N	C
L _{A22}	H	R ^{B1}	H	N	C
L _{A23}	H	R ^{B2}	H	N	C
L _{A24}	H	R ^{B3}	H	N	C
L _{A25}	H	R ^{B4}	H	N	C
L _{A26}	H	R ^{B5}	H	N	C
L _{A27}	H	R ^{B6}	H	N	C
L _{A28}	H	R ^{B7}	H	N	C
L _{A29}	H	R ^{A2}	H	N	C
L _{A30}	H	R ^{A28}	H	N	C
L _{A31}	H	R ^{B1}	R ^{B1}	N	C
L _{A32}	H	R ^{B2}	R ^{B2}	N	C
L _{A33}	H	R ^{B3}	R ^{B3}	N	C
L _{A34}	H	R ^{B4}	R ^{B4}	N	C
L _{A35}	H	R ^{B5}	R ^{B5}	N	C
L _{A36}	H	R ^{B6}	R ^{B6}	N	C
L _{A37}	H	R ^{B7}	R ^{B7}	N	C
L _{A38}	H	R ^{A2}	R ^{A2}	N	C
L _{A39}	H	R ^{A28}	R ^{A28}	N	C
L _{A40}	H	R ^{A29}	R ^{A29}	N	C
L _{A41}	H	H	R ^{B1}	N	C
L _{A42}	H	H	R ^{B2}	N	C
L _{A43}	H	H	R ^{B3}	N	C
L _{A44}	H	H	R ^{B4}	N	C
L _{A45}	H	H	R ^{B5}	N	C
L _{A46}	H	H	R ^{B6}	N	C
L _{A47}	H	H	R ^{B7}	N	C
L _{A48}	H	H	R ^{A2}	N	C
L _{A49}	H	H	R ^{A28}	N	C
L _{A50}	H	H	H	C	N
L _{A51}	H	R ^{B1}	H	C	N
L _{A52}	H	R ^{B2}	H	C	N
L _{A53}	H	R ^{B3}	H	C	N
L _{A54}	H	R ^{B4}	H	C	N
L _{A55}	H	R ^{B5}	H	C	N
L _{A56}	H	R ^{B6}	H	C	N
L _{A57}	H	R ^{B7}	H	C	N
L _{A58}	H	R ^{A2}	H	C	N
L _{A59}	H	R ^{A28}	H	C	N
L _{A60}	H	R ^{A29}	H	C	N
L _{A61}	H	R ^{B1}	R ^{B1}	C	N
L _{A62}	H	R ^{B2}	R ^{B2}	C	N
L _{A63}	H	R ^{B3}	R ^{B3}	C	N
L _{A64}	H	R ^{B4}	R ^{B4}	C	N
L _{A65}	H	R ^{B5}	R ^{B5}	C	N
L _{A66}	H	R ^{B6}	R ^{B6}	C	N
L _{A67}	H	R ^{B7}	R ^{B7}	C	N
L _{A68}	H	R ^{A2}	R ^{A2}	C	N
L _{A69}	H	R ^{A28}	R ^{A28}	C	N
L _{A70}	H	H	H	N	N
L _{A71}	H	R ^{B1}	H	N	N
L _{A72}	H	R ^{B2}	H	N	N
L _{A73}	H	R ^{B3}	H	N	N
L _{A74}	H	R ^{B4}	H	N	N
L _{A75}	H	R ^{B5}	H	N	N
L _{A76}	H	R ^{B6}	H	N	N
L _{A77}	H	R ^{B7}	H	N	N
L _{A78}	H	R ^{A2}	H	N	N
L _{A79}	H	R ^{A28}	H	N	N
L _{A80}	H	R ^{A29}	H	N	N
L _{A81}	H	H	R ^{B1}	N	N
L _{A82}	H	H	R ^{B2}	N	N
L _{A83}	H	H	R ^{B3}	N	N
L _{A84}	H	H	R ^{B4}	N	N
L _{A85}	H	H	R ^{B5}	N	N
L _{A86}	H	H	R ^{B6}	N	N
L _{A87}	H	H	R ^{B7}	N	N
L _{A88}	H	H	R ^{A2}	N	N
L _{A89}	H	H	R ^{A28}	N	N
L _{A90}	H	R ^{B1}	H	C	C
L _{A91}	H	R ^{B1}	R ^{B1}	C	C
L _{A92}	H	R ^{B1}	R ^{B2}	C	C
L _{A93}	H	R ^{B1}	R ^{B3}	C	C
L _{A94}	H	R ^{B1}	R ^{B4}	C	C
L _{A95}	H	R ^{B1}	R ^{B5}	C	C
L _{A96}	H	R ^{B1}	R ^{B6}	C	C
L _{A97}	H	R ^{B1}	R ^{B7}	C	C
L _{A98}	H	R ^{B1}	R ^{A2}	C	C
L _{A99}	H	R ^{B1}	R ^{A28}	C	C
L _{A100}	H	R ^{B1}	R ^{A29}	C	C
L _{A101}	H	R ^{B1}	H	C	C
L _{A102}	H	R ^{B1}	H	R ^{B2}	C
L _{A103}	H	R ^{B1}	H	R ^{B3}	C
L _{A104}	H	R ^{B1}	H	R ^{B4}	C
L _{A105}	H	R ^{B1}	H	R ^{B5}	C
L _{A106}	H	R ^{B1}	H	R ^{B6}	C
L _{A107}	H	R ^{B1}	H	R ^{B7}	C
L _{A108}	H	R ^{B1}	H	R ^{A2}	C
L _{A109}	H	R ^{B1}	H	R ^{A28}	C
L _{A110}	H	R ^{B1}	H	H	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A111}	R ^{B1}	R ^{B1}	H	N	C
L _{A112}	R ^{B1}	R ^{B2}	H	N	C
L _{A113}	R ^{B1}	R ^{B3}	H	N	C
L _{A114}	R ^{B1}	R ^{B4}	H	N	C
L _{A115}	R ^{B1}	R ^{B5}	H	N	C
L _{A116}	R ^{B1}	R ^{B6}	H	N	C
L _{A117}	R ^{B1}	R ^{B7}	H	N	C
L _{A118}	R ^{B1}	R ^{A2}	H	N	C
L _{A119}	R ^{B1}	R ^{A28}	H	N	C
L _{A120}	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L _{A121}	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L _{A122}	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L _{A123}	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L _{A124}	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L _{A125}	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L _{A126}	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L _{A127}	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L _{A128}	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L _{A129}	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L _{A130}	R ^{B1}	H	R ^{B1}	N	C
L _{A131}	R ^{B1}	H	R ^{B2}	N	C
L _{A132}	R ^{B1}	H	R ^{B3}	N	C
L _{A133}	R ^{B1}	H	R ^{B4}	N	C
L _{A134}	R ^{B1}	H	R ^{B5}	N	C
L _{A135}	R ^{B1}	H	R ^{B6}	N	C
L _{A136}	R ^{B1}	H	R ^{B7}	N	C
L _{A137}	R ^{B1}	H	R ^{A2}	N	C
L _{A138}	R ^{B1}	H	R ^{A28}	N	C
L _{A139}	R ^{B1}	H	H	C	N
L _{A140}	R ^{B1}	R ^{B1}	H	C	N
L _{A141}	R ^{B1}	R ^{B2}	H	C	N
L _{A142}	R ^{B1}	R ^{B3}	H	C	N
L _{A143}	R ^{B1}	R ^{B4}	H	C	N
L _{A144}	R ^{B1}	R ^{B5}	H	C	N
L _{A145}	R ^{B1}	R ^{B6}	H	C	N
L _{A146}	R ^{B1}	R ^{B7}	H	C	N
L _{A147}	R ^{B1}	R ^{A2}	H	C	N
L _{A148}	R ^{B1}	R ^{A28}	H	C	N
L _{A149}	R ^{B1}	R ^{A29}	H	C	N
L _{A150}	R ^{B1}	R ^{B1}	R ^{B1}	C	N
L _{A151}	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L _{A152}	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L _{A153}	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L _{A154}	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L _{A155}	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L _{A156}	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L _{A157}	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L _{A158}	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L _{A159}	R ^{B1}	H	H	N	N
L _{A160}	R ^{B1}	R ^{B1}	H	N	N
L _{A161}	R ^{B1}	R ^{B2}	H	N	N
L _{A162}	R ^{B1}	R ^{B3}	H	N	N
L _{A163}	R ^{B1}	R ^{B4}	H	N	N
L _{A164}	R ^{B1}	R ^{B5}	H	N	N
L _{A165}	R ^{B1}	R ^{B6}	H	N	N
L _{A166}	R ^{B1}	R ^{B7}	H	N	N
L _{A167}	R ^{B1}	R ^{A2}	H	N	N
L _{A168}	R ^{B1}	R ^{A28}	H	N	N
L _{A169}	R ^{B1}	R ^{A29}	H	N	N
L _{A170}	R ^{B1}	H	R ^{B1}	N	N
L _{A171}	R ^{B1}	H	R ^{B2}	N	N
L _{A172}	R ^{B1}	H	R ^{B3}	N	N
L _{A173}	R ^{B1}	H	R ^{B4}	N	N
L _{A174}	R ^{B1}	H	R ^{B5}	N	N
L _{A175}	R ^{B1}	H	R ^{B6}	N	N
L _{A176}	R ^{B1}	H	R ^{B7}	N	N
L _{A177}	R ^{B1}	H	R ^{A2}	N	N
L _{A178}	R ^{B1}	H	R ^{A28}	N	N

L_{A179} to L_{A356} based on the formula of


Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A179}	R ^{B6}	H	H	C	C
L _{A180}	R ^{B6}	R ^{B1}	H	C	C
L _{A181}	R ^{B6}	R ^{B2}	H	C	C
L _{A182}	R ^{B6}	R ^{B3}	H	C	C
L _{A183}	R ^{B6}	R ^{B4}	H	C	C
L _{A184}	R ^{B6}	R ^{B5}	H	C	C
L _{A185}	R ^{B6}	R ^{B6}	H	C	C
L _{A186}	R ^{B6}	R ^{B7}	H	C	C
L _{A187}	R ^{B6}	R ^{A2}	H	C	C
L _{A188}	R ^{B6}	R ^{A28}	H	C	C
L _{A189}	R ^{B6}	R ^{A29}	H	C	C
L _{A190}	R ^{B6}	H	R ^{B1}	C	C
L _{A191}	R ^{B6}	H	R ^{B2}	C	C
L _{A192}	R ^{B6}	H	R ^{B3}	C	C
L _{A193}	R ^{B6}	H	R ^{B4}	C	C
L _{A194}	R ^{B6}	H	R ^{B5}	C	C
L _{A195}	R ^{B6}	H	R ^{B6}	C	C
L _{A196}	R ^{B6}	H	R ^{B7}	C	C
L _{A197}	R ^{B6}	H	R ^{A2}	C	C
L _{A198}	R ^{B6}	H	R ^{A28}	C	C
L _{A199}	R ^{B6}	H	H	N	C
L _{A200}	R ^{B6}	R ^{B1}	H	N	C
L _{A201}	R ^{B6}	R ^{B2}	H	N	C
L _{A202}	R ^{B6}	R ^{B3}	H	N	C
L _{A203}	R ^{B6}	R ^{B4}	H	N	C
L _{A204}	R ^{B6}	R ^{B5}	H	N	C
L _{A205}	R ^{B6}	R ^{B6}	H	N	C
L _{A206}	R ^{B6}	R ^{B7}	H	N	C
L _{A207}	R ^{B6}	R ^{A2}	H	N	C
L _{A208}	R ^{B6}	R ^{A28}	H	N	C
L _{A209}	R ^{B6}	R ^{B1}	R ^{B1}	N	C
L _{A210}	R ^{B6}	R ^{B2}	R ^{B2}	N	C
L _{A211}	R ^{B6}	R ^{B3}	R ^{B3}	N	C
L _{A212}	R ^{B6}	R ^{B4}	R ^{B4}	N	C
L _{A213}	R ^{B6}	R ^{B5}	R ^{B5}	N	C
L _{A214}	R ^{B6}	R ^{B6}	R ^{B6}	N	C
L _{A215}	R ^{B6}	R ^{B7}	R ^{B7}	N	C
L _{A216}	R ^{B6}	R ^{A2}	R ^{A2}	N	C
L _{A217}	R ^{B6}	R ^{A28}	R ^{A28}	N	C
L _{A218}	R ^{B6}	R ^{A29}	R ^{A29}	N	C
L _{A219}	R ^{B6}	H	R ^{B1}	N	C
L _{A220}	R ^{B6}	H	R ^{B2}	N	C
L _{A221}	R ^{B6}	H	R ^{B3}	N	C
L _{A222}	R ^{B6}	H	R ^{B4}	N	C
L _{A223}	R ^{B6}	H	R ^{B5}	N	C
L _{A224}	R ^{B6}	H	R ^{B6}	N	C
L _{A225}	R ^{B6}	H	R ^{B7}	N	C
L _{A226}	R ^{B6}	H	R ^{A2}	N	C
L _{A227}	R ^{B6}	H	R ^{A28}	N	C
L _{A228}	R ^{B6}	H	H	C	N
L _{A229}	R ^{B6}	R ^{B1}	H	C	N
L _{A230}	R ^{B6}	R ^{B2}	H	C	N
L _{A231}	R ^{B6}	R ^{B3}	H	C	N
L _{A232}	R ^{B6}	R ^{B4}	H	C	N
L _{A233}	R ^{B6}	R ^{B5}	H	C	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A234}	R ^{B6}	R ^{B6}	H	C	N
L _{A235}	R ^{B6}	R ^{B7}	H	C	N
L _{A236}	R ^{B6}	R ^{A2}	H	C	N
L _{A237}	R ^{B6}	R ^{A28}	H	C	N
L _{A238}	R ^{B6}	R ^{A29}	H	C	N
L _{A239}	R ^{B6}	R ^{B1}	R ^{B1}	C	N
L _{A240}	R ^{B6}	R ^{B2}	R ^{B2}	C	N
L _{A241}	R ^{B6}	R ^{B3}	R ^{B3}	C	N
L _{A242}	R ^{B6}	R ^{B4}	R ^{B4}	C	N
L _{A243}	R ^{B6}	R ^{B5}	R ^{B5}	C	N
L _{A244}	R ^{B6}	R ^{B6}	R ^{B6}	C	N
L _{A245}	R ^{B6}	R ^{B7}	R ^{B7}	C	N
L _{A246}	R ^{B6}	R ^{A2}	R ^{A2}	C	N
L _{A247}	R ^{B6}	R ^{A28}	R ^{A28}	C	N
L _{A248}	R ^{B6}	H	H	N	N
L _{A249}	R ^{B6}	R ^{B1}	H	N	N
L _{A250}	R ^{B6}	R ^{B2}	H	N	N
L _{A251}	R ^{B6}	R ^{B3}	H	N	N
L _{A252}	R ^{B6}	R ^{B4}	H	N	N
L _{A253}	R ^{B6}	R ^{B5}	H	N	N
L _{A254}	R ^{B6}	R ^{B6}	H	N	N
L _{A255}	R ^{B6}	R ^{B7}	H	N	N
L _{A256}	R ^{B6}	R ^{A2}	H	N	N
L _{A257}	R ^{B6}	R ^{A28}	H	N	N
L _{A258}	R ^{B6}	R ^{A29}	H	N	N
L _{A259}	R ^{B6}	H	R ^{B1}	N	N
L _{A260}	R ^{B6}	H	R ^{B2}	N	N
L _{A261}	R ^{B6}	H	R ^{B3}	N	N
L _{A262}	R ^{B6}	H	R ^{B4}	N	N
L _{A263}	R ^{B6}	H	R ^{B5}	N	N
L _{A264}	R ^{B6}	H	R ^{B6}	N	N
L _{A265}	R ^{B6}	H	R ^{B7}	N	N
L _{A266}	R ^{B6}	H	R ^{A2}	N	N
L _{A267}	R ^{B6}	H	R ^{A28}	N	N
L _{A268}	R ^{B8}	H	H	C	C
L _{A269}	R ^{B8}	R ^{B1}	H	C	C
L _{A270}	R ^{B8}	R ^{B2}	H	C	C
L _{A271}	R ^{B8}	R ^{B3}	H	C	C
L _{A272}	R ^{B8}	R ^{B4}	H	C	C
L _{A273}	R ^{B8}	R ^{B5}	H	C	C
L _{A274}	R ^{B8}	R ^{B6}	H	C	C
L _{A275}	R ^{B8}	R ^{B7}	H	C	C
L _{A276}	R ^{B8}	R ^{A2}	H	C	C
L _{A277}	R ^{B8}	R ^{A28}	H	C	C
L _{A278}	R ^{B8}	R ^{A29}	H	C	C
L _{A279}	R ^{B8}	H	R ^{B1}	C	C
L _{A280}	R ^{B8}	H	R ^{B2}	C	C
L _{A281}	R ^{B8}	H	R ^{B3}	C	C
L _{A282}	R ^{B8}	H	R ^{B4}	C	C
L _{A283}	R ^{B8}	H	R ^{B5}	C	C
L _{A284}	R ^{B8}	H	R ^{B6}	C	C
L _{A285}	R ^{B8}	H	R ^{B7}	C	C
L _{A286}	R ^{B8}	H	R ^{A2}	C	C
L _{A287}	R ^{B8}	H	R ^{A28}	C	C
L _{A288}	R ^{B8}	H	H	N	C
L _{A289}	R ^{B8}	R ^{B1}	H	N	C
L _{A290}	R ^{B8}	R ^{B2}	H	N	C
L _{A291}	R ^{B8}	R ^{B3}	H	N	C
L _{A292}	R ^{B8}	R ^{B4}	H	N	C
L _{A293}	R ^{B8}	R ^{B5}	H	N	C
L _{A294}	R ^{B8}	R ^{B6}	H	N	C
L _{A295}	R ^{B8}	R ^{B7}	H	N	C
L _{A296}	R ^{B8}	R ^{A2}	H	N	C
L _{A297}	R ^{B8}	R ^{A28}	H	N	C
L _{A298}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A299}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A300}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L _{A301}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A302}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A303}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A304}	R ^{B8}	R ^{B7}	R ^{B7}	N	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A305}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A306}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L _{A307}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L _{A308}	R ^{B8}	H	R ^{B1}	N	C
L _{A309}	R ^{B8}	H	R ^{B2}	N	C
L _{A310}	R ^{B8}	H	R ^{B3}	N	C
L _{A311}	R ^{B8}	H	R ^{B4}	N	C
L _{A312}	R ^{B8}	H	R ^{B5}	N	C
L _{A313}	R ^{B8}	H	R ^{B6}	N	C
L _{A314}	R ^{B8}	H	R ^{B7}	N	C
L _{A315}	R ^{B8}	H	R ^{A2}	N	C
L _{A316}	R ^{B8}	H	R ^{A28}	N	C
L _{A317}	R ^{B8}	H	H	C	N
L _{A318}	R ^{B8}	R ^{B1}	H	C	N
L _{A319}	R ^{B8}	R ^{B2}	H	C	N
L _{A320}	R ^{B8}	R ^{B3}	H	C	N
L _{A321}	R ^{B8}	R ^{B4}	H	C	N
L _{A322}	R ^{B8}	R ^{B5}	H	C	N
L _{A323}	R ^{B8}	R ^{B6}	H	C	N
L _{A324}	R ^{B8}	R ^{B7}	H	C	N
L _{A325}	R ^{B8}	R ^{A2}	H	C	N
L _{A326}	R ^{B8}	R ^{A28}	H	C	N
L _{A327}	R ^{B8}	R ^{A29}	H	C	N
L _{A328}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L _{A329}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L _{A330}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L _{A331}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L _{A332}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L _{A333}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L _{A334}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L _{A335}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L _{A336}	R ^{B8}	R ^{A28}	R ^{A28}	C	N
L _{A337}	R ^{B8}	H	H	N	N
L _{A338}	R ^{B8}	R ^{B1}	H	N	N
L _{A339}	R ^{B8}	R ^{B2}	H	N	N
L _{A340}	R ^{B8}	R ^{B3}	H	N	N
L _{A341}	R ^{B8}	R ^{B4}	H	N	N
L _{A342}	R ^{B8}	R ^{B5}	H	N	N
L _{A343}	R ^{B8}	R ^{B6}	H	N	N
L _{A344}	R ^{B8}	R ^{B7}	H	N	N
L _{A345}	R ^{B8}	R ^{A2}	H	N	N
L _{A346}	R ^{B8}	R ^{A28}	H	N	N
L _{A347}	R ^{B8}	R ^{A29}	H	N	N
L _{A348}	R ^{B8}	R ^{B1}	R ^{B1}	N	N
L _{A349}	R ^{B8}	R ^{B2}	R ^{B2}	N	N
L _{A350}	R ^{B8}	R ^{B3}	R ^{B3}	N	N
L _{A351}	R ^{B8}	R ^{B4}	R ^{B4}	N	N
L _{A352}	R ^{B8}	R ^{B5}	R ^{B5}	N	N
L _{A353}	R ^{B8}	R ^{B6}	R ^{B6}	N	N
L _{A354}	R ^{B8}	R ^{B7}	R ^{B7}	N	N
L _{A355}	R ^{B8}	R ^{A2}	R ^{A2}	N	N
L _{A356}	R ^{B8}	R ^{A28}	R ^{A28}	N	N

L_{A357} to L_{A354} based on the formula of

-continued


Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A357}	H	H	H	C	C	L _{A433}	H	R ^{B7}	H	N	N
L _{A358}	H	R ^{B1}	H	C	C	L _{A434}	H	R ^{A2}	H	N	N
L _{A359}	H	R ^{B2}	H	C	C	L _{A435}	H	R ^{A28}	H	N	N
L _{A360}	H	R ^{B3}	H	C	C	L _{A436}	H	R ^{A29}	H	N	N
L _{A361}	H	R ^{B4}	H	C	C	L _{A437}	H	H	R ^{B1}	N	N
L _{A362}	H	R ^{B5}	H	C	C	L _{A438}	H	H	R ^{B2}	N	N
L _{A363}	H	R ^{B6}	H	C	C	L _{A439}	H	H	R ^{B3}	N	N
L _{A364}	H	R ^{B7}	H	C	C	L _{A440}	H	H	R ^{B4}	N	N
L _{A365}	H	R ^{A2}	H	C	C	L _{A441}	H	H	R ^{B5}	N	N
L _{A366}	H	R ^{A28}	H	C	C	L _{A442}	H	H	R ^{B6}	N	N
L _{A367}	H	R ^{A29}	H	C	C	L _{A443}	H	H	R ^{B7}	N	N
L _{A368}	H	H	R ^{B1}	C	C	L _{A444}	H	H	R ^{A2}	N	N
L _{A369}	H	H	R ^{B2}	C	C	L _{A445}	H	H	R ^{A28}	N	N
L _{A370}	H	H	R ^{B3}	C	C	L _{A446}	R ^{B1}	H	H	C	C
L _{A371}	H	H	R ^{B4}	C	C	L _{A447}	R ^{B1}	R ^{B1}	H	C	C
L _{A372}	H	H	R ^{B5}	C	C	L _{A448}	R ^{B1}	R ^{B2}	H	C	C
L _{A373}	H	H	R ^{B6}	C	C	L _{A449}	R ^{B1}	R ^{B3}	H	C	C
L _{A374}	H	H	R ^{B7}	C	C	L _{A450}	R ^{B1}	R ^{B4}	H	C	C
L _{A375}	H	H	R ^{A2}	C	C	L _{A451}	R ^{B1}	R ^{B5}	H	C	C
L _{A376}	H	H	R ^{A28}	C	C	L _{A452}	R ^{B1}	R ^{B6}	H	C	C
L _{A377}	H	H	H	N	C	L _{A453}	R ^{B1}	R ^{B7}	H	C	C
L _{A378}	H	R ^{B1}	H	N	C	L _{A454}	R ^{B1}	R ^{A2}	H	C	C
L _{A379}	H	R ^{B2}	H	N	C	L _{A455}	R ^{B1}	R ^{A28}	H	C	C
L _{A380}	H	R ^{B3}	H	N	C	L _{A456}	R ^{B1}	R ^{A29}	H	C	C
L _{A381}	H	R ^{B4}	H	N	C	L _{A457}	R ^{B1}	H	R ^{B1}	C	C
L _{A382}	H	R ^{B5}	H	N	C	L _{A458}	R ^{B1}	H	R ^{B2}	C	C
L _{A383}	H	R ^{B6}	H	N	C	L _{A459}	R ^{B1}	H	R ^{B3}	C	C
L _{A384}	H	R ^{B7}	H	N	C	L _{A460}	R ^{B1}	H	R ^{B4}	C	C
L _{A385}	H	R ^{A2}	H	N	C	L _{A461}	R ^{B1}	H	R ^{B5}	C	C
L _{A386}	H	R ^{A28}	H	N	C	L _{A462}	R ^{B1}	H	R ^{B6}	C	C
L _{A387}	H	R ^{B1}	R ^{B1}	N	C	L _{A463}	R ^{B1}	H	R ^{B7}	C	C
L _{A388}	H	R ^{B2}	R ^{B2}	N	C	L _{A464}	R ^{B1}	H	R ^{A2}	C	C
L _{A389}	H	R ^{B3}	R ^{B3}	N	C	L _{A465}	R ^{B1}	H	R ^{A28}	C	C
L _{A390}	H	R ^{B4}	R ^{B4}	N	C	L _{A466}	R ^{B1}	H	R ^{B1}	N	C
L _{A391}	H	R ^{B5}	R ^{B5}	N	C	L _{A467}	R ^{B1}	R ^{B2}	H	N	C
L _{A392}	H	R ^{B6}	R ^{B6}	N	C	L _{A468}	R ^{B1}	R ^{B2}	H	N	C
L _{A393}	H	R ^{B7}	R ^{B7}	N	C	L _{A469}	R ^{B1}	R ^{B3}	H	N	C
L _{A394}	H	R ^{A2}	R ^{A2}	N	C	L _{A470}	R ^{B1}	R ^{B4}	H	N	C
L _{A395}	H	R ^{A28}	R ^{A28}	N	C	L _{A471}	R ^{B1}	R ^{B5}	H	N	C
L _{A396}	H	R ^{A29}	R ^{A29}	N	C	L _{A472}	R ^{B1}	R ^{B6}	H	N	C
L _{A397}	H	H	R ^{B1}	N	C	L _{A473}	R ^{B1}	R ^{B7}	H	N	C
L _{A398}	H	H	R ^{B2}	N	C	L _{A474}	R ^{B1}	R ^{A2}	H	N	C
L _{A399}	H	H	R ^{B3}	N	C	L _{A475}	R ^{B1}	R ^{A28}	H	N	C
L _{A400}	H	H	R ^{B4}	N	C	L _{A476}	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L _{A401}	H	H	R ^{B5}	N	C	L _{A477}	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L _{A402}	H	H	R ^{B6}	N	C	L _{A478}	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L _{A403}	H	H	R ^{B7}	N	C	L _{A479}	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L _{A404}	H	H	R ^{A2}	N	C	L _{A480}	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L _{A405}	H	H	R ^{A28}	N	C	L _{A481}	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L _{A406}	H	H	H	C	N	L _{A482}	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L _{A407}	H	R ^{B1}	H	C	N	L _{A483}	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L _{A408}	H	R ^{B2}	H	C	N	L _{A484}	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L _{A409}	H	R ^{B3}	H	C	N	L _{A485}	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L _{A410}	H	R ^{B4}	H	C	N	L _{A486}	R ^{B1}	H	R ^{B1}	N	C
L _{A411}	H	R ^{B5}	H	C	N	L _{A487}	R ^{B1}	H	R ^{B2}	N	C
L _{A412}	H	R ^{B6}	H	C	N	L _{A488}	R ^{B1}	H	R ^{B3}	N	C
L _{A413}	H	R ^{B7}	H	C	N	L _{A489}	R ^{B1}	H	R ^{B4}	N	C
L _{A414}	H	R ^{A2}	H	C	N	L _{A490}	R ^{B1}	H	R ^{B5}	N	C
L _{A415}	H	R ^{A28}	H	C	N	L _{A491}	R ^{B1}	H	R ^{B6}	N	C
L _{A416}	H	R ^{A29}	H	C	N	L _{A492}	R ^{B1}	H	R ^{B7}	N	C
L _{A417}	H	R ^{B1}	R ^{B1}	C	N	L _{A493}	R ^{B1}	H	R ^{A2}	N	C
L _{A418}	H	R ^{B2}	R ^{B2}	C	N	L _{A494}	R ^{B1}	H	R ^{A28}	N	C
L _{A419}	H	R ^{B3}	R ^{B3}	C	N	L _{A495}	R ^{B1}	H	H	C	N
L _{A420}	H	R ^{B4}	R ^{B4}	C	N	L _{A496}	R ^{B1}	R ^{B1}	H	C	N
L _{A421}	H	R ^{B5}	R ^{B5}	C	N	L _{A497}	R ^{B1}	R ^{B2}	H	C	N
L _{A422}	H	R ^{B6}	R ^{B6}	C	N	L _{A498}	R ^{B1}	R ^{B3}	H	C	N
L _{A423}	H	R ^{B7}	R ^{B7}	C	N	L _{A499}	R ^{B1}	R ^{B4}	H	C	N
L _{A424}	H	R ^{A2}	R ^{A2}	C	N	L _{A500}	R ^{B1}	R ^{B5}	H	C	N
L _{A425}	H	R ^{A28}	R ^{A28}	C	N	L _{A501}	R ^{B1}	R ^{B6}	H	C	N
L _{A426}	H	H	H	N	N	L _{A502}	R ^{B1}	R ^{B7}	H	C	N
L _{A427}	H	R ^{B1}	H	N	N	L _{A503}	R ^{B1}	R ^{A2}	H	C	N
L _{A428}	H	R ^{B2}	H	N	N	L _{A504}	R ^{B1}	R ^{A28}	H	C	N
L _{A429}	H	R ^{B3}	H	N	N	L _{A505}	R ^{B1}	R ^{A29}	H	C	N
L _{A430}	H	R ^{B4}	H	N	N	L _{A506}	R ^{B1}	R ^{B1}	R ^{B1}	C	N
L _{A431}	H	R ^{B5}	H	N	N						
L _{A432}	H	R ^{B6}	H	N	N						

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A507}	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L _{A508}	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L _{A509}	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L _{A510}	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L _{A511}	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L _{A512}	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L _{A513}	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L _{A514}	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L _{A515}	R ^{B1}	H	H	N	N
L _{A516}	R ^{B1}	R ^{B1}	H	N	N
L _{A517}	R ^{B1}	R ^{B2}	H	N	N
L _{A518}	R ^{B1}	R ^{B3}	H	N	N
L _{A519}	R ^{B1}	R ^{B4}	H	N	N
L _{A520}	R ^{B1}	R ^{B5}	H	N	N
L _{A521}	R ^{B1}	R ^{B6}	H	N	N
L _{A522}	R ^{B1}	R ^{B7}	H	N	N
L _{A523}	R ^{B1}	R ^{A2}	H	N	N
L _{A524}	R ^{B1}	R ^{A28}	H	N	N
L _{A525}	R ^{B1}	R ^{A29}	H	N	N
L _{A526}	R ^{B1}	H	R ^{B1}	N	N
L _{A527}	R ^{B1}	H	R ^{B2}	N	N
L _{A528}	R ^{B1}	H	R ^{B3}	N	N
L _{A529}	R ^{B1}	H	R ^{B4}	N	N
L _{A530}	R ^{B1}	H	R ^{B5}	N	N
L _{A531}	R ^{B1}	H	R ^{B6}	N	N
L _{A532}	R ^{B1}	H	R ^{B7}	N	N
L _{A533}	R ^{B1}	H	R ^{A2}	N	N
L _{A534}	R ^{B1}	H	R ^{A28}	N	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A554}	R ^{B6}	H		R ^{A28}	C
L _{A555}	R ^{B6}	H		H	C
L _{A556}	R ^{B6}	R ^{B1}		H	C
L _{A557}	R ^{B6}	R ^{B2}		H	C
L _{A558}	R ^{B6}	R ^{B3}		H	C
L _{A559}	R ^{B6}	R ^{B4}		H	C
L _{A560}	R ^{B6}	R ^{B5}		H	C
L _{A561}	R ^{B6}	R ^{B6}		H	C
L _{A562}	R ^{B6}	R ^{B7}		H	C
L _{A563}	R ^{B6}	R ^{A2}		H	C
L _{A564}	R ^{B6}	R ^{A28}		H	C
L _{A565}	R ^{B6}	R ^{B1}		R ^{B1}	C
L _{A566}	R ^{B6}	R ^{B2}		R ^{B2}	C
L _{A567}	R ^{B6}	R ^{B3}		R ^{B3}	C
L _{A568}	R ^{B6}	R ^{B4}		R ^{B4}	C
L _{A569}	R ^{B6}	R ^{B5}		R ^{B5}	C
L _{A570}	R ^{B6}	R ^{B6}		R ^{B6}	C
L _{A571}	R ^{B6}	R ^{B7}		R ^{B7}	C
L _{A572}	R ^{B6}	R ^{A2}		R ^{A2}	C
L _{A573}	R ^{B6}	R ^{A28}		R ^{A28}	C
L _{A574}	R ^{B6}	R ^{A29}		R ^{A29}	C
L _{A575}	R ^{B6}	H		R ^{B1}	C
L _{A576}	R ^{B6}	H		R ^{B2}	C
L _{A577}	R ^{B6}	H		R ^{B3}	C
L _{A578}	R ^{B6}	H		R ^{B4}	C
L _{A579}	R ^{B6}	H		R ^{B5}	C
L _{A580}	R ^{B6}	H		R ^{B6}	C
L _{A581}	R ^{B6}	H		R ^{B7}	C
L _{A582}	R ^{B6}	H		R ^{A2}	C
L _{A583}	R ^{B6}	H		R ^{A28}	C
L _{A584}	R ^{B6}	H		H	C
L _{A585}	R ^{B6}	R ^{B1}		H	C
L _{A586}	R ^{B6}	R ^{B2}		H	C
L _{A587}	R ^{B6}	R ^{B3}		H	C
L _{A588}	R ^{B6}	R ^{B4}		H	C
L _{A589}	R ^{B6}	R ^{B5}		H	C
L _{A590}	R ^{B6}	R ^{B6}		H	C
L _{A591}	R ^{B6}	R ^{B7}		H	C
L _{A592}	R ^{B6}	R ^{A2}		H	C
L _{A593}	R ^{B6}	R ^{A28}		H	C
L _{A594}	R ^{B6}	R ^{A29}		H	C
L _{A595}	R ^{B6}	R ^{B1}		R ^{B1}	C
L _{A596}	R ^{B6}	R ^{B2}		R ^{B2}	C
L _{A597}	R ^{B6}	R ^{B3}		R ^{B3}	C
L _{A598}	R ^{B6}	R ^{B4}		R ^{B4}	C
L _{A599}	R ^{B6}	R ^{B5}		R ^{B5}	C
L _{A600}	R ^{B6}	R ^{B6}		R ^{B6}	C
L _{A601}	R ^{B6}	R ^{B7}		R ^{B7}	C
L _{A602}	R ^{B6}	R ^{A2}		R ^{A2}	C
L _{A603}	R ^{B6}	R ^{A28}		R ^{A28}	C
L _{A604}	R ^{B6}	H		H	N
L _{A605}	R ^{B6}	R ^{B1}		H	N
L _{A606}	R ^{B6}	R ^{B2}		H	N
L _{A607}	R ^{B6}	R ^{B3}		H	N
L _{A608}	R ^{B6}	R ^{B4}		H	N
L _{A609}	R ^{B6}	R ^{B5}		H	N
L _{A610}	R ^{B6}	R ^{B6}		H	N
L _{A611}	R ^{B6}	R ^{B7}		H	N
L _{A612}	R ^{B6}	R ^{A2}		H	N
L _{A613}	R ^{B6}	R ^{A28}		H	N
L _{A614}	R ^{B6}	R ^{A29}		H	N
L _{A615}	R ^{B6}	H		R ^{B1}	N
L _{A616}	R ^{B6}	H		R ^{B2}	N
L _{A617}	R ^{B6}	H		R ^{B3}	N
L _{A618}	R ^{B6}	H		R ^{B4}	N
L _{A619}	R ^{B6}	H		R ^{B5}	N
L _{A620}	R ^{B6}	H		R ^{B6}	N
L _{A621}	R ^{B6}	H		R ^{B7}	N
L _{A622}	R ^{B6}	H		R ^{A2}	N
L _{A623}	R ^{B6}	H		R ^{A28}	N
L _{A624}	R ^{B8}	H		H	C
L _{A625}	R ^{B8}	R ^{B1}		H	C
L _{A626}	R ^{B8}	R ^{B2}		H	C
L _{A627}	R ^{B8}	R ^{B3}		H	C

L_{A535} to L_{A712} based on the formula Of


Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A535}	R ^{B6}	H	H	C	C
L _{A536}	R ^{B6}	R ^{B1}	H	C	C
L _{A537}	R ^{B6}	R ^{B2}	H	C	C
L _{A538}	R ^{B6}	R ^{B3}	H	C	C
L _{A539}	R ^{B6}	R ^{B4}	H	C	C
L _{A540}	R ^{B6}	R ^{B5}	H	C	C
L _{A541}	R ^{B6}	R ^{B6}	H	C	C
L _{A542}	R ^{B6}	B7	H	C	C
L _{A543}	R ^{B6}	R ^{A2}	H	C	C
L _{A544}	R ^{B6}	R ^{A28}	H	C	C
L _{A545}	R ^{B6}	R ^{A29}	H	C	C
L _{A546}	R ^{B6}	H	R ^{B1}	C	C
L _{A547}	R ^{B6}	H	R ^{B2}	C	C
L _{A548}	R ^{B6}	H	R ^{B3}	C	C
L _{A549}	R ^{B6}	H	R ^{B4}	C	C
L _{A550}	R ^{B6}	H	R ^{B5}	C	C
L _{A551}	R ^{B6}	H	R ^{B6}	C	C
L _{A552}	R ^{B6}	H	R ^{B7}	C	C
L _{A553}	R ^{B6}	H	R ^{A2}	C	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A628}	R ^{B8}	R ^{B4}	H	C	C
L _{A629}	R ^{B8}	R ^{B5}	H	C	C
L _{A630}	R ^{B8}	R ^{B6}	H	C	C
L _{A631}	R ^{B8}	R ^{B7}	H	C	C
L _{A632}	R ^{B8}	R ^{A2}	H	C	C
L _{A633}	R ^{B8}	R ^{A28}	H	C	C
L _{A634}	R ^{B8}	R ^{A29}	H	C	C
L _{A635}	R ^{B8}	H	R ^{B1}	C	C
L _{A636}	R ^{B8}	H	R ^{B2}	C	C
L _{A637}	R ^{B8}	H	R ^{B3}	C	C
L _{A638}	R ^{B8}	H	R ^{B4}	C	C
L _{A639}	R ^{B8}	H	R ^{B5}	C	C
L _{A640}	R ^{B8}	H	R ^{B6}	C	C
L _{A641}	R ^{B8}	H	R ^{B7}	C	C
L _{A642}	R ^{B8}	H	R ^{A2}	C	C
L _{A643}	R ^{B8}	H	R ^{A28}	C	C
L _{A644}	R ^{B8}	H	H	N	C
L _{A645}	R ^{B8}	R ^{B1}	H	N	C
L _{A646}	R ^{B8}	R ^{B2}	H	N	C
L _{A647}	R ^{B8}	R ^{B3}	H	N	C
L _{A648}	R ^{B8}	R ^{B4}	H	N	C
L _{A649}	R ^{B8}	R ^{B5}	H	N	C
L _{A650}	R ^{B8}	R ^{B6}	H	N	C
L _{A651}	R ^{B8}	R ^{B7}	H	N	C
L _{A652}	R ^{B8}	R ^{A2}	H	N	C
L _{A653}	R ^{B8}	R ^{A28}	H	N	C
L _{A654}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A655}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A656}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L _{A657}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A658}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A659}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A660}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L _{A661}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A662}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L _{A663}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L _{A664}	R ^{B8}	H	R ^{B1}	N	C
L _{A665}	R ^{B8}	H	R ^{B2}	N	C
L _{A666}	R ^{B8}	H	R ^{B3}	N	C
L _{A667}	R ^{B8}	H	R ^{B4}	N	C
L _{A668}	R ^{B8}	H	R ^{B5}	N	C
L _{A669}	R ^{B8}	H	R ^{B6}	N	C
L _{A670}	R ^{B8}	H	R ^{B7}	N	C
L _{A671}	R ^{B8}	H	R ^{A2}	N	C
L _{A672}	R ^{B8}	H	R ^{A28}	N	C
L _{A673}	R ^{B8}	H	H	C	N
L _{A674}	R ^{B8}	R ^{B1}	H	C	N
L _{A675}	R ^{B8}	R ^{B2}	H	C	N
L _{A676}	R ^{B8}	R ^{B3}	H	C	N
L _{A677}	R ^{B8}	R ^{B4}	H	C	N
L _{A678}	R ^{B8}	R ^{B5}	H	C	N
L _{A679}	R ^{B8}	R ^{B6}	H	C	N
L _{A680}	R ^{B8}	R ^{B7}	H	C	N
L _{A681}	R ^{B8}	R ^{A2}	H	C	N
L _{A682}	R ^{B8}	R ^{A28}	H	C	N
L _{A683}	R ^{B8}	R ^{A29}	H	C	N
L _{A684}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L _{A685}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L _{A686}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L _{A687}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L _{A688}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L _{A689}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L _{A690}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L _{A691}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L _{A692}	R ^{B8}	R ^{A28}	R ^{A28}	C	N
L _{A693}	R ^{B8}	H	H	N	N
L _{A694}	R ^{B8}	R ^{B1}	H	N	N
L _{A695}	R ^{B8}	R ^{B2}	H	N	N
L _{A696}	R ^{B8}	R ^{B3}	H	N	N
L _{A697}	R ^{B8}	R ^{B4}	H	N	N
L _{A698}	R ^{B8}	R ^{B5}	H	N	N
L _{A699}	R ^{B8}	R ^{B6}	H	N	N
L _{A700}	R ^{B8}	R ^{B7}	H	N	N
L _{A701}	R ^{B8}	R ^{A2}	H	N	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A702}	R ^{B8}	R ^{A28}	H	N	N
L _{A703}	R ^{B8}	R ^{A29}	H	N	N
L _{A704}	R ^{B8}	H	R ^{B1}	N	N
L _{A705}	R ^{B8}	H	R ^{B2}	N	N
L _{A706}	R ^{B8}	H	R ^{B3}	N	N
L _{A707}	R ^{B8}	H	R ^{B4}	N	N
L _{A708}	R ^{B8}	H	R ^{B5}	N	N
L _{A709}	R ^{B8}	H	R ^{B6}	N	N
L _{A710}	R ^{B8}	H	R ^{B7}	N	N
L _{A711}	R ^{B8}	H	R ^{A2}	N	N
L _{A712}	R ^{B8}	H	R ^{A28}	N	N
L _{A713}	H	H	H	C	C
L _{A714}	H	R ^{B1}	H	C	C
L _{A715}	H	R ^{B2}	H	C	C
L _{A716}	H	R ^{B3}	H	C	C
L _{A717}	H	R ^{B4}	H	C	C
L _{A718}	H	R ^{B5}	H	C	C
L _{A719}	H	R ^{B6}	H	C	C
L _{A720}	H	R ^{B7}	H	C	C
L _{A721}	H	R ^{A2}	H	C	C
L _{A722}	H	R ^{A28}	H	C	C
L _{A723}	H	R ^{A29}	H	C	C
L _{A724}	H	H	R ^{B1}	C	C
L _{A725}	H	H	R ^{B2}	C	C
L _{A726}	H	H	R ^{B3}	C	C
L _{A727}	H	H	R ^{B4}	C	C
L _{A728}	H	H	R ^{B5}	C	C
L _{A729}	H	H	R ^{B6}	C	C
L _{A730}	H	H	R ^{B7}	C	C
L _{A731}	H	H	R ^{A2}	C	C
L _{A732}	H	H	R ^{A28}	C	C
L _{A733}	H	H	H	N	C
L _{A734}	H	R ^{B1}	H	N	C
L _{A735}	H	R ^{B2}	H	N	C
L _{A736}	H	R ^{B3}	H	N	C
L _{A737}	H	R ^{B4}	H	N	C
L _{A738}	H	R ^{B5}	H	N	C
L _{A739}	H	R ^{B6}	H	N	C
L _{A740}	H	R ^{B7}	H	N	C
L _{A741}	H	R ^{A2}	H	N	C
L _{A742}	H	R ^{A28}	H	N	C
L _{A743}	H	R ^{B1}	R ^{B1}	N	C
L _{A744}	H	R ^{B2}	R ^{B2}	N	C
L _{A745}	H	R ^{B3}	R ^{B3}	N	C
L _{A746}	H	R ^{B4}	R ^{B4}	N	C
L _{A747}	H	R ^{B5}	R ^{B5}	N	C
L _{A748}	H	R ^{B6}	R ^{B6}	N	C
L _{A749}	H	R ^{B7}	R ^{B7}	N	C
L _{A750}	H	R ^{A2}	R ^{A2}	N	C
L _{A751}	H	R ^{A28}	R ^{A28}	N	C
L _{A752}	H	R ^{A29}	R ^{A29}	N	C


L_{A713} to L_{A890} based on the formula of

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A753}	H	H	R ^{B1}	N	C
L _{A754}	H	H	R ^{B2}	N	C
L _{A755}	H	H	R ^{B3}	N	C
L _{A756}	H	H	R ^{B4}	N	C
L _{A757}	H	H	R ^{B5}	N	C
L _{A758}	H	H	R ^{B6}	N	C
L _{A759}	H	H	R ^{B7}	N	C
L _{A760}	H	H	R ^{A2}	N	C
L _{A761}	H	H	R ^{A28}	N	C
L _{A762}	H	H	H	C	N
L _{A763}	H	R ^{B1}	H	C	N
L _{A764}	H	R ^{B2}	H	C	N
L _{A765}	H	R ^{B3}	H	C	N
L _{A766}	H	R ^{B4}	H	C	N
L _{A767}	H	R ^{B5}	H	C	N
L _{A768}	H	R ^{B6}	H	C	N
L _{A769}	H	R ^{B7}	H	C	N
L _{A770}	H	R ^{A2}	H	C	N
L _{A771}	H	R ^{A28}	H	C	N
L _{A772}	H	R ^{A29}	H	C	N
L _{A773}	H	R ^{B1}	R ^{B1}	C	N
L _{A774}	H	R ^{B2}	R ^{B2}	C	N
L _{A775}	H	R ^{B3}	R ^{B3}	C	N
L _{A776}	H	R ^{B4}	R ^{B4}	C	N
L _{A777}	H	R ^{B5}	R ^{B5}	C	N
L _{A778}	H	R ^{B6}	R ^{B6}	C	N
L _{A779}	H	R ^{B7}	R ^{B7}	C	N
L _{A780}	H	R ^{A2}	R ^{A2}	C	N
L _{A781}	H	R ^{A28}	R ^{A28}	C	N
L _{A782}	H	H	H	N	N
L _{A783}	H	R ^{B1}	H	N	N
L _{A784}	H	R ^{B2}	H	N	N
L _{A785}	H	R ^{B3}	H	N	N
L _{A786}	H	R ^{B4}	H	N	N
L _{A787}	H	R ^{B5}	H	N	N
L _{A788}	H	R ^{B6}	H	N	N
L _{A789}	H	R ^{B7}	H	N	N
L _{A790}	H	R ^{A2}	H	N	N
L _{A791}	H	R ^{A28}	H	N	N
L _{A792}	H	R ^{A29}	H	N	N
L _{A793}	H	H	R ^{B1}	N	N
L _{A794}	H	H	R ^{B2}	N	N
L _{A795}	H	H	R ^{B3}	N	N
L _{A796}	H	H	R ^{B4}	N	N
L _{A797}	H	H	R ^{B5}	N	N
L _{A798}	H	H	R ^{B6}	N	N
L _{A799}	H	H	R ^{B7}	N	N
L _{A800}	H	H	R ^{A2}	N	N
L _{A801}	H	H	R ^{A28}	N	N
L _{A802}	R ^{B1}	H	H	C	C
L _{A803}	R ^{B1}	R ^{B1}	H	C	C
L _{A804}	R ^{B1}	R ^{B2}	H	C	C
L _{A805}	R ^{B1}	R ^{B3}	H	C	C
L _{A806}	R ^{B1}	R ^{B4}	H	C	C
L _{A807}	R ^{B1}	R ^{B5}	H	C	C
L _{A808}	R ^{B1}	R ^{B6}	H	C	C
L _{A809}	R ^{B1}	R ^{B7}	H	C	C
L _{A810}	R ^{B1}	R ^{A2}	H	C	C
L _{A811}	R ^{B1}	R ^{A28}	H	C	C
L _{A812}	R ^{B1}	R ^{A29}	H	C	C
L _{A813}	R ^{B1}	H	R ^{B1}	C	C
L _{A814}	R ^{B1}	H	R ^{B1}	C	C
L _{A815}	R ^{B1}	H	R ^{B3}	C	C
L _{A816}	R ^{B1}	H	R ^{B4}	C	C
L _{A817}	R ^{B1}	H	R ^{B5}	C	C
L _{A818}	R ^{B1}	H	R ^{B6}	C	C
L _{A819}	R ^{B1}	H	R ^{B7}	C	C
L _{A820}	R ^{B1}	H	R ^{A2}	C	C
L _{A821}	R ^{B1}	H	R ^{A28}	C	C
L _{A822}	R ^{B1}	H	H	N	C
L _{A823}	R ^{B1}	R ^{B1}	H	N	C
L _{A824}	R ^{B1}	R ^{B2}	H	N	C
L _{A825}	R ^{B1}	R ^{B3}	H	N	C
L _{A826}	R ^{B1}	R ^{B4}	H	N	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A827}	R ^{B1}	R ^{B5}	H	N	C
L _{A828}	R ^{B1}	R ^{B6}	H	N	C
L _{A829}	R ^{B1}	R ^{B7}	H	N	C
L _{A830}	R ^{B1}	R ^{A2}	H	N	C
L _{A831}	R ^{B1}	R ^{A28}	H	N	C
L _{A832}	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L _{A833}	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L _{A834}	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L _{A835}	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L _{A836}	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L _{A837}	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L _{A838}	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L _{A839}	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L _{A840}	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L _{A841}	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L _{A842}	R ^{B1}	H	R ^{B1}	N	C
L _{A843}	R ^{B1}	H	R ^{B2}	N	C
L _{A844}	R ^{B1}	H	R ^{B3}	N	C
L _{A845}	R ^{B1}	H	R ^{B4}	N	C
L _{A846}	R ^{B1}	H	R ^{B5}	N	C
L _{A847}	R ^{B1}	H	R ^{B6}	N	C
L _{A848}	R ^{B1}	H	R ^{B7}	N	C
L _{A849}	R ^{B1}	H	R ^{A2}	N	C
L _{A850}	R ^{B1}	H	R ^{A28}	N	C
L _{A851}	R ^{B1}	H	H	C	N
L _{A852}	R ^{B1}	R ^{B1}	H	C	N
L _{A853}	R ^{B1}	R ^{B2}	H	C	N
L _{A854}	R ^{B1}	R ^{B3}	H	C	N
L _{A855}	R ^{B1}	R ^{B4}	H	C	N
L _{A856}	R ^{B1}	R ^{B5}	H	C	N
L _{A857}	R ^{B1}	R ^{B6}	H	C	N
L _{A858}	R ^{B1}	R ^{B7}	H	C	N
L _{A859}	R ^{B1}	R ^{A2}	H	C	N
L _{A860}	R ^{B1}	R ^{A28}	H	C	N
L _{A861}	R ^{B1}	R ^{A29}	H	C	N
L _{A862}	R ^{B1}	R ^{B1}	R ^{B1}	C	N
L _{A863}	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L _{A864}	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L _{A865}	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L _{A866}	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L _{A867}	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L _{A868}	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L _{A869}	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L _{A870}	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L _{A871}	R ^{B1}	H	H	N	N
L _{A872}	R ^{B1}	R ^{B1}	R ^{B1}	N	N
L _{A873}	R ^{B1}	R ^{B2}	R ^{B2}	N	N
L _{A874}	R ^{B1}	R ^{B3}	R ^{B3}	N	N
L _{A875}	R ^{B1}	R ^{B4}	R ^{B4}	N	N
L _{A876}	R ^{B1}	R ^{B5}	R ^{B5}	N	N
L _{A877}	R ^{B1}	R ^{B6}	R ^{B6}	N	N
L _{A878}	R ^{B1}	R ^{B7}	R ^{B7}	N	N
L _{A879}	R ^{B1}	R ^{A2}	R ^{A2}	N	N
L _{A880}	R ^{B1}	R ^{A28}	R ^{A28}	N	N
L _{A881}	R ^{B1}	R ^{A29}	H	N	N
L _{A882}	R ^{B1}	H	R ^{B1}	N	N
L _{A883}	R ^{B1}	H	R ^{B2}	N	N
L _{A884}	R ^{B1}	H	R ^{B3}	N	N
L _{A885}	R ^{B1}	H	R ^{B4}	N	N
L _{A886}	R ^{B1}	H	R ^{B5}	N	N
L _{A887}	R ^{B1}	H	R ^{B6}	N	N
L _{A888}	R ^{B1}	H	R ^{B7}	N	N
L _{A889}	R ^{B1}	H	R ^{A2}	N	N
L _{A890}	R ^{B1}	R ^{B1}	R ^{A28}	N	N

L_{A891} to L_{A1068} on the formula of


-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A891}	R ^{B6}	H	H	C	C
L _{A892}	R ^{B6}	R ^{B1}	H	C	C
L _{A893}	R ^{B6}	R ^{B2}	H	C	C
L _{A894}	R ^{B6}	R ^{B3}	H	C	C
L _{A895}	R ^{B6}	R ^{B4}	H	C	C
L _{A896}	R ^{B6}	R ^{B5}	H	C	C
L _{A897}	R ^{B6}	R ^{B6}	H	C	C
L _{A898}	R ^{B6}	R ^{B7}	H	C	C
L _{A899}	R ^{B6}	R ^{A2}	H	C	C
L _{A900}	R ^{B6}	R ^{A28}	H	C	C
L _{A901}	R ^{B6}	R ^{A29}	H	C	C
L _{A902}	R ^{B6}	H	R ^{B1}	C	C
L _{A903}	R ^{B6}	H	R ^{B2}	C	C
L _{A904}	R ^{B6}	H	R ^{B3}	C	C
L _{A905}	R ^{B6}	H	R ^{B4}	C	C
L _{A906}	R ^{B6}	H	R ^{B5}	C	C
L _{A907}	R ^{B6}	H	R ^{B6}	C	C
L _{A908}	R ^{B6}	H	R ^{B7}	C	C
L _{A909}	R ^{B6}	H	R ^{A2}	C	C
L _{A910}	R ^{B6}	H	R ^{A28}	C	C
L _{A911}	R ^{B6}	H	H	N	C
L _{A912}	R ^{B6}	R ^{B1}	H	N	C
L _{A913}	R ^{B6}	R ^{B2}	H	N	C
L _{A914}	R ^{B6}	R ^{B3}	H	N	C
L _{A915}	R ^{B6}	R ^{B4}	H	N	C
L _{A916}	R ^{B6}	R ^{B5}	H	N	C
L _{A917}	R ^{B6}	R ^{B6}	H	N	C
L _{A918}	R ^{B6}	R ^{B7}	H	N	C
L _{A919}	R ^{B6}	R ^{A2}	H	N	C
L _{A920}	R ^{B6}	R ^{A28}	H	N	C
L _{A921}	R ^{B6}	R ^{B1}	R ^{B1}	N	C
L _{A922}	R ^{B6}	R ^{B2}	R ^{B2}	N	C
L _{A923}	R ^{B6}	R ^{B3}	R ^{B3}	N	C
L _{A924}	R ^{B6}	R ^{B4}	R ^{B4}	N	C
L _{A925}	R ^{B6}	R ^{B5}	R ^{B5}	N	C
L _{A926}	R ^{B6}	R ^{B6}	R ^{B6}	N	C
L _{A927}	R ^{B6}	R ^{B7}	R ^{B7}	N	C
L _{A928}	R ^{B6}	R ^{A2}	R ^{A2}	N	C
L _{A929}	R ^{B6}	R ^{A28}	R ^{A28}	N	C
L _{A930}	R ^{B6}	R ^{A29}	R ^{A29}	N	C
L _{A931}	R ^{B6}	H	R ^{B1}	N	C
L _{A932}	R ^{B6}	H	R ^{B2}	N	C
L _{A933}	R ^{B6}	H	R ^{B3}	N	C
L _{A934}	R ^{B6}	H	R ^{B4}	N	C
L _{A935}	R ^{B6}	H	R ^{B5}	N	C
L _{A936}	R ^{B6}	H	R ^{B6}	N	C
L _{A937}	R ^{B6}	H	R ^{B7}	N	C
L _{A938}	R ^{B6}	H	R ^{A2}	N	C
L _{A939}	R ^{B6}	H	R ^{A28}	N	C
L _{A940}	R ^{B6}	H	H	C	N
L _{A941}	R ^{B6}	R ^{B1}	H	C	N
L _{A942}	R ^{B6}	R ^{B2}	H	C	N
L _{A943}	R ^{B6}	R ^{B3}	H	C	N
L _{A944}	R ^{B6}	R ^{B4}	H	C	N
L _{A945}	R ^{B6}	R ^{B5}	H	C	N

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A946}	R ^{B6}	R ^{B6}	H	C	N
L _{A947}	R ^{B6}	R ^{B7}	H	C	N
L _{A948}	R ^{B6}	R ^{A2}	H	C	N
L _{A949}	R ^{B6}	R ^{A28}	H	C	N
L _{A950}	R ^{B6}	R ^{A29}	H	C	N
L _{A951}	R ^{B6}	R ^{B1}	R ^{B1}	C	N
L _{A952}	R ^{B6}	R ^{B2}	R ^{B2}	C	N
L _{A953}	R ^{B6}	R ^{B3}	R ^{B3}	C	N
L _{A954}	R ^{B6}	R ^{B4}	R ^{B4}	C	N
L _{A955}	R ^{B6}	R ^{B5}	R ^{B5}	C	N
L _{A956}	R ^{B6}	R ^{B6}	R ^{B6}	C	N
L _{A957}	R ^{B6}	R ^{B7}	R ^{B7}	C	N
L _{A958}	R ^{B6}	R ^{A2}	R ^{A2}	C	N
L _{A959}	R ^{B6}	R ^{A28}	R ^{A28}	C	N
L _{A960}	R ^{B6}	H	H	N	N
L _{A961}	R ^{B6}	R ^{B1}	H	N	N
L _{A962}	R ^{B6}	R ^{B2}	H	N	N
L _{A963}	R ^{B6}	R ^{B3}	H	N	N
L _{A964}	R ^{B6}	R ^{B4}	H	N	N
L _{A965}	R ^{B6}	R ^{B5}	H	N	N
L _{A966}	R ^{B6}	R ^{B6}	H	N	N
L _{A967}	R ^{B6}	R ^{B7}	H	N	N
L _{A968}	R ^{B6}	R ^{A2}	H	N	N
L _{A969}	R ^{B6}	R ^{A28}	H	N	N
L _{A970}	R ^{B6}	R ^{A29}	H	N	N
L _{A971}	R ^{B6}	H	R ^{B1}	N	N
L _{A972}	R ^{B6}	H	R ^{B2}	N	N
L _{A973}	R ^{B6}	H	R ^{B3}	N	N
L _{A974}	R ^{B6}	H	R ^{B4}	N	N
L _{A975}	R ^{B6}	H	R ^{B5}	N	N
L _{A976}	R ^{B6}	H	R ^{B6}	N	N
L _{A977}	R ^{B6}	H	R ^{B7}	N	N
L _{A978}	R ^{B6}	H	R ^{A2}	N	N
L _{A979}	R ^{B6}	H	R ^{A28}	N	N
L _{A980}	R ^{B8}	H	H	C	C
L _{A981}	R ^{B8}	R ^{B1}	H	C	C
L _{A982}	R ^{B8}	R ^{B2}	H	C	C
L _{A983}	R ^{B8}	R ^{B3}	H	C	C
L _{A984}	R ^{B8}	R ^{B4}	H	C	C
L _{A985}	R ^{B8}	R ^{B5}	H	C	C
L _{A986}	R ^{B8}	R ^{B6}	H	C	C
L _{A987}	R ^{B8}	R ^{B7}	H	C	C
L _{A988}	R ^{B8}	R ^{A2}	H	C	C
L _{A989}	R ^{B8}	R ^{A28}	H	C	C
L _{A990}	R ^{B8}	R ^{A29}	H	C	C
L _{A991}	R ^{B8}	H	R ^{B1}	C	C
L _{A992}	R ^{B8}	H	R ^{B2}	C	C
L _{A993}	R ^{B8}	H	R ^{B3}	C	C
L _{A994}	R ^{B8}	H	R ^{B4}	C	C
L _{A995}	R ^{B8}	H	R ^{B5}	C	C
L _{A996}	R ^{B8}	H	R ^{B6}	C	C
L _{A997}	R ^{B8}	H	R ^{B7}	C	C
L _{A998}	R ^{B8}	H	R ^{A2}	C	C
L _{A999}	R ^{B8}	H	R ^{A28}	C	C
L _{A1000}	R ^{B8}	H	H	N	C
L _{A1001}	R ^{B8}	R ^{B1}	H	N	C
L _{A1002}	R ^{B8}	R ^{B2}	H	N	C
L _{A1003}	R ^{B8}	R ^{B3}	H	N	C
L _{A1004}	R ^{B8}	R ^{B4}	H	N	C
L _{A1005}	R ^{B8}	R ^{B5}	H	N	C
L _{A1006}	R ^{B8}	R ^{B6}	H	N	C
L _{A1007}	R ^{B8}	R ^{B7}	H	N	C
L _{A1008}	R ^{B8}	R ^{A2}	H	N	C
L _{A1009}	R ^{B8}	R ^{A28}	H	N	C
L _{A1010}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A1011}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A1012}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L _{A1013}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A1014}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A1015}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A1016}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L _{A1017}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A1018}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L _{A1019}	R ^{B8}	R ^{A29}	R ^{A29}	N	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1020}	R ^{B8}	H	R ^{B1}	N	C	L _{A1069}	H	H	H	C	C
L _{A1021}	R ^{B8}	H	R ^{B2}	N	C	L _{A1070}	H	R ^{B1}	H	C	C
L _{A1022}	R ^{B8}	H	R ^{B3}	N	C	L _{A1071}	H	R ^{B2}	H	C	C
L _{A1023}	R ^{B8}	H	R ^{B4}	N	C	L _{A1072}	H	R ^{B3}	H	C	C
L _{A1024}	R ^{B8}	H	R ^{B5}	N	C	L _{A1073}	H	R ^{B4}	H	C	C
L _{A1025}	R ^{B8}	H	R ^{B6}	N	C	L _{A1074}	H	R ^{B5}	H	C	C
L _{A1026}	R ^{B8}	H	R ^{B7}	N	C	L _{A1075}	H	R ^{B6}	H	C	C
L _{A1027}	R ^{B8}	H	R ^{A2}	N	C	L _{A1076}	H	R ^{B7}	H	C	C
L _{A1028}	R ^{B8}	H	R ^{A28}	N	C	L _{A1077}	H	R ^{A2}	H	C	C
L _{A1029}	R ^{B8}	H	H	C	N	L _{A1078}	H	R ^{A28}	H	C	C
L _{A1030}	R ^{B8}	R ^{B1}	H	C	N	L _{A1079}	H	R ^{A29}	H	C	C
L _{A1031}	R ^{B8}	R ^{B2}	H	C	N	L _{A1080}	H	H	R ^{B1}	C	C
L _{A1032}	R ^{B8}	R ^{B3}	H	C	N	L _{A1081}	H	H	R ^{B2}	C	C
L _{A1033}	R ^{B8}	R ^{B4}	H	C	N	L _{A1082}	H	H	R ^{B3}	C	C
L _{A1034}	R ^{B8}	R ^{B5}	H	C	N	L _{A1083}	H	H	R ^{B4}	C	C
L _{A1035}	R ^{B8}	R ^{B6}	H	C	N	L _{A1084}	H	H	R ^{B5}	C	C
L _{A1036}	R ^{B8}	R ^{B7}	H	C	N	L _{A1085}	H	H	R ^{B6}	C	C
L _{A1037}	R ^{B8}	R ^{A2}	H	C	N	L _{A1086}	H	H	R ^{B7}	C	C
L _{A1038}	R ^{B8}	R ^{A28}	H	C	N	L _{A1087}	H	H	R ^{A2}	C	C
L _{A1039}	R ^{B8}	R ^{A29}	H	C	N	L _{A1088}	H	H	R ^{A28}	C	C
L _{A1040}	R ^{B8}	R ^{B1}	R ^{B1}	C	N	L _{A1089}	H	H	H	N	C
L _{A1041}	R ^{B8}	R ^{B2}	R ^{B2}	C	N	L _{A1090}	H	R ^{B1}	H	N	C
L _{A1042}	R ^{B8}	R ^{B3}	R ^{B3}	C	N	L _{A1091}	H	R ^{B2}	H	N	C
L _{A1043}	R ^{B8}	R ^{B4}	R ^{B4}	C	N	L _{A1092}	H	R ^{B3}	H	N	C
L _{A1044}	R ^{B8}	R ^{B5}	R ^{B5}	C	N	L _{A1093}	H	R ^{B4}	H	N	C
L _{A1045}	R ^{B8}	R ^{B6}	R ^{B6}	C	N	L _{A1094}	H	R ^{B5}	H	N	C
L _{A1046}	R ^{B8}	R ^{B7}	R ^{B7}	C	N	L _{A1095}	H	R ^{B6}	H	N	C
L _{A1047}	R ^{B8}	R ^{A2}	R ^{A2}	C	N	L _{A1096}	H	R ^{B7}	H	N	C
L _{A1048}	R ^{B8}	R ^{A28}	R ^{A28}	C	N	L _{A1097}	H	R ^{A2}	H	N	C
L _{A1049}	R ^{B8}	H	H	N	N	L _{A1098}	H	R ^{A28}	H	N	C
L _{A1050}	R ^{B8}	R ^{B1}	H	N	N	L _{A1099}	H	R ^{B1}	R ^{B1}	N	C
L _{A1051}	R ^{B8}	R ^{B2}	H	N	N	L _{A1100}	H	R ^{B2}	R ^{B2}	N	C
L _{A1052}	R ^{B8}	R ^{B3}	H	N	N	L _{A1101}	H	R ^{B3}	R ^{B3}	N	C
L _{A1053}	R ^{B8}	R ^{B4}	H	N	N	L _{A1102}	H	R ^{B4}	R ^{B4}	N	C
L _{A1054}	R ^{B8}	R ^{B5}	H	N	N	L _{A1103}	H	R ^{B5}	R ^{B5}	N	C
L _{A1055}	R ^{B8}	R ^{B6}	H	N	N	L _{A1104}	H	R ^{B6}	R ^{B6}	N	C
L _{A1056}	R ^{B8}	R ^{B7}	H	N	N	L _{A1105}	H	R ^{B7}	R ^{B7}	N	C
L _{A1057}	R ^{B8}	R ^{A2}	H	N	N	L _{A1106}	H	R ^{A2}	R ^{A2}	N	C
L _{A1058}	R ^{B8}	R ^{A28}	H	N	N	L _{A1107}	H	R ^{A28}	R ^{A28}	N	C
L _{A1059}	R ^{B8}	R ^{A29}	H	N	N	L _{A1108}	H	R ^{A29}	R ^{A29}	N	C
L _{A1060}	R ^{B8}	H	R ^{B1}	N	N	L _{A1109}	H	H	R ^{B1}	N	C
L _{A1061}	R ^{B8}	H	R ^{B2}	N	N	L _{A1110}	H	H	R ^{B2}	N	C
L _{A1062}	R ^{B8}	H	R ^{B3}	N	N	L _{A1111}	H	H	R ^{B3}	N	C
L _{A1063}	R ^{B8}	H	R ^{B4}	N	N	L _{A1112}	H	H	R ^{B4}	N	C
L _{A1064}	R ^{B8}	H	R ^{B5}	N	N	L _{A1113}	H	H	R ^{B5}	N	C
L _{A1065}	R ^{B8}	H	R ^{B6}	N	N	L _{A1114}	H	H	R ^{B6}	N	C
L _{A1066}	R ^{B8}	H	R ^{B7}	N	N	L _{A1115}	H	H	R ^{B7}	N	C
L _{A1067}	R ^{B8}	H	R ^{A2}	N	N	L _{A1116}	H	H	R ^{A2}	N	C
L _{A1068}	R ^{B8}	H	R ^{A28}	N	N	L _{A1117}	H	H	R ^{A28}	N	C

L_{A1069} to L_{A1246} on the formula of


Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²	
L _{A1121}	H	R ^{B3}	H	H	C	N	L _{A1122}	H	R ^{B4}	H	C	N
L _{A1123}	H	R ^{B5}	H	H	C	N	L _{A1124}	H	R ^{B6}	H	C	N
L _{A1125}	H	R ^{B7}	H	H	C	N	L _{A1126}	H	R ^{A2}	H	C	N
L _{A1127}	H	R ^{A28}	H	H	C	N	L _{A1128}	H	R ^{A29}	H	C	N
L _{A1129}	H	R ^{B1}	H	H	C	N	L _{A1130}	H	R ^{B2}	H	C	N
L _{A1131}	H	R ^{B3}	H	H	C	N	L _{A1132}	H	R ^{B4}	H	C	N
L _{A1133}	H	R ^{B5}	H	H	C	N	L _{A1134}	H	R ^{B6}	H	C	N
L _{A1135}	H	R ^{B7}	H	H	C	N	L _{A1136}	H	R ^{A2}	H	C	N
L _{A1137}	H	R ^{A28}	H	H	C	N	L _{A1138}	H	H	H	N	N
L _{A1139}	H	R ^{B1}	H	H	N	N	L _{A1140}	H	R ^{B2}	H	N	N
L _{A1141}	H	R ^{B3}	H	H	N	N	L _{A1142}	H	R ^{B4}	H	N	N
L _{A1143}	H	R ^{B5}	H	H	N	N	L _{A1144}	H	R ^{B6}	H	N	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1145}	H	R ^{B7}	H	N	N
L _{A1146}	H	R ^{A2}	H	N	N
L _{A1147}	H	R ^{A28}	H	N	N
L _{A1148}	H	R ^{A29}	H	N	N
L _{A1149}	H	H	R ^{B1}	N	N
L _{A1150}	H	H	R ^{B2}	N	N
L _{A1151}	H	H	R ^{B3}	N	N
L _{A1152}	H	H	R ^{B4}	N	N
L _{A1153}	H	H	R ^{B5}	N	N
L _{A1154}	H	H	R ^{B6}	N	N
L _{A1155}	H	H	R ^{B7}	N	N
L _{A1156}	H	H	R ^{A2}	N	N
L _{A1157}	H	H	R ^{A28}	N	N
L _{A1158}	R ^{B1}	H	H	C	C
L _{A1159}	R ^{B1}	R ^{B1}	H	C	C
L _{A1160}	R ^{B1}	R ^{B2}	H	C	C
L _{A1161}	R ^{B1}	R ^{B3}	H	C	C
L _{A1162}	R ^{B1}	R ^{B4}	H	C	C
L _{A1163}	R ^{B1}	R ^{B5}	H	C	C
L _{A1164}	R ^{B1}	R ^{B6}	H	C	C
L _{A1165}	R ^{B1}	R ^{B7}	H	C	C
L _{A1166}	R ^{B1}	R ^{A2}	H	C	C
L _{A1167}	R ^{B1}	R ^{A28}	H	C	C
L _{A1168}	R ^{B1}	R ^{A29}	H	C	C
L _{A1169}	R ^{B1}	H	R ^{B1}	C	C
L _{A1170}	R ^{B1}	H	R ^{B2}	C	C
L _{A1171}	R ^{B1}	H	R ^{B3}	C	C
L _{A1172}	R ^{B1}	H	R ^{B4}	C	C
L _{A1173}	R ^{B1}	H	R ^{B5}	C	C
L _{A1174}	R ^{B1}	H	R ^{B6}	C	C
L _{A1175}	R ^{B1}	H	R ^{B7}	C	C
L _{A1176}	R ^{B1}	H	R ^{A2}	C	C
L _{A1177}	R ^{B1}	H	R ^{A28}	C	C
L _{A1178}	R ^{B1}	H	H	N	C
L _{A1179}	R ^{B1}	R ^{B1}	H	N	C
L _{A1180}	R ^{B1}	R ^{B2}	H	N	C
L _{A1181}	R ^{B1}	R ^{B3}	H	N	C
L _{A1182}	R ^{B1}	R ^{B4}	H	N	C
L _{A1183}	R ^{B1}	R ^{B5}	H	N	C
L _{A1184}	R ^{B1}	R ^{B6}	H	N	C
L _{A1185}	R ^{B1}	R ^{B7}	H	N	C
L _{A1186}	R ^{B1}	R ^{A2}	H	N	C
L _{A1187}	R ^{B1}	R ^{A28}	H	N	C
L _{A1188}	R ^{B1}	R ^{B1}	R ^{B1}	N	C
L _{A1189}	R ^{B1}	R ^{B2}	R ^{B2}	N	C
L _{A1190}	R ^{B1}	R ^{B3}	R ^{B3}	N	C
L _{A1191}	R ^{B1}	R ^{B4}	R ^{B4}	N	C
L _{A1192}	R ^{B1}	R ^{B5}	R ^{B5}	N	C
L _{A1193}	R ^{B1}	R ^{B6}	R ^{B6}	N	C
L _{A1194}	R ^{B1}	R ^{B7}	R ^{B7}	N	C
L _{A1195}	R ^{B1}	R ^{A2}	R ^{A2}	N	C
L _{A1196}	R ^{B1}	R ^{A28}	R ^{A28}	N	C
L _{A1197}	R ^{B1}	R ^{A29}	R ^{A29}	N	C
L _{A1198}	R ^{B1}	H	R ^{B1}	N	C
L _{A1199}	R ^{B1}	H	R ^{B2}	N	C
L _{A1200}	R ^{B1}	H	R ^{B3}	N	C
L _{A1201}	R ^{B1}	H	R ^{B4}	N	C
L _{A1202}	R ^{B1}	H	R ^{B5}	N	C
L _{A1203}	R ^{B1}	H	R ^{B6}	N	C
L _{A1204}	R ^{B1}	H	R ^{B7}	N	C
L _{A1205}	R ^{B1}	H	R ^{A2}	N	C
L _{A1206}	R ^{B1}	H	R ^{A28}	N	C
L _{A1207}	R ^{B1}	H	H	C	N
L _{A1208}	R ^{B1}	R ^{B1}	H	C	N
L _{A1209}	R ^{B1}	R ^{B2}	H	C	N
L _{A1210}	R ^{B1}	R ^{B3}	H	C	N
L _{A1211}	R ^{B1}	R ^{B4}	H	C	N
L _{A1212}	R ^{B1}	R ^{B5}	H	C	N
L _{A1213}	R ^{B1}	R ^{B6}	H	C	N
L _{A1214}	R ^{B1}	R ^{B7}	H	C	N
L _{A1215}	R ^{B1}	R ^{A2}	H	C	N
L _{A1216}	R ^{B1}	R ^{A28}	H	C	N
L _{A1217}	R ^{B1}	R ^{A29}	H	C	N
L _{A1218}	R ^{B1}	R ^{B1}	R ^{B1}	C	N

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1219}	R ^{B1}	R ^{B2}	R ^{B2}	C	N
L _{A1220}	R ^{B1}	R ^{B3}	R ^{B3}	C	N
L _{A1221}	R ^{B1}	R ^{B4}	R ^{B4}	C	N
L _{A1222}	R ^{B1}	R ^{B5}	R ^{B5}	C	N
L _{A1223}	R ^{B1}	R ^{B6}	R ^{B6}	C	N
L _{A1224}	R ^{B1}	R ^{B7}	R ^{B7}	C	N
L _{A1225}	R ^{B1}	R ^{A2}	R ^{A2}	C	N
L _{A1226}	R ^{B1}	R ^{A28}	R ^{A28}	C	N
L _{A1227}	R ^{B1}	H	H	N	N
L _{A1228}	R ^{B1}	R ^{B1}	H	N	N
L _{A1229}	R ^{B1}	R ^{B2}	H	N	N
L _{A1230}	R ^{B1}	R ^{B3}	H	N	N
L _{A1231}	R ^{B1}	R ^{B4}	H	N	N
L _{A1232}	R ^{B1}	R ^{B5}	H	N	N
L _{A1233}	R ^{B1}	R ^{B6}	H	N	N
L _{A1234}	R ^{B1}	R ^{B7}	H	N	N
L _{A1235}	R ^{B1}	R ^{A2}	H	N	N
L _{A1236}	R ^{B1}	R ^{A28}	H	N	N
L _{A1237}	R ^{B1}	R ^{A29}	H	N	N
L _{A1238}	R ^{B1}	H	R ^{B1}	N	N
L _{A1239}	R ^{B1}	H	R ^{B2}	N	N
L _{A1240}	R ^{B1}	H	R ^{B3}	N	N
L _{A1241}	R ^{B1}	H	R ^{B4}	N	N
L _{A1242}	R ^{B1}	H	R ^{B5}	N	N
L _{A1243}	R ^{B1}	H	R ^{B6}	N	N
L _{A1244}	R ^{B1}	H	R ^{B7}	N	N
L _{A1245}	R ^{B1}	H	R ^{A2}	N	N
L _{A1246}	R ^{B1}	H	R ^{A28}	N	N

L_{A1247} to L_{A1424} based on the formula of

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1247}	R ^{B6}	H	H	C	C
L _{A1248}	R ^{B6}	R ^{B1}	H	C	C
L _{A1249}	R ^{B6}	R ^{B2}	H	C	C
L _{A1250}	R ^{B6}	R ^{B3}	H	C	C
L _{A1251}	R ^{B6}	R ^{B4}	H	C	C
L _{A1252}	R ^{B6}	R ^{B5}	H	C	C
L _{A1253}	R ^{B6}	R ^{B6}	H	C	C
L _{A1254}	R ^{B6}	R ^{B7}	H	C	C
L _{A1255}	R ^{B6}	R ^{A2}	H	C	C
L _{A1256}	R ^{B6}	R ^{A28}	H	C	C
L _{A1257}	R ^{B6}	R ^{A29}	H	C	C
L _{A1258}	R ^{B6}	H	R ^{B1}	C	C
L _{A1259}	R ^{B6}	H	R ^{B2}	C	C
L _{A1260}	R ^{B6}	H	R ^{B3}	C	C
L _{A1261}	R ^{B6}	H	R ^{B4}	C	C
L _{A1262}	R ^{B6}	H	R ^{B5}	C	C

-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1263}	R ^{B6}	H	R ^{B6}	C	C
L _{A1264}	R ^{B6}	H	R ^{B7}	C	C
L _{A1265}	R ^{B6}	H	R ^{A2}	C	C
L _{A1266}	R ^{B6}	H	R ^{A28}	C	C
L _{A1267}	R ^{B6}	H	H	N	C
L _{A1268}	R ^{B6}	R ^{B1}	H	N	C
L _{A1269}	R ^{B6}	R ^{B2}	H	N	C
L _{A1270}	R ^{B6}	R ^{B3}	H	N	C
L _{A1271}	R ^{B6}	R ^{B4}	H	N	C
L _{A1272}	R ^{B6}	R ^{B5}	H	N	C
L _{A1273}	R ^{B6}	R ^{B6}	H	N	C
L _{A1274}	R ^{B6}	R ^{B7}	H	N	C
L _{A1275}	R ^{B6}	R ^{A2}	H	N	C
L _{A1276}	R ^{B6}	R ^{A28}	H	N	C
L _{A1277}	R ^{B6}	R ^{B1}	R ^{B1}	N	C
L _{A1278}	R ^{B6}	R ^{B2}	R ^{B2}	N	C
L _{A1279}	R ^{B6}	R ^{B3}	R ^{B3}	N	C
L _{A1280}	R ^{B6}	R ^{B4}	R ^{B4}	N	C
L _{A1281}	R ^{B6}	R ^{B5}	R ^{B5}	N	C
L _{A1282}	R ^{B6}	R ^{B6}	R ^{B6}	N	C
L _{A1283}	R ^{B6}	R ^{B7}	R ^{B7}	N	C
L _{A1284}	R ^{B6}	R ^{A2}	R ^{A2}	N	C
L _{A1285}	R ^{B6}	R ^{A28}	R ^{A28}	N	C
L _{A1286}	R ^{B6}	R ^{A29}	R ^{A29}	N	C
L _{A1287}	R ^{B6}	H	R ^{B1}	N	C
L _{A1288}	R ^{B6}	H	R ^{B2}	N	C
L _{A1289}	R ^{B6}	H	R ^{B3}	N	C
L _{A1290}	R ^{B6}	H	R ^{B4}	N	C
L _{A1291}	R ^{B6}	H	R ^{B5}	N	C
L _{A1292}	R ^{B6}	H	R ^{B6}	N	C
L _{A1293}	R ^{B6}	H	R ^{B7}	N	C
L _{A1294}	R ^{B6}	H	R ^{A2}	N	C
L _{A1295}	R ^{B6}	H	R ^{A28}	N	C
L _{A1296}	R ^{B6}	H	H	C	N
L _{A1297}	R ^{B6}	R ^{B1}	H	C	N
L _{A1298}	R ^{B6}	R ^{B2}	H	C	N
L _{A1299}	R ^{B6}	R ^{B3}	H	C	N
L _{A1300}	R ^{B6}	R ^{B4}	H	C	N
L _{A1301}	R ^{B6}	R ^{B5}	H	C	N
L _{A1302}	R ^{B6}	R ^{B6}	H	C	N
L _{A1303}	R ^{B6}	R ^{B7}	H	C	N
L _{A1304}	R ^{B6}	R ^{A2}	H	C	N
L _{A1305}	R ^{B6}	R ^{A28}	H	C	N
L _{A1306}	R ^{B6}	R ^{A29}	H	C	N
L _{A1307}	R ^{B6}	R ^{B1}	R ^{B1}	C	N
L _{A1308}	R ^{B6}	R ^{B2}	R ^{B2}	C	N
L _{A1309}	R ^{B6}	R ^{B3}	R ^{B3}	C	N
L _{A1310}	R ^{B6}	R ^{B4}	R ^{B4}	C	N
L _{A1311}	R ^{B6}	R ^{B5}	R ^{B5}	C	N
L _{A1312}	R ^{B6}	R ^{B6}	R ^{B6}	C	N
L _{A1313}	R ^{B6}	R ^{B7}	R ^{B7}	C	N
L _{A1314}	R ^{B6}	R ^{A2}	R ^{A2}	C	N
L _{A1315}	R ^{B6}	R ^{A28}	R ^{A28}	C	N
L _{A1316}	R ^{B6}	H	H	N	N
L _{A1317}	R ^{B6}	R ^{B1}	H	N	N
L _{A1318}	R ^{B6}	R ^{B2}	H	N	N
L _{A1319}	R ^{B6}	R ^{B3}	H	N	N
L _{A1320}	R ^{B6}	R ^{B4}	H	N	N
L _{A1321}	R ^{B6}	R ^{B5}	H	N	N
L _{A1322}	R ^{B6}	R ^{B6}	H	N	N
L _{A1323}	R ^{B6}	R ^{B7}	H	N	N
L _{A1324}	R ^{B6}	R ^{A2}	H	N	N
L _{A1325}	R ^{B6}	R ^{A28}	H	N	N
L _{A1326}	R ^{B6}	R ^{A29}	H	N	N
L _{A1327}	R ^{B6}	H	R ^{B1}	N	N
L _{A1328}	R ^{B6}	H	R ^{B2}	N	N
L _{A1329}	R ^{B6}	H	R ^{B3}	N	N
L _{A1330}	R ^{B6}	H	R ^{B4}	N	N
L _{A1331}	R ^{B6}	H	R ^{B5}	N	N
L _{A1332}	R ^{B6}	H	R ^{B6}	N	N
L _{A1333}	R ^{B6}	H	R ^{B7}	N	N
L _{A1334}	R ^{B6}	H	R ^{A2}	N	N
L _{A1335}	R ^{B6}	H	R ^{A28}	N	N
L _{A1336}	R ^{B8}	H	H	C	C



























-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1337}	R ^{B8}	R ^{B1}	H	C	C
L _{A1338}	R ^{B8}	R ^{B2}	H	C	C
L _{A1339}	R ^{B8}	R ^{B3}	H	C	C
L _{A1340}	R ^{B8}	R ^{B4}	H	C	C
L _{A1341}	R ^{B8}	R ^{B5}	H	C	C
L _{A1342}	R ^{B8}	R ^{B6}	H	C	C
L _{A1343}	R ^{B8}	R ^{B7}	H	C	C
L _{A1344}	R ^{B8}	R ^{A2}	H	C	C
L _{A1345}	R ^{B8}	R ^{A28}	H	C	C
L _{A1346}	R ^{B8}	R ^{A29}	H	C	C
L _{A1347}	R ^{B8}	H	R ^{B1}	C	C
L _{A1348}	R ^{B8}	H	R ^{B2}	C	C
L _{A1349}	R ^{B8}	H	R ^{B3}	C	C
L _{A1350}	R ^{B8}	H	R ^{B4}	C	C
L _{A1351}	R ^{B8}	H	R ^{B5}	C	C
L _{A1352}	R ^{B8}	H	R ^{B6}	C	C
L _{A1353}	R ^{B8}	H	R ^{B7}	C	C
L _{A1354}	R ^{B8}	H	R ^{A2}	C	C
L _{A1355}	R ^{B8}	H	R ^{A28}	C	C
L _{A1356}	R ^{B8}	H	H	N	C
L _{A1357}	R ^{B8}	H	R ^{B1}	N	C
L _{A1358}	R ^{B8}	R ^{B2}	H	N	C
L _{A1359}	R ^{B8}	R ^{B3}	H	N	C
L _{A1360}	R ^{B8}	R ^{B4}	H	N	C
L _{A1361}	R ^{B8}	R ^{B5}	H	N	C
L _{A1362}	R ^{B8}	R ^{B6}	H	N	C
L _{A1363}	R ^{B8}	R ^{B7}	H	N	C
L _{A1364}	R ^{B8}	R ^{A2}	H	N	C
L _{A1365}	R ^{B8}	R ^{A28}	H	N	C
L _{A1366}	R ^{B8}	R ^{B1}	R ^{B1}	N	C
L _{A1367}	R ^{B8}	R ^{B2}	R ^{B2}	N	C
L _{A1368}	R ^{B8}	R ^{B3}	R ^{B3}	N	C
L _{A1369}	R ^{B8}	R ^{B4}	R ^{B4}	N	C
L _{A1370}	R ^{B8}	R ^{B5}	R ^{B5}	N	C
L _{A1371}	R ^{B8}	R ^{B6}	R ^{B6}	N	C
L _{A1372}	R ^{B8}	R ^{B7}	R ^{B7}	N	C
L _{A1373}	R ^{B8}	R ^{A2}	R ^{A2}	N	C
L _{A1374}	R ^{B8}	R ^{A28}	R ^{A28}	N	C
L _{A1375}	R ^{B8}	R ^{A29}	R ^{A29}	N	C
L _{A1376}	R ^{B8}	H	R ^{B1}	N	C
L _{A1377}	R ^{B8}	H	R ^{B2}	N	C
L _{A1378}	R ^{B8}	H	R ^{B3}	N	C
L _{A1379}	R ^{B8}	H	R ^{B4}	N	C
L _{A1380}	R ^{B8}	H	R ^{B5}	N	C
L _{A1381}	R ^{B8}	H	R ^{B6}	N	C
L _{A1382}	R ^{B8}	H	R ^{B7}	N	C
L _{A1383}	R ^{B8}	H	R ^{A2}	N	C
L _{A1384}	R ^{B8}	H	R ^{A28}	N	C
L _{A1385}	R ^{B8}	H	H	C	N
L _{A1386}	R ^{B8}	R ^{B1}	H	C	N
L _{A1387}	R ^{B8}	R ^{B2}	H	C	N
L _{A1388}	R ^{B8}	R ^{B3}	H	C	N
L _{A1389}	R ^{B8}	R ^{B4}	H	C	N
L _{A1390}	R ^{B8}	R ^{B5}	H	C	N
L _{A1391}	R ^{B8}	R ^{B6}	H	C	N
L _{A1392}	R ^{B8}	R ^{B7}	H	C	N
L _{A1393}	R ^{B8}	R ^{A2}	H	C	N
L _{A1394}	R ^{B8}	R ^{A28}	H	C	N
L _{A1395}	R ^{B8}	R ^{A29}	H	C	N
L _{A1396}	R ^{B8}	R ^{B1}	R ^{B1}	C	N
L _{A1397}	R ^{B8}	R ^{B2}	R ^{B2}	C	N
L _{A1398}	R ^{B8}	R ^{B3}	R ^{B3}	C	N
L _{A1399}	R ^{B8}	R ^{B4}	R ^{B4}	C	N
L _{A1400}	R ^{B8}	R ^{B5}	R ^{B5}	C	N
L _{A1401}	R ^{B8}	R ^{B6}	R ^{B6}	C	N
L _{A1402}	R ^{B8}	R ^{B7}	R ^{B7}	C	N
L _{A1403}	R ^{B8}	R ^{A2}	R ^{A2}	C	N
L _{A1404}	R ^{B8}	R ^{A28}	R ^{A28}	C	N
L _{A1405}	R ^{B8}	H	H	N	N
L _{A1406}	R ^{B8}	R ^{B1}	H	N	N
L _{A1407}	R ^{B8}	R ^{B2}	H	N	N
L _{A1408}	R ^{B8}	R ^{B3}	H	N	N
L _{A1409}	R ^{B8}	R ^{B4}	H	N	N
L _{A1410}	R ^{B8}	R ^{B5}	H	N	N











-continued

Ligand	R ^A	R ^B	R ^C	Y ¹	Y ²
L _{A1411}	R ^{B8}	R ^{B6}	H	N	N
L _{A1412}	R ^{B8}	R ^{B7}	H	N	N
L _{A1413}	R ^{B8}	R ^{A2}	H	N	N
L _{A1414}	R ^{B8}	R ^{A28}	H	N	N
L _{A1415}	R ^{B8}	R ^{A29}	H	N	N
L _{A1416}	R ^{B8}	H	R ^{B1}	N	N
L _{A1417}	R ^{B8}	H	R ^{B2}	N	N
L _{A1418}	R ^{B8}	H	R ^{B3}	N	N
L _{A1419}	R ^{B8}	H	R ^{B4}	N	N
L _{A1420}	R ^{B8}	H	R ^{B5}	N	N
L _{A1421}	R ^{B8}	H	R ^{B6}	N	N
L _{A1422}	R ^{B8}	H	R ^{B7}	N	N
L _{A1423}	R ^{B8}	H	R ^{A2}	N	N
L _{A1424}	R ^{B8}	H	R ^{A28}	N	N






-continued

R^{A13}R^{A14}R^{A15}R^{A16}R^{A17}R^{A18}R^{A19}R^{A20}R^{A21}R^{A22}R^{A23}R^{A24}R^{A25}R^{A26}wherein R^{A1} to R^{A41} have the following structures:R^{A1}R^{A2}R^{A3}R^{A4}R^{A5}R^{A6}R^{A7}R^{A8}R^{A9}R^{A10}R^{A11}R^{A12}



-continued

R⁴²⁷R⁴²⁸R⁴²⁹R⁴³⁰R⁴³¹R⁴³²R⁴³³R⁴³⁴R⁴³⁵R⁴³⁶


-continued

R⁴³⁷R⁴³⁸R⁴³⁹R⁴⁴⁰R⁴⁴¹





and

wherein R^{B1} to R^{BB} have the following structures:R^{B1}R^{B2}R^{B3}R^{B4}R^{B5}

-continued

 R^{B6} R^{B7} R^{B8}

-continued













13. The compound of claim **1**, wherein the compound has a formula of $M(L_A)_n(L_B)_{m-n}$;

wherein M is Ir or Pt; L_B is a bidentate ligand; and

wherein when M is Ir, m is 3, and n is 1, 2, or 3; when M is Pt, m is 2, and n is 1, or 2.


14. The compound of claim **13**, wherein L_B is selected from the group consisting of:






-continued


L_{C2}




L_{C3}




L_{C4}



L_{C5}



L_{C6}



wherein each X^1 to X^{13} are independently selected from the group consisting of carbon and nitrogen;

wherein X is selected from the group consisting of BR' , NR' , PR' , O, S, Se, $C=O$, $S=O$, SO_2 , CRR'' , $SiR'R''$, and $GeR'R''$;

wherein R' and R'' are optionally fused or joined to form a ring;

wherein each R_a , R_b , R_c , and R_d may represent from mono substitution to the possible maximum number of substitution, or no substitution;

wherein R' , R'' , R_a , R_b , R_c , and R_d are each independently selected from the group consisting of hydrogen, deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acids, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and


wherein any two adjacent substituents of R_a , R_b , R_c , and R_d are optionally fused or joined to form a ring or to form a multidentate ligand.

15. The compound of claim 12, wherein the compound is the Compound A x having the formula

$Ir(L_{Ai})_2(L_{Cj})$;


wherein $x = 17i+j-17$; i is an integer from 1 to 1424, and j is an integer from 1 to 17; and

wherein L_c is selected from the group consisting of:












L_{C1}


-continued

 L_{C7}











-continued

 L_{C12}  L_{C8}  L_{C13}  L_{C9}  L_{C14}  L_{C10}  L_{C15}  L_{C11}  L_{C16}






-continued

L_{C17}






-continued

L_{B5}L_{B6}L_{B7}L_{B1}L_{B8}L_{B2}L_{B9}L_{B3}L_{B10}L_{B4}


-continued

L_{B11}L_{B12}L_{B13}L_{B14}L_{B15}










-continued

L_{B16}L_{B17}L_{B18}L_{B19}L_{B20}


-continued

L_{B21}










-continued

L_{B26}L_{B22}L_{B23}L_{B27}L_{B24}L_{B28}L_{B25}L_{B29}L_{B30}


-continued

L_{B31}










-continued

L_{B36}L_{B32}L_{B37}L_{B33}L_{B38}L_{B34}L_{B39}L_{B35}L_{B40}


-continued

L_{B41}










-continued

L_{B46}L_{B42}L_{B47}L_{B43}L_{B48}L_{B44}L_{B49}L_{B45}L_{B50}


-continued

L_B51










-continued

L_B56L_B52L_B57L_B53L_B58L_B54L_B59L_B55L_B60


-continued

L_{B61}










-continued

L_{B66}L_{B62}L_{B67}L_{B63}L_{B68}L_{B64}L_{B69}L_{B65}L_{B70}


-continued

L_{B71}









-continued

L_{B76}L_{B72}L_{B77}L_{B73}L_{B78}L_{B74}L_{B79}L_{B75}L_{B80}


-continued

 L_{B81} 








-continued

 L_{B86}  L_{B82}  L_{B83}  L_{B87}  L_{B84}  L_{B88}  L_{B85}  L_{B89} 


-continued

L_{B90}








-continued

L_{B94}L_{B91}L_{B95}L_{B92}L_{B96}L_{B93}L_{B97}


-continued

L_B98









-continued

L_B102L_B99L_B103L_B100L_B104L_B101L_B105






-continued

L_B106





-continued

L_B110L_B107L_B111L_B108L_B112L_B113L_B109L_B114


-continued

L_B115L_B116L_B117L_B118L_B119








-continued

L_B120L_B121L_B122L_B123


-continued

L_B124


-continued

L_B128L_B125L_B129L_B126L_B130L_B127L_B131


-continued




L_B132




L_B136




L_B137




L_B133




L_B138




L_B134



L_B139




L_B135










L_B140


-continued

L_B141








-continued

L_B145L_B142L_B146L_B143L_B147L_B144L_B148


-continued

 L_{B149} 








-continued

 L_{B153}  L_{B150}  L_{B154}  L_{B151}  L_{B155}  L_{B152}  L_{B156} 


-continued

L_B157








-continued

L_B161L_B158L_B162L_B159L_B163L_B160L_B164


-continued

 L_{B165} 








-continued

 L_{B169}  L_{B166}  L_{B170}  L_{B167}  L_{B171}  L_{B168}  L_{B172} 








-continued

L_B173


-continued

L_B177L_B174L_B178L_B175L_B179L_B176L_B180

-continued


L_{B181}L_{B184}L_{B182}L_{B185}L_{B183}L_{B186}L_{B187}

-continued




L_B188

-continued




L_B192

L_B189




L_B193

L_{B190}




L_B194





L_B191








L_B195








-continued

L_B196L_B197L_B198L_B199






-continued

L_B200L_B201L_B202L_B203L_B204


-continued

L_{B205}L_{B206}L_{B207}L_{B208}L_{B209}









-continued

L_{B210}L_{B211}L_{B212}L_{B213}L_{B214}


-continued

 L_{B215} 










-continued

 L_{B220}  L_{B216} L_{B221}  L_{B217}  L_{B218} L_{B222}  L_{B219} L_{B223} 


-continued

L_B224








-continued

L_B229L_B225L_B230L_B226L_B231L_B227L_B232L_B228L_B233

-continued







L_B234

-continued


L_B238L_B235L_B239L_B236L_B240L_B237L_B241

-continued







-continued

 L_{B242}  L_{B245}  L_{B243}  L_{B246}  L_{B244}  L_{B247} 


-continued

L_B248








-continued

L_B251L_B249L_B252L_B250L_B253L_B254


-continued

 L_{B255} 









-continued

 L_{B259}  L_{B256}  L_{B260}  L_{B257}  L_{B261}  L_{B258}  L_{B262} 


-continued

 L_{B263} 


-continued

 L_{B267}  L_{B264}  L_{B268}  L_{B265}  L_{B269}  L_{B266}  L_{B270}  L_{B271} 


-continued




L_{B272}




L_B277




L_B273




L_{B278}




L_{B274}




L_{B279}




L_{R275}




L_{B280}




L_{B276}












L_B281








-continued







-continued



-continued


L_{B292}L_{B293}L_{B294}L_{B295}L_{B296}

-continued

L_{B297}L_{B298}L_{B299}L_{B300}

17. An organic light-emitting device (OLED) comprising:
an anode;
a cathode; and
an organic layer, disposed between the anode and the
cathode, comprising a compound comprising a ligand
 L_A of Formula I:


(I)



wherein ring A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;

wherein R is fused to ring B and has the formula II:

(II)



wherein the wave lines indicate bonds to ring B;

wherein ring D is fused to ring C;

wherein ring D is a 5-membered or 6-membered carbocyclic or heterocyclic aromatic ring;

wherein R¹ represents mono to maximum possible number of substitution;

wherein R², R³, and R⁴ represent mono to maximum possible number of substitution, or no substitution;

wherein X¹, X², X³, X⁴, X⁵, X⁶, X⁷, and X⁸ are each independently carbon or nitrogen;

wherein at least two adjacent of X¹, X², X³, and X⁴ are carbon and fuse to ring C;

wherein at least two adjacent of X⁵, X⁶, X⁷, and X⁸ are carbon and fuse to ring D;

wherein R², R³, and R⁴ are each independently selected

from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

wherein no two adjacent substituents of R², R³, and R⁴ are joined to form a ring;

wherein each R¹ is independently selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

wherein at least one R¹ is selected from the group consisting of alkyl, cycloalkyl, partially fluorinated variants thereof, partially or fully deuterated variants thereof, and combinations thereof;

wherein in each of the at least one R¹, C having an F attached thereto is separated by at least one carbon atom from the aromatic ring;

wherein L_A is coordinated to a metal M;

wherein L_A is optionally linked with other ligands to comprise a tridentate, tetridentate, pentadentate, or hexadentate ligand; and

wherein M is optionally coordinated to other ligands.

18. The OLED of claim 17, wherein the organic layer is an emissive layer and the compound is an emissive dopant or a non-emissive dopant.

19. The OLED of claim 17, wherein the organic layer further comprises a host, wherein host comprises at least one chemical group selected from the group consisting of carbazole, dibenzothiphene, dibenzofuran, dibenzoselenophene, azacarbazole, aza-dibenzothiophene, aza-dibenzofuran, and aza-dibenzoselenophene.


20. A consumer product comprising an organic light-emitting device (OLED) comprising:

an anode;

a cathode; and

an organic layer, disposed between the anode and the cathode, comprising a compound comprising a ligand L_A of Formula I:


(I)



wherein ring A is a 5-membered or 6-membered carbocyclic or heterocyclic ring;

wherein R is fused to ring B and has the formula II:

(II)



wherein the wave lines indicate bonds to ring B;

wherein ring D is fused to ring C;

wherein ring D is a 5-membered or 6-membered carbocyclic or heterocyclic aromatic ring;

wherein R¹ represents mono to maximum possible number of substitution;

wherein R², R³, and R⁴ represent mono to maximum possible number of substitution, or no substitution;

wherein X¹, X², X³, X⁴, X⁵, X⁶, X⁷, and X⁸ are each independently carbon or nitrogen;

wherein at least two adjacent of X¹, X², X³, and X⁴ are carbon and fuse to ring C;

wherein at least two adjacent of X⁵, X⁶, X⁷, and X⁸ are carbon and fuse to ring D;

wherein R², R³, and R⁴ are each independently selected

from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

wherein no two adjacent substituents of R², R³, and R⁴ are joined to form a ring;

wherein each R¹ is independently selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

wherein at least one R¹ is selected from the group consisting of alkyl, cycloalkyl, partially fluorinated variants thereof, partially or fully deuterated variants thereof, and combinations thereof;

wherein in each of the at least one R¹, C having an F attached thereto is separated by at least one carbon atom from the aromatic ring;

wherein L_A is coordinated to a metal M;

wherein L_A is optionally linked with other ligands to comprise a tridentate, tetridentate, pentadentate, or hexadentate ligand; and

wherein M is optionally coordinated to other ligands.

* * * * *