

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12388498
Kind Code	B2
Date of Patent	August 12, 2025
Inventor(s)	Li; Guoqing C. et al.

Method, apparatus, and computer readable media for acknowledgement in wireless networks

Abstract

Embodiments of a system and method for communicating acknowledgments in a wireless network are generally described herein. In some embodiments, a method of wirelessly communicating acknowledgements includes receiving a first signal on a first subchannel from a second wireless device. The method may include transmitting a block acknowledgement of the first signal on a subchannel. The first wireless communication device may not receive a block acknowledgement request to transmit the block acknowledgement. In some embodiments, a method of communicating block acknowledgements includes transmitting a first transmission to a first wireless device on a first subchannel and a second transmission to a second wireless device on a second subchannel. The method may include receiving a first block acknowledgement from the first wireless device and a second block acknowledgement from second wireless device. The first and second block acknowledgement may be received on one of the first and second subchannels.

Inventors:	Li; Guoqing C. (Portland, OR), Stacey; Robert J. (Portland, OR)
Applicant:	AX Wireless, LLC (Austin, TX)
Family ID:	54369045
Assignee:	AX Wireless, LLC (Austin, TX)
Appl. No.:	17/730545
Filed:	April 27, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20220255594 A1	Aug. 11, 2022

Related U.S. Application Data

Publication Classification

Int. Cl.: **H04B7/0452** (20170101); **H04L1/1607** (20230101); **H04L1/18** (20230101);
H04L1/1829 (20230101); **H04L1/1867** (20230101); **H04L5/00** (20060101); **H04W28/12**
(20090101); **H04W72/1268** (20230101); **H04W72/1273** (20230101)

U.S. Cl.:

CPC **H04B7/0452** (20130101); **H04L1/1614** (20130101); **H04L1/18** (20130101);
H04L1/1854 (20130101); **H04L1/1861** (20130101); **H04L1/1896** (20130101);
H04L5/0055 (20130101); **H04W28/12** (20130101); **H04W72/1268** (20130101);
H04L1/1664 (20130101); H04L1/1685 (20130101); H04L5/0007 (20130101);
H04W72/1273 (20130101)

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
7466964	12/2007	Sondur	N/A	N/A
7809020	12/2009	Douglas et al.	N/A	N/A
8320252	12/2011	Derom	370/235	H04L 1/1832
8395997	12/2012	Banerjea et al.	N/A	N/A
8509323	12/2012	Nangia et al.	N/A	N/A
8560009	12/2012	Etemad	N/A	N/A
8948064	12/2014	Shahar	N/A	N/A
8976741	12/2014	Wentink	370/329	H04W 72/23
8989158	12/2014	Seok	N/A	N/A
9160503	12/2014	Kim et al.	N/A	N/A
9271241	12/2015	Kenney et al.	N/A	N/A
9325463	12/2015	Azizi et al.	N/A	N/A
9450725	12/2015	Azizi et al.	N/A	N/A
9462504	12/2015	Stephens et al.	N/A	N/A
9544914	12/2016	Azizi et al.	N/A	N/A
9615291	12/2016	Kenney et al.	N/A	N/A
9648620	12/2016	Tandra	N/A	N/A
9668243	12/2016	Gong	N/A	H04W 74/0825
9680603	12/2016	Azizi et al.	N/A	N/A
9705643	12/2016	Li et al.	N/A	N/A
9838961	12/2016	Kenney et al.	N/A	N/A

9853784	12/2016	Azizi et al.	N/A	N/A
9867210	12/2017	Azizi	N/A	N/A
9882695	12/2017	Azizi et al.	N/A	N/A
10819471	12/2019	Merlin	N/A	H04W 4/06
2004/0054820	12/2003	Karaoguz et al.	N/A	N/A
2004/0146117	12/2003	Subramaniam et al.	N/A	N/A
2005/0015703	12/2004	Terry et al.	N/A	N/A
2005/0063336	12/2004	Kim et al.	N/A	N/A
2005/0135410	12/2004	Stephens	N/A	N/A
2005/0276347	12/2004	Mujtaba et al.	N/A	N/A
2006/0018249	12/2005	Shearer et al.	N/A	N/A
2006/0030322	12/2005	Kim et al.	N/A	N/A
2006/0062314	12/2005	Palin et al.	N/A	N/A
2006/0067415	12/2005	Mujtaba	N/A	N/A
2006/0105764	12/2005	Krishnaswamy et al.	N/A	N/A
2006/0107166	12/2005	Nanda	714/748	H04L 1/1887
2006/0153060	12/2005	Cho	N/A	N/A
2007/0014375	12/2006	Nakao	N/A	N/A
2007/0042715	12/2006	Salo et al.	N/A	N/A
2007/0060161	12/2006	Chindapol et al.	N/A	N/A
2007/0147226	12/2006	Khandekar et al.	N/A	N/A
2007/0147521	12/2006	Horng et al.	N/A	N/A
2007/0153929	12/2006	Ballentin et al.	N/A	N/A
2007/0202816	12/2006	Zheng	N/A	N/A
2007/0207742	12/2006	Kim et al.	N/A	N/A
2007/0242600	12/2006	Li et al.	N/A	N/A
2008/0013496	12/2007	Dalmases et al.	N/A	N/A
2008/0049851	12/2007	Nangia et al.	N/A	N/A
2008/0188232	12/2007	Park et al.	N/A	N/A
2008/0212612	12/2007	Singh	370/310	H04L 1/1685
2008/0232339	12/2007	Yang et al.	N/A	N/A
2008/0240018	12/2007	Xue et al.	N/A	N/A
2008/0240275	12/2007	Cai	N/A	N/A
2008/0304430	12/2007	Zhuyan	370/278	H04L 1/1887
2009/0007185	12/2008	Nix et al.	N/A	N/A
2009/0122882	12/2008	Mujtaba	N/A	N/A
2009/0270109	12/2008	Wang Helmersson et al.	N/A	N/A
2009/0279470	12/2008	Seok	370/312	H04L 12/189
2009/0310692	12/2008	Kafle et al.	N/A	N/A
2010/0046671	12/2009	Ali et al.	N/A	N/A
2010/0067480	12/2009	Wang et al.	N/A	N/A
2010/0080312	12/2009	Moffatt et al.	N/A	N/A
2010/0091673	12/2009	Sawai et al.	N/A	N/A
2010/0098181	12/2009	Jacobsen et al.	N/A	N/A
2010/0107042	12/2009	Sawai et al.	N/A	N/A
2010/0110804	12/2009	Yeh	N/A	N/A
2010/0157956	12/2009	Takahashi	N/A	N/A
2010/0157970	12/2009	Gotman et al.	N/A	N/A

2010/0172316	12/2009	Hwang et al.	N/A	N/A
2010/0220678	12/2009	Wentink	N/A	N/A
2010/0220679	12/2009	Abraham et al.	N/A	N/A
2010/0246375	12/2009	Orlik et al.	N/A	N/A
2010/0246539	12/2009	Guillouard et al.	N/A	N/A
2010/0260114	12/2009	Vermani	370/329	H04L 5/0055
2010/0260159	12/2009	Zhang et al.	N/A	N/A
2010/0309834	12/2009	Fischer et al.	N/A	N/A
2010/0322166	12/2009	Sampath et al.	N/A	N/A
2011/0002219	12/2010	Kim et al.	N/A	N/A
2011/0013608	12/2010	Lee et al.	N/A	N/A
2011/0026623	12/2010	Srinivasa et al.	N/A	N/A
2011/0032850	12/2010	Cai	N/A	N/A
2011/0032875	12/2010	Erceg et al.	N/A	N/A
2011/0038441	12/2010	Shi	N/A	N/A
2011/0063991	12/2010	Sampath et al.	N/A	N/A
2011/0075625	12/2010	Nystrom et al.	N/A	N/A
2011/0085513	12/2010	Chen et al.	N/A	N/A
2011/0096685	12/2010	Lee et al.	N/A	N/A
2011/0096710	12/2010	Liu	370/312	H04L 1/1614
2011/0110454	12/2010	Sampath	375/267	H04L 1/02
2011/0116401	12/2010	Banerjea et al.	N/A	N/A
2011/0149882	12/2010	Gong et al.	N/A	N/A
2011/0158159	12/2010	Gong et al.	N/A	N/A
2011/0188598	12/2010	Lee et al.	N/A	N/A
2011/0194544	12/2010	Yang et al.	N/A	N/A
2011/0206156	12/2010	Lee et al.	N/A	N/A
2011/0222486	12/2010	Hart	N/A	N/A
2011/0235593	12/2010	Gong et al.	N/A	N/A
2011/0243025	12/2010	Kim et al.	N/A	N/A
2011/0243073	12/2010	Gong	370/329	H04L 5/0055
2011/0249660	12/2010	Noh et al.	N/A	N/A
2011/0261708	12/2010	Grandhi	N/A	N/A
2011/0261742	12/2010	Wentink	370/312	H04L 1/1854
2011/0261769	12/2010	Ji et al.	N/A	N/A
2011/0268094	12/2010	Gong et al.	N/A	N/A
2011/0299474	12/2010	Li et al.	N/A	N/A
2011/0305176	12/2010	Wentink	370/310	H04W 28/12
2011/0305296	12/2010	Van Nee	N/A	N/A
2012/0002756	12/2011	Zhang et al.	N/A	N/A
2012/0063433	12/2011	Wentink	370/338	H04W 74/0816
2012/0106481	12/2011	Cho et al.	N/A	N/A
2012/0127940	12/2011	Lee et al.	N/A	N/A
2012/0155424	12/2011	Kim et al.	N/A	N/A
2012/0155444	12/2011	Chiueh et al.	N/A	N/A
2012/0170563	12/2011	Abraham et al.	N/A	N/A
2012/0201213	12/2011	Banerjea et al.	N/A	N/A
2012/0218983	12/2011	Noh	370/338	H04W 72/20
2012/0243485	12/2011	Merlin et al.	N/A	N/A

2012/0269124	12/2011	Porat	N/A	N/A
2012/0275446	12/2011	Stacey et al.	N/A	N/A
2012/0314697	12/2011	Noh et al.	N/A	N/A
2012/0314786	12/2011	Atungsiri et al.	N/A	N/A
2012/0320890	12/2011	Zhang et al.	N/A	N/A
2012/0324315	12/2011	Zhang et al.	N/A	N/A
2012/0327870	12/2011	Grandhi et al.	N/A	N/A
2012/0327915	12/2011	Kang et al.	N/A	N/A
2013/0044743	12/2012	Zhang	370/338	H04L 69/22
2013/0070642	12/2012	Kim et al.	N/A	N/A
2013/0088983	12/2012	Pragada et al.	N/A	N/A
2013/0136075	12/2012	Yu et al.	N/A	N/A
2013/0142155	12/2012	Trainin et al.	N/A	N/A
2013/0172035	12/2012	Wentink	455/517	H04L 5/0055
2013/0177090	12/2012	Yang et al.	N/A	N/A
2013/0188567	12/2012	Wang et al.	N/A	N/A
2013/0188572	12/2012	Cheong et al.	N/A	N/A
2013/0215993	12/2012	Taghavi Nasrabadi et al.	N/A	N/A
2013/0229996	12/2012	Wang et al.	N/A	N/A
2013/0230035	12/2012	Grandhi et al.	N/A	N/A
2013/0235720	12/2012	Wang et al.	N/A	N/A
2013/0235773	12/2012	Wang	370/311	H04W 52/0203
2013/0235943	12/2012	Tong	375/259	H04L 5/0007
2013/0250940	12/2012	Parlamas	N/A	N/A
2013/0258975	12/2012	Krishnamurtby et al.	N/A	N/A
2013/0265907	12/2012	Kim et al.	N/A	N/A
2013/0286925	12/2012	Fischer	370/312	H04L 1/0071
2013/0286959	12/2012	Lou	370/329	H04L 5/003
2013/0301551	12/2012	Ghosh et al.	N/A	N/A
2013/0301563	12/2012	Gupta et al.	N/A	N/A
2013/0301569	12/2012	Wang	370/329	H04L 1/1864
2014/0010196	12/2013	Shapira	N/A	N/A
2014/0016607	12/2013	Hart	N/A	N/A
2014/0045514	12/2013	Lee	455/454	H04W 16/14
2014/0098724	12/2013	Park	370/330	H04W 72/23
2014/0112274	12/2013	Moon et al.	N/A	N/A
2014/0169245	12/2013	Kenney et al.	N/A	N/A
2014/0169356	12/2013	Noh et al.	N/A	N/A
2014/0205029	12/2013	Srinivasa et al.	N/A	N/A
2014/0211775	12/2013	Sampath et al.	N/A	N/A
2014/0269544	12/2013	Zhu et al.	N/A	N/A
2014/0307650	12/2013	Vermani et al.	N/A	N/A
2014/0328265	12/2013	Sampath	370/329	H04W 72/541
2014/0328333	12/2013	Seo	370/336	H04L 1/1854
2014/0369276	12/2013	Porat et al.	N/A	N/A
2015/0023335	12/2014	Vermani et al.	N/A	N/A

2015/0043414	12/2014	Han et al.	N/A	N/A
2015/0063255	12/2014	Tandra et al.	N/A	N/A
2015/0063318	12/2014	Merlin et al.	N/A	N/A
2015/0071051	12/2014	Zhu	370/216	H04W 72/121
2015/0085836	12/2014	Kang et al.	N/A	N/A
2015/0117428	12/2014	Lee et al.	N/A	N/A
2015/0124689	12/2014	Merlin	370/312	H04W 4/06
2015/0124690	12/2014	Merlin	370/312	H04L 5/0055
2015/0124745	12/2014	Tandra et al.	N/A	N/A
2015/0131517	12/2014	Chu	370/312	H04L 5/0037
2015/0131756	12/2014	Suh et al.	N/A	N/A
2015/0139090	12/2014	Stephens et al.	N/A	N/A
2015/0139091	12/2014	Azizi et al.	N/A	N/A
2015/0139118	12/2014	Azizi et al.	N/A	N/A
2015/0139119	12/2014	Azizi et al.	N/A	N/A
2015/0139205	12/2014	Kenney et al.	N/A	N/A
2015/0139206	12/2014	Azizi et al.	N/A	N/A
2015/0146648	12/2014	Viger	370/329	H04L 1/1685
2015/0146808	12/2014	Chu et al.	N/A	N/A
2015/0207599	12/2014	Kim et al.	N/A	N/A
2015/0208394	12/2014	Seo et al.	N/A	N/A
2015/0237531	12/2014	Hao et al.	N/A	N/A
2015/0250003	12/2014	Seok	370/329	H04L 1/0008
2015/0271002	12/2014	Oh	370/329	H04L 27/2626
2015/0288489	12/2014	Azizi et al.	N/A	N/A
2015/0304011	12/2014	Ponnuswamy	370/329	H04B 7/0617
2015/0326351	12/2014	Kim et al.	N/A	N/A
2015/0326408	12/2014	Vermani et al.	N/A	N/A
2015/0327121	12/2014	Li et al.	N/A	N/A
2015/0351102	12/2014	Trainin	370/329	H04W 72/20
2015/0365972	12/2014	Seok	370/336	H04W 74/0891
2016/0020885	12/2015	Li et al.	N/A	N/A
2016/0080115	12/2015	Josiam	370/329	H04L 5/0055
2016/0081010	12/2015	Seok	N/A	N/A
2016/0087775	12/2015	Hedayat	370/329	H04L 5/0055
2016/0112899	12/2015	Kenney et al.	N/A	N/A
2016/0197704	12/2015	Liu	370/329	H04L 1/1621
2016/0211944	12/2015	Kenney et al.	N/A	N/A
2016/0211961	12/2015	Azizi et al.	N/A	N/A
2016/0212748	12/2015	Yang	N/A	H04L 1/1874
2016/0227572	12/2015	Li et al.	N/A	N/A
2016/0241366	12/2015	Azizi et al.	N/A	N/A
2016/0242173	12/2015	Li et al.	N/A	N/A
2016/0330742	12/2015	Li	N/A	H04L 5/0037
2016/0337100	12/2015	Yang	N/A	H04L 5/0037
2016/0344531	12/2015	Li et al.	N/A	N/A

2017/0005709	12/2016	Li	N/A	H04L 1/00
2017/0019916	12/2016	Azizi et al.	N/A	N/A
2017/0078107	12/2016	Itagaki	N/A	H04L 1/1854
2017/0111154	12/2016	Azizi et al.	N/A	N/A
2017/0135035	12/2016	Azizi et al.	N/A	N/A
2017/0149547	12/2016	Kim	N/A	H04L 1/1685
2017/0201359	12/2016	Li et al.	N/A	N/A
2017/0359152	12/2016	Li	N/A	H04L 5/0094
2018/0076860	12/2017	Chu	N/A	H04L 1/1854
2018/0184374	12/2017	Yang	N/A	H04W 52/0216
2018/0241531	12/2017	Wang	N/A	H04L 1/1854
2019/0238353	12/2018	Choi	N/A	H04B 7/0452
2024/0080076	12/2023	Gong	N/A	H04B 7/0617

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
101166080	12/2007	CN	N/A
101207597	12/2007	CN	N/A
101208895	12/2007	CN	N/A
101433018	12/2008	CN	N/A
102090024	12/2010	CN	N/A
102428672	12/2011	CN	N/A
102577493	12/2011	CN	N/A
103703711	12/2013	CN	N/A
105379217	12/2015	CN	N/A
105637968	12/2015	CN	N/A
105659656	12/2015	CN	N/A
105659681	12/2015	CN	N/A
105706407	12/2015	CN	N/A
105900511	12/2015	CN	N/A
105917611	12/2015	CN	N/A
105917730	12/2015	CN	N/A
106100807	12/2015	CN	N/A
106464638	12/2016	CN	N/A
106464652	12/2016	CN	N/A
106465360	12/2016	CN	N/A
106899385	12/2016	CN	N/A
106105080	12/2018	CN	N/A
110098907	12/2018	CN	N/A
106464634	12/2019	CN	N/A
2362580	12/2010	EP	N/A
2499872	12/2011	EP	N/A
3072255	12/2015	EP	N/A
3072270	12/2015	EP	N/A
3072324	12/2015	EP	N/A
3072344	12/2015	EP	N/A

3072345	12/2015	EP	N/A
3072347	12/2015	EP	N/A
3072254	12/2018	EP	N/A
3182635	12/2019	EP	N/A
2007074689	12/2006	JP	N/A
1020110044938	12/2010	KR	N/A
1020120127676	12/2011	KR	N/A
200539601	12/2004	TW	N/A
201044815	12/2009	TW	N/A
201141288	12/2010	TW	N/A
201234880	12/2011	TW	N/A
201251382	12/2011	TW	N/A
201301827	12/2012	TW	N/A
201306533	12/2012	TW	N/A
201322786	12/2012	TW	N/A
201349815	12/2012	TW	N/A
201406107	12/2013	TW	N/A
201534073	12/2014	TW	N/A
201534074	12/2014	TW	N/A
201538023	12/2014	TW	N/A
201540029	12/2014	TW	N/A
201540118	12/2014	TW	N/A
201541889	12/2014	TW	N/A
201541890	12/2014	TW	N/A
201547248	12/2014	TW	N/A
201547313	12/2014	TW	N/A
201605191	12/2015	TW	N/A
201605271	12/2015	TW	N/A
201608863	12/2015	TW	N/A
201622458	12/2015	TW	N/A
201632022	12/2015	TW	N/A
I572160	12/2016	TW	N/A
I572173	12/2016	TW	N/A
I573413	12/2016	TW	N/A
I578733	12/2016	TW	N/A
I578837	12/2016	TW	N/A
I578838	12/2016	TW	N/A
I586120	12/2016	TW	N/A
I590692	12/2016	TW	N/A
201728116	12/2016	TW	N/A
I642281	12/2017	TW	N/A
I642292	12/2017	TW	N/A
2005053198	12/2004	WO	N/A
2008118429	12/2007	WO	N/A
2010118383	12/2009	WO	N/A
2011025146	12/2010	WO	N/A
2011068387	12/2010	WO	N/A
2011153507	12/2010	WO	N/A
2012057547	12/2011	WO	N/A
2012106635	12/2011	WO	N/A

2013055117	12/2012	WO	N/A
2013058512	12/2012	WO	N/A
2013077653	12/2012	WO	N/A
2013089404	12/2012	WO	N/A
2013165582	12/2012	WO	N/A
2013191609	12/2012	WO	N/A
2014066785	12/2013	WO	N/A
2015031323	12/2014	WO	N/A
2015076917	12/2014	WO	N/A
2015076923	12/2014	WO	N/A
2015076932	12/2014	WO	N/A
2015077040	12/2014	WO	N/A
2015077042	12/2014	WO	N/A
2015077049	12/2014	WO	N/A
2015077056	12/2014	WO	N/A
2015077068	12/2014	WO	N/A
2015077096	12/2014	WO	N/A
2015077223	12/2014	WO	N/A
2015113218	12/2014	WO	N/A
2015127777	12/2014	WO	N/A
2015130335	12/2014	WO	N/A
2015130341	12/2014	WO	N/A
2015171243	12/2014	WO	N/A
2015195460	12/2014	WO	N/A
2016010651	12/2015	WO	N/A
2018010578	12/2015	WO	N/A

OTHER PUBLICATIONS

Chinese Application Serial No. 201910217247.1, Office Action mailed May 6, 2021, With English translation, 12 pages. cited by applicant

Jinyoung, Chun, "11-12-1388-00-0hew-ul-mu-transmission", IEEE Draft, (Nov. 11, 2013), 18 pgs. cited by applicant

Final Office Action issued in parent U.S. Appl. No. 16/256,842 on Oct. 27, 2021. cited by applicant

Office Action issued in parent U.S. Appl. No. 16/256,842 on May 13, 2021. cited by applicant

Office Action issued in parent U.S. Appl. No. 16/256,842 on Feb. 10, 2021. cited by applicant

Final Office Action issued in parent U.S. Appl. No. 16/256,842 on Nov. 12, 2020. cited by applicant

Office Action issued in parent U.S. Appl. No. 16/256,842 on Aug. 17, 2020. cited by applicant

Office Action issued in parent U.S. Appl. No. 16/256,842 on Apr. 17, 2020. cited by applicant

"ACKProtocol and Backoff Procedure for MU-MIMO", doc.: IEEE 802.11-10/1092r0, (Sep. 14, 2010), 15 pgs. cited by applicant

"Chinese Application Serial No. 201580018612.6, Office Action mailed Feb. 19, 2019", w/o English translation, 11 pgs. cited by applicant

"Uplinkmulti-usertransmission", doc.: IEEE 11-13/1388r0, (Nov. 11, 2013), 18 pgs. cited by applicant

"Chinese Application Serial No. 201580018612.6, Response filed Nov. 19, 2019 to Office Action mailed Sep. 9, 2019", w English Claims, 11 pgs. cited by applicant

"Chinese Application Serial No. 201910217247, Voluntary Amendment filed Nov. 26, 2019", w English Claims, 18 pgs. cited by applicant

"Chinese Application Serial No. 201580018612.6, Response to Examiners Telephone Interview

filed Dec. 5, 2019”, w English Claims, 14 pgs. cited by applicant

“Chinese Application Serial No. 201710063899.5, Response filed Jan. 13, 2020 to Office Action mailed Aug. 27, 2019”, w English Claims, 10 pgs. cited by applicant

Robert, Stacey, “Proposed TGac Draft Amendment; 11-10-1361-13-00ac-proposed-tgac-draft-amendment”, IEEE-SA Mentor; 11-10-1361-03-00AC-Proposed-TGAC-Draft-Amendment, IEEE-SA Mentor, Piscataway, NJ USA,, (Jan. 19, 2011), 154 pgs. cited by applicant

Sean, Coffey, et al., “WWiSE complete proposal presentation; 11-04-0935-04-00n-wwise-complete-proposal presentation”, (Nov. 16, 2004), 66 pgs. cited by applicant

Simone, Merlin, “ACK protocol and backoff procedure for MU-MIMO; 11-10-1092-00-00ac-ack-protocol-and-backoff-procedure-for mu-mimo”, IEEE Draft; 11-10-1 092-00-00AC-ACK-Protocol-And-Backoff-Procedure-For-MU-MIMO, IEEE-SA Mentor, Piscataway, NJ USA, val. 802.11 ac, (Sep. 14, 2010), 1-15. cited by applicant

Yunoki, Katsuo, et al., “Access Control Enhancement; 11-13-1073-01-Ohew-access-3control-enhancement”, IEEE Draft; 11-13-1073-01-0HEW-Access-Control-Enhancement. IEEE-SA Mentor. Piscataway. NJ USA. Vol. 802.11 HEW. No. 1, [Online], Retrieved from the internet : <https://mentor.ieee.org/802.11/documents?is_dcn=1073>, (Sep. 18, 2013), 1-9. cited by applicant

“Chinese Application Serial No. 201580018612.6, Response filed Jul. 5, 2019 to Office Action mailed Feb. 19, 2019”, w English Claims, 27 pgs. cited by applicant

“Chinese Application Serial No. 201710063899.5, Office Action mailed Aug. 27, 2019”, w Concise Statement of Relevance, 12 pgs. cited by applicant

“Chinese Application Serial No. 201580018612.6, Office Action mailed Sep. 9, 2019”, w English Translation, 21 pgs. cited by applicant

(Discussion on potential techniques for HEW, IEEE 802.11-130871 rO), (Jul. 15, 2013), 13 pgs. cited by applicant

“U.S. Appl. No. 14/458,000, Final Office Action mailed May 9, 2016”, 11 pgs. cited by applicant

“U.S. Appl. No. 14/458,000, Non Final Office Action mailed Dec. 3, 2015”, 16 pgs. cited by applicant

“U.S. Appl. No. 14/458,000, Notice of Allowance mailed Aug. 24, 2016”, 11 pgs. cited by applicant

“U.S. Appl. No. 14/458,000, Response filed Mar. 3, 2015 to Non Final Office Action mailed Dec. 3, 2015”, 15 pgs. cited by applicant

“U.S. Appl. No. 14/458,000, Response filed Aug. 8, 2016 to Final Office Action mailed May 9, 2016”, 12 pgs. cited by applicant

“U.S. Appl. No. 14/459,385, Response filed May 4, 2016 to Non Final Office Action mailed Jan. 14, 2016”, 9 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Advisory Action mailed Jan. 25, 2018”, 3 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Advisory Action mailed Dec. 10, 2018”, 3 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Examiner interview Summary mailed Jan. 19, 2018”, 3 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Examiner Interview Summary mailed Jan. 20, 2017”, 3 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Examiner interview Summary mailed Jul. 19, 2018”, 3 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Examiner interview Summary mailed Aug. 2, 2017”, 3 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, 1131011106 Action mailed Aug. 11, 2016”, 20 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Final Office Action mailed Sep. 5, 2018”, 24 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Final Office Action mailed Nov. 15, 2017”, 16 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Non Final Office Action mailed Jan. 14, 2016”, 19 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Non Final Office Action mailed Mar. 9, 2017”, 12 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Non Final Office Action mailed Apr. 6, 2018”, 23 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Response filed Jan. 15, 2018 to Final Office Action mailed Nov. 15, 2017”, 9 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Response filed Feb. 13, 2017 to Final Office Action mailed Aug. 11, 2016”, 9 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Response filed Jul. 6, 2018 to Non Final Office Action mailed Apr. 6, 2018”, 9 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Response filed Jul. 10, 2017 to Non Final Office Action mailed Mar. 9, 2017”, 8 pgs. cited by applicant

“U.S. Appl. No. 14/498,385, Response filed Nov. 5, 2018 to Final Office Action mailed Sep. 5, 2018”, 10 pgs. cited by applicant

“U.S. Appl. No. 15/280,782, Corrected Notice of Allowance mailed Sep. 27, 2017”, 2 pgs. cited by applicant

“U.S. Appl. No. 15/280,782, Examiner interview Summary mailed Jul. 26, 2017”, 3 pgs. cited by applicant

“U.S. Appl. No. 15/280,782, Non Final Office Action mailed May 12, 2017”, 25 pgs. cited by applicant

“U.S. Appl. No. 15/280,782, Notice of Allowance mailed Sep. 8, 2017”, 9 pgs. cited by applicant

“U.S. Appl. No. 15/280,782, Response filed Aug. 11, 2017 to Non Final Office Action mailed May 12, 2017”, 12 pgs. cited by applicant

“U.S. Appl. No. 15/394,069, Examiner interview Summary mailed Jul. 28, 2017”, 3 pgs. cited by applicant

“U.S. Appl. No. 15/394,069, Non Final Office Action mailed May 26, 2017”, 18 pgs. cited by applicant

“U.S. Appl. No. 15/394,069, Notice of Allowance mailed Sep. 22, 2017”, 8 pgs. cited by applicant

“U.S. Appl. No. 15/394,069, Response filed Aug. 23, 2017 to Non Final Office Action mailed May 26, 2017”, 12 pgs. cited by applicant

“European Application No. 14864664.9, Extended European Search Report mailed Aug. 14, 2017”, 6 pgs. cited by applicant

“European Application No. 14864664.9, Response filed Feb. 27, 2018 to Extended European Search Report mailed Aug. 14, 2017”, 13 pgs. cited by applicant

“European Application Serial No. 14864664.9, Response filed Dec. 22, 2016 to Communication pursuant to Rules 161(2) and 162 EPC mailed Jun. 28, 2016”, 4 pgs. cited by applicant

“European Application Serial No. 15789579.8, Response filed Jun. 12, 2018 to Extended European Search Report mailed Nov. 24, 2017”, 10 pgs. cited by applicant

“European Application Serial No. 17153414.2, Extended European Search Report mailed May 3, 2017”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2014/065166, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2014/085166, International Search Report mailed Jan. 22, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/065188, Written Opinion mailed Jan. 22, 2015”, 6 pgs. cited by applicant

“International Application Serial No. PCT/US2015/024889, International Preliminary Report on Patentability mailed Nov. 17, 2016”, 13 pgs. cited by applicant

“International Application Serial No. PCT/US2015/024889, International Search Report mailed Jun. 29, 2015”, 3 pgs. cited by applicant

"International Application Serial No. PCT/US2015/024889, Written Opinion mailed Jun. 29, 2015", 11 pgs. cited by applicant

"Taiwanese Application Serial No. 104108807, Office Action mailed May 26, 2016", W/English Search Report, 10 pgs. cited by applicant

"Taiwanese Application Serial No. 104108807, Response filed Nov. 25, 2016 Office Action mailed May 26, 2016", W/English Claims, 65 pgs. cited by applicant

"Taiwanese Application Serial No. 104110914, Response filed Sep. 10, 2016 to Office Action mailed Mar. 28, 2016", W/English Claims, 98 pgs. cited by applicant

"Taiwanese Application Serial No. 105139521, Office Action mailed Apr. 27, 2018", w/English Translation, 4 pgs. cited by applicant

"Taiwanese Application Serial No. 105139522, Response filed May 11, 2018 to Office Action mailed Jan. 5, 2018", W/English Claims, 73 pgs. cited by applicant

Choi, Jinsoo, Discussion on OFDMA in HEW, in: IEEE P802.11—High Efficiency WLAN Study Group, [Online] Retrieved from the internet:
<http://www.ieee802.org/11/Reports/hew_update.htm>, (Nov. 11, 2013), 11 pgs. cited by applicant

Chun, Jinyoung, et al., "Legacy Support on HEW frame structure", IEEE 11-13/1057r0, (Sep. 16, 2013), 8 pgs. cited by applicant

Jinyoung, Chun, et al., "Legacy Support on HEW frame structure", IEEE, 11-13/1 G57r0, [Online] Retrieved from the Internet: <http://www.ieee802.org/11/Reports/hew_update.html>, (Sep. 16, 2013), 8 pgs. cited by applicant

Koskela, Timo, et al., Discussion on Potential Techniques for HEW, In: IEEE P802.11—High Efficiency WLAN Study Group, [Online] Retrieved from the Internet:
<http://www.ieee802.org/11/Reports/hew_update.html>, (Jul. 15, 2013), 13 pgs. cited by applicant

"11ah Preamble for 2Mhz and Beyond", IEEE Submission No. IEEE 802. 1-11/1483r2, 1-24. cited by applicant

"U.S. Appl. No. 14/304,041, Notice of Allowance mailed Oct. 8, 2015", 8 pgs. cited by applicant

"U.S. Appl. No. 14/304,041, Supplemental Notice of Allowability mailed Nov. 4, 2015", 5 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Examiner interview Summary mailed Jun. 20, 2016", 2 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Final Office Action mailed Mar. 21, 2016", 16 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Non Final Office Action mailed Sep. 25, 2015", 14 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Notice of Allowability mailed Jun. 20, 2016", 7 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Notice of Allowance mailed Jun. 6, 2016", 12 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Response filed May 16, 2016 to Final Office Action mailed Mar. 21, 2016", 10 pgs. cited by applicant

"U.S. Appl. No. 14/315,562, Response filed Dec. 28, 2015 to Non Final Office Action mailed Sep. 25, 2015", 9 pgs. cited by applicant

"U.S. Appl. No. 14/338,137, Corrected Notice of Allowance mailed Jan. 22, 2016", 10 pgs. cited by applicant

"U.S. Appl. No. 14/338,137, Notice of Allowance mailed Nov. 25, 2015", 14 pgs. cited by applicant

"U.S. Appl. No. 14/341,055, Examiner Interview Summary mailed Apr. 18, 2017", 3 pgs. cited by applicant

"U.S. Appl. No. 14/341,055, Non Final Office Action mailed Nov. 14, 2016", 10 pgs. cited by applicant

"U.S. Appl. No. 14/341,055, Notice of Allowance mailed Jul. 25, 2017", 10 pgs. cited by applicant

"U.S. Appl. No. 14/341,055, Response filed Apr. 14, 2017 to Non Final Office Action mailed Nov.

14, 2016", 11 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Advisory Action mailed Feb. 13, 2017", 4 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Examiner Interview Summary mailed Jan. 18, 2017", 3 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Examiner interview Summary mailed Jul. 22, 2016", 4 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Final Office Action mailed Sep. 14, 2016", 13 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Non Final Office Action mailed Mar. 31, 2016", 13 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Response filed Jan. 17, 2017 Final Office Action mailed Sep. 14, 2016", 11 pgs. cited by applicant

"U.S. Appl. No. 14/447,254, Response filed Aug. 1, 2016 to Non Final Office Action mailed Mar. 31, 2016", 12 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Advisory Action mailed Jan. 23, 2017", 3 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Corrected Notice of Allowance mailed Jun. 14, 2017", 2 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Examiner Interview Summary mailed Jan. 18, 2017", 3 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Examiner interview Summary mailed Jul. 26, 2016", 3 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Final Office Action mailed Aug. 9, 2016", 15 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Non Final Office Action mailed Apr. 26, 2016", 12 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Notice of Allowance mailed Mar. 7, 2017", 7 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Response filed Jan. 9, 2017 to Final Office Action mailed Aug. 9, 2016", 9 pgs. cited by applicant

"U.S. Appl. No. 14/563,406, Response filed Jul. 26, 2016 to Non Final Office Action mailed Apr. 26, 2016", 9 pgs. cited by applicant

"U.S. Appl. No. 14/573,912, Non Final Office Action mailed Jun. 16, 2016", 7 pgs. cited by applicant

"U.S. Appl. No. 14/573,912, Notice of Allowability mailed Jan. 13, 2017", 4 pgs. cited by applicant

"U.S. Appl. No. 14/573,912, Notice of Allowability mailed May 11, 2017", 2 pgs. cited by applicant

"U.S. Appl. No. 14/573,912, Notice of Allowability mailed Dec. 9, 2016", 2 pgs. cited by applicant

"U.S. Appl. No. 14/573,912, Notice of Allowance mailed Nov. 3, 2016", 7 pgs. cited by applicant

"U.S. Appl. No. 14/573,912, Response filed Oct. 17, 2016 to Non Final Office Action mailed Jun. 16, 2016", 11 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Examiner interview Summary mailed Jul. 25, 2016", 3 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Final Office Action mailed Aug. 24, 2016", 8 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Non Final Office Action mailed Feb. 26, 2016", 7 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Notice of Allowance mailed Nov. 18, 2016", 8 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Preliminary Amendment filed Dec. 22, 2015", 11 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Response filed Jul. 20, 2016 to Non Final Office Action mailed Feb. 26, 2016", 11 pgs. cited by applicant

"U.S. Appl. No. 14/977,405, Response filed Oct. 24, 2016 to Final Office Action mailed Aug. 24, 2016", 11 pgs. cited by applicant

"U.S. Appl. No. 15/023,262, Examiner interview Summary mailed Oct. 11, 2017", 3 pgs. cited by

applicant

U.S. Appl. No. 15/023,262, Non Final Office Action mailed Jul. 11, 2017, 14 pgs. cited by applicant

“U.S. Appl. No. 15/023,262, Notice of Allowance mailed Dec. 21, 2017”, 8 pgs. cited by applicant

“U.S. Appl. No. 15/023,262, Response filed Oct. 10, 2017 to Non Final Office Action mailed Jul. 11, 2017”, 11 pgs. cited by applicant

“U.S. Appl. No. 15/023,581, Non Final Office Action mailed Jan. 17, 2017”, 10 pgs. cited by applicant

“U.S. Appl. No. 15/023,581, Notice of Allowance mailed Jul. 27, 2017”, 8 pgs. cited by applicant

“U.S. Appl. No. 15/023,581, Preliminary Amendment filed Mar. 21, 2016”, 3 pgs. cited by applicant

“U.S. Appl. No. 15/023,581, Response filed Apr. 11, 2017 to Non Final Office Action mailed Jan. 17, 2017”, 15 pgs. cited by applicant

“U.S. Appl. No. 15/025,634, Response filed Jan. 25, 2018 to Non Final Office Action mailed Oct. 27, 2017”, 13 pgs. cited by applicant

“U.S. Appl. No. 15/025,634, Non Final Office Action mailed Oct. 27, 2017”, 21 pgs. cited by applicant

“U.S. Appl. No. 15/025,634, Preliminary Amendment filed Mar. 29, 2016”, 9 pgs. cited by applicant

“U.S. Appl. No. 15/026,022, Corrected Notice of Allowance mailed Dec. 13, 2017”, 2 pgs. cited by applicant

“U.S. Appl. No. 15/026,022, Examiner interview Summary mailed Sep. 7, 2017”, 3 pgs. cited by applicant

“U.S. Appl. No. 15/026,022, Non Final Office Action mailed Jul. 18, 2017”, 7 pgs. cited by applicant

“U.S. Appl. No. 15/026,022, Notice of Allowance mailed Oct. 11, 2017”, 5 pgs. cited by applicant

“U.S. Appl. No. 15/026,022, Preliminary Amendment mailed Mar. 30, 2016”, 9 pgs. cited by applicant

“U.S. Appl. No. 15/026,022, Response filed Sep. 7, 2017 to Non Final Office Action mailed Jul. 18, 2017”, 9 pgs. cited by applicant

“U.S. Appl. No. 15/052,600, Corrected Notice of Allowance mailed Jun. 24, 2016”, 7 pgs. cited by applicant

“U.S. Appl. No. 15/052,600, Corrected Notice of Allowance mailed Aug. 5, 2016”, 7 pgs. cited by applicant

“U.S. Appl. No. 15/052,600, Notice of Allowance mailed May 20, 2016”, 10 pgs. cited by applicant

“U.S. Appl. No. 15/052,600, Preliminary Amendment filed Apr. 1, 2016”, 10 pgs. cited by applicant

“U.S. Appl. No. 15/113,214, Non Final Office Action mailed Nov. 2, 2017”, 11 pgs. cited by applicant

U.S. Appl. No. 15/113,214, Response filed Jan. 26, 2018 to Non Final Office Action. cited by applicant

“U.S. Appl. No. 15/113,214, Response filed Oct. 6, 2017 to Restriction Requirement mailed Aug. 10, 2017”, 9 pgs. cited by applicant

“U.S. Appl. No. 15/113,214, Restriction Requirement mailed Aug. 10, 2017”, 6 pgs. cited by applicant

“U.S. Appl. No. 15/263,864, Corrected Notice of Allowance mailed Dec. 14, 2017”, 6 pgs. cited by applicant

“U.S. Appl. No. 15/263,864, Final Office Action mailed Sep. 21, 2017”, 19 pgs. cited by applicant

“U.S. Appl. No. 15/263,864, Non Final Office Action mailed Mar. 10, 2017”, 4 pgs. cited by applicant

applicant

“U.S. Appl. No. 15/263,864, Notice of Allowance mailed Nov. 9, 2017”, 7 pgs. cited by applicant

“U.S. Appl. No. 15/263,864, Response filed Jun. 9, 2017 to Non Final Office Action mailed Mar. 10, 2017”, 9 pgs. cited by applicant

“U.S. Appl. No. 15/263,864, Response Filed Oct. 18, 2017 to Final Office Action mailed Sep. 21, 2017”, 11 pgs. cited by applicant

“U.S. Appl. No. 15/280,782, Corrected Notice of Allowance mailed Nov. 3, 2017”, 2 pgs. cited by applicant

“U.S. Appl. No. 15/394,069, Corrected Notice of Allowance mailed Nov. 9, 2017”, 2 pgs. cited by applicant

“U.S. Appl. No. 15/644,937, Preliminary Amendment filed Aug. 30, 2017”, 8 pgs. cited by applicant

“U.S. Appl. No. 15/801,680, Preliminary Amendment filed Dec. 21, 2017”, 10 pgs. cited by applicant

“Chinese Application Serial No. 201480056246.9, Office Action mailed Sep. 29, 2018”, W/English Translation, 23 pgs. cited by applicant

“Chinese Application Serial No. 201480056246.9, Response Filed Feb. 14, 2019 to Office Action mailed Sep. 29, 2018”, w/English Claims, 19 pgs. cited by applicant

“Chinese Application Serial No. 201580025791.6, Voluntary Amendment filed on Jun. 21, 2017”, (W English Claims), 16 pgs. cited by applicant

“Chinese Application Serial No. 201580079973.7, Voluntary Amendment filed on Jun. 15, 2017”, (W/ English Translation), 12 pgs. cited by applicant

“Chinese Application Serial No. 201710063899.5, Voluntary Amendment Filed on Oct. 20, 2017”, (W English Claims), 23 pgs. cited by applicant

“European Application Serial No. 14863133.6, Extended European Search Report mailed Jul. 3, 2017”, 10 pgs. cited by applicant

“European Application Serial No. 14863133.6, Response Filed Jan. 17, 2018 to Extended European Search Report mailed Jul. 3, 2017”, 12 pgs. cited by applicant

“European Application Serial No. 14863142.7, Extended European Search Report mailed May 3, 2017”, 7 pgs. cited by applicant

“European Application Serial No. 14863142.7, Response Filed Nov. 15, 2017 to Extended European Search Report mailed May 3, 2017”, 13 pgs. cited by applicant

“European Application Serial No. 14863362.1, Extended European Search Report mailed Jul. 18, 2017”, 8 pgs. cited by applicant

“European Application Serial No. 14863362.1, Response filed Dec. 20, 2016 to Communication pursuant to Rules 161 (2) and 162 EPC mailed Jun. 28, 2016”, 21 pgs. cited by applicant

“European Application Serial No. 14864107.9, Extended European Search Report, mailed Jul. 27, 2017”, 13 pgs. cited by applicant

“European Application Serial No. 14864636.7, Extended European Search Report mailed Jul. 21, 2017”, 8 pgs. cited by applicant

“European Application Serial No. 148646 8 0.5, Extended European Search Report mailed Jul. 18, 2017”, 11 pgs. cited by applicant

“European Application Serial No. 14883581.2, Extended European Search Report mailed Sep. 29, 2017”, 9 pgs. cited by applicant

“European Application Serial No. 14883772.7, Communication of European publication number and information on the application of Article 67(3) mailed Dec. 7, 2016”, 1 pg. cited by applicant

“European Application Serial No. 14883772.7, Extended European Search Report mailed Oct. 12, 2017”, 7 pgs. cited by applicant

“European Application Serial No. 15789579.8, Communication Pursuant to Article 94(3) EPC mailed Nov. 2, 2018”, 4 pgs. cited by applicant

“European Application Serial No. 15789579.8, Extended European Search Report mailed Nov. 24, 2017”, 6 pgs. cited by applicant

“European Application Serial No. 15821605.1, Response Filed Sep. 4, 2017 to Communication Pursuant to Rules 161 (2) and 162 EPC”, 11 pgs. cited by applicant

“European Application Serial No. 16168650.6, Communication Pursuant to Article 94(3) EPC mailed Aug. 2, 2017”, 5 pgs. cited by applicant

“European Application Serial No. 16168650.6, Extended European Search Report mailed Sep. 7, 2016”, 12 pgs. cited by applicant

“European Application Serial No. 16168650.6, Response Filed Nov. 13, 2017 to Communication Pursuant to Article 94(3) EPC mailed Aug. 2, 2017”, 10 pgs. cited by applicant

“Further evaluation on outdoor Wi-Fi; 11-13-0843-00-0hew-further-evaluation-on-outdoor-wi-fi”, Wookbong Lee (LG Electronics): IEEE SA Mentor; 11-13-0843-00-0HEW-Further-Evaluation-On-Outdoor-Wi-Fi, IEEE-SA Mentor, Piscataway, NJ USA, (Jul. 15, 2013), 18 pgs. cited by applicant

“Guard interval estimation considering switch time and propagation delay”, R1-134362 3GPP TSG RAN WG1 Meeting #74bis, (Oct. 2013), 4 pgs. cited by applicant

“HEWSG PHY Considerations for Outdoor Environment; 11-13-0536-00-0hew-hew-sg-phy-considerations-for-outdoor-environment”, Wookbong Lee (LG Electronics): IEEE SA Mentor; 11-13-0536-00-0HEW-HEW-SG-PHY-Considerations-For-Outdoor-Environment, IEEE-SA Mentor, Piscataway, NJ USA, (May 13, 2013), 21 pgs. cited by applicant

“IEEE Standard 802.11b-1999”, (1999), 1-89. cited by applicant

“IEEE Standard for Information technology—Telecommunications and information exchange between systems—Local and metropolitan area networks—Specific Requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”, IEEE Computer Society, (2009), 538 pgs. cited by applicant

“IEEE Standard for information technology—Telecommunications and information exchange between systems—Local and metropolitan area network—Specific Requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications”, IEEE Computer Society, (2013), 425 pgs. cited by applicant

“Indian Application Serial No. 201647013626, Voluntary Amendment filed Aug. 4, 2016”, 15 pgs. cited by applicant

“Indian Application Serial No. 201647013652, Preliminary Amendment mailed Aug. 4, 2016”, 11 pgs. cited by applicant

“Indian Application Serial No. 201647013653, Preliminary Amendment filed Aug. 8, 2016”, 18 pgs. cited by applicant

“Indian Application Serial No. 201647039642, Preliminary Amendment filed Jan. 5, 2017”, 5 pgs. cited by applicant

“International Application Serial No. PCT/CN2014/086532, International Search Report mailed Dec. 17, 2014”, 4 pgs. cited by applicant

“International Application Serial No. PCT/CN2014/086532, Written Opinion mailed Dec. 17, 2014”, 4 pgs. cited by applicant

“International Application Serial No. PCT/US2014/044881, International Preliminary Report on Patentability mailed Sep. 9, 2016”, 9 pgs. cited by applicant

“International Application Serial No. PCT/US2014/044881, International Search Report mailed Nov. 24, 2014”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/044881, Written Opinion mailed Nov. 24, 2014”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2014/053451, International Preliminary Report on Patentability mailed Sep. 9, 2016”, 6 pgs. cited by applicant

“International Application Serial No. PCT/US2014/053451, International Search Report mailed Dec. 10, 2014”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/053451, Written Opinion mailed Dec. 10, 2014”, 4 pgs. cited by applicant

“International Application Serial No. PCT/US2014/055996, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2014/055996, International Search Report mailed Dec. 17, 2014”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/055996, Written Opinion mailed Dec. 17, 2014”, 5 pgs. cited by applicant

“International Application Serial No. PCT/US2014/056819, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2014/056819, International Search Report mailed Dec. 31, 2014”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/056819, Written Opinion mailed Dec. 31, 2014”, 6 Pgs. cited by applicant

“International Application Serial No. PCT/US2014/057751, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2014/057751, International Search Report mailed Jan. 5, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2Q14/057751, Written Opinion mailed Jan. 5, 2015”, 5 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064340, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2Q14/064340, International Search Report mailed Feb. 16, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064340, Written Opinion mailed Feb. 16, 2015”, 6 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064350, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064350, International Search Report mailed Feb. 6, 2015”, 4 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064350, Written Opinion mailed Feb. 6, 2015”, 5 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064509, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 10 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064509, International Search Report mailed Feb. 11, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064509, Written Opinion mailed Feb. 11, 2015”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064599, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 9 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064599, International Search Report mailed Feb. 26, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/084599, Written Opinion mailed Feb. 26, 2015”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064787, International Preliminary Report on Patentability mailed Aug. 2, 2018”, 10 pgs. cited by applicant

“International Application Serial No. PCT/US2014/084767, International Search Report mailed Feb. 26, 2015”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2014/064787, Written Opinion mailed Feb. 26, 2015”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2014/066133, International Preliminary Report on Patentability mailed Jun. 2, 2016”, 9 pgs. cited by applicant

“International Application Serial No. PCT/US2014/086133, International Search Report mailed Feb. 24, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/068133, Written Opinion mailed Feb. 24, 2015”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2014/071942, International Preliminary Report on Patentability mailed Feb. 2, 2017”, 9 pgs. cited by applicant

“International Application Serial No. PCT/US2014/071942, International Search Report mailed Apr. 17, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2014/071942, Written Opinion mailed Apr. 17, 2015”, 7 pgs. cited by applicant

“International Application Serial No. PCT/US2015/035114, International Preliminary Report on Patentability mailed Jan. 26, 2017”, 10 pgs. cited by applicant

“International Application Serial No. PCT/US2015/035114, International Search Report mailed Oct. 19, 2015”, 3 pgs. cited by applicant

“International Application Serial No. PCT/US2015/035114, Written Opinion mailed Oct. 19, 2015”, 8 pgs. cited by applicant

“International Application Serial No. PCT/US2015/035313, International Search Report mailed Sep. 25, 2015”, 4 pgs. cited by applicant

“International Application Serial No. PCT/US2015/035313, Written Opinion mailed Sep. 25, 2015”, 8 pgs. cited by applicant

“Mexican Application Serial No. MX/a/2016/018738”, W/Concise Statement of Relevance, 9 pgs. cited by applicant

“Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Part 1 of 2”. IEEE Computer Society IEEE Std 802.11-2016 (Revision of IEEE Std 802.11-2012), (2016), 2000. cited by applicant

“Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Part 2 of 2”, IEEE Computer Society IEEE Std 802.11-2016 (Revision of IEEE Std 802.11-2012), (2016), 1535. cited by applicant

“Taiwanese Application Serial No. 104101656, Office Action mailed Mar. 21, 2016” W/English Search Report, 7 pgs. cited by applicant

“Taiwanese Application Serial No. 104101656, Response filed Sep. 22, 2016 to Office Action mailed Mar. 21, 2016”, W/ English Claims, 43 pgs. cited by applicant

“Taiwanese Application Serial No. 104101789, Office Action mailed Mar. 25, 2016”, w/English Claims, 18 pgs. cited by applicant

“Taiwanese Application Serial No. 104101789, Response filed Sep. 23, 2016 to Office Action mailed Mar. 25, 2016”, w/English Claims, 61 pgs. cited by applicant

“Taiwanese Application Serial No. 104101790, Office Action mailed Apr. 21, 2016”, w/English Claims, 12 pgs. cited by applicant

“Taiwanese Application Serial No. 104101790, Response filed Jul. 22, 2016 to Office Action mailed Apr. 21, 2016”, W/English Claims, 10 pgs. cited by applicant

“Taiwanese Application Serial No. 104106272, Office Action mailed Apr. 18, 2016”, w/ English Claims, 15 pgs. cited by applicant

“Taiwanese Application Serial No. 104106272, Response filed Oct. 14, 2016 to Office Action mailed Apr. 18, 2016”, W/English Claims, 45 pgs. cited by applicant

“Taiwanese Application Serial No. 104106275, Office Action mailed Jun. 8, 2016”, W/Machine Translation, 5 pgs. cited by applicant

“Taiwanese Application Serial No. 104106275, Response filed Sep. 6, 2016 to Office Action mailed Jun. 8, 2016”, W/English Claims, 80 pgs. cited by applicant

“Taiwanese Application Serial No. 104108803, Office Action mailed Jul. 1, 2016”, w/English Claims, 16 pgs. cited by applicant

“Taiwanese Application Serial No. 104108803, Response filed Jan. 3, 2017 to Office Action mailed Jul. 1, 2016”, w/English Claims, 8 pgs. cited by applicant

“Taiwanese Application Serial No. 104110914, Office Action mailed Mar. 28, 2016”, w/English Claims, 14 pgs. cited by applicant

“Taiwanese Application Serial No. 104113863, Office Action mailed Jun. 6, 2016”, W/Concise Statement of Relevance, 6 pgs. cited by applicant

“Taiwanese Application Serial No. 104113863, Response filed Aug. 30, 2016 to Office Action mailed Jun. 6, 2016”, W/English Claims, 76 pgs. cited by applicant

“Taiwanese Application Serial No. 104117983, Office Action mailed Jul. 28, 2016”, w/Concise Statement of Relevance, 6 pgs. cited by applicant

“Taiwanese Application Serial No. 104117983, Response filed Jan. 16, 2017 to Office Action mailed Jul. 28, 2016”, (W/English Translation), 87 pgs. cited by applicant

“Taiwanese Application Serial No. 104118345, Office Action mailed May 10, 2017”, W/English Translation, 9 pgs. cited by applicant

“Taiwanese Application Serial No. 104118345, Response filed Nov. 10, 2017 to Office Action mailed May 10, 2017”, (W/English Claims), 68 pgs. cited by applicant

“Taiwanese Application Serial No. 104118345, Response filed Dec. 22, 2017 to Examiner Interview”, (W/English Claims), 52 pgs. cited by applicant

“Taiwanese Application Serial No. 104118504, Office Action mailed Apr. 21, 2017”, W/English Claims, 19 pgs. cited by applicant

“Taiwanese Application Serial No. 104118504, Office Action mailed Jul. 21, 2016”, W/English Translation, 18 pgs. cited by applicant

“Taiwanese Application Serial No. 104118504, Response Filed Jul. 20, 2017 to Office Action mailed Apr. 21, 2017”, (W/English Claims), 13 pgs. cited by applicant

“Taiwanese Application Serial No. 104118504, Response filed Oct. 18, 2016 to Office Action mailed Jul. 21, 2016”, W/English Claims, 104 pgs. cited by applicant

“Taiwanese Application Serial No. 104122567, Office Action mailed Jun. 27, 2017”, (W/English Translation), 5 pgs. cited by applicant

“Taiwanese Application Serial No. 104122567, Office Action mailed Oct. 13, 2016”, W/English Search Report, 8 pgs. cited by applicant

“Taiwanese Application Serial No. 104122567, Response Filed Apr. 13, 2017 to Office Action mailed Oct. 13, 2016”, w/Concise Statement of Relevance, 10 pgs. cited by applicant

“Taiwanese Application Serial No. 104122567, Response Filed Dec. 22, 2017 to Office Action mailed Jun. 27, 2017”, (W/English Claims), 134 pgs. cited by applicant

Taiwanese Application Serial No. 105113980, Office Action mailed Jul. 21, 2016n, W/English Claims, 18 pgs. cited by applicant

“Taiwanese Application Serial No. 105113980, Response filed Oct. 24, 2016 to Office Action mailed Jul. 21, 2016”, W/English Claims, 80 pgs. cited by applicant

“Taiwanese Application Serial No. 105139521, Response filed Jul. 31, 1810 Office Action mailed Apr. 27, 2018”, W/English Claims, 55 pgs. cited by applicant

“Taiwanese Application Serial No. 105139522, Office Action mailed Jan. 5, 2018”, w/English Translation, 4 pgs. cited by applicant

“VHDL Implementation of Reconfigurable Multimode Block Interleaver for OFDM Based WLAN”, IJARECE, vol. 1, [Online]. Retrieved from the Internet: <<http://ijarece.org/>>, (Oct. 2012), 82-84 pgs. cited by applicant

Chun, Jinyoung. et al . . . “Uplink multi-user transmission”, In: IEEE P802.11—High Efficiency WLAN Study Group, (Nov. 11, 2013), 18 pgs. cited by applicant

Dave, Hedberg. et al., “Adjacent Channel Interference and Filtering for 56-carrier Signals; 11-04-

1579-01-000n-11-04-1579-00-000n-aci-results”, (Jan. 17, 2005), 1-26 pgs. cited by applicant

Hiertz, Guido R, et al., Proposed direction and priorities for HEW, In: IEEE P802.11—High Efficiency WLAN Study Group, (Nov. 12, 2013), 17 pgs. cited by applicant

Hongyuan, Zhang, “11ah preamble for 2MHz and beyond ;11-11-1483-02-00ah-11ah-preamble-for-2 mhzand-beyond”, IEEE Draft; 11-11-1483-02-00AH-11AH-Preamble-For-2MHZAND-Beyond, IEEE-SA Mentor, Piscataway, NJ USA, vol. 802.11 ah, No. 2, (Jan. 16, 2012), 1-24. cited by applicant

Jianhan, Liu, “Summary and Discussions of Proposals on Potential PHY Technologies in HEW 11-13-1375-01-Ohew-summary-and-discussions-of-proposals-on-potential-phytechnologies-in-hew”, IEEE Draft: 11-13-1375-01-OHEW-Summary-And-Discussions-Of-Proposals-On-Potential-PHY-Technologies-In-HEW, IEEE-SA Mentor, Piscataway, NJ USA, vol. 802.11 HEW, No. 1., (Nov. 12, 2013), 1-15. cited by applicant

Jinsoo, Choi, “Discussion on OFDMA in HEW; 11-13-1382-00-0hew-discussion-on-ofdma-inhew”. (LG Electronics): IEEE Draft; 11-13-1382-00-0HEW-Discussion-On-OFDMA-In-HEW, IEEE-SA Mentor, Piscataway, NJ USA vol. 802.11 HEW, (Nov. 12, 2013), 1-11. cited by applicant

Jinyoung, Chun, “UL MU transmission 11-13-1388-00-Ohew-ul-mu-transmission”, IEEE Draft; 11-13-1388-OO-OHEW-UL-MU-Transmission, IEEE-SA. Mentor, Piscataway, NJ USA. val. 802.11 HEW, (Nov. 11, 2013), 1-18. cited by applicant

Oh, Jinhyung, et al., “Distributed implicit interference alignment in 802.11 ac WLAN network”, International Conference on ICT Convergence (ICTC), Oct. 2013), 421-426. cited by applicant

Raja, Banerjea, “A simplified STR Mechansim—MAC 11-14-0340-00-0hew-a-simplified-str-mechansim mac”, IEEE Draft, 11-14-0340-00-OHEW-A-Simplified-STR-Mechanism-MAC, IEEE-SAMentor, Piscataway, NJ USA, vol. 802.11 HEW, (Mar. 16, 2014), 13 pgs. cited by applicant

Robert, Stacey, “Proposed Specification Framework for TGac; 11-09-0992-21-00ac proposed-specification-framework for tgac”, IEEE SA Mentor, 11-09-0992-21-00AC-Proposed-Specificationframework-For-TGac,IEEE-SAMentor, Piscataway, NJ USA, vol. 802.11ac, No. 21, (Dec. 9, 2009), 1-5 pgs. cited by applicant

Primary Examiner: Carpio; Mariela Vidal

Attorney, Agent or Firm: Sughrue Mion, PLLC

Background/Summary

PRIORITY CLAIM (1) This application is a continuation of U.S. application Ser. No. 16/256,842 filed on Jan. 24, 2019, which is a continuation of U.S. patent application Ser. No. 14/498,385, filed Sep. 26, 2014 (abandoned), which claims priority under 35 U.S.C. 119(e) to United States Provisional Patent Application Ser. No. 61/990,414, filed May 8, 2014, each of which is incorporated herein by reference in its entirety.

TECHNICAL FIELD

(1) Embodiments pertain to wireless communications. Some embodiments relate to block acknowledgements in wireless networks.

BACKGROUND

(2) One issue with communicating data over a wireless network is acknowledging received data. Often acknowledging received data consumes bandwidth. Moreover, with the use of some protocols, a large number of stations may be transmitting simultaneously in both the spatial domain and time domain. Additionally, consumers often demand more and more bandwidth for their

applications.

(3) Thus, there are general needs for systems, apparatus, and methods that reduce signaling, bandwidth, and delay associated with communicating smaller amounts of data.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 illustrates a wireless network, in accordance with some embodiments;
- (2) FIG. 2 illustrates a time sequence diagram of an acknowledgement, in accordance with some example embodiments;
- (3) FIG. 3 illustrates a time sequence diagram of an acknowledgement, in accordance with some example embodiments;
- (4) FIG. 4 illustrates a time sequence diagram of an acknowledgement, in accordance with some example embodiments;
- (5) FIG. 5 illustrates a time sequence diagram of an acknowledgement, in accordance with some example embodiments;
- (6) FIG. 6 illustrates a time sequence diagram of an acknowledgement, in accordance with some example embodiments;
- (7) FIG. 7 illustrates a frame with a field for acknowledgement, in wireless networks according to example embodiments;
- (8) FIG. 8 illustrates a frame with a field for acknowledgement, in wireless networks according to example embodiments;
- (9) FIG. 9 illustrates a frame with a field for acknowledgement, in wireless networks according to example embodiments; and
- (10) FIG. 10 illustrates a high-efficiency wireless HEW device, in accordance with some embodiments.

DETAILED DESCRIPTION

(11) The following description and the drawings sufficiently illustrate specific embodiments to enable those skilled in the art to practice them. Other embodiments may incorporate structural, logical, electrical, process, and other changes. Portions and features of some embodiments may be included in, or substituted for, those of other embodiments. Embodiments set forth in the claims encompass all available equivalents of those claims.

(12) FIG. 1 illustrates a wireless network, in accordance with some embodiments. The wireless network may comprise a basis service set (BSS) **50** that may include an access point (AP) **104**, a plurality of high-efficiency wireless or Wi-Fi (HEW) (e.g., Institute of Electrical and Electronics Engineers IEEE 802.11ax) devices, and a plurality of legacy (e.g., IEEE 802.11n/ac) devices **106**.

(13) The AP **104** may be an AP and use 802.11 to transmit and receive. The AP **104** may be a base station. The AP **104** may use other communications protocols as well as the 802.11 protocol. The 802.11 protocol may be 802.11ax. The 802.11 protocol may include using Orthogonal Frequency-Division Multiple Access (OFDMA). The 802.11 may include using multi-user multiple-input and multiple-output (MU-MIMO).

(14) The HEW devices **102** may be wireless transmit and receive devices such as cellular telephones, handheld wireless devices, wireless glasses, wireless watches, wireless personal devices, tablets, or another devices that may be transmitting and receiving using an 802.11 protocol such as 802.11ax or another wireless protocol.

(15) The BSS **50** may operate on a primary channel and one or more secondary channels or sub-channels. The BSS **50** may include one or more APs **104**. In accordance with embodiments, the AP **104** may communicate with one or more of the HEW devices **102** on one or more of the secondary channels or sub-channels or the primary channel. In example embodiments, the AP **104**

communicates with the legacy devices **106** on the primary channel. In example embodiments, the AP **104** may be configured to communicate concurrently with one or more of the HEW devices **102** on one or more of the secondary channels and a legacy device **106** utilizing only the primary channel and not utilizing any of the secondary channels.

(16) The AP **104** may communicate with legacy devices **106** in accordance with legacy IEEE 802.11 communication techniques. In example embodiments, the AP **104** may also be configured to communicate with HEW devices **102** in accordance with legacy IEEE 802.11 communication techniques. Legacy IEEE 802.11 communication techniques may refer to any IEEE 802.11 communication technique prior to IEEE 802.11ax.

(17) In some embodiments, HEW frames may be configurable to have the same bandwidth or different bandwidths, and the bandwidth may be one of 20 MHz, 40 MHz, 80 MHz or 160 MHz contiguous bandwidths or an 80+80 MHz non-contiguous bandwidth. In some embodiments, a 320 MHz contiguous bandwidth may be used. In some embodiments, bandwidths of 1 MHz, 1.25 MHz, 2.5 MHz, 5 MHz and 10 MHz or a combination thereof may also be used. In these embodiments, a HEW frame may be configured for transmitting a number of spatial streams.

(18) In example embodiments, referring to FIGS. **2** through **9**, the AP **104** is configured to transmit and/or receive signal fields (SIGs) **120, 220, 320, 420, and 520**; DATA **122, 222, 322, 422, and 522**; (multi-user block acknowledgment requests (MU BAR) **323, 423, and 523**; block acknowledgement request (BAR) **223**; (block acknowledgement) BACK **226, 326, 426, and 526**; frames **600 and 700**; and, BACK **126**.

(19) In example embodiments the HEW device **102** is configured to transmit and/or receive SIGs **120, 220, 320, 420, and 520**; DATA **122, 222, 322, 422, and 522**; MU BAR **323, 423, and 523**; BAR **223**; BACK **226, 326, 426, and 526**; frames **600 and 700**; and, ACK **126**. In example embodiments, the HEW device **102** is station (STA) in 802.11.

(20) In other embodiments, the AP **104**, HEW device **102**, and/or legacy device **106** may implement different technologies such as code-division multiple access (CDMA) 2000, CDMA2000 1X, CDMA2000 EV-DO, Interim Standard 2000 (IS-2000), Interim Standard 95 (IS-95), Interim Standard 856 (IS-856), Global System for Mobile communications (GSM), Enhanced Data rates for GSM Evolution (EDGE), GSM EDGE (GERAN), Long Term Evolution (LTE), IEEE 802.15.1, 802.11ac, IEEE 802.16 (i.e., Worldwide Interoperability for Microwave Access (WiMAX)).

(21) In an OFDMA system (e.g. 802.11ax), an associated HEW device **104** may operate on any 20 MHz sub-channel of the BSS **50** (that can operate, for example, at 80 MHz).

(22) Embodiments pertain to wireless communications. Some embodiments relate to high-efficiency wireless communications including high-efficiency Wi-Fi/wireless local-area network (WEAN) and HEW communications. Some embodiments relate to wireless communications in accordance with one of the IEEE 802.11 standards including the High Efficiency WEAN Study Group (HEW SG) that is now IEEE 802.11ax Task Group.

(23) In accordance with some IEEE 802.11ax (High-Efficiency Wi-Fi) embodiments, AP **104** may operate as a master station, which may be arranged to contend for a wireless medium (e.g., during a contention period) to receive exclusive control of the medium for a HEW control period (i.e., a transmission opportunity (TXOP)). The master station may transmit an HEW master-sync transmission at the beginning of the HEW control period. During the HEW control period, HEW stations may communicate with the master station in accordance with a non-contention based multiple access technique. This is unlike conventional Wi-Fi communications in which devices communicate in accordance with a contention-based communication technique, rather than a multiple access technique. During the HEW control period, the master station may communicate with HEW stations using one or more HEW frames. During the HEW control period, legacy stations refrain from communicating. In some embodiments, the master-sync transmission may be referred to as an HEW control and schedule transmission.

(24) In some embodiments, the multiple-access technique used during the HEW control period may be a scheduled OFDMA technique, although this is not a requirement. In some embodiments, the multiple access technique may be a time-division multiple access (TDMA) technique or a frequency division multiple access (FDMA) technique. In some embodiments, the multiple access technique may be a space-division multiple access (SDMA) technique.

(25) The master station may also communicate with legacy stations in accordance with legacy IEEE 802.11 communication techniques. In some embodiments, the master station may also be configurable to communicate with HEW stations outside the HEW control period in accordance with legacy IEEE 802.11 communication techniques, although this is not a requirement.

(26) FIG. 2 illustrates a time sequence diagram **100** of an acknowledgement, in accordance with some example embodiments. Illustrated in FIG. 1 is a time sequence diagram **100**, AP **104**, STAs **108**, SIG **120**, DATA **122**, and BACK **126**. In example embodiments, the STAs **108** are HEW devices **102**. The time sequence diagram **100** illustrates time **160** along the horizontal axis and frequency **150** along the vertical axis. The transmitter is indicated along the top.

(27) The frequency **150** may be divided into four subchannels **1, 2, 3, 4**. In example embodiments, each subchannel **1, 2, 3, 4** may have a bandwidth of 5 MHz. In example embodiments, each subchannel has a bandwidth, and the bandwidths may be different. For example, subchannels **1** and **2** may have a bandwidth of 5 MHz, subchannel **3** may have a bandwidth of 10 MHz, and subchannel **4** may have a bandwidth of 20 MHz. In example embodiments, the subchannels **1, 2, 3, 4** may be in accordance with a wireless standard. As illustrated, there is one AP **104** and four STAs **108**. In example embodiments, there may be more or fewer STAs **108** and more or fewer APs **104**.

(28) In example embodiments, the STAs **108** and AP **104** may be using OFDMA to communicate. In example embodiments, the STAs **108** and AP **104** may be using uplink and downlink multiple-user multiple-input multiple-output (UL MU-MIMO) to communicate. In MU-MIMO, two or more spatial streams may be used that utilize the same frequency. In example embodiments, the STAs **108** and AP **104** may communicate according to a wireless communication standard. In example embodiments, the wireless standard may be 802.11, 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.11ad, 802.11af, 802.11ah, 802.11ai, 802.11aj, 802.11aq, 802.11ax, Bluetooth, or another wireless standard.

(29) In example embodiments, the STAs **108** are mobile devices. In example embodiments, the STAs **108** are wireless mobile devices. In example embodiments, the AP **104** is an AP. In example embodiments, the AP **104** is a mobile device. In example embodiments, the AP **104** is a wireless device. In example embodiments, the AP **104** is a STA **108**.

(30) In example embodiments, the SIG **120** is a signal that may include information regarding the data **122**. In example embodiments, the SIG **120** may include information regarding the AP **104**. In example embodiments, the SIG **120** may include information regarding an acknowledgement policy. In example embodiments, the SIG **120** may comprise a frame that complies with a wireless standard. In example embodiments, the SIG **120** comprises a control or management frame that complies with a wireless standard.

(31) In example embodiments, the data **122** may be a signal that comprises a data frame that complies with a wireless standard. In example embodiments, the BACK **126** may be a signal that comprises an acknowledgement frame in accordance with a wireless standard. In example embodiments, the BACK **126** may be a block acknowledgment in accordance with a wireless standard. In example embodiments, the data **122** includes an indication of an acknowledgement policy.

(32) The time sequence diagram **100** begins at **162** with the AP **104** transmitting the SIG **120** to the STAs **108**. In an example embodiment, the AP **104** may determine, based on the acknowledge policy being used, to include a bit in the SIG **120** that indicates to the STAs **108** to use an acknowledgement policy where the STAs **108** transmit an BACK **126** to the AP **104** without waiting for a request to transmit the BACK **126**. In example embodiments, the AP **104** may

transmit an indication to the STAs **108** of an acknowledgement policy in a previous frame.

(33) The time sequence diagram **100** continues at **164** with the AP **104** transmitting data **122** to the STAs **108**. For example, the AP **104** may transmit data **122.2** to STA2 **108.2** on subchannel **3**.

(34) In an example embodiment, the AP **104** may determine not to transmit a schedule (SCH)/SIG after the data **122** based on the acknowledgement policy of the AP **104**. In an example embodiment, the AP **104** may include an indication of an acknowledge policy in frames of the data **122**.

(35) The time sequence diagram **100** continues at **166** with the STAs **108** waiting to transmit ACKs **126**. In some embodiments, the STAs **108** may wait a short interframe space (SIFS) **166** before transmitting the BACKs **126**. In example embodiments, the STAs **108** may determine to not wait for a SCH and/or a SIG and/or an ACK request from the AP **104** based on an acknowledgement policy. In example embodiments, the STAs **108** may wait SIFs **166** before transmitting the ACKs **126** based on receiving an indication of an acknowledgement policy from the AP **104**. In example embodiments, the STAs **108** may wait a period of time greater than the SIFS **166**. In example embodiments, the AP **104** may transmit to the STAs **108** a pre-determined amount of time the STAs **108** should wait before transmitting. In example embodiments, an indication of the acknowledgement policy may have been sent to the STAs **108** in an earlier frame such as a beacon or other management frame, or in a control or data frame. For example, an indication of the acknowledgement policy may have been sent in the SIG **120** or DATA **122** frames.

(36) The time sequence diagram **100** continues at **168** with the STAs **108** transmitting ACKs **126** to the AP **104**. In example embodiments, the STAs **108** use the same subchannel on which they received the data **122** to transmit the ACK **126**. For example, STA3 **108.3** received data **122.3** on subchannel **2** and transmitted an ACK **126.3** to the AP **104** on subchannel **2**. In example embodiments, the ACKs **126** are ACKs **126**. In example embodiments, the STAs **108** are configured to send the BACKs **126** in response to the DATA **122** without receiving a SCH and/or a (SIG and/or an BACK request from the AP **104** based on an acknowledgement policy.

(37) In example embodiments, the BACKs **126** are transmitted to the AP **104** in response to an implicit request from the AP **104** that is part of an acknowledgement policy. In example embodiments, the STAs **108** may transmit data (not illustrated) prior to or after transmitting the BACKs **126**. In example embodiments, one of the SIG **120** or the DATA **122** includes a schedule, and the STAs transmit data according to the schedule. In example embodiments, the BACK **126** may be part of a data frame (not illustrated).

(38) The STAs **108** transmitting BACKs **126** without receiving additional frames from the AP **104** may have the technical effect of saving time since transmitting a scheduling and/or SIG frame takes time. The scheduling and/or SIG frame may take 100 microseconds.

(39) In some embodiments, the MU-MIMO may be used where one or more subchannels **1, 2, 3, 4** may be shared by more than one STA **108**. For example, subchannel **4** may be shared by a MU-MIMO group such as STA1 **108.1** and STA5 **108.5** (not illustrated). In example embodiments, the acknowledgement policy may be based on a pre-determined rule. In example embodiments, the STA **108** may determine when to transmit a BACK **126** based on a spatial stream associated with the STA **108**. In example embodiments, the STA **108** from the MU-MIMO group that the first spatial stream is intended for may be the first STA **108** to transmit the BACK **126** after the data **122** transmission is received.

(40) FIG. **3** illustrates a time sequence diagram **200** of an acknowledgement, in accordance with some example embodiments. Illustrated in FIG. **3** is a time sequence diagram **200**, AP **104**, STAs **108**, SIG **220**, DATA **222**, block acknowledgement request (BAR) **223**, and BACK **226**. The time sequence diagram illustrates time **260** along the horizontal axis and frequency **250** along the vertical axis. The transmitter is indicated along the top.

(41) In example embodiments, the BAR **223** may be a signal that is a block acknowledgement request **223** according to a wireless standard. In example embodiments, the block acknowledgement (BACK) **226** may be a signal that is a block acknowledgement according to a

wireless standard.

(42) The time sequence diagram **200** begins at **262** with the AP **104** transmitting the SIG **220** to the STAs **108**. The time sequence diagram **200** continues at **264** with the AP **104** transmitting data **222** to the STAs **108**. For example, the AP **104** may transmit data **222.2** to STA2 **108.2** on subchannel **3**.

(43) The time sequence diagram **200** continues at **266** with the AP **104** transmitting BAR **223** to the STAs **108**. The BAR **223** may include an indication that the STAs **108** are to use an acknowledgement policy that indicates that the BACKs **226** are to be transmitted on the same subchannel **1, 2, 3, 4** in which the BAR **223** and/or DATA **222** was transmitted to the STAs **108**. In example embodiments, the indication of the acknowledgement policy may have been sent to the STAs **108** in an earlier frame such as a beacon or other management frame, or in a control or data frame:

(44) The time sequence diagram **200** may continue at **268** with the STAs **108** waiting to transmit BACKs **226**. In example embodiments, the STAs **108** may wait a SIFS **268** before transmitting the BACKs **226**. In example embodiments, the STAs **108** may determine to not wait for a SCH/SIG and wait SIFs **268** before transmitting the BACKs **226**. In example embodiments, the STAs **108** may determine to not wait for a SCH/SIG and wait SIFs **268** before transmitting the BACKs **226** based on receiving an indication from the AP **104** that the SCH/SIG would not be sent. In example embodiments, the STAs **108** may wait a different period of time before transmitting the BACK **226**.

(45) The time sequence diagram **200** continues at **270** with the STAs **108** transmitting BACKs **226** to the AP **104**. In some embodiments, the STAs **108** use the same subchannel on which they received the data **222** and/or BAR **223** to transmit the BACK **226**. For example, STA3 **108.3** received BAR **223.3** on subchannel **2** and transmitted a BACK **226.3** to the AP **104** on subchannel **2**. In some embodiments, the STAs **108** are configured to send the BACKs **226** in response to the BAR **223** without receiving a SCH and/or a SIG based on receiving an indication to implement this acknowledgement policy from the AP **104**.

(46) In example embodiments, the MU-MIMO may be used where one or more subchannels **1, 2, 3, 4** may be shared by more than one STA **108**. For example, subchannel **4** may be shared by a MU-MIMO group such as STA1 **108.1** and STA5 **108.5** (not illustrated). In example embodiments, the acknowledgement policy may be based on a pre-determined rule. In example embodiments, the STA **108** may determine when to transmit a BACK **226** based on a spatial stream associated with the STA **108**. In example embodiments, the STA **108** from the MU-MIMO group that the first spatial stream is intended for may be the first STA **108** to transmit the BACK **226** after the DATA **222** transmission is received.

(47) FIG. **4** illustrates a time sequence diagram **300** of an acknowledgement, in accordance with some example embodiments. Illustrated in FIG. **4** is a time sequence diagram **300**, AP **104**, STAs **108**, SIG **320**, DATA **322**, multi-user block acknowledgement request (MU BAR) **323**, and BACK **326**. The time sequence diagram illustrates time **360** along the horizontal axis and frequency **350** along the vertical axis. The transmitter is indicated along the top.

(48) In example embodiments, the MU BAR **323** may be a signal that is a multi-user BACK request according to a wireless standard. In example embodiments, the MU BAR **323** is a BACK request transmitted on subchannels **1, 2, 3, 4** to the STAs **108**. In an example embodiment, the MU-BAR **323** may be a multicast/broadcast frame addressing multiple STAs **108**. In example embodiments, the MU BAR **323** may include an indication that the STAs **108** are to use an acknowledgement policy that indicates on which subchannel **1, 2, 3, 4** that the BACKs **326** are to be transmitted.

(49) The time sequence diagram **300** begins at **362** with the AP **104** transmitting the SIG **320** to the STAs **108**. The time sequence diagram **300** continues at **364** with the AP **104** transmitting data **322** to the STAs **108**. For example, the AP **104** may transmit data **322.2** to STA2 **108.2** on subchannel **3**.

(50) The time sequence diagram **300** continues at **366** with the AP **104** transmitting MU-BAR **323** to the STAs **108**. In example embodiments, the MU BAR **323** may be transmitted on a band of the

subchannels **1, 2, 3, 4** that polls two or more of the STAs **108** to transmit BACKs **326**.

(51) In example embodiments, the MU BAR **323** may include an indication that the STAs **108** are to use an acknowledgement policy that indicates that the BACKs **326** are to be transmitted on the same subchannel **1, 2, 3, 4** in which the DATA **622** was transmitted to the STAs **108**. In example embodiments, the indication of the acknowledgement policy may have been sent to the STAs **108** in an earlier frame such as a management or control frame. In an example embodiment, MU-BAR **323** may include subchannel allocation for the uplink BACKs **326**. In example embodiments, the MU-BAR **323** includes one or more of the following information: association identification (AID) of the STAs **108**, subchannel for the STA **108** to use to transmit the BACK **326**, and legacy BAR information that may be included in one or more wireless standards.

(52) The time sequence diagram **300** continues at **368** with the STAs **108** waiting to transmit BACKs **326**. In some embodiments, the STAs **108** may wait a SIFS **368** before transmitting the ACKs **326**. In example embodiments, the STAs **108** may determine to not wait for a SCH/SIG and wait STAs **366** before transmitting the ACKs **326** based on receiving an indication of an acknowledgement policy in the SIG **320**.

(53) The time sequence diagram **300** continues at **370** with the STAs **108** transmitting BACKs **326** to the AP **104**. In example embodiments, the STAs **108** use the same subchannel on which they received the data **322** to transmit the BACK **326**. For example, STA3 **108.3** received data **322.3** on subchannel **2** and transmitted a BACK **326.3** to the AP **104** on subchannel **2**. In example embodiments, the STAs **108** are configured to send the BACKs **326** in response to the MU BAR **323** without receiving a SCH and/or a SIG based on receiving an indication to implement this acknowledgement policy from the AP **104**. In example embodiments, the STAs **108** are configured to transmit the BACKs **326** on an allocated subchannel **1, 2, 3, 4** based on a subchannel allocation in the MU-BAR **323**.

(54) In some embodiments, the MU-MIMO may be used where one or more subchannels **1, 2, 3, 4** may be shared by more than one STA **108**. For example, subchannel **4** may be shared by a MU-MIMO group such as STA1 **108.1** and STA5 **108.5** (not illustrated). In example embodiments, the acknowledgement policy may be based on a pre-determined rule. In example embodiments, the STA **108** may determine when to transmit a BACK **326** based on a spatial stream associated with the STA **108**. In example embodiments, the STA **108** from the MU-MIMO group for which the first spatial stream is intended may be the first STA **108** to transmit the BACK **326** after the DATA **322** transmission is received.

(55) FIG. 5 illustrates a time sequence diagram **400** of an acknowledgement, in accordance with some example embodiments. Illustrated in FIG. 5 is a time sequence diagram **400**, AP **104**, STAs **108**, SIG **420**, DATA **422**, MU BAR **423.1**, MU BAR **423.2**, and BACK **426**. The time sequence diagram illustrates time **460** along the horizontal axis and frequency **450** along the vertical axis. The transmitter is indicated along the top. As illustrated, the AP **104** and two or more of the STAs **108** may be using MU-MIMO and OFDMA. As illustrated, the frequency **450** is illustrated twice (**450.1** and **450.2**), with **450.1** illustrating a first MU-MIMO group and **450.2** illustrating a second MU-MIMO group.

(56) The time sequence diagram **400** begins at **462** with the AP **104** transmitting the SIG **420.1** and SIG **420.2** to the STAs **108**. The time sequence diagram **400** continues at **464** with the AP **104** transmitting data **422** to the STAs **108**. For example, the AP **104** may transmit data **422.2** to STA2 **108.2** in a first spatial stream and STA6 **108.6** on subchannel **3** in a second spatial stream.

(57) The time sequence diagram **400** continues at **466** with the AP **104** MU-BAR **423.1** to the STAs **108**. In an example embodiment, the MU BAR **423.1** may be transmitted on a band that polls two or more of the STAs **108** to transmit BACKs **426**. For example, MU BAR **423.1** may poll STA1 **108.1** through STA4 **108.4** on subchannels **1, 2, 3, 4** in MU-MIMO group. The MU BAR **423** may include an indication that the STAs **108** are to use an acknowledgement policy that indicates that the BACKs **426** are to be transmitted on the same subchannel **1, 2, 3, 4** in which the DATA **422** was

transmitted to the STAs **108**.

(58) In example embodiments, the MU-BAR **423** may indicate which MU-MIMO group should respond. In example embodiments, the MU-BAR **423** may indicate that a MU-MIMO group should respond, and the STAs **108** may determine which group should respond based on a predetermined rule. In example embodiments, the indication of the acknowledgement policy may have been sent to the STAs **108** in an earlier frame such as a management or control frame. In example embodiments, the MU-BAR **423** may be a multicast/broadcast frame addressing multiple STAs **108**. In example embodiments, MU-BAR **423** may include subchannel allocation for the uplink BACKs **426**. The MU-BAR **423** may include one or more of the following information AID of the STAs **108**: subchannel for the STA **108** to use to transmit the BACK **426** and legacy BAR information that may be included in one or more wireless standards.

(59) The time sequence diagram **400** continues at **468** with the STAs **108** waiting to transmit BACKs **426**. In example embodiments, the STAs **108** may wait a short SIFS **468** before transmitting the BACKs **426**. In example embodiments, the STAs **108** may determine to not wait for a SCH/SIG and wait SIFs **466** before transmitting the BACKs **426**. In example embodiments, the STAs **108** may determine to not wait for a SCH/SIG and wait SIFs **466** before transmitting the BACKs **426** based on receiving an indication of an acknowledgement policy in the SIG **420**.

(60) The time sequence diagram **400** continues at **470** with the STAs **108** transmitting BACKs **426** to the AP **104**. In an example embodiment, the STAs **108** use the same subchannel on which they received the data **422** to transmit the BACK **426**. For example, STA3 **108.3** received data **423.3** on subchannel **2** and transmitted a BACK **426.3** to the AP **104** on subchannel **2**. In an example embodiment, the STAs **108** are configured to send the BACKs **426** in response to the MU-BAR **423** without receiving a SCH and/or a SIG based on receiving an indication to implement this acknowledgement policy from the AP **104**. In an example embodiment, the STAs **108** are configured to transmit the BACKs **426** on subchannels **1, 2, 3, 4** based on a subchannel allocation in the MU-BAR **423**.

(61) The time sequence diagram **400** continues at **472** with the AP **104** transmitting a second MU-BAR **423.2**. In an example embodiment, the AP **104** transmits at least one MU-BAR **423** for each MU-MIMO group.

(62) The time sequence diagram **400** continues at **474** with the STAs **108** waiting to transmit BACKs **426**. The time sequence diagram **400** continues at **476** with the STAs **108** transmitting BACKs **426** to the AP **104**. In an example embodiment, the STAs **108** use the same subchannel on which they received the data **422** to transmit the BACK **426**. For example, STA3 **108.3** received data **422.3** on subchannel **2** and transmitted a BACK **426.3** to the AP **104** on subchannel **2**. In an example embodiment, the STAs **108** are configured to send the BACKs **426** in response to the MU-BAR **423** without receiving a SCH and/or a SIG based on receiving an indication to implement this acknowledgement policy from the AP **104**. In an example embodiment, the STAs **108** are configured to transmit the BACKs **426** on subchannels **1, 2, 3, 4** based on a subchannel allocation in the MU-BAR **423**.

(63) As illustrated, STA1 **108.1** and STA5 **108.5** are in different MU-MIMO groups. STA1 **108.1** transmitted a BACK **426.1** to the AP **104** at **470** in response to MU-BAR **423.1** at **466**. STA5 **108.5** transmitted a BACK **426.5** to the AP **104** at **476** in response to the MU-BAR **423.2** at **472**.

(64) FIG. **6** illustrates a time sequence diagram **500** of an acknowledgement, in accordance with some example embodiments. Illustrated in FIG. **6** is a time sequence diagram **500**, AP **104**, STAs **108**, SIG **520**, DATA **522**, MU BAR **523**, and BACK **526**. The time sequence diagram illustrates time **560** along the horizontal axis and frequency **550** along the vertical axis. The transmitter is indicated along the top. As illustrated, the AP **104** and two or more of the STAs **108** may be using MU-MIMO and OFDMA. As illustrated, the frequency **550** is illustrated twice (**550.1** and **550.2**), with **550.1** illustrating a first MU-MIMO group and **550.2** illustrating a second MU-MIMO group.

(65) The time sequence diagram **500** begins at **562** with the AP **104** transmitting the SIG **520** to the

STAs **108**. In example embodiments, the AP **104** transmits separate SIGS **520** for the two illustrated MU-MIMO groups.

(66) The time sequence diagram **500** continues at **564** with the AP **104** transmitting data **522** to the STAs **108**. For example, the AP **104** may transmit data **522.2** to STA2 **108.2** and data **522.6** to STA6 **108.6** on subchannel **3**. The data **522.2** and data **522.6** may be transmitted on different MU-MIMO groups.

(67) The time sequence diagram **500** continues at **566** with the AP **104** transmitting multi-user block acknowledgement requests (MU-BAR) **523** to the STAs **108**. In example embodiments, the MU BAR **523** may be transmitted on a band that polls two or more of the STAs **108** to transmit BACKs **526**. In example embodiments, the MU BAR **523** may poll multiple MU-MIMO groups.

(68) In example embodiments, the MU BAR **523** may include an indication that the STAs **108** are to use an acknowledgement policy that indicates that the BACKs **526** are to be transmitted on the same subchannels **1, 2, 3, 4** in which the DATA **522** was received by the STAs **108**.

(69) In example embodiments, the MU-BAR **523** may indicate which MU-MIMO group should respond. In an example embodiment, the MU-BAR **523** may indicate that a particular MU-MIMO group should respond. In example embodiments, the STAs **108** may determine which group should respond based on a predetermined rule. In example embodiments, the indication of the acknowledgement policy may have been sent to the STAs **108** in an earlier frame such as a management, data, or control frame.

(70) In example embodiments, the MU-BAR **523** is a multicast/broadcast frame addressing multiple STAs **108**. In example embodiments, MU-BAR **523** may include subchannel allocation for the uplink BACKs **526**. In example embodiments, the MU-BAR **523** includes one or more of the following information AID of the STAs **108**: subchannel for the STA **108** to use to transmit the BACK **526**, order of the STAs **108** to transmit BACKs **826** in the MU group that are following the MU-BAR **823**, and legacy BAR information that may be included in one or more wireless standards. In example embodiments, the MU-BAR **523** is sent once for each MU-MIMO group.

(71) The time sequence diagram **500** may continue at **568** with the STAs **108** waiting to transmit BACKs **526**. In some embodiments, the STAs **108** may wait a SIFS **568** before transmitting the BACKs **526**. In example embodiments, the STAs **108** may determine to not wait for a SCH/SIG and wait SIFs **568** before transmitting the BACKs **526** based on receiving an indication from the AP **104** that the SCH/SIG would not be sent. In example embodiments, the STAs **108** may wait another length of time.

(72) The time sequence diagram **500** continues at **570** with the STAs **108** transmitting BACKs **526** to the AP **104**. In an example embodiment, the STAs **108** use the same subchannel on which they received the data **522** to transmit the BACK **526**. For example, STA3 **108.3** received BAR **523.3** on subchannel **2** and transmitted a BACK **526.3** to the AP **104** on subchannel **2**. In an example embodiment, the STAs **108** are configured to send the BACKs **526** in response to the MU-BAR **523** without receiving a SCH and/or a SIG based on receiving an indication to implement this acknowledgement policy from the AP **104**. In an example embodiment, the STAs **108** are configured to transmit the BACKs **526** on subchannels **1, 2, 3, 4** based on a subchannel allocation in the MU-BAR **523**.

(73) The time sequence diagram **500** may continue at **572** with the STAs **108** waiting to transmit BACKs **526**. In some embodiments, the STAs **108** may wait a SIFS **572** before transmitting the BACKs **526**. In an example embodiment, the STAs **108** may determine to not wait for a SCH/SIG and wait SIFs **572** before transmitting the BACKs **526** based on receiving an indication from the AP **104** that the SCH/SIG would not be sent. In example embodiments, the STAs **108** may wait another length of time.

(74) The time sequence diagram **500** continues at **574** with the STAs **108** transmitting BACKs **526** to the AP **104**. In an example embodiment, the STAs **108** use the same subchannel on which they received the data **522** to transmit the BACK **526**. For example, STA3 **108.3** received BAR **523.3** on

subchannel 2 and transmitted a BACK 526.3 to the AP 104 on subchannel 2. In an example embodiment, the STAs 108 are configured to send the BACKs 526 in response to the MU-BAR 523 without receiving a SCFI and/or a SIG based on receiving an indication to implement this acknowledgement policy from the AP 104. In an example embodiment, the STAs 108 are configured to transmit the BACKs 526 on subchannel 1, 2, 3, 4 based on a subchannel allocation in the MU-BAR 523.

(75) As illustrated, STA1 108.1 and STA5 108.5 are in different MU-MIMO groups. STA1 108.1 transmitted a BACK 526.1 to the AP 104 at 570 in response to MU-BAR 523 at 566. STA5 108.5 transmitted a BACK 526.5 to the AP 104 at 574 in response to the MU-BAR 523 at 566.

(76) In example embodiments, the technical effect is achieved of reducing the time to receive BACKs by requesting that BACK be sent in parallel. In example embodiments, the technical effect is achieved of reducing the time to receive BACK by not including a schedule subchannel allocation in a BAR.

(77) FIG. 7 illustrates a frame 600 with a field 602 for acknowledgement in wireless networks, according to example embodiments. In example embodiments, the frame 600 is a signal that is a management, control, or data frame. In example embodiments, the frame 600 is a SIG frame, beacon frame, data frame, or MU BAR frame. In example embodiments, the field 602 may indicate an acknowledgement policy indicating how a STA 108 should acknowledge frames.

(78) In example embodiments, the STA 108 is communicating in accordance with OFDMA and MU-MIMO. In example embodiments, the field 602 may indicate that the STA 108 should use a same subchannel or channel to acknowledge a frame as the frame was received on. In example embodiments, the STA 108 may be configured to use block acknowledgements. In example embodiments, the field 602 may be a single bit indicating that an OFDMA MU-MIMO acknowledgment policy should be used. The acknowledgment policy may be a block acknowledgment policy.

(79) In example embodiments, the frame 600 is a frame transmitted prior to data frames, and the frame 600 includes an indication that data frames should be acknowledged using block acknowledgment on subchannels that were used to transmit the data frames.

(80) In example embodiments, the field 602 may indicate an acknowledgement policy for groups in MU-MIMO. In example embodiments, the field 602 indicates that a STA should block acknowledge based on the order of the MU-MIMO group. In example embodiments, the field 602 indicates that the STA should acknowledge frames in the order of their MU-MIMO group. In example embodiments, the field 602 indicates that the STA should acknowledge frames according to their MU-MIMO group and wait a SIFS before transmitting the block acknowledgement.

(81) In example embodiment, the field 602 may indicate that the STA should wait a SIFS after receiving a block acknowledgement request to transmit a block acknowledgment.

(82) In example embodiments, the field 602 indicates that the STA should use a predetermined rule for a subchannel to transmit a block acknowledgment on and/or a predetermined rule for an order of a MU-MIMO group to transmit a block acknowledgement.

(83) In example embodiments, the frame 600 is a SIG frame and the field 602 indicates that the STAs should acknowledge data frames transmitted after the SIG frame without waiting for an acknowledgement request.

(84) FIG. 8 illustrates a frame 700 with a field 702 for acknowledgement in wireless networks, according to example embodiments. In example embodiments, the frame 700 is a MU BAR signal and the field 702 indicates a subchannel allocation for a STA to use to transmit block acknowledgement of frames transmitted to the STA. In example embodiments, the frame 700 may be used for communications in OFDMA and MU-MIMO. In example embodiments, the frame 700 is a signal that is a block acknowledgement request for OFDMA and MU-MIMO. In example embodiments, the frame 700 is transmitted to poll multiple STAs at once to transmit multiple BACK in parallel back.

(85) FIG. 9 illustrates a frame **800** with a field **802** for acknowledgement in wireless networks, according to example embodiments. The frame **800** may be a signal that is part of a management frame transmitted by the STA where the field **802** indicates one or more acknowledgement policies that are supported by the STA as disclosed herein.

(86) FIG. 10 illustrates a HEW device, in accordance with some embodiments. HEW device **1000** may be an HEW compliant device that may be arranged to communicate with one or more other HEW devices, such as HEW devices **104** (FIG. 1) or AP **104** (FIG. 1) as well as communicate with legacy devices **106** (FIG. 1). HEW devices **104** and legacy devices **106** may also be referred to as HEW STAs and legacy STAs, respectively. HEW device **1000** may be suitable for operating as AP **104** (FIG. 1) or an HEW device **104** (FIG. 1). In accordance with embodiments, HEW device **1000** may include, among other things, physical layer (PHY) circuitry **1002** and medium-access control layer circuitry (MAC) **1004**. PHY circuitry **1002** and MAC **1004** may be HEW compliant layers and may also be compliant with one or more legacy IEEE 802.11 standards. MAC **1004** may be arranged to configure physical layer convergence procedure protocol data unit PPDU and arranged to transmit and receive PPDU, among other things. HEW device **1000** may also include other hardware processing circuitry **1006** and memory **1008** configured to perform the various operations described herein.

(87) In some embodiments, the MAC **1004** may be arranged to contend for a wireless medium during a contention period to receive control of the medium for the HEW control period and configure an HEW PPDU. The PHY circuitry **1002** may be arranged to transmit the HEW PPDU. The PHY circuitry **1002** may include circuitry for modulation/demodulation, upconversion/downconversion, filtering, amplification, and the like. In some embodiments, the hardware processing circuitry **1006** may include one or more processors. The hardware processing circuitry **1006** may be configured to perform functions based on instructions being stored in a random access memory (RAM) or read-only memory (ROM), or based on special purpose circuitry. In some embodiments, two or more antennas may be coupled to the PHY circuitry **1002** and arranged for sending and receiving signals including transmission of the HEW packets. The HEW device **1000** may include a transceiver (not shown) to transmit and receive data such as HEW PPDU. The memory **1008** may store information for configuring the other circuitry to perform operations for configuring and transmitting HEW packets and performing the various operations described herein including the reception of and transmission of SIGs **120**, **220**, **320**, **420**, and **520**; DATA **122**, **222**, **322**, **422**, and **522**; MU BAR **323**, **423**, and **523**; BAR **223**; BACK **226**, **326**, **426**, and **526**; frames **600** and **700**; and, ACK **126**. In example embodiments, the circuitry of one or more of the antenna, transceiver, PHY circuitry **1002**, MAC **1004**, and processing **1006** may be configured to perform operations for configuring and transmitting HEW packets and performing the various operations described herein including the reception of and transmission of SIGs **120**, **220**, **320**, **420**, and **520**; DATA **122**, **222**, **322**, **422**, and **522**; MU BAR **323**, **423**, and **523**; BAR **223**; BACK **226**, **326**, **426**, and **526**; frames **600** and **700**; and, ACK **126**.

(88) In some embodiments, the HEW device **1000** may be configured to communicate using OFDM communication signals over a multicarrier communication channel. In some embodiments, HEW device **1000** may be configured to communicate in accordance with one or more specific communication standards, such as the IEEE standards including IEEE 802.11-2012, 802.11n-2009, 802.11ac-2013, 802.11ax, standards and/or proposed specifications for WLANs, although the scope of the example embodiments is not limited in this respect as they may also be suitable to transmit and/or receive communications in accordance with other techniques and standards.

(89) In some embodiments, an HEW device **1000** may be part of a portable wireless communication device, such as a PDA) a laptop or portable computer with wireless communication capability, a web tablet, a wireless telephone, a smartphone, a wireless headset, a pager, an instant messaging device, a digital camera, an AP, a television, a medical device (e.g., a heart rate monitor, a blood pressure monitor, etc.), a base station, a transmit/receive device for a wireless standard such

as 802.11 or 802.16, or other device that may receive and/or transmit information wirelessly. In some embodiments, the mobile device may include one or more of a keyboard, a display, a non-volatile memory port, multiple antennas, a graphics processor, an application processor, speakers, and other mobile device elements. The display may be an LCD screen including a touch screen. (90) The antennas may comprise one or more directional or omnidirectional antennas, including, for example, dipole antennas, monopole antennas, patch antennas, loop antennas, microstrip antennas or other types of antennas suitable for transmission of RF signals. In some MIMO embodiments, the antennas may be effectively separated to take advantage of spatial diversity and the different channel characteristics that may result.

(91) Although the device **1000** is illustrated as having several separate functional elements, one or more of the functional elements may be combined and may be implemented by combinations of software-configured elements, such as processing elements including DSPs, and/or other hardware elements. For example, some elements may comprise one or more microprocessors, DSPs, FPGAs, ASICs, transmitters, receivers, transceivers, RFICs, and combinations of various hardware and logic circuitry for performing at least the functions described herein. In some embodiments, the functional elements may refer to one or more processes operating on one or more processing elements.

(92) Embodiments may be implemented in one or a combination of hardware, firmware and software. Embodiments may also be implemented as instructions stored on a computer-readable storage device, which may be read and executed by at least one processor to perform the operations described herein. A computer-readable storage device may include any non-transitory mechanism for storing information in a form readable by a machine (e.g., a computer). For example, a computer-readable storage device may include ROM, RAM, magnetic disk storage media, optical storage media, flash-memory devices, and other storage devices and media. Some embodiments may include one or more processors and may be configured with instructions stored on a computer-readable storage device.

(93) The following examples pertain to further embodiments. Example 1 is a station (STA) including hardware processing circuitry configured to: receive data frames on a subchannel from an access point (AP) in accordance with down link (DL) multi-user multiple input and multiple output (MU-MIMO) and orthogonal frequency division multiple access (OFDMA). The hardware circuitry may be configured to: transmit a block acknowledgement of the data frames in accordance with uplink (UL) MU-MIMO and OFDMA, in response to the data frames.

(94) In Example 2, the subject matter of Example 1 can optionally include: where the hardware processing circuitry is further configured to: transmit the block acknowledgement of the data frames on the subchannel.

(95) In Example 3, the subject matter of Examples 1 and 2 can optionally include: where the hardware processing circuitry is further configured to: transmit the block acknowledgement of the data frames when a block acknowledgement request has not been received by the STA.

(96) In Example 4, the subject matter of Examples 1 through 3 can optionally include: where the hardware processing circuitry is further configured to: receive an indication of an acknowledgment policy from the AP.

(97) In Example 5, the subject matter of Examples 1 through 4 can optionally include: where the hardware processing circuitry is further configured to wait a short interframe space (SIFS) time before the transmit.

(98) In Example 6, the subject matter of Examples 1 through 5 can optionally include: where the hardware processing circuitry is further configured to wait a predetermined time before the transmit, where the predetermined time is longer than a short interframe space (SIFS) time.

(99) In Example 7, the subject matter of Examples 1 through 6 can optionally include: where the hardware processing circuitry is further configured to transmit the block acknowledgement at a time based on a MU-MIMO group identification of the wireless device.

- (100) In Example 8, the subject matter of Examples 1 through 7 can optionally include: where the hardware processing circuitry is further configured to: transmit second data frames in accordance with UL MU-MIMO and OFDMA, wherein the second data frames comprises the block acknowledgement of the data frames, in response to the data frames.
- (101) In Example 9, the subject matter of Examples 1 through 8 can optionally include: where the hardware processing circuitry is further configured to: transmit second data frames on the subchannel, and transmit the block acknowledgement of the data frames on the subchannel in accordance with UL MU-MIMO and OFDMA, in response to the data frames.
- (102) In Example 10, the subject matter of Examples 1 through 9 can optionally include: where the hardware processing circuitry is further configured to: receive a signal frame from the AP prior to the data frames.
- (103) In Example 11, the subject matter of Examples 1 through 10 can optionally include: where the data frames or the signal frame comprise an indication of a schedule; and where the second data frames are transmitted according to the schedule.
- (104) In Example 12, the subject matter of Examples 1 through 11 can optionally include: where the data frames or the signal frame comprise an indication to transmit the block acknowledgement of the data on the subchannel.
- (105) In Example 13, the subject matter of Examples 1 through 8 can optionally include: memory and a transceiver coupled to the processing circuitry.
- (106) In Example 14, the subject matter of Example 13 can optionally include: one or more antennas coupled to the transceiver.
- (107) Example 15 is a method on a station (STA). The method including receiving data frames on a subchannel from an access point (AP) using multi-user multiple-input multiple-output (MU MIMO). The method may further include transmitting a block acknowledgement of the data frames, wherein the block acknowledgement is transmitted without receiving a block acknowledgement request, in response to receiving the data frames.
- (108) In Example 16, the subject matter of Example 15 can optionally include: transmitting the block acknowledgement of the data frames on the subchannel.
- (109) In Example 17, the subject matter of Examples 15 and 16 can optionally include: waiting a short interframe space (SIFS) time before transmitting.
- (110) In Example 18 is an access point (AP). The AP may include hardware processing circuitry configured to: transmit first data frames to a first station (STA) on a first subchannel and concurrently transmit second data frames to a second STA on a second subchannel in accordance with down link (DL) multi-user multiple input and multiple output (MU-MIMO) and orthogonal frequency division multiple access (OFDMA). The hardware processing circuitry may be further configured to receive a first block acknowledgement from the first STA and concurrently receive a second block acknowledgement from the second STA in accordance with uplink (UL) MU-MIMO and OFDMA, where the first block acknowledgement is received on one of the first and second subchannels, and the second block acknowledgement is received on the other of the first and second subchannels.
- (111) In Example 19, the subject matter of Example 18 can optionally include: where the first subchannel and the second subchannel have a first bandwidth and a second bandwidth, respectively; and where the first bandwidth and the second bandwidth are each one of the following group: 1 MHz, 1.25 MHz, 2.5 MHz, 5 MHz, 10 MHz, 20 MHz, 40 Mhz, 80 MHz, and 160 MHz; and where the first subchannel and the second subchannel are different portions of a radio spectrum.
- (112) In Example 20, the subject matter of Examples 18 and 19 can optionally include where the hardware processing circuitry is further configured to: transmit the first transmission to the first STA on the first subchannel and a third transmission to a third STA on the first subchannel.
- (113) In Example 21, the subject matter of Examples 18 through 20 may option include where the

hardware processing circuitry is further configured to: transmit a multi-user (MU) block acknowledgement request (BAR).

(114) In Example 22, the subject matter of Example 21 may optionally include where the MU-BAR comprises a scheduling subchannel allocation.

(115) In Example 23, the subject matter of Example 21 may optionally include where the hardware processing circuitry is further configured to: receive a third block acknowledgement from the third STA after the first block acknowledgement from the first STA is received, wherein the third subchannel and the first subchannel occupy the same portion of the radio spectrum.

(116) Example 24 is a non-transitory computer-readable storage medium that stores instructions for execution by one or more processors to perform operations for block acknowledgement. The instructions configure the one or more processors to: receive data frames on a subchannel from an access point (AP) in accordance with down link (DL) multi-user multiple input and multiple output (MU-MIMO) and orthogonal frequency division multiple access (OFDMA); and transmit a block acknowledgement of the data frames on a subchannel in accordance with uplink (UL) MU-MIMO and OFDMA, in response to the data frames. In Example 25, the subject matter of Example 24 may optionally include where the instructions further configure the one or more processors to: transmit the block acknowledgement when a block acknowledgement request has not been received.

(117) The Abstract is provided to comply with 37 C.F.R. Section 1.72(b) requiring an abstract that will allow the reader to ascertain the nature and gist of the technical disclosure. It is submitted with the understanding that it will not be used to limit or interpret the scope or meaning of the claims. The following claims are hereby incorporated into the detailed description, with each claim standing on its own as a separate embodiment.

Claims

1. A method performed by a first station, the method comprising: receiving a signal field from an access point, the signal field including a first schedule; receiving a first downlink data frame from the access point on a first sub-channel according to the first schedule, wherein a second downlink data frame from the access point is received by a second station on a second sub-channel simultaneously according to downlink multi-user multiple input multiple output (DL MU-MIMO) and/or orthogonal frequency division multiple access (OFDMA), wherein the first station is included in a first group and the second station is included in a second group; receiving a multi-user block acknowledgement request (MU BAR) from the access point, wherein the MU BAR polls a first response of one or more stations in the first group and a second response of one or more stations in the second group with different response timing, and wherein the MU BAR indicates a resource allocation for a first uplink block acknowledgement for the first downlink data frame to be transmitted by the first station, and transmitting, to the access point, the first uplink block acknowledgement for the first downlink data frame at a first response timing in response to the MU BAR based on the resource allocation, while a second uplink block acknowledgement for the second downlink data frame being transmitted to the access point from the second station at a second response timing after a short inter-frame space (SIFS) interval following the first response timing, in response to the MU BAR.
2. The method of claim 1, wherein the MU BAR is a group based request for the first group and the second group.
3. The method of claim 1 further comprising: waiting for the SIFS interval before transmitting the first uplink block acknowledgement for the first downlink data frame.
4. The method of claim 1 further comprising: waiting for a predetermined time before transmitting the first uplink block acknowledgement for the first downlink data frame, wherein the predetermined time is longer than the SIFS interval.
5. The method of claim 1, wherein the first uplink block acknowledgement is transmitted by being

included in a first uplink data frame.

6. The method of claim 1, wherein a bandwidth for each of the first sub-channel and the second sub-channel is one of the following bandwidths: 1 MHz, 1.25 MHz, 2.5 MHz, 5 MHz, 10 MHz, 20 MHz, 40 MHz, 80 MHz, and 160 MHz.

7. A method performed by an access point, the method comprising: transmitting a signal field to a first station and a second station, the signal field including a first schedule and a second schedule; transmitting a first downlink data frame to the first station on a first sub-channel according to the first schedule and simultaneously transmitting a second downlink data frame to the second station on a second sub-channel according to the second schedule, the first downlink data frame and the second downlink data frame are transmitted based on downlink multi-user multiple input multiple output (DL MU-MIMO) and/or orthogonal frequency division multiple access (OFDMA), wherein the first station is included in a first group and the second station is included in a second group; transmitting a multi-user block acknowledgement request (MU BAR) to the first station and the second station, wherein the MU BAR polls a first response of one or more stations in the first group and a second response of one or more stations in the second group with different response timing, and wherein the MU BAR indicates a resource allocation for a first uplink block acknowledgement for the first downlink data frame to be transmitted from the first station, and receiving the first uplink block acknowledgement for the first downlink data frame at a first response timing in response to the MU BAR and receiving a second uplink block acknowledgement for the second downlink data frame at a second response timing after a short inter-frame space (SIFS) interval following the first response timing, in response to the MU BAR.

8. The method of claim 7, wherein the MU BAR is a group based request for the first group and the second group.

9. The method of claim 7 further comprising: waiting for the SIFS interval before receiving the first uplink block acknowledgement for the first downlink data frame.

10. The method of claim 7 further comprising: waiting for a predetermined time before receiving the first uplink block acknowledgement for the first downlink data frame, wherein the predetermined time is longer than the SIFS interval.

11. The method of claim 7, wherein the first uplink block acknowledgement is received by being included in a first uplink data frame.

12. The method of claim 7, wherein a bandwidth for each of the first sub-channel and the second sub-channel is one of the following bandwidths: 1 MHz, 1.25 MHz, 2.5 MHz, 5 MHz, 10 MHz, 20 MHz, 40 MHz, 80 MHz, and 160 MHz.
