



US012396739B2

(12) **United States Patent**
Kubacki

(10) **Patent No.:** **US 12,396,739 B2**

(45) **Date of Patent:** **Aug. 26, 2025**

(54) **GUIDANCE TOOLS, SYSTEMS, AND METHODS**

(71) Applicant: **Wright Medical Technology, Inc.**,
Memphis, TN (US)

(72) Inventor: **Meghan Kubacki**, Memphis, TN (US)

(73) Assignee: **WRIGHT MEDICAL TECHNOLOGY, INC.**, Memphis, TN (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 531 days.

(21) Appl. No.: **17/776,893**

(22) PCT Filed: **Dec. 16, 2020**

(86) PCT No.: **PCT/US2020/065189**

§ 371 (c)(1),

(2) Date: **May 13, 2022**

(87) PCT Pub. No.: **WO2021/146015**

PCT Pub. Date: **Jul. 22, 2021**

(65) **Prior Publication Data**

US 2022/0401115 A1 Dec. 22, 2022

Related U.S. Application Data

(60) Provisional application No. 62/962,610, filed on Jan. 17, 2020.

(51) **Int. Cl.**

A61B 17/17 (2006.01)

A61B 17/16 (2006.01)

A61B 17/00 (2006.01)

(52) **U.S. Cl.**

CPC **A61B 17/1717** (2013.01); **A61B 17/164** (2013.01); **A61B 2017/00867** (2013.01)

(58) **Field of Classification Search**

CPC A61B 5/6853; A61B 17/12022; A61B 17/12136; A61B 2017/22048; A61B 2017/22054; A61B 17/1631; A61B 17/164; A61B 17/1717; A61B 17/1796; A61B 17/320758; A61B 2017/3486; A61B 17/7208; A61B 17/8897; A61B 17/90

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

3,314,420 A 4/1967 Smith et al.

3,605,123 A 9/1971 Hahn

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1662186 8/2005

CN 101111197 1/2008

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion for PCT/US2020/065189 issued Apr. 20, 2021, 10 pages.

(Continued)

Primary Examiner — Larry E Waggle, Jr.


(74) *Attorney, Agent, or Firm* — DUANE MORRIS LLP

(57)

ABSTRACT

A guidance tool includes a body having a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape.

6 Claims, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,708,883	A	1/1973	Flander	5,523,843	A	6/1996	Yamane et al.
3,798,679	A	3/1974	Ewald	5,540,696	A	7/1996	Booth, Jr. et al.
3,808,606	A	5/1974	Tronzo	5,542,947	A	8/1996	Treacy
3,843,975	A	10/1974	Tronzo	5,554,190	A	9/1996	Draenert
3,855,638	A	12/1974	Pilliar	5,556,432	A	9/1996	Kubein-Meesenburg et al.
3,938,198	A	2/1976	Kahn et al.	5,571,205	A	11/1996	James
3,987,499	A	10/1976	Scharbach et al.	5,575,793	A	11/1996	Carls et al.
4,052,753	A	10/1977	Dedo	5,578,037	A	11/1996	Sanders et al.
4,055,862	A	11/1977	Farling	5,593,450	A	1/1997	Scott et al.
4,085,466	A	4/1978	Goodfellow et al.	5,597,379	A	1/1997	Haines et al.
4,098,626	A	7/1978	Graham et al.	5,601,563	A	2/1997	Burke et al.
4,203,444	A	5/1980	Bonnell et al.	5,613,970	A	3/1997	Houston et al.
4,213,816	A	7/1980	Morris	5,616,146	A	4/1997	Murray
4,340,978	A	7/1982	Buechel et al.	5,630,820	A	5/1997	Todd
4,368,040	A	1/1983	Weissman	5,632,745	A	5/1997	Schwartz
4,436,684	A	3/1984	White	5,649,929	A	7/1997	Callaway
4,501,266	A	2/1985	McDaniel	5,658,290	A	8/1997	Techeira
4,502,161	A	3/1985	Wall	5,671,741	A	9/1997	Lang et al.
4,578,806	A	3/1986	Grass et al.	5,682,886	A	11/1997	Delp et al.
4,586,496	A	5/1986	Keller	5,683,466	A	11/1997	Vitale
4,594,380	A	6/1986	Chapin et al.	5,684,562	A	11/1997	Fujieda
4,601,290	A	7/1986	Effron et al.	5,688,282	A	11/1997	Baron et al.
4,609,551	A	9/1986	Caplan et al.	5,728,162	A	3/1998	Eckhoff
4,627,853	A	12/1986	Campbell et al.	5,735,277	A	4/1998	Schuster
4,703,751	A	11/1987	Pohl	5,749,874	A	5/1998	Schwartz
4,704,686	A	11/1987	Aldinger	5,749,876	A	5/1998	Duvillier et al.
4,715,860	A	12/1987	Amstutz et al.	5,765,561	A	6/1998	Chen et al.
4,721,104	A	1/1988	Kaufman et al.	5,768,134	A	6/1998	Swaelens et al.
4,759,350	A	7/1988	Dunn et al.	5,769,899	A	6/1998	Schwartz et al.
4,769,040	A	9/1988	Wevers	5,782,842	A	7/1998	Kloess et al.
4,841,975	A	6/1989	Woolson	5,786,217	A	7/1998	Tuba et al.
4,846,835	A	7/1989	Grande	5,798,924	A	8/1998	Eufinger et al.
4,865,607	A	9/1989	Witzel et al.	5,800,438	A	9/1998	Tuke et al.
4,880,429	A	11/1989	Stone	5,824,083	A	10/1998	Draenert
4,936,862	A	6/1990	Walker et al.	5,827,289	A	10/1998	Reiley et al.
4,979,949	A	12/1990	Matsen, III et al.	5,830,216	A	11/1998	Insall et al.
5,002,547	A	3/1991	Poggie	5,835,619	A	11/1998	Morimoto et al.
5,041,138	A	8/1991	Vacanti et al.	5,842,477	A	12/1998	Naughton et al.
5,059,216	A	10/1991	Winters	5,847,804	A	12/1998	Sarver et al.
5,067,964	A	11/1991	Richmond et al.	5,853,746	A	12/1998	Hunziker
5,122,144	A	6/1992	Bert et al.	5,860,981	A	1/1999	Bertin et al.
5,129,908	A	7/1992	Petersen	5,871,018	A	2/1999	Delp et al.
5,133,759	A	7/1992	Turner	5,871,542	A	2/1999	Goodfellow et al.
5,154,717	A	10/1992	Matsen, III et al.	5,871,546	A	2/1999	Colleran et al.
5,162,430	A	11/1992	Rhee et al.	5,879,390	A	3/1999	Kubein-Meesenburg et al.
5,171,322	A	12/1992	Kenny	5,880,976	A	3/1999	DiGioia, III et al.
5,197,985	A	3/1993	Caplan et al.	5,885,296	A	3/1999	Masini
5,206,023	A	4/1993	Hunziker	5,885,297	A	3/1999	Matsen, III
5,226,914	A	7/1993	Caplan et al.	5,885,298	A	3/1999	Herrington et al.
5,234,433	A	8/1993	Bert et al.	5,897,559	A	4/1999	Masini
5,250,050	A	10/1993	Poggie et al.	5,899,859	A	5/1999	Votruba et al.
5,258,032	A	11/1993	Bertin	5,900,245	A	5/1999	Sawhney et al.
5,270,300	A	12/1993	Hunziker	5,906,934	A	5/1999	Grande et al.
5,288,797	A	2/1994	Khalil et al.	5,910,143	A	6/1999	Cripe et al.
5,303,148	A	4/1994	Mattson et al.	5,911,723	A	6/1999	Ashby et al.
5,306,311	A	4/1994	Stone et al.	5,916,220	A	6/1999	Masini
5,314,482	A	5/1994	Goodfellow et al.	5,939,323	A	8/1999	Valentini et al.
5,344,459	A	9/1994	Swartz	5,951,475	A	9/1999	Gueziec et al.
5,360,446	A	11/1994	Kennedy	5,961,523	A	10/1999	Masini
5,365,996	A	11/1994	Crook	5,968,051	A	10/1999	Luckman et al.
5,368,858	A	11/1994	Hunziker	5,972,385	A	10/1999	Liu et al.
5,370,692	A	12/1994	Fink et al.	5,995,738	A	11/1999	DiGioia, III et al.
5,380,332	A	1/1995	Ferrante	6,001,895	A	12/1999	Harvey et al.
5,387,216	A	2/1995	Thornhill et al.	6,002,859	A	12/1999	DiGioia, III et al.
5,454,816	A	10/1995	Ashby	6,006,126	A	12/1999	Cosman
5,462,550	A	10/1995	Dietz et al.	6,007,537	A	12/1999	Burkinshaw et al.
5,468,787	A	11/1995	Braden et al.	6,010,509	A	1/2000	Delgado et al.
5,474,559	A	12/1995	Bertin et al.	6,013,081	A	1/2000	Burkinshaw et al.
5,478,739	A	12/1995	Slivka et al.	6,013,103	A	1/2000	Kaufman et al.
5,486,180	A	1/1996	Dietz et al.	6,046,379	A	4/2000	Stone et al.
5,501,687	A	3/1996	Willert et al.	6,056,754	A	5/2000	Haines et al.
5,503,162	A	4/1996	Athanasίου et al.	6,056,756	A	5/2000	Eng et al.
5,509,919	A *	4/1996	Young A61B 17/1717	6,057,927	A	5/2000	Levesque et al.
			606/80	6,077,270	A	6/2000	Katz
5,520,695	A	5/1996	Luckman	6,082,364	A	7/2000	Balian et al.
				6,090,144	A	7/2000	Letot et al.
				6,093,204	A	7/2000	Stone
				6,096,043	A	8/2000	Techiera et al.
				6,102,916	A	8/2000	Masini

(56)

References Cited

U.S. PATENT DOCUMENTS

6,106,529 A	8/2000	Techiera	7,008,430 B2	3/2006	Dong et al.
6,110,209 A	8/2000	Stone	7,058,439 B2	6/2006	Eaton et al.
6,120,541 A	9/2000	Johnson	7,060,074 B2	6/2006	Rosa et al.
6,126,690 A	10/2000	Ateshian et al.	7,104,997 B2	9/2006	Lionberger et al.
6,139,578 A	10/2000	Lee et al.	7,115,131 B2	10/2006	Engh et al.
6,156,069 A	12/2000	Amstutz	7,117,027 B2	10/2006	Zheng et al.
6,161,080 A	12/2000	Aouni-Ateshian et al.	7,141,053 B2	11/2006	Rosa et al.
6,187,010 B1	2/2001	Masini	7,184,814 B2	2/2007	Lang et al.
6,200,606 B1	3/2001	Peterson et al.	7,201,762 B2	4/2007	Green, Jr. et al.
6,203,546 B1	3/2001	MacMahon	7,217,276 B2	5/2007	Henderson et al.
6,203,576 B1	3/2001	Afriat et al.	7,239,908 B1	7/2007	Alexander et al.
6,205,411 B1	3/2001	DiGioia, III et al.	7,245,697 B2	7/2007	Lang
6,206,927 B1	3/2001	Fell et al.	7,250,055 B1	7/2007	Vanderwalle
6,214,369 B1	4/2001	Grande et al.	7,282,054 B2	10/2007	Steffensmeier et al.
6,217,894 B1	4/2001	Sawhney et al.	7,292,674 B2	11/2007	Lang
6,219,571 B1	4/2001	Hargreaves et al.	7,347,690 B2	3/2008	Jordan et al.
6,224,632 B1	5/2001	Pappas et al.	7,364,581 B2	4/2008	Michalowicz
6,235,060 B1	5/2001	Kubein-Meesenburg et al.	7,377,924 B2	5/2008	Raistrick et al.
6,251,143 B1	6/2001	Schwartz et al.	7,379,529 B2	5/2008	Lang
6,254,639 B1	7/2001	Peckitt	7,467,892 B2	12/2008	Lang et al.
6,277,151 B1	8/2001	Lee et al.	7,468,075 B2	12/2008	Lang et al.
6,281,195 B1	8/2001	Rueger et al.	7,534,246 B2	5/2009	Reiley et al.
6,283,980 B1	9/2001	Vibe-Hansen et al.	7,534,263 B2	5/2009	Burdulis, Jr. et al.
6,296,646 B1	10/2001	Williamson	7,618,451 B2	11/2009	Berez et al.
6,299,905 B1	10/2001	Peterson et al.	7,747,305 B2	6/2010	Dean et al.
6,322,588 B1	11/2001	Ogle et al.	7,806,896 B1	10/2010	Bonutti
6,327,491 B1	12/2001	Franklin et al.	7,881,768 B2	2/2011	Lang et al.
6,328,765 B1	12/2001	Hardwick et al.	7,914,533 B2	3/2011	Nelson et al.
6,344,043 B1	2/2002	Pappas	7,981,158 B2	7/2011	Fitz et al.
6,344,059 B1	2/2002	Krakovits et al.	7,983,777 B2	7/2011	Melton et al.
6,352,558 B1	3/2002	Spector	8,036,729 B2	10/2011	Lang et al.
6,358,253 B1	3/2002	Torrie et al.	8,062,302 B2	11/2011	Lang et al.
6,365,405 B1	4/2002	Salzmann et al.	8,066,708 B2	11/2011	Lang et al.
6,371,958 B1	4/2002	Overaker	8,083,745 B2	12/2011	Lang et al.
6,373,250 B1	4/2002	Tsoref et al.	8,105,330 B2	1/2012	Fitz et al.
6,375,658 B1	4/2002	Hangody et al.	8,112,142 B2	2/2012	Alexander et al.
6,379,367 B1	4/2002	Vibe-Hansen et al.	8,122,592 B2	2/2012	Burdulis, Jr. et al.
6,382,028 B1	5/2002	Wooh et al.	RE43,282 E	3/2012	Alexander et al.
6,383,228 B1	5/2002	Schmotzer	8,236,016 B2 *	8/2012	To A61B 17/320758 606/159
6,387,131 B1	5/2002	Miehlke et al.	8,430,879 B2	4/2013	Stoneburner et al.
6,409,767 B1	6/2002	Perice et al.	8,496,663 B2	7/2013	White et al.
6,429,013 B1	8/2002	Halvorsen et al.	8,535,319 B2	9/2013	Ball
6,443,988 B2	9/2002	Felt et al.	8,579,980 B2	11/2013	Delurio et al.
6,443,991 B1	9/2002	Running	8,636,744 B2	1/2014	Tochigi et al.
6,444,222 B1	9/2002	Asculai et al.	8,715,362 B2	5/2014	Reiley et al.
6,459,927 B1	10/2002	Franklin et al.	8,808,297 B2	8/2014	Stemniski
6,459,948 B1	10/2002	Ateshian et al.	8,808,303 B2	8/2014	Stemniski
6,468,314 B2	10/2002	Schwartz et al.	9,005,255 B2	4/2015	Lewis et al.
6,478,799 B1	11/2002	Williamson	9,017,334 B2	4/2015	Carroll et al.
6,479,996 B1	11/2002	Hoogeveen et al.	9,125,674 B2	9/2015	White et al.
6,510,334 B1	1/2003	Schuster et al.	9,128,627 B1	9/2015	Bachu et al.
6,520,964 B2	2/2003	Tallarida et al.	9,259,250 B2	2/2016	Saravia et al.
6,558,421 B1	5/2003	Fell et al.	9,265,511 B2	2/2016	White et al.
6,560,476 B1	5/2003	Pelletier et al.	9,351,739 B2	5/2016	Mahoney et al.
6,575,980 B1	6/2003	Robie et al.	9,402,640 B2	8/2016	Stemniski et al.
6,620,168 B1	9/2003	Lombardo et al.	9,672,607 B2	6/2017	Demri et al.
6,626,945 B2	9/2003	Simon et al.	9,675,365 B2	6/2017	Lancianese et al.
6,626,948 B2	9/2003	Storer et al.	10,105,168 B2	10/2018	Blau
6,632,225 B2	10/2003	Sanford et al.	10,130,430 B2	11/2018	Kao et al.
6,632,235 B2	10/2003	Weikel et al.	10,315,007 B2 *	6/2019	Chan A61M 25/0105
6,652,587 B2	11/2003	Felt et al.	10,390,842 B2	8/2019	Sander
6,673,077 B1	1/2004	Katz	10,413,308 B2	9/2019	Stemniski et al.
6,679,917 B2	1/2004	Ek	10,433,911 B2	10/2019	Wang et al.
6,712,856 B1	3/2004	Carignan et al.	10,456,179 B2	10/2019	Luna et al.
6,738,657 B1	5/2004	Franklin et al.	10,667,867 B2	6/2020	Ashish et al.
6,905,514 B2	6/2005	Carignan et al.	10,835,265 B2	11/2020	White et al.
6,916,341 B2	7/2005	Rolston	10,835,266 B2	11/2020	White et al.
6,928,742 B2	8/2005	Broers et al.	11,134,964 B2	10/2021	Free et al.
6,932,842 B1	8/2005	Litschko et al.	11,147,627 B2	10/2021	Gangwar et al.
6,942,667 B1	9/2005	Song	11,172,945 B1	11/2021	Lian
6,944,518 B2	9/2005	Roose	2001/0001120 A1	5/2001	Masini
6,969,393 B2	11/2005	Pinczewski et al.	2001/0010023 A1	7/2001	Schwartz et al.
6,980,849 B2	12/2005	Sasso	2001/0039455 A1	11/2001	Simon et al.
6,988,015 B1	1/2006	Schopf et al.	2002/0013626 A1	1/2002	Geisslich et al.
6,993,374 B2	1/2006	Sasso	2002/0029038 A1	3/2002	Haines
			2002/0045940 A1	4/2002	Giannelli et al.
			2002/0059049 A1	5/2002	Bradbury et al.
			2002/0068979 A1	6/2002	Brown et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2002/0072821	A1	6/2002	Baker	2005/0288792	A1	12/2005	Landes et al.
2002/0079601	A1	6/2002	Russell et al.	2006/0052795	A1	3/2006	Burdulis et al.
2002/0082703	A1	6/2002	Repicci	2006/0111722	A1	5/2006	Bouadi
2002/0087274	A1	7/2002	Alexander et al.	2006/0149283	A1	7/2006	May et al.
2002/0106625	A1	8/2002	Hung et al.	2006/0200162	A1	9/2006	Farling et al.
2002/0115647	A1	8/2002	Halvorsen et al.	2006/0235421	A1	10/2006	Rosa et al.
2002/0120274	A1	8/2002	Overaker et al.	2007/0015995	A1	1/2007	Lang
2002/0120281	A1	8/2002	Overaker	2007/0073305	A1	3/2007	Lionberger et al.
2002/0123817	A1	9/2002	Clasbrummel et al.	2007/0118141	A1	5/2007	Marchyn et al.
2002/0127264	A1	9/2002	Felt et al.	2007/0129808	A1	6/2007	Justin et al.
2002/0133230	A1	9/2002	Repicci	2007/0150065	A1	6/2007	Angibaud
2002/0143402	A1	10/2002	Steinberg	2007/0162025	A1	7/2007	Tornier et al.
2002/0151986	A1	10/2002	Asculai et al.	2007/0198022	A1	8/2007	Lang et al.
2002/0156150	A1	10/2002	Asculai et al.	2007/0203430	A1	8/2007	Lang et al.
2002/0156479	A1	10/2002	Schulzki et al.	2007/0203455	A1	8/2007	Tremaglio et al.
2002/0173852	A1	11/2002	Felt et al.	2007/0233128	A1	10/2007	Schmieding et al.
2002/0183850	A1	12/2002	Felt et al.	2007/0233151	A1	10/2007	Chudik
2002/0198531	A1	12/2002	Millard et al.	2007/0233156	A1	10/2007	Metzger
2003/0028196	A1	2/2003	Bonutti	2007/0276224	A1	11/2007	Lang et al.
2003/0055500	A1	3/2003	Fell et al.	2007/0293868	A1	12/2007	Delfosse et al.
2003/0055501	A1	3/2003	Fell et al.	2008/0004709	A1	1/2008	O'Neill et al.
2003/0055502	A1	3/2003	Lang et al.	2008/0015433	A1	1/2008	Alexander et al.
2003/0060882	A1	3/2003	Fell et al.	2008/0025463	A1	1/2008	Lang et al.
2003/0060883	A1	3/2003	Fell et al.	2008/0031412	A1	2/2008	Delfosse et al.
2003/0060884	A1	3/2003	Fell et al.	2008/0058613	A1	3/2008	Lang et al.
2003/0060885	A1	3/2003	Fell et al.	2008/0058945	A1	3/2008	Hajaj et al.
2003/0100907	A1	5/2003	Rosa et al.	2008/0114370	A1	5/2008	Schoenefeld
2003/0100953	A1	5/2003	Rosa et al.	2008/0170659	A1	7/2008	Lang et al.
2003/0120347	A1	6/2003	Steinberg	2008/0195109	A1	8/2008	Hunter et al.
2003/0158558	A1	8/2003	Horn	2008/0195216	A1	8/2008	Lang
2003/0158606	A1	8/2003	Coon et al.	2008/0219412	A1	9/2008	Lang
2003/0163137	A1	8/2003	Smucker et al.	2008/0243127	A1	10/2008	Lang
2003/0173695	A1	9/2003	Monkhouse et al.	2008/0255565	A1	10/2008	Fletcher
2003/0216669	A1	11/2003	Lang et al.	2008/0275452	A1	11/2008	Lang et al.
2003/0220641	A1*	11/2003	Thelen	2008/0281328	A1	11/2008	Lang et al.
			A61B 17/8805	2008/0281329	A1	11/2008	Lang et al.
			606/60	2008/0281426	A1	11/2008	Fitz et al.
2003/0225457	A1	12/2003	Justin et al.	2008/0287953	A1	11/2008	Sers
2003/0236521	A1	12/2003	Brown et al.	2008/0306605	A1	12/2008	Hasselman
2003/0236526	A1	12/2003	Van Hoeck et al.	2009/0024131	A1	1/2009	Metzger et al.
2004/0098133	A1	5/2004	Carignan et al.	2009/0043310	A1	2/2009	Rasmussen
2004/0102852	A1	5/2004	Johnson et al.	2009/0076371	A1	3/2009	Lang et al.
2004/0122521	A1	6/2004	Lee et al.	2009/0087276	A1	4/2009	Rose
2004/0133276	A1	7/2004	Lang et al.	2009/0088753	A1	4/2009	Aram et al.
2004/0138754	A1	7/2004	Lang et al.	2009/0088758	A1	4/2009	Bennett
2004/0147927	A1	7/2004	Tsougarakis et al.	2009/0099567	A1	4/2009	Zajac
2004/0153079	A1	8/2004	Tsougarakis et al.	2009/0131941	A1	5/2009	Park et al.
2004/0153162	A1	8/2004	Sanford et al.	2009/0131942	A1	5/2009	Aker et al.
2004/0153164	A1	8/2004	Sanford et al.	2009/0149964	A1	6/2009	May et al.
2004/0167390	A1	8/2004	Alexander et al.	2009/0198244	A1	8/2009	Leibel
2004/0167630	A1	8/2004	Rolston	2009/0204115	A1	8/2009	Dees et al.
2004/0193268	A1	9/2004	Hazebrouck et al.	2009/0222014	A1	9/2009	Bojarski et al.
2004/0193280	A1	9/2004	Webster et al.	2009/0307893	A1	12/2009	Bojarski et al.
2004/0199166	A1	10/2004	Schmieding et al.	2010/0057133	A1	3/2010	Simon
2004/0204644	A1	10/2004	Tsougarakis et al.	2010/0076441	A1	3/2010	May et al.
2004/0204760	A1	10/2004	Fitz et al.	2010/0121326	A1	5/2010	Woll et al.
2004/0236424	A1	11/2004	Berez et al.	2010/0160917	A1	6/2010	Fitz et al.
2004/0249386	A1	12/2004	Faoro	2010/0262150	A1	10/2010	Lian
2005/0015153	A1	1/2005	Goble et al.	2010/0274251	A1	10/2010	Ranft
2005/0021039	A1	1/2005	Cusick et al.	2010/0281678	A1	11/2010	Burdulis, Jr. et al.
2005/0043807	A1	2/2005	Wood	2010/0298894	A1	11/2010	Bojarski et al.
2005/0049603	A1	3/2005	Calton et al.	2010/0305573	A1	12/2010	Fitz et al.
2005/0055028	A1	3/2005	Haines	2010/0305574	A1	12/2010	Fitz et al.
2005/0085920	A1	4/2005	Williamson	2011/0066193	A1	3/2011	Lang et al.
2005/0107883	A1	5/2005	Goodfried et al.	2011/0071581	A1	3/2011	Lang et al.
2005/0107884	A1	5/2005	Johnson et al.	2011/0213368	A1	9/2011	Fitz et al.
2005/0119664	A1	6/2005	Carignan et al.	2011/0213373	A1	9/2011	Fitz et al.
2005/0143745	A1	6/2005	Hodorek et al.	2011/0213374	A1	9/2011	Fitz et al.
2005/0148843	A1	7/2005	Roose	2011/0213377	A1	9/2011	Lang et al.
2005/0171545	A1	8/2005	Walsh et al.	2011/0213427	A1	9/2011	Fitz et al.
2005/0171612	A1	8/2005	Rolston	2011/0213428	A1	9/2011	Fitz et al.
2005/0187555	A1	8/2005	Biedermann et al.	2011/0213429	A1	9/2011	Lang et al.
2005/0192588	A1	9/2005	Garcia	2011/0213430	A1	9/2011	Lang et al.
2005/0216305	A1	9/2005	Funderud	2011/0213431	A1	9/2011	Fitz et al.
2005/0234461	A1	10/2005	Burdulis et al.	2011/0218539	A1	9/2011	Fitz et al.
2005/0267584	A1	12/2005	Burdulis et al.	2011/0218542	A1	9/2011	Lian et al.
				2011/0218584	A1	9/2011	Fitz et al.
				2011/0230888	A1	9/2011	Lang et al.
				2011/0238073	A1	9/2011	Lang et al.

(56)	References Cited			GB	2291355	1/1996
	U.S. PATENT DOCUMENTS			GB	2348373	10/2000
				JP	8-173465	7/1996
				JP	9-206322	8/1997
2011/0313423	A1	12/2011	Lang et al.	JP	2000093435	4/2000
2011/0319897	A1	12/2011	Lang et al.	JP	2002-102236	4/2002
2011/0319900	A1	12/2011	Lang et al.	JP	2008-537689	9/2008
2012/0010719	A1	1/2012	Reiley	JP	2009515610	4/2009
2012/0029520	A1	2/2012	Lang et al.	WO	WO 87/02882	5/1987
2012/0041446	A1	2/2012	Wong et al.	WO	WO 90/009769	9/1990
2012/0066892	A1	3/2012	Lang et al.	WO	WO 93/004710	3/1993
2012/0071881	A1	3/2012	Lang et al.	WO	WO 93/009819	5/1993
2012/0071882	A1	3/2012	Lang et al.	WO	WO 93/025157	12/1993
2012/0071883	A1	3/2012	Lang et al.	WO	WO 95/027450	10/1995
2012/0072185	A1	3/2012	Lang et al.	WO	WO 95/028688	10/1995
2012/0101503	A1	4/2012	Lang et al.	WO	WO 95/030390	11/1995
2012/0143197	A1	6/2012	Lang et al.	WO	WO 95/032623	12/1995
2012/0151730	A1	6/2012	Fitz et al.	WO	WO 96/024302	8/1996
2012/0158001	A1	6/2012	Burdulis, Jr. et al.	WO	WO 97/025942	7/1997
2013/0261628	A1	10/2013	Burley et al.	WO	WO 97/026847	7/1997
2014/0020690	A1	1/2014	Triplett	WO	WO 97/027885	8/1997
2014/0270065	A1	9/2014	Aram et al.	WO	WO 97/038676	10/1997
2014/0275955	A1	9/2014	Crawford et al.	WO	WO 98/012994	4/1998
2014/0276853	A1	9/2014	Long et al.	WO	WO 98/20816	5/1998
2014/0277538	A1	9/2014	Sander	WO	WO 98/030617	7/1998
2015/0051696	A1*	2/2015	Hou A61M 25/0905	WO	WO 98/32384	7/1998
			623/2.11	WO	WO 99/002654	1/1999
2015/0134071	A1	5/2015	Luna et al.	WO	WO 99/008598	2/1999
2015/0320567	A1	11/2015	Terrill et al.	WO	WO 99/008728	2/1999
2016/0022283	A1	1/2016	Wallace et al.	WO	WO 99/042061	8/1999
2016/0051369	A1	2/2016	Sander	WO	WO 99/047186	9/1999
2016/0262903	A1	9/2016	West	WO	WO 99/051719	10/1999
2016/0310193	A1	10/2016	Lv et al.	WO	WO 99/056674	11/1999
2017/0224383	A1	8/2017	Wong	WO	WO 00/009179	2/2000
2018/0055648	A1	3/2018	Dhillon et al.	WO	WO 00/015153	3/2000
2018/0303490	A1	10/2018	Loring et al.	WO	WO 00/035346	6/2000
2019/0070012	A1	3/2019	Leemrijse et al.	WO	WO 00/048550	8/2000
2019/0209080	A1	7/2019	Gullotti et al.	WO	WO 00/059411	10/2000
2020/0015867	A1	1/2020	Luna et al.	WO	WO 00/074554	12/2000
2020/0113712	A1	4/2020	Luna et al.	WO	WO 01/010356	2/2001
2020/0330238	A1	10/2020	Calamel et al.	WO	WO 01/017463	3/2001
2020/0337850	A1	10/2020	Reiley	WO	WO 01/019254	3/2001
2021/0378753	A1	12/2021	Christen et al.	WO	WO 01/035968	5/2001
2022/0280307	A1	9/2022	Haddad et al.	WO	WO 01/045764	6/2001
2022/0316504	A1	10/2022	Kubacki	WO	WO 01/068800	9/2001
				WO	WO 01/070142	9/2001
				WO	WO 01/091672	12/2001
				WO	WO 02/000270	1/2002
				WO	WO 02/000275	1/2002
				WO	WO 02/002158	1/2002
DE	2306552	8/1974		WO	WO 02/022013	3/2002
DE	3516743	11/1986		WO	WO 02/022014	3/2002
DE	44 34 539	4/1996		WO	WO 02/023483	3/2002
DE	19501069	7/1996		WO	WO 02/034310	5/2002
DE	20303498	8/2003		WO	WO 02/036147	5/2002
DE	202008017199	3/2009		WO	WO 02/096268	12/2002
DE	202008017200	3/2009		WO	WO 03/007788	1/2003
EP	0377901	10/1989		WO	WO 03/037192	5/2003
EP	0528080	2/1993		WO	WO 03/047470	6/2003
EP	0530804	10/1993		WO	WO 03/051210	6/2003
EP	0626156	11/1994		WO	WO 03/055400	7/2003
EP	0704193	4/1996		WO	WO 2003/065907	8/2003
EP	0896825	2/1999		WO	WO 04/043305	5/2004
EP	0938869	9/1999		WO	WO 04/049981	6/2004
EP	0613380	12/1999		WO	WO 05/051239	6/2005
EP	0993807	4/2000		WO	WO 05/051240	6/2005
EP	1074229	2/2001		WO	WO 06/060795	6/2006
EP	1077253	2/2001		WO	WO 06/127283	11/2006
EP	1120087	8/2001		WO	WO 07/041375	4/2007
EP	1129675	9/2001		WO	WO 2007/061983	5/2007
EP	1132061	9/2001		WO	WO 07/092841	8/2007
EP	0732091	12/2001		WO	WO 08/112996	9/2008
EP	0814731	8/2002		WO	WO 08/157412	12/2008
EP	1234552	8/2002		WO	WO 2009/001083	12/2008
EP	1234555	8/2002		WO	WO 09/111639	9/2009
EP	0809987	10/2002		WO	WO2009143374	11/2009
EP	0833620	10/2002		WO	WO2009158522	12/2009
EP	2124832	12/2009		WO	WO 2010/099142	9/2010
FR	2819714	7/2002		WO	WO 2010/120346	10/2010
GB	1451283	9/1976		WO		

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO 2010/121147	10/2010
WO	WO2010135156	11/2010
WO	WO 2011/110374	9/2011
WO	WO2012121726	9/2012
WO	WO2014020561	2/2014
WO	2019009891 A1	1/2019
WO	2019094361 A1	5/2019
WO	WO2020124047	6/2020
WO	WO 2020124052	6/2020
WO	WO 2020242542	12/2020
WO	WO 2022015877	1/2022
WO	WO 2022094052	5/2022

OTHER PUBLICATIONS

Andersson, et al., "Macintosh Arthroplasty In Rheumatoid Arthritis," *Acta. Orthop. Scand.*, 1974, pp. 245-259, 45(2).

Anonymous: "Angle bracket (fastener)—Wikipedia", May 22, 2021, 1 page.

Anonymous: "Light Tube—Wikipedia", Mar. 4, 2021, 11 pages.

Anonymous: Newtonian Telescope—Wikipedia, May 23, 2021, 6 pages.

Argenson, et al., "Is There a Place for Patellofemoral Arthroplasty?," *Clinical Orthopaedics and Related Research* No. 321, 1995, pp. 162-167.

Birnbaum, et al., "Computer-Assisted Orthopedic Surgery with Individual Templates and Comparison to Conventional Operation Method," *Spine*, Feb. 2001, pp. 365-369, vol. 26, No. 4.

Chelule, et al., "Computer Aided Design of Personalized Jigs in Total Knee Replacement," 3rd Annual Meeting of CAOS Int'l Proc., Jun. 18-21, 2003, pp. 58-59, Spain.

Dare, S., Bobyn, J., Drouin, G., Dussault, R., Garipey, R., "Use of Computerized Tomography and Numerical Control Machining for the Fabrication of Custom Arthroplasty Prostheses." Second World Congress on Biomaterials, 10th Annual Meeting of the Society for Biomaterials, p. 233, Washington, D.C., Apr. 27-May 1, 1984.

DePuy Synthes, "Flexible Reamers for Intramedullary Nails" Surgical Technique, 22 pages, 2017.

De Winter, et al., "The Richards Type II Patellofemoral Arthroplasty," *Acta Orthop Scand*, 2001, pp. 487-490, 72(5).

Delp, et al., "A Graphics-Based Software System to Develop and Analyze Models of Musculoskeletal Structures," *Comput. Biol. Med.*, 1995, pp. 21-34, vol. 25, No. 1.

Farrar, et al., "Computed Tomography Scan Scout Film for Measurement of Femoral Axis in Knee Arthroplasty," *J. Arthroplasty*, 1999, pp. 1030-1031, vol. 14, No. 8.

U.S. Appl. No. 13/465,547, dated Feb. 26, 2014.

First Office Action for Japanese Patent Appln. No. 2011-552091, dated Oct. 25, 2013.

Froemel, et al., "Computer Assisted Template Based Navigation for Total Knee Replacement," Documents presented at CAOS on Jun. 17, 2001, 4 pages.

Hafez, et al., "Computer Assisted Total Knee Replacement: Could a Two-Piece Custom Template Replace the Complex Conventional Instrumentations?," 4th Annual Meeting of CAOS Int'l Proc., Jun. 16-19, 2004, pp. 63-64, Chicago.

Hafez, et al., "Computer-Assisted Total Hip Arthroplasty: The Present and the Future," *Future Rheumatol.*, 2006, pp. 121-131, vol. 1.

Kim, et al., "Measurement of Femoral Neck Anteversion in 3D. Part I: 3D Imaging Method," *Med. and Biol. Eng. and Computing*, 2000, pp. 603-609, vol. 38, No. 6.

Lam, et al., "X-Ray Diagnosis: A Physician's Approach," 1998, Title page and Table of Contents pages Only, ISBN 9813083247, Springer-Verlag publishers.

Lam et al. . . "Varus/Valgus Alignment of the Femoral Component in Total Knee Arthroplasty," *The Knee*, 2003, pp. 237-241, vol. 10.

Lu, et al., "In Vitro Degradation of Porous poly(L-lactic acid) Foams," *Biomaterials*, Aug. 2000, pp. 1595-1605, 21(15).

Mahaisavariya, et al., "Morphological Study of the Proximal Femur: a New Method of Geometrical Assessment Using 3-Dimensional Reverse Engineering", *Medical Engineering & Physics* 24 (2002) pp. 617-622.

Marler, et al., "Soft-Tissue Augmentation with Injectable Alginate and Syngeneic Fibroblasts," *Plastic & Reconstructive Surgery*, May 2000 pp. 2049-2058, 105(6).

PCT/US2010/025143, International Preliminary Report on Patentability and Written Opinion, Sep. 9, 2011.

Portheine, et al., "Potentials of CT-based Planning and Template-based Procedure in Hip and Knee Surgery," *Orth. Prac.*, 2000, pp. 786-791, vol. 36, English Translation with Certification.

Radermacher, "Computer Assisted Matching of Planning and Execution in Orthopedic Surgery," Slide Presentation, Nov. 29, 1993, 22 pages.

Radermacher, "Template Based Navigation—An Efficient Technique for Hip and Knee Surgery," CAOS First Asian Meet, Mar. 27-28, 2004, pp. 45-50, India.

Radermacher, et al., "Computer-Assisted Planning and Operation in Orthopedics," *Orth. Prac.* 36th Year, Dec. 2000, pp. 731-737, English Translation with Certification.

Rau, et al., "Small and Neat," *Medical Tech. Int'l*, 1993-94, pp. 65, 67 and 69.

Schkommau, et al., "Clinical Experience With the Individual Template Technique," *Orth. Prac.*, 2001, pp. 19-22, vol. 37, No. 1, English Translation with Certification.

Seel, et al., "Three-Dimensional Planning and Virtual Radiographs in Revision Total Hip Arthroplasty for Instability," *Clinical Orthopaedics and Related Research*, Jan. 2006, pp. 35-38, No. 442.

Slone, et al., "Body CT: a Practical Approach," 1999, Title page and Table of Contents pages Only, ISBN 007058219, McGraw-Hill.

Staudte, et al., "Computer-Assisted Operation Planning and Technique in Orthopedics," North Rhine-Westphalia Acad. for Sciences, Lecture N.444, 2000, 17 pages, ISSN 0944-8799, in German.

Staudte, et al., "Computer-Assisted Operation Planning and Technique in Orthopedics," North Rhine-Westphalia Acad. for Sciences, Lecture N.444, 2000, 34 pages, ISSN 0944-8799, English Translation with Certification.

Stauffer, et al., "The Macintosh Prosthesis. Prospective Clinical and Gait Evaluation," *Arch. Surg.*, 1975, pp. 717-720, 110(6).

Stout, et al., "X-RAY Structure Determination: A Practical Guide," 1989, Title page and Table of Contents pages Only, ISBN 0471607118, John Wiley & Sons.

Stryker Trauma GmbH, "Bixcut Reamer System" Osteosynthesis, 8 sheets, 2009.

Synthes, "SynReam, The Synthes Reaming System" Surgical Technique, 22 pages, 2005.

Tamez-Pena, et al., "MRI Isotropic Resolution Reconstruction from Two Orthogonal Scans," Proceedings of the SPIE—The International Society for Optical Engineering SOIE—OMT, 2001, pp. 87-97, vol. 4322.

Testi, et al., "Border Tracing Algorithm Implementation for the Femoral Geometry Reconstruction," *Camp. Meth. and Programs in Biomed.*, 2001, pp. 175-182, vol. 65.

Vandenberg, et al., "Assessment of Knee Cartilage in Cadavers with Dual-Detector Spiral CT Arthrography and MR Imaging," *Radiology*, Feb. 2002, pp. 430-435, 222(2).

Wiese, et al., "Biomaterial Properties and Biocompatibility in Cell Culture of a Novel Self-Inflating Hydrogel Tissue Expander," *J. Biomedical Materials Research Part A*, Nov. 2000, pp. 179-188, 54(2).

Woolson, S., Fellingham, L., Dev, P., and Vassiliadis, A., "Three Dimensional Imaging of Bone from Analysis of Computed Tomography Data," *Orthopedics*, vol. 8, No. 10, pp. 1269-1273, Oct. 1985.

Yusuf, et al., "Preparation and Characterization of Chitin Beads as a Wound Dressing Precursor," *J. Biomedical Materials Research Part A*, Oct. 2000, pp. 59-68, 54(1).

Examination Report issued in connection with corresponding Indian Patent Application No. 2004/KOLNP/2013, Nov. 27, 2018, 7 pages. First Office Action issued in connection with corresponding Chinese Patent Application No. 201610973637.8, Nov. 28, 2018, 6 pages.

(56)

References Cited

OTHER PUBLICATIONS

First Examination Repot issued in connection with corresponding Australian Patent Application No. 2018204063, Jul. 10, 2019, 2 pages.

Second Examination Report issued in connection with corresponding Australian Patent Application No. 2019261830, May 4, 2021, 9 pages.

First Examination Repot issued in connection with corresponding Australian Patent Application No. 201926183, Dec. 21, 2020, 4 pages.

International Search Report and Written Opinion issued in connection with International Patent Application No. PCT/US2022/070130, May 13, 2022, 17 pages.

Extended European Search Report issued in connection with European Patent Application No. 22172072, filed May 4, 2023, 25 pages.

Extended European Search Report issued in connection with European Patent Application No. 20913581.3, Oct. 16, 2023, 8 pages.

* cited by examiner




FIG. 1




FIG. 3






FIG. 2






FIG. 7




FIG. 6

1

GUIDANCE TOOLS, SYSTEMS, AND METHODS

CROSS-REFERENCE TO RELATED APPLICATIONS AND INCORPORATION BY REFERENCE

This application is a National Stage Application, filed under 35 U.S.C. 371, of International Patent Application No. PCT/US2020/065189, filed on Dec. 16, 2020, which claims priority to U.S. Provisional Patent Application No. 62/962,610, filed on Jan. 17, 2020, the entireties of which are incorporated herein by reference. This application also incorporates by reference the entire disclosures of commonly assigned U.S. Pat. No. 8,808,303, entitled "Orthopedic Surgical Guide;" U.S. Pat. No. 9,675,365, entitled "System and Method for Anterior Approach for Installing Tibial Stem;" and U.S. Pat. No. 10,456,179, entitled "Intramedullary Ankle Technique and System."

FIELD OF DISCLOSURE

The disclosed systems and methods relate to surgical tools and methods. More particularly, the disclosed systems and methods relate to guiding a flexible reamer, including flexible reamer that may be used to form an intramedullary canal.

BACKGROUND

Many surgical procedures use rotating cutting tools, such as reamers, to form cavities or channels within bone. One example of such a surgical procedure is a total ankle replacement ("TAR") procedure in which an intramedullary channel may be formed in a tibia so that the tibia may receive a stem component. The intramedullary channel typically is formed along the mechanical axis of the tibia, and many conventional techniques require the violation of additional bones beyond the tibia (e.g., the talus and calcaneus) to form the intramedullary channel. One example of such a technique is disclosed in commonly assigned U.S. Pat. No. 8,808,303, which has been incorporated by reference above. Violating additional bones beyond the tibia may increase the length of the surgery and risk of infection or other complications.

SUMMARY

In some embodiments, a guidance tool includes a body having a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape.

In some embodiments, a method includes inserting a first end of a guidance tool into an end of a bone; advancing the guidance tool into the bone until a shape memory section of the guidance tool is disposed adjacent to the end of the bone; cutting the guidance tool at a location between the shape memory section and a second end of the guidance tool; and advancing a cutting tool along the guidance tool to form a cavity in the bone. Cutting the guidance tool allows the shape memory section of the guidance tool to regain its programmed shape.

In some embodiments, a method includes coupling a fixture along a length of a bone such that a hole defined by the fixture is positioned adjacent to a side of the bone; inserting a guidance tool through the hole of the fixture and into the bone until the guidance tool extends along a length

2

of the bone and a leading end of the guidance tool is exposed adjacent to an end of the bone; and advancing a cutting tool along the guidance tool to form a cavity in the bone.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates one example of a human foot;

FIG. 2 illustrates one example of a resected tibia in accordance with some embodiments;

FIG. 3 illustrates one example of a resected tibia and a resected talus in accordance with some embodiments;

FIG. 4 is a frontal plane view of one example of a guidance tool being inserted into a tibia in accordance with some embodiments;

FIG. 5 is a sagittal plane view of a cutting tool being guided by the guidance tool shown in FIG. 4 in accordance with some embodiments;

FIG. 6 is a frontal plane view of one example of a fixture and guidance tool in accordance with some embodiments; and

FIG. 7 is a sagittal plane view of the fixture illustrated in FIG. 6 in accordance with some embodiments.

DETAILED DESCRIPTION

This description of preferred embodiments is intended to be read in connection with the accompanying drawings, which are to be considered part of the entire written description. The drawing figures are not necessarily to scale and certain features may be shown exaggerated in scale or in somewhat schematic form in the interest of clarity and conciseness. In the description, relative terms such as "horizontal," "vertical," "up," "down," "top" and "bottom" as well as derivatives thereof (e.g., "horizontally," "downwardly," "upwardly," etc.) should be construed to refer to the orientation as then described or as shown in the drawing figure under discussion. These relative terms are for convenience of description and normally are not intended to require a particular orientation. Terms including "inwardly" versus "outwardly," "longitudinal" versus "lateral" and the like are to be interpreted relative to one another or relative to an axis of elongation, or an axis or center of rotation, as appropriate. Terms concerning attachments, coupling and the like, such as "connected" and "interconnected," refer to a relationship wherein structures are secured or attached to one another either directly or indirectly through intervening structures, as well as both movable or rigid attachments or relationships, unless expressly described otherwise. When only a single machine is illustrated, the term "machine" shall also be taken to include any collection of machines that individually or jointly execute a set (or multiple sets) of instructions to perform any one or more of the methodologies discussed herein. The term "operatively connected" is such an attachment, coupling or connection that allows the pertinent structures to operate as intended by virtue of that relationship. In the claims, means-plus-function clauses, if used, are intended to cover the structures described, suggested, or rendered obvious by the written description or drawings for performing the recited function, including not only structural equivalents but also equivalent structures.

The disclosed systems and methods advantageously facilitate the intramedullary guidance while minimizing and/or eliminating the violation of adjacent bones as is typically done during conventional surgical procedures. While the systems and methods are described in connection with performing TAR, one of ordinary skill in the art will understand that the disclosed systems and methods may be

used to facilitate the creation of intramedullary canals or channels in other bones or body parts.

FIG. 1 illustrates one example of a human foot **10** and ankle **12**. As is known, the human foot **10** includes a number of bones, including the talus **14**, which sits atop the calcaneus **20**. The talus **14** forms part of the ankle joint with the tibia **16**, which is positioned adjacent to the fibula **18**. To prepare an ankle **12** for a TAR, the talus **14** and tibia **16** may be resected to provide a resected joint space **22** as best seen in FIGS. 2 and 3. Examples of tools and procedures for forming the resected joint space **22** are disclosed in U.S. Pat. Nos. 8,808,303 and 9,675,365, which have been incorporated by reference above.

FIGS. 4 and 5 illustrate one example of a guidance tool in accordance with some embodiments. Guidance tool **100** has an elongate shape extending from a first end **102**, which may be an insertion end, to a second end **104**, which may be a trailing end. End **102** may include a point or taper for facilitating insertion of the guidance tool **100** into a medium, such as skin or bone. Guidance tool **100** may be formed from shape memory material, such as a shape memory alloy selected from the group consisting of Cu—Al—Ni, NiTi (e.g., Nitinol), Fe—Mn—Si, Cu—Zn—Al, and Cu—Al—Ni.

In some embodiments, guidance tool **100** may include a centering mechanism **108** for centering the guidance tool within a bone. For example, the centering mechanism **108** may include a balloon or stent material configured to expand from a first, collapsed configuration to a second, expanded configuration. The guidance tool **100** is inserted into the medium (e.g., an intramedullary space, such as cancellous bone) with the centering mechanism **108** in its collapsed configuration. When guidance tool **100** has been inserted to its desired depth or location, the centering mechanism **108** may be deployed into its expanded configuration.

As will be understood by one of ordinary skill in the art, the manner in which the centering mechanism **108** is deployed may vary. For example, in embodiments where the centering mechanism **108** includes a balloon, then a gas, gel, or liquid may be injected into the internal chamber defined by the balloon to increase the size of the balloon. Techniques similar to those used in vertebroplasty and kyphoplasty may be used to expand the balloon. One of ordinary skill in the art will understand that as the diameter of the balloon increases the cancellous bone is compressed against the stronger cortical bone thereby centering the guidance tool within the bone. Additional materials, such as a stent material, may be provided along with a balloon material to guide the expansion and shape of the balloon.

In some embodiments, guidance tool **100** includes a stop **110** along its length. For example, stop **110** may take the form of a bead, taper, or other protrusion having an enlarged diameter relative to one or more portions of guidance tool **100** that are adjacent to stop **110**. Stop **110** may be disposed adjacent to centering mechanism **108** and is configured to stop the advancement of a cutting tool along the guidance tool **100**, as will be described in greater detail below, thereby protecting the centering mechanism **108** from being damaged by the cutting tool.

Guidance tool **100** may include a shape memory section or portion **112**. In some embodiments, the shape memory section **112** is curved to facilitate the guidance of a flexible cutting tool into an intramedullary canal. As described in greater detail below, the shape memory section **112** may be positioned along the length of the guidance tool **100** such

that when the stop **110** is located at the desired location within the bone the shape memory section will be adjacent to an end of the bone.

In some embodiments, the guidance tool **100** may be placed within an inferior portion of a tibia **16** with the aid of a cannula. The tibia **16** and talus **14** may be prepared by making bony cuts, such as those described in U.S. Pat. No. 9,675,365, entitled "System and Method for Anterior Approach for Installing Tibial Stem," which is incorporated by reference herein in its entirety. Once the inferior portion of the tibia **16** is resected to form a resected joint space **22**, the cannula may be positioned adjacent to the calcaneus **20**.

With the cannula positioned, the leading end **102** of guidance tool **100** is inserted into the cannula and advanced into the calcaneus **20**, talus **14**, and tibia **16**. The position of the guidance tool **100** within the tibia may be checked using fluoroscopy as will be understood by one of ordinary skill in the art. In some embodiments, the guidance tool **100** may include one or more markings (not shown) along its length. Each marking may identify a distance from the respective marking to the leading end **102** of the guidance tool **100** or a distance from the respective marking to the stop **110** such that a surgeon or physician will be able to determine if the guidance tool **100** has been inserted to the desired depth without the use of fluoroscopy.

In embodiments in which the guidance tool **100** is configured with a centering mechanism **108**, the centering mechanism may be activated or deployed to center the guidance tool **100** within the tibia **16**. For example, if the centering mechanism **108** includes a balloon that may be inflated around the guidance tool **100**, then the balloon is inflated, such as by injecting a gas, gel, or liquid into the internal chamber defined by the balloon. As the balloon is filled, the balloon expands, which results in the cancellous bone being compressed. The cancellous bone is compressed to the stronger cortical bone which is sufficiently strong to withstand the pressure exerted by the balloon being inflated.

With the guidance tool **100** positioned within the tibia **16**, the shape memory section **112** may be deployed. In some embodiments, the shape memory section **112** is deployed by cutting the guidance tool **100**, such as by using a pin cutter, adjacent to the shape memory section **112** to form a cut end **114**. The cutting of the guidance tool **100** eliminates the straightening force that was being applied to the guidance tool **100** by the cannula such that the shape memory section **112** is now free to revert back to its programmed shape, which may be a curved shape. In some embodiments, the curved shape of the shape memory section **112** extends through the anterior window of the resected joint space **22**. In some embodiments, the shape memory section **112** may be deployed prior to positioning the cannula and activating or deploying the centering mechanism as will be understood by one of ordinary skill in the art.

The guidance tool **100** is now ready to guide a cutting tool, such as a flexible reamer **500**, to prepare an intramedullary channel for receiving an implant. In some embodiments, a flexible reamer, such as the flexible reamer **500** described in U.S. Pat. No. 10,456,179, entitled "Intramedullary Ankle Technique and System," the entirety of which is incorporated by reference herein, is modified to provide a cannulated flexible reamer. The cannulated flexible reamer **500** defines a passageway **504** that extends through the nose **502** and the rest of the reamer **500**. In some embodiments, the body **506** of the cannulated flexible reamer **500** includes a plurality of segments. The segments **507-1**, **507-2**, . . . **507-n** (collectively, "segments **507**") may be movable (e.g., rotatable and/or pivotable) relative to an adjacent segment

5

507. In some embodiment, each segment **507** is movable (e.g., rotatable and/or pivotable) relative to an adjacent segment such that the reamer **500** may bend along its length.

The cannulated flexible reamer **500** is inserted over the guidance tool **100**. More particularly, the leading end or nose **502** of the cannulated flexible reamer **500**, which may include one or more flutes or cutting surfaces **503**, is slid onto the cut end **114** of guidance tool **100** such that the guidance tool **100** is received within passageway **504** of reamer **500** as shown in FIG. **5**. The flexible reamer **500** is advanced along the guidance tool **100**, including along the shape memory section **112**, and up into the tibia **16** to form an intramedullary channel. The flexible reamer is advanced along the length of the guidance tool **100** until it contacts stop **110** or till a desired depth has been achieved. In some embodiments, the guidance tool **100** may include markings along its length to provide a visual aid to the surgeon.

Once the intramedullary channel has been formed, the cannulated flexible reamer **500** may be slid off the guidance tool **100**. The guidance tool **100** may then be removed from the tibia **16**. In some embodiments in which the guidance tool **100** includes a centering mechanism **108** in the form of a balloon, the balloon may be deflated prior to removing the guidance tool **100** from its placement within the tibia **16**.

FIGS. **6** and **7** illustrate another example of the insertion of a guidance tool into a bone canal in accordance with some embodiments. As shown in FIGS. **6** and **7**, the guidance tool **100** is inserted into the bone canal with the assistance of a fixture **200**. Fixture **200** may include a body **202** that may be coupled to the bone or to an extramedullary guidance device, such as, for example, a foot holder and alignment tool **300** described in U.S. Pat. No. 8,808,303, as will be understood by one of ordinary skill in the art.

In some embodiments, body **202** is sized and configured such that the length of the body **202** extends across or substantially across a width of a bone, such as a human tibia **16**. Body **202** of fixture **200** may include a flange **204** extending at an angle (e.g., perpendicularly) with respect to a longitudinal axis defined by the body **202**. Body **202** defines at least one hole **206** sized and configured to receive a guidance tool, such as guidance tool **100** described above or a conventional k-wire. In some embodiments, hole **206** is configured to allow the guidance tool to be inserted at a non-orthogonal angle relative to an axis defined by the bone (e.g., a mechanical axis or a longitudinal axis). Body **202** may also include one or more gunsights **208** for providing an alignment check.

Body **202** may also include one or more adjustment mechanisms, including an anterior-posterior (“AP”) adjustment block **210**, a medial-lateral (“ML”) adjustment block **212**, and a proximal-distal adjustment block **214**. The implementation of the adjustment mechanisms may be varied. For example, in some embodiments, the adjustment mechanisms include a threaded thumb screw **216** having an enlarged foot **218** that is disposed at an opposite end of thumb wheel **220**. In some embodiments, the foot **218** is sized and configured to contact, but not cause damage or dig into, a bone, body **202** of fixture **200**, or the extramedullary guidance tool **100** as will be understood by one of ordinary skill in the art.

In use, the fixture **200** is positioned along a length of a bone, such as a tibia **16**, after the bone has been prepared to accept a guidance tool **100**. For example, in embodiments in which the fixture **200** and guidance tool **100** are to be used to guide a flexible reamer, e.g., flexible reamer **500**, to form an intramedullary channel for receiving a tibial component of an ankle prosthesis, the inferior portion **16a** of the tibia **16** is resected to form a resected joint space **22** as shown in

6

FIGS. **2** and **3**. The resected joint space may be formed as described in U.S. Pat. No. 9,675,365, entitled “System and Method for Anterior Approach for Installing Tibial Stem,” which has been incorporated by reference above.

The fixture **200** may be positioned along the length of the bone by using a strap (not shown) to couple the fixture **200** directly to the bone or by coupling the fixture **200** to an external guidance device (also not shown). Positioning of the fixture **200** along the length of the bone may also include adjusting the location of the fixture **200** using one or more of the adjustment mechanisms, i.e., AP adjustment block **210**, ML adjustment block **212**, and proximal-distal adjustment block **214**. The adjustment mechanisms may be used by rotating the respective threaded thumb screw **216** as will be understood by one of ordinary skill in the art. The alignment of the fixture **200** relative to the bone may be checked using gunsights **208**, which may include visualizing the fixture and bone using fluoroscopy as will be understood by one of ordinary skill in the art.

Once the fixture **200** is positioned, a guidance tool **100** may be inserted into the hole **206** of fixture **200**. Hole **206** may be positioned along a medial or lateral side of the bone such that the guidance tool **100** is inserted into a medial or lateral aspect of the bone. The guidance tool **100** is routed through fixture **200** and along the length of the bone until a leading end extends from the inferior portion of the tibia **16** into resected joint space **22**. For example, in some embodiments, the guidance tool **100** is pre-bent or has sufficient flexibility such that when the guidance tool **100** is inserted through the fixture at an angle it may be manipulated by the surgeon until the desired orientation within the bone is achieved.

With the leading end of the guidance tool **100** exposed within the resected joint space **22**, a cutting tool, such as a flexible reamer, is used to prepare an intramedullary channel for receiving an implant. As described above, a flexible reamer, such as the flexible reamer described in U.S. Pat. No. 10,456,179, entitled “Intramedullary Ankle Technique and System” and which has been incorporated by reference above, is modified to provide a cannulated flexible reamer that is inserted over the leading end of guidance tool. The flexible reamer is advanced along the guidance tool **100** and up into the tibia **16** to form an intramedullary channel.

Once the intramedullary channel has been formed, the cannulated flexible reamer may be slid off of the guidance tool **100**. The guidance tool **100** may then be removed from the tibia **16**. Fixture **200** may then also be removed from its engagement with the bone.

In some embodiments, a guidance tool includes a body having a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape.

In some embodiments, a stop is positioned along the length of the body adjacent to the first end. The stop has an enlarged dimension relative to portions of the body that are directly adjacent to the stop.

In some embodiments, the body includes a centering mechanism disposed between the stop and the first end of the body.

In some embodiments, the centering mechanism includes an expandable portion configured to expand from a collapsed configuration to an expanded configuration.

In some embodiments, the centering mechanism includes a balloon.

In some embodiments, the shape memory section is positioned between the stop and the second end of the body.

7

In some embodiments, the body is formed from a shape memory alloy.

In some embodiments, the shape memory alloy is selected from the group consisting of Cu—Al—Ni, NiTi, Fe—Mn—Si, Cu—Zn—Al, and Cu—Al—Ni.

In some embodiments, a method includes inserting a first end of a guidance tool into an end of a bone; advancing the guidance tool into the bone until a shape memory section of the guidance tool is disposed adjacent to the end of the bone; cutting the guidance tool at a location between the shape memory section and a second end of the guidance tool; and advancing a cutting tool along the guidance tool to form a cavity in the bone. Cutting the guidance tool allows the shape memory section of the guidance tool to regain its programmed shape.

In some embodiments, the method includes expanding a centering mechanism of the guidance tool to center the guidance tool within the bone prior to cutting the guidance tool.

In some embodiments, expanding the centering mechanism includes inflating a balloon.

In some embodiments, the cutting tool includes a cannulated flexible reamer.

In some embodiments, the cutting tool is advanced along the guidance tool until the cutting tool contacts a stop disposed adjacent to a first end of the guidance tool.

In some embodiments, the method includes resecting an end of the bone to form a resected joint space between the bone and a second bone prior to inserting the end of the guidance tool into the end of the bone.

In some embodiments, a cut end of the guidance tool extends through a window of the resected joint space when the shape memory section of the guidance tool regains its programmed shape.

In some embodiments, the bone is a tibia.

In some embodiments, a method includes coupling a fixture along a length of a bone such that a hole defined by the fixture is positioned adjacent to a side of the bone; inserting a guidance tool through the hole of the fixture and into the bone until the guidance tool extends along a length of the bone and a leading end of the guidance tool is exposed adjacent to an end of the bone; and advancing a cutting tool along the guidance tool to form a cavity in the bone.

In some embodiments, the method includes forming a resected joint space between the bone and a second bone prior to inserting the guidance tool into the bone.

In some embodiments, the bone is a tibia.

In some embodiments, the cutting tool is a cannulated flexible reamer.

In some embodiments a system includes a guidance tool and a cannulated flexible reamer. The guidance tool has a body with a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape. The cannulated flexible reamer defining a channel sized and configured to receive at least a portion of the guidance tool. A leading end of the cannulated flexible reamer includes plurality of flutes.

In some embodiments, a body of the cannulated flexible reamer includes a plurality of segments. At least one of the segments is movable relative to an adjacent segment. In some embodiments, each segment is movable relative to an adjacent segment.

In some embodiments a system includes a guidance tool, a cannulated flexible reamer, and a fixture. The guidance tool has a body with a length extending from a first end to a second end. The body includes a shape memory section

8

along the length of the body. The shape memory section has a curved shape. The cannulated flexible reamer defining a channel sized and configured to receive at least a portion of the guidance tool. A leading end of the cannulated flexible reamer includes plurality of flutes. The fixture is sized and configured to be disposed along a length of a bone. The fixture defines a hole that is positioned along the length of fixture such that, when the fixture is disposed adjacent to a bone, the guidance tool may be received in the hole of the fixture and into the bone.

In some embodiments, a body of the cannulated flexible reamer includes a plurality of segments. At least one of the segments is movable relative to an adjacent segment. In some embodiments, each segment is movable relative to an adjacent segment.

Although the invention has been described in terms of exemplary embodiments, it is not limited thereto. Rather, the appended claims should be construed broadly, to include other variants and embodiments of the invention, which may be made by those skilled in the art without departing from the scope and range of equivalents of the invention.

What is claimed is:

1. A guidance tool, comprising:

a body having a length extending from a first end to a second end, the body including a shape memory section along the length of the body, the shape memory section having a programmed curved shape and forced to be straight by a straightening force, the straightening force removable by cutting the guidance tool;

a stop, positioned along the length of the body adjacent to the first end, the stop having an enlarged dimension relative to portions of the body that are directly adjacent to the stop wherein the shape memory section is positioned between the stop and the second end of the body; and

a centering mechanism disposed between the stop and the first end of the body and fixed in place relative to the body.

2. The guidance tool of claim 1, wherein the body is formed from a shape memory alloy.

3. The guidance tool of claim 2, wherein the shape memory alloy is selected from the group consisting of Cu—Al—Ni, NiTi, Fe—Mn—Si, Cu—Zn—Al, and Cu—Al—Ni.

4. A guidance tool, comprising:

a body having a length extending from a first end to a second end, the body including a shape memory section along the length of the body, the shape memory section having a programmed curved shape and forced to be straight by a straightening force, the straightening force removable by cutting the guidance tool;

a stop, positioned along the length of the body adjacent to the first end, having an enlarged dimension relative to portions of the body that are directly adjacent to the stop; and

a centering mechanism disposed between the stop and the first end of the body and fixed in place relative to the body, wherein the centering mechanism includes an expandable portion configured to expand from a collapsed configuration to an expanded configuration.

5. A guidance tool, comprising:

a body having a length extending from a first end to a second end, the body including a shape memory section along the length of the body, the shape memory section having a programmed curved shape and forced to be straight by a straightening force, the straightening force removable by cutting the guidance tool;

a stop, positioned along the length of the body adjacent to the first end, having an enlarged dimension relative to portions of the body that are directly adjacent to the stop; and

a centering mechanism disposed between the stop and the first end of the body and fixed in place relative to the body, wherein the centering mechanism includes a balloon.

6. The guidance tool of claim 4 or 5, wherein the shape memory section is positioned between the stop and the second end of the body.

* * * * *