

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12396739
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Kubacki; Meghan

Guidance tools, systems, and methods

Abstract

A guidance tool includes a body having a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape.

Inventors:	Kubacki; Meghan (Memphis, TN)
Applicant:	Wright Medical Technology, Inc. (Memphis, TN)
Family ID:	1000008777444
Assignee:	WRIGHT MEDICAL TECHNOLOGY, INC. (Memphis, TN)
Appl. No.:	17/776893
Filed (or PCT Filed):	December 16, 2020
PCT No.:	PCT/US2020/065189
PCT Pub. No.:	WO2021/146015
PCT Pub. Date:	July 22, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20220401115 A1	Dec. 22, 2022

Related U.S. Application Data

us-provisional-application US 62962610 20200117

Publication Classification

Int. Cl.: A61B17/17 (20060101); **A61B17/16** (20060101); A61B17/00 (20060101)

U.S. Cl.:

CPC **A61B17/1717** (20130101); **A61B17/164** (20130101); A61B2017/00867 (20130101)

Field of Classification Search

CPC: A61B (5/6853); A61B (17/12022); A61B (17/12136); A61B (2017/22048); A61B (2017/22054); A61B (17/1631); A61B (17/164); A61B (17/1717); A61B (17/1796); A61B (17/320758); A61B (2017/3486); A61B (17/7208); A61B (17/8897); A61B (17/90)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3314420	12/1966	Smith et al.	N/A	N/A
3605123	12/1970	Hahn	N/A	N/A
3708883	12/1972	Flander	N/A	N/A
3798679	12/1973	Ewald	N/A	N/A
3808606	12/1973	Tronzo	N/A	N/A
3843975	12/1973	Tronzo	N/A	N/A
3855638	12/1973	Pilliar	N/A	N/A
3938198	12/1975	Kahn et al.	N/A	N/A
3987499	12/1975	Scharbach et al.	N/A	N/A
4052753	12/1976	Dedo	N/A	N/A
4055862	12/1976	Farling	N/A	N/A
4085466	12/1977	Goodfellow et al.	N/A	N/A
4098626	12/1977	Graham et al.	N/A	N/A
4203444	12/1979	Bonnell et al.	N/A	N/A
4213816	12/1979	Morris	N/A	N/A
4340978	12/1981	Buechel et al.	N/A	N/A
4368040	12/1982	Weissman	N/A	N/A
4436684	12/1983	White	N/A	N/A
4501266	12/1984	McDaniel	N/A	N/A
4502161	12/1984	Wall	N/A	N/A
4578806	12/1985	Grass et al.	N/A	N/A
4586496	12/1985	Keller	N/A	N/A
4594380	12/1985	Chapin et al.	N/A	N/A
4601290	12/1985	Effron et al.	N/A	N/A
4609551	12/1985	Caplan et al.	N/A	N/A
4627853	12/1985	Campbell et al.	N/A	N/A
4703751	12/1986	Pohl	N/A	N/A
4704686	12/1986	Aldinger	N/A	N/A
4715860	12/1986	Amstutz et al.	N/A	N/A
4721104	12/1987	Kaufman et al.	N/A	N/A
4759350	12/1987	Dunn et al.	N/A	N/A
4769040	12/1987	Wevers	N/A	N/A
4841975	12/1988	Woolson	N/A	N/A

4846835	12/1988	Grande	N/A	N/A
4865607	12/1988	Witzel et al.	N/A	N/A
4880429	12/1988	Stone	N/A	N/A
4936862	12/1989	Walker et al.	N/A	N/A
4979949	12/1989	Matsen, III et al.	N/A	N/A
5002547	12/1990	Poggie	N/A	N/A
5041138	12/1990	Vacanti et al.	N/A	N/A
5059216	12/1990	Winters	N/A	N/A
5067964	12/1990	Richmond et al.	N/A	N/A
5122144	12/1991	Bert et al.	N/A	N/A
5129908	12/1991	Petersen	N/A	N/A
5133759	12/1991	Turner	N/A	N/A
5154717	12/1991	Matsen, III et al.	N/A	N/A
5162430	12/1991	Rhee et al.	N/A	N/A
5171322	12/1991	Kenny	N/A	N/A
5197985	12/1992	Caplan et al.	N/A	N/A
5206023	12/1992	Hunziker	N/A	N/A
5226914	12/1992	Caplan et al.	N/A	N/A
5234433	12/1992	Bert et al.	N/A	N/A
5250050	12/1992	Poggie et al.	N/A	N/A
5258032	12/1992	Bertin	N/A	N/A
5270300	12/1992	Hunziker	N/A	N/A
5288797	12/1993	Khalil et al.	N/A	N/A
5303148	12/1993	Mattson et al.	N/A	N/A
5306311	12/1993	Stone et al.	N/A	N/A
5314482	12/1993	Goodfellow et al.	N/A	N/A
5344459	12/1993	Swartz	N/A	N/A
5360446	12/1993	Kennedy	N/A	N/A
5365996	12/1993	Crook	N/A	N/A
5368858	12/1993	Hunziker	N/A	N/A
5370692	12/1993	Fink et al.	N/A	N/A
5380332	12/1994	Ferrante	N/A	N/A
5387216	12/1994	Thornhill et al.	N/A	N/A
5454816	12/1994	Ashby	N/A	N/A
5462550	12/1994	Dietz et al.	N/A	N/A
5468787	12/1994	Braden et al.	N/A	N/A
5474559	12/1994	Bertin et al.	N/A	N/A
5478739	12/1994	Slivka et al.	N/A	N/A
5486180	12/1995	Dietz et al.	N/A	N/A
5501687	12/1995	Willert et al.	N/A	N/A
5503162	12/1995	Athanasiou et al.	N/A	N/A
5509919	12/1995	Young	606/80	A61B 17/1717
5520695	12/1995	Luckman	N/A	N/A
5523843	12/1995	Yamane et al.	N/A	N/A
5540696	12/1995	Booth, Jr. et al.	N/A	N/A
5542947	12/1995	Treacy	N/A	N/A
5554190	12/1995	Draenert	N/A	N/A
5556432	12/1995	Kubein-Meesenburg et al.	N/A	N/A
5571205	12/1995	James	N/A	N/A

5575793	12/1993	Carls et al.	N/A	N/A
5578037	12/1995	Sanders et al.	N/A	N/A
5593450	12/1996	Scott et al.	N/A	N/A
5597379	12/1996	Haines et al.	N/A	N/A
5601563	12/1996	Burke et al.	N/A	N/A
5613970	12/1996	Houston et al.	N/A	N/A
5616146	12/1996	Murray	N/A	N/A
5630820	12/1996	Todd	N/A	N/A
5632745	12/1996	Schwartz	N/A	N/A
5649929	12/1996	Callaway	N/A	N/A
5658290	12/1996	Techeira	N/A	N/A
5671741	12/1996	Lang et al.	N/A	N/A
5682886	12/1996	Delp et al.	N/A	N/A
5683466	12/1996	Vitale	N/A	N/A
5684562	12/1996	Fujieda	N/A	N/A
5688282	12/1996	Baron et al.	N/A	N/A
5728162	12/1997	Eckhoff	N/A	N/A
5735277	12/1997	Schuster	N/A	N/A
5749874	12/1997	Schwartz	N/A	N/A
5749876	12/1997	Duvillier et al.	N/A	N/A
5765561	12/1997	Chen et al.	N/A	N/A
5768134	12/1997	Swaelens et al.	N/A	N/A
5769899	12/1997	Schwartz et al.	N/A	N/A
5782842	12/1997	Kloess et al.	N/A	N/A
5786217	12/1997	Tuba et al.	N/A	N/A
5798924	12/1997	Eufinger et al.	N/A	N/A
5800438	12/1997	Tuke et al.	N/A	N/A
5824083	12/1997	Draenert	N/A	N/A
5827289	12/1997	Reiley et al.	N/A	N/A
5830216	12/1997	Insall et al.	N/A	N/A
5835619	12/1997	Morimoto et al.	N/A	N/A
5842477	12/1997	Naughton et al.	N/A	N/A
5847804	12/1997	Sarver et al.	N/A	N/A
5853746	12/1997	Hunziker	N/A	N/A
5860981	12/1998	Bertin et al.	N/A	N/A
5871018	12/1998	Delp et al.	N/A	N/A
5871542	12/1998	Goodfellow et al.	N/A	N/A
5871546	12/1998	Colleran et al.	N/A	N/A
5879390	12/1998	Kubein- Meesenburg et al.	N/A	N/A
5880976	12/1998	DiGioia, III et al.	N/A	N/A
5885296	12/1998	Masini	N/A	N/A
5885297	12/1998	Matsen, III	N/A	N/A
5885298	12/1998	Herrington et al.	N/A	N/A
5897559	12/1998	Masini	N/A	N/A
5899859	12/1998	Votruba et al.	N/A	N/A
5900245	12/1998	Sawhney et al.	N/A	N/A
5906934	12/1998	Grande et al.	N/A	N/A
5910143	12/1998	Cripe et al.	N/A	N/A
5911723	12/1998	Ashby et al.	N/A	N/A

5916220	12/1998	Masini	N/A	N/A
5939323	12/1998	Valentini et al.	N/A	N/A
5951475	12/1998	Gueziec et al.	N/A	N/A
5961523	12/1998	Masini	N/A	N/A
5968051	12/1998	Luckman et al.	N/A	N/A
5972385	12/1998	Liu et al.	N/A	N/A
5995738	12/1998	DiGioia, III et al.	N/A	N/A
6001895	12/1998	Harvey et al.	N/A	N/A
6002859	12/1998	DiGioia, III et al.	N/A	N/A
6006126	12/1998	Cosman	N/A	N/A
6007537	12/1998	Burkinshaw et al.	N/A	N/A
6010509	12/1999	Delgado et al.	N/A	N/A
6013081	12/1999	Burkinshaw et al.	N/A	N/A
6013103	12/1999	Kaufman et al.	N/A	N/A
6046379	12/1999	Stone et al.	N/A	N/A
6056754	12/1999	Haines et al.	N/A	N/A
6056756	12/1999	Eng et al.	N/A	N/A
6057927	12/1999	Levesque et al.	N/A	N/A
6077270	12/1999	Katz	N/A	N/A
6082364	12/1999	Balian et al.	N/A	N/A
6090144	12/1999	Letot et al.	N/A	N/A
6093204	12/1999	Stone	N/A	N/A
6096043	12/1999	Techiera et al.	N/A	N/A
6102916	12/1999	Masini	N/A	N/A
6106529	12/1999	Techiera	N/A	N/A
6110209	12/1999	Stone	N/A	N/A
6120541	12/1999	Johnson	N/A	N/A
6126690	12/1999	Ateshian et al.	N/A	N/A
6139578	12/1999	Lee et al.	N/A	N/A
6156069	12/1999	Amstutz	N/A	N/A
6161080	12/1999	Aouni-Ateshian et al.	N/A	N/A
6187010	12/2000	Masini	N/A	N/A
6200606	12/2000	Peterson et al.	N/A	N/A
6203546	12/2000	MacMahon	N/A	N/A
6203576	12/2000	Afriat et al.	N/A	N/A
6205411	12/2000	DiGioia, III et al.	N/A	N/A
6206927	12/2000	Fell et al.	N/A	N/A
6214369	12/2000	Grande et al.	N/A	N/A
6217894	12/2000	Sawhney et al.	N/A	N/A
6219571	12/2000	Hargreaves et al.	N/A	N/A
6224632	12/2000	Pappas et al.	N/A	N/A
6235060	12/2000	Kubein- Meesenburg et al.	N/A	N/A
6251143	12/2000	Schwartz et al.	N/A	N/A
6254639	12/2000	Peckitt	N/A	N/A
6277151	12/2000	Lee et al.	N/A	N/A
6281195	12/2000	Rueger et al.	N/A	N/A
6283980	12/2000	Vibe-Hansen et al.	N/A	N/A

6296646	12/2000	Williamson	N/A	N/A
6299905	12/2000	Peterson et al.	N/A	N/A
6322588	12/2000	Ogle et al.	N/A	N/A
6327491	12/2000	Franklin et al.	N/A	N/A
6328765	12/2000	Hardwick et al.	N/A	N/A
6344043	12/2001	Pappas	N/A	N/A
6344059	12/2001	Krakovits et al.	N/A	N/A
6352558	12/2001	Spector	N/A	N/A
6358253	12/2001	Torrie et al.	N/A	N/A
6365405	12/2001	Salzmann et al.	N/A	N/A
6371958	12/2001	Overaker	N/A	N/A
6373250	12/2001	Tsoref et al.	N/A	N/A
6375658	12/2001	Hangody et al.	N/A	N/A
6379367	12/2001	Vibe-Hansen et al.	N/A	N/A
6382028	12/2001	Wooh et al.	N/A	N/A
6383228	12/2001	Schmotzer	N/A	N/A
6387131	12/2001	Miehlke et al.	N/A	N/A
6409767	12/2001	Perice et al.	N/A	N/A
6429013	12/2001	Halvorsen et al.	N/A	N/A
6443988	12/2001	Felt et al.	N/A	N/A
6443991	12/2001	Running	N/A	N/A
6444222	12/2001	Asculai et al.	N/A	N/A
6459927	12/2001	Franklin et al.	N/A	N/A
6459948	12/2001	Ateshian et al.	N/A	N/A
6468314	12/2001	Schwartz et al.	N/A	N/A
6478799	12/2001	Williamson	N/A	N/A
6479996	12/2001	Hoogeveen et al.	N/A	N/A
6510334	12/2002	Schuster et al.	N/A	N/A
6520964	12/2002	Tallarida et al.	N/A	N/A
6558421	12/2002	Fell et al.	N/A	N/A
6560476	12/2002	Pelletier et al.	N/A	N/A
6575980	12/2002	Robie et al.	N/A	N/A
6620168	12/2002	Lombardo et al.	N/A	N/A
6626945	12/2002	Simon et al.	N/A	N/A
6626948	12/2002	Storer et al.	N/A	N/A
6632225	12/2002	Sanford et al.	N/A	N/A
6632235	12/2002	Weikel et al.	N/A	N/A
6652587	12/2002	Felt et al.	N/A	N/A
6673077	12/2003	Katz	N/A	N/A
6679917	12/2003	Ek	N/A	N/A
6712856	12/2003	Carignan et al.	N/A	N/A
6738657	12/2003	Franklin et al.	N/A	N/A
6905514	12/2004	Carignan et al.	N/A	N/A
6916341	12/2004	Rolston	N/A	N/A
6928742	12/2004	Broers et al.	N/A	N/A
6932842	12/2004	Litschko et al.	N/A	N/A
6942667	12/2004	Song	N/A	N/A
6944518	12/2004	Roose	N/A	N/A
6969393	12/2004	Pinczewski et al.	N/A	N/A

6980849	12/2004	Sasso	N/A	N/A
6988015	12/2005	Schopf et al.	N/A	N/A
6993374	12/2005	Sasso	N/A	N/A
7008430	12/2005	Dong et al.	N/A	N/A
7058439	12/2005	Eaton et al.	N/A	N/A
7060074	12/2005	Rosa et al.	N/A	N/A
7104997	12/2005	Lionberger et al.	N/A	N/A
7115131	12/2005	Engh et al.	N/A	N/A
7117027	12/2005	Zheng et al.	N/A	N/A
7141053	12/2005	Rosa et al.	N/A	N/A
7184814	12/2006	Lang et al.	N/A	N/A
7201762	12/2006	Green, Jr. et al.	N/A	N/A
7217276	12/2006	Henderson et al.	N/A	N/A
7239908	12/2006	Alexander et al.	N/A	N/A
7245697	12/2006	Lang	N/A	N/A
7250055	12/2006	Vanderwalle	N/A	N/A
7282054	12/2006	Steffensmeier et al.	N/A	N/A
7292674	12/2006	Lang	N/A	N/A
7347690	12/2007	Jordan et al.	N/A	N/A
7364581	12/2007	Michalowicz	N/A	N/A
7377924	12/2007	Raistrick et al.	N/A	N/A
7379529	12/2007	Lang	N/A	N/A
7467892	12/2007	Lang et al.	N/A	N/A
7468075	12/2007	Lang et al.	N/A	N/A
7534246	12/2008	Reiley et al.	N/A	N/A
7534263	12/2008	Burdulis, Jr. et al.	N/A	N/A
7618451	12/2008	Berez et al.	N/A	N/A
7747305	12/2009	Dean et al.	N/A	N/A
7806896	12/2009	Bonutti	N/A	N/A
7881768	12/2010	Lang et al.	N/A	N/A
7914533	12/2010	Nelson et al.	N/A	N/A
7981158	12/2010	Fitz et al.	N/A	N/A
7983777	12/2010	Melton et al.	N/A	N/A
8036729	12/2010	Lang et al.	N/A	N/A
8062302	12/2010	Lang et al.	N/A	N/A
8066708	12/2010	Lang et al.	N/A	N/A
8083745	12/2010	Lang et al.	N/A	N/A
8105330	12/2011	Fitz et al.	N/A	N/A
8112142	12/2011	Alexander et al.	N/A	N/A
8122592	12/2011	Burdulis, Jr. et al.	N/A	N/A
RE43282	12/2011	Alexander et al.	N/A	N/A
8236016	12/2011	To	606/159	A61B 17/320758
8430879	12/2012	Stoneburner et al.	N/A	N/A
8496663	12/2012	White et al.	N/A	N/A
8535319	12/2012	Ball	N/A	N/A
8579980	12/2012	Delurio et al.	N/A	N/A
8636744	12/2013	Tochigi et al.	N/A	N/A
8715362	12/2013	Reiley et al.	N/A	N/A

8808297	12/2013	Stemniski	N/A	N/A
8808303	12/2013	Stemniski	N/A	N/A
9005255	12/2014	Lewis et al.	N/A	N/A
9017334	12/2014	Carroll et al.	N/A	N/A
9125674	12/2014	White et al.	N/A	N/A
9128627	12/2014	Bachu et al.	N/A	N/A
9259250	12/2015	Saravia et al.	N/A	N/A
9265511	12/2015	White et al.	N/A	N/A
9351739	12/2015	Mahoney et al.	N/A	N/A
9402640	12/2015	Stemniski et al.	N/A	N/A
9672607	12/2016	Demri et al.	N/A	N/A
9675365	12/2016	Lancianese et al.	N/A	N/A
10105168	12/2017	Blau	N/A	N/A
10130430	12/2017	Kao et al.	N/A	N/A
10315007	12/2018	Chan	N/A	A61M 25/0105
10390842	12/2018	Sander	N/A	N/A
10413308	12/2018	Stemniski et al.	N/A	N/A
10433911	12/2018	Wang et al.	N/A	N/A
10456179	12/2018	Luna et al.	N/A	N/A
10667867	12/2019	Ashish et al.	N/A	N/A
10835265	12/2019	White et al.	N/A	N/A
10835266	12/2019	White et al.	N/A	N/A
11134964	12/2020	Free et al.	N/A	N/A
11147627	12/2020	Gangwar et al.	N/A	N/A
11172945	12/2020	Lian	N/A	N/A
2001/0001120	12/2000	Masini	N/A	N/A
2001/0010023	12/2000	Schwartz et al.	N/A	N/A
2001/0039455	12/2000	Simon et al.	N/A	N/A
2002/0013626	12/2001	Geisllich et al.	N/A	N/A
2002/0029038	12/2001	Haines	N/A	N/A
2002/0045940	12/2001	Giannelli et al.	N/A	N/A
2002/0059049	12/2001	Bradbury et al.	N/A	N/A
2002/0068979	12/2001	Brown et al.	N/A	N/A
2002/0072821	12/2001	Baker	N/A	N/A
2002/0079601	12/2001	Russell et al.	N/A	N/A
2002/0082703	12/2001	Repicci	N/A	N/A
2002/0087274	12/2001	Alexander et al.	N/A	N/A
2002/0106625	12/2001	Hung et al.	N/A	N/A
2002/0115647	12/2001	Halvorsen et al.	N/A	N/A
2002/0120274	12/2001	Overaker et al.	N/A	N/A
2002/0120281	12/2001	Overaker	N/A	N/A
2002/0123817	12/2001	Clasbrummel et al.	N/A	N/A
2002/0127264	12/2001	Felt et al.	N/A	N/A
2002/0133230	12/2001	Repicci	N/A	N/A
2002/0143402	12/2001	Steinberg	N/A	N/A
2002/0151986	12/2001	Asculai et al.	N/A	N/A
2002/0156150	12/2001	Asculai et al.	N/A	N/A
2002/0156479	12/2001	Schulzki et al.	N/A	N/A

2002/0173852	12/2001	Felt et al.	N/A	N/A
2002/0183850	12/2001	Felt et al.	N/A	N/A
2002/0198531	12/2001	Millard et al.	N/A	N/A
2003/0028196	12/2002	Bonutti	N/A	N/A
2003/0055500	12/2002	Fell et al.	N/A	N/A
2003/0055501	12/2002	Fell et al.	N/A	N/A
2003/0055502	12/2002	Lang et al.	N/A	N/A
2003/0060882	12/2002	Fell et al.	N/A	N/A
2003/0060883	12/2002	Fell et al.	N/A	N/A
2003/0060884	12/2002	Fell et al.	N/A	N/A
2003/0060885	12/2002	Fell et al.	N/A	N/A
2003/0100907	12/2002	Rosa et al.	N/A	N/A
2003/0100953	12/2002	Rosa et al.	N/A	N/A
2003/0120347	12/2002	Steinberg	N/A	N/A
2003/0158558	12/2002	Horn	N/A	N/A
2003/0158606	12/2002	Coon et al.	N/A	N/A
2003/0163137	12/2002	Smucker et al.	N/A	N/A
2003/0173695	12/2002	Monkhouse et al.	N/A	N/A
2003/0216669	12/2002	Lang et al.	N/A	N/A
2003/0220641	12/2002	Thelen	606/60	A61B 17/8805
2003/0225457	12/2002	Justin et al.	N/A	N/A
2003/0236521	12/2002	Brown et al.	N/A	N/A
2003/0236526	12/2002	Van Hoeck et al.	N/A	N/A
2004/0098133	12/2003	Carignan et al.	N/A	N/A
2004/0102852	12/2003	Johnson et al.	N/A	N/A
2004/0122521	12/2003	Lee et al.	N/A	N/A
2004/0133276	12/2003	Lang et al.	N/A	N/A
2004/0138754	12/2003	Lang et al.	N/A	N/A
2004/0147927	12/2003	Tsougarakis et al.	N/A	N/A
2004/0153079	12/2003	Tsougarakis et al.	N/A	N/A
2004/0153162	12/2003	Sanford et al.	N/A	N/A
2004/0153164	12/2003	Sanford et al.	N/A	N/A
2004/0167390	12/2003	Alexander et al.	N/A	N/A
2004/0167630	12/2003	Rolston	N/A	N/A
2004/0193268	12/2003	Hazebrouck et al.	N/A	N/A
2004/0193280	12/2003	Webster et al.	N/A	N/A
2004/0199166	12/2003	Schmieding et al.	N/A	N/A
2004/0204644	12/2003	Tsougarakis et al.	N/A	N/A
2004/0204760	12/2003	Fitz et al.	N/A	N/A
2004/0236424	12/2003	Berez et al.	N/A	N/A
2004/0249386	12/2003	Faoro	N/A	N/A
2005/0015153	12/2004	Goble et al.	N/A	N/A
2005/0021039	12/2004	Cusick et al.	N/A	N/A
2005/0043807	12/2004	Wood	N/A	N/A
2005/0049603	12/2004	Calton et al.	N/A	N/A
2005/0055028	12/2004	Haines	N/A	N/A
2005/0085920	12/2004	Williamson	N/A	N/A
2005/0107883	12/2004	Goodfried et al.	N/A	N/A
2005/0107884	12/2004	Johnson et al.	N/A	N/A
2005/0119664	12/2004	Carignan et al.	N/A	N/A

2005/0143745	12/2004	Hodorek et al.	N/A	N/A
2005/0148843	12/2004	Roose	N/A	N/A
2005/0171545	12/2004	Walsh et al.	N/A	N/A
2005/0171612	12/2004	Rolston	N/A	N/A
2005/0187555	12/2004	Biedermann et al.	N/A	N/A
2005/0192588	12/2004	Garcia	N/A	N/A
2005/0216305	12/2004	Funderud	N/A	N/A
2005/0234461	12/2004	Burdulis et al.	N/A	N/A
2005/0267584	12/2004	Burdulis et al.	N/A	N/A
2005/0288792	12/2004	Landes et al.	N/A	N/A
2006/0052795	12/2005	Burdulis et al.	N/A	N/A
2006/0111722	12/2005	Bouadi	N/A	N/A
2006/0149283	12/2005	May et al.	N/A	N/A
2006/0200162	12/2005	Farling et al.	N/A	N/A
2006/0235421	12/2005	Rosa et al.	N/A	N/A
2007/0015995	12/2006	Lang	N/A	N/A
2007/0073305	12/2006	Lionberger et al.	N/A	N/A
2007/0118141	12/2006	Marchyn et al.	N/A	N/A
2007/0129808	12/2006	Justin et al.	N/A	N/A
2007/0150065	12/2006	Angibaud	N/A	N/A
2007/0162025	12/2006	Tornier et al.	N/A	N/A
2007/0198022	12/2006	Lang et al.	N/A	N/A
2007/0203430	12/2006	Lang et al.	N/A	N/A
2007/0203455	12/2006	Tremaglio et al.	N/A	N/A
2007/0233128	12/2006	Schmieding et al.	N/A	N/A
2007/0233151	12/2006	Chudik	N/A	N/A
2007/0233156	12/2006	Metzger	N/A	N/A
2007/0276224	12/2006	Lang et al.	N/A	N/A
2007/0293868	12/2006	Delfosse et al.	N/A	N/A
2008/0004709	12/2007	O'Neill et al.	N/A	N/A
2008/0015433	12/2007	Alexander et al.	N/A	N/A
2008/0025463	12/2007	Lang et al.	N/A	N/A
2008/0031412	12/2007	Delfosse et al.	N/A	N/A
2008/0058613	12/2007	Lang et al.	N/A	N/A
2008/0058945	12/2007	Hajaj et al.	N/A	N/A
2008/0114370	12/2007	Schoenefeld	N/A	N/A
2008/0170659	12/2007	Lang et al.	N/A	N/A
2008/0195109	12/2007	Hunter et al.	N/A	N/A
2008/0195216	12/2007	Lang	N/A	N/A
2008/0219412	12/2007	Lang	N/A	N/A
2008/0243127	12/2007	Lang	N/A	N/A
2008/0255565	12/2007	Fletcher	N/A	N/A
2008/0275452	12/2007	Lang et al.	N/A	N/A
2008/0281328	12/2007	Lang et al.	N/A	N/A
2008/0281329	12/2007	Lang et al.	N/A	N/A
2008/0281426	12/2007	Fitz et al.	N/A	N/A
2008/0287953	12/2007	Sers	N/A	N/A
2008/0306605	12/2007	Hasselman	N/A	N/A
2009/0024131	12/2008	Metzger et al.	N/A	N/A
2009/0043310	12/2008	Rasmussen	N/A	N/A

2009/0076371	12/2008	Lang et al.	N/A	N/A
2009/0087276	12/2008	Rose	N/A	N/A
2009/0088753	12/2008	Aram et al.	N/A	N/A
2009/0088758	12/2008	Bennett	N/A	N/A
2009/0099567	12/2008	Zajac	N/A	N/A
2009/0131941	12/2008	Park et al.	N/A	N/A
2009/0131942	12/2008	Aker et al.	N/A	N/A
2009/0149964	12/2008	May et al.	N/A	N/A
2009/0198244	12/2008	Leibel	N/A	N/A
2009/0204115	12/2008	Dees et al.	N/A	N/A
2009/0222014	12/2008	Bojarski et al.	N/A	N/A
2009/0307893	12/2008	Bojarski et al.	N/A	N/A
2010/0057133	12/2009	Simon	N/A	N/A
2010/0076441	12/2009	May et al.	N/A	N/A
2010/0121326	12/2009	Woll et al.	N/A	N/A
2010/0160917	12/2009	Fitz et al.	N/A	N/A
2010/0262150	12/2009	Lian	N/A	N/A
2010/0274251	12/2009	Ranft	N/A	N/A
2010/0281678	12/2009	Burdulis, Jr. et al.	N/A	N/A
2010/0298894	12/2009	Bojarski et al.	N/A	N/A
2010/0305573	12/2009	Fitz et al.	N/A	N/A
2010/0305574	12/2009	Fitz et al.	N/A	N/A
2011/0066193	12/2010	Lang et al.	N/A	N/A
2011/0071581	12/2010	Lang et al.	N/A	N/A
2011/0213368	12/2010	Fitz et al.	N/A	N/A
2011/0213373	12/2010	Fitz et al.	N/A	N/A
2011/0213374	12/2010	Fitz et al.	N/A	N/A
2011/0213377	12/2010	Lang et al.	N/A	N/A
2011/0213427	12/2010	Fitz et al.	N/A	N/A
2011/0213428	12/2010	Fitz et al.	N/A	N/A
2011/0213429	12/2010	Lang et al.	N/A	N/A
2011/0213430	12/2010	Lang et al.	N/A	N/A
2011/0213431	12/2010	Fitz et al.	N/A	N/A
2011/0218539	12/2010	Fitz et al.	N/A	N/A
2011/0218542	12/2010	Lian et al.	N/A	N/A
2011/0218584	12/2010	Fitz et al.	N/A	N/A
2011/0230888	12/2010	Lang et al.	N/A	N/A
2011/0238073	12/2010	Lang et al.	N/A	N/A
2011/0313423	12/2010	Lang et al.	N/A	N/A
2011/0319897	12/2010	Lang et al.	N/A	N/A
2011/0319900	12/2010	Lang et al.	N/A	N/A
2012/0010719	12/2011	Reiley	N/A	N/A
2012/0029520	12/2011	Lang et al.	N/A	N/A
2012/0041446	12/2011	Wong et al.	N/A	N/A
2012/0066892	12/2011	Lang et al.	N/A	N/A
2012/0071881	12/2011	Lang et al.	N/A	N/A
2012/0071882	12/2011	Lang et al.	N/A	N/A
2012/0071883	12/2011	Lang et al.	N/A	N/A
2012/0072185	12/2011	Lang et al.	N/A	N/A
2012/0101503	12/2011	Lang et al.	N/A	N/A

2012/0143197	12/2011	Lang et al.	N/A	N/A
2012/0151730	12/2011	Fitz et al.	N/A	N/A
2012/0158001	12/2011	Burdulis, Jr. et al.	N/A	N/A
2013/0261628	12/2012	Burley et al.	N/A	N/A
2014/0020690	12/2013	Triplett	N/A	N/A
2014/0270065	12/2013	Aram et al.	N/A	N/A
2014/0275955	12/2013	Crawford et al.	N/A	N/A
2014/0276853	12/2013	Long et al.	N/A	N/A
2014/0277538	12/2013	Sander	N/A	N/A
2015/0051696	12/2014	Hou	623/2.11	A61M 25/0905
2015/0134071	12/2014	Luna et al.	N/A	N/A
2015/0320567	12/2014	Terrill et al.	N/A	N/A
2016/0022283	12/2015	Wallace et al.	N/A	N/A
2016/0051369	12/2015	Sander	N/A	N/A
2016/0262903	12/2015	West	N/A	N/A
2016/0310193	12/2015	Lv et al.	N/A	N/A
2017/0224383	12/2016	Wong	N/A	N/A
2018/0055648	12/2017	Dhillon et al.	N/A	N/A
2018/0303490	12/2017	Loring et al.	N/A	N/A
2019/0070012	12/2018	Leemrijse et al.	N/A	N/A
2019/0209080	12/2018	Gullotti et al.	N/A	N/A
2020/0015867	12/2019	Luna et al.	N/A	N/A
2020/0113712	12/2019	Luna et al.	N/A	N/A
2020/0330238	12/2019	Calamel et al.	N/A	N/A
2020/0337850	12/2019	Reiley	N/A	N/A
2021/0378753	12/2020	Christen et al.	N/A	N/A
2022/0280307	12/2021	Haddad et al.	N/A	N/A
2022/0316504	12/2021	Kubacki	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
1662186	12/2004	CN	N/A
101111197	12/2007	CN	N/A
2306552	12/1973	DE	N/A
3516743	12/1985	DE	N/A
44 34 539	12/1995	DE	N/A
19501069	12/1995	DE	N/A
20303498	12/2002	DE	N/A
202008017199	12/2008	DE	N/A
202008017200	12/2008	DE	N/A
0377901	12/1988	EP	N/A
0528080	12/1992	EP	N/A
0530804	12/1992	EP	N/A
0626156	12/1993	EP	N/A
0704193	12/1995	EP	N/A
0896825	12/1998	EP	N/A
0938869	12/1998	EP	N/A
0613380	12/1998	EP	N/A

0993807	12/1999	EP	N/A
1074229	12/2000	EP	N/A
1077253	12/2000	EP	N/A
1120087	12/2000	EP	N/A
1129675	12/2000	EP	N/A
1132061	12/2000	EP	N/A
0732091	12/2000	EP	N/A
0814731	12/2001	EP	N/A
1234552	12/2001	EP	N/A
1234555	12/2001	EP	N/A
0809987	12/2001	EP	N/A
0833620	12/2001	EP	N/A
2124832	12/2008	EP	N/A
2819714	12/2001	FR	N/A
1451283	12/1975	GB	N/A
2291355	12/1995	GB	N/A
2348373	12/1999	GB	N/A
8-173465	12/1995	JP	N/A
9-206322	12/1996	JP	N/A
2000093435	12/1999	JP	N/A
2002-102236	12/2001	JP	N/A
2008-537689	12/2007	JP	N/A
2009515610	12/2008	JP	N/A
WO 87/02882	12/1986	WO	N/A
WO 90/009769	12/1989	WO	N/A
WO 93/004710	12/1992	WO	N/A
WO 93/009819	12/1992	WO	N/A
WO 93/025157	12/1992	WO	N/A
WO 95/027450	12/1994	WO	N/A
WO 95/028688	12/1994	WO	N/A
WO 95/030390	12/1994	WO	N/A
WO 95/032623	12/1994	WO	N/A
WO 96/024302	12/1995	WO	N/A
WO 97/025942	12/1996	WO	N/A
WO 97/026847	12/1996	WO	N/A
WO 97/027885	12/1996	WO	N/A
WO 97/038676	12/1996	WO	N/A
WO 98/012994	12/1997	WO	N/A
WO 98/20816	12/1997	WO	N/A
WO 98/030617	12/1997	WO	N/A
WO 98/32384	12/1997	WO	N/A
WO 99/002654	12/1998	WO	N/A
WO 99/008598	12/1998	WO	N/A
WO 99/008728	12/1998	WO	N/A
WO 99/042061	12/1998	WO	N/A
WO 99/047186	12/1998	WO	N/A
WO 99/051719	12/1998	WO	N/A
WO 99/056674	12/1998	WO	N/A
WO 00/009179	12/1999	WO	N/A
WO 00/015153	12/1999	WO	N/A

WO 00/035346	12/1999	WO	N/A
WO 00/048550	12/1999	WO	N/A
WO 00/059411	12/1999	WO	N/A
WO 00/074554	12/1999	WO	N/A
WO 01/010356	12/2000	WO	N/A
WO 01/017463	12/2000	WO	N/A
WO 01/019254	12/2000	WO	N/A
WO 01/035968	12/2000	WO	N/A
WO 01/045764	12/2000	WO	N/A
WO 01/068800	12/2000	WO	N/A
WO 01/070142	12/2000	WO	N/A
WO 01/091672	12/2000	WO	N/A
WO 02/000270	12/2001	WO	N/A
WO 02/000275	12/2001	WO	N/A
WO 02/002158	12/2001	WO	N/A
WO 02/022013	12/2001	WO	N/A
WO 02/022014	12/2001	WO	N/A
WO 02/023483	12/2001	WO	N/A
WO 02/034310	12/2001	WO	N/A
WO 02/036147	12/2001	WO	N/A
WO 02/096268	12/2001	WO	N/A
WO 03/007788	12/2002	WO	N/A
WO 03/037192	12/2002	WO	N/A
WO 03/047470	12/2002	WO	N/A
WO 03/051210	12/2002	WO	N/A
WO 03/055400	12/2002	WO	N/A
WO 2003/065907	12/2002	WO	N/A
WO 04/043305	12/2003	WO	N/A
WO 04/049981	12/2003	WO	N/A
WO 05/051239	12/2004	WO	N/A
WO 05/051240	12/2004	WO	N/A
WO 06/060795	12/2005	WO	N/A
WO 06/127283	12/2005	WO	N/A
WO 07/041375	12/2006	WO	N/A
WO 2007/061983	12/2006	WO	N/A
WO 07/092841	12/2006	WO	N/A
WO 08/112996	12/2007	WO	N/A
WO 08/157412	12/2007	WO	N/A
WO 2009/001083	12/2007	WO	N/A
WO 09/111639	12/2008	WO	N/A
WO2009143374	12/2008	WO	N/A
WO2009158522	12/2008	WO	N/A
WO 2010/099142	12/2009	WO	N/A
WO 2010/120346	12/2009	WO	N/A
WO 2010/121147	12/2009	WO	N/A
WO2010135156	12/2009	WO	N/A
WO 2011/110374	12/2010	WO	N/A
WO2012121726	12/2011	WO	N/A
WO2014020561	12/2013	WO	N/A
2019009891	12/2018	WO	N/A

2019094361	12/2018	WO	N/A
WO2020124047	12/2019	WO	N/A
WO 2020124052	12/2019	WO	N/A
WO 2020242542	12/2019	WO	N/A
WO 2022015877	12/2021	WO	N/A
WO 2022094052	12/2021	WO	N/A

OTHER PUBLICATIONS

International Search Report and Written Opinion for PCT/US2020/065189 issued Apr. 20, 2021, 10 pages. cited by applicant

Andersson, et al., "Macintosh Arthroplasty In Rheumatoid Arthritis," Acta. Orthop. Scand., 1974, pp. 245-259, 45(2). cited by applicant

Anonymous: "Angle bracket (fastener)—Wikipedia", May 22, 2021, 1 page. cited by applicant

Anonymous: "Light Tube—Wikipedia", Mar. 4, 2021, 11 pages. cited by applicant

Anonymous: Newtonian Telescope—Wikipedia, May 23, 2021, 6 pages. cited by applicant

Argenson, et al., "Is There a Place for Patellofemoral Arthroplasty?," Clinical Orthopaedics and Related Research No. 321, 1995, pp. 162-167. cited by applicant

Birnbaum, et al., "Computer-Assisted Orthopedic Surgery with Individual Templates and Comparison to Conventional Operation Method," Spine, Feb. 2001, pp. 365-369, vol. 26, No. 4. cited by applicant

Chelule, et al., "Computer Aided Design of Personalized Jigs in Total Knee Replacement," 3rd Annual Meeting of CAOS Int'l Proc., Jun. 18-21, 2003, pp. 58-59, Spain. cited by applicant

Dare, S., Bobyn, J., Drouin, G., Dussault, R., Garipey, R., "Use of Computerized Tomography and Numerical Control Machining for the Fabrication of Custom Arthroplasty Prostheses." Second World Congress on Biomaterials, 10th Annual Meeting of the Society for Biomaterials, p. 233, Washington, D.C., Apr. 27-May 1, 1984. cited by applicant

DePuy Synthes, "Flexible Reamers for Intramedullary Nails" Surgical Technique, 22 pages, 2017. cited by applicant

De Winter, et al., "The Richards Type II Patellofemoral Arthroplasty," Acta Orthop Scand, 2001, pp. 487-490, 72(5). cited by applicant

Delp, et al., "A Graphics-Based Software System to Develop and Analyze Models of Musculoskeletal Structures," Comput. Biol. Med., 1995, pp. 21-34, vol. 25, No. 1. cited by applicant

Farrar, et al., "Computed Tomography Scan Scout Film for Measurement of Femoral Axis in Knee Arthroplasty," J. Arthroplasty, 1999, pp. 1030-1031, vol. 14, No. 8. cited by applicant

U.S. Appl. No. 13/465,547, dated Feb. 26, 2014. cited by applicant

First Office Action for Japanese Patent Appln. No. 2011-552091, dated Oct. 25, 2013. cited by applicant

Froemel, et al., "Computer Assisted Template Based Navigation for Total Knee Replacement," Documents presented at CAOS on Jun. 17, 2001, 4 pages. cited by applicant

Hafez, et al., "Computer Assisted Total Knee Replacement: Could a Two-Piece Custom Template Replace the Complex Conventional Instrumentations?," 4th Annual Meeting of CAOS Int'l Proc., Jun. 16-19, 2004, pp. 63-64, Chicago. cited by applicant

Hafez, et al., "Computer-Assisted Total Hip Arthroplasty: The Present and the Future," Future Rheumatol., 2006, pp. 121-131, vol. 1. cited by applicant

Kim, et al., "Measurement of Femoral Neck Anteversion in 3D. Part 1: 3D Imaging Method," Med. and Biol. Eng. and Computing, 2000, pp. 603-609, vol. 38, No. 6. cited by applicant

Lam, et al., "X-Ray Diagnosis: A Physician's Approach," 1998, Title page and Table of Contents pages Only, ISBN 9813083247, Springer-Verlag publishers. cited by applicant

Lam et al . . . "VarusNalgus Alignment of the Femoral Component in Total Knee Arthroplasty," The

Knee, 2003, pp. 237-241, vol. 10. cited by applicant

Lu, et al., "In Vitro Degradation of Porous poly(L-lactic acid) Foams," *Biomaterials*, Aug. 2000, pp. 1595-1605, 21(15). cited by applicant

Mahaisavariya, et al., "Morphological Study of the Proximal Femur: a New Method of Geometrical Assessment Using 3-Dimensional Reverse Engineering", *Medical Engineering & Physics* 24 (2002) pp. 617-622. cited by applicant

Marler, et al., "Soft-Tissue Augmentation with Injectable Alginate and Syngeneic Fibroblasts," *Plastic & Reconstructive Surgery*, May 2000 pp. 2049-2058, 105(6). cited by applicant

PCT/US2010/025143, International Preliminary Report on Patentability and Written Opinion, Sep. 9, 2011. cited by applicant

Portheine, et al., "Potentials of CT-based Planning and Template-based Procedure in Hip and Knee Surgery," *Orth. Prac.*, 2000, pp. 786-791, vol. 36, English Translation with Certification. cited by applicant

Radermacher, "Computer Assisted Matching of Planning and Execution in Orthopedic Surgery," Slide Presentation, Nov. 29, 1993, 22 pages. cited by applicant

Radermacher, "Template Based Navigation—An Efficient Technique for Hip and Knee Surgery," CAOS First Asian Meet, Mar. 27-28, 2004, pp. 45-50, India. cited by applicant

Radermacher, et al., "Computer-Assisted Planning and Operation in Orthopedics," *Orth. Prac.* 36th Year, Dec. 2000, pp. 731-737, English Translation with Certification. cited by applicant

Rau, et al., "Small and Neat," *Medical Tech. Int'l*, 1993-94, pp. 65, 67 and 69. cited by applicant

Schkommadau, et al., "Clinical Experience With the Individual Template Technique," *Orth. Prac.*, 2001, pp. 19-22, vol. 37, No. 1, English Translation with Certification. cited by applicant

Seel, et al., "Three-Dimensional Planning and Virtual Radiographs in Revision Total Hip Arthroplasty for Instability," *Clinical Orthopaedics and Related Research*, Jan. 2006, pp. 35-38, No. 442. cited by applicant

Slone, et al., "Body CT: a Practical Approach," 1999, Title page and Table of Contents pages Only, ISBN 007058219, McGraw-Hill. cited by applicant

Staudte, et al., "Computer-Assisted Operation Planning and Technique in Orthopedics," North Rhine-Westphalia Acad. for Sciences, Lecture N.444, 2000, 17 pages, ISSN 0944-8799, in German. cited by applicant

Staudte, et al., "Computer-Assisted Operation Planning and Technique in Orthopedics," North Rhine-Westphalia Acad. for Sciences, Lecture N.444, 2000, 34 pages, ISSN 0944-8799, English Translation with Certification. cited by applicant

Stauffer, et al., "The Macintosh Prosthesis. Prospective Clinical and Gait Evaluation," *Arch. Surg.*, 1975, pp. 717-720, 110(6). cited by applicant

Stout, et al., "X-RAY Structure Determination: A Practical Guide," 1989, Title page and Table of Contents pages Only, ISBN 0471607118, John Wiley & Sons. cited by applicant

Stryker Trauma GmbH, "Bixcut Reamer System" Osteosynthesis, 8 sheets, 2009. cited by applicant

Synthes, "SynReam, The Synthes Reaming System" Surgical Technique, 22 pages, 2005. cited by applicant

Tamez-Pena, et al., "MRI Isotropic Resolution Reconstruction from Two Orthogonal Scans," *Proceedings of the SPIE—The International Society for Optical Engineering* SOIE—OMT, 2001, pp. 87-97, vol. 4322. cited by applicant

Testi, et al., "Border Tracing Algorithm Implementation for the Femoral Geometry Reconstruction," *Camp. Meth. and Programs in Biomed.*, 2001, pp. 175-182, vol. 65. cited by applicant

Vandenberg, et al., "Assessment of Knee Cartilage in Cadavers with Dual-Detector Spiral CT Arthrography and MR Imaging," *Radiology*, Feb. 2002, pp. 430-435, 222(2). cited by applicant

Wiese, et al., "Biomaterial Properties and Biocompatibility in Cell Culture of a Novel Self-Inflating Hydrogel Tissue Expander," *J. Biomedical Materials Research Part A*, Nov. 2000, pp. 179-188,

54(2). cited by applicant
Woolson, S., Fellingham, L., Dev, P., and Vassiliadis, A., "Three Dimensional Imaging of Bone from Analysis of Computed Tomography Data." Orthopedics, vol. 8, No. 10, pp. 1269-1273, Oct. 1985. cited by applicant
Yusof, et al., "Preparation and Characterization of Chitin Beads as a Wound Dressing Precursor," J. Biomedical Materials Research Part A, Oct. 2000, pp. 59-68, 54(1). cited by applicant
Examination Report issued in connection with corresponding Indian Patent Application No. 2004/KOLNP/2013, Nov. 27, 2018, 7 pages. cited by applicant
First Office Action issued in connection with corresponding Chinese Patent Application No. 201610973637.8, Nov. 28, 2018, 6 pages. cited by applicant
First Examination Report issued in connection with corresponding Australian Patent Application No. 2018204063, Jul. 10, 2019, 2 pages. cited by applicant
Second Examination Report issued in connection with corresponding Australian Patent Application No. 2019261830, May 4, 2021, 9 pages. cited by applicant
First Examination Report issued in connection with corresponding Australian Patent Application No. 201926183, Dec. 21, 2020, 4 pages. cited by applicant
International Search Report and Written Opinion issued in connection with International Patent Application No. PCT/US2022/070130, May 13, 2022, 17 pages. cited by applicant
Extended European Search Report issued in connection with European Patent Application No. 22172072, filed May 4, 2023, 25 pages. cited by applicant
Extended European Search Report issued in connection with European Patent Application No. 20913581.3, Oct. 16, 2023, 8 pages. cited by applicant

Primary Examiner: Waggle, Jr.; Larry E

Attorney, Agent or Firm: DUANE MORRIS LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS AND INCORPORATION BY REFERENCE (1) This application is a National Stage Application, filed under 35 U.S.C. 371, of International Patent Application No. PCT/US2020/065189, filed on Dec. 16, 2020, which claims priority to U.S. Provisional Patent Application No. 62/962,610, filed on Jan. 17, 2020, the entireties of which are incorporated herein by reference. This application also incorporates by reference the entire disclosures of commonly assigned U.S. Pat. No. 8,808,303, entitled "Orthopedic Surgical Guide;" U.S. Pat. No. 9,675,365, entitled "System and Method for Anterior Approach for Installing Tibial Stem;" and U.S. Pat. No. 10,456,179, entitled "Intramedullary Ankle Technique and System."

FIELD OF DISCLOSURE

(1) The disclosed systems and methods relate to surgical tools and methods. More particularly, the disclosed systems and methods relate to guiding a flexible reamer, including flexible reamer that may be used to form an intramedullary canal.

BACKGROUND

(2) Many surgical procedures use rotating cutting tools, such as reamers, to form cavities or channels within bone. One example of such a surgical procedure is a total ankle replacement ("TAR") procedure in which an intramedullary channel may be formed in a tibia so that the tibia may receive a stem component. The intramedullary channel typically is formed along the mechanical axis of the tibia, and many conventional techniques require the violation of additional

bones beyond the tibia (e.g., the talus and calcaneus) to form the intramedullary channel. One example of such a technique is disclosed in commonly assigned U.S. Pat. No. 8,808,303, which has been incorporated by reference above. Violating additional bones beyond the tibia may increase the length of the surgery and risk of infection or other complications.

SUMMARY

(3) In some embodiments, a guidance tool includes a body having a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape.

(4) In some embodiments, a method includes inserting a first end of a guidance tool into an end of a bone; advancing the guidance tool into the bone until a shape memory section of the guidance tool is disposed adjacent to the end of the bone; cutting the guidance tool at a location between the shape memory section and a second end of the guidance tool; and advancing a cutting tool along the guidance tool to form a cavity in the bone. Cutting the guidance tool allows the shape memory section of the guidance tool to regain its programmed shape.

(5) In some embodiments, a method includes coupling a fixture along a length of a bone such that a hole defined by the fixture is positioned adjacent to a side of the bone; inserting a guidance tool through the hole of the fixture and into the bone until the guidance tool extends along a length of the bone and a leading end of the guidance tool is exposed adjacent to an end of the bone; and advancing a cutting tool along the guidance tool to form a cavity in the bone.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) FIG. 1 illustrates one example of a human foot;

(2) FIG. 2 illustrates one example of a resected tibia in accordance with some embodiments;

(3) FIG. 3 illustrates one example of a resected tibia and a resected talus in accordance with some embodiments;

(4) FIG. 4 is a frontal plane view of one example of a guidance tool being inserted into a tibia in accordance with some embodiments;

(5) FIG. 5 is a sagittal plane view of a cutting tool being guided by the guidance tool shown in FIG. 4 in accordance with some embodiments;

(6) FIG. 6 is a frontal plane view of one example of a fixture and guidance tool in accordance with some embodiments; and

(7) FIG. 7 is a sagittal plane view of the fixture illustrated in FIG. 6 in accordance with some embodiments.

DETAILED DESCRIPTION

(8) This description of preferred embodiments is intended to be read in connection with the accompanying drawings, which are to be considered part of the entire written description. The drawing figures are not necessarily to scale and certain features may be shown exaggerated in scale or in somewhat schematic form in the interest of clarity and conciseness. In the description, relative terms such as “horizontal,” “vertical,” “up,” “down,” “top” and “bottom” as well as derivatives thereof (e.g., “horizontally,” “downwardly,” “upwardly,” etc.) should be construed to refer to the orientation as then described or as shown in the drawing figure under discussion. These relative terms are for convenience of description and normally are not intended to require a particular orientation. Terms including “inwardly” versus “outwardly,” “longitudinal” versus “lateral” and the like are to be interpreted relative to one another or relative to an axis of elongation, or an axis or center of rotation, as appropriate. Terms concerning attachments, coupling and the like, such as “connected” and “interconnected,” refer to a relationship wherein structures are secured or attached to one another either directly or indirectly through intervening structures, as well as both movable

or rigid attachments or relationships, unless expressly described otherwise. When only a single machine is illustrated, the term “machine” shall also be taken to include any collection of machines that individually or jointly execute a set (or multiple sets) of instructions to perform any one or more of the methodologies discussed herein. The term “operatively connected” is such an attachment, coupling or connection that allows the pertinent structures to operate as intended by virtue of that relationship. In the claims, means-plus-function clauses, if used, are intended to cover the structures described, suggested, or rendered obvious by the written description or drawings for performing the recited function, including not only structural equivalents but also equivalent structures.

(9) The disclosed systems and methods advantageously facilitate the intramedullary guidance while minimizing and/or eliminating the violation of adjacent bones as is typically done during conventional surgical procedures. While the systems and methods are described in connection with performing TAR, one of ordinary skill in the art will understand that the disclosed systems and methods may be used to facilitate the creation of intramedullary canals or channels in other bones or body parts.

(10) FIG. 1 illustrates one example of a human foot **10** and ankle **12**. As is known, the human foot **10** includes a number of bones, including the talus **14**, which sits atop the calcaneus **20**. The talus **14** forms part of the ankle joint with the tibia **16**, which is positioned adjacent to the fibula **18**. To prepare an ankle **12** for a TAR, the talus **14** and tibia **16** may be resected to provide a resected joint space **22** as best seen in FIGS. 2 and 3. Examples of tools and procedures for forming the resected joint space **22** are disclosed in U.S. Pat. Nos. 8,808,303 and 9,675,365, which have been incorporated by reference above.

(11) FIGS. 4 and 5 illustrate one example of a guidance tool in accordance with some embodiments. Guidance tool **100** has an elongate shape extending from a first end **102**, which may be an insertion end, to a second end **104**, which may be a trailing end. End **102** may include a point or taper for facilitating insertion of the guidance tool **100** into a medium, such as skin or bone. Guidance tool **100** may be formed from shape memory material, such as a shape memory alloy selected from the group consisting of Cu—Al—Ni, NiTi (e.g., Nitinol), Fe—Mn—Si, Cu—Zn—Al, and Cu—Al—Ni.

(12) In some embodiments, guidance tool **100** may include a centering mechanism **108** for centering the guidance tool within a bone. For example, the centering mechanism **108** may include a balloon or stent material configured to expand from a first, collapsed configuration to a second, expanded configuration. The guidance tool **100** is inserted into the medium (e.g., an intramedullary space, such as cancellous bone) with the centering mechanism **108** in its collapsed configuration. When guidance tool **100** has been inserted to its desired depth or location, the centering mechanism **108** may be deployed into its expanded configuration.

(13) As will be understood by one of ordinary skill in the art, the manner in which the centering mechanism **108** is deployed may vary. For example, in embodiments where the centering mechanism **108** includes a balloon, then a gas, gel, or liquid may be injected into the internal chamber defined by the balloon to increase the size of the balloon. Techniques similar to those used in vertebroplasty and kyphoplasty may be used to expand the balloon. One of ordinary skill in the art will understand that as the diameter of the balloon increases the cancellous bone is compressed against the stronger cortical bone thereby centering the guidance tool within the bone. Additional materials, such as a stent material, may be provided along with a balloon material to guide the expansion and shape of the balloon.

(14) In some embodiments, guidance tool **100** includes a stop **110** along its length. For example, stop **110** may take the form of a bead, taper, or other protrusion having an enlarged diameter relative to one or more portions of guidance tool **100** that are adjacent to stop **110**. Stop **110** may be disposed adjacent to centering mechanism **108** and is configured to stop the advancement of a cutting tool along the guidance tool **100**, as will be described in greater detail below, thereby

protecting the centering mechanism **108** from being damaged by the cutting tool.

(15) Guidance tool **100** may include a shape memory section or portion **112**. In some embodiments, the shape memory section **112** is curved to facilitate the guidance of a flexible cutting tool into an intramedullary canal. As described in greater detail below, the shape memory section **112** may be positioned along the length of the guidance tool **100** such that when the stop **110** is located at the desired location within the bone the shape memory section will be adjacent to an end of the bone.

(16) In some embodiments, the guidance tool **100** may be placed within an inferior portion of a tibia **16** with the aid of a cannula. The tibia **16** and talus **14** may be prepared by making bony cuts, such as those described in U.S. Pat. No. 9,675,365, entitled “System and Method for Anterior Approach for Installing Tibial Stem,” which is incorporated by reference herein in its entirety. Once the inferior portion of the tibia **16** is resected to form a resected joint space **22**, the cannula may be positioned adjacent to the calcaneus **20**.

(17) With the cannula positioned, the leading end **102** of guidance tool **100** is inserted into the cannula and advanced into the calcaneus **20**, talus **14**, and tibia **16**. The position of the guidance tool **100** within the tibia may be checked using fluoroscopy as will be understood by one of ordinary skill in the art. In some embodiments, the guidance tool **100** may include one or more markings (not shown) along its length. Each marking may identify a distance from the respective marking to the leading end **102** of the guidance tool **100** or a distance from the respective marking to the stop **110** such that a surgeon or physician will be able to determine if the guidance tool **100** has been inserted to the desired depth without the use of fluoroscopy.

(18) In embodiments in which the guidance tool **100** is configured with a centering mechanism **108**, the centering mechanism may be activated or deployed to center the guidance tool **100** within the tibia **16**. For example, if the centering mechanism **108** includes a balloon that may be inflated around the guidance tool **100**, then the balloon is inflated, such as by injecting a gas, gel, or liquid into the internal chamber defined by the balloon. As the balloon is filled, the balloon expands, which results in the cancellous being compressed. The cancellous bone is compressed to the stronger cortical bone which is sufficiently strong to withstand the pressure exerted by the balloon being inflated.

(19) With the guidance tool **100** positioned within the tibia **16**, the shape memory section **112** may be deployed. In some embodiments, the shape memory section **112** is deployed by cutting the guidance tool **100**, such as by using a pin cutter, adjacent to the shape memory section **112** to form a cut end **114**. The cutting of the guidance tool **100** eliminates the straightening force that was being applied to the guidance tool **100** by the cannula such that the shape memory section **112** is now free to revert back to its programmed shape, which may be a curved shape. In some embodiments, the curved shape of the shape memory section **112** extends through the anterior window of the resected joint space **22**. In some embodiments, the shape memory section **112** may be deployed prior to positioning the cannula and activating or deploying the centering mechanism as will be understood by one of ordinary skill in the art.

(20) The guidance tool **100** is now ready to guide a cutting tool, such as a flexible reamer **500**, to prepare an intramedullary channel for receiving an implant. In some embodiments, a flexible reamer, such as the flexible reamer **500** described in U.S. Pat. No. 10,456,179, entitled “Intramedullary Ankle Technique and System,” the entirety of which is incorporated by reference herein, is modified to provide a cannulated flexible reamer. The cannulated flexible reamer **500** defines a passageway **504** that extends through the nose **502** and the rest of the reamer **500**. In some embodiments, the body **506** of the cannulated flexible reamer **500** includes a plurality of segments. The segments **507-1**, **507-2**, . . . **507-n** (collectively, “segments **507**”) may be movable (e.g., rotatable and/or pivotable) relative to an adjacent segment **507**. In some embodiment, each segment **507** is movable (e.g., rotatable and/or pivotable) relative to an adjacent segment such that the reamer **500** may bend along its length.

(21) The cannulated flexible reamer **500** is inserted over the guidance tool **100**. More particularly,

the leading end or nose **502** of the cannulated flexible reamer **500**, which may include one or more flutes or cutting surfaces **503**, is slid onto the cut end **114** of guidance tool **100** such that the guidance tool **100** is received within passageway **504** of reamer **500** as shown in FIG. 5. The flexible reamer **500** is advanced along the guidance tool **100**, including along the shape memory section **112**, and up into the tibia **16** to form an intramedullary channel. The flexible reamer is advanced along the length of the guidance tool **100** until it contacts stop **110** or till a desired depth has been achieved. In some embodiments, the guidance tool **100** may include markings along its length to provide a visual aid to the surgeon.

(22) Once the intramedullary channel has been formed, the cannulated flexible reamer **500** may be slid off the guidance tool **100**. The guidance tool **100** may then be removed from the tibia **16**. In some embodiments in which the guidance tool **100** includes a centering mechanism **108** in the form of a balloon, the balloon may be deflated prior to removing the guidance tool **100** from its placement within the tibia **16**.

(23) FIGS. 6 and 7 illustrate another example of the insertion of a guidance tool into a bone canal in accordance with some embodiments. As shown in FIGS. 6 and 7, the guidance tool **100** is inserted into the bone canal with the assistance of a fixture **200**. Fixture **200** may include a body **202** that may be coupled to the bone or to an extramedullary guidance device, such as, for example, a foot holder and alignment tool **300** described in U.S. Pat. No. 8,808,303, as will be understood by one of ordinary skill in the art.

(24) In some embodiments, body **202** is sized and configured such that the length of the body **202** extends across or substantially across a width of a bone, such as a human tibia **16**. Body **202** of fixture **200** may include a flange **204** extending at an angle (e.g., perpendicularly) with respect to a longitudinal axis defined by the body **202**. Body **202** defines at least one hole **206** sized and configured to receive a guidance tool, such as guidance tool **100** described above or a conventional k-wire. In some embodiments, hole **206** is configured to allow the guidance tool to be inserted at a non-orthogonal angle relative to an axis defined by the bone (e.g., a mechanical axis or a longitudinal axis). Body **202** may also include one or more gunsights **208** for providing an alignment check.

(25) Body **202** may also include one or more adjustment mechanisms, including an anterior-posterior (“AP”) adjustment block **210**, a medial-lateral (“ML”) adjustment block **212**, and a proximal-distal adjustment block **214**. The implementation of the adjustment mechanisms may be varied. For example, in some embodiments, the adjustment mechanisms include a threaded thumb screw **216** having an enlarged foot **218** that is disposed at an opposite end of thumb wheel **220**. In some embodiments, the foot **218** is sized and configured to contact, but not cause damage or dig into, a bone, body **202** of fixture **200**, or the extramedullary guidance tool **100** as will be understood by one of ordinary skill in the art.

(26) In use, the fixture **200** is positioned along a length of a bone, such as a tibia **16**, after the bone has been prepared to accept a guidance tool **100**. For example, in embodiments in which the fixture **200** and guidance tool **100** are to be used to guide a flexible reamer, e.g., flexible reamer **500**, to form an intramedullary channel for receiving a tibial component of an ankle prosthesis, the inferior portion **16a** of the tibia **16** is resected to form a resected joint space **22** as shown in FIGS. 2 and 3. The resected joint space may be formed as described in U.S. Pat. No. 9,675,365, entitled “System and Method for Anterior Approach for Installing Tibial Stem,” which has been incorporated by reference above.

(27) The fixture **200** may be positioned along the length of the bone by using a strap (not shown) to couple the fixture **200** directly to the bone or by coupling the fixture **200** to an external guidance device (also not shown). Positioning of the fixture **200** along the length of the bone may also include adjusting the location of the fixture **200** using one or more of the adjustment mechanisms, i.e., AP adjustment block **210**, ML adjustment block **212**, and proximal-distal adjustment block **214**. The adjustment mechanisms may be used by rotating the respective threaded thumb screw **216**

as will be understood by one of ordinary skill in the art. The alignment of the fixture **200** relative to the bone may be checked using gunsights **208**, which may include visualizing the fixture and bone using fluoroscopy as will be understood by one of ordinary skill in the art.

(28) Once the fixture **200** is positioned, a guidance tool **100** may be inserted into the hole **206** of fixture **200**. Hole **206** may be positioned along a medial or lateral side of the bone such that the guidance tool **100** is inserted into a medial or lateral aspect of the bone. The guidance tool **100** is routed through fixture **200** and along the length of the bone until a leading end extends from the inferior portion of the tibia **16** into resected joint space **22**. For example, in some embodiments, the guidance tool **100** is pre-bent or has sufficient flexibility such that when the guidance tool **100** is inserted through the fixture at an angle it may be manipulated by the surgeon until the desired orientation within the bone is achieved.

(29) With the leading end of the guidance tool **100** exposed within the resected joint space **22**, a cutting tool, such as a flexible reamer, is used to prepare an intramedullary channel for receiving an implant. As described above, a flexible reamer, such as the flexible reamer described in U.S. Pat. No. 10,456,179, entitled “Intramedullary Ankle Technique and System” and which has been incorporated by reference above, is modified to provide a cannulated flexible reamer that is inserted over the leading end of guidance tool. The flexible reamer is advanced along the guidance tool **100** and up into the tibia **16** to form an intramedullary channel.

(30) Once the intramedullary channel has been formed, the cannulated flexible reamer may be slid off of the guidance tool **100**. The guidance tool **100** may then be removed from the tibia **16**. Fixture **200** may then also be removed from its engagement with the bone.

(31) In some embodiments, a guidance tool includes a body having a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape.

(32) In some embodiments, a stop is positioned along the length of the body adjacent to the first end. The stop has an enlarged dimension relative to portions of the body that are directly adjacent to the stop.

(33) In some embodiments, the body includes a centering mechanism disposed between the stop and the first end of the body.

(34) In some embodiments, the centering mechanism includes an expandable portion configured to expand from a collapsed configuration to an expanded configuration.

(35) In some embodiments, the centering mechanism includes a balloon.

(36) In some embodiments, the shape memory section is positioned between the stop and the second end of the body.

(37) In some embodiments, the body is formed from a shape memory alloy.

(38) In some embodiments, the shape memory alloy is selected from the group consisting of Cu—Al—Ni, NiTi, Fe—Mn—Si, Cu—Zn—Al, and Cu—Al—Ni.

(39) In some embodiments, a method includes inserting a first end of a guidance tool into an end of a bone; advancing the guidance tool into the bone until a shape memory section of the guidance tool is disposed adjacent to the end of the bone; cutting the guidance tool at a location between the shape memory section and a second end of the guidance tool; and advancing a cutting tool along the guidance tool to form a cavity in the bone. Cutting the guidance tool allows the shape memory section of the guidance tool to regain its programmed shape.

(40) In some embodiments, the method includes expanding a centering mechanism of the guidance tool to center the guidance tool within the bone prior to cutting the guidance tool.

(41) In some embodiments, expanding the centering mechanism includes inflating a balloon.

(42) In some embodiments, the cutting tool includes a cannulated flexible reamer.

(43) In some embodiments, the cutting tool is advanced along the guidance tool until the cutting tool contacts a stop disposed adjacent to a first end of the guidance tool.

(44) In some embodiments, the method includes resecting an end of the bone to form a resected

joint space between the bone and a second bone prior to inserting the end of the guidance tool into the end of the bone.

(45) In some embodiments, a cut end of the guidance tool extends through a window of the resected joint space when the shape memory section of the guidance tool regains its programmed shape.

(46) In some embodiments, the bone is a tibia.

(47) In some embodiments, a method includes coupling a fixture along a length of a bone such that a hole defined by the fixture is positioned adjacent to a side of the bone; inserting a guidance tool through the hole of the fixture and into the bone until the guidance tool extends along a length of the bone and a leading end of the guidance tool is exposed adjacent to an end of the bone; and advancing a cutting tool along the guidance tool to form a cavity in the bone.

(48) In some embodiments, the method includes forming a resected joint space between the bone and a second bone prior to inserting the guidance tool into the bone.

(49) In some embodiments, the bone is a tibia.

(50) In some embodiments, the cutting tool is a cannulated flexible reamer.

(51) In some embodiments a system includes a guidance tool and a cannulated flexible reamer. The guidance tool has a body with a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape. The cannulated flexible reamer defining a channel sized and configured to receive at least a portion of the guidance tool. A leading end of the cannulated flexible reamer includes plurality of flutes.

(52) In some embodiments, a body of the cannulated flexible reamer includes a plurality of segments. At least one of the segments is movable relative to an adjacent segment. In some embodiments, each segment is movable relative to an adjacent segment.

(53) In some embodiments a system includes a guidance tool, a cannulated flexible reamer, and a fixture. The guidance tool has a body with a length extending from a first end to a second end. The body includes a shape memory section along the length of the body. The shape memory section has a curved shape. The cannulated flexible reamer defining a channel sized and configured to receive at least a portion of the guidance tool. A leading end of the cannulated flexible reamer includes plurality of flutes. The fixture is sized and configured to be disposed along a length of a bone. The fixture defines a hole that is positioned along the length of fixture such that, when the fixture is disposed adjacent to a bone, the guidance tool may be received in the hole of the fixture and into the bone.

(54) In some embodiments, a body of the cannulated flexible reamer includes a plurality of segments. At least one of the segments is movable relative to an adjacent segment. In some embodiments, each segment is movable relative to an adjacent segment.

(55) Although the invention has been described in terms of exemplary embodiments, it is not limited thereto. Rather, the appended claims should be construed broadly, to include other variants and embodiments of the invention, which may be made by those skilled in the art without departing from the scope and range of equivalents of the invention.

Claims

1. A guidance tool, comprising: a body having a length extending from a first end to a second end, the body including a shape memory section along the length of the body, the shape memory section having a programmed curved shape and forced to be straight by a straightening force, the straightening force removable by cutting the guidance tool; a stop, positioned along the length of the body adjacent to the first end, the stop having an enlarged dimension relative to portions of the body that are directly adjacent to the stop wherein the shape memory section is positioned between the stop and the second end of the body; and a centering mechanism disposed between the stop and

the first end of the body and fixed in place relative to the body.

2. The guidance tool of claim 1, wherein the body is formed from a shape memory alloy.

3. The guidance tool of claim 2, wherein the shape memory alloy is selected from the group consisting of Cu—Al—Ni, NiTi, Fe—Mn—Si, Cu—Zn—Al, and Cu—Al—Ni.

4. A guidance tool, comprising: a body having a length extending from a first end to a second end, the body including a shape memory section along the length of the body, the shape memory section having a programmed curved shape and forced to be straight by a straightening force, the straightening force removable by cutting the guidance tool; a stop, positioned along the length of the body adjacent to the first end, having an enlarged dimension relative to portions of the body that are directly adjacent to the stop; and a centering mechanism disposed between the stop and the first end of the body and fixed in place relative to the body, wherein the centering mechanism includes an expandable portion configured to expand from a collapsed configuration to an expanded configuration.

5. A guidance tool, comprising: a body having a length extending from a first end to a second end, the body including a shape memory section along the length of the body, the shape memory section having a programmed curved shape and forced to be straight by a straightening force, the straightening force removable by cutting the guidance tool; a stop, positioned along the length of the body adjacent to the first end, having an enlarged dimension relative to portions of the body that are directly adjacent to the stop; and a centering mechanism disposed between the stop and the first end of the body and fixed in place relative to the body, wherein the centering mechanism includes a balloon.

6. The guidance tool of claim 4 or 5, wherein the shape memory section is positioned between the stop and the second end of the body.
