

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12399609
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Rathod; Yogesh

Installing web application as standalone application in the client device

Abstract

Aspects of the disclosure provide a method, a system and an apparatus for web application publishing and installing. The storage medium stores web application programs that are downloaded via the network interface. Enabling, by the server system, publishing or listing of one or more applications for making applications accessible, searchable and installable for users. In response to receiving, by the server system, instruction to install selected application, retrieving and storing in a local storage medium selected application associated one or more interfaces including each interface associated interface data and installing and configuring application, in a client device, for enabling user to select application and open or invoke selected application associated one or more interfaces.

Inventors:	Rathod; Yogesh (Mumbai, IN)
Applicant:	ProgwebT LLC (Dover, DE)
Family ID:	1000008777502
Assignee:	ProgwebT LLC (Dover, DE)
Appl. No.:	18/426837
Filed:	January 30, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240168620 A1	May. 23, 2024

Related U.S. Application Data

continuation parent-doc US 18100163 20230123 US 11886693 child-doc US 18426837
continuation parent-doc US 17384823 20210726 US 11681425 20230620 child-doc US 18100163

Publication Classification

Int. Cl.: **H04L12/00** (20060101); **G06F3/0481** (20220101); **G06F3/04842** (20220101);
G06F3/04847 (20220101); **G06F9/451** (20180101); **H04L7/02** (20060101); **H04L67/02**
(20220101); **H04L67/10** (20220101)

U.S. Cl.:

CPC **G06F3/04847** (20130101); **G06F3/0481** (20130101); **G06F3/04842** (20130101);
G06F9/451 (20180201); **H04L7/02** (20130101); **H04L67/02** (20130101); **H04L67/10**
(20130101);

Field of Classification Search

CPC: G06F (3/04847); G06F (3/0481); G06F (3/04842); G06F (9/451); H04L (67/02); H04L
(67/10)

USPC: 715/747; 715/705; 709/223

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
6075531	12/1999	DeStefano	N/A	N/A
6473794	12/2001	Guheen et al.	N/A	N/A
6519571	12/2002	Guheen et al.	N/A	N/A
6536037	12/2002	Guheen et al.	N/A	N/A
6546002	12/2002	Kim	N/A	N/A
6580440	12/2002	Wagner et al.	N/A	N/A
6615166	12/2002	Guheen et al.	N/A	N/A
6721713	12/2003	Guheen et al.	N/A	N/A
6769123	12/2003	Chan	N/A	N/A
6846239	12/2004	Washio	N/A	N/A
6950850	12/2004	Leff et al.	N/A	N/A
6957186	12/2004	Guheen et al.	N/A	N/A
6996599	12/2005	Anders et al.	N/A	N/A
7035912	12/2005	Arteaga	N/A	N/A
7043505	12/2005	Teague et al.	N/A	N/A
7051282	12/2005	Marcjan	N/A	N/A
7165041	12/2006	Guheen et al.	N/A	N/A
7168042	12/2006	Braun et al.	N/A	N/A
7269621	12/2006	Chang et al.	N/A	N/A
7310801	12/2006	Burkhardt et al.	N/A	N/A
7315826	12/2007	Guheen et al.	N/A	N/A
7478142	12/2008	Veditz	N/A	N/A
7536372	12/2008	Cox et al.	N/A	N/A

7702719	12/2009	Betz et al.	N/A	N/A
7752328	12/2009	Mortimore, Jr. et al.	N/A	N/A
7814234	12/2009	Hawkins et al.	N/A	N/A
7886276	12/2010	Tai et al.	N/A	N/A
7913248	12/2010	Lynch et al.	N/A	N/A
7930646	12/2010	De Souza Sana et al.	N/A	N/A
8112502	12/2011	Emmelmann	N/A	N/A
8121874	12/2011	Guheen et al.	N/A	N/A
8190703	12/2011	Lin et al.	N/A	N/A
8200962	12/2011	Boodman et al.	N/A	N/A
8255494	12/2011	Boodman et al.	N/A	N/A
8271889	12/2011	Beckert et al.	N/A	N/A
8281410	12/2011	Sobel et al.	N/A	N/A
8352967	12/2012	Labour et al.	N/A	N/A
8516037	12/2012	Beisiegel et al.	N/A	N/A
8522249	12/2012	Beaule	N/A	N/A
8601468	12/2012	Boodman	717/176	G06F 11/0766
8626919	12/2013	Papakipos et al.	N/A	N/A
8645944	12/2013	Mechelke et al.	N/A	N/A
8667487	12/2013	Boodman et al.	N/A	N/A
8756617	12/2013	Boodman et al.	N/A	N/A
8839233	12/2013	Kaegi	N/A	N/A
8849957	12/2013	Boodman	709/219	G06F 16/9566
8863232	12/2013	Tidd	726/4	G06F 16/176
8935755	12/2014	Kay	N/A	N/A
8984426	12/2014	Endoh et al.	N/A	N/A
9053337	12/2014	Carrara et al.	N/A	N/A
9158563	12/2014	Hoff et al.	N/A	N/A
9181760	12/2014	Feinstein	N/A	N/A
9239817	12/2015	Claux et al.	N/A	N/A
9280677	12/2015	Perry et al.	N/A	N/A
9294554	12/2015	Mandel et al.	N/A	N/A
9329851	12/2015	Lalmalani et al.	N/A	N/A
9348663	12/2015	Boodman et al.	N/A	N/A
9355120	12/2015	Silk et al.	N/A	N/A
9680964	12/2016	Shukla et al.	N/A	N/A
9819725	12/2016	Fedronic	N/A	H04L 67/025
9870116	12/2017	Yasskin	N/A	N/A
10025574	12/2017	Sargent	N/A	G06F 8/61
10031657	12/2017	Feinstein	N/A	N/A
10310723	12/2018	Rathod	N/A	G06F 3/04842
10567543	12/2019	Boodman et al.	N/A	N/A
10740302	12/2019	Silk et al.	N/A	N/A
10990265	12/2020	Rathod	N/A	N/A
11119812	12/2020	Hu et al.	N/A	N/A

11132116	12/2020	Rathod	N/A	N/A
11681425	12/2022	Rathod	709/200	H04L 7/02
11799984	12/2022	Boodman et al.	N/A	N/A
11886693	12/2023	Rathod	N/A	G06F 9/451
2001/0029605	12/2000	Forbes et al.	N/A	N/A
2003/0097318	12/2002	Yu et al.	N/A	N/A
2004/0003390	12/2003	Canter et al.	N/A	N/A
2004/0078293	12/2003	Iverson et al.	N/A	N/A
2004/0127190	12/2003	Hansson et al.	N/A	N/A
2005/0102474	12/2004	Lakshmanamurthy et al.	N/A	N/A
2005/0278723	12/2004	Feinleib et al.	N/A	N/A
2006/0031833	12/2005	Huang	712/E9.082	G06F 9/4484
2006/0036941	12/2005	Neil	N/A	N/A
2006/0047665	12/2005	Neil	N/A	N/A
2006/0075397	12/2005	Kasahara	N/A	N/A
2006/0117310	12/2005	Daniels et al.	N/A	N/A
2006/0142087	12/2005	Chang et al.	N/A	N/A
2006/0155790	12/2005	Jung et al.	N/A	N/A
2006/0156354	12/2005	Jung et al.	N/A	N/A
2006/0184880	12/2005	Bala	N/A	N/A
2007/0033569	12/2006	Davidson et al.	N/A	N/A
2007/0049371	12/2006	Yang	N/A	N/A
2007/0097130	12/2006	Margulis	N/A	N/A
2007/0105627	12/2006	Campbell	N/A	N/A
2007/0150478	12/2006	Cho et al.	N/A	N/A
2007/0174824	12/2006	Relyea et al.	N/A	N/A
2007/0239731	12/2006	Graf et al.	N/A	N/A
2007/0265094	12/2006	Tone et al.	N/A	N/A
2008/0071886	12/2007	Ashton et al.	N/A	N/A
2008/0096656	12/2007	LeMay et al.	N/A	N/A
2008/0096668	12/2007	Yoshioka	N/A	N/A
2008/0104195	12/2007	Hawkins et al.	N/A	N/A
2008/0148298	12/2007	Chatterjee et al.	N/A	N/A
2008/0222628	12/2007	Batra et al.	N/A	N/A
2008/0256599	12/2007	Lee et al.	N/A	N/A
2009/0031301	12/2008	D'Angelo et al.	N/A	N/A
2009/0113419	12/2008	Ansari et al.	N/A	N/A
2009/0170607	12/2008	Chiao et al.	N/A	N/A
2009/0209350	12/2008	Kelly et al.	N/A	N/A
2009/0240728	12/2008	Shukla et al.	N/A	N/A
2009/0240935	12/2008	Shukla	N/A	N/A
2009/0259744	12/2008	Kolke et al.	N/A	N/A
2009/0271707	12/2008	Lin et al.	N/A	N/A
2009/0288080	12/2008	Partridge et al.	N/A	N/A
2010/0071075	12/2009	Slater, Jr.	N/A	N/A
2010/0077444	12/2009	Forristal	N/A	N/A
2010/0107152	12/2009	Kwon	717/174	G06F 8/60
2010/0199181	12/2009	Robertson et al.	N/A	N/A

2010/0281107	12/2009	Fallows et al.	N/A	N/A
2011/0126111	12/2010	Gill et al.	N/A	N/A
2011/0177866	12/2010	Kim	N/A	N/A
2011/0213655	12/2010	Henkin et al.	N/A	N/A
2012/0047520	12/2011	Annapragada	719/318	G06F 9/542
2012/0096071	12/2011	Murphey	709/203	G06F 8/71
2012/0173657	12/2011	Ozzie et al.	N/A	N/A
2012/0216243	12/2011	Gill et al.	N/A	N/A
2012/0224057	12/2011	Gill et al.	N/A	N/A
2012/0246701	12/2011	Swamy et al.	N/A	N/A
2012/0278750	12/2011	Abraham et al.	N/A	N/A
2013/0060905	12/2012	Mickens et al.	N/A	N/A
2013/0089273	12/2012	Everingham	382/305	G06F 16/58
2013/0132861	12/2012	Kienzle et al.	N/A	N/A
2013/0145361	12/2012	Kaegi	N/A	N/A
2013/0218954	12/2012	Kaegi	709/203	G06F 9/445
2013/0318208	12/2012	Seshadri et al.	N/A	N/A
2014/0025949	12/2013	Kay et al.	N/A	N/A
2014/0040870	12/2013	Lynch et al.	N/A	N/A
2014/0047360	12/2013	Kay et al.	N/A	N/A
2014/0075455	12/2013	Annapragada	719/318	G06F 9/542
2014/0095638	12/2013	Chen	N/A	N/A
2014/0101676	12/2013	Lovegrove	719/328	G06F 9/542
2014/0122257	12/2013	Avner	705/14.73	G06Q 30/0277
2014/0164108	12/2013	Saari	705/26.1	G06Q 20/322
2014/0258970	12/2013	Brown	717/103	G06F 8/47
2014/0280577	12/2013	Beechuk	709/204	H04L 67/10
2015/0113375	12/2014	Li et al.	N/A	N/A
2015/0120821	12/2014	Bendell	N/A	N/A
2015/0134694	12/2014	Burke et al.	N/A	N/A
2015/0205489	12/2014	Murphy	715/764	H04L 51/212
2015/0207852	12/2014	Boodman et al.	N/A	N/A
2015/0317143	12/2014	Huang	N/A	N/A
2016/0162172	12/2015	Rathod	N/A	N/A
2016/0191645	12/2015	Hayton et al.	N/A	N/A
2016/0373805	12/2015	Hogeg et al.	N/A	N/A
2022/0247833	12/2021	Boodman et al.	N/A	N/A
2023/0221851	12/2022	Rathod	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2006059343	12/2005	WO	N/A
2007052285	12/2006	WO	N/A
2012131429	12/2011	WO	N/A

OTHER PUBLICATIONS

Tencent Technology (Shenzhen) Co. Ltd. Petitioner U.S. Appl. No. 16/354,371, Petition, v. Yogesh Rathod, Respondent U.S. Pat. No. 10,990,265, Patent Owner. DER2022-00002, 12 pgs., Aug. 23, 2022. cited by applicant

Third-Party Submission Under 37 CFR 1.290 Concise Description of Relevance—U.S. Appl. No. 16/354,371, 35 pgs., Nov. 23, 2021. cited by applicant

Non-Final Action of U.S. Appl. No. 16/354,371, filed Dec. 7, 2021. cited by applicant

Support for each claim, 21 pgs., Jan. 23, 2023. cited by applicant

Mini Program, Apply for an account | Weixin public doc, <https://developers.weixin.qq.com/miniprogram/en/dev/+&cd=2&hl=en&ct=clnk&gl=in>, 4 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

Warren, “Android Instant Apps”, <https://mashable.com/article/android-instant>, May 18, 2016, 2 pgs. cited by applicant

Wang et al., “Design and Implementation of WeChat Mini Program for University Dormitory Based on SOA”, <https://iopscience.iop.org/article/10.1088/1742-6596/1069/012086/pdf>, ISAI 2018, IOP Publishing, IOP Conf. Series: Journal of Physics: Conference Series 1069 012086 doi: 10.1088/1742-6596/1069/1/012086, 9 pgs. cited by applicant

Okrah, “Hybrid Mobile Applications (Hybrid App)”, Top Javascript Frameworks for Native Mobile Apps 2019, <https://medium.com/@adolfokra/top-javascript-frameworks-for-native-mobile-apps-2019-5e43cc4166df>, 12 pgs. cited by applicant

The history of PWA development, <https://www.divante.com/pwabook/chapter/02-the-history-of-pwas>, 8 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

History of Progressive Web Apps, by ScandiPWA, <https://medium.com/progressivewebapps/history-of-progressive-web-apps-4c912533a531>, 9 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

Osmani, “Getting Started with Progressive Web Apps”, <https://developers.google.com/web/updates/2015/12/getting-started-pwa>, 25 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

Service Workers, (W3C First Public Working Draft May 8, 2014), <https://www.w3.org/TR/2014/WD-service-workers-20140508/>, 32 pgs, (Retrieved: Nov. 29, 2021). cited by applicant

Osmani, “The App Shell Model”, <https://developers.google.com/web/fundamentals/architecture/app-shell>, 9 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

Nyman, “Progress report on cross-platofrm Open Web Apps”, <https://hacks.mozilla.org/2013/10/progress-report-on-cross-platform-open-web-apps/>, Oct. 28, 2013, 22 pgs. cited by applicant

Firefox OS Enables App Discovery without Download and Firefox Marketplace Unlocks the Power of Web Apps on Mobile Phones, <https://blog.mozilla.org/press/2013/02/Firefox-Marketplac/>, Feb. 24, 2012, 7 pgs. cited by applicant

Wikipedia, “Web Worker”, https://en.wikipedia.org/wiki/Web_worker, 4 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

Wikipedia, “Apache Cordova”, https://en.wikipedia.org/wiki/Apache_Cordova, 6 pgs. (Retrieved: Nov. 29, 2021). cited by applicant

Netkow, “Hybrid Mobile Apps are Overtaking Native”, <https://blog.phonegap.com/hybrid-mobile-apps-are-overtaking-native-951a3aacacd1>, Jul. 25, 2017, 13 pgs. cited by applicant

Russell, “Progressive Web Apps: Escaping Tabs Without Losing Our Soul”, <https://infrequently.org/2015/06/progressive-apps-escaping-tabs-without-losing-our-soul/>, Jun. 15, 2015 7 pgs. cited by applicant

Packaged Apps, <https://developer.chrome.com/docs/extensions/apps/>, Published: Sep. 17,

2012/Updated: Nov. 17, 2014, 6 pgs. cited by applicant
Firefox OS app beginners tutorial, https://developer.mozilla.org.cach3.com/en-US-Apps/Build/Building_apps_for_Firefox_OS/Firefox_OS_app_beginners_tutorial, 6 pgs. (Retrieved: Nov. 29, 2021). cited by applicant
Wikipedia, "Smart Client", https://en.wikipedia.org/wiki/Smart_client, Nov. 11, 2020, 2 pgs. cited by applicant
Wikipedia, "Microsoft Silverlight", https://en.wikipedia.org/wiki/Microsoft_Silverlight, 15 pgs. (Retrieved: Nov. 29, 2021). cited by applicant
Wikipedia, "Adobe AIR", https://en.wikipedia.org/wiki/Adobe_AIR, 11 pgs. (Retrieved: Nov. 29, 2021). cited by applicant
10 Most Popular Software Architectural Patterns, NIX United, <https://nix-united.com/blog/10-common-software-architectural-patterns-part-1>, 27 pgs. (Retrieved: Nov. 29, 2021). cited by applicant
Prism—MozillaWiki website, <https://wiki.mozilla.org/Prism>, Retrieved: Mar. 23, 2025 (last edited on May 19, 2011), 10 pgs. cited by applicant

Primary Examiner: Coby; Frantz

Attorney, Agent or Firm: BEKIARES ELIEZER LLP

Background/Summary

RELATED APPLICATIONS (1) This application is a Continuation of U.S. application Ser. No. 18/100,163 filed on Jan. 23, 2023, which issues on Jan. 30, 2024 as U.S. Pat. No. 11,886,693, which is a Continuation of U.S. application Ser. No. 17/384,823 filed on Jul. 26, 2021, which issued on Jun. 20, 2023 as U.S. Pat. No. 11,681,425, which is a Continuation of U.S. application Ser. No. 15/008,483 filed on Jan. 28, 2016, which issued on Jun. 4, 2019 as U.S. Pat. No. 10,310,723, which is a Continuation of International Application No. PCT/IB2013/056314 filed on Aug. 1, 2013, and having inventors in common, which are incorporated herein by reference in its entirety. (2) It is intended that the referenced application may be applicable to the concepts and embodiments disclosed herein, even if such concepts and embodiments are disclosed in the referenced application with different limitations and configurations and described using different examples and terminology.

COPYRIGHT INFORMATION

(1) A portion of the disclosure of this patent document contains material which is subject to (copyright or mask work) protection. The (copyright or mask work) owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all (copyright or mask work) rights whatsoever. The applicant acknowledges the respective rights of various Intellectual property owners.

FIELD OF INVENTION

(2) This application relates to the field of computers, and particularly, to web application publishing and installing in local storage of device method and system.

BACKGROUND OF THE INVENTION

(3) Generally users are using various applications, services, web sites and devices for communicating and messaging with other users, sharing user generated contents, creating connections and social networks, conducting e-commerce. Users are enabled to input, select, attach, compose, and/or draft various types of content, so why is the user required to register

various applications, services, web sites and devices for various types of needs. Present invention enables multiple functions on contents for communications, messaging, publishing, posting, requesting, executing commands, presenting, processing, e-commerce, transactions, workflow, activities, actions, searching, and sharing via single interface.

(4) By using present invention user can input, select, attach, prepare, compose one or more types of contents including text, commands, audio, video, photos or images, files, applications, objects, workspaces, URLs or links and can select one or more functions for conducting one or more types of activities, actions, process, workflow, tasks, transactions, communications, messaging, publishing, presenting, posting and requesting contents, executing commands, processing, formatting, structuring and interpreting contents, conducting e-commerce transactions, searching, and sharing with one or more sources and/or destinations including one or more applications, services, social networks, users, web pages, web sites, domains, databases, networks and devices from single standard user-friendly and mobile or Smartphone friendly interface.

(5) Some applications or devices provide one or more features e.g. send message, send contact and like which are limited and not provide list of plurality types of pre-created standard functions which are operable on selected or inputted or attached or composed contents and enable user to-do plurality of tasks including communications, messaging, publishing, posting, requesting contents, executing commands, presenting, processing, conduction e-commerce, transactions, workflow, activities, actions, searching, and sharing.

(6) Some applications or devices provide command line for executing commands which are limited compared to provided full feature functions which comprise function specific user selections and present function specific interface(s), list(s), template(s), objects, multimedia data or contents, metadata, system data, user selection or input controls, applications and/or services.

(7) At present, various web sites are enabled to integrate various buttons of various web sites or applications or providers with web page(s) and are able to provide various functions to users including Twitter, Facebook sharing, YouTube, Goggle and like. But users have to register or visit various web sites and use various integrated buttons and associate interfaces integrated by that web site and provided by others for various purposes. But in the present scenario users are not able to use a single interface for selecting, inputting, editing, drafting and composing contents and can access plurality types of functions provided or integrated by a Function Server and various sources, 3.sup.rd parties' developers and providers.

(8) Currently, users or applications can access various distributed objects via various web services and users can also access various features of the menu(s) of the application(s). But users are not enabled to access heterogeneous types of functions and interfaces provided by wide varieties of 3.sup.rd parties' developers and services providers for wide variety of requirements from one parent interface or from one source in a unified, integrated, interwoven, collaborative, shared manner.

(9) The present invention provides a wide variety of generalized, standardized, and unified interfaces and/or functions from plurality of sources, wherein each interface(s) can use one or more user selected functions or each function(s) can use one or more interface(s) and each function can connect with one or more servers, sources, applications, services, objects, distributed objects, web sites, web pages, networks, social networks, features, databases and devices for one or more types of tasks, activities, actions, events, transactions, interactions, communications, sharing, messaging, e-commerce transactions, requesting contents, downloading and/or uploading applications and/or services and/or one or more types of contents, subscribing, publishing, posting, executing commands, presenting, processing, workflow, searching and accessing.

(10) At present users are using internet including plurality of non-standard web sites for various types of general activities including Use a search engine to find information, Send or read e-mail or messages, Look for info on a hobby or interest, Search for a map or driving directions, Check the weather, Look for information online about a service or product you are thinking of buying, Get news, Go online just for fun or to pass the time, Buy a product, Watch a video on a video-sharing

site like YouTube or Vimeo, Visit a local, state or federal government website, Use a social networking site like Facebook, LinkedIn or Google Plus, Buy or make a reservation for travel, Do any banking online Look online for news or information about politics, Look online for info about a job, Look for “how-to,” “do-it-yourself” or repair information, Look for information on Wikipedia, Use online classified ads or sites like Craigslist, Get news or information about sports, Take a virtual tour of a location online, Search for info about someone you know or might meet, Send instant messages, Upload photos to a website so you can share them with others online, Pay to access or download digital content online, Look for info about a place to live, Download music files to your computer, Get financial info online, such as stock quotes or mortgage interest rates, Rate a product, service or person using an online rating system, Play online games, Categorize or tag online content like a photo, news story or blog post, Read someone else's online journal or blog, Look for religious/spiritual info, Post a comment or review online about a product you bought or a service you received, Post comments to an online news group, website, blog or photo site, Share something online that you created yourself Make a phone call online, using a service such as Skype or Vonage, Research your family's history or genealogy online, Participate in an online auction, Make a donation to a charity online, Download a podcast so you can listen to it or view it later, View live images online of a remote location or person, using a webcam, Use Twitter and/or Facebook, Download or share files using peer-to-peer file-sharing networks, such as BitTorrent or LimeWire, Sell something online, Create or work on your own webpage, Create or work on your own online journal or blog, Buy or sell stocks, bonds, or mutual funds, Use an online dating website, Visit virtual worlds such as Second Life. A majority of these activities are divided into general types of activities and it is possible to develop and present generalized, unified, common, structured and standardized user interfaces and functions to users, so users are enabled to conduct various types of activities from one place and do not have to register, access and maintain account and user data including profile, payment information, connections and like at various web sites, applications, and services to conduct these activities. In another embodiment users can dynamically select, order, or orchestrate one or more function that are dynamically presented or auto matched or determined by other users or provided or presented by 3.sup.rd parties' developers and providers. (11) Presently users have to register with different web sites for different purposes including search engines, e-commerce web sites, social networking web sites, messaging and communication web sites and applications. Conventionally, a user can search, register with web sites, subscribe to services, install applications, share content, and make payments by using a plurality of sources for different varieties of users' requirements and activities. Typically these sources are disparate and disorganized. In other words, the user must spend time researching, searching, registering, accessing, and identifying different sources that are not present in consolidated, coherent, unified and integrated manner. Often many of the sources are not relevant to user. What is needed is enabling user(s) to conduct plurality types of tasks, activities, actions, events, interactions, workflow, communications, messaging, sharing, social networking, searching, matching, questioning, commanding, requesting, publishing, advertising, posting comments and reviews, transactions from one place or via single standard user friendly interface in unified and integrated manner for solving users on demand wide varieties of requirements.

(12) Therefore, it is with respect to these considerations and others that the present invention has been made.

(13) No prior art provides on demand, customized, contextual, dynamic, unified and integrated environment for communication, collaboration, transaction, participation, sharing, and/or providing a response. Users do not have to install a plurality of applications, subscribe to a plurality of services, register with different applications, web sites and services, and maintain different profiles for different web sites and apps, searching content and media data from plurality of different sources. By using present invention user can access plurality of applications, services, communication channels, activities specific dynamic actions, objects, connected or connectable

nodes of network without departing from present network and user can share user data, application data, and profile with plurality of apps, services and users based on privacy settings.

OBJECT OF THE INVENTION

(14) The principal object of the present invention is to enabling user to-do various human mediated actions including select, input, attach, compose one or more types of contents including text, commands, audio, video, photos or images, files, applications, objects, workspaces, URLs or links via single dynamic and intelligent interface and enable to select one or more functions for conducting various types of activities, actions, process, workflow, tasks, transactions, communications, messaging, publishing, presenting, posting and requesting contents, executing commands, processing, formatting, structuring and interpreting contents, conducting e-commerce transactions, searching, and sharing with one or more sources and/or destinations including one or more applications, services, social networks, users, web pages, web sites, domains, databases, networks and devices from single standard user-friendly and mobile or Smartphone friendly interface.

(15) Another significant objective of the present invention is to enable 3^{sup}.rd parties developers and providers to develop, create, register, verify, maintain, store, upload, update, upgrades, process, manage, provide interfaces and/or functions and/or function links and associate referred applications, services, objects, controls, multimedia data, user actions, interface, networks, groups, databases, attachments, lists, connections, privacy settings, preferences, metadata, connectable nodes of the network(s) and verify, validate, register, store to Interfaces and Function Server(s) or central server unit for making them searchable for network users and enable users to search, match, select, purchase, download, subscribe, register, attach, associate, update, upgrades, rank and access on or more interfaces and/or functions and/or functions links.

(16) Another significant objective of the present invention is to enable users to define, create, compose, develop, generate, order, orchestrate, or compose based on rules related to one or more functions. Users are enabled to apply privacy settings to one or more functions for allowing selected users including connected or related or matched or suggested or subscribers or users of network(s) to access said one or more functions. Interfaces and Functions Server(s) or central server unit dynamically updates and presents said each interface and/or function and/or function link of each user to selected, connected, related users of user based on said privacy settings of sender or source and/or receiving users, wherein accessing of said dynamically presented interface and/or function and/or function link enables dynamic, customize, contextual, unified, in-single interface, collaborative, integrated, trusted, verified, secure, on demand and accessible social networks, groups, workflow, workspace, communication, collaboration, making new connections, e-commerce, viral marketing, advertisements, interactions, transactions, user actions, sharing, and participation of activities between or among user, connected users of users, providers and dynamic and accessible function link(s). Interfaces and Functions Server(s) or central server unit and providers stores information about interactions between or among user, connected users of users, providers, various types of interfaces and functions.

(17) Another significant objective of the present invention is to provide platform or application network or framework to developers, service providers, sponsors, advertisers and content or multimedia data providers to develop, register, verify, upload, test, making them searchable and available, provide updates, upgrades, support, integrate advertisement or e-commerce, share revenue and/or sell one or more interfaces and/or functions and associate or referred applications, objects, process, services and content or multimedia data.

(18) Another significant objective of the present invention is to providing platform for presenting and accessing plurality types of generalized interface(s) and functions from plurality of sources for enabling communications, messaging, publishing, posting, requesting, executing commands, presenting, processing, e-commerce, transactions, workflow, activities, actions, searching, and sharing from single user interface.

(19) Another significant objective of the present invention is to provide a combined multi-tier or n-tier Internet or Network Architecture and unified generalized presentation and functions oriented internet.

(20) Another significant objective of the present invention is to provide internet middleware for enabling user to access plurality features of plurality of web sites, applications, services, databases, networks, social networks and peer to peer networks from a single user friendly interface.

(21) Another significant objective of the present invention is to providing domain or subject or feature or task specific general and/or dynamic form(s) or interface(s) for enabling user to select, input and compose various types of pre-created or dynamically generated or user created or customized form(s) or form(s) field(s), contents and items including job(s) requirement posting, profile posting, question posting, message posting, purchase requirement posting general and/or dynamic form(s) or interface(s) and enable to select one or more functions for each form(s) or interface(s) for conducting various types of actions, execution, activities, transactions, tasks, jobs, workflows, including post job requirement to 100 top or curated or selected site, post purchase requirement to 1000 of sites, servers, applications, services, databases, devices and sources. Server formats, process, transform, verify, validate, test user requests including user selections and/or contents for each type of functions and/or interface and/or sources to make it compatible for each function and/or source.

(22) Another significant objective of the present invention is to presenting to user various selected features, functions, web parts, user actions of one or more web sites at central interface.

(23) Another significant objective of the present invention is to present various collaborative, unified, combined, standardized, customizable, dynamic, run time customizable, and generalized interface(s) and/or features, functions, web parts, user actions of web sites, applications, services from one or more sources at central interface.

(24) Another significant objective of the present invention is to enabling users or developers or service providers and/or 3.sup.rd parties web sites, applications, networks, services, social networks, search engines, e-commerce web sites, databases, devices, peer to peer networks to easily, directly, single source accessibility, dynamically, quickly integrating, registering, participating, providing applications and services, collaborating, communicating, searching, sharing, publishing, messaging, accessing, using, conducting of facilitating various types of activities, actions, interactions, participations, workflow, events, transactions at/of/with/by/to/in/on one or more web sites, applications, networks, services, social networks, peer to peer networks and connected or related or network(s) users of web sites, portals, applications, services, networks, groups, social networks and devices.

(25) Another significant objective of the present invention is to increase user base, user engagement, user activities, actions, transactions, communications and interactions and user participations with the internet, web sites, applications, services, databases, networks, social networks and devices.

Detail Description of the Preferred Embodiment

(26) The present invention now will be described more fully hereinafter with reference to the accompanying drawings, which form a part hereof, and which show, by way of illustration, specific exemplary embodiments by which the invention may be practiced. This invention may, however, be embodied in many different forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the scope of the invention to those skilled in the art. Among other things, the present invention may be embodied as methods or devices. Accordingly, the present invention may take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment combining software and hardware aspects. The following detailed description is, therefore, not to be taken in a limiting sense.

(27) Throughout the specification and claims, the following terms take the meanings explicitly

associated herein, unless the context clearly dictates otherwise. The phrase “in one embodiment” as used herein does not necessarily refer to the same embodiment, though it may. Furthermore, the phrase “in another embodiment” as used herein does not necessarily refer to a different embodiment, although it may. Thus, as described below, various embodiments of the invention may be readily combined, without departing from the scope or spirit of the invention.

(28) In addition, as used herein, the term “or” is an inclusive “or” operator, and is equivalent to the term “and/or,” unless the context clearly dictates otherwise. The term “based on” is not exclusive and allows for being based on additional factors not described, unless the context clearly dictates otherwise. In addition, throughout the specification, the meaning of “a,” “an,” and “the” include plural references. The meaning of “in” includes “in” and “on.”

(29) As used herein, the term “receiving” requests, responses, communications, interfaces, and functions from a device or component includes receiving the requests, responses, communications, interfaces, and functions indirectly, such as when forwarded by one or more other devices or components. Similarly, “sending” an item, requests, responses, communications, interfaces and functions to a device or component includes sending the items, requests, responses, communications, interfaces, and functions indirectly, such as when forwarded by one or more other devices or components.

(30) As used herein, the term “client application” refers to an application that runs on a client computing device. A client application may be written in one or more of a variety of languages, such as ‘C’, ‘C++’, ‘C#’, ‘J2ME’, Java, ASP.Net, VB.Net and the like. Browsers, email clients, text messaging clients, calendars, and games are examples of client applications. A mobile client application refers to a client application that runs on a mobile device.

(31) As used herein, the term “network application” refers to a computer-based application that communicates, directly or indirectly, with at least one other component across a network. Web sites, email servers, messaging servers, and game servers are examples of network applications.

(32) Briefly stated, the present invention is directed towards new type of internet including enabling users to access all generalized features collaboratively from single user-friendly interface. User(s) is/are enabled to search, match, purchase, install, attach, subscribe, update, upgrade, select, switch, access, use one or more generalized, multi-purpose, multi sources enabled, customizable, personalize, dynamic, unified, domain or subject or task or workflow or category or type specific interfaces from plurality of sources including 3.sup.rd parties developers, providers, users of networks, sponsors, and advertisers. User(s) is/are also enabled to search, match, purchase, install, attach, subscribe, update, upgrade, select, switch, access, use one or more pre-created or user created or customized or orchestrated plurality types of domain or subject or task or workflow or category specific multi-purpose, multi-source enabled, multi task specific functions. Users can access multiple features of multiple web sites from single user interface. Users can communicate, share, post messages, sent search requests, conduct plurality types of banking or monetary or e-commerce transactions, conduct plurality types of activates, actions, events, functions, tasks, workflow with plurality types of web sites, applications, services, networks, devices, databases, sources from one single source or single place or central user interface.

(33) Mechanisms of the invention may enable user to access all generalized subject or domain or task specific features of the internet including features, forms, database, profile, applications, objects of 3.sup.rd parties websites, applications, services, networks from single standard user interface. Users are enabled to select interface(s) and/or functions provided by various sources for conducting a wide variety of user activities including online activities, various types of e-mail, instant messaging, e-commerce, entertainment, booking, searching, sharing, viewing, commenting, reviewing, rating, participating, writing and posting blogs, communicating, downloading, uploading, and transacting.

(34) In computer programming, a subroutine is a sequence of program instructions that perform a specific task, packaged as a unit. This unit can then be used in programs wherever that particular

task should be performed. Subprograms may be defined within programs, or separately in libraries that can be used by multiple programs.

(35) In different programming languages a subroutine may be called a procedure, a function, a routine, a method, or a subprogram. The generic term callable unit is sometimes used.

(36) As the name subprogram suggests, a subroutine behaves in much the same way as a computer program that is used as one step in a larger program or another subprogram. A subroutine is often coded so that it can be started (called) several times and/or from several places during one execution of the program, including from other subroutines, and then branch back (return) to the next instruction after the call once the subroutine's task is done.

(37) Subroutines are a powerful programming tool, and the syntax of many programming languages includes support for writing and using them. Judicious use of subroutines (for example, through the structured programming approach) will often substantially reduce the cost of developing and maintaining a large program, while increasing its quality and reliability.

Subroutines, often collected into libraries, are an important mechanism for sharing and trading software. The discipline of object-oriented programming is based on objects and methods (which are subroutines attached to these objects or object classes).

(38) The content of a subroutine is its body, the piece of program code that is executed when the subroutine is called or invoked.

(39) A subroutine may be written so that it expects to obtain one or more data values from the calling program (its parameters or formal parameters). The calling program provides actual values for these parameters, called arguments. Different programming languages may use different conventions for passing arguments.

(40) The advantages of breaking a program into subroutines include: decomposing a complex programming task into simpler steps: this is one of the two main tools of structured programming, along with data structures, reducing duplicate code within a program, enabling reuse of code across multiple programs, dividing a large programming task among various programmers, or various stages of a project, hiding implementation details from users of the subroutine, improving traceability, i.e. most languages offer ways to obtain the call trace which includes the names of the involved subroutines and perhaps even more information such as file names and line numbers; by not decomposing the code into subroutines, debugging would be impaired severely.

(41) In one embodiment present invention presenting one or more types of unified or dynamic or generated or customized or standard user interfaces, wherein said interfaces provided, presented and integrate by/from one or more sources, providers, connected or related users of user developers, servers, web sites, databases, applications, services, networks and devices; enabling user to use or access or interact or select from one or more types of controls of one or more types of interfaces and/or search, match, select, input, capture, record, import, attach, edit, format, and/or compose one or more types of contents; and enabling user to select one or more functions or types or categories or links of functions or requests or features or actions or activities or transactions or events or objects or modules or process or workflow, wherein said functions integrate and/or provided and/or host and/or execute by/from/on one or more sources, providers, developers, servers, web sites, databases, applications, services, networks and devices.

(42) In another embodiment interface(s) comprising editor, one or more types of controls or user interface components and presentation logic components including textbox, search box, checkbox, radio button, list box, combo box, menu, wizard, grid, button(s), form(s) and one or more types of controls, objects, plug-ins, applications, application code or script, dynamic presentation interface.

(43) In another embodiment interface(s) type of interface or unified interface comprising send message interface, search interface, share interface, e-commerce or buy interface, registering domain name interface and plurality types of subject or domain or application or task or service or workflow specific interfaces.

(44) In another embodiment interface(s) presenting type(s) of interface(s) are based on user

selection.

(45) In another embodiment interface(s) dynamically presenting type(s) of interface(s) are based on user selections of function(s), preferences, privacy settings, determined by other users, auto matchmaking based on user data, profile, user actions, activities, events, transactions, interactions.

(46) In another embodiment interface(s) enable the user to customize the interface.

(47) In another embodiment interface(s) contents comprising text, commands, audio, video, photos or images, files, applications, objects, voice messages, profile, icons, node(s) of network(s), workspaces, URLs or links, database record, structures, syntax, script, templates, list, category, keyword and selected items.

(48) In another embodiment interface(s) enable user to search, match, sent request, select, register, host, store, process, associate metadata, privacy policies, terms and agreements of access, use, present or make available and support, documents, license, helps, advertisements, user data and system data, purchase, download, upload, install, subscribe, view associate accounts, analytics and hit statistics, configure, trial, run-time customize, customize, attach, associate, share, access, rank, provide comments, complaints, feedbacks and reviews, apply privacy settings and preferences, refer, sort, filter, detach, un-registered, un-install, categories, order one or more types of one or more interfaces and/or functions from/to one or more sources, destinations, web sites, applications, services, networks, databases, servers and devices.

(49) In another embodiment interface(s) wherein functions including Send Messages, Send Contents To one or more groups, subscribers or followers, select one or more or categories or group of connected or related or network users of one or more networks, lists, web sites, web pages, applications, services, objects, social networks, databases, servers and devices, Send E-Mail To one or more users or subscribers or groups of one or more sources and destinations, Send Instant Messages or Voice Messages To one or more groups, users, subscribers of one or more instant messaging service providers, networks, devices, applications and services, Publish one or more types of contents To one or more web sites, web pages, domains, applications, services, databases, devices and social networks, Ask Price for particular products and services, Want To particular products and services, Ask Question for receiving answers from one or more sources, web sites, applications, services, social networks, devices, databases and networks, Buy one or more products and services from particular source(s), Make one or more types of Payments including Credit Card payments and Bills Amount, Send/Transfer Money To one or more users of network(s), account holders of bank(s), service providers, vendors, and merchants, Deposit Money To one or more accounts of banks, financial institutions and service providers, Donate Money To one or more users of networks, institutes, governments and other agencies, Like one or more branded products and services and share or post to one or more web sites and social networks, Save contents To one or more or selected destinations including databases, storage medium of one or more web sites, servers, devices and networks, Bookmarks one or more types of resources and save To one or more destinations, use plurality types of Commands and associate parameter(s) provided by plurality of sources including 3rd parties developers, web sites and service providers for conducting plurality types of activities, actions, access, process, interactions, workflow, tasks, events and transactions, post or access or view one or more types of Comments, shared contents, blogs, articles, answers of questions, notifications, advertisements, news, suggestions, feedbacks, complaints, notes, events, updated status, updated profile(s) at/from/to one or more selected web sites, web pages, users of network(s), profiles, databases, networks, devices, applications and services, Search wide verities of contents, databases for one or more keywords, advance search criteria from plurality of sources, web sites, search engines, databases, devices, networks, social networks, Upload one or more types of shared contents To one or more destinations, web sites, web pages, applications, services, social networks, devices, databases and networks, purchase and/or send preferred or selected virtual goods or greeting cards from one or more providers and e-commerce web sites, Create one or more types of List and add one or more items to one or more web sites, applications and services, select

one or more types of Survey Forms from one or more sources, web sites, applications, databases, networks, devices and services and Post To one or more sources, web sites, applications, databases, networks, devices and services, search, select, add one or more types of items or entries to one or more types of Yellow pages at one or more sources, web sites, applications, databases, networks, devices and services, search, invite, connect and view Contacts and/or connected users of user from one or more sources, web sites, applications, databases, networks, devices and services, access, use, view, browse one or more types or categories or subject or domain or similar types of Feature(s) from one or more sources, web sites, applications, databases, networks, devices and services, Search Curated Products and Services, Post Jobs Requirements, Resume, Dating or Matrimonial Profile, and User Profile at one or more sources, web sites, applications, databases, networks, devices and services, Send, access, and update one or more UID and/or Passwords from/to one or more web sites, applications, databases, networks, devices and services, ask Meaning, use various functions or calculators, Ask Weather, Sent Instruction(s), Post Health Report, Post to Forums, Post to Group(s), Post to Social Network(s), Request Help, Save as Card, Post to Wiki, Request Music/Songs, Translate contents from one language(s) To other language(s), Request Support From(s), Save To Database(s), Download one or more types of contents, Post Movie Review.

(50) Post Brand Usage Details, Request Railway Time Table Enquiry, Book Railway Ticket(s), Buy Virtual Goods, Request Bus Schedules, Present User's Public Contents, Search Images or Videos, Send Message To WhatsApp, MTV, Facebook Message etc., Request Appointment(s), access Web sites or web pages or part of web site(s), Create Publications, Post Press Releases, Sent Invitations, Requesting Maps and Directions, Ask How To Do particular Task or activity or Process or Workflow, Looking For Real Estates as per particular Specifications e.g. Location, ranges, features etc., Look For Phone number and Address, Subscribe particular services, Install one or more selected or particular applications, Access Database(s) including Patents, Brands, Products, Yellow Pages etc., Play Games, Request information for Travel Planning as per Specifications and book Hotels, Tickets etc., Participate With particular users, web sites, activities, applications, discussions, forum etc., Save tasks, notes, appointments etc. To one or more types of Calendars at one or more web sites, applications, profiles, and devices, Request and post Business Enquiry, Send Links, Post Videos, Images, Albums To one or more sources, Ask Stock Quotes, Purchase Stocks, Ask Sports Score, Buy Movie Tickets, Publish Web Pages and Web Sites, Post and Buy Deals, Refer particular products and service To one or more users, Post Supply Requirement To one or more web sites including eBay, Amazon, Alibaba etc., Call particular Phone or Mobile No., Add notes or contents or activities details To Personal Life stream, Search Hobby or Interest, Order particular Food Item Names selected from list(s) from one or more sources, Order Gift Items including Flower, Cakes, Card etc., Subscribe one or more items including Magazines, Newspapers, TV Channels. The user is also enabled to create, define, orchestrate user Created Functions based on one or more rules. 3rd Parties developers, web sites and service providers can develop, create, define, post, host, register, upload, make available plurality types of functions. Functions can access via 3rd parties APIs, web sites, servers, web services and networks.

(51) In another embodiment functions are presented from one or more sources.

(52) In another embodiment source(s) comprising one or more applications, services, database, servers, devices, networks, web pages, web sites, 3.sup.rd parties developers' server(s).

(53) In another embodiment providing hit statistics, detail analytics, total number and amount of transactions on each function.

(54) In another embodiment enable to share revenues including advertising, subscription and e-commerce revenues with function(s) providers and/or developers.

(55) In another embodiment enable to presenting functions by server(s), devices, users of network(s), connected, related, matched, determined and allowed users, 3.sup.rd parties developers, advertisers, sponsors, service providers and experts.

(56) In another embodiment presenting functions based on user selection of interface(s), user's and

connected users' profile(s), user(s) associate data, user selections, privacy settings and preferences.

(57) In another embodiment formatting, verifying, validating and structuring contents based on selection of one or more functions or type(s) of functions.

(58) In another embodiment presenting function(s) associate one or more interfaces, list(s), template(s), objects, multimedia data or contents, metadata, system data, user selection or input controls, applications and/or services.

(59) In another embodiment enable users to select one or more functions before searching, matching, selecting, inputting, importing, attaching, editing, formatting, and/or composing one or more types of contents.

(60) In another embodiment enable users to present functions and/or interface(s) based on one or more searched, matched, identified, determined, selected, and inputted sources and/or URLs or names of source(s).

(61) In another embodiment presenting one or more selected function(s) specific one or more interface(s) for further user interaction, actions, selections, and user inputs.

(62) In another important embodiment present invention enables user to select one or more functions or types or categories or links of functions or requests or features or actions or activities or transactions or events or objects or modules or process or workflow, wherein said functions integrate and/or provided and/or host and/or execute by/from/on one or more sources, providers, developers, servers, web sites, databases, applications, services, networks and devices; present selected function specific one or more types of unified or dynamic or generated or customized or standard user interfaces, wherein said interfaces provided, presented and integrate by/from one or more sources, providers, connected or related users of user developers, servers, web sites, databases, applications, services, networks and devices; and enable user to use or access or interact or select from one or more types of controls of one or more types of interfaces and/or search, match, select, input, capture, record, import, attach, edit, format, and/or compose one or more types of contents.

(63) In another embodiment presenting selected function specific content management interface and associate features.

(64) In another embodiment enabling interface(s) and/or associated or attached or used functions to share, synchronize, map, process, convert, format and use user data and system data as per user mediation and associated or applied privacy settings and preferences.

(65) In another embodiment one or more interface(s) are pre-integrated with one or more functions.

(66) In another embodiment one or more interface(s) and/or functions can share data with another one or more interface(s) and/or functions based on applied privacy settings and preferences.

(67) In another embodiment enable users to automatically and/or manually identify interfaces for storing, processing and presenting received responses from one or more sources.

(68) In another embodiment enable 3.sup.rd parties sources to send responses compatible to interfaces and functions management interface.

(69) The many features and advantages of the invention are apparent from the detailed specification and, thus, it is intended by the appended claims to cover all such features and advantages of the invention that fall within the true spirit and scope of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation illustrated and described, and accordingly all suitable modifications and equivalents may be resorted to, falling within the scope of the invention.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) Non-limiting and non-exhaustive embodiments of the present invention are described with

reference to the following drawings. In the drawings, like reference numerals refer to like parts throughout the various figures unless otherwise specified.

(2) For a better understanding of the present invention, reference will be made to the following Detailed Description, which is to be read in association with the accompanying drawings, wherein:

(3) FIG. 1 is a system diagram of one embodiment of an environment in which the invention may be practiced;

(4) FIG. 2 shows one embodiment of a client device that may be employed in a system implementing the invention;

(5) FIG. 3 shows one embodiment of a network device that may be employed in a system implementing the invention;

(6) FIG. 4 illustrates exemplary graphical user interface (GUI) for managing and accessing various types of functions and/or interfaces from various sources;

(7) FIG. 5 illustrates exemplary graphical user interface (GUI) for part of functions list of FIG. 4-440 for accessing various types of functions available from various sources; and

(8) FIG. 6 illustrates new or alternative or supportive or extended or advanced or simplified n-tier interfaces and functions oriented Internet or World Wide Web architecture.

DETAILED DESCRIPTION OF THE DRAWINGS

(9) Illustrative Operating Environment

(10) FIG. 1 shows components of one embodiment of an environment in which the invention may be practiced. Not all the components may be required to practice the invention, and variations in the arrangement and type of the components may be made without departing from the spirit or scope of the invention. As shown, system 100 of FIG. 1 includes a client device, in particular mobile device 151 and 135 and personal computer 125 and 152. The system also includes network or wireless network 120, central server 115, Interfaces and Functions Provider(s)' Server(s) 150, and client devices 151 and 152 and 125 and 135.

(11) A variety of client devices may be employed in accordance with the invention. The client devices may include mobile devices, digital home clients such as personal computers and media centers, and other client devices. Generally, mobile device 135 may include virtually any portable computing device capable of receiving and sending a message over a network, such as network 130, or the like. Mobile device 135 may also be described generally as a client device that is configured to be portable. Mobile device 135 may have the capability of connecting to a network using wireless technology, wired technology, or a combination of both wired and wireless technologies. Thus, mobile device 135 may include virtually any portable computing device capable of connecting to another computing device and receiving information. Such devices include portable devices such as cellular telephones, smart phones, display pagers, radio frequency (RF) devices, infrared (IR) devices, Personal Digital Assistants (PDAs), handheld computers, sensors, laptop computers, wearable computers, tablet computers, integrated devices combining one or more of the preceding devices, and the like. As such, mobile device 135 typically ranges widely in terms of capabilities and features. For example, a cell phone may have a numeric keypad and a few lines of monochrome LCD display on which only text may be displayed. In another example, another cell phone or web-enabled mobile device may have a touch sensitive screen, a stylus, and several lines of color LCD display in which both text and graphics may be displayed.

(12) A web-enabled mobile device may include a browser application that is configured to receive and to send web pages, web-based messages, and the like. The browser application may be configured to receive and display graphics, text, video, multimedia, and the like, employing virtually any web based language or protocol, including a wireless application protocol messages (WAP), and the like. In one embodiment, the browser application is enabled to employ Handheld Device Markup Language (HDML), Wireless Markup Language (WML), WMLScript, JavaScript, Standard Generalized Markup Language (SMGL), HyperText Markup Language (HTML), eXtensible Markup Language (XML), and the like, to display and send a message.

(13) Mobile device **135** may include one or more other client applications that are configured to receive content from another computing device. The client application may include a capability to provide and receive textual content, graphical content, audio content, video content, and the like. The client application may further provide information that identifies itself, including a type, capability, name, and the like. In one embodiment, mobile device **135** may uniquely identify itself through any of a variety of mechanisms, including a phone number, Mobile Identification Number (MIN), an electronic serial number (ESN), or other mobile device identifier. The information may also indicate a content format that the mobile device is enabled to employ. Such information may be provided in a message, or the like, sent to central server **115** or other computing devices.

(14) Mobile device **135** may also be configured to communicate a message, such as through Short Message Service (SMS), Multimedia Message Service (MMS), instant messaging (IM), internet relay chat (IRC), Mardam-Bey's IRC (mIRC), Jabber, and the like, between another computing device, such as central server **115**, another web server, or the like. However, the present invention is not limited to these message protocols, and virtually any other message protocol may be employed.

(15) Mobile device **135** may be further configured to enable a user to participate in communications sessions, such as IM sessions. As such, mobile device **135** may include a client application that is configured to manage various actions on behalf of the client device. For example, the client application may enable a user to interact with the browser application, email application, IM applications, SMS application, and the like. Generally, instant messaging provides the ability for at least two computing devices to exchange messages in real time.

(16) Mobile device **135** may further be configured to include a client application that enables the end-user to log into an end-user account that may be managed by a network application. Such an end-user account, for example, may be configured to enable the end-user to receive emails, send/receive IM messages, SMS messages, and access selected web pages, maintain a digital wallet, or the like.

(17) Network **120** is configured to couple mobile device **135**, **151** and Personal Computer **125** and **152**, as well as other client devices not illustrated, and their components, with other network devices, such as central server **115**, and the like. Network **120** is configured to couple responder client devices including mobile phone **135**, **151** and Personal Computer **125** and **152** with central server **115**.

(18) Though for illustrative purposes network and wireless network are shown combined, in various environments employing the present invention, network and wireless network **120** may be the separate or same network, different networks, or different networks including a combination of overlapping components and distinct components. The discussion herein that describes network **130** may therefore be applicable to describe network **120**.

(19) Network **120** may include any of a variety of wired or wireless sub-networks that may further overlay stand-alone ad-hoc networks, and the like, to provide an infrastructure-oriented connection for mobile device **135**. Such sub-networks may include mesh networks, Wireless LAN (WLAN) networks, cellular networks, and the like. Additionally, network **120** may connect to mobile devices with a wired connection, such as cable, phone lines, Ethernet wires, and the like. Network **120** may include wide area networks, such as the Internet. The invention may be used either generally with networks, specifically with wireless networks, or with various combinations of wireless and wired networks.

(20) Network **120** may further include an autonomous system of terminals, gateways, routers, and the like connected by wireless radio links, and the like. These connectors may be configured to move freely and randomly and organize themselves arbitrarily, such that the topology of network **120** may change rapidly.

(21) Network **120** may further employ a plurality of access technologies including 2nd (2G), 3rd (3G), 4th (4G) generation radio access for cellular systems, WLAN, Wireless Router (WR) mesh, and the like. Access technologies such as 2G, 3G, 4G, and future access networks may enable wide

area coverage for mobile devices, such as mobile device **135** with various degrees of mobility. For example, network **120** may enable a radio connection through a radio network access such as Global System for Mobil communication (GSM), General Packet Radio Services (GPRS), Enhanced Data GSM Environment (EDGE), Wideband Code Division Multiple Access (WCDMA), and the like. In essence, network **120** may include virtually any communication mechanism by which information may travel between mobile device **135** and another computing device, network, and the like.

(22) Network **120** may further include or employ one or more network gateways (not shown) that serve as intermediaries between mobile device **135** and other network devices, such as central server **115**. A network gateway may receive data from a device or network, transform the data, and forward the data to another device or network. A network gateway may perform a transformation in more than one direction. Transformation may, for example, include modifying protocols or communications mechanisms in order to facilitate communication between two devices or two networks, each of which may employ different protocols. A WAP gateway is one type of network gateway. A WAP gateway may facilitate communication between a first device that uses the Wireless Application Protocol (WAP), and a second device. The second device may, for example, communicate using the HyperText Transfer Protocol (HTTP). An SMS gateway is a network gateway that facilitates communication between a device using the Short Message Service (SMS) protocol and another device, such as one using HTTP. A WAP and SMS gateway combines the features of a WAP gateway and an SMS gateway.

(23) In one embodiment, network **120** may include one or more components of a Interfaces and Functions Management Interface and service that operates to facilitate or enable search, match, select, register, upload, host, store, process, download, install, subscribe, attach, update, upgrade, share, present and access interfaces and functions from plurality of providers **150** to client devices including mobile devices **135**, **151** and smart device **125** and **152** and central server **115**.

(24) FIG. 1 shows mobile device **135** communicating with central server **115**, and central server **115** communicating with Interfaces and Functions Providers Server(s) **150**. FIG. 1 also shows central server **115** communicating with client devices **135**, **151**, **125** and **152**. Each of these communications may employ a direct connection, or one or more networks, or a combination thereof. For illustrative purposes, FIG. 1 shows communication between central server **115** and Interfaces and Functions Providers Server(s) **150** employing network **120**, however environments that include this communication may be employed with the present invention. In particular, central server **115** and Interfaces and Functions Providers Server(s) **150** may employ any one or more of direct communication, a local area network, or a wide area network, such as network **120**.

(25) A network enabling any one or more of the above communications may employ any form of computer readable media for communicating information from one electronic device to another. Also, the network may include the Internet in addition to local area networks (LANs), wide area networks (WANs), direct connections, such as through a universal serial bus (USB) port, other forms of computer-readable media, or any combination thereof. On an interconnected set of LANs, including those based on differing architectures and protocols, a router acts as a link between LANs, enabling messages to be sent from one to another. Also, communication links within LANs typically include twisted wire pair or coaxial cable, while communication links between networks may utilize analog telephone lines, full or fractional dedicated digital lines including T1, T2, T3, and T4, Integrated Services Digital Networks (ISDNs), Digital Subscriber Lines (DSLs), wireless links including satellite links, or other communications links known to those skilled in the art. Furthermore, remote computers and other related electronic devices could be remotely connected to either LANs or WANs via a modem and temporary telephone link. In essence, the network includes any communication method by which information may travel between central server **115**, Interfaces and Functions Providers Server(s), and Developers, Sponsors, Advertisers and Providers **150**, client devices **151**, **152**, **125** and **135**, and other computing devices (not shown).

(26) Additionally, communication media typically embodies computer-readable instructions, data structures, program modules, or other data in a modulated data signal such as a carrier wave, data signal, or other transport mechanism and includes any information delivery media. The terms “modulated data signal,” and “carrier-wave signal” include a signal that has one or more of its characteristics set or changed in such a manner as to encode information, instructions, data, and the like, in the signal. By way of example, communication media includes wired media such as twisted pairs, coaxial cable, fiber optics, wave guides, and other wired media and wireless media such as acoustic, RF, infrared, and other wireless media.

(27) Client devices **151**, **135**, **125** and **152** are computing devices that may be employed by a user, referred to as a receiver and sender, for receiving and sending or sharing interfaces and functions and/or function(s) links and associate data and user instructions. A variety of sender and/or receiver client devices may be employed in accordance with the invention. Client devices may include mobile devices, digital home clients such as personal computers and media centers, and other client devices. Generally, clients may include virtually any computing device, portable or non-portable, capable of receiving and sending a message over a network, such as network **120**, or the like. Clients may include devices such as mobile device **151** (**135**) described herein. Though FIG. **1** illustrates only four Clients **151**, **135**, **125** and **152**, it is envisioned that the invention may be practiced in an environment that includes a large community of sender and receiver clients. Thus, sender and receiver clients or members of network or Interfaces and Functions provider or user or receiver may number in the hundreds, thousands, hundreds of thousands, millions, or virtually any number.

(28) Though FIG. **1** illustrates an embodiment of a system having each of network central server(s) **115** and Interfaces and Functions Providers Server(s) **150** as separate computing devices, the invention is not so limited. Software, hardware, or hardware-software combinations implementing any portion of these components may be combined with any other component on a single computing device, or arranged in a different manner among multiple computing devices. Some portion or all of the functionality of any component may be distributed or duplicated among multiple computing devices.

(29) One embodiment of a network device that may be used to implement any one or more of central server **115** or Interfaces and Functions Providers Server(s) **150** is described in more detail below in conjunction with FIG. **3**. Briefly, however, such network devices may include any computing device capable of communicating with other network devices to enable network applications or web sites to process, send and respond to requests from client devices, such as mobile device **135** is described in more detail below in conjunction with FIG. **2**. Devices that may operate as these network devices include personal computers desktop computers, multiprocessor systems, microprocessor-based or programmable consumer electronics, network PCs, servers, and the like, or any combination thereof.

(30) FIG. **1** illustrates an embodiment of a system having an ads server (not shown). Briefly, an advertisements server provides advertisements, such as banner advertisings, application advertisements or other types of advertisements. An application advertisement is an advertisement that is associated with an interaction with an application. It is typically integrated with the application presentation in some way. A search advertisement is an example of application advertisements. When a search is performed, a search application may select one or more ads based on the keywords of the search. The search application may combine search ads with the search results, and present them in an integrated manner. In some embodiments, the integration may be so complete that there is not a clear distinction between the search ads and the search results. In some embodiments, one or more ways of indicating the search ads may be included, such as text, color, line separators, and the like. Similarly, other applications may generate application ads. A mapping application, for example, may use the location specification in a request to generate advertisements based on the location, such as those of businesses in the area, and may display an advertisement on

the map.

(31) A banner advertisement typically is placed in a location that is separate from, or more distinguishable from, an application's results. For example, it may be at the top or bottom of a page, or along the margin. A banner advertisement may be selected based on criteria similar to those for an application ad, based on different criteria, or randomly selected.

(32) Ads server (not shown) may have an associated ads database, which may be integrated or in communication with central server **150**. An ads database may store data pertaining to advertisement contents, constraints, and rules pertaining to the use of each advertisement. At least a portion of the data stored in ads server may be specified by an advertiser. An advertiser may specify data describing the advertisement contents, constraints, and rules pertaining to the use of each advertisement.

(33) Ads server may receive data or a set of parameters to use for determining whether to provide an advertisement, selecting and generating an advertisement, including data upon which various determinations are made. Selecting and generating an advertisement may include selecting an advertiser, selecting an advertisement associated with the advertiser, or selecting content to include in an advertisement. The data upon which these and other determinations may be based may include information derived from user data, user profile, information related to interactions among users and interfaces and function links and associate references nodes or objects received by the central server, and the like. The data upon which these and other determinations may be based may also include information about the user or mobile device, actions that the user or mobile device have taken, data pertaining to one or more advertisers, relevant events, and a variety of other types of information.

(34) FIG. **1** illustrates an embodiment in which mobile device **135** communicates with central server **115**. A user of mobile device **135**, referred to as a provider and/or receiver of interfaces and/or functions and/or links of interfaces and/or links of functions based on privacy settings of provider and/or receiver, may employ mobile device **135** to send and/or receive interfaces and/or functions and/or links of interfaces and/or links to central server **115**. Central server **115** may receive and process the interfaces and/or functions and/or links of interfaces and/or links from mobile device **135**. Central server **115** may select a set of connected or related users of user devices **151** and **152**. Central server **115** may employ identifiers or addresses of senders and receivers devices, or both. It may, for example, employ a login name or email address of a sender and/or receiver. It may employ an IP address, MIN, or other identifier of a device. Central server **115** may employ any one or more of these identifiers or addressing mechanisms when communicating with a sender and/or receiver device. As used herein, unless the context clearly indicates otherwise, the term "sender" and "receiver" may be used to refer to a person, a device, or a combination of a person and a device.

(35) Illustrative Client Device

(36) FIG. **2** shows one embodiment of client device **200** that may be included in a system implementing the invention. Client device **200** may include many more or less components than those shown in FIG. **2**. However, the components shown are sufficient to disclose an illustrative embodiment for practicing the present invention. Client device **200** may represent, for example, user client devices **151**, **152**, **125** and **135** of FIG. **1**.

(37) As shown in the figure, client device **200** includes a processing unit (CPU) **222** in communication with a mass memory **230** via a bus **224**. Client device **200** also includes a power supply **226**, one or more network interfaces **250**, an audio interface **252**, video interface **259**, a display **254**, a keypad **256**, an illuminator **258**, an input/output interface **260**, an optional haptic interface **262**, and an optional global positioning systems (GPS) receiver **264**. Power supply **226** provides power to client device **200**. A rechargeable or non-rechargeable battery may be used to provide power. The power may also be provided by an external power source, such as an AC adapter or a powered docking cradle that supplements and/or recharges a battery.

(38) Client device **200** may optionally communicate with a base station (not shown), or directly with another computing device. Network interface **250** includes circuitry for coupling client device **200** to one or more networks, and is constructed for use with one or more communication protocols and technologies including, but not limited to, global system for mobile communication (GSM), code division multiple access (CDMA), time division multiple access (TDMA), user datagram protocol (UDP), transmission control protocol/Internet protocol (TCP/IP), SMS, general packet radio service (GPRS), WAP, ultra-wide band (UWB), IEEE 802.16 Worldwide Interoperability for Microwave Access (WiMax), SIP/RTP, or any of a variety of other wireless communication protocols. Network interface **250** is sometimes known as a transceiver, transceiving device, or network interface card (NIC).

(39) Audio interface **252** is arranged to produce and receive audio signals such as the sound of a human voice. For example, audio interface **252** may be coupled to a speaker and microphone (not shown) to enable telecommunication with others and/or generate an audio acknowledgement for some action. Display **254** may be a liquid crystal display (LCD), gas plasma, light emitting diode (LED), or any other type of display used with a computing device. Display **254** may also include a touch sensitive screen arranged to receive input from an object such as a stylus or a digit from a human hand.

(40) Video interface **259** is arranged to capture video images, such as a still photo, a video segment, an infrared video, or the like. For example, video interface **259** may be coupled to a digital video camera, a web-camera, or the like. Video interface **259** may comprise a lens, an image sensor, and other electronics. Image sensors may include a complementary metal-oxide-semiconductor (CMOS) integrated circuit, charge-coupled device (CCD), or any other integrated circuit for sensing light.

(41) Keypad **256** may comprise any input device arranged to receive input from a user. For example, keypad **256** may include a push button numeric dial, or a keyboard. Keypad **256** may also include command buttons that are associated with selecting and sending images. Illuminator **258** may provide a status indication and/or provide light. Illuminator **258** may remain active for specific periods of time or in response to events. For example, when illuminator **258** is active, it may backlight the buttons on keypad **256** and stay on while the client device is powered. Also, illuminator **258** may backlight these buttons in various patterns when particular actions are performed, such as dialing another client device. Illuminator **258** may also cause light sources positioned within a transparent or translucent case of the client device to illuminate in response to actions.

(42) Client device **200** also comprises input/output interface **260** for communicating with external devices, such as a headset, or other input or output devices not shown in FIG. 2. Input/output interface **260** can utilize one or more communication technologies, such as USB, infrared, Bluetooth™, or the like. Optional haptic interface **262** is arranged to provide tactile feedback to a user of the client device. For example, the optional haptic interface may be employed to vibrate client device **200** in a particular way when another user of a computing device is calling.

(43) Optional GPS transceiver **264** can determine the physical coordinates of client device **200** on the surface of the Earth, which typically outputs a location as latitude and longitude values. GPS transceiver **264** can also employ other geo-positioning mechanisms, including, but not limited to, triangulation, assisted GPS (AGPS), E-OTD, CI, SAI, ETA, BSS or the like, to further determine the physical location of client device **200** on the surface of the Earth. It is understood that under different conditions, GPS transceiver **264** can determine a physical location within millimeters for client device **200**; and in other cases, the determined physical location may be less precise, such as within a meter or significantly greater distances. In one embodiment, however, mobile device may, through other components, provide other information that may be employed to determine a physical location of the device, including for example, a MAC address, IP address, or the like.

(44) Mass memory **230** includes a RAM **232**, a ROM **234**, and other storage means. Mass memory

230 illustrates another example of computer storage media for storage of information such as computer readable instructions, data structures, program modules or other data. Mass memory **230** stores a basic input/output system (“BIOS”) **240** for controlling low-level operation of client device **200**. The mass memory also stores an operating system **241** for controlling the operation of client device **200**. It will be appreciated that this component may include a general purpose operating system such as a version of UNIX, or LINUX™, or a specialized client communication operating system such as Windows Mobile™, or the Symbian® Operating System. The operating system may include, or interface with a Java virtual machine module that enables control of hardware components and/or operating system operations via Java application programs.

(45) Memory **230** further includes one or more data storage **244**, which can be utilized by client device **200** to store, among other things, applications **242** including browser **245**, online and smart client applications and services **246** and Interfaces and Functions Management Interface **247** and/or other data. For example, data storage **244** may also be employed to store information that describes various capabilities of client device **200**. The information may then be provided to another device based on any of a variety of events, including being sent as part of a header during a communication, sent upon request, or the like. Moreover, data storage **244** may also be employed to store multimedia information and/or content for later publication, editing, or the like, as well as other information including address lists, contact lists, personal preferences, or the like. At least a portion of the content may also be stored on a disk drive or other storage medium (not shown) within client device **200**.

(46) Applications **242** may include computer executable instructions which, when executed by client device **200**, transmit, receive, and/or otherwise process messages (e.g., SMS, MMS, IM, email, and/or other messages), content, and enable telecommunication with another user of another client device. Other examples of application programs include calendars, editors, email clients, IM applications, SMS applications, VOIP applications, contact managers, task managers, transcoders, database programs, word processing programs, security applications, spreadsheet programs, games, search programs, Interfaces and Functions Management application, service or interface and so forth. Applications **242** may further include browser **245**. Browser **245** may include virtually any of a variety of client applications configured to receive and/or provide communications of web pages, and other content over a network. Browser **245** typically provides for a graphical display of various web pages, including user interfaces provided, in part, by another computing device over the network. Browser **245** may include a variety of security features, and/or other plug-in applications, modules, applets, scripts, or the like, to enable display of animation, videos, playing of audio files, or the like. Browser **245** and applications **242** are configured to enable a user or sender and/or receiver of Interfaces and Functions and/or associate data and user instructions to communicating with or register, search, match, select, install, subscribe, upload, download, update, upgrade, test, attach, associate and access one or more Interfaces and Functions from/to/on/by/with one or more sources, destinations, web sites, web pages, applications, services, objects, networks, databases, social networking, and devices based on privacy settings and preferences via sending/receiving to/from central server **115** of FIG. 1. Moreover, through one or more of applications **242** or Interfaces and Functions Management Application or Service or Interface **247**, the user or sender and/or receiver of Interfaces and Functions Link(s) may send and/or receive Interfaces and Functions Link(s) and associate content or messages or instructions or notifications.

(47) Illustrative Network Device Environment

(48) FIG. 3 shows one embodiment of a network device **300**, according to one embodiment of the invention. The embodiment of network device **300** illustrated in FIG. 3 may be used to implement the Interfaces and Functions server **115** of FIG. 1. Network device **300** may include many more components than those shown. It may also have less than all of those shown. The components shown, however, are sufficient to disclose an illustrative embodiment for practicing the invention. One or more network devices, and the application programs integrated with the devices, may be

used to implement the processes of the present invention, as illustrated in FIGS. 4-6 and discussed herein.

(49) In any event, network device **300** includes processing unit **312**, video display adapter **314**, and a mass memory, all in communication with each other via bus **322**. The mass memory generally includes RAM **316**, ROM **332**, and one or more permanent mass storage devices, such as hard disk drive **328**, tape drive, optical drive, and/or floppy disk drive. The mass memory stores operating system **320** for controlling the operation of network device **300**. Any general-purpose operating system may be employed. Basic input/output system (“BIOS”) **318** is also provided for controlling the low-level operation of network device **300**. As illustrated in FIG. 3, network device **300** also can communicate with the Internet, or some other communications network, via network interface unit **310**, which is constructed for use with various communication protocols including the TCP/IP protocol. Network interface unit **310** is sometimes known as a transceiver, transceiving device, or network interface card (NIC).

(50) The mass memory as described above illustrates another type of computer-readable media, namely computer storage media. Computer storage media may include volatile, nonvolatile, removable, and non-removable media implemented in any method or technology for storage of information, such as computer readable instructions, data structures, program modules, or other data. Examples of computer storage media include RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by a computing device.

(51) The mass memory also stores program code and data. One or more applications **350** are loaded into mass memory and run on operating system **320**. Examples of application programs may include transcoders, schedulers, calendars, database programs, word processing programs, HTTP programs, customizable user interface programs, IPsec applications, encryption programs, security programs, VPN programs, SMS message servers, IM message servers, email servers, account managers, and so forth. More detailed discussions of some application programs are included herein.

(52) Mass memory further includes web server **356**, data stores **358**, and applications **350**. Applications **350** are shown to include Interfaces and Functions Processor **352**, Interfaces and Functions associate Data Processor **354** and Interfaces and Functions Request(s) and/or response(s) processor **355**. Web server **356** includes virtually any application configured to deliver Web pages and other content to browsers and other client applications via at least the HTTP protocol. However, web server **356** may also be configured to provide scripts, user interfaces, accounting interfaces, editors, security, or the like, to the client application. Moreover, web server **356** may employ a variety of other communication protocols, beyond HTTP. For example, web server **356** may be configured to manage email communication protocols, SMS protocols, IM protocols, or the like. Moreover web server **356** may employ a variety of scripts, applets, programs, or the like, to enable communications of content with a client application.

(53) Data stores **358** may include any of a variety of storage mechanisms, configured to store, and otherwise managed content, applications, scripts, applets, or the like. As such, data stores **358** may be a database, a file structure, or the like. Data stores **358** may store the content into a category structure, such as folders, albums, graphs, trees, or the like, based on a user account, a web service, or the like. In one embodiment, data stores **358** may represent the Data Management services illustrated in FIG. 1, and described in more detail below in conjunction with FIG. 4.

(54) Interfaces and Function Platform **350** is described in more detail below in conjunction with FIGS. 4-6. Briefly, however, Interfaces and Function Platform **350** includes a variety of components to provide web services to a user, including Interfaces and Functions Processor, Interfaces and Functions associate Data Processor, Interfaces and Functions Request(s) and/or

response(s) processor, Management Interface, search tools, user interfaces, services plug-and-play modules, or the like. Various embodiments of example user interface screens are described in more detail below.

(55) In one embodiment, applications **350** may include Interfaces and Functions Processor **352**. An Interfaces and Functions Processor may include program logic that performs actions in response to receiving requests for presenting Interfaces and Functions and Link(s) of Interfaces and Functions and associated data from user(s) or sender(s) client device. These actions may include determining a selected interface(s) and/or associate function(s) or selected function(s) and associate interface(s).

(56) In one embodiment, applications **350** may include Interfaces and Functions associate Data Processor **354**. An Interfaces and Functions associate Data Processor may include program logic that performs actions relating to receiving and processing communications or data related to interactions of users or connected users of users with Interfaces and Functions. These actions may include receiving and collecting responses, user interaction data, associating advertising, applying validation, spam control, limits and presentation and privacy settings, preparing Interfaces and Functions associate response to be sent to the receivers and/or provider(s), or other actions relating to processing communication and responses. These actions are discussed in further detail herein. Though FIGS. **4-6** illustrate Interfaces and Functions Processor, Interfaces and Functions associate Data Processor and Interfaces and Functions Request(s) and/or response(s) processor, the actions and logic of each component may be combined into a single component, divided into multiple components in a different manner, or distributed in a variety of ways across multiple network devices.

(57) Illustrative Operating Environment

(58) Rich (smart) client, a Web client, or a rich Internet application (RIA), Website, Web Page and smart client Architecture (pre-loaded interfaces and/or functions).

(59) FIG. **4** illustrates in one embodiment Interfaces and Functions Management user interface(s) or application(s) or service(s) which are provided and/or connected or enabled to connected with Interfaces and Functions Server(s) **115** and/or one or more Interfaces and Functions Provider(s)' Server(s) **150** via one or more types of network(s) **120**. User can use, access, download, subscribe, register one or more types of clients including rich or smart client application, offline or connected client, online client of Interfaces and Functions Management from one or more types of devices including smart phones, desktop personal computer and smart devices, wherein said clients and devices can use one or more types of networks, hard wares, software, embedded systems, operating systems, applications, services, components, objects, executable instructions and browsers.

(60) In one embodiment illustrated Interfaces and Functions Management can enable user to use plurality types of ready to use, dynamic, run time customized or personalized and generated or created or provided or presented interface(s) by users(s) and/or 3.sup.rd parties including experts, providers, developers and connected or related user(s) of user(s). Users are enabled to search, match, select, register, download, install, attach, subscribe, use and access one or more interfaces and/or functions. Users can directly enter name of interface(s) **401** and invoke one or more corresponding identified interface(s). In another embodiment users are provided an auto complete or word completion text box for easily entering the name of interface(s). In addition other embodiment users are provided with other types of controls for selection of Interface(s) name(s) including menus, combo box (**403**) and tab control **410**. Users can select categories or sub-categories or taxonomies **404** for selecting various Interfaces. Users can also switch various Interfaces via tab control. In another embodiment users can concurrently or simultaneously use various Interfaces and/or selected function(s) (not shown in figure). Users can at the same time open or invoke or use or access one or more types of one or more interfaces from same or separate windows or browsers or interfaces and can use, select and apply one or more types of one or more functions for one or more types of activates, actions, transactions, events, communications, messaging, searching, posting, responding, publishing, workflows, tasks, interactions, searching,

sharing, processing, saving and requesting. User can also use full features search **402** to search, match one or more interface(s) provided by one or more sources, developers, providers, advertisers, sponsors, experts, users of networks, web sites, web pages, applications, services, networks, social networks, peer to peer networks, local networks, locally stored, databases, devices, servers and via API and webs services. User can also use advance search to search interfaces based on one or more keywords, Boolean operators, preferences, matchmaking preferences, privacy settings, conditions, criteria, rules, selections, and wizards. Users can select one or more Interfaces from one or more search results and can bookmark, further filter and sort search results based on one or more criteria, save search results, register, make payment, attach, download, install and subscribe one or more selected Interfaces. For example User selected exemplary interface **412** via illustrated switchable tab **410** or input textbox **401** or search button **402** or selective combo box **403** enables user to use preferred or selective interface “Message” and Message Interface **412** enable user to input text or message and use various Message Interface **412** associate features including full features editor options like spell checking, autocomplete textboxes, command selections and various editing, text inputting, text processing and other types of options (not shown in figure).

(61) After selecting and using Interface(s) user can search, match, register, subscribe, make payments, download, install, select **415**, use, access, invoke, apply, orchestrate, attach, associate one or more or group(s) or list(s) or sequence of function(s) with/for/to one or more Interface(s) provided by one or more sources including Interface(s) and Function(s) server(s), users of networks, 3.sup.rd parties, providers, developers, experts, users, web sites, applications, services, networks, databases, servers and devices. User can input function name to text box **420** or select categories or sub-categories or taxonomies via combo box **422** and/or select from combo box **423** or use list **425** or **430** or menu or tab(s) of functions to search **427**, match, auto match, filter, sort, select, use, access, execute, use, invoke, attach, associate, apply one or more functions and/or links of features for one or more selected or identified Interface(s). User can also create categories of functions and provide name, keywords and metadata to each created list(s) and apply privacy settings and preferences to one or more functions or list(s) of functions.

(62) In this example, when user selects Message Interface **412** and compose or input contents **413** and selects “Select or Apply Function(s)” button, then user is presented with list of functions or user can directly selects function(s) from list(s) of function(s) and apply or use one or more functions for one or more activities. For example, when user selects function “Send Message To particular group(s)”, user is enabled to select one or more preferred group(s) from list of groups, when user selects function “Send E-mail To particular person”, user is enabled to use email interfaces and features associate with that function select email addresses from list of e-mail contacts, when user selects function “Send IM To particular users”, user is enabled to send instant message(s) to one or more selected users or group(s) of users or user can use one or more features of Instant Messenger, when user selects function “Publish To particular destination”, then user is enabled to select from one or more destination where user wants to publish shared contents and when user selects function “Save To particular destinations” then user is enable to save contents or take backup of contents to one or more places including databases, applications, services, web sites, web pages, devices, servers, features of web site(s).

(63) In another embodiment users can search, match, select one or more functions from list of functions **440** for applying or associating or integrating, attaching **450** one or more functions with one or more selected interface(s) **410** or **412** and execute **450** functions for one or more selected interfaces **410** or **412**. Users can share, sort and categorize one or more functions from list of functions. Users can draft or save and execute later option **450** including select interfaces, input or select contents or selections or sue interface(s) associate features and apply one or more functions and execute that function(s) on said interface(s) later. For example, user draft message **413** via selected interface **412** and apply various functions from list **440** including “Sent message To selected group”, “Send E-mail to particular addresses”, “Send IM to particular users”, “Publish

contents to particular web sites or destinations” and “Save contents to particular sources or databases” and execute said selected set of functions for or on said contents **413** later.

(64) In another embodiment user is presented with auto matched or contextual or user or system associated or related list(s) of functions or frequently used or suggested list(s) of functions or user and/or connected users of network(s) or expert(s) user can determined one or more function(s) or list(s) of function(s) for one or more selected interface(s).

(65) In another embodiment user or on behalf of user 3.sup.rd parties experts, developers and users of networks is/are enabled to customize, edit, and update one or more interface(s), interface(s) associate features, interfaces, objects, contents, source code, rules, fields and presentation layer and functions and function associate interface(s), applications, services, metadata, contents and objects based on associate privacy settings, preferences and enablement of customization.

(66) In another embodiment users can view one or more types of response(s) related to each function(s) via clicking on each function or on separate interface users can view responses associated with each function and/or interfaces from one or more sources. Users are notified of the number of responses received by each function and/or set of function(s) and/or interface(s). Users can view categories wise, function wise, interface wise, function type wise, interface type wise, content type wise responses. Users can also use various dedicated interfaces and/or features of function(s) for viewing, responding, take one or more actions or further user actions, use feature(s) and processing responses.

(67) In another embodiment users can use function(s) without interface(s) or use interface(s) without applying function(s). For example users can request only “About Us” or “Contacts” of a particular website and can view “About Us” or “Contacts” webpage of that website. In another example users can request the price of a particular product from more than one source and receive prices from requested sources and are able to apply one or more functions like compare, rank, sort, calculate, and analyze.

(68) In another embodiment user and access can use one or more functions without using Interface(s) and/or user can use one or more Interface(s) without using function(s).

(69) In another embodiment user, developer, administrator, service providers, advertisers can create, define, develop, generate, customize, personalize, programmed, and develop one or more applications, services, functions, features, interfaces, web sites, web pages and portals by using, accessing, selecting, searching, matching, registering, making of payments for purchase or use or access, downloading, installing, customizing including dynamically re-structuring forms or interfaces and databases, requesting customization to providers, subscribing, ordering, applying privacy settings and preferences, orchestrating, attaching one or more functions and/or interfaces and associate features, sub-functions, applications, services, interfaces, objects, source or binary code or instructions, databases, multimedia contents, metadata, system data from one or more sources.

(70) In another embodiment function(s) and/or interfaces can use one or more APIs, web services, databases, objects, applications, services, networks, contents, resources including computing resources of one or more sources, websites, portals, applications, services, servers, providers, developers by using one or more communication links.

(71) In another embodiment function(s) and/or interface(s) can search, match, select, register, make payment for purchase or use or access, install, subscribe, download, upload, attach, associate, apply privacy settings, privacy policies and preferences, un-register, un-install, update, upgrade, integrate, plug-in, access, use, share, publish, present, collaborate, host, execute, process, format and store at/from/to/on/by/in/with 3.sup.rd parties' websites, web pages, applications, services, databases, networks and devices.

(72) In another embodiment, when user selects function(s), system presents various function associate applications, services, databases, forms, user interfaces for inputting and/or selecting one or more selections and contents including parameters, selecting list of sources, e-mail addresses

and user connections or contacts, filling of various forms, applying privacy settings and preferences, inputting user identity and password or login information, inputting or selecting payment information, selecting or inputting metadata, selecting various controls including lists, combo boxes, text boxes, menus, radio buttons, check boxes, buttons and like.

(73) In another embodiment user can use interfaces management **405** for searching, matching, selecting, filtering, registering, making payments for purchasing, installing, downloading, uploading, subscribing, attaching, associating, categorizing, ordering, sorting, customizing, sharing, referring and requesting for customization or development of interfaces and associate features.

(74) In another embodiment user can use functions management **406** for searching, matching, selecting, filtering, registering, making payments for purchasing, installing, downloading, uploading, subscribing, attaching, linking, integrating, orchestrating, associating, categorizing, ordering, sorting, customizing, sharing, referring, applying or associating with interface(s), executing function(s) for interface(s) and requesting for customization or development of functions and associate interfaces, applications, services, objects, sources, databases, functions and features.

(75) In another embodiment user can use content management **407** for using, accessing, sharing, synchronizing user generated one or more types of contents including text, videos, images, URLs or links, photos, binary objects, documents and files, system generated, received and saved contents from one or more sources or functions or interfaces and shared contents for/with/in one or more interfaces and/or functions or sharing with connected or related users of networks(s), other users of networks, applications, services, communication channels, databases, networks, social networks, web sites, web pages portals, profiles, and devices.

(76) In another embodiment user can use contacts or connections management **408** for searching, matching, categorizing, sorting, filtering, adding, creating, importing, inviting, requesting, applying privacy settings, updating one or more contacts and connections and using, accessing, sharing, synchronizing, referring, exporting, searching, matching, selecting, applying one or more connections for one or more functions and/or interfaces.

(77) In another embodiment user can privacy settings and preferences management **409** for applying privacy settings and preferences for one or more functions and/or interfaces.

(78) FIG. 5 illustrates list(s) of functions **510** and associate options **550** which is part of list of functions FIG. 4-440.

(79) FIG. 6 explains new internet or www architecture proposed or invented by present invention. This multi-tier or n-tier Internet or Network Architecture, which is alternate to present worldwide web, includes standardized applications, services, data structures, interfaces and functions. Instead of developing, hosting, using, accessing, registering, installing, downloading, uploading, updating, upgrading, searching, matching, selecting, purchasing, subscribing, heterogeneous types of internet or internet enabled web sites, applications, services, functions, data structures, databases, objects and web services, present invention enables system and method for providing standardized, generalized, re-usable, re-distributable, time, money and energy saving, dynamic, user friendly, customized, attachable, personalized, multi-purpose, ready to use, multi functions enabled, multi sources compatible, collaborative enabled, and unified interfaces(s), data structures and functions oriented internet.

(80) Presentation and Front-end Tier or Layer or Management **650** includes or enables presenting of one or more types of unified, dynamic, generalized, collaborative enabled and standardized user interface(s) from one or more sources including developers, providers, advertisers, sponsors, web sites, portals, applications, services, databases, networks, servers and devices. Users are enabled to search, match, select, register, purchase, install, download, subscribe, attach, categories, filter, sort, order, orchestrate, integrate, share, save, synchronize, import, refer, organize, customize, program, personalize, associate and apply metadata, privacy settings, preferences and data to/with interface(s) and use interface(s) associate features, interfaces, selection controls, forms, objects, applications, services, system data, metadata and user data. Users are also enabled to search, match,

select, register, purchase, install, download, subscribe, categories, filter, sort, order, orchestrate, integrate, link, share, save, synchronize, import, refer, organize, customize, program, personalize, associate and apply metadata, privacy settings, preferences and data to/with function(s), use function(s) associate features, interfaces, selection controls, forms, objects, applications, services, system data, metadata and user data and associate, attach, use, apply and execute one or more function(s) with/for/via/on/in/by one or more Interface(s). Presentation layer also presents all types of responses and/or requests from one or more sources at the general interface(s) and or corresponding interface(s) to the user. For example when a user posts a question and receives an answer then answer(s) is/are presented to the “Q and A” application or interface to the user. So users can take further actions including providing ranks and comments on received answer(s). Presentation layer also presents logs, reports, accounts, analytics and statistics of all types of activities, actions, interactions, events, transactions, usage, workflows, responses, requests, communications, sharing, searching, publishing and like.

(81) Business Logic or Processing or Middle Tier or Layer or Management **655** of Interfaces and Functions Server(s) **115** includes or enables formatting, structuring, mapping, converting to various formats or syntax or languages or data types or fields, verifying, validating, authenticating, authorizing, identifying, connecting and processing of Interface(s) and/or function(s) associated user selections and contents including selected, auto matched, determined sources, destinations, servers, connection names, parameters, user identity, password, roles, credentials, login information, payment information, privacy settings, preferences, rules, system data, metadata, user data and profile, fields and/or sending or processing formatted request(s) and/or receiving response(s) as per interface(s) associated function(s) to/from various sources/destinations via one or more APIs, Web services and one or more types of communication links and networks.

(82) Business Logic or Middle Tier or Layer or Management of Interface(s) and/or Function(s) associated 3rd parties' servers, sources, destinations, web sites, APIs, applications, services, networks and devices includes identified, selected, matched, and authorized categories, type, domain or subject request associated sources specific web sites, applications, services and servers **670** includes or enables processing of received request(s), mapping, formatting, indexing, structuring, identifying and converting of associated contents to various compatible formats or syntax or languages or data types or fields, verifying, validating, authenticating, authorizing and connecting request(s) sender(s) and request associated contents, storing, saving, publishing and presenting of contents at appropriate places including one or more databases, storage mediums, applications, services, features, web pages, profile(s) of user or connected users of user, connecting request sender(s) with requested user(s) of web sites, servers, databases, applications, services and devices for communication, messaging, sharing and participation with various activities.

(83) Data access and Resource or Service or Back-end Tier or Layer or Management including databases, resources and services of said request associated sources, category, type, domain and subject specific identified, matched and authorized web sites, applications, services and servers **675** includes or enables to prepare responses for request sender as per preferences of request sender including preferred Interface(s), device, format, language to receive or accept responses, date and time and other preferences and/or enable request sender to access, view, receive authorized data, contents, status and resources including messages, answers, payment details, invoices, news, posted jobs, products details, notifications, replies, search results, link(s) of accessible objects, downloadable applications, multimedia contents including videos, images, photos, URLs and profiles and any types of responses sent by users, servers, web sites, applications, services, databases and devices.

(84) The present invention has been described in particular detail with respect to a limited number of embodiments. Those of skill in the art will appreciate that the invention may additionally be practiced in other embodiments. First, the particular naming of the components, capitalization of terms, the attributes, data structures, or any other programming or structural aspect is not

mandatory or significant, and the mechanisms that implement the invention or its features may have different names, formats, or protocols. Furthermore, the system may be implemented via a combination of hardware and software, as described, or entirely in hardware elements. Also, the particular division of functionality between the various system components described herein is merely exemplary, and not mandatory; functions performed by a single system component may instead be performed by multiple components, and functions performed by multiple components may instead be performed by a single component. Additionally, although the foregoing embodiments have been described in the context of a social network website, it will be apparent to one of ordinary skill in the art that the invention may be used with any social network service, even if it is not provided through a website. Any system that provides social networking functionality can be used in accordance with the present invention even if it relies, for example, on e-mail, instant messaging or any other form of peer-to-peer communications, or any other technique for communicating between users. Systems used to provide social networking functionality include a distributed computing system, client-side code modules or plug-ins, client-server architecture, a peer-to-peer communication system or other systems. The invention is thus not limited to any particular type of communication system, network, protocol, format or application.

(85) The foregoing description of the embodiments of the invention has been presented for the purpose of illustration; it is not intended to be exhaustive or to limit the invention to the precise forms disclosed. Persons skilled in the relevant art can appreciate that many modifications and variations are possible in light of the above disclosure.

(86) Some portions of this description describe the embodiments of the invention in terms of algorithms and symbolic representations of operations on information. These algorithmic descriptions and representations are commonly used by those skilled in the data processing arts to convey the substance of their work effectively to others skilled in the art. These operations, while described functionally, computationally, or logically, are understood to be implemented by computer programs or equivalent electrical circuits, microcode, or the like. Furthermore, it has also proven convenient at times, to refer to these arrangements of operations as modules, without loss of generality. The described operations and their associated modules may be embodied in software, firmware, hardware, or any combinations thereof.

(87) Any of the steps, operations, or processes described herein may be performed or implemented with one or more hardware or software modules, alone or in combination with other devices. In one embodiment, a software module is implemented with a computer program product comprising a computer-readable medium containing computer program code, which can be executed by a computer processor for performing any or all of the steps, operations, or processes described.

(88) Embodiments of the invention may also relate to an apparatus for performing the operations herein. This apparatus may be specially constructed for the required purposes, and/or it may comprise a general-purpose computing device selectively activated or reconfigured by a computer program stored in the computer. Such a computer program may be stored in a tangible computer readable storage medium or any type of media suitable for storing electronic instructions, and coupled to a computer system bus. Furthermore, any computing systems referred to in the specification may include a single processor or may be architectures employing multiple processor designs for increased computing capability.

(89) Embodiments of the invention may also relate to a computer data signal embodied in a carrier wave, where the computer data signal includes any embodiment of a computer program product or other data combination described herein. The computer data signal is a product that is presented in a tangible medium or carrier wave and modulated or otherwise encoded in the carrier wave, which is tangible, and transmitted according to any suitable transmission method.

(90) Finally, the language used in the specification has been principally selected for readability and instructional purposes, and it may not have been selected to delineate or circumscribe the inventive subject matter. It is therefore intended that the scope of the invention be limited not by this detailed

description, but rather by any claims that issue on an application based here on. Accordingly, the disclosure of the embodiments of the invention is intended to be illustrative, but not limiting, of the scope of the invention, which is set forth in the following claims.

Claims

1. A computer-implemented method for distributing and installing web application, comprising: enabling a user to access, via a client device application including web browser application, one or more online accessible as well as installable platform independent applications, published by providers via respective provider server system, wherein an application comprise one or more interfaces and an interface comprises associated interface data, wherein the interface includes webpage; in response to determining the application is installable based on application associated metadata, further enabling the user to install the application in a client device storage medium; receiving, from the client device application including the web browser application, instruction to install a selected application in the client device; retrieving, from the provider server system, and storing in the client device storage medium, the selected application; installing and configuring the selected application, on the client device, for enabling the user to select and open the installed application from the client device in a separate standalone window or in response to determining the application is installed based on the application associated metadata, further enabling the user to open the installed application from the web browser and access or open the associated one or more interfaces; receiving and storing by the client device storage medium, from the provider server system, updated interface data and application related notifications; and further enabling the user to uninstall the application.
2. The computer-implemented method of claim 1, further comprising preparing or generating a requested interface from among the one or more interfaces associated with the installed application based on the interface data associated with the requested interface.
3. The computer-implemented method of claim 1, further comprising presenting in a presentation process via an operating environment, a requested interface from among the one or more interfaces associated with the installed application according to the interface data associated with the requested interface.
4. The computer-implemented method of claim 1, further comprising preparing or generating a requested interface based on updated interface data associated with the requested interface.
5. The computer-implemented method of claim 3, further comprising receiving by the presentation process via the operating environment, updated interface data for a portion of the one or more interfaces associated with the installed application.
6. The computer-implemented method of claim 5, further comprising presenting, in the presentation process, the portion of the interface according to the updated interface data.
7. The computer-implemented method of claim 1, further comprising enabling upload, via a graphical user interface, of the one or more applications or one or more updated applications to a server storage medium for publishing or listing, wherein uploading the one or more applications for publishing or listing includes making the one or more applications accessible via a uniform resource locator (URL) or control, such that the one or more applications are searchable and installable.
8. The computer-implemented method of claim 1, further comprising retrieving and storing, by the server system, in a local storage medium, one or more updated interfaces associated with the selected application, including updated interface data associated with each of the one or more updated interfaces.
9. The computer-implemented method of claim 1, wherein publishing or listing the one or more applications enables searching, via a graphical user interface, the one or more applications.
10. The computer-implemented method of claim 1, wherein the interface data comprises one or

more of: interface structures logic codes including HyperText Markup Language (HTML); interface presentation logic codes including Cascading Style Sheets (CSS); interface related program logic codes including JavaScript; extensible Markup Language (XML); data; one or more types of content including graphics, text, video, multimedia, files; or one or more types of digital controls, objects and components.

11. A system comprising: a processor; a memory coupled to the processor and storing instructions that, when executed by the processor, cause the system to perform operations comprising: enable a user to access, via a client device application including web browser application, one or more online accessible as well as installable platform independent applications, published by providers via respective provider server system, wherein each application comprises one or more interfaces, and each interface comprises associated interface data, wherein the interface includes a webpage; in response to determining the application is installable based on application associated metadata, further enabling the user to install the application in a client device storage medium; receive from the client device application including the web browser application, instruction to install a selected application in the client device; retrieve, from the provider server system, and storing in the local client device storage medium, the selected application; install and configure the selected application, on the client device, for enabling the user to select and open the installed application from the client device in a separate standalone window or in response to determining the application is installed based on the application associated metadata, further enabling the user to open the installed application from the web browser and access or open the associated one or more interfaces; receive and store by the client device storage medium, from the provider server system, updated interface data and application related notifications; and further enable the user to uninstall the application.

12. The system of claim 11, further comprising preparing or generating the requested interface based on the interface data associated with the requested interface.

13. The system of claim 11, further comprising presenting in a presentation process via an operating environment, the requested interface according to the interface data associated with the requested interface.

14. The system of claim 11, further comprising preparing or generating the requested interface based on associated updated interface data.

15. The system of claim 13, further comprising receiving, by the presentation process via the operating environment, updated interface data for a portion of the requested interface.

16. The system of claim 15, further comprising presenting, in the presentation process, the portion of the requested interface according to the updated interface data.

17. The system of claim 11, further comprising enabling upload, via a graphical user interface, the one or more applications or one or more updated applications to a server storage medium, wherein uploading the one or more applications for publishing or listing includes making the one or more applications accessible via a uniform resource locator (URL) or control, thus making the one or more applications searchable and installable.

18. The system of claim 11, wherein retrieving and storing, by the server system, in the client device storage medium, the selected application includes retrieving and storing one or more updated interfaces associated with the selected application including updated interface data with each of the one or more updated interfaces.

19. The system of claim 11, wherein publishing or listing the one or more applications enables searching, via graphical user interface, the one or more applications.

20. The system of claim 11, wherein the interface data comprises one or more of: interface structures logic codes including HyperText Markup Language (HTML); interface presentation logic codes including Cascading Style Sheets (CSS); interface related program logic codes including JavaScript; extensible Markup Language (XML); data; one or more types of content including graphics, text, video, or multimedia, files; one or more types of digital controls, objects

and components.

21. The computer-implemented method of claim 1, further comprising the installed applications include executable instructions that, when executed, cause a launch of a selected application in a separate window as standalone application for display using the web browser application, wherein said standalone application works in online and offline mode.
22. The computer-implemented method of claim 1, further comprising in response to selecting install, client device web browser application integrated install control including button, link, menu item, icon image and user interface, receiving instruction from the client device user, to install the selected application; and installing the selected application in the client device storage medium.
23. The computer-implemented method of claim 1, further comprising in response to selecting install control including button, link, menu item, icon, image and user interface, receiving instruction, from the client device, to install the selected application; and installing the selected application in the client device storage medium.
24. The computer-implemented method of claim 1, further comprising receiving, by the client device, installed application associated notifications without need to open installed application and enabling user to access notifications associated with said installed application from the client device or from the separate notification or response application of the client device.
25. The computer-implemented method of claim 1, further comprising enabling the user to un-install the selected installed application.
26. The computer-implemented method of claim 1, further comprising receiving instructions from the user of the client device, to install and configure a selected application on the client device; communicating one or more parameters associated with the selected application to an application programming interface of the client device for configuring the selected application on the client device, wherein the one or more metadata, system data and parameters associated with the application comprises an icon, a name, a category and a Uniform Resource Locator (URL) of the selected application, privacy policies including use, present or make available or installable for users, advertisements including description, screenshot, photo, video, offer, user data and terms & agreements of access, documents, license, helps including how to use application.
27. The computer-implemented method of claim 1, further comprising invoking or opening installed application via selecting control or link or Uniform Resource Locator (URL) or name of the selected application or inputting link or Uniform Resource Locator (URL) or name of the application or by using auto completion or word completion text box entering name of the application and via one or more types of controls for selection of application name including menus, combo box, tab control and user interface.
28. The computer-implemented method of claim 1, further comprising in response to receive request, from the client device browser application, to access web application serving requested application including web application using Hypertext Transfer Protocol Secure (HTTPS) protocol.
29. The computer-implemented method of claim 1, further comprising receiving search query to search contents or application(s); displaying search results including searched application(s) and each application associated details and link or uniform resource locator (URL) or control including button, image, icon, menu item, user interface for accessing and installing selected application(s).
30. The computer-implemented method of claim 1, further comprising enabling the user to bookmark one or more selected applications.
31. The computer-implemented method of claim 1, further comprising enabling the user to share one or more selected applications or Uniform Resource Locator (URL) of one or more selected application(s).
32. The computer-implemented method of claim 1, further comprising dynamically and automatically updating the application including web application, wherein dynamically and automatically updating the application includes dynamically and automatically updating one or more portions of the application stored in the client device storage medium.

33. The system of claim 11, further comprising the installed applications include executable instructions that, when executed, cause a launch of a selected application in a separate window as standalone application for display using the web browser application, wherein said standalone application works in online and offline mode.
34. The system of claim 11, further comprising in response to selecting install, client device web browser application integrated install control including button, link, menu item, icon, image and user interface, receiving instruction from the client device user, to install the selected application; and installing the selected application in the client device storage medium.
35. The system of claim 11, further comprising in response to selecting install control including button, link, menu item, icon, image and user interface, receiving instruction, from the client device, to install the selected application; and installing the selected application in the client device storage medium.
36. The system of claim 11, further comprising receiving, by the client device, installed application associated notifications without need to open installed application and enabling user to access notifications associated with said installed application from the client device or from the separate notification or response application of the client device.
37. The system of claim 11, further comprising enabling the user to un-install the selected installed application.
38. The system of claim 11, further comprising receive instructions from the user of the client device, to install and configure a selected application on the client device; communicate one or more parameters associated with the selected application to an application programming interface of the client device for configuring the selected application on the client device, wherein the one or more metadata, system data and parameters associated with the application comprises an icon, a name, a category and a Uniform Resource Locator (URL) of the selected application, privacy policies including use, present or make available or installable for users, advertisements including description, screenshot, photo, video, offer, user data and terms & agreements of access, documents, license, helps including how to use application.
39. The system of claim 11, further comprising invoke or open installed application via selecting control or link or Uniform Resource Locator (URL) or name of the selected application or inputting link or Uniform Resource Locator (URL) or name of the application or by using auto completion or word completion text box entering name of the application and via one or more types of controls for selection of application name including menus, combo box, tab control and user interface.
40. The system of claim 11, further comprising in response to receive request, from the client device browser application, to access web application serving requested application including web application using Hypertext Transfer Protocol Secure (HTTPS) protocol.
41. The system of claim 11, further comprising receiving search query to search contents or application(s); displaying search results including searched application(s) and each application associated details and link or uniform resource locator (URL) or control including button, image, icon, menu item, user interface for accessing and installing selected application(s).
42. The system of claim 11, further comprising enable the user to bookmark one or more selected applications.
43. The system of claim 11, further comprising enable the user to share one or more selected applications or Uniform Resource Locator (URL) of selected application(s).
44. The system of claim 11, further comprising dynamically and automatically updating the application including web application, wherein dynamically and automatically updating the application includes dynamically and automatically updating one or more portions of the application stored in the client device storage medium.
-