

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400678
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Hardek; David D.

Distinguishing user speech from background speech in speech-dense environments

Abstract

A device, system, and method whereby a speech-driven system can distinguish speech obtained from users of the system from other speech spoken by background persons, as well as from background speech from public address systems. In one aspect, the present system and method prepares, in advance of field-use, a voice-data file which is created in a training environment. The training environment exhibits both desired user speech and unwanted background speech, including unwanted speech from persons other than a user and also speech from a PA system. The speech recognition system is trained or otherwise programmed to identify wanted user speech which may be spoken concurrently with the background sounds. In an embodiment, during the pre-field-use phase the training or programming may be accomplished by having persons who are training listeners audit the pre-recorded sounds to identify the desired user speech. A processor-based learning system is trained to duplicate the assessments made by the human listeners.

Inventors:	Hardek; David D. (Allison Park, PA)
Applicant:	Vocollect, Inc. (Pittsburgh, PA)
Family ID:	1000008777481
Assignee:	Vocollect, Inc. (Pittsburgh, PA)
Appl. No.:	18/452351
Filed:	August 18, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240062775 A1	Feb. 22, 2024

Related U.S. Application Data

continuation parent-doc US 18328034 20230602 US 12057139 child-doc US 18452351
continuation parent-doc US 17449213 20210928 US 11837253 child-doc US 18328034
continuation parent-doc US 16695555 20191126 US 11158336 20211026 child-doc US 17449213
continuation parent-doc US 15220584 20160727 US 10714121 20200714 child-doc US 16695555

Publication Classification

Int. Cl.:	G10L25/84 (20130101); G10L15/06 (20130101); G10L15/07 (20130101); G10L15/16 (20060101); G10L25/51 (20130101); G10L25/78 (20130101)
U.S. Cl.:	
CPC	G10L25/84 (20130101); G10L15/063 (20130101); G10L15/07 (20130101); G10L15/16 (20130101); G10L25/51 (20130101); G10L2025/783 (20130101)

Field of Classification Search

CPC:	G10L (25/84); G10L (15/16); G10L (15/07); G10L (25/51); G10L (15/063); G10L (2025/783)
USPC:	704/232

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
4882757	12/1988	Fisher et al.	N/A	N/A
4928302	12/1989	Kaneuchi et al.	N/A	N/A
4959864	12/1989	Van et al.	N/A	N/A
4977598	12/1989	Doddington et al.	N/A	N/A

5127043	12/1991	Hunt et al.	N/A	N/A
5127055	12/1991	Larkey	N/A	N/A
5230023	12/1992	Nakano	N/A	N/A
5297194	12/1993	Hunt et al.	N/A	N/A
5349645	12/1993	Zhao	N/A	N/A
5428707	12/1994	Gould et al.	N/A	N/A
5457768	12/1994	Tsuboi et al.	N/A	N/A
5465317	12/1994	Epstein	N/A	N/A
5488652	12/1995	Bielby et al.	N/A	N/A
5566272	12/1995	Brems et al.	N/A	N/A
5602960	12/1996	Hon et al.	N/A	N/A
5625748	12/1996	McDonough et al.	N/A	N/A
5640485	12/1996	Ranta	N/A	N/A
5644680	12/1996	Bielby et al.	N/A	N/A
5651094	12/1996	Takagi et al.	N/A	N/A
5684925	12/1996	Morin et al.	N/A	N/A
5710864	12/1997	Juang et al.	N/A	N/A
5717826	12/1997	Setlur et al.	N/A	N/A
5737489	12/1997	Chou et al.	N/A	N/A
5737724	12/1997	Atal et al.	N/A	N/A
5742928	12/1997	Suzuki	N/A	N/A
5774837	12/1997	Yeldener et al.	N/A	N/A
5774841	12/1997	Salazar et al.	N/A	N/A
5774858	12/1997	Taubkin et al.	N/A	N/A
5787387	12/1997	Aguilar	N/A	N/A
5797123	12/1997	Chou et al.	N/A	N/A
5799273	12/1997	Mitchell et al.	N/A	N/A
5832430	12/1997	Lleida et al.	N/A	N/A
5839103	12/1997	Mammone et al.	N/A	N/A
5842163	12/1997	Weintraub	N/A	N/A
5870706	12/1998	Alshaw	N/A	N/A
5890108	12/1998	Yeldener	N/A	N/A
5893057	12/1998	Fujimoto et al.	N/A	N/A
5893059	12/1998	Raman	N/A	N/A
5893902	12/1998	Transue et al.	N/A	N/A
5895447	12/1998	Ittycheriah et al.	N/A	N/A
5899972	12/1998	Miyazawa et al.	N/A	N/A
5946658	12/1998	Miyazawa et al.	N/A	N/A
5960447	12/1998	Holt et al.	N/A	N/A
5970450	12/1998	Hattori	N/A	N/A
6003002	12/1998	Netsch	N/A	N/A
6006183	12/1998	Lai et al.	N/A	N/A
6073096	12/1999	Gao et al.	N/A	N/A
6076057	12/1999	Narayanan et al.	N/A	N/A
6088669	12/1999	Maes	N/A	N/A
6094632	12/1999	Hattori	N/A	N/A
6101467	12/1999	Bartosik	N/A	N/A
6122612	12/1999	Goldberg	N/A	N/A
6151574	12/1999	Lee et al.	N/A	N/A
6182038	12/2000	Balakrishnan et al.	N/A	N/A
6192343	12/2000	Morgan et al.	N/A	N/A
6205426	12/2000	Nguyen et al.	N/A	N/A
6230129	12/2000	Morin et al.	N/A	N/A
6230138	12/2000	Everhart	N/A	N/A
6233555	12/2000	Parthasarathy et al.	N/A	N/A
6233559	12/2000	Balakrishnan	N/A	N/A
6243713	12/2000	Nelson et al.	N/A	N/A
6246980	12/2000	Glorion et al.	N/A	N/A
6292782	12/2000	Weideman	N/A	N/A
6330536	12/2000	Parthasarathy et al.	N/A	N/A
6351730	12/2001	Chen	N/A	N/A
6374212	12/2001	Phillips et al.	N/A	N/A
6374220	12/2001	Kao	N/A	N/A
6374221	12/2001	Haimi-Cohen	N/A	N/A
6374227	12/2001	Ye	705/7.25	G06Q 10/04
6377662	12/2001	Hunt et al.	N/A	N/A
6377949	12/2001	Gilmour	N/A	N/A
6397179	12/2001	Crespo et al.	N/A	N/A
6397180	12/2001	Jaramillo et al.	N/A	N/A
6421640	12/2001	Dolfing et al.	N/A	N/A
6438519	12/2001	Campbell et al.	N/A	N/A
6438520	12/2001	Curt et al.	N/A	N/A
6456973	12/2001	Fado et al.	N/A	N/A
6487532	12/2001	Schoofs et al.	N/A	N/A
6496800	12/2001	Kong et al.	N/A	N/A

6505155	12/2002	Vanbuskirk et al.	N/A	N/A
6507816	12/2002	Ortega	N/A	N/A
6526380	12/2002	Thelen et al.	N/A	N/A
6539078	12/2002	Hunt et al.	N/A	N/A
6542866	12/2002	Jiang et al.	N/A	N/A
6567775	12/2002	Maali et al.	N/A	N/A
6571210	12/2002	Hon et al.	N/A	N/A
6581036	12/2002	Varney, Jr.	N/A	N/A
6587824	12/2002	Everhart et al.	N/A	N/A
6594629	12/2002	Basu et al.	N/A	N/A
6598017	12/2002	Yamamoto et al.	N/A	N/A
6606598	12/2002	Holthouse et al.	N/A	N/A
6629072	12/2002	Thelen et al.	N/A	N/A
6662163	12/2002	Albayrak et al.	N/A	N/A
6675142	12/2003	Ortega et al.	N/A	N/A
6701293	12/2003	Bennett et al.	N/A	N/A
6725199	12/2003	Brittan et al.	N/A	N/A
6732074	12/2003	Kuroda	N/A	N/A
6735562	12/2003	Zhang et al.	N/A	N/A
6754627	12/2003	Woodward	N/A	N/A
6766295	12/2003	Murveit et al.	N/A	N/A
6799162	12/2003	Goronzy et al.	N/A	N/A
6813491	12/2003	McKinney	N/A	N/A
6829577	12/2003	Gleason	N/A	N/A
6832224	12/2003	Gilmour	N/A	N/A
6832725	12/2003	Gardiner et al.	N/A	N/A
6834265	12/2003	Balasuriya	N/A	N/A
6839667	12/2004	Reich	N/A	N/A
6856956	12/2004	Thrasher et al.	N/A	N/A
6868381	12/2004	Peters et al.	N/A	N/A
6868385	12/2004	Gerson	N/A	N/A
6871177	12/2004	Hovell et al.	N/A	N/A
6876968	12/2004	Veprek	N/A	N/A
6876987	12/2004	Bahler et al.	N/A	N/A
6879956	12/2004	Honda et al.	N/A	N/A
6882972	12/2004	Kompe et al.	N/A	N/A
6910012	12/2004	Hartley et al.	N/A	N/A
6917918	12/2004	Rockenbeck et al.	N/A	N/A
6922466	12/2004	Peterson et al.	N/A	N/A
6922669	12/2004	Schalk et al.	N/A	N/A
6941264	12/2004	Konopka et al.	N/A	N/A
6961700	12/2004	Mitchell et al.	N/A	N/A
6961702	12/2004	Dobler et al.	N/A	N/A
6985859	12/2005	Morin	N/A	N/A
6988068	12/2005	Fado et al.	N/A	N/A
6999931	12/2005	Zhou	N/A	N/A
7010489	12/2005	Lewis et al.	N/A	N/A
7031918	12/2005	Hwang	N/A	N/A
7035800	12/2005	Tapper	N/A	N/A
7039166	12/2005	Peterson et al.	N/A	N/A
7050550	12/2005	Steinbiss et al.	N/A	N/A
7058575	12/2005	Zhou	N/A	N/A
7062435	12/2005	Tzirkel-Hancock et al.	N/A	N/A
7062441	12/2005	Townshend	N/A	N/A
7065488	12/2005	Yajima et al.	N/A	N/A
7069513	12/2005	Damiba	N/A	N/A
7072750	12/2005	Pi et al.	N/A	N/A
7072836	12/2005	Shao	N/A	N/A
7103542	12/2005	Doyle	N/A	N/A
7103543	12/2005	Hernandez-Abrego et al.	N/A	N/A
7128266	12/2005	Zhu et al.	N/A	N/A
7159783	12/2006	Walczyk et al.	N/A	N/A
7203644	12/2006	Anderson et al.	N/A	N/A
7203651	12/2006	Baruch et al.	N/A	N/A
7216148	12/2006	Matsunami et al.	N/A	N/A
7225127	12/2006	Lucke	N/A	N/A
7240010	12/2006	Papadimitriou et al.	N/A	N/A
7266494	12/2006	Droppo et al.	N/A	N/A
7272556	12/2006	Aguilar et al.	N/A	N/A
7305340	12/2006	Rosen et al.	N/A	N/A
7319960	12/2007	Riis et al.	N/A	N/A
7386454	12/2007	Gopinath et al.	N/A	N/A
7392186	12/2007	Duan et al.	N/A	N/A
7401019	12/2007	Seide et al.	N/A	N/A
7406413	12/2007	Geppert et al.	N/A	N/A

7413127	12/2007	Ehrhart et al.	N/A	N/A
7430509	12/2007	Jost et al.	N/A	N/A
7454340	12/2007	Sakai et al.	N/A	N/A
7457745	12/2007	Kadambe et al.	N/A	N/A
7493258	12/2008	Kibkalo et al.	N/A	N/A
7542907	12/2008	Epstein et al.	N/A	N/A
7565282	12/2008	Carus et al.	N/A	N/A
7609669	12/2008	Sweeney et al.	N/A	N/A
7684984	12/2009	Kemp	N/A	N/A
7726575	12/2009	Wang et al.	N/A	N/A
7805412	12/2009	Gibson et al.	N/A	N/A
7813771	12/2009	Escott	N/A	N/A
7827032	12/2009	Braho et al.	N/A	N/A
7865362	12/2010	Braho et al.	N/A	N/A
7885419	12/2010	Wahl et al.	N/A	N/A
7895039	12/2010	Braho et al.	N/A	N/A
7949533	12/2010	Braho et al.	N/A	N/A
7983912	12/2010	Hirakawa et al.	N/A	N/A
8200495	12/2011	Braho et al.	N/A	N/A
8255219	12/2011	Braho et al.	N/A	N/A
8294969	12/2011	Plesko	N/A	N/A
8317105	12/2011	Kotlarsky et al.	N/A	N/A
8322622	12/2011	Liu	N/A	N/A
8366005	12/2012	Kotlarsky et al.	N/A	N/A
8371507	12/2012	Haggerty et al.	N/A	N/A
8374870	12/2012	Braho et al.	N/A	N/A
8376233	12/2012	Horn et al.	N/A	N/A
8381979	12/2012	Franz	N/A	N/A
8390909	12/2012	Plesko	N/A	N/A
8408464	12/2012	Zhu et al.	N/A	N/A
8408468	12/2012	Van et al.	N/A	N/A
8408469	12/2012	Good	N/A	N/A
8424768	12/2012	Rueblinger et al.	N/A	N/A
8448863	12/2012	Xian et al.	N/A	N/A
8457013	12/2012	Essinger et al.	N/A	N/A
8459557	12/2012	Havens et al.	N/A	N/A
8469272	12/2012	Kearney	N/A	N/A
8474712	12/2012	Kearney et al.	N/A	N/A
8479992	12/2012	Kotlarsky et al.	N/A	N/A
8490877	12/2012	Kearney	N/A	N/A
8517271	12/2012	Kotlarsky et al.	N/A	N/A
8523076	12/2012	Good	N/A	N/A
8528818	12/2012	Ehrhart et al.	N/A	N/A
8532282	12/2012	Bracey	N/A	N/A
8544737	12/2012	Gomez et al.	N/A	N/A
8548420	12/2012	Grunow et al.	N/A	N/A
8550335	12/2012	Samek et al.	N/A	N/A
8550354	12/2012	Gannon et al.	N/A	N/A
8550357	12/2012	Kearney	N/A	N/A
8556174	12/2012	Kosecki et al.	N/A	N/A
8556176	12/2012	Van et al.	N/A	N/A
8556177	12/2012	Hussey et al.	N/A	N/A
8559767	12/2012	Barber et al.	N/A	N/A
8561895	12/2012	Gomez et al.	N/A	N/A
8561903	12/2012	Sauerwein, Jr.	N/A	N/A
8561905	12/2012	Edmonds et al.	N/A	N/A
8565107	12/2012	Pease et al.	N/A	N/A
8571307	12/2012	Li et al.	N/A	N/A
8579200	12/2012	Samek et al.	N/A	N/A
8583924	12/2012	Caballero et al.	N/A	N/A
8584945	12/2012	Wang et al.	N/A	N/A
8587595	12/2012	Wang	N/A	N/A
8587697	12/2012	Hussey et al.	N/A	N/A
8588869	12/2012	Sauerwein et al.	N/A	N/A
8590789	12/2012	Nahill et al.	N/A	N/A
8596539	12/2012	Havens et al.	N/A	N/A
8596542	12/2012	Havens et al.	N/A	N/A
8596543	12/2012	Havens et al.	N/A	N/A
8599271	12/2012	Havens et al.	N/A	N/A
8599957	12/2012	Peake et al.	N/A	N/A
8600158	12/2012	Li et al.	N/A	N/A
8600167	12/2012	Showering	N/A	N/A
8602309	12/2012	Longacre et al.	N/A	N/A
8608053	12/2012	Meier et al.	N/A	N/A
8608071	12/2012	Liu et al.	N/A	N/A

8611309	12/2012	Wang et al.	N/A	N/A
8615487	12/2012	Gomez et al.	N/A	N/A
8621123	12/2012	Caballero	N/A	N/A
8622303	12/2013	Meier et al.	N/A	N/A
8628013	12/2013	Ding	N/A	N/A
8628015	12/2013	Wang et al.	N/A	N/A
8628016	12/2013	Winegar	N/A	N/A
8629926	12/2013	Wang	N/A	N/A
8630491	12/2013	Longacre et al.	N/A	N/A
8635309	12/2013	Berthiaume et al.	N/A	N/A
8636200	12/2013	Kearney	N/A	N/A
8636212	12/2013	Nahill et al.	N/A	N/A
8636215	12/2013	Ding et al.	N/A	N/A
8636224	12/2013	Wang	N/A	N/A
8638806	12/2013	Wang et al.	N/A	N/A
8640958	12/2013	Lu et al.	N/A	N/A
8640960	12/2013	Wang et al.	N/A	N/A
8643717	12/2013	Li et al.	N/A	N/A
8644489	12/2013	Noble et al.	N/A	N/A
8646692	12/2013	Meier et al.	N/A	N/A
8646694	12/2013	Wang et al.	N/A	N/A
8657200	12/2013	Ren et al.	N/A	N/A
8659397	12/2013	Vargo et al.	N/A	N/A
8668149	12/2013	Good	N/A	N/A
8678285	12/2013	Kearney	N/A	N/A
8678286	12/2013	Smith et al.	N/A	N/A
8682077	12/2013	Longacre, Jr.	N/A	N/A
D702237	12/2013	Oberpriller et al.	N/A	N/A
8687282	12/2013	Feng et al.	N/A	N/A
8692927	12/2013	Pease et al.	N/A	N/A
8695880	12/2013	Bremer et al.	N/A	N/A
8698949	12/2013	Grunow et al.	N/A	N/A
8702000	12/2013	Barber et al.	N/A	N/A
8717494	12/2013	Gannon	N/A	N/A
8720783	12/2013	Biss et al.	N/A	N/A
8723804	12/2013	Fletcher et al.	N/A	N/A
8723904	12/2013	Marty et al.	N/A	N/A
8727223	12/2013	Wang	N/A	N/A
8740082	12/2013	Wilz, Sr.	N/A	N/A
8740085	12/2013	Furlong et al.	N/A	N/A
8746563	12/2013	Hennick et al.	N/A	N/A
8750445	12/2013	Peake et al.	N/A	N/A
8752766	12/2013	Xian et al.	N/A	N/A
8756059	12/2013	Braho et al.	N/A	N/A
8757495	12/2013	Qu et al.	N/A	N/A
8760563	12/2013	Koziol et al.	N/A	N/A
8763909	12/2013	Reed et al.	N/A	N/A
8777108	12/2013	Coyle	N/A	N/A
8777109	12/2013	Oberpriller et al.	N/A	N/A
8779898	12/2013	Havens et al.	N/A	N/A
8781520	12/2013	Payne et al.	N/A	N/A
8783573	12/2013	Havens et al.	N/A	N/A
8789757	12/2013	Barten	N/A	N/A
8789758	12/2013	Hawley et al.	N/A	N/A
8789759	12/2013	Xian et al.	N/A	N/A
8794520	12/2013	Wang et al.	N/A	N/A
8794522	12/2013	Ehrhart	N/A	N/A
8794525	12/2013	Amundsen et al.	N/A	N/A
8794526	12/2013	Wang et al.	N/A	N/A
8798367	12/2013	Ellis	N/A	N/A
8807431	12/2013	Wang et al.	N/A	N/A
8807432	12/2013	Van et al.	N/A	N/A
8820630	12/2013	Qu et al.	N/A	N/A
8822848	12/2013	Meagher	N/A	N/A
8824692	12/2013	Sheerin et al.	N/A	N/A
8824696	12/2013	Braho	N/A	N/A
8842849	12/2013	Wahl et al.	N/A	N/A
8844822	12/2013	Kotlarsky et al.	N/A	N/A
8844823	12/2013	Fritz et al.	N/A	N/A
8849019	12/2013	Li et al.	N/A	N/A
D716285	12/2013	Chaney et al.	N/A	N/A
8851383	12/2013	Yeakley et al.	N/A	N/A
8854633	12/2013	Laffargue et al.	N/A	N/A
8866963	12/2013	Grunow et al.	N/A	N/A
8868421	12/2013	Braho et al.	N/A	N/A

8868519	12/2013	Maloy et al.	N/A	N/A
8868802	12/2013	Barten	N/A	N/A
8868803	12/2013	Caballero	N/A	N/A
8870074	12/2013	Gannon	N/A	N/A
8879639	12/2013	Sauerwein, Jr.	N/A	N/A
8880426	12/2013	Smith	N/A	N/A
8881983	12/2013	Havens et al.	N/A	N/A
8881987	12/2013	Wang	N/A	N/A
8903172	12/2013	Smith	N/A	N/A
8908995	12/2013	Benos et al.	N/A	N/A
8910870	12/2013	Li et al.	N/A	N/A
8910875	12/2013	Ren et al.	N/A	N/A
8914290	12/2013	Hendrickson et al.	N/A	N/A
8914788	12/2013	Pettinelli et al.	N/A	N/A
8915439	12/2013	Feng et al.	N/A	N/A
8915444	12/2013	Havens et al.	N/A	N/A
8916789	12/2013	Woodburn	N/A	N/A
8918250	12/2013	Hollifield	N/A	N/A
8918564	12/2013	Caballero	N/A	N/A
8925818	12/2014	Kosecki et al.	N/A	N/A
8939374	12/2014	Jovanovski et al.	N/A	N/A
8942480	12/2014	Ellis	N/A	N/A
8944313	12/2014	Williams et al.	N/A	N/A
8944327	12/2014	Meier et al.	N/A	N/A
8944332	12/2014	Harding et al.	N/A	N/A
8950678	12/2014	Germaine et al.	N/A	N/A
D723560	12/2014	Zhou et al.	N/A	N/A
8967468	12/2014	Gomez et al.	N/A	N/A
8971346	12/2014	Sevier	N/A	N/A
8976030	12/2014	Cunningham et al.	N/A	N/A
8976368	12/2014	El et al.	N/A	N/A
8978981	12/2014	Guan	N/A	N/A
8978983	12/2014	Bremer et al.	N/A	N/A
8978984	12/2014	Hennick et al.	N/A	N/A
8985456	12/2014	Zhu et al.	N/A	N/A
8985457	12/2014	Soule et al.	N/A	N/A
8985459	12/2014	Kearney et al.	N/A	N/A
8985461	12/2014	Gelay et al.	N/A	N/A
8988578	12/2014	Showering	N/A	N/A
8988590	12/2014	Gillet et al.	N/A	N/A
8991704	12/2014	Hopper et al.	N/A	N/A
8996194	12/2014	Davis et al.	N/A	N/A
8996384	12/2014	Funyak et al.	N/A	N/A
8998091	12/2014	Edmonds et al.	N/A	N/A
9002641	12/2014	Showering	N/A	N/A
9007368	12/2014	Laffargue et al.	N/A	N/A
9010641	12/2014	Qu et al.	N/A	N/A
9015513	12/2014	Murawski et al.	N/A	N/A
9016576	12/2014	Brady et al.	N/A	N/A
D730357	12/2014	Fitch et al.	N/A	N/A
9022288	12/2014	Nahill et al.	N/A	N/A
9030964	12/2014	Essinger et al.	N/A	N/A
9033240	12/2014	Smith et al.	N/A	N/A
9033242	12/2014	Gillet et al.	N/A	N/A
9036054	12/2014	Koziol et al.	N/A	N/A
9037344	12/2014	Chamberlin	N/A	N/A
9038911	12/2014	Xian et al.	N/A	N/A
9038915	12/2014	Smith	N/A	N/A
D730901	12/2014	Oberpriller et al.	N/A	N/A
D730902	12/2014	Fitch et al.	N/A	N/A
D733112	12/2014	Chaney et al.	N/A	N/A
9047098	12/2014	Barten	N/A	N/A
9047359	12/2014	Caballero et al.	N/A	N/A
9047420	12/2014	Caballero	N/A	N/A
9047525	12/2014	Barber et al.	N/A	N/A
9047531	12/2014	Showering et al.	N/A	N/A
9047865	12/2014	Aguilar et al.	N/A	N/A
9049640	12/2014	Wang et al.	N/A	N/A
9053055	12/2014	Caballero	N/A	N/A
9053378	12/2014	Hou et al.	N/A	N/A
9053380	12/2014	Xian et al.	N/A	N/A
9057641	12/2014	Amundsen et al.	N/A	N/A
9058526	12/2014	Powilleit	N/A	N/A
9064165	12/2014	Havens et al.	N/A	N/A
9064167	12/2014	Xian et al.	N/A	N/A

9064168	12/2014	Todeschini et al.	N/A	N/A
9064254	12/2014	Todeschini et al.	N/A	N/A
9066032	12/2014	Wang	N/A	N/A
9070032	12/2014	Corcoran	N/A	N/A
D734339	12/2014	Zhou et al.	N/A	N/A
D734751	12/2014	Oberpriller et al.	N/A	N/A
9082023	12/2014	Feng et al.	N/A	N/A
9135913	12/2014	Iwasawa	N/A	N/A
9196260	12/2014	Bentley et al.	N/A	N/A
9224022	12/2014	Ackley et al.	N/A	N/A
9224027	12/2014	Van et al.	N/A	N/A
D747321	12/2015	London et al.	N/A	N/A
9230140	12/2015	Ackley	N/A	N/A
9250712	12/2015	Todeschini	N/A	N/A
9258033	12/2015	Showering	N/A	N/A
9261398	12/2015	Amundsen et al.	N/A	N/A
9262633	12/2015	Todeschini et al.	N/A	N/A
9262664	12/2015	Soule et al.	N/A	N/A
9274806	12/2015	Barten	N/A	N/A
9282501	12/2015	Wang et al.	N/A	N/A
9292969	12/2015	Laffargue et al.	N/A	N/A
9298667	12/2015	Caballero	N/A	N/A
9310609	12/2015	Rueblinger et al.	N/A	N/A
9319548	12/2015	Showering et al.	N/A	N/A
D757009	12/2015	Oberpriller et al.	N/A	N/A
9342724	12/2015	McCloskey et al.	N/A	N/A
9342827	12/2015	Smith	N/A	N/A
9355294	12/2015	Smith et al.	N/A	N/A
9367722	12/2015	Xian et al.	N/A	N/A
9375945	12/2015	Bowles	N/A	N/A
D760719	12/2015	Zhou et al.	N/A	N/A
9390596	12/2015	Todeschini	N/A	N/A
9396375	12/2015	Qu et al.	N/A	N/A
9398008	12/2015	Todeschini et al.	N/A	N/A
D762604	12/2015	Fitch et al.	N/A	N/A
D762647	12/2015	Fitch et al.	N/A	N/A
9407840	12/2015	Wang	N/A	N/A
9412242	12/2015	Van et al.	N/A	N/A
9418252	12/2015	Nahill et al.	N/A	N/A
D766244	12/2015	Zhou et al.	N/A	N/A
9443123	12/2015	Hejl	N/A	N/A
9443222	12/2015	Singel et al.	N/A	N/A
9448610	12/2015	Davis et al.	N/A	N/A
9478113	12/2015	Xie et al.	N/A	N/A
D771631	12/2015	Fitch et al.	N/A	N/A
9507974	12/2015	Todeschini	N/A	N/A
D777166	12/2016	Bidwell et al.	N/A	N/A
9582696	12/2016	Barber et al.	N/A	N/A
D783601	12/2016	Schulte et al.	N/A	N/A
9616749	12/2016	Chamberlin	N/A	N/A
9618993	12/2016	Murawski et al.	N/A	N/A
D785617	12/2016	Bidwell et al.	N/A	N/A
D785636	12/2016	Oberpriller et al.	N/A	N/A
D790505	12/2016	Vargo et al.	N/A	N/A
D790546	12/2016	Zhou et al.	N/A	N/A
D790553	12/2016	Fitch et al.	N/A	N/A
9697818	12/2016	Hendrickson et al.	N/A	N/A
9710780	12/2016	Anderson	N/A	G06Q 10/0836
9715614	12/2016	Todeschini et al.	N/A	N/A
9728188	12/2016	Rosen et al.	N/A	N/A
9734493	12/2016	Gomez et al.	N/A	N/A
9786101	12/2016	Ackley	N/A	N/A
9813799	12/2016	Gecawicz et al.	N/A	N/A
9857167	12/2017	Jovanovski et al.	N/A	N/A
9891612	12/2017	Charpentier et al.	N/A	N/A
9891912	12/2017	Balakrishnan et al.	N/A	N/A
9892876	12/2017	Bandringa	N/A	N/A
9954871	12/2017	Hussey et al.	N/A	N/A
9978088	12/2017	Pape	N/A	N/A
10007112	12/2017	Fitch et al.	N/A	N/A
10019334	12/2017	Caballero et al.	N/A	N/A
10021043	12/2017	Sevier	N/A	N/A
10026506	12/2017	Laborde	N/A	N/A
10038716	12/2017	Todeschini et al.	N/A	N/A
10066982	12/2017	Ackley et al.	N/A	N/A

10327158	12/2018	Wang et al.	N/A	N/A
10346621	12/2018	AthuluruTlrumala	N/A	G06Q 30/016
10360728	12/2018	Venkatesha et al.	N/A	N/A
10401436	12/2018	Young et al.	N/A	N/A
10410029	12/2018	Powilleit	N/A	N/A
10685643	12/2019	Hendrickson et al.	N/A	N/A
10714121	12/2019	Hardek	N/A	N/A
10732226	12/2019	Kohtz et al.	N/A	N/A
10909490	12/2020	Raj et al.	N/A	N/A
11158336	12/2020	Hardek	N/A	N/A
11900202	12/2023	Dagdelen et al.	N/A	N/A
2002/0005108	12/2001	Ludwig	84/600	G10H 1/0058
2002/0007273	12/2001	Chen	N/A	N/A
2002/0054101	12/2001	Beatty	N/A	N/A
2002/0128838	12/2001	Veprek	N/A	N/A
2002/0129139	12/2001	Ramesh	N/A	N/A
2002/0138274	12/2001	Sharma et al.	N/A	N/A
2002/0143540	12/2001	Malayath et al.	N/A	N/A
2002/0145516	12/2001	Moskowitz et al.	N/A	N/A
2002/0152071	12/2001	Chaiken et al.	N/A	N/A
2002/0178004	12/2001	Chang et al.	N/A	N/A
2002/0178074	12/2001	Bloom	N/A	N/A
2002/0184027	12/2001	Brittan et al.	N/A	N/A
2002/0184029	12/2001	Brittan et al.	N/A	N/A
2002/0186144	12/2001	Meunier	N/A	N/A
2002/0198712	12/2001	Hinde et al.	N/A	N/A
2003/0023438	12/2002	Schramm et al.	N/A	N/A
2003/0061049	12/2002	Erten	N/A	N/A
2003/0120486	12/2002	Brittan et al.	N/A	N/A
2003/0130886	12/2002	Calderaro et al.	N/A	N/A
2003/0141990	12/2002	Coon	N/A	N/A
2003/0179888	12/2002	Burnett	381/71.8	G10L 21/0208
2003/0191639	12/2002	Mazza	N/A	N/A
2003/0220791	12/2002	Toyama	N/A	N/A
2004/0181461	12/2003	Raiyani et al.	N/A	N/A
2004/0181467	12/2003	Raiyani et al.	N/A	N/A
2004/0193422	12/2003	Fado et al.	N/A	N/A
2004/0215457	12/2003	Meyer	N/A	N/A
2004/0230420	12/2003	Kadambe et al.	N/A	N/A
2004/0242160	12/2003	Ichikawa et al.	N/A	N/A
2004/0264938	12/2003	Felder	N/A	G11B 27/3027
2005/0044129	12/2004	McCormack et al.	N/A	N/A
2005/0049873	12/2004	Bartur et al.	N/A	N/A
2005/0055205	12/2004	Jersak et al.	N/A	N/A
2005/0070337	12/2004	Byford et al.	N/A	N/A
2005/0071158	12/2004	Byford	N/A	N/A
2005/0071161	12/2004	Shen	N/A	N/A
2005/0080627	12/2004	Hennebert et al.	N/A	N/A
2005/0177369	12/2004	Stoimenov et al.	N/A	N/A
2006/0111955	12/2005	Winter	705/7.19	H04W 4/029
2006/0235739	12/2005	Levis et al.	N/A	N/A
2007/0050228	12/2006	Beshears	705/7.21	G06Q 10/1097
2007/0055525	12/2006	Kennewick	704/257	G10L 15/183
2007/0063048	12/2006	Havens et al.	N/A	N/A
2007/0080930	12/2006	Logan et al.	N/A	N/A
2007/0184881	12/2006	Wahl et al.	N/A	N/A
2008/0052068	12/2007	Aguilar et al.	N/A	N/A
2008/0065984	12/2007	Roediger	715/700	G06Q 10/08
2008/0185432	12/2007	Caballero et al.	N/A	N/A
2008/0280653	12/2007	Ma et al.	N/A	N/A
2009/0006164	12/2008	Kaiser et al.	N/A	N/A
2009/0089100	12/2008	Nenov	704/235	G10L 15/22
2009/0099849	12/2008	Iwasawa	N/A	N/A
2009/0134221	12/2008	Zhu et al.	N/A	N/A
2009/0164034	12/2008	Cohen	700/94	G10H 1/0025
2009/0164902	12/2008	Cohen	715/716	G10H 1/0058
2009/0192705	12/2008	Golding et al.	N/A	N/A
2010/0057465	12/2009	Kirsch et al.	N/A	N/A
2010/0074460	12/2009	Marzetta	381/313	G02C 11/06
2010/0177076	12/2009	Essinger et al.	N/A	N/A
2010/0177080	12/2009	Essinger et al.	N/A	N/A
2010/0177707	12/2009	Essinger et al.	N/A	N/A
2010/0177749	12/2009	Essinger et al.	N/A	N/A
2010/0226505	12/2009	Kimura	N/A	N/A
2010/0250243	12/2009	Schalk et al.	N/A	N/A

2010/0265880	12/2009	Rautiola et al.	N/A	N/A
2011/0029312	12/2010	Braho et al.	N/A	N/A
2011/0029313	12/2010	Braho et al.	N/A	N/A
2011/0093269	12/2010	Braho et al.	N/A	N/A
2011/0119623	12/2010	Kim	N/A	N/A
2011/0169999	12/2010	Grunow et al.	N/A	N/A
2011/0202554	12/2010	Powilleit et al.	N/A	N/A
2011/0208521	12/2010	McClain	704/E15.001	G10L 17/26
2011/0237287	12/2010	Klein et al.	N/A	N/A
2011/0282668	12/2010	Stefan et al.	N/A	N/A
2012/0111946	12/2011	Golant	N/A	N/A
2012/0168511	12/2011	Kotlarsky et al.	N/A	N/A
2012/0168512	12/2011	Kotlarsky et al.	N/A	N/A
2012/0193423	12/2011	Samek	N/A	N/A
2012/0197678	12/2011	Ristock et al.	N/A	N/A
2012/0203647	12/2011	Smith	N/A	N/A
2012/0223141	12/2011	Good et al.	N/A	N/A
2012/0228382	12/2011	Havens et al.	N/A	N/A
2012/0248188	12/2011	Kearney	N/A	N/A
2012/0253548	12/2011	Davidson	N/A	N/A
2012/0316962	12/2011	Rathod	N/A	N/A
2013/0043312	12/2012	Van Horn	N/A	N/A
2013/0075168	12/2012	Amundsen et al.	N/A	N/A
2013/0080173	12/2012	Talwar et al.	N/A	N/A
2013/0082104	12/2012	Kearney et al.	N/A	N/A
2013/0090089	12/2012	Rivere	N/A	N/A
2013/0175341	12/2012	Kearney et al.	N/A	N/A
2013/0175343	12/2012	Good	N/A	N/A
2013/0257744	12/2012	Daghigh et al.	N/A	N/A
2013/0257759	12/2012	Daghigh	N/A	N/A
2013/0270346	12/2012	Xian et al.	N/A	N/A
2013/0287258	12/2012	Kearney	N/A	N/A
2013/0292475	12/2012	Kotlarsky et al.	N/A	N/A
2013/0292477	12/2012	Hennick et al.	N/A	N/A
2013/0293539	12/2012	Hunt et al.	N/A	N/A
2013/0293540	12/2012	Laffargue et al.	N/A	N/A
2013/0306728	12/2012	Thuries et al.	N/A	N/A
2013/0306731	12/2012	Pedrao	N/A	N/A
2013/0307964	12/2012	Bremer et al.	N/A	N/A
2013/0308625	12/2012	Park et al.	N/A	N/A
2013/0313324	12/2012	Koziol et al.	N/A	N/A
2013/0313325	12/2012	Wilz et al.	N/A	N/A
2013/0325763	12/2012	Cantor et al.	N/A	N/A
2013/0342717	12/2012	Havens et al.	N/A	N/A
2014/0001267	12/2013	Giordano et al.	N/A	N/A
2014/0002828	12/2013	Laffargue et al.	N/A	N/A
2014/0008439	12/2013	Wang	N/A	N/A
2014/0025378	12/2013	Aleksic	704/249	G10L 17/00
2014/0025584	12/2013	Liu et al.	N/A	N/A
2014/0034734	12/2013	Sauerwein, Jr.	N/A	N/A
2014/0036848	12/2013	Pease et al.	N/A	N/A
2014/0039693	12/2013	Havens et al.	N/A	N/A
2014/0042814	12/2013	Kather et al.	N/A	N/A
2014/0049120	12/2013	Kohtz et al.	N/A	N/A
2014/0049635	12/2013	Laffargue et al.	N/A	N/A
2014/0052444	12/2013	Roberge	704/243	G10L 15/08
2014/0058801	12/2013	Deodhar et al.	N/A	N/A
2014/0061306	12/2013	Wu et al.	N/A	N/A
2014/0063289	12/2013	Hussey et al.	N/A	N/A
2014/0066136	12/2013	Sauerwein et al.	N/A	N/A
2014/0067692	12/2013	Ye et al.	N/A	N/A
2014/0070005	12/2013	Nahill et al.	N/A	N/A
2014/0071840	12/2013	Venancio	N/A	N/A
2014/0074746	12/2013	Wang	N/A	N/A
2014/0076974	12/2013	Havens et al.	N/A	N/A
2014/0078341	12/2013	Havens et al.	N/A	N/A
2014/0078342	12/2013	Li et al.	N/A	N/A
2014/0078345	12/2013	Showering	N/A	N/A
2014/0097249	12/2013	Gomez et al.	N/A	N/A
2014/0098792	12/2013	Wang et al.	N/A	N/A
2014/0100774	12/2013	Showering	N/A	N/A
2014/0100813	12/2013	Showering	N/A	N/A
2014/0103115	12/2013	Meier et al.	N/A	N/A
2014/0104413	12/2013	McCloskey et al.	N/A	N/A
2014/0104414	12/2013	McCloskey et al.	N/A	N/A

2014/0104416	12/2013	Giordano et al.	N/A	N/A
2014/0104451	12/2013	Todeschini et al.	N/A	N/A
2014/0106594	12/2013	Skvoretz	N/A	N/A
2014/0106725	12/2013	Sauerwein, Jr.	N/A	N/A
2014/0108010	12/2013	Maltseff et al.	N/A	N/A
2014/0108402	12/2013	Gomez et al.	N/A	N/A
2014/0108682	12/2013	Caballero	N/A	N/A
2014/0110485	12/2013	Toa et al.	N/A	N/A
2014/0114530	12/2013	Fitch et al.	N/A	N/A
2014/0124577	12/2013	Wang et al.	N/A	N/A
2014/0124579	12/2013	Ding	N/A	N/A
2014/0125842	12/2013	Winegar	N/A	N/A
2014/0125853	12/2013	Wang	N/A	N/A
2014/0125999	12/2013	Longacre et al.	N/A	N/A
2014/0129378	12/2013	Richardson	N/A	N/A
2014/0131438	12/2013	Kearney	N/A	N/A
2014/0131441	12/2013	Nahill et al.	N/A	N/A
2014/0131443	12/2013	Smith	N/A	N/A
2014/0131444	12/2013	Wang	N/A	N/A
2014/0131445	12/2013	Ding et al.	N/A	N/A
2014/0131448	12/2013	Xian et al.	N/A	N/A
2014/0133379	12/2013	Wang et al.	N/A	N/A
2014/0136208	12/2013	Maltseff et al.	N/A	N/A
2014/0140585	12/2013	Wang	N/A	N/A
2014/0151453	12/2013	Meier et al.	N/A	N/A
2014/0152882	12/2013	Samek et al.	N/A	N/A
2014/0158770	12/2013	Sevier et al.	N/A	N/A
2014/0159869	12/2013	Zumsteg et al.	N/A	N/A
2014/0166755	12/2013	Liu et al.	N/A	N/A
2014/0166757	12/2013	Smith	N/A	N/A
2014/0166759	12/2013	Liu et al.	N/A	N/A
2014/0168787	12/2013	Wang et al.	N/A	N/A
2014/0175165	12/2013	Havens et al.	N/A	N/A
2014/0175172	12/2013	Jovanovski et al.	N/A	N/A
2014/0191644	12/2013	Chaney	N/A	N/A
2014/0191913	12/2013	Ge et al.	N/A	N/A
2014/0195290	12/2013	Plost et al.	N/A	N/A
2014/0197238	12/2013	Liu et al.	N/A	N/A
2014/0197239	12/2013	Havens et al.	N/A	N/A
2014/0197304	12/2013	Feng et al.	N/A	N/A
2014/0203087	12/2013	Smith et al.	N/A	N/A
2014/0204268	12/2013	Grunow et al.	N/A	N/A
2014/0214631	12/2013	Hansen	N/A	N/A
2014/0217166	12/2013	Berthiaume et al.	N/A	N/A
2014/0217180	12/2013	Liu	N/A	N/A
2014/0231500	12/2013	Ehrhart et al.	N/A	N/A
2014/0232930	12/2013	Anderson	N/A	N/A
2014/0247315	12/2013	Marty et al.	N/A	N/A
2014/0263493	12/2013	Amurgis et al.	N/A	N/A
2014/0263645	12/2013	Smith et al.	N/A	N/A
2014/0267609	12/2013	Laffargue	N/A	N/A
2014/0270196	12/2013	Braho et al.	N/A	N/A
2014/0270229	12/2013	Braho	N/A	N/A
2014/0278387	12/2013	Digregorio	N/A	N/A
2014/0278391	12/2013	Braho et al.	N/A	N/A
2014/0282210	12/2013	Bianconi	N/A	N/A
2014/0284384	12/2013	Lu et al.	N/A	N/A
2014/0288933	12/2013	Braho et al.	N/A	N/A
2014/0297058	12/2013	Barker et al.	N/A	N/A
2014/0299665	12/2013	Barber et al.	N/A	N/A
2014/0312121	12/2013	Lu et al.	N/A	N/A
2014/0319220	12/2013	Coyle	N/A	N/A
2014/0319221	12/2013	Oberpriller et al.	N/A	N/A
2014/0326787	12/2013	Barten	N/A	N/A
2014/0330606	12/2013	Paget et al.	N/A	N/A
2014/0332590	12/2013	Wang et al.	N/A	N/A
2014/0344943	12/2013	Todeschini et al.	N/A	N/A
2014/0346233	12/2013	Liu et al.	N/A	N/A
2014/0351317	12/2013	Smith et al.	N/A	N/A
2014/0353373	12/2013	Van et al.	N/A	N/A
2014/0361073	12/2013	Qu et al.	N/A	N/A
2014/0361082	12/2013	Xian et al.	N/A	N/A
2014/0362184	12/2013	Jovanovski et al.	N/A	N/A
2014/0363015	12/2013	Braho	N/A	N/A
2014/0369511	12/2013	Sheerin et al.	N/A	N/A

2014/0374483	12/2013	Lu	N/A	N/A
2014/0374485	12/2013	Xian et al.	N/A	N/A
2015/0001301	12/2014	Ouyang	N/A	N/A
2015/0001304	12/2014	Todeschini	N/A	N/A
2015/0003673	12/2014	Fletcher	N/A	N/A
2015/0009338	12/2014	Laffargue et al.	N/A	N/A
2015/0009610	12/2014	London et al.	N/A	N/A
2015/0014416	12/2014	Kotlarsky et al.	N/A	N/A
2015/0019218	12/2014	Yassa	704/236	G10L 25/21
2015/0021397	12/2014	Rueblinger et al.	N/A	N/A
2015/0028102	12/2014	Ren et al.	N/A	N/A
2015/0028103	12/2014	Jiang	N/A	N/A
2015/0028104	12/2014	Ma et al.	N/A	N/A
2015/0029002	12/2014	Yeakley et al.	N/A	N/A
2015/0032709	12/2014	Maloy et al.	N/A	N/A
2015/0039309	12/2014	Braho et al.	N/A	N/A
2015/0039878	12/2014	Barten	N/A	N/A
2015/0040378	12/2014	Saber et al.	N/A	N/A
2015/0048168	12/2014	Fritz et al.	N/A	N/A
2015/0049347	12/2014	Laffargue et al.	N/A	N/A
2015/0051992	12/2014	Smith	N/A	N/A
2015/0053766	12/2014	Havens et al.	N/A	N/A
2015/0053768	12/2014	Wang et al.	N/A	N/A
2015/0053769	12/2014	Thuries et al.	N/A	N/A
2015/0060544	12/2014	Feng et al.	N/A	N/A
2015/0062366	12/2014	Liu et al.	N/A	N/A
2015/0063215	12/2014	Wang	N/A	N/A
2015/0063676	12/2014	Lloyd et al.	N/A	N/A
2015/0069130	12/2014	Gannon	N/A	N/A
2015/0071819	12/2014	Todeschini	N/A	N/A
2015/0083800	12/2014	Li et al.	N/A	N/A
2015/0086114	12/2014	Todeschini	N/A	N/A
2015/0088522	12/2014	Hendrickson et al.	N/A	N/A
2015/0096872	12/2014	Woodburn	N/A	N/A
2015/0099557	12/2014	Pettinelli et al.	N/A	N/A
2015/0100196	12/2014	Hollifield	N/A	N/A
2015/0102109	12/2014	Huck	N/A	N/A
2015/0115035	12/2014	Meier et al.	N/A	N/A
2015/0127791	12/2014	Kosecki et al.	N/A	N/A
2015/0128116	12/2014	Chen et al.	N/A	N/A
2015/0129659	12/2014	Feng et al.	N/A	N/A
2015/0133047	12/2014	Smith et al.	N/A	N/A
2015/0134470	12/2014	Hejl et al.	N/A	N/A
2015/0136851	12/2014	Harding et al.	N/A	N/A
2015/0136854	12/2014	Lu et al.	N/A	N/A
2015/0142492	12/2014	Kumar	N/A	N/A
2015/0144692	12/2014	Hejl	N/A	N/A
2015/0144698	12/2014	Teng et al.	N/A	N/A
2015/0144701	12/2014	Xian et al.	N/A	N/A
2015/0149946	12/2014	Benos et al.	N/A	N/A
2015/0161429	12/2014	Xian	N/A	N/A
2015/0169925	12/2014	Chen et al.	N/A	N/A
2015/0169929	12/2014	Williams et al.	N/A	N/A
2015/0178523	12/2014	Gelay et al.	N/A	N/A
2015/0178534	12/2014	Jovanovski et al.	N/A	N/A
2015/0178535	12/2014	Bremer et al.	N/A	N/A
2015/0178536	12/2014	Hennick et al.	N/A	N/A
2015/0178537	12/2014	El et al.	N/A	N/A
2015/0181093	12/2014	Zhu et al.	N/A	N/A
2015/0181109	12/2014	Gillet et al.	N/A	N/A
2015/0186703	12/2014	Chen et al.	N/A	N/A
2015/0193268	12/2014	Layton et al.	N/A	N/A
2015/0193644	12/2014	Kearney et al.	N/A	N/A
2015/0193645	12/2014	Colavito et al.	N/A	N/A
2015/0199957	12/2014	Funyak et al.	N/A	N/A
2015/0204671	12/2014	Showering	N/A	N/A
2015/0210199	12/2014	Payne	N/A	N/A
2015/0220753	12/2014	Zhu et al.	N/A	N/A
2015/0236984	12/2014	Sevier	N/A	N/A
2015/0254485	12/2014	Feng et al.	N/A	N/A
2015/0261643	12/2014	Caballero et al.	N/A	N/A
2015/0302859	12/2014	Aguilar et al.	N/A	N/A
2015/0312780	12/2014	Wang et al.	N/A	N/A
2015/0324623	12/2014	Powilleit	N/A	N/A
2015/0327012	12/2014	Bian et al.	N/A	N/A

2016/0014251	12/2015	Hejl	N/A	N/A
2016/0040982	12/2015	Li et al.	N/A	N/A
2016/0042241	12/2015	Todeschini	N/A	N/A
2016/0057230	12/2015	Todeschini et al.	N/A	N/A
2016/0092805	12/2015	Geisler et al.	N/A	N/A
2016/0109219	12/2015	Ackley et al.	N/A	N/A
2016/0109220	12/2015	Laffargue et al.	N/A	N/A
2016/0109224	12/2015	Thuries et al.	N/A	N/A
2016/0112631	12/2015	Ackley et al.	N/A	N/A
2016/0112643	12/2015	Laffargue et al.	N/A	N/A
2016/0117627	12/2015	Raj et al.	N/A	N/A
2016/0124516	12/2015	Schoon et al.	N/A	N/A
2016/0125217	12/2015	Todeschini	N/A	N/A
2016/0125342	12/2015	Miller et al.	N/A	N/A
2016/0125873	12/2015	Braho	704/239	G10L 15/07
2016/0133253	12/2015	Braho	704/251	G10L 15/065
2016/0171720	12/2015	Todeschini	N/A	N/A
2016/0178479	12/2015	Goldsmith	N/A	N/A
2016/0180678	12/2015	Ackley et al.	N/A	N/A
2016/0189087	12/2015	Morton et al.	N/A	N/A
2016/0227912	12/2015	Oberpriller et al.	N/A	N/A
2016/0232891	12/2015	Pecorari	N/A	G10L 15/063
2016/0253023	12/2015	Aoyama	345/174	G06F 3/047
2016/0292477	12/2015	Bidwell	N/A	N/A
2016/0294779	12/2015	Yeakley et al.	N/A	N/A
2016/0306769	12/2015	Kohtz et al.	N/A	N/A
2016/0314276	12/2015	Wilz et al.	N/A	N/A
2016/0314294	12/2015	Kubler et al.	N/A	N/A
2016/0377414	12/2015	Thuries et al.	N/A	N/A
2017/0011735	12/2016	Kim	N/A	G10L 15/005
2017/0060320	12/2016	Li	N/A	G06F 3/04842
2017/0060844	12/2016	He	N/A	G06F 16/3329
2017/0069288	12/2016	Kanishima et al.	N/A	N/A
2017/0070615	12/2016	Cartright	N/A	G10L 25/78
2017/0076720	12/2016	Gopalan et al.	N/A	N/A
2017/0092247	12/2016	Silverstein	N/A	G06N 20/00
2017/0194019	12/2016	Derrick	N/A	G10L 21/06
2017/0200108	12/2016	Au et al.	N/A	N/A
2018/0091654	12/2017	Miller et al.	N/A	N/A
2018/0204128	12/2017	Avrahami et al.	N/A	N/A
2019/0019067	12/2018	Dettori	N/A	G06V 40/20
2019/0114572	12/2018	Gold et al.	N/A	N/A
2019/0124388	12/2018	Schwartz	N/A	N/A
2019/0250882	12/2018	Swansey et al.	N/A	N/A
2019/0325545	12/2018	Wakayama	N/A	N/A
2019/0354911	12/2018	Alaniz et al.	N/A	N/A
2019/0370721	12/2018	Issac	N/A	N/A
2020/0035231	12/2019	Parthasarathi	N/A	G10L 25/87
2020/0265828	12/2019	Hendrickson et al.	N/A	N/A
2020/0311650	12/2019	Xu et al.	N/A	N/A
2020/0342420	12/2019	Zatta et al.	N/A	N/A
2021/0117901	12/2020	Raj et al.	N/A	N/A
2022/0013137	12/2021	Hardek	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
3005795	12/1995	AU	N/A
9404098	12/1998	AU	N/A
3372199	12/1998	AU	N/A
0867857	12/1997	EP	N/A
0905677	12/1998	EP	N/A
1011094	12/1999	EP	N/A
1377000	12/2003	EP	N/A
3009968	12/2015	EP	N/A
63-179398	12/1987	JP	N/A
64-004798	12/1988	JP	N/A
04-296799	12/1991	JP	N/A
06-059828	12/1993	JP	N/A
06-095828	12/1993	JP	N/A
06-130985	12/1993	JP	N/A
06-161489	12/1993	JP	N/A
07-013591	12/1994	JP	N/A
07-199985	12/1994	JP	N/A
11-175096	12/1998	JP	N/A
2000-181482	12/1999	JP	N/A

2001-042886	12/2000	JP	N/A
2001-343992	12/2000	JP	N/A
2001-343994	12/2000	JP	N/A
2002-328696	12/2001	JP	N/A
2003-177779	12/2002	JP	N/A
2004-126413	12/2003	JP	N/A
2004-334228	12/2003	JP	N/A
2005-173157	12/2004	JP	N/A
2005-331882	12/2004	JP	N/A
2006-058390	12/2005	JP	N/A
96/02050	12/1995	WO	N/A
99/16050	12/1998	WO	N/A
99/50828	12/1998	WO	N/A
02/11121	12/2001	WO	N/A
2005/119193	12/2004	WO	N/A
2006/031752	12/2005	WO	N/A
2013/163789	12/2012	WO	N/A
2013/173985	12/2012	WO	N/A
2014/019130	12/2013	WO	N/A
2014/110495	12/2013	WO	N/A

OTHER PUBLICATIONS

US 8,548,242 B1, 10/2013, Longacre (withdrawn) cited by applicant

US 8,616,454 B2, 12/2013, Havens et al. (withdrawn) cited by applicant

D. Barchiesi, D. Giannoulis, D. Stowell and M. D. Plumbley, "Acoustic Scene Classification: Classifying environments from the sounds they produce," in IEEE Magazine, vol. 32, No. 3, pp. 16-34, May 2015, doi: 10.1109/MSP.2014.2326181. (Year: 2015) (Year: 2015) (Year: 2015) (Year: 2015). cited by examiner

A. Gupta, N. Patel and S. Khan, "Automatic speech recognition technique for voice command," 2014 International Conference on Science Engineering and M (ICSEMR), 2014, pp. 1-5, doi: 10.1109/ICSEMR.2014.7043641. (Year: 2014) (Year: 2014) (Year: 2014) (Year: 2014). cited by examiner

D. Barchiesi, D. Giannoulis, D. Stowell and M. D. Plumbley, "Acoustic Scene Classification: Classifying environments from the * U_| sounds they produce," Processing Magazine, vol. 32, No. 3, pp. 16-34, May 2015, doi: 10.1109/MSP.2014.2326181. (Year: 2015) (Year: 2015) (Year: 2015) (Year: 2015). cited by examiner

A. Gupta, N. Patel and S. Khan, "Automatic speech recognition technique for voice command," 2014 International Conference on * V_| Science Engineering Research (ICSEMR), 2014, pp. 1-5 doi: 10.1109/ICSEMR.2014. 7043641. (Year: 2014) (Year: 2014) (Year: 2014) (Year: 2014) (Year: 2014) (Year: 2014). cited by examiner

US Patent Application for "Systems and Methods for Worker Resource Management", Unpublished (filed Jun. 1, 2023), (Mohit Raj, Inventor), (Vocollect, Inc.) Appl. No. 18/327,673. cited by applicant

V. Stanford, "Wearable computing goes live in industry," in IEEE Pervasive Computing, vol. 1, No. 4, pp. 14-19, Oct.-Dec. 2002, doi: 10.1109/MPRV.2002.1100000. cited by applicant

Voxware Inc., "Voxware Headsets, Portfolio, Features & Specifications," Brochure, Sep. 2011, retrieved from the Internet at <<http://webshop.advania.se/pdf/94A63-8644-471F2D282B65.pdf>> on May 25, 2023, 4 pages. cited by applicant

Voxware, "People . . . Power . . . Performance," Product Literature, captured Mar. 14, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at <https://web.archive.org/web/20060314191729/http://www.voxware.com/media/pdf/Product_Literature_Company_02.pdf> on May 26, 2023, 3 pages. cited by applicant

Voxware, "The Cascading Benefits of Multimodal Automation in Distribution Centers," retrieved from the Internet at <<https://www.voxware.com/wp-content/uploads/2020/12/Voxware-Cascading-Benefits.pdf>> on May 26, 2023, 14 pages. cited by applicant

Voxware, "Voice in the Warehouse: The Hidden Decision, Making the Open and Shut Case", White Paper, Copyright 2008, retrieved from the Internet at: <https://www.voxware.com/wp-content/uploads/2016/11/Voice_in_the_Warehouse-The_Hidden_Decision.pdf> on May 25, 2023, 3 pages. cited by applicant

Voxware, "Voice-Directed Results, VoiceLogistics Helps Dunkin' Donuts Deliver," Case Study, captured on Oct. 15, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at

<https://web.archive.org/web/20061015223800/http://www.voxware.com/fileadmin/Download_Center/Case_Studies/VoiceLogistics_Helps_Dunkin_Donuts_The_Hidden_Decision.pdf> on May 26, 2023, 3 pages. cited by applicant

Voxware, "VoiceLogistics Results, Reed Boardall Doesn't Leave Customers Out in the Cold!," Case Study, captured on Oct. 15, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at

<https://web.archive.org/web/20061015223031/http://www.voxware.com/fileadmin/Download_Center/Case_Studies/Reed_Boardall_Doesn_t_Leave_Customers_Out_in_the_Cold!.pdf> on May 26, 2023, 3 pages. cited by applicant

Voxware, "VoxConnect, Greatly simplify the integration of your voice solution," retrieved from the Internet at <<https://www.voxware.com/voxware-vms/voxconnect>> on May 26, 2023, 4 pages. cited by applicant

Voxware, "VoxPilot, Supply Chain Analytics," retrieved from the Internet at <<https://www.voxware.com/supply-chain-analytics/>> on May 26, 2023, 8 pages. cited by applicant

Voxware, "Voxware Intellectra provides real-time view of data across supply chain," Press Release, dated Apr. 14, 2015, retrieved from the Internet at <<https://www.fleetowner.com/refrigerated-transporter/cold-storage-logistics/article/21229403/voxware-intelletra-provides-realtime-view-of-data-across-entire-supply-chain>> on May 26, 2023, 2 pages. cited by applicant

Voxware, "Voxware Intellectra, What if supply chain managers could see the future?," Brochure, retrieved from the Internet at <<https://www.voxware.com/wp-content/uploads/2017/04/Voxware-Intellectra-w.pdf>> on May 26, 2023, 2 pages. cited by applicant

Voxware, "Why Cloud VMS, All of voice's benefits with a faster ROI: Cloud VMS," retrieved from the Internet at <<https://www.voxware.com/voxware-vms/why-cloud-vms>> on May 26, 2023, 4 pages. cited by applicant

Voxware, Inc., "4-Bay Smart Charger," Product Literature, Copyright 2005, captured on Mar. 14, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at <https://web.archive.org/web/20060314191719/http://www.voxware.com/media/pdf/Smart_Charger_01.pdf> on May 26, 2023, 3 pages. cited by applicant

Voxware, Inc., "Bluetooth Modular Headset, Single-Ear (Mono) BT HD, BTH430 Quick Start Guide v.1" retrieved from the Internet at <<https://usermanual.wiki/Voxware/BTH430/pdf>> on May 25, 2023, 12 pages. cited by applicant

Voxware, Inc., "Certified Client Devices for Voxware VMS Voice Solutions," Product Sheets, Effective Feb. 2012, retrieved from the Internet at <<https://docs.voxware.com/certified-client-devices-for-voxware-vms-voice-solutions-effective-february-2012.html>> on May 26, 2023, 30 pages. cited by applicant

Voxware, Inc., "Dispelling Myths About Voice in the Warehouse: Maximizing Choice and Control Across the 4 Key Components of Every Voice Solution", White Paper, 2012, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/Dispelling_Myths.pdf> on May 25, 2023, 6 pages. cited by applicant

Voxware, Inc., "Innovative Voice Solutions Powered by Voxware, Broadening the Role of Voice in Supply Chain Operations," Product Literature, Copyright 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, retrieved from the Internet at

<https://web.archive.org/web/20060314191628/http://www.voxware.com/media/pdf/VoxBrowserVoxManager_02.pdf> on May 26, 2023, 5 pages. cited by applicant

Voxware, Inc., "Intellectra BI & Analytics," Product Sheet, Copyright 2015, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/12/Voxware_Intelletra_Product_Overview.pdf> on May 26, 2023, 1 page. cited by applicant

Voxware, Inc., "Is Your Voice Solution Engineered for Change?", White Paper, Copyright 2012, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/WhitePaper_Engineered_For_Change.pdf> on May 25, 2023, 9 pages. cited by applicant

Voxware, Inc., "MX3X—VoiceLogistics on a Versatile Platform", Product Literature, Copyright 2004, captured on Mar. 14, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at <https://web.archive.org/web/20060314191822/http://www.voxware.com/media/pdf/LXE_MX3X_01.pdf> on May 26, 2023, 2 pages. cited by applicant

Voxware, Inc., "Optimizing Work Performance, Voice-Directed Operations in the Warehouse," White Paper, Copyright 2012, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/WhitePaper_OptimizingWorkerPerformance.pdf> on May 25, 2023, 6 pages. cited by applicant

Voxware, Inc., "VLS-410 >>Wireless Voice Recognition <<," Product Literature, Copyright 2004, Captured on Mar. 14, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at <https://web.archive.org/web/20060314191604/http://www.voxware.com/media/pdf/VLS-410_05.pdf> on May 26, 2023, 3 pages. cited by applicant

Voxware, Inc., "Voice in the Cloud: Opportunity for Warehouse Optimization," White Paper, copyright 2012, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/Vox_whitepaper_VoiceCloud.pdf> on May 26, 2023, 7 pages. cited by applicant

Voxware, Inc., "Voice in the Warehouse: Does the Recognizer Matter? Why You Need 99.9% Recognition Accuracy," White Paper, Copyright 2010, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/WhitePaper_Recognizer.pdf> on May 25, 2023, 7 pages. cited by applicant

Voxware, Inc., "VoiceLogistics, Technology Architecture," Product Literature, Copyright 2003, captured Mar. 14, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at <https://web.archive.org/web/20060314191745/http://www.voxware.com/media/pdf/Product_Literature_VLS_Architecture_02.pdf> on May 26, 2023, 5 pages. cited by applicant

Voxware, Inc., "VoxPilot, Active Decision Support for Warehouse Voice," Brochure, Copyright 2012, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/Solutions_VoxApp_VoxPilot_2.pdf> on May 26, 2023, 2 pages. cited by applicant

Voxware, Inc., "Voxware Integrated Speech Engine Adapts to Your Workforce and Your Warehouse," Brochure, Copyright 2021, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2016/11/Vox_product_VISE_Reognition_Engine.pdf> on May 25, 2023, 2 pages. cited by applicant

Voxware, Inc., "Voxware VMS, Because nothing short of the best will do," Copyright 2019, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2019/01/Voxware-VMS-w.pdf> on May 26, 2023, 2 pages. cited by applicant

Voxware, Inc., "Voxware VoiceLogistics, Voice Solutions for Logistics Excellence," Product Literature, Copyright 2005, captured on Mar. 14, 2006 by the Internet Archive WayBack Machine, retrieved from the Internet at <https://web.archive.org/web/20060314191653/http://www.voxware.com/media/pdf/Product_Literature_VoiceLogistics_02.pdf> on May 26, 2023, 5 pages. cited by applicant

Voxware, Inc., "Voxware VoxConnect, Make Integrating Voice and WMS Fast and Fluid," Brochure, Copyright 2019, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2019/01/Voxware-VoxConnect-w.pdf> on May 25, 2023, 2 pages. cited by applicant

Voxware, Inc., "Voxware VoxPilot, Get 10-15% more productivity and drive critical decisions with insights from VoxPilot," copyright 2019, retrieved from the Internet at <https://www.voxware.com/wp-content/uploads/2019/01/Voxware-VoxPilot-w.pdf> on May 26, 2023, 2 pages. cited by applicant

Voxware, Inc., v. Honeywell International Inc., Hand Held Products, Inc., Intermec Inc., and Vocollect, Inc., Jury Trial Demanded: First Amended Complaint for Patent Infringement, Patent Invalidity, and Patent Unenforceability, Violation of Antitrust Laws, Deceptive Trade Practices, Unfair Competition, Interference with Prospective Business Relations, Apr. 26, 2023, 66 pages, in the U.S. District Court for the District of Delaware, C.A. No. 23-052 (RGA). cited by applicant

Voxware, Inc., v. Honeywell International Inc., Hand Held Products, Inc., Intermec Inc., and Vocollect, Inc., Demand for Jury Trial: Defendants Answer, Defenses, Counterclaims, Mar. 29, 2023, 43 pages, in the U.S. District Court for the District of Delaware, C.A. No. 23-052 (RGA). cited by applicant

Voxware, Inc., v. Honeywell International Inc., Hand Held Products, Inc., Intermec Inc., and Vocollect, Inc., Jury Trial Demanded: Complaint for Declaratory Judgment, Patent Infringement, Patent Invalidity, and Patent Unenforceability, Violation of Antitrust Laws, Deceptive Trade Practices, Unfair Competition, and Tortious Interference with Prospective Business Relations, Jan. 17, 2023, 44 pages, in the U.S. District Court for the District of Delaware, C.A. No. 23-052 (RGA). cited by applicant

Voxware, Inc., v. Honeywell International Inc., et al., Voxware Integrated Speech Engine (VISE), Adapts to Your Workforce and Your Warehouse, brochure, copyright 2012, Plaintiff's Initial Invalidation Motion, Dec. 1, 2023, Voxware, Inc., v. Honeywell International Inc. et al., C.A. No. 23-052-RGA (D. Del.), 2 pages. cited by applicant

voxware.com, "Voice Directed Picking Software for Warehouses", retrieved from the Internet at: <https://www.voxware.com/voxware-vms/> on May 25, 2023. cited by applicant

W. Kurschl, S. Mitsch, R. Prokop and J. Schoenboeck, "Gulliver—A Framework for Building Smart Speech-Based Applications," 2007 40th Annual Hawaii International Conference on System Sciences (HICSS'07), Waikoloa, HI, USA, Jan. 2007, 8 pages, doi: 10.1109/HICSS.2007.243. (Year: 2007). cited by applicant

Worldwide Testing Services (Taiwan) Co., Ltd., Registration No. W6D21808-18305-FCC, FCC ID: SC6BTH430, External Photos, Appendix pp. 2-5, retrieved from the Internet at <https://fccid.io/SC6BTH430/External-Photos/External-Photos-4007084.pdf> on May 25, 2023, 4 pages. cited by applicant

Y. Muthusamy, R. Agarwal, Yifan Gong and V. Viswanathan, "Speech-enabled information retrieval in the automobile environment," 1999 IEEE International Conference on Acoustics, Speech, and Signal Processing. Proceedings. ICASSP99 (Cat. No. 99CH36258), 1999, pp. 2259-2262 vol. 4. (Year: 1999). cited by applicant

A. Gupta, N. Patel and S. Khan, "Automatic speech recognition technique for voice command," 2014 International Conference on Science Engineering and Management Research (ICSEMR), 2014, pp. 1-5, doi: 10.1109/ICSEMR.2014.7043641. (Year: 2014). cited by applicant

A. L. Kun, W. T. Miller and W. H. Lenharth, "Evaluating the user interfaces of an integrated system of in-car electronic devices," Proceedings. 2005 IEEE Intelligent Systems, 2005, pp. 953-958. (Year: 2005). cited by applicant

A. L. Kun, W. T. Miller, A. Pelhe and R. L. Lynch, "A software architecture supporting in-car speech interaction," IEEE Intelligent Vehicles Symposium, 2004, pp. 1-5, (Year: 2004). cited by applicant

Abel WOMACK, "Voxware announces sales partnership with Buton eBusiness Solutions", retrieved from the Internet at <https://www.abelwomack.com/voxware-partnership-with-buton-ebusiness-solutions/> on May 26, 2023, 2 pages. cited by applicant

Advisory Action (PTOL-303) Mailed on Oct. 18, 2022 for U.S. Appl. No. 17/111,164, 3 page(s). cited by applicant

Annex to the communication Mailed on Jan. 3, 2019 for EP Application No. 15189657, 1 page(s). cited by applicant

Annex to the communication Mailed on Jul. 6, 2018 for EP Application No. 15189657, 6 page(s). cited by applicant

Annex to the communication Mailed on Nov. 19, 2018 for EP Application No. 15189657, 2 page(s). cited by applicant

Applicant Initiated Interview Summary (PTOL-413) Mailed on Jun. 15, 2020 for U.S. Appl. No. 15/220,584. cited by applicant

Chengyi Zheng and Yonghong Yan, "Improving Speaker Adaptation by Adjusting the Adaptation Data Set"; 2000 IEEE International Symposium on Intelligent Information Systems and Communication Systems, Nov. 5-8, 2000. cited by applicant

Christensen, "Speaker Adaptation of Hidden Markov Models using Maximum Likelihood Linear Regression", Thesis, Aalborg University, Apr. 1996. cited by applicant

D. Barchiesi, D. Giannoulis, D. Stowell and M. D. Plumbley, "Acoustic Scene Classification: Classifying environments from the sounds they produce," in IEEE Transactions on Audio, Speech, and Language Processing, vol. 13, no. 3, pp. 16-34, May 2015, doi: 10.1109/MSP.2014.2326181. (Year: 2015). cited by applicant

DC Velocity Staff, "Voxware shows Intellectra supply chain analytics tool", dated Apr. 6, 2016, retrieved from the Internet at <https://www.dcelocity.com/articles/shows-intellestra-supply-chain-analytics-tool> on May 26, 2023, 7 pages. cited by applicant

Decision to Refuse European Application No. 15189657.8, dated Jan. 3, 2019, 10 pages. cited by applicant

E. Erzin, Y. Yemez, A. M. Tekalp, A. Ercil, H. Erdogan and H. Abut, "Multimodal person recognition for human-vehicle interaction," in IEEE MultiMedia, vol. 12, no. 3, Apr.-Jun. 2006. (Year: 2006). cited by applicant

Examiner initiated interview summary (PTOL-413B) Mailed on Apr. 11, 2017 for U.S. Appl. No. 14/561,648, 1 page(s). cited by applicant

Examiner initiated interview summary (PTOL-413B) Mailed on Sep. 14, 2018 for U.S. Appl. No. 15/220,584, 1 page(s). cited by applicant

Examiner Interview Summary Record (PTOL-413) Mailed on Aug. 9, 2023 for U.S. Appl. No. 18/328,034, 1 page(s). cited by applicant

Examiner Interview Summary Record (PTOL-413) Mailed on Aug. 16, 2023 for U.S. Appl. No. 18/328,034, 1 page(s). cited by applicant

Examiner Interview Summary Record (PTOL-413) Mailed on Mar. 26, 2021 for U.S. Appl. No. 16/695,555. cited by applicant

Examiner Interview Summary Record (PTOL-413) Mailed on Oct. 18, 2022 for U.S. Appl. No. 17/111,164, 1 page(s). cited by applicant

Exhibit 16—U.S. Pat. No. 6,662, 163 (“Albayrak”), Initial Invalidity Chart for U.S. Pat. No. 8,914,290 (the “290 Patent”), Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 53 pages. cited by applicant

Exhibit 17—2012 Vocollect Voice Solutions Brochure in view of 2012 VoiceArtisan Brochure, in further view of Aug. 2013 VoiceConsole 5.0 Implementation in view of 2011 VoiceConsole Brochure, Initial Invalidity Chart for U.S. Pat. No. 10,909,490 (the “490 Patent”), Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 72 pages. cited by applicant

Exhibit 18—Vocollect’s Pre-Oct. 15, 2013 Vocollect Voice Solution, Initial Invalidity Chart for U.S. Pat. No. 10,909,490 (the “490 Patent”), Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 76 pages. cited by applicant

Exhibit 21—Vocollect’s Pre-Feb. 4, 2004 Talkman Management System System, Initial Invalidity Chart for U.S. Pat. No. 11,158,336 (the “336 Patent”), Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 85 pages. cited by applicant

Exhibit 22—the Talkman T2 Manual, Initial Invalidity Chart for U.S. Pat. No. 11,158,336 (the “336 Patent”), Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 86 pages. cited by applicant

Exhibit VOX001914—Voxware VLS-410 Wireless Voice Recognition, brochure, copyright 2004, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 2 pages. cited by applicant

Exhibit VOX001917—Voxbeans User Manual, Version 1, Sep. 3, 2004, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 146 pages. cited by applicant

Exhibit VOX002498—Appendix L: Manual, Talkman System, FCC: Part 15.247, FCC ID: MQOTT600-40300, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 187 pages. cited by applicant

Exhibit VOX002692—Sec Form 10-K for Voxware, Inc., Fiscal Year Ended Jun. 30, 2001, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 66 pages. cited by applicant

Exhibit VOX002833—Vocollect by Honeywell, Vocollect VoiceConsole, brochure, copyright 2011, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 2 pages. cited by applicant

Exhibit VOX002835—Vocollect (Intermec), Vocollect VoiceArtisan, brochure, copyright 2012, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 6 pages. cited by applicant

Exhibit VOX002908—Appendix K: Manual, Vocollect Hardware Documentation, Model No. HBT1000-01, Aug. 2012, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 77 pages. cited by applicant

Exhibit VOX002985—Vocollect Voice Solutions, Transforming Workflow Performance with Best Practice Optimization, brochure, copyright 2012, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 8 pages. cited by applicant

Exhibit VOX002993—Vocollect VoiceConsole 5.0 Implementation Guide, Aug. 2013, Plaintiff’s Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et. al.*, C.A. No. 23-052-RGA (D. Del), 118 pages. cited by applicant

Final Rejection Mailed on Apr. 13, 2023 for U.S. Appl. No. 16/869,228, 45 page(s). cited by applicant

Final Rejection Mailed on Aug. 7, 2019 for U.S. Appl. No. 15/635,326, 37 page(s). cited by applicant

Final Rejection Mailed on Aug. 30, 2023 for U.S. Appl. No. 17/111,164, 28 page(s). cited by applicant

Final Rejection Mailed on Jul. 25, 2022 for U.S. Appl. No. 17/111,164, 22 page(s). cited by applicant

Final Rejection Mailed on Jun. 5, 2019 for U.S. Appl. No. 15/220,584, 14 page(s). cited by applicant

Final Rejection Mailed on May 7, 2020 for U.S. Appl. No. 14/880,482. cited by applicant

Final Rejection Mailed on May 30, 2019 for U.S. Appl. No. 14/880,482. cited by applicant

J. Odell and K. Mukerjee, “Architecture, User Interface, and Enabling Technology in Windows Vista’s Speech Systems,” in IEEE Transactions on Computers, vol. 56, No. 7, pp. 1156-1168, Sep. 2007, doi: 10.1109/TC.2007.1065. (Year: 2007). cited by applicant

Jie Yi, Kei Miki, Takashi Yazu, Study of Speaker Independent Continuous Speech Recognition, Oki Electric Research and Development, Oki Electric Industry Co., Ltd., 1995, vol. 62, No. 2, pp. 7-12. cited by applicant

Kellner, A., et al., Strategies for Name Recognition in Automatic Directory Assistance Systems, Interactive Voice Technology for Telecommunication Applications, Proceedings, 1998 IEEE 4th Workshop, Sep. 29, 1998 Submitted previously in related application prosecution. cited by applicant

Lukowicz, Paul, et al. “Wearit@ work: Toward real-world industrial wearable computing.” IEEE Pervasive Computing 6.4 (Oct.-Dec. 2007): pp. 8-13. (Year: 2007). cited by applicant

Marc Glassman, Inc. Deploys Vocollect Voice on Psion Teklogix Workabout Pro; HighJump WMS Supports Open Voice Platform PR Newswire [New York] Jan. 2007). cited by applicant

Material Handling Wholesaler, “Buton and Voxware announce value-added reseller agreement,” retrieved from the Internet at <<https://www.mhwmag.com/showbiz/buton-and-voxware-announce-value-added-reseller-agreement/>> on May 26, 2023, 4 pages. cited by applicant

Minutes of the Oral Proceeding before the Examining Division received for EP Application No. 15189657.8, dated Jan. 3, 2019, 16 pages. cited by applicant

Mokbel, “Online Adaptation of HMMs to Real-Life Conditions: A Unified Framework”, IEEE Trans. on Speech and Audio Processing, May 2001. cited by applicant

Non-Final Office Action (Letter Restarting Period for Response) Mailed on Aug. 25, 2023 for U.S. Appl. No. 18/327,673, 26 page(s). cited by applicant

Non-Final Rejection Mailed on Aug. 17, 2023 for U.S. Appl. No. 18/327,673, 25 page(s). cited by applicant

Non-Final Rejection Mailed on Aug. 17, 2023 for U.S. Appl. No. 18/328,189, 14 page(s). cited by applicant

Non-Final Rejection Mailed on Feb. 4, 2022 for U.S. Appl. No. 17/111,164, 21 page(s). cited by applicant

Non-Final Rejection Mailed on Jan. 18, 2023 for U.S. Appl. No. 17/111,164. cited by applicant

Non-Final Rejection Mailed on Mar. 1, 2019 for U.S. Appl. No. 15/220,584, 12 page(s). cited by applicant

Non-Final Rejection Mailed on Mar. 21, 2019 for U.S. Appl. No. 15/635,326, 31 page(s). cited by applicant

Non-Final Rejection Mailed on Mar. 26, 2021 for U.S. Appl. No. 16/695,555. cited by applicant

Non-Final Rejection Mailed on Nov. 1, 2018 for U.S. Appl. No. 14/880,482. cited by applicant

Non-Final Rejection Mailed on Nov. 1, 2019 for U.S. Appl. No. 15/635,326, 8 page(s). cited by applicant

Non-Final Rejection Mailed on Nov. 14, 2019 for U.S. Appl. No. 14/880,482. cited by applicant

Non-Final Rejection Mailed on Oct. 4, 2021 for U.S. Appl. No. 17/111,164, 19 page(s). cited by applicant

Non-Final Rejection Mailed on Oct. 14, 2022 for U.S. Appl. No. 16/869,228, 42 page(s). cited by applicant

Non-Final Rejection Mailed on Oct. 31, 2022 for U.S. Appl. No. 17/449,213, 5 page(s). cited by applicant

Non-Final Rejection Mailed on Sep. 8, 2016 for U.S. Appl. No. 14/561,648, 20 page(s). cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Apr. 11, 2017 for U.S. Appl. No. 14/561,648. cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Aug. 9, 2023 for U.S. Appl. No. 18/328,034, 10 page(s). cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Aug. 15, 2014 for U.S. Appl. No. 13/474,921. cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Aug. 16, 2023 for U.S. Appl. No. 18/328,034, 2 page(s). cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Feb. 10, 2020 for U.S. Appl. No. 15/635,326. cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Feb. 28, 2023 for U.S. Appl. No. 17/449,213. cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Jun. 15, 2020 for U.S. Appl. No. 15/220,584. cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Jun. 20, 2023 for U.S. Appl. No. 17/449,213, 10 page(s). cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Jun. 28, 2021 for U.S. Appl. No. 16/695,555, 9 page(s). cited by applicant

Notice of Allowance and Fees Due (PTOL-85) Mailed on Jun. 29, 2023 for U.S. Appl. No. 16/869,228, 10 page(s). cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Mar. 1, 2017 for U.S. Appl. No. 14/561,648, 9 page(s). cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Mar. 11, 2020 for U.S. Appl. No. 15/220,584, 9 page(s). cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on May 20, 2020 for U.S. Appl. No. 15/635,326. cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Sep. 4, 2019 for U.S. Appl. No. 15/220,584, 9 page(s). cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Sep. 6, 2023 for U.S. Appl. No. 18/328,189, 9 page(s). cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Sep. 23, 2020 for U.S. Appl. No. 14/880,482. cited by applicant
Office Action in related European Application No. 15189657.8 dated May 12, 2017, pp. 1-6. cited by applicant
Osamu Segawa, Kazuya Takeda, An Information Retrieval System for Telephone Dialogue in Load Dispatch Center, IEEJ Trans, EIS, Sep. 1, 2005, vol. 125, 1 (Abstract Only). cited by applicant
Result of Consultation (Interview Summary) received for EP Application No. 15189657.8, dated Nov. 19, 2018, 4 pages. cited by applicant
Roberts, Mike, et al., "Intellectra: Measuring What Matters Most," Voxware Webinar, dated Jun. 22, 2016, retrieved from the Internet at <<https://vimeo.com/15189657.8>>. cited by applicant
26, 2023, 4 pages. cited by applicant
Roger G. Byford, "Voice System Technologies and Architecture", A White Paper by Roger G. Byford CTO, Vocollect published May 10, 2003. Retrieved from <https://web.archive.org/web/20030510234253/http://www.vocollect.com/productsVoiceTechWP.pdf>, 16 pages (Year: 2003). cited by applicant
S. Furui, "Speech recognition technology in the ubiquitous/wearable computing environment," 2000 IEEE International Conference on Acoustics, Speech, and Signal Processing (Cat. No. 00CH37100), Istanbul, Turkey, Jun. 5-9, 2000, pp. 3735-3738 vol. 6, doi: 10.1109/ICASSP.2000.860214. (Year: 2000). cited by applicant
Search Report and Written Opinion in counterpart European Application No. 15189657.8 dated Feb. 5, 2016, pp. 1-7. cited by applicant
Silke Goronzy, Krzysztof Marasek, Ralf Kompe, Semi-Supervised Speaker Adaptation, in Proceedings of the Sony Research Forum 2000, vol. 1, Tokyo, Japan, 2000. cited by applicant
Smith, Ronnie W., An Evaluation of Strategies for Selective Utterance Verification for Spoken Natural Language Dialog, Proc. Fifth Conference on Applied Natural Language Processing (ANLP), 1997, 41-48. cited by applicant
Summons to attend Oral Proceedings pursuant to Rule 115(1) EPC received for EP Application No. 15189657.8, dated Jul. 6, 2018, 11 pages. cited by applicant
T. B. Martin, "Practical applications of voice input to machines," in Proceedings of the IEEE, vol. 64, No. 4, pp. 487-501, Apr. 1976, doi: 10.1109/PROC.1976.10754. cited by applicant
T. Kuhn, A. Jameel, M. Stumpfle and A. Haddadi, "Hybrid in-car speech recognition for mobile multimedia applications," 1999 IEEE 49th Vehicular Technology Conference (VTC99), vol. 3, pp. 2009-2013. (Year: 1999). cited by applicant
U.S. Patent Application for a Laser Scanning Module Employing an Elastomeric U-Hinge Based Laser Scanning Assembly, filed Feb. 7, 2012 (Feng et al.), U.S. Pat. No. 13/367,978, abandoned. cited by applicant
U.S. Patent Application for Indicia Reader filed Apr. 1, 2015 (Huck), U.S. Appl. No. 14/676,109, abandoned. cited by applicant
U.S. Patent Application for Multifunction Point of Sale Apparatus With Optical Signature Capture filed Jul. 30, 2014 (Good et al.); 37 pages; now abandoned, U.S. Pat. No. 14/446,391. cited by applicant
U.S. Patent Application for Multipurpose Optical Reader, filed May 14, 2014 (Jovanovski et al.); 59 pages, U.S. Appl. No. 14/277,337, abandoned. cited by applicant
U.S. Patent Application for Terminal Having Illumination and Focus Control filed May 21, 2014 (Liu et al.); 31 pages; now abandoned, U.S. Appl. No. 14/283,111. cited by applicant
US Patent Application for "Distinguishing User Speech from Background Speech in Speech-Dense Environments", Unpublished (filed Jun. 2, 2023), (David I. Good et al., Assignee), U.S. Appl. No. 18/328,034. cited by applicant
US Patent Application for "Systems and Methods for Dynamically Improving User Intelligibility of Synthesized Speech in a Work Environment", Unpublished (James Hendrickson, Inventor), (Vocollect, Inc.), U.S. Appl. No. 18/328,189. cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Sep. 29, 2023 for U.S. Appl. No. 18/328,189, 5 page(s). cited by applicant
Examiner Interview Summary Record (PTOL-413) Mailed on Dec. 18, 2023 for U.S. Appl. No. 17/111,164, 2 page(s). cited by applicant
Exhibit 20—Albayrak in view of 2004 Voxbeans Manual, in further view of the 2012 VISE Brochure, Initial Invalidity Chart for U.S. Pat. No. 11,158,336 (the '336 Patent), Plaintiff's Initial Invalidity Contentions, Aug. 29, 2023, *Voxware, Inc., v. Honeywell International Inc. et al.*, C.A. No. 23-052-RGA (D. Del.), 73 pages. cited by applicant
Final Rejection Mailed on Dec. 14, 2023 for U.S. Appl. No. 18/327,673, 31 page(s). cited by applicant
Requirement for Information under 37 CFR § 1.105 Mailed on Jan. 16, 2024 for U.S. Appl. No. 17/111,164, 4 page(s). cited by applicant
Advisory Action (PTOL-303) Mailed on Mar. 12, 2024 for U.S. Appl. No. 18/327,673, 3 page(s). cited by applicant
Examiner Interview Summary Record (PTOL-413) Mailed on Mar. 12, 2024 for U.S. Appl. No. 18/327,673, 1 page(s). cited by applicant
Notice of Allowance and Fees Due (PTOL-85) Mailed on Mar. 8, 2024 for U.S. Appl. No. 18/328,034, 10 page(s). cited by applicant
Non-Final Rejection Mailed on May 20, 2024 for U.S. Appl. No. 18/327,673, 14 page(s). cited by applicant
Examiner Interview Summary Record (PTOL-413) Mailed on Nov. 2, 2023 for U.S. Appl. No. 17/111,164, 2 page(s). cited by applicant
Non-Final Rejection Mailed on Aug. 26, 2024 for U.S. Appl. No. 17/111,164, 13 page(s). cited by applicant
Final Rejection Mailed on Nov. 27, 2024 for U.S. Appl. No. 18/327,673, 16 page(s). cited by applicant
Advisory Action (PTOL-303) Mailed on Feb. 3, 2025 for U.S. Appl. No. 18/327,673, 3 page(s). cited by applicant
Final Rejection Mailed on Mar. 18, 2025 for U.S. Appl. No. 17/111,164, 14 page(s). cited by applicant
Non-Final Rejection Mailed on Mar. 20, 2025 for U.S. Appl. No. 18/327,673, 16 page(s). cited by applicant
Advisory Action (PTOL-303) Mailed on Jun. 4, 2025 for U.S. Appl. No. 17/111,164, 3 page(s). cited by applicant

Primary Examiner: Shah; Bharatkumar S

Attorney, Agent or Firm: Alston & Bird LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of and claims priority to U.S. application Ser. No. 18/328,034, filed Jun. 2, 2023, titled "DISTINGUISHING USER SPEECH FROM BACKGROUND SPEECH IN SPEECH-DENSE ENVIRONMENTS," which is a continuation of and claims priority to U.S. application Ser. No. 17/449,213, filed Sep. 28, 2021, titled "DISTINGUISHING USER SPEECH FROM BACKGROUND SPEECH IN SPEECH-DENSE ENVIRONMENTS," which is a continuation of and claims priority to U.S. application Ser. No. 16/695,555, filed Nov. 26, 2019, titled "DISTINGUISHING USER SPEECH FROM BACKGROUND SPEECH IN SPEECH-DENSE ENVIRONMENTS," (now U.S. Pat. No. 11,158,336), which is a continuation of and claims priority to U.S. application Ser. No. 15/220,584, filed Jul. 27, 2016, titled "DISTINGUISHING USER SPEECH FROM BACKGROUND SPEECH IN SPEECH-DENSE ENVIRONMENTS," (now U.S. Pat. No. 10,714,121), the contents of which are incorporated by reference herein in their entirety.

FIELD OF THE INVENTION

(1) The present invention relates to a method and apparatus for recognition of human speech, and more particularly, to a method and apparatus to

distinguish user speech which is the desired focus of machine-interpretation from extraneous background speech.

BACKGROUND

(2) In modern production environments, it is increasingly desirable for human operators to be able to record data and to control electronic devices in a “hands-free” mode, typically via speech control. This typically entails the use of portable electronic voice-processing devices which can detect human speech, interpret the speech, and process the speech to recognize words, to record data, and/or to control nearby electronic systems.

(3) Voice-driven systems typically include at least one microphone and at least one processor-based device (e.g., computer system) which is operated in response to human voice or spoken input, for instance spoken commands and/or spoken information.

(4) There are numerous applications in which voice-driven systems may be employed. For instance, there are many applications where it is advantageous for a user to have their hands free to perform tasks other than operating a keyboard, keypad, mouse, trackball or other user input device. An example of one such application is a warehouse, where a user may need to handle items such as boxes while concurrently interacting with a processor-based device. Another example application is a courier or delivery person, who may be handling parcels or driving a vehicle while concurrently interacting with a processor-based device. An example of a further such application is a medical care provider, who may be using their hands during the performance of therapeutic or diagnostic medical services, while concurrently interacting with a processor-based device. There are of course numerous other examples of applications.

(5) In many of these exemplary applications it is also advantageous or even necessary for the user to be mobile. For applications in which mobility is desirable, the user may wear a headset and a portable processor-based device (referred to below in this document at the speech recognition device **106**, **300**, or SRD). The headset typically includes at least one loud-speaker and/or microphone. The portable processor-based device typically takes the form of a wearable computer system. The headset is communicatively coupled to the portable processor-based device, for instance via a coiled wire or a wireless connection, for example, a Bluetooth connection. In some embodiments, the portable processor-based device may be incorporated directly into the headset.

(6) In some applications, the portable processor-based device may in turn be communicatively coupled to a host or backend computer system (e.g., server computer). In many applications, two or more portable processor-based devices (clients) may be communicatively coupled to the host or backend computer system/server.

(7) The server may function as a centralized computer system providing computing and data-processing functions to various users via respective portable processor-based devices and headsets. Such may, for example, be advantageously employed in an inventory management system in which a central or server computer system performs tracking and management; a plurality of users each wearing respective portable computer systems and headsets interface with the central or server computer system.

(8) This client (headset)/server approach allows the user(s) to receive audible instructions and/or information from the server of the voice driven system. For instance, the user may: receive from the server voice instructions; may ask questions of the server; may provide to the server reports on progress of their assigned tasks; and may also report working conditions, such as inventory shortages, damaged goods or parcels; and/or the user may receive directions such as location information specifying locations for picking up or delivering goods.

(9) Background Sounds

(10) Voice driven systems are often utilized in noisy environments where various extraneous sounds interfere with voice or spoken input. For example, in a warehouse or logistics center environment, extraneous sounds are often prevalent, including for instance: public address announcements; conversations from persons which are not intended as input (that is, persons other than the user of the voice driven system); and/or the movement of boxes or pallets; noise from the operation of lift vehicles (e.g., forklifts), motors, compressors, and other nearby machinery. To be effective, voice driven systems need to distinguish between voice or speech as intended input and extraneous background sounds, including unwanted voices, which may otherwise be erroneously interpreted as desired speech from a headset-wearing user.

(11) Sounds or noise associated with public address (PA) systems are particularly difficult to address. Public address systems are intentionally loud, so that announcements can be heard above other extraneous noise in the ambient environment. Therefore, it is very likely that a headset microphone will pick up such sounds. Additionally, public address system announcements are not unintelligible noise, but rather are typically human voice or spoken, thereby having many of the same aural qualities as voice or spoken input.

(12) Therefore, there exists a need for a system and method for addressing extraneous sounds including background speech and PA system speech, in order to prevent those extraneous sounds from interfering with the desired operation of the voice driven systems.

SUMMARY

(13) Accordingly, in one aspect, the present system and method solves the problem by preparing, in advance of field-use, a voice-data model which is created in a training environment, where the training environment exhibits both desired user speech and unwanted background sounds, including unwanted speech from persons other than a user, and also unwanted speech from a PA system.

(14) The speech recognition system is trained or otherwise programmed to identify wanted user speech which may be spoken concurrently with the background sounds. In an embodiment, during the pre-field-use phase the training or programming is accomplished in part by having persons who are training listeners audit the pre-recorded sounds, and having the training listeners identify the desired user speech, a process referred to as “tagging”. Tagging may also entail have the training listeners identify background speech from persons other than the user, background speech from PA system sounds, and other environmental noises. In an embodiment, during the pre-field-use phase the training or programming is further accomplished in part by training a processor-based learning system to duplicate the assessments made by the human listeners.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) FIG. 1 is a view of an exemplary speech-driven system according to one exemplary embodiment of the present system and method.

(2) FIG. 2 is a system diagram of a headset identical or similar to that of FIG. 1, according to one exemplary embodiment of the present system and method.

(3) FIG. 3 is a system view of a speech recognition device identical or similar to that of FIG. 1, according to one exemplary embodiment of the present system and method.

(4) FIG. 4 is a flow-chart of an exemplary method for pre-field-use creation of a training corpus, audio characterization model, and rejection threshold for an exemplary speech-driven system, according to one embodiment of the present system and method.

(5) FIG. 5 illustrates an exemplary audio-environment for a deployment and field-use of an exemplary headset and exemplary speech recognition device according to an embodiment of the present system and method.

(6) FIG. 6 is a flow-chart of an exemplary method of field-use of an exemplary speech recognition device for distinguishing user speech from background speech.

DETAILED DESCRIPTION

(7) In the following description, certain specific details are set forth in order to provide a thorough understanding of various embodiments. However, one skilled in the art will understand that the invention may be practiced without these details. In other instances, well-known structures associated with voice recognition systems and speech recognition devices have not been shown or described in detail to avoid unnecessarily obscuring descriptions of the embodiments.

(8) Unless the context requires otherwise, throughout the specification and claims which follow, the word “comprise” and variations thereof, such as,

“comprising” and “comprising” are to be construed in an open sense, that is as “including, but not limited to.”

(9) Reference throughout this specification to “one embodiment” or “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment. Thus, the appearances of the phrases “in one embodiment” or “in an embodiment” in various places throughout this specification are not necessarily all referring to the same embodiment. Furthermore, the particular features, structures, or characteristics may be combined in any suitable manner in one or more embodiments.

(10) The headings provided herein are for convenience only and do not interpret the scope or meaning of the claimed invention.

(11) Electronic System for Voice Processing

(12) The present system and method embraces electronic devices designed to interpret human speech and language, and to operate in response to human speech, also known as voice-driven systems, speech-driven systems, or spoken-language recognition systems.

(13) FIG. 1 shows a user **100** interacting with an exemplary speech driven system **102**, according to one embodiment of the present system and method.

(14) In particular, the speech driven system **102** includes a headset **104** and a processor-based speech recognition device **106**. In use, the user typically wears the headset **104**, and optionally wears the processor-based speech recognition device **106**. The processor-based speech recognition device **106** is communicatively coupled, either directly or indirectly (that is, via either wired or wireless coupling), with the headset **104**. For example, the processor-based speech recognition device **106** and headset **104** may be wirelessly communicatively coupled via one or more radios (e.g., transmitters, receivers, transceivers) as indicated by radio frequency signal **108**. Alternatively, the processor-based speech recognition device **106** and headset **104** may be communicatively coupled via one or more cables, for instance one or more wire or optical cables (not shown).

(15) Optionally, the speech driven system **102** may also include one or more backend computer systems **110** (only one shown), which may include or be communicatively coupled to one or more data stores stored on one or more non-transitory computer- or processor-readable media **111**. The backend computer system(s) **110** is or are communicatively coupled to one or more processor-based speech recognition devices **106**. For example, a wireless networking system may include one or more antennas **112** (only one shown) positioned about a work environment. Antenna **112** can provide wireless communications (for example, by radio frequency signal **109**) between the one or more processor-based speech recognition devices **106** and the one or more backend computer system(s) **110**.

(16) The user **100** may engage in various activities which may require the use of the user's hands, for instance to handle goods or packages **114**. Alternatively, the activities may not require use of the user's hands; however hand-free operation may be more comfortable or otherwise advantageous to the user **100**.

(17) The headset **104** may include a headband **116**, one or more loud-speakers or headphones **118** (only one visible in FIG. 1), one or more microphones **120** (one visible in FIG. 1), and internal circuitry (not illustrated). The headband **116** allows the headset **104** to be securely worn by the user **100**, and positions the loud-speakers **118** at least proximate one ear or next to each ear of the user **100**. The microphone **120** may be positioned proximate and oriented toward a mouth of the user **100** when the headset **104** is worn.

(18) The circuitry (not shown in FIG. 1) of the headset **104** may incorporate audio processing circuits such as audio filters and correlation circuitry associated with speech detection and/or speech recognition.

(19) The processor-based speech recognition device **106** may be portable or stationary. For example, the processor-based speech recognition device **106** may be worn by the user **100**, for instance on a belt as illustrated in FIG. 1. This allows the headset **104** to use relatively short range wireless communications devices, for instance Bluetooth radios, while ensuring that communications between the headset **104** and the processor-based speech recognition devices **106** is maintained during normal use.

(20) Alternatively, the processor-based speech recognition device **106** may be manually carried or otherwise transported, for instance on a vehicle (e.g., fork lift, tug). Alternatively or additionally, the processor-based speech recognition device **106** may be stationary. Such implementations may employ a plurality of antennas positioned throughout a work environment and/or sufficiently more powerful communications devices, for instance WiFi radios.

(21) The circuitry (not shown in FIG. 1) of the processor-based speech recognition device **106** may incorporate audio processing circuits for tasks such noise suppression and modeling, features vector generation, decoding, and other circuitry associated with speech detection and/or speech recognition.

(22) The headset **104** and processor-based speech recognition device **106** permit various users **100** to communicate with one or more backend computer systems **110** (e.g., server computer systems). In use, the processor-based speech recognition device **106** receives digital instructions from the backend computer system **110** and converts those instructions to audio, which is provided to the user **100** via loud-speakers **118** of the headset **104**. The user **100** provides spoken input via the microphone **120** of the headset, which the processor-based speech recognition device **106** may convert to a digital format (e.g., words, text, or encoding symbolic of words and text) to be transferred to the backend computer system **110**.

(23) The backend computer system(s) **110** may be part of a larger system for sending and receiving information regarding the activities and tasks to be performed by the user(s) **100**. The backend computer system(s) **110** may execute one or more system software routines, programs or packages for handling particular tasks. Tasks may, for example, include tasks related to inventory and warehouse management.

(24) In an alternative embodiment of the present system and method, the backend computer system(s) **110** may implement some, or all, of the functionality otherwise described herein as being associated with the processor-based speech recognition device **106**.

(25) The backend computer system/server **110** may be any targeted computer or automated device, and may be located anywhere with respect to the user and the various components. For instance, the backend computer system **110** will typically be located remotely from the user, such as in another room or facility.

(26) However, the background computer system **110** may be located locally with the user, for instance carried or worn by the user or carried by a vehicle operated by the user. In some implementations, that backend computer system **110** may be combined with the processor-based speech recognition device **106**.

(27) In an alternative embodiment, the headset **104** and the speech recognition device (SRD) **106** may be connected and may communicate via a wired connection, such as a coiled cable.

(28) Headset

(29) FIG. 2 shows some of the components of an exemplary headset **200**, according to one exemplary embodiment of the present system and method. The headset **200** may be similar or even identical to the exemplary headset **104** of FIG. 1.

(30) The headset **200** includes a microphone **202**, and may include one or more secondary microphones (not shown). The microphone **202** is operable as a transducer to convert acoustic energy (e.g., sounds, such as voice or other sounds) to analog signals (e.g., voltages, currents) that have respective signal levels. The headset **200** preferably includes one or more loudspeakers **206a**, **206b** (two shown, collectively **206**). Each of the loud-speakers **206** is operable as a transducer to convert analog signals (e.g., voltages, currents) that have respective signal levels into acoustic energy (e.g., sounds, such as recorded or artificially generated spoken syllables, words or phrases or utterances).

(31) The microphone(s) **202** is (are) positioned or configured (e.g., directional and oriented) to primarily capture speech or utterances by the user **100**. However, the microphone **202** may also capture background speech from other users in the work environment, as well as background speech from PA systems. In this document, background speech will be understood to include both speech from persons other than the user **100** and Public Address (PA) system speech.

(32) The microphone **202** may be positioned such that when the headset **104** (FIG. 1) is worn by a user **100**, the microphone **202** is positioned close to the mouth of the user **100**. For example, the microphone **202** may be carried at an end of an arm/boom of the headset **104** (FIG. 1), positioning the

primary microphone **202** proximate to the mouth of the user **100**. Consequently, the speech sounds or utterances by the user **100** are typically louder, as recorded at the microphone **202**, than background speech sounds from other persons who are some distance from the microphone **202**.

(33) With respect to PA systems, background speech from a PA system may be amplified, and so may be picked up by the microphone **202** as being approximately as loud as the user speech. However, due to various factors—emanating from a remote loud-speaker, frequency band limitations of the PA system, and due to echoes and other factors—remote speech from a PA system may have different acoustic qualities at the microphone **202**, as compared to the acoustic qualities of user speech.

(34) In other words, user speech or other utterances by the user **100** are likely to have different acoustic signatures than background speech from other persons at some distance from the user **100**, or and also different acoustic signatures from sounds from a PA system. In one embodiment, the present system and method may rely, in part or in whole, on signal processing techniques, as applied to such acoustic differences, to distinguish user speech from background speech.

(35) In an alternative embodiment, some implementations of the present system and method may employ additional secondary microphones (not shown), for example two or more secondary microphones, to help distinguish user speech from background speech.

(36) The headset **200** may include one or more audio coder/decoders (CODECs). For example, the headset **200** may include an audio CODEC **208** coupled to the microphone(s) **202** to process analog signals from the microphone **202** and produce digital signals representative of the analog signals. The CODEC **208** or another audio CODEC (not shown) may be coupled to the one or more loud-speakers **206** to produce analog drive signals from digital signals in order to drive the loudspeakers **206**. Suitable audio CODECs may for example include the audio CODEC commercially available from Philips under the identifier UDA **1341** and other similar audio CODECs.

(37) The headset **200** may include one or more buffers **210**. The buffer(s) **210** may temporarily store or hold signals. The buffer **210** is illustrated as positioned relatively downstream of the CODEC **208** in a signal flow from the microphone **202**.

(38) The headset **200** includes a control subsystem **212**. The control subsystem **212** may, for example include one or more controllers **214**, one or more sets of companion circuitry **216**, and one or more non-transitory computer- or processor-readable storage media such as a non-volatile memory **218** and volatile memory **220**.

(39) The controller(s) **214** may take a variety of forms, for instance one or more microcontrollers, microprocessors, digital signal processors (DSPs), application specific integrated circuits (ASICs), programmable gate arrays (PGAs), graphical processing unit (GPUs) and/or programmable logic controllers (PLCs). The controller(s) **214** may, for example, take the form of a processor commercially available from CSR under the identifier BlueCore5 Multimedia. The BlueCore5 Multimedia does not require companion circuitry **216**. Alternatively, the controller(s) **214** may take the form of a processor commercially available from Intel under the identifier SA-1110. Optional companion circuitry **216** may take the form of one or more digital, or optionally analog, circuits, which may, or may not, be in the form of one or more integrated circuits. The companion circuitry **216** may, for example, take the form of a companion chip commercially available from Intel under the identifier SA-1111. The controller(s) **214** may function as a main processor, with the companion circuitry functioning as a co-processor to handle specific tasks. In some implementations, the companion circuitry **216** may take the form of one or more DSPs or GPUs.

(40) Non-volatile memory **218** may take a variety of forms, for example one or more read only memories (ROMs), one or more writeable memories, for instance EEPROM and/or one or more FLASH memories. The volatile memory **220** may take a variety of forms, for example one or more random access memories (RAM) including static random access memory (SRAM) and/or dynamic random access memories (DRAM) for instance synchronous DRAM (SDRAM)). The various controllers **214**, companion circuits **216**, volatile memories **218** and/or nonvolatile memories **220** may be communicatively coupled via one or more buses (only one shown) **222**, for instance instructions buses, data buses, address buses, power buses, etc.

(41) The controllers **214** and/or companion circuitry **216** may execute instructions stored in or by the non-volatile memories **218** and/or volatile memories **220**. The controllers **214** and/or companion circuitry **216** may employ data, values, or other information stored in or by the volatile memories **220** and/or nonvolatile memories **218**.

(42) In an embodiment of the present system and method, the control subsystem **212** may incorporate audio filtering circuitry or implement audio filtering by way of a general purpose processor which processes suitable instructions stored in non-volatile memory **218** or volatile memory **220**. Audio filtering may, for example, implement signal processing or data comparisons as described further herein to distinguish acceptable user speech from background user speech. Audio filtering may rely upon a comparison of frames of speech provided from microphone **202**, via codec **208** and buffer **210**, with previously-established speech samples stored in nonvolatile memory **218** or volatile memory **220**.

(43) In an alternative embodiment of the present system and method, some or all audio filtering, speech-processing, and speech-comparisons may be instead be accomplished via circuitry on the speech recognition device **106** (FIG. 1), **300** (FIG. 3). In an alternative embodiment, some or all audio filtering may be distributed between hardware and/or software of the headset **104**, **200**, and hardware and/or software of the speech recognition device **106**, **300**.

(44) As described further herein below, in an embodiment of the present system and method, the sound signal from the microphone **202** is passed to the processor-based speech recognition device **106** (FIG. 1), **300** (FIG. 3) for speech recognition processing. The process of discriminating between user speech and background speech is then performed by the speech recognition device **106**, **300**.

(45) The headset **200** optionally includes one or more radios **224** (only one shown) and associated antennas **226** (only one shown) operable to wirelessly communicatively couple the headset **200** to the processor-based speech recognition device **106** and/or backend computer system **110**. The radio **224** and antenna **226** may take a variety of forms, for example a wireless transmitter, wireless receiver, or wireless transceiver. In an embodiment where the headset **104**, **200** and SRD **106**, **300** are connected by a wired connection, radio **224** may not be required, or may be required only to communicate with the backend computer system **110**.

(46) The radio **224** and antenna **226** may, for instance, be a radio suitable for short range communications, for example compatible or compliant with the Bluetooth protocol, which allows bi-directional communications (e.g., transmit, receive). Alternatively, the radio **224** and antenna **226** may take other forms, such as those compliant with one or more variants of the IEEE 802.11 protocols (e.g., 802.11n protocol, 802.11ac protocol). The radio **224** and antenna **226** may, for example, take the form of an RF communications card, received via a connector, for instance a PCMCIA slot, to couple the RF communications card to the controller **214**. RF communications cards are commercially available from a large number of vendors. The range of the radio **224** and antenna **226** should be sufficient to ensure wireless communications in the expected work environment, for instance wireless communications with a processor-based speech recognition device **106** worn by a same user as wears the headset **200**.

(47) In an alternative embodiment, some or all of the electronic circuitry described above as being part of the headset **104**, **200** may instead be placed on the SRD **106**, **300**. The circuitry of the SRD **106**, **300** is discussed further immediately below.

(48) Processor-Based Speech Recognition Device

(49) FIG. 3 is a system diagram of an exemplary processor-based speech recognition device **300**, according to one embodiment of the present system and method. The processor-based speech recognition device **300** may be similar to or even identical to the processor-based speech recognition device **106** of FIG. 1.

(50) The processor-based speech recognition device **300** may include one or more controllers, for example a microprocessor **302** and DSP **304**. While illustrated as a microprocessor **302** and a DSP **304**, the controller(s) may take a variety of forms, for instance one or more microcontrollers, ASICs, PGAs, GRUs, and/or PLCs.

(51) The processor-based speech recognition device **300** may include one or more non-transitory computer- or processor-readable storage media such as non-volatile memory **306** and volatile memory **308**. Non-volatile memory **306** may take a variety of forms, for example one or more read-only

memories (ROMs), one or more writable memories, for instance EEPROM and/or one or more FLASH memories. The volatile memory **308** may take a variety of forms, for example one or more random access memories (RAM) including static and/or dynamic random access memories. The various controllers **302, 304** and memories **306, 308** may be communicatively coupled via one or more buses (only one shown) **310**, for instance instructions buses, data buses, address buses, power buses, etc.

(52) The controllers **302, 304** may execute instructions stored in or by the memories **306, 308**. The controllers **302, 304** may employ data, values, or other information stored in or by the memories **306, 308**. The memories **306, 308** may for example store instructions which implements the methods described further below herein to distinguish user speech from background speech, as in exemplary methods **400** and **600** (see FIGS. **4** and **6**). The controllers **302, 304**, when implementing these instructions, thereby enable the speech recognition device **300, 106** to distinguish user speech from background speech.

(53) The processor-based speech recognition device **300** optionally includes one or more radios **312** and associated antennas **314** (only one shown) operable to wirelessly communicatively couple the processor-based speech recognition device **300, 106** to the headset **200, 104**. Such radio **312** and antenna **314** may be particularly suited to relatively short-range communications (e.g., 1 meter, 3 meters, 10 meters). The radio **312** and antenna **314** may take a variety of forms, for example a wireless transmitter, wireless receiver, or wireless transceiver. The radio **312** and antenna **314** may, for instance, be a radio suitable for short range communications, for example compatible or compliant with the Bluetooth protocol. The range of the radio **312** and antenna **314** should be sufficient to ensure wireless communications in the expected work environment, for instance wireless communications with a processor-based headset **104, 200**.

(54) The processor-based speech recognition device **300** optionally includes one or more radios **316** and associated antennas **318** (only one shown) operable to wirelessly communicatively couple the processor-based speech recognition device **300, 106** to the backend computer system/server **110** (FIG. **1**), for example via one or more antennas **112** (FIG. **1**) of a wireless network or communications system. The radio **316** and antenna **318** may take a variety of forms, for example a wireless transmitter, wireless receiver, or wireless transceiver. The radio **316** and antenna **318** may, for instance, be a radio suitable for relatively longer range communications (e.g., greater than 10 meters), for example compatible or compliant with one or more variants of the IEEE 802.11 protocols (e.g., 802.11n protocol, 802.11ac protocol) or WiFi protocol. In many applications, the range of the radio **316** and antenna **318** should be sufficient to ensure wireless communications in the expected work environment, for instance wireless communications with one or more antennas **112** (FIG. **1**) positioned throughout the work environment, but this is not necessary.

(55) General Speech Analysis Considerations

(56) Note that the terms frames and fragments are used interchangeably throughout this specification to indicate information associated with a segment of audio. Also note that frames or fragments for the purposes of classification into user speech and background speech do not necessarily need to correlate one to one to frames or fragments generated for purposes of feature generation for other aspects of speech recognition, e.g., speech detection, training, decoding, or general background noise removal. They may have many different parameters, such as using different frame rates, amounts of overlap, number of samples, etc.

(57) A speech recognition system attempts to map spoken human speech to known language vocabulary. To do so, a voice system will, among other operational elements, typically compare (i) received real-time speech against (ii) a stored audio template, also referred to as an audio characterization model ACM, of previously captured/analyzed voice samples. Such an audio template is derived from a collection of voice training samples and other training samples referred to, for the present system and method, as the training corpus TC.

(58) In general, speech recognition may involve several general stages. Presented here is an exemplary general process for real-time speech interpretation.

(59) (1) Conversion of received sound to digital signal—Audio waves emanating from a human speaker, as well as nearby sounds from other sources, are converted to an analog electrical signal. This may be done for example by a microphone **120, 202** in a headset **104, 200**. The analog electrical signal is then digitalized, i.e., converted to binary 1's and 0's. This may be accomplished for example by the CODEC **208** of the headset **104, 200**, or by the processor **302** of the speech recognition device **106, 300**.

(60) (2) Division of digitized sound into frames—The digitized sound is divided into frames, that is, segments of suitable length for analysis to identify speech. The length of segments may be geared to identify specific phonemes (sound units, such as a vowel sound or a consonant sound), or words or phrases.

(61) NOTE: Further processing stages identified immediately below may be performed, for example, by the microprocessor **302** or digital signal processor **304** of the speech recognition device **106, 300**, possibly based on instructions stored in non-volatile memory **306** or volatile memory **308**. In an alternative embodiment, these tasks may be performed in whole or part by elements of headset **104, 200**, or server **110**.

(62) (3) Conversion to frequency domain—The frames of the received, digitized audio signal are typically converted from the time domain to the frequency domain. This is accomplished for example via a Fourier transform or Fast Fourier transform, or similar processing.

(63) (4) Conversion to secondary representation (state vectors)—In an embodiment, a frequency domain representation may be converted to other mathematical representations better suited for further processing. For example, while the frequency domain representation may be substantially continuous, various forms of concise representations may encapsulate the essential or key elements of the frequency domain representation. For example, amplitudes at various specific frequencies may be captured, or amplitudes of only the peak frequencies may be captured. Various other mathematical encapsulations are possible as well. The resulting mathematical characterization of the audio frames is sometimes referred to as “state vectors”.

(64) (5) Normalizations and other supplemental signal processing—One of the challenges inherent in voice recognition is that human voices differ in their harmonics and speech patterns; for example, the same exact word spoken by two different persons may sound dramatically different in a variety of respects, such as pitch, loudness, and duration, as well as variations due to age, accents, etc. To help compensate for this, voice systems typically attempt to normalize diverse samples of the same speech to similar mathematical representations. Thus, normalizations attempt to ensure that, for example, human vowel sounds (such as “ah”, “eh”, or “oh”) coming from different speakers will all have a substantially similar mathematical representation, common to all speakers, during processing. The process of converting digitized speech samples from different speakers to a partially or substantially similar form is referred to as “normalization.” A variety of established methods for this are known in the art.

(65) In embodiments of the present system and method, one exemplary method of normalization is Vocal Length Tract Normalization (VTLN), which applies compensations for the varied pitches of the human voice (including, but not limited to, the typical differences between male and female voices). In alternative embodiments of the present system and method, another system of normalization which may be employed is Maximum Likelihood Linear Regression (MLLR), which adapts parameters within the stored template data to be a closer match to a currently received sound signal.

(66) Other signal conversions may be employed as well at various stages. For example, various frequency domains may be either boosted or suppressed.

(67) (6) Comparison of received voice signal against the template—The processed, received voice signal is compared against a template of pre-processed, stored voice signals also referred to as an audio characterization model ACM. A favorable comparison is indicative of a user voice, which is accepted by the speech driven system **102**; an unfavorable comparison is indicative of a background voice (or possibly a user voice which is corrupted by extraneous background sounds), and which is thereby rejected by the voice driven system **102**.

(68) Audio Characterization Model and Training Process

(69) The audio characterization model ACM typically includes stored mathematical representations of human voices expressing certain words, for example storing the state vectors described above. The audio characterization model ACM also contains data which matches the stored audio signals

to specific textual representations, i.e., textual transcription of spoken words. The audio signal representations (state vectors) and textual transcriptions may be vowel or consonant sounds, whole words, phrases or sentence fragments, or even whole sentences. The comparison discussed above determines if the received voice signal is a match for a voice signal in the audio characterization model ACM (the stored audio template).

(70) In an embodiment of the present system and method, a training corpus is prepared during a training phase which occurs in time prior to the release/use of the speech driven system **102** for field-use in factories, warehouses, or other industrial environments. The ACM (that is, the template) is prepared from the training corpus. Thus the audio characterization model ACM may be understood in part as a preset or pre-determined representation of correlations between audio signal representations (state vectors, etc.) and associated text, such as syllables, words, and/or phrases.

(71) Training environment: In an embodiment of the present system and method, the audio vocabulary of the training corpus is initially recorded in a training environment which is the same as, or which mimics, an industrial environment in which the speech recognition device **106, 300** may be used. In this way, the audio samples in the training corpus are likely to be representative of audio samples which will be obtained from actual device users **100** during field operations. For example, if the speech recognition device **106, 300** is to be used in factory and warehouse settings, then the audio samples collected for training purposes may be collected in an actual factory or warehouse setting, or an environment designed to mimic such settings.

(72) In one embodiment, the use of a field-realistic setting to record training sounds includes an environment which may have one or more of the following audio or acoustic aspects: Background sounds from Public Address (PA) system voices. A factory, warehouse, or other industrial environment may include a public address system which delivers widely audible background speech at unpredictable times and/or of unpredictable content (for example, a generalized and unpredictable vocabulary). Background voices from roving persons in the environment. In a factory, warehouse, or other industrial setting, the person using the speech recognition device **106, 300** will typically wear a headset **104** which is configured with a microphone **120** in immediate proximity to the user's mouth (see FIG. 1 above). However, other persons working in the industrial setting may also be nearby, and the microphone **120** will pick up their speech as well. Background sounds from operating equipment and machinery in the environment. For example, a factory environment may have sounds which include the operations of manufacturing machines and conveyor belts, while a warehouse environment may have sounds which include forklifts and other devices for movement of heavy objects.

(73) It will be understood by persons skilled in the art that, as detected by the microphone **120**, background voices for example those from a PA system or from roving persons—will have audio qualities which are distinctive from the audio qualities of a user **100** whose mouth is in immediate proximity to the microphone **120**. Physiologically-based differences in the voices (between the user **100** and roving persons) also result in audio quality differences. It is a feature of the present system and method to distinguish a user voice from a background voice emitted from a PA system or from a roving person.

(74) In an alternative embodiment, a training corpus may be obtained in an audio environment which is not the same as the field environment, for example, in a sound studio.

(75) Training vocabulary: In an embodiment of the present system and method, the speech recognition device **106, 300** may be expected to be used principally in conjunction with a specific or well-defined vocabulary of terms. For example, it may be anticipated that users of the speech recognition device will principally speak terms associated with certain manufacturing processes or with certain warehouse procedures.

(76) For example, the vocabulary may entail the use of digits or numbers, the names of certain specific procedures, and/or certain specific signal words or confirmation words for known tasks. In an embodiment, and in such cases, the vocabulary for the training corpus (and so, ultimately, for the audio characterization model ACM) may be principally confined to words, terms, or phrases which are expected/anticipated to be used by the users **100** of the speech recognition device **106, 300**.

(77) In an alternative embodiment, the vocabulary for the training corpus may be a substantially more extended vocabulary, including terms and phrases of broader general usage apart from the most commonly expected terms for the particular field environment.

(78) “Training users” and generalized user audio training: In an embodiment of the present system and method, the training corpus is representative of selected word sounds or word phrases, as they may be potentially by spoken by many different individuals. This may include individuals of different genders, different ages, different ethnic groups, persons with varying accents, and in general people whose widely varying physiologies may result in a broad array of distinctive vocal qualities, even when voicing the same word or phrase.

(79) In an embodiment, this may entail that during the training phase, multiple different persons, referred to here as training users, are employed to help create the training corpus. In an embodiment, each such person (that is, each training person) is present in the training environment (not necessary at the time same time). It is noted that, while the training users could be the same as some people who will use the speech driven system **102** in the field, more typically the training users are not actual users **100**. In an embodiment of the present system and method, the training users may be selected to represent various typical users or generic users **100**. In an alternative embodiment, the training users may be selected to be representative of certain expected sub-populations of typical users **100**, for example male users or female users.

(80) During training, each training user dons a headset **104** with microphone **120** (see FIG. 1). With suitable prompts, each training user speaks a designated training vocabulary. Training users may be directed to recite the vocabulary, or parts of the vocabulary, multiple times and/or at multiple places within the training environment.

(81) In this way, and for a single word or phoneme (e.g., “one”, “two”, “confirmed”, “stored”, etc.) multiple redundant samples may be gathered from each training user. Each such audio sample may sometimes be collected with just the word and no background sounds, and at other times with varying elements of background sounds (PA sounds, other roving speakers, machine sounds) from the training environment. In addition, the same training samples, provided by the multiple different training speakers, results in redundancy in terms of having multiple voice samples of the same text.

(82) Combined user voices and background sounds: As will be apparent from the above description, the collected voice samples from training users may include background sounds. In an embodiment of the present system and method, training users may be deliberately directed to utter some voice samples when little or no background sounds are present; and to speak other voice samples (including possibly redundant trainings vocabulary) when background sounds are present. As a result, the training corpus may include the same training vocabulary both with and without background sounds.

(83) Digitization and normalization of the training voice samples: After collection of the voice samples in the training environment, the voice samples are digitized and combined into the training corpus, for example in the form of their raw audio spectrum. The audio characterization model ACM may contain the same audio samples in compressed forms, for example in the form of state vectors, or in other signal representations.

(84) The process of integrating the audio samples into the audio characterization model ACM may include various forms of mathematical processing of the samples such as vocal length tract normalization (VLTN) and/or maximum likelihood linear regression (MLLR). In an embodiment of the present system and method, the result is that within the audio characterization model ACM, a digitized samples of a single training word (e.g., “one,” “two,” “three,” etc.) may be normalized to represent a single, standardized user voice. In an alternative embodiment, within the training corpus a digitized sample of a single training word may be given multiple digital representations for multiple types of voices (for example, one representation for a generic female voice and one representation for a generic male voice).

(85) In an embodiment of the present system and method, the audio characterization model ACM may include both one or more discrete samples of a given training word without background sounds; and one or more samples of the given training word with background sounds. In an alternative embodiment, the training corpus combines all instances of a training word into a single sample.

(86) Transcribing and Marking the Training Corpus: In an embodiment of the present system and method, the digitized training corpus must be transcribed and tagged. This process entails have a training listener (or multiple training listeners) listen to the corpus. Each training listener is

assigned to transcribe (via a keyboard action or mouse interaction with a computer, or similar) recognizable words or phrases, such as by typing the text of the recognizable words or phrases.

(87) Further pre-field-use processing then includes combining the transcribed text digitally into the audio characterization model ACM. In this way, the finalized audio characterization model ACM includes both digital representations of recognizable audio; and, along with the digital representations, text of the associated word(s).

(88) Acceptable and Unacceptable Articulations of Words: In addition, the training listener may be tasked to provide additional flags for sounds within the training corpus. This is also referred to as tagging. The present system and method pertains to distinguishing speech of a user of a voice recognition system from other speech which is background speech. In an embodiment of the present system and method, and during the training process, the training listener may flag (tag): (i) Words or phrases in the training corpus which are deemed to be of adequate audio clarity—that is, the words or phrases can be readily understood by the training listener with little or no uncertainty—which are flagged by the training listeners as acceptable. Typically, this reflects that the words were spoken by a training user, and that upon hearing, the articulation of the words is not obscured by background voices or sounds. (ii) Words or phrases in the training corpus which are deemed to be of poor audio clarity—that is, the words or phrases cannot be readily understood by the training listener, or can be only tentatively identified—and which are flagged by the training listeners as unacceptable. This typically reflects either (i) user speech which is obscured by excess background voices or other background sounds, or (ii) voices which are in fact background voices and not user speech. (iii) Background sounds associated with the industrial environment, such as machine noises or sounds from transport vehicles, which may also be flagged as unacceptable.

(89) Finalized Audio Characterization Model ACM: The finalized audio characterization model ACM includes multiple elements, which may include for example and without limitation: (a) digital representations (e.g. state vectors) of audio based on user vocalizations for a selected vocabulary of words; (b) text of the words associated with the vocalizations; (c) digital representations of background sounds; and (d) flags to distinguish acceptable audio samples from unacceptable audio samples.

(90) The digital representations of training audio may include representations of user speech samples which were detected along with simultaneous background sounds, such as PA system voices, roving person voices, and other background sounds. These digital representations may therefore be indicative of user speech combined with expected background sounds for the industrial environment.

(91) Audio Feature Extraction and Quantization: Sound Characterizations, Audio Characterization Models and Rejection Threshold: In an embodiment of the present system and method, a further stage of the pre-field-use process includes establishing a sound characterization for each speech audio sample in the audio characterization model. The sound characterization is indicative of a standardized sound quality of each audio sample, and in an embodiment may be derived via one or more mathematical algorithms from the spectrum of the audio sample. For example, the sound characterization may be based on a VTLN of each speech sample. In an alternative embodiment, the sound characterization may be based on an MLLR of each speech sample. The collection of sound characterizations and related threshold data (discussed below) constitute the audio characterization model ACM for the audio environment.

(92) In an alternative embodiment, the sound characterization may be based on one or more formants, such as the lower order (1.sup.st, 2.sup.nd and/or 3.sup.rd) formants, of each speech sample; it may be based on raw values of the formants, normalized values, spacing between formants, or other related calculations. (Speech formants are either the spectral peaks of a sound and/or the resonances associated with the spectral peaks.)

(93) In an alternative embodiment, the sound characterization for each speech audio sample is not determined during pre-field-use processing; rather, spectral data is stored directly in the audio characterization model, and the sound characterizations in the model are calculated by the speech recognition device **106** during run-time, that is, during field use.

(94) In an embodiment of the present system and method, a final stage of the pre-field-use process may include establishing a rejection threshold. In an embodiment, the rejection threshold may be a specific mathematical value which distinguishes acceptable user speech from un-acceptable user speech.

(95) In an embodiment of the present system and method employment a neural network or other trained learning system, a final stage of the pre-field-use process may entail classifying the audio as one of “User Speech”, “Background Speech”, “PA Speech”, with the possibility of also including a “Environment Noise” classification.

(96) In embodiment of the present system and method, in field use, received vocalizations in the field (for example, in a factory or warehouse) may be processed by either headset **104, 200** or by speech recognition device **106, 300** to obtain a real-time sound characterization of the received vocalization. The sound characterization for the received speech may be compared against a sound characterization stored in the audio characterization model ACM. If the difference between the two values is less than the rejection threshold, the received vocalization is construed to be user speech, and is accepted. If the difference between the two values is greater than the rejection threshold, the received vocalization is construed to not be user speech and is rejected.

(97) In an embodiment of the present system and method, for speech in the audio characterization model ACM, explicit sound characterizations values and an explicit rejection threshold may be established during the pre-field-use processing.

(98) Implicit Audio Characterizations Models, Implicit Rejection Threshold and Learning System Training: In an alternative embodiment of the present system and method, implicit values are used to characterize the training vocalizations, and for the rejection threshold.

(99) In one exemplary embodiment, a machine learning system is trained to distinguish acceptable user speech from user speech that is not acceptable due to excessive background noise. The learning system may be hardware or software-based, and may include for example and without limitation: a neural network system, a support vector machine, or an inductive logic system. Other machine learning systems may be employed as well.

(100) In one embodiment of the present system and method, machine learning such as neural network training may occur concurrently with transcription (as discussed above). In such an embodiment, the human trainer may be the same person or persons as the training listener. In an alternative embodiment, neural network training or other learning system training may be separate, pre-field-use process.

(101) In general, machine learning entails presenting the learning system with data samples, and conclusions based on the data samples. The learning system then defines rules or other data structures which can substantially reproduce the same conclusions based on the same data samples.

(102) For example, a neural network system may be presented with the training corpus, and asked to classify a newly presented voice sample against the training corpus as being either acceptable or unacceptable. The training process relies on a human trainer to define, in fact, the correct assessment (for example, the speech as being acceptable or unacceptable).

(103) The machine learning system generates a provisional hypothesis, either that the newly presented voice sample is acceptable or unacceptable. The machine learning system presents the hypothesis (acceptable or not). The human trainer provides feedback to the learning system, either confirming the hypothesis (for example, that a voice sample which was predicted as being acceptable is in fact acceptable), or rejecting the hypothesis (for example, indicating that a voice sample which was predicted as being acceptable was, in fact, not acceptable).

(104) Responsive to the feedback from the human trainer, the neural system modified internal data structures responsive to the feedback, and according to a suitable training/learning algorithm. For example, in the case of a neural network, the learning system modifies adaptive weights of neural links. Over time, with enough training, the result is a network which can significantly reproduce the desired outcomes as defined by the human trainer. For example, the learning system learns to distinguish acceptable user speech from unacceptable user speech, as it would be determined by a user.

(105) As described above, a learning system therefore is trained to distinguish a level of difference between (i) a newly presented user voice sample and (ii) a training voice sample stored within the audio characterization model ACM. Beyond a certain level of difference, the user voice sample is

deemed unacceptable. In the finalized model of the neural network, there is at least an implicit rejection threshold beyond which received audio vocalizations are not acceptable. Similarly, the learning system establishes an implicit sound characterization for sound samples stored in the audio characterization model ACM. In field use, at least an implicit sound characterization is formed for received audio as well.

(106) Further below in this document, reference will generally be made to sound characterizations, rejection thresholds, and more generally to the audio characterization model ACM which characterizes acceptable speech for the audio environment. It will be understood that the sound characterizations and rejection thresholds may be either explicit values, or may be implicitly stored as distributed parameters or data structures in a learning system such as a suitably trained neural network.

(107) Exemplary Pre-Field-Use Creation of Learning Corpus, Audio Characterization Model, and Rejection Threshold Via Learning Algorithm

(108) FIG. 4 presents a flow chart of an exemplary method 400 for pre-field-use creation of a training corpus TC, audio characterization module ACM, and establishment of a rejection threshold RT. The method is operable on one or more computer systems, for example one which may be similar to server 110 of FIG. 1, though the actual computer(s) used for training is (are) likely to be other than the server 110 of FIG. 1. Multiple computers may be employed, for example at different stages of the learning/training process. (For example, one or more computers may be employed during the audio collection phases 405, 407 described below, while one or more other computers may be employed during the transcription phases 410, mixing phases 415, and other phases or procedures described below.)

(109) Some of the steps shown in method 400 may be performed in different orders, or in parallel. The order of presentation below is for convenience only, and should not be construed as limiting. The method may be performed in part or in whole in a training environment, as described above.

(110) The method may begin at step 405. In step 405, training users are prompted to voice speech samples, for example, to recite samples of a limited vocabulary which is expected to be employed in field-use of the speech driven system 102. The training users are typically wearing headsets 104, 200, with microphones suitably placed near their mouths, as described above. The speech samples are collected from the microphones 120, 202 of the headsets, and may be stored on a computer system as audio files (or in one integrated audio file) for further processing.

(111) In an embodiment of the present system and method, user speech samples may be collected with no background sounds present. In an alternative embodiment, user speech samples may be collected when background sounds are always present (that is, audible and concurrent in time) as well. In an alternative embodiment, user speech sounds may be collected both with and without background sounds being present.

(112) In step 407, audio samples are collected, via the user headsets 104, 200 as worn by the training users, of background sounds in the training environment. The background sounds emanate from other persons in the training environment, that is, persons other than the training user wearing the headset. The background voices may be recorded from persons at varying distances and in varying positions in relation to the user and the headset 104, 200.

(113) In steps 410a and 410b (collectively, 410), the recordings of the audio samples are transcribed by the training listeners, including both transcriptions of user voice samples and transcriptions of background voice samples.

(114) In step 415, some or all of the audio user speech samples may be mixed with audio of background speech samples. In this way, audio representations may be created which were not actually heard in the training environment. For example, a single training word spoken by users (for example, a word such as “three” or “selected”) can be mixed with multiple different background sounds.

(115) In an embodiment, multiple such samples may be created with, for example and without limitation: a single user word mixed with single different background sounds; a single user word mixed with multiple concurrent background sounds; and a single user word mixed with background sounds at different relative sound levels between the user sound and the background sound. In this way, many multiple realistic samples of user speech with background speech can be created from a limited set of samples initial.

(116) In step 420, the present system and method calculates sound characterizations for the various combined user-voice/background-speech audio samples. As per the discussion above, the sound characterizations may be VTLNs of each sample, an MLLR of each sample, or other mathematical characterizations. In an embodiment of the present system and method, the VTLN values for users can be refined over time; as additional user voice samples are collected during field use (see FIGS. 5 and 6 below), the training corpus can be revised and redistributed to the various speech recognition devices 106 in the field.

(117) In step 425, the present system and method collects the sound characterizations for the different phonemes or words, and tags them based on the transcriptions, thereby creating part of the training corpus TC. The tags may include the text representation associated with the audio or other text indicator (that is, an indicator of meaning) associated with the audio; and the tag may also include the determined quality indicator of “acceptable” or “unacceptable”. For some audio samples, the training listener may be unable to determine the spoken words, in which case only a quality tag or quality indicator may be provided.

(118) Returning to step 405, where the speech samples were collected from training users, in step 430, the present system and method calculates sound characterizations for the various user voice samples. As per the discussion above, the sound characterizations may be VTLNs of each sample, an MLLR of each sample, or other characterizations.

(119) In an embodiment of the present system and method, in step 430 it is possible to use VTLN factors calculated given various examples for a given user in place of the current VTLN factor for each example. This increases the number of examples by the number of pre-calculated VTLN factors used.

(120) In step 435, the present system and method collects the sound characterizations for the different user phonemes or words, and tags them based on the transcriptions, thereby creating part of the training corpus TC. The tags may include the text representation associated with the audio or other text indicator (that is, an indicator of meaning) associated with the audio; and the tag may also include the determined quality indicator of “acceptable” or “unacceptable”.

(121) In an embodiment where the user voice samples are collected without background sounds, it is expected that most or all of the user voice samples will be of sufficient clarity to be acceptable and to be transcribed. However, any such user voice samples which are not sufficiently clear may be tagged as unacceptable. In an embodiment where some or all user voice samples are collected with background sounds present, it is expected that at least some audio samples will not be fully intelligible, in which case only a quality tag or quality indicator may be provided.

(122) The training corpus TC consists of all the tagged, transcribed audio samples, possibly with suitable condensation (for example, multiple samples of the same word or the same phoneme may be condensed to one representation).

(123) In step 440, the present system and method determines a suitable audio characterization model ACM and Rejection Threshold RT. The audio characterization model ACM includes sound characterizations for multiple words, phrases, and/or phonemes. In an embodiment, and as described above, this may entail training a learning system to distinguish acceptable voice samples from unacceptable voice samples, and thereby having the learning system establish a suitable rejection threshold (either explicit or implicit).

(124) Audio Environment in Field-Use

(125) FIG. 5 illustrates an exemplary audio environment 500 for field use of a speech-drive system 102 including a headset 104, 200 and speech recognition device 106, 300. Such an environment may be present for example in a factory, a warehouse, or other industrial environment where the speech-driven system 102 may be employed.

(126) The audio environment may include activity prompts 507 or other prompts which are provided to the user 100 from the SRD 106, 300 (sometimes via an application running on the SRD, and other times originating from server 110), and which the user 100 hears via headphones 118 of headset 104. These prompts may include instructions for field activity, such as selecting certain items from specified locations or bins in a warehouse, or may include prompts for certain manufacturing activities such as stages in assembly of some hardware. The prompts may include

prompts to the user to speak certain words for audio-training purposes (see for example step **600**, FIG. **6** below).

(127) In response to prompts, the user **100** may either speak certain expected prompted responses **505a**, or perform certain activities, or both. For example, a prompt **507** may tell a user to pick an item from a bin numbered “A991”. In response, the user may be expected to recite back the words “‘A’ nine nine one”, then actually pick the item from a bin numbered “A991”, and then recite some confirmation phrase such as “picked” or “selected.”

(128) Hinted user speech and non-hinted user speech—In general, the user’s speech **505** comprises both: (i) some speech in response to prompts, where a specific response or specific choices of response to the prompt is/are expected from the user, and which is referred to as hinted speech **505a**; and (ii) all other user speech **505b**, which is non-hinted user speech. Some prompted responses are hinted, which occurs in specific parts of the user’s workflow (for example, when the user is prompted to select a particular part from storage). Hinted speech will have an expected value for a reply, which is typically a dynamic value that is associated with the task at hand (for example, a part number).

(129) Non-hinted speech **505b** may include general conversation which the user engages in with other persons, as well as some requests or other data provided to the server **110** by the user **100**. All user speech **505** is detected by microphone **120** of headset **104**.

(130) Speech detected by microphone **120**, **105** in the field will also typically include background speech **510** from other persons in the area, and PA system speech **515**.

(131) Stored data on speech recognition device: In embodiment of the present system and method, all collected sounds—user speech **505**, background speech **510**, and PA system speech **515**, as well as other background sounds (not illustrated) are transmitted or passed from headset **104** as audio samples **520** to the speech recognition device (SRD) **106**, **300**.

(132) In an embodiment of the present system and method, the SRD **106**, **300** is pre-programmed with, pre-configured with, and or/stores both a suitable audio characterization model ACM and/or training corpus TC for the current industrial environment, and a suitable rejection threshold TC.

(133) In an embodiment, SRD **106**, **300** is also pre-programmed with, pre-configured with, and/or stores a vocabulary of hint text HT expected to be used in the field. In an alternative embodiment, some or all of the audio characterization model ACM, training corpus TC, rejection threshold RT, and/or Hint Text HT may be prepared or stored on server **110** (for example, at the factory or warehouse where the SRD is to be used).

(134) Exemplary Method of Field-Use of the Speech Recognition Device

(135) FIG. **6** illustrates an exemplary method **600** of field-use of a speech-driven system **102**. In an embodiment, the method is operable in a warehouse, factory, or other industrial setting with an audio environment the same or similar to exemplary field-use audio environment **500** (see FIG. **5** above).

(136) The method **600** begins with step **602**, which entails training the speech recognition device (SRD) **106**, **300** to be operable with a particular user **100**, by recognizing the voice of the user **100**. In an embodiment, step **602** is a field-use step, but is a one-time step and is performed preliminary to the main use of the SRD **106**, **300** to support user activity in the field.

(137) In an embodiment, the training of the speech recognition device may entail prompting the user to speak specific, expected words, typically a limited vocabulary of words which the user will employ in the course of work. These prompted words may include digits, numbers, letters of the alphabet, and certain key words which may be commonly used in a given setting, for example, “Ready”, “Okay”, “Check”, “Found”, “Identified”, “Loaded”, “Stored”, “Completed”, or other words which may indicate a status of a warehouse or factory activity. In an embodiment, the prompted words may include some or all of the words expected to be used as hint words **505a** during field use (see FIG. **5** above).

(138) The user is prompted to speak these words (typically one word at a time), and the user then speaks the prompted words in reply. The SRD **106**, **300** records the user replies and digitizes them. In an embodiment, the SRD **106**, **300** may calculate for each word a set of state vectors and/or sound characterizations, employing calculations in a manner similar to that of pre-field use processing (see FIG. **4** above).

(139) In an embodiment of the present system and method, state vectors and/or sound characterizations obtained during training step **602** may be used to modify the current user characterization and/or the rejection threshold RT which is stored on the SRD **106**, **300**.

(140) Routine or on-going field-use of the SRD may commence with step **605**. In step **605**, the headset **104** functions interactively with the user **100** and the larger audio environment **500**. Prompts **507** for user activity may be provided via headphones **104**. The prompts **507** may originate, for example, on server **110**. Responsive to the prompts **507**, the user **100** may engage in various appropriate activities, such as for example picking stock items from prompted locations, moving stock items to prompted locations, or other activities. Responsive to the prompts and to their own activity, the user may also speak various words **505**. These user-spoken words **505** or phrases may for example confirm recognition of a prompt, or may confirm completion of a task, or may confirm identification of a location or object.

(141) The user spoken words **505** are detected by microphone **120**, **200** of headset **104**. Microphone **120**, **200** may also detect background speech **510** from other persons present in the environment, as well as PA system speech **515**, and other background sounds.

(142) In an embodiment, step **605** may entail creation of digitized audio samples, packets, or frames **520**, which may include user speech **505**, background speech **510**, PA system speech **515**, and other sounds, either concurrently or serially. In an embodiment, the digitized audio samples **520** are passed from headset **104** to SRD **106**.

(143) In step **610** the SRD **106** calculates a suitable sound characterization **690** of the audio sample **520**. Suitable sound characterizations are those which are comparable to those stored in the training corpus TC. For example, suitable sound characterizations may include VTLNs of an audio sample **520**, or MLLRs of an audio sample **520**. Other sound characterizations, suitable to match those of training corpus TC, may be employed as well.

(144) Comparison of Received Sound with Hint Text: In one embodiment of the present system and method, in step **615** the method compares the received audio sample **520**, and/or the sound characterization of the received audio sample **690**, against stored sound characterizations of the hint text HT.

(145) In step **620**, a determination is made if the received audio sample **520**, **690** matches any of the words in the hint text HT. If the received audio sample **520**, **690** matches hint text HT, then it is presumed that the audio sample **520**, **690** comes from a valid user **100**, and further processing with respect to possible background speech may be skipped. In this event, the method proceeds to step **625** (along the path marked “Yes” in the figure), where the received audio sample **520**, **690** is accepted.

(146) In an embodiment of the present system and method, the SRD **106**, **300** may also at some times be running in a field training state or a noise sampling state. In such a training or noise-sampling state, then at step **620** (and whether or not the received audio sample **520** matched the hint text HT) the method would automatically accept the user speech; the method would then automatically proceed to steps **625** and **630**, discussed immediately below.

(147) In an embodiment of the present system and method, from step **625** the method may proceed to step **630**. In step **630**, the present system and method uses calculated sound characterization **690** to improve the stored user sound characterizations and/or the audio characterization model ACM. For example, the state vectors which characterize user speech in the training corpus TC may be refined based on actual speech from actual users in the field. In an embodiment, this refinement of the training corpus TC may occur in the field in substantially real-time, with the sound characterizations in the training corpus TC being updated in real-time.

(148) In an embodiment of the present system and method, each time the user **100** powers up the SRD **106**, **300**, the system starts over in building the characterization for that specific user. In an alternative embodiment, the SRD **106**, **300** may persist the user characterization across power cycles (for example, storing the characterization in memory **306**), so it is not necessary to start over each time. This specific characterization would not be stored in the audio characterization model (ACM).

(149) In an alternative embodiment, user sound characterizations **690** collected in the field may be stored on server **110** or another suitable storage

medium; the collected user sound characterizations **690** may then be processed en masse, using methods the same or similar to those of method **400** (FIG. 4, above).

(150) Returning now to step **620**, it may be the case that the received audio sample **520** and/or the sound characterization **690** of the received speech does not match any of the vocabulary in the stored list of hint text HT. In that event, the method continues with step **635** (along the path marked “No” in the figure).

(151) In step **635**, the present system and method compares the sound characterization **690** of the received audio sample against sound characterizations in the audio characterization model ACM. The comparison searches for an acceptably close match, but also determines a quality level of the match. In step **640**, a determination is made as to whether the match is of acceptable quality. If the match is of acceptable quality (the path marked “Yes”), then in step **645** the speech is accepted as user speech. If the match is not of acceptable quality (the path marked “No”), then in step **650** the speech is rejected as not being user speech. As described above, in an embodiment such a determination made be made by a suitably trained learning system such as a neural network system trained as described above in this document (see for example FIG. 4 and associated discussion).

(152) Shown in the figure is a supplemental example SE which illustrates one possible particular embodiment of steps **635** through **650**. In step **635E** (corresponding to step **635**), a difference value DV is calculated as the absolute value of the difference between the VTLN of the received audio sample **690** and the VTLN factor of a suitable audio example in the training corpus TC.

(153) In step **640E** (corresponding to step **640**), a determination is made as to whether the difference value DV is less than the rejection threshold RT. If the match is of acceptable quality (so that the difference value DV is less than the rejection threshold RT), then in step **645E** the speech is accepted as user speech. If the match is not of acceptable quality (so that the difference value DV is greater than the rejection threshold RT), then in step **650E** the speech is rejected as not being user speech.

(154) As will be appreciated by persons skilled in the art, once an audio sample has been approved as acceptable speech, the meaning of the audio sample may be determined (based for example on transcription data in the training corpus TC). Based on the meaning of the received audio sample, suitable further actions may be taken by the speech driven system **102**.

(155) In an alternative embodiment of the present system and method, steps **615** and **620** (pertaining to the hint text comparison) may be omitted, along with omission of steps **625** and **630**. In such an embodiment, control may pass directly from step **610** to step **635**, **635E**.

SUMMARY AND ALTERNATIVE EMBODIMENTS

(156) In an embodiment of the present system and method, a comparison is made between a real-time speech sample and pre-established sound samples. The pre-established sound samples are indicative of acceptable user vocalizations, and also indicative of unacceptable vocalizations—that is, vocalizations which are due to background voices, PA systems, or due to user vocalizations but which may be unintelligible due to concurrent background sounds.

(157) A suitable metric is defined to analytically or numerically characterize the sameness or difference of the real-time speech sample against the pre-established sound samples. If a sound property of a real-time speech sample is sufficiently close or similar to the sound properties of the pre-established samples which are indicative of user voices, the real time-speech sample is categorized as being acceptable user speech. If the sound property of the real-time speech sample is not sufficiently close or not sufficiently similar to the sound properties of the pre-established samples which are indicative of user voices, the real time-speech sample is categorized as being unacceptable background speech.

(158) The level of closeness or difference between a real-time sound sample and the stored sound samples is determined with relation to a suitable threshold value.

(159) Audio Comparison Matrix: In an embodiment, to distinguish user speech from background speech, the present system and method may employ a stored, audio-derived data structure which incorporates sound data as a basis for comparisons. In one embodiment, the audio data structure may be a sound matrix, or an array of sound characterizations. Some cells in the audio matrix tend to characterize sounds which are valid user voice sounds, while other audio matrix cells tend to characterize sounds which are background voice sounds.

(160) In real-time, newly recorded sounds are compared against cells in the audio matrix. Incoming vocalizations which compare favorably with valid user vocalizations in the sound matrix are considered to be acceptable user speech; incoming vocalizations which do not compare favorably with valid vocalizations in the matrix are rejected.

(161) In some embodiments, the number of different available, stored voice characterizations may be too many to store in a matrix or array; or the voice characterizations may blend to a degree that does not lend towards distinguishing the characterizations as discrete, one-cell-per-one sound characterization storage. Instead, other comparison methods, based on mathematically continuous representations of voice characterizations, may be employed.

(162) Thus, in various embodiments, signal matching and comparison methods may employ other data structures than a matrix of sound characterizations to make a comparison. A variety of signal processing techniques and artificial intelligence techniques, including neural networks and other learning system techniques, may be used to compare real-time field vocalizations against data stored in distributed or other forms in the learning system.

FURTHER EMBODIMENTS

(163) In further embodiments, labeled A1 through A10, the present system and method may also be characterized as:

(164) A1: A speech recognition device (SRD) configured for recognition of human speech, comprising: a microphone for receiving audio input; a memory; and a hardware processor communicatively coupled with said microphone and said memory, wherein said hardware processor is configured to: identify in said received audio input a vocalization of a human language; and categorize said received vocalization of a human language as either one of: a first vocalization originating from a user of the SRD; or a second vocalization originating from a background speech in the vicinity of the SRD.

(165) A2: The SRD of embodiment A1, wherein: said memory is configured to store an audio characterization model comprising: a plurality of user speech samples; and a background speech sample; and said hardware processor is configured to categorize said received vocalization based on a comparison of the received vocalization with the stored audio characterization model.

(166) A3: The SRD of embodiment A2, wherein: the stored audio characterization model further comprises an audio mix with concurrent sound of: a user speech sample of the plurality of user speech samples; and the background speech sample; and said hardware processor is configured to categorize said received vocalization based on a comparison of said received vocalization with said audio characterization model.

(167) A4: The SRD of embodiment A3, wherein the memory is configured to store a speech rejection threshold; and the hardware processor is configured to: compute a speech difference between the received vocalization and the audio characterization model; categorize the received vocalization as the first vocalization originating from the user of the SRD if an absolute value of the speech difference is less than the speech rejection threshold; and categorize the received vocalization as the second vocalization originating from a background speech if the absolute value of the speech difference is greater than the speech rejection threshold.

(168) A5: The SRD of embodiment A4, wherein said speech rejection threshold comprises a pre-determined threshold calculated based on at least one of: training samples of user speech; and training samples of background speech.

(169) A6: The SRD of embodiment A5, wherein said speech rejection threshold is dynamically updated in field-use based upon the first vocalization originating from the user of the SRD.

(170) A7: The SRD of embodiment A2, wherein: the memory is configured to store as the audio characterization model a normalized user speech; the hardware processor is configured to normalize the received vocalization; and the comparison comprises a comparison of the normalized user speech

and the received vocalization received vocalization.

(171) A8: The SRD of embodiment A1, wherein said hardware processor is configured to: determine if the received vocalization matches an expected verbalization from among a vocabulary of one or more expected verbalizations; upon determining that the received vocalization matches the expected verbalization, categorize said received vocalization as the first vocalization originating from the user of the SRD; and upon determining that the received vocalization does not match any of the one or more expected verbalizations, categorize said received vocalization based on a comparison of the received vocalization with a stored characterization of user speech for the SRD.

(172) A9: The SRD of embodiment A8, wherein a vocabulary of one or more stored expected verbalizations comprises a voiced word sample collected from the SRD user in the field.

(173) A10: The SRD of embodiment A1, further comprising a pre-trained learning system, wherein said pre-trained learning system comprises at least one of: a set of rules determined in training to distinguish user speech from background speech, based on a data set of training user speech and training background speech; and a set of weighted connections of a neural network system, said weighted connections determined in training to distinguish user speech from background speech based on the data set of training user speech and training background speech; wherein said pre-trained learning system is configured to process said received audio input according to the at least one of the set of rules and the set of weighted connections, and wherein said pre-trained learning system categorizes said received vocalization as either one of the first vocalization or the second vocalization.

(174) Persons skilled in the relevant arts will recognize that various elements of embodiments A1 through A10 can be combined with each other, as well as combined with elements of other embodiments disclosed throughout this application, to create still further embodiments consistent with the present system and method.

(175) To supplement the present disclosure, this application incorporates entirely by reference the following commonly assigned patents, patent application publications, and patent applications:

(176) TABLE-US-00001 U.S. Pat. No. 6,832,725; U.S. Pat. No. 7,128,266; U.S. Pat. No. 7,159,783; U.S. Pat. No. 7,413,127; U.S. Pat. No. 7,726,575; U.S. Pat. No. 8,294,969; U.S. Pat. No. 8,317,105; U.S. Pat. No. 8,322,622; U.S. Pat. No. 8,366,005; U.S. Pat. No. 8,371,507; U.S. Pat. No. 8,376,233; U.S. Pat. No. 8,381,979; U.S. Pat. No. 8,390,909; U.S. Pat. No. 8,408,464; U.S. Pat. No. 8,408,468; U.S. Pat. No. 8,408,469; U.S. Pat. No. 8,424,768; U.S. Pat. No. 8,448,863; U.S. Pat. No. 8,457,013; U.S. Pat. No. 8,459,557; U.S. Pat. No. 8,469,272; U.S. Pat. No. 8,474,712; U.S. Pat. No. 8,479,992; U.S. Pat. No. 8,490,877; U.S. Pat. No. 8,517,271; U.S. Pat. No. 8,523,076; U.S. Pat. No. 8,528,818; U.S. Pat. No. 8,544,737; U.S. Pat. No. 8,548,242; U.S. Pat. No. 8,548,420; U.S. Pat. No. 8,550,335; U.S. Pat. No. 8,550,354; U.S. Pat. No. 8,550,357; U.S. Pat. No. 8,556,174; U.S. Pat. No. 8,556,176; U.S. Pat. No. 8,556,177; U.S. Pat. No. 8,559,767; U.S. Pat. No. 8,599,957; U.S. Pat. No. 8,561,895; U.S. Pat. No. 8,561,903; U.S. Pat. No. 8,561,905; U.S. Pat. No. 8,565,107; U.S. Pat. No. 8,571,307; U.S. Pat. No. 8,579,200; U.S. Pat. No. 8,583,924; U.S. Pat. No. 8,584,945; U.S. Pat. No. 8,587,595; U.S. Pat. No. 8,587,697; U.S. Pat. No. 8,588,869; U.S. Pat. No. 8,590,789; U.S. Pat. No. 8,596,539; U.S. Pat. No. 8,596,542; U.S. Pat. No. 8,596,543; U.S. Pat. No. 8,599,271; U.S. Pat. No. 8,599,957; U.S. Pat. No. 8,600,158; U.S. Pat. No. 8,600,167; U.S. Pat. No. 8,602,309; U.S. Pat. No. 8,608,053; U.S. Pat. No. 8,608,071; U.S. Pat. No. 8,611,309; U.S. Pat. No. 8,615,487; U.S. Pat. No. 8,616,454; U.S. Pat. No. 8,621,123; U.S. Pat. No. 8,622,303; U.S. Pat. No. 8,628,013; U.S. Pat. No. 8,628,015; U.S. Pat. No. 8,626,016; U.S. Pat. No. 8,629,926; U.S. Pat. No. 8,630,491; U.S. Pat. No. 8,635,309; U.S. Pat. No. 8,636,200; U.S. Pat. No. 8,636,212; U.S. Pat. No. 8,636,215; U.S. Pat. No. 8,636,224; U.S. Pat. No. 8,638,806; U.S. Pat. No. 8,640,958; U.S. Pat. No. 8,640,960; U.S. Pat. No. 8,643,717; U.S. Pat. No. 8,646,692; U.S. Pat. No. 8,646,694; U.S. Pat. No. 8,657,200; U.S. Pat. No. 8,659,397; U.S. Pat. No. 8,668,149; U.S. Pat. No. 8,678,285; U.S. Pat. No. 8,678,286; U.S. Pat. No. 8,682,077; U.S. Pat. No. 8,687,282; U.S. Pat. No. 8,692,927; U.S. Pat. No. 8,695,880; U.S. Pat. No. 8,698,949; U.S. Pat. No. 8,717,494; U.S. Pat. No. 8,717,494; U.S. Pat. No. 8,720,783; U.S. Pat. No. 8,723,804; U.S. Pat. No. 8,723,904; U.S. Pat. No. 8,727,223; U.S. Pat. No. D702,237; U.S. Pat. No. 8,740,082; U.S. Pat. No. 8,740,085; U.S. Pat. No. 8,746,563; U.S. Pat. No. 8,750,445; U.S. Pat. No. 8,752,766; U.S. Pat. No. 8,756,059; U.S. Pat. No. 8,757,495; U.S. Pat. No. 8,760,563; U.S. Pat. No. 8,763,909; U.S. Pat. No. 8,777,108; U.S. Pat. No. 8,777,109; U.S. Pat. No. 8,779,898; U.S. Pat. No. 8,781,520; U.S. Pat. No. 8,783,573; U.S. Pat. No. 8,789,757; U.S. Pat. No. 8,789,758; U.S. Pat. No. 8,789,759; U.S. Pat. No. 8,794,520; U.S. Pat. No. 8,794,522; U.S. Pat. No. 8,794,525; U.S. Pat. No. 8,794,526; U.S. Pat. No. 8,798,367; U.S. Pat. No. 8,807,431; U.S. Pat. No. 8,807,432; U.S. Pat. No. 8,820,630; U.S. Pat. No. 8,822,848; U.S. Pat. No. 8,824,692; U.S. Pat. No. 8,824,696; U.S. Pat. No. 8,842,849; U.S. Pat. No. 8,844,822; U.S. Pat. No. 8,844,823; U.S. Pat. No. 8,849,019; U.S. Pat. No. 8,851,383; U.S. Pat. No. 8,854,633; U.S. Pat. No. 8,866,963; U.S. Pat. No. 8,868,421; U.S. Pat. No. 8,868,519; U.S. Pat. No. 8,868,802; U.S. Pat. No. 8,868,803; U.S. Pat. No. 8,870,074; U.S. Pat. No. 8,879,639; U.S. Pat. No. 8,880,426; U.S. Pat. No. 8,881,983; U.S. Pat. No. 8,881,987; U.S. Pat. No. 8,903,172; U.S. Pat. No. 8,908,995; U.S. Pat. No. 8,910,870; U.S. Pat. No. 8,910,875; U.S. Pat. No. 8,914,290; U.S. Pat. No. 8,914,788; U.S. Pat. No. 8,915,439; U.S. Pat. No. 8,915,444; U.S. Pat. No. 8,916,789; U.S. Pat. No. 8,918,250; U.S. Pat. No. 8,918,564; U.S. Pat. No. 8,925,818; U.S. Pat. No. 8,939,374; U.S. Pat. No. 8,942,480; U.S. Pat. No. 8,944,313; U.S. Pat. No. 8,944,327; U.S. Pat. No. 8,944,332; U.S. Pat. No. 8,950,678; U.S. Pat. No. 8,967,468; U.S. Pat. No. 8,971,346; U.S. Pat. No. 8,976,030; U.S. Pat. No. 8,976,368; U.S. Pat. No. 8,978,981; U.S. Pat. No. 8,978,983; U.S. Pat. No. 8,978,984; U.S. Pat. No. 8,985,456; U.S. Pat. No. 8,985,457; U.S. Pat. No. 8,985,459; U.S. Pat. No. 8,985,461; U.S. Pat. No. 8,988,578; U.S. Pat. No. 8,988,590; U.S. Pat. No. 8,991,704; U.S. Pat. No. 8,996,194; U.S. Pat. No. 8,996,384; U.S. Pat. No. 9,002,641; U.S. Pat. No. 9,007,368; U.S. Pat. No. 9,010,641; U.S. Pat. No. 9,015,513; U.S. Pat. No. 9,016,576; U.S. Pat. No. 9,022,288; U.S. Pat. No. 9,030,964; U.S. Pat. No. 9,033,240; U.S. Pat. No. 9,033,242; U.S. Pat. No. 9,036,054; U.S. Pat. No. 9,037,344; U.S. Pat. No. 9,038,911; U.S. Pat. No. 9,038,915; U.S. Pat. No. 9,047,098; U.S. Pat. No. 9,047,359; U.S. Pat. No. 9,047,420; U.S. Pat. No. 9,047,525; U.S. Pat. No. 9,047,531; U.S. Pat. No. 9,053,055; U.S. Pat. No. 9,053,378; U.S. Pat. No. 9,053,380; U.S. Pat. No. 9,058,526; U.S. Pat. No. 9,064,165; U.S. Pat. No. 9,064,167; U.S. Pat. No. 9,064,168; U.S. Pat. No. 9,064,254; U.S. Pat. No. 9,066,032; U.S. Pat. No. 9,070,032; U.S. Design Pat. No. D716,285; U.S. Design Pat. No. D723,560; U.S. Design Pat. No. D730,357; U.S. Design Pat. No. D730,901; U.S. Design Pat. No. D730,902; U.S. Design Pat. No. D733,112; U.S. Design Pat. No. D734,339; International Publication No. 2013/163789; International Publication No. 2013/173985; International Publication No. 2014/019130; International Publication No. 2014/110495; U.S. Patent Application Publication No. 2008/0185432; U.S. Patent Application Publication No. 2009/0134221; U.S. Patent Application Publication No. 2010/0177080; U.S. Patent Application Publication No. 2010/0177076; U.S. Patent Application Publication No. 2010/0177707; U.S. Patent Application Publication No. 2010/0177749; U.S. Patent Application Publication No. 2010/0265880; U.S. Patent Application Publication No. 2011/0202554; U.S. Patent Application Publication No. 2012/0111946; U.S. Patent Application Publication No. 2012/0168511; U.S. Patent Application Publication No. 2012/0168512; U.S. Patent Application Publication No. 2012/0193423; U.S. Patent Application Publication No. 2012/0203647; U.S. Patent Application Publication No. 2012/0223141; U.S. Patent Application Publication No. 2012/0228382; U.S. Patent Application Publication No. 2012/0248188; U.S. Patent Application Publication No. 2013/0043312; U.S. Patent Application Publication No. 2013/0082104; U.S. Patent Application Publication No. 2013/0175341; U.S. Patent Application Publication No. 2013/0175343; U.S. Patent Application Publication No. 2013/0257744; U.S. Patent Application Publication No. 2013/0257759; U.S. Patent Application Publication No. 2013/0270346; U.S. Patent Application Publication No. 2013/0287258; U.S. Patent Application Publication No. 2013/0292475; U.S. Patent Application Publication No. 2013/0292477; U.S. Patent Application Publication No. 2013/0293539; U.S. Patent Application Publication No. 2013/0293540; U.S. Patent Application Publication No. 2013/0306728; U.S. Patent Application Publication No. 2013/0306731; U.S. Patent Application Publication No. 2013/0307964; U.S. Patent Application Publication No. 2013/0308625; U.S. Patent Application Publication No. 2013/0313324; U.S. Patent Application Publication No. 2013/0313325; U.S. Patent Application Publication No. 2013/0342717; U.S. Patent Application Publication No. 2014/0001267; U.S. Patent Application Publication No. 2014/0008439; U.S. Patent Application Publication No. 2014/0025584; U.S. Patent Application Publication No. 2014/0034734; U.S. Patent Application Publication No. 2014/0036848; U.S. Patent Application Publication No. 2014/0039693; U.S. Patent Application Publication No.

2014/0042813; U.S. Patent Application Publication No. 2014/0049120; U.S. Patent Application Publication No. 2014/0049635; U.S. Patent Application Publication No. 2014/0061306; U.S. Patent Application Publication No. 2014/0063289; U.S. Patent Application Publication No. 2014/0066136; U.S. Patent Application Publication No. 2014/0067692; U.S. Patent Application Publication No. 2014/0070005; U.S. Patent Application Publication No. 2014/0071840; U.S. Patent Application Publication No. 2014/0074746; U.S. Patent Application Publication No. 2014/0076974; U.S. Patent Application Publication No. 2014/0078341; U.S. Patent Application Publication No. 2014/0078345; U.S. Patent Application Publication No. 2014/0097249; U.S. Patent Application Publication No. 2014/0098792; U.S. Patent Application Publication No. 2014/0100813; U.S. Patent Application Publication No. 2014/0103115; U.S. Patent Application Publication No. 2014/0104413; U.S. Patent Application Publication No. 2014/0104414; U.S. Patent Application Publication No. 2014/0104416; U.S. Patent Application Publication No. 2014/0104451; U.S. Patent Application Publication No. 2014/0106594; U.S. Patent Application Publication No. 2014/0106725; U.S. Patent Application Publication No. 2014/0108010; U.S. Patent Application Publication No. 2014/0108402; U.S. Patent Application Publication No. 2014/0110485; U.S. Patent Application Publication No. 2014/0114530; U.S. Patent Application Publication No. 2014/0124577; U.S. Patent Application Publication No. 2014/0124579; U.S. Patent Application Publication No. 2014/0125842; U.S. Patent Application Publication No. 2014/0125853; U.S. Patent Application Publication No. 2014/0125999; U.S. Patent Application Publication No. 2014/0129378; U.S. Patent Application Publication No. 2014/0131438; U.S. Patent Application Publication No. 2014/0131441; U.S. Patent Application Publication No. 2014/0131443; U.S. Patent Application Publication No. 2014/0131444; U.S. Patent Application Publication No. 2014/0131445; U.S. Patent Application Publication No. 2014/0131448; U.S. Patent Application Publication No. 2014/0133379; U.S. Patent Application Publication No. 2014/0136208; U.S. Patent Application Publication No. 2014/0140585; U.S. Patent Application Publication No. 2014/0151453; U.S. Patent Application Publication No. 2014/0152882; U.S. Patent Application Publication No. 2014/0158770; U.S. Patent Application Publication No. 2014/0159869; U.S. Patent Application Publication No. 2014/0166755; U.S. Patent Application Publication No. 2014/0166759; U.S. Patent Application Publication No. 2014/0168787; U.S. Patent Application Publication No. 2014/0175165; U.S. Patent Application Publication No. 2014/0175172; U.S. Patent Application Publication No. 2014/0191644; U.S. Patent Application Publication No. 2014/0191913; U.S. Patent Application Publication No. 2014/0197238; U.S. Patent Application Publication No. 2014/0197239; U.S. Patent Application Publication No. 2014/0197304; U.S. Patent Application Publication No. 2014/0214631; U.S. Patent Application Publication No. 2014/0217166; U.S. Patent Application Publication No. 2014/0217180; U.S. Patent Application Publication No. 2014/0231500; U.S. Patent Application Publication No. 2014/0232930; U.S. Patent Application Publication No. 2014/0247315; U.S. Patent Application Publication No. 2014/0263493; U.S. Patent Application Publication No. 2014/0263645; U.S. Patent Application Publication No. 2014/0267609; U.S. Patent Application Publication No. 2014/0270196; U.S. Patent Application Publication No. 2014/0270229; U.S. Patent Application Publication No. 2014/0278387; U.S. Patent Application Publication No. 2014/0278391; U.S. Patent Application Publication No. 2014/0282210; U.S. Patent Application Publication No. 2014/0284384; U.S. Patent Application Publication No. 2014/0288933; U.S. Patent Application Publication No. 2014/0297058; U.S. Patent Application Publication No. 2014/0299665; U.S. Patent Application Publication No. 2014/0312121; U.S. Patent Application Publication No. 2014/0319220; U.S. Patent Application Publication No. 2014/0319221; U.S. Patent Application Publication No. 2014/0326787; U.S. Patent Application Publication No. 2014/0332590; U.S. Patent Application Publication No. 2014/0344943; U.S. Patent Application Publication No. 2014/0346233; U.S. Patent Application Publication No. 2014/0351317; U.S. Patent Application Publication No. 2014/0353373; U.S. Patent Application Publication No. 2014/0361073; U.S. Patent Application Publication No. 2014/0361082; U.S. Patent Application Publication No. 2014/0362184; U.S. Patent Application Publication No. 2014/0363015; U.S. Patent Application Publication No. 2014/0369511; U.S. Patent Application Publication No. 2014/0374483; U.S. Patent Application Publication No. 2014/0374485; U.S. Patent Application Publication No. 2015/0001301; U.S. Patent Application Publication No. 2015/0001304; U.S. Patent Application Publication No. 2015/0003673; U.S. Patent Application Publication No. 2015/0009338; U.S. Patent Application Publication No. 2015/0009610; U.S. Patent Application Publication No. 2015/0014416; U.S. Patent Application Publication No. 2015/0021397; U.S. Patent Application Publication No. 2015/0028102; U.S. Patent Application Publication No. 2015/0028103; U.S. Patent Application Publication No. 2015/0028104; U.S. Patent Application Publication No. 2015/0029002; U.S. Patent Application Publication No. 2015/0032709; U.S. Patent Application Publication No. 2015/0039309; U.S. Patent Application Publication No. 2015/0039878; U.S. Patent Application Publication No. 2015/0040378; U.S. Patent Application Publication No. 2015/0048168; U.S. Patent Application Publication No. 2015/0049347; U.S. Patent Application Publication No. 2015/0051992; U.S. Patent Application Publication No. 2015/0053766; U.S. Patent Application Publication No. 2015/0053768; U.S. Patent Application Publication No. 2015/0053769; U.S. Patent Application Publication No. 2015/0060544; U.S. Patent Application Publication No. 2015/0062366; U.S. Patent Application Publication No. 2015/0063215; U.S. Patent Application Publication No. 2015/0063676; U.S. Patent Application Publication No. 2015/0069130; U.S. Patent Application Publication No. 2015/0071819; U.S. Patent Application Publication No. 2015/0083800; U.S. Patent Application Publication No. 2015/0086114; U.S. Patent Application Publication No. 2015/0088522; U.S. Patent Application Publication No. 2015/0096872; U.S. Patent Application Publication No. 2015/0099557; U.S. Patent Application Publication No. 2015/0100196; U.S. Patent Application Publication No. 2015/0102109; U.S. Patent Application Publication No. 2015/0115035; U.S. Patent Application Publication No. 2015/0127791; U.S. Patent Application Publication No. 2015/0128116; U.S. Patent Application Publication No. 2015/0129659; U.S. Patent Application Publication No. 2015/0133047; U.S. Patent Application Publication No. 2015/0134470; U.S. Patent Application Publication No. 2015/0136851; U.S. Patent Application Publication No. 2015/0136854; U.S. Patent Application Publication No. 2015/0142492; U.S. Patent Application Publication No. 2015/0144692; U.S. Patent Application Publication No. 2015/0144698; U.S. Patent Application Publication No. 2015/0144701; U.S. Patent Application Publication No. 2015/0149946; U.S. Patent Application Publication No. 2015/0161429; U.S. Patent Application Publication No. 2015/0169925; U.S. Patent Application Publication No. 2015/0169929; U.S. Patent Application Publication No. 2015/0178523; U.S. Patent Application Publication No. 2015/0178534; U.S. Patent Application Publication No. 2015/0178535; U.S. Patent Application Publication No. 2015/0178536; U.S. Patent Application Publication No. 2015/0178537; U.S. Patent Application Publication No. 2015/0181093; U.S. Patent Application Publication No. 2015/0181109; U.S. patent application Ser. No. 13/367,978 for a Laser Scanning Module Employing an Elastomeric U-Hinge Based Laser Scanning Assembly, filed Feb. 7, 2012 (Feng et al.); U.S. patent application Ser. No. 29/458,405 for an Electronic Device, filed Jun. 19, 2013 (Fitch et al.); U.S. patent application Ser. No. 29/459,620 for an Electronic Device Enclosure, filed Jul. 2, 2013 (London et al.); U.S. patent application Ser. No. 29/468,118 for an Electronic Device Case, filed Sep. 26, 2013 (Oberpriller et al.); U.S. patent application Ser. No. 14/150,393 for Indicia-reader Having Unitary Construction Scanner, filed Jan. 8, 2014 (Colavito et al.); U.S. patent application Ser. No. 14/200,405 for Indicia Reader for Size-Limited Applications filed Mar. 7, 2014 (Feng et al.); U.S. patent application Ser. No. 14/231,898 for Hand-Mounted Indicia Reading Device with Finger Motion Triggering filed Apr. 1, 2014 (Van Horn et al.); U.S. patent application Ser. No. 29/486,759 for an Imaging Terminal, filed Apr. 2, 2014 (Oberpriller et al.); U.S. patent application Ser. No. 14/257,364 for Docking System and Method Using Near Field Communication filed Apr. 21, 2014 (Showering); U.S. patent application Ser. No. 14/264,173 for Autofocus Lens System for Indicia Readers filed Apr. 29, 2014 (Ackley et al.); U.S. patent application Ser. No. 14/277,337 for MULTIPURPOSE OPTICAL READER, filed May 14, 2014 (Jovanovski et al.); U.S. patent application Ser. No. 14/283,282 for TERMINAL HAVING ILLUMINATION AND FOCUS CONTROL filed May 21, 2014 (Liu et al.); U.S. patent application Ser. No. 14/327,827 for a MOBILE-PHONE ADAPTER FOR ELECTRONIC TRANSACTIONS, filed Jul. 10, 2014 (Hejl); U.S. patent application Ser. No. 14/334,934 for a SYSTEM AND METHOD FOR INDICIA VERIFICATION, filed Jul. 18, 2014 (Hejl); U.S. patent application Ser. No. 14/339,708 for LASER SCANNING CODE SYMBOL READING SYSTEM, filed Jul. 24, 2014 (Xian et al.); U.S. patent application Ser. No. 14/340,627 for an AXIALLY REINFORCED FLEXIBLE SCAN ELEMENT, filed Jul. 25, 2014 (Rueblinger et al.); U.S. patent application Ser. No. 14/446,391 for MULTIFUNCTION POINT OF SALE APPARATUS WITH OPTICAL SIGNATURE CAPTURE filed Jul. 30, 2014 (Good et al.); U.S. patent application Ser. No. 14/452,697 for

INTERACTIVE INDICIA READER, filed Aug. 6, 2014 (Todeschini); U.S. patent application Ser. No. 14/453,019 for DIMENSIONING SYSTEM WITH GUIDED ALIGNMENT, filed Aug. 6, 2014 (Li et al.); U.S. patent application Ser. No. 14/462,801 for MOBILE COMPUTING DEVICE WITH DATA COGNITION SOFTWARE, filed on Aug. 19, 2014 (Todeschini et al.); U.S. patent application Ser. No. 14/483,056 for VARIABLE DEPTH OF FIELD BARCODE SCANNER filed Sep. 10, 2014 (McCloskey et al.); U.S. patent application Ser. No. 14/513,808 for IDENTIFYING INVENTORY ITEMS IN A STORAGE FACILITY filed Oct. 14, 2014 (Singel et al.); U.S. patent application Ser. No. 14/519,195 for HANDHELD DIMENSIONING SYSTEM WITH FEEDBACK filed Oct. 21, 2014 (Laffargue et al.); U.S. patent application Ser. No. 14/519,179 for DIMENSIONING SYSTEM WITH MULTIPATH INTERFERENCE MITIGATION filed Oct. 21, 2014 (Thuries et al.); U.S. patent application Ser. No. 14/519,211 for SYSTEM AND METHOD FOR DIMENSIONING filed Oct. 21, 2014 (Ackley et al.); U.S. patent application Ser. No. 14/519,233 for HANDHELD DIMENSIONER WITH DATA-QUALITY INDICATION filed Oct. 21, 2014 (Laffargue et al.); U.S. patent application Ser. No. 14/519,249 for HANDHELD DIMENSIONING SYSTEM WITH MEASUREMENT-CONFORMANCE FEEDBACK filed Oct. 21, 2014 (Ackley et al.); U.S. patent application Ser. No. 14/527,191 for METHOD AND SYSTEM FOR RECOGNIZING SPEECH USING WILDCARDS IN AN EXPECTED RESPONSE filed Oct. 29, 2014 (Braho et al.); U.S. patent application Ser. No. 14/529,563 for ADAPTABLE INTERFACE FOR A MOBILE COMPUTING DEVICE filed Oct. 31, 2014 (Schoon et al.); U.S. patent application Ser. No. 14/529,857 for BARCODE READER WITH SECURITY FEATURES filed Oct. 31, 2014 (Todeschini et al.); U.S. patent application Ser. No. 14/398,542 for PORTABLE ELECTRONIC DEVICES HAVING A SEPARATE LOCATION TRIGGER UNIT FOR USE IN CONTROLLING AN APPLICATION UNIT filed Nov. 3, 2014 (Bian et al.); U.S. patent application Ser. No. 14/531,154 for DIRECTING AN INSPECTOR THROUGH AN INSPECTION filed Nov. 3, 2014 (Miller et al.); U.S. patent application Ser. No. 14/533,319 for BARCODE SCANNING SYSTEM USING WEARABLE DEVICE WITH EMBEDDED CAMERA filed Nov. 5, 2014 (Todeschini); U.S. patent application Ser. No. 14/535,764 for CONCATENATED EXPECTED RESPONSES FOR SPEECH RECOGNITION filed Nov. 7, 2014 (Braho et al.); U.S. patent application Ser. No. 14/568,305 for AUTO-CONTRAST VIEWFINDER FOR AN INDICIA READER filed Dec. 12, 2014 (Todeschini); U.S. patent application Ser. No. 14/573,022 for DYNAMIC DIAGNOSTIC INDICATOR GENERATION filed Dec. 17, 2014 (Goldsmith); U.S. patent application Ser. No. 14/578,627 for SAFETY SYSTEM AND METHOD filed Dec. 22, 2014 (Ackley et al.); U.S. patent application Ser. No. 14/580,262 for MEDIA GATE FOR THERMAL TRANSFER PRINTERS filed Dec. 23, 2014 (Bowles); U.S. patent application Ser. No. 14/590,024 for SHELVING AND PACKAGE LOCATING SYSTEMS FOR DELIVERY VEHICLES filed Jan. 6, 2015 (Payne); U.S. patent application Ser. No. 14/596,757 for SYSTEM AND METHOD FOR DETECTING BARCODE PRINTING ERRORS filed Jan. 14, 2015 (Ackley); U.S. patent application Ser. No. 14/416,147 for OPTICAL READING APPARATUS HAVING VARIABLE SETTINGS filed Jan. 21, 2015 (Chen et al.); U.S. patent application Ser. No. 14/614,706 for DEVICE FOR SUPPORTING AN ELECTRONIC TOOL ON A USER'S HAND filed Feb. 5, 2015 (Oberpriller et al.); U.S. patent application Ser. No. 14/614,796 for CARGO APPORTIONMENT TECHNIQUES filed Feb. 5, 2015 (Morton et al.); U.S. patent application Ser. No. 29/516,892 for TABLE COMPUTER filed Feb. 6, 2015 (Bidwell et al.); U.S. patent application Ser. No. 14/619,093 for METHODS FOR TRAINING A SPEECH RECOGNITION SYSTEM filed Feb. 11, 2015 (Pecorari); U.S. patent application Ser. No. 14/628,708 for DEVICE, SYSTEM, AND METHOD FOR DETERMINING THE STATUS OF CHECKOUT LANES filed Feb. 23, 2015 (Todeschini); U.S. patent application Ser. No. 14/630,841 for TERMINAL INCLUDING IMAGING ASSEMBLY filed Feb. 25, 2015 (Gomez et al.); U.S. patent application Ser. No. 14/635,346 for SYSTEM AND METHOD FOR RELIABLE STORE-AND-FORWARD DATA HANDLING BY ENCODED INFORMATION READING TERMINALS filed Mar. 2, 2015 (Sevier); U.S. patent application Ser. No. 29/519,017 for SCANNER filed Mar. 2, 2015 (Zhou et al.); U.S. patent application Ser. No. 14/405,278 for DESIGN PATTERN FOR SECURE STORE filed Mar. 9, 2015 (Zhu et al.); U.S. patent application Ser. No. 14/660,970 for DECODABLE INDICIA READING TERMINAL WITH COMBINED ILLUMINATION filed Mar. 18, 2015 (Kearney et al.); U.S. patent application Ser. No. 14/661,013 for REPROGRAMMING SYSTEM AND METHOD FOR DEVICES INCLUDING PROGRAMMING SYMBOL filed Mar. 18, 2015 (Soule et al.); U.S. patent application Ser. No. 14/662,922 for MULTIFUNCTION POINT OF SALE SYSTEM filed Mar. 19, 2015 (Van Horn et al.); U.S. patent application Ser. No. 14/663,638 for VEHICLE MOUNT COMPUTER WITH CONFIGURABLE IGNITION SWITCH BEHAVIOR filed Mar. 20, 2015 (Davis et al.); U.S. patent application Ser. No. 14/664,063 for METHOD AND APPLICATION FOR SCANNING A BARCODE WITH A SMART DEVICE WHILE CONTINUOUSLY RUNNING AND DISPLAYING AN APPLICATION ON THE SMART DEVICE DISPLAY filed Mar. 20, 2015 (Todeschini); U.S. patent application Ser. No. 14/669,280 for TRANSFORMING COMPONENTS OF A WEB PAGE TO VOICE PROMPTS filed Mar. 26, 2015 (Funyak et al.); U.S. patent application Ser. No. 14/674,329 for AIMER FOR BARCODE SCANNING filed Mar. 31, 2015 (Bidwell); U.S. patent application Ser. No. 14/676,109 for INDICIA READER filed Apr. 1, 2015 (Huck); U.S. patent application Ser. No. 14/676,327 for DEVICE MANAGEMENT PROXY FOR SECURE DEVICES filed Apr. 1, 2015 (Yeakley et al.); U.S. patent application Ser. No. 14/676,898 for NAVIGATION SYSTEM CONFIGURED TO INTEGRATE MOTION SENSING DEVICE INPUTS filed Apr. 2, 2015 (Showering); U.S. patent application Ser. No. 14/679,275 for DIMENSIONING SYSTEM CALIBRATION SYSTEMS AND METHODS filed Apr. 6, 2015 (Laffargue et al.); U.S. patent application Ser. No. 29/523,098 for HANDLE FOR A TABLET COMPUTER filed Apr. 7, 2015 (Bidwell et al.); U.S. patent application Ser. No. 14/682,615 for SYSTEM AND METHOD FOR POWER MANAGEMENT OF MOBILE DEVICES filed Apr. 9, 2015 (Murawski et al.); U.S. patent application Ser. No. 14/686,822 for MULTIPLE PLATFORM SUPPORT SYSTEM AND METHOD filed Apr. 15, 2015 (Qu et al.); U.S. patent application Ser. No. 14/687,289 for SYSTEM FOR COMMUNICATION VIA A PERIPHERAL HUB filed Apr. 15, 2015 (Kohtz et al.); U.S. patent application Ser. No. 29/524,186 for SCANNER filed Apr. 17, 2015 (Zhou et al.); U.S. patent application Ser. No. 14/695,364 for MEDICATION MANAGEMENT SYSTEM filed Apr. 24, 2015 (Sewell et al.); U.S. patent application Ser. No. 14/695,923 for SECURE UNATTENDED NETWORK AUTHENTICATION filed Apr. 24, 2015 (Kubler et al.); U.S. patent application Ser. No. 29/525,068 for TABLET COMPUTER WITH REMOVABLE SCANNING DEVICE filed Apr. 27, 2015 (Schulte et al.); U.S. patent application Ser. No. 14/699,436 for SYMBOL READING SYSTEM HAVING PREDICTIVE DIAGNOSTICS filed Apr. 29, 2015 (Nahill et al.); U.S. patent application Ser. No. 14/702,110 for SYSTEM AND METHOD FOR REGULATING BARCODE DATA INJECTION INTO A RUNNING APPLICATION ON A SMART DEVICE filed May 1, 2015 (Todeschini et al.); U.S. patent application Ser. No. 14/702,979 for TRACKING BATTERY CONDITIONS filed May 4, 2015 (Young et al.); U.S. patent application Ser. No. 14/704,050 for INTERMEDIATE LINEAR POSITIONING filed May 5, 2015 (Charpentier et al.); U.S. patent application Ser. No. 14/705,012 for HANDS-FREE HUMAN MACHINE INTERFACE RESPONSIVE TO A DRIVER OF A VEHICLE filed May 6, 2015 (Fitch et al.); U.S. patent application Ser. No. 14/705,407 for METHOD AND SYSTEM TO PROTECT SOFTWARE-BASED NETWORK-CONNECTED DEVICES FROM ADVANCED PERSISTENT THREAT filed May 6, 2015 (Hussey et al.); U.S. patent application Ser. No. 14/707,037 for SYSTEM AND METHOD FOR DISPLAY OF INFORMATION USING A VEHICLE-MOUNT COMPUTER filed May 8, 2015 (Chamberlin); U.S. patent application Ser. No. 14/707,123 for APPLICATION INDEPENDENT DEX/UCS INTERFACE filed May 8, 2015 (Pape); U.S. patent application Ser. No. 14/707,492 for METHOD AND APPARATUS FOR READING OPTICAL INDICIA USING A PLURALITY OF DATA SOURCES filed May 8, 2015 (Smith et al.); U.S. patent application Ser. No. 14/710,666 for PRE-PAID USAGE SYSTEM FOR ENCODED INFORMATION READING TERMINALS filed May 13, 2015 (Smith); U.S. patent application Ser. No. 29/526,918 for CHARGING BASE filed May 14, 2015 (Fitch et al.); U.S. patent application Ser. No. 14/715,672 for AUGMENTED REALITY ENABLED HAZARD DISPLAY filed May 19, 2015 (Venkatesha et al.); U.S. patent application Ser. No. 14/715,916 for EVALUATING IMAGE VALUES filed May 19, 2015 (Ackley); U.S. patent application Ser. No. 14/722,608 for INTERACTIVE USER INTERFACE FOR CAPTURING A DOCUMENT IN AN IMAGE SIGNAL filed May 27, 2015 (Showering et al.); U.S. patent application Ser. No. 29/528,165 for IN-COUNTER BARCODE SCANNER filed May 27, 2015 (Oberpriller et al.); U.S. patent application Ser. No. 14/724,134 for ELECTRONIC DEVICE WITH WIRELESS PATH SELECTION CAPABILITY filed May 28, 2015 (Wang et al.); U.S. patent application Ser. No. 14/724,849 for METHOD OF PROGRAMMING THE DEFAULT CABLE INTERFACE SOFTWARE IN AN INDICIA READING DEVICE filed May 29, 2015 (Barten); U.S. patent application Ser. No. 14/724,908 for IMAGING APPARATUS HAVING

IMAGING ASSEMBLY filed May 29, 2015 (Barber et al.); U.S. patent application Ser. No. 14/725,352 for APPARATUS AND METHODS FOR MONITORING ONE OR MORE PORTABLE DATA TERMINALS (Caballero et al.); U.S. patent application Ser. No. 29/528,590 for ELECTRONIC DEVICE filed May 29, 2015 (Fitch et al.); U.S. patent application Ser. No. 29/528,890 for MOBILE COMPUTER HOUSING filed Jun. 2, 2015 (Fitch et al.); U.S. patent application Ser. No. 14/728,397 for DEVICE MANAGEMENT USING VIRTUAL INTERFACES CROSS-REFERENCE TO RELATED APPLICATIONS filed Jun. 2, 2015 (Caballero); U.S. patent application Ser. No. 14/732,870 for DATA COLLECTION MODULE AND SYSTEM filed Jun. 8, 2015 (Powilleit); U.S. patent application Ser. No. 29/529,441 for INDICIA READING DEVICE filed Jun. 8, 2015 (Zhou et al.); U.S. patent application Ser. No. 14/735,717 for INDICIA-READING SYSTEMS HAVING AN INTERFACE WITH A USER'S NERVOUS SYSTEM filed Jun. 10, 2015 (Todeschini); U.S. patent application Ser. No. 14/738,038 for METHOD OF AND SYSTEM FOR DETECTING OBJECT WEIGHING INTERFERENCES filed Jun. 12, 2015 (Amundsen et al.); U.S. patent application Ser. No. 14/740,320 for TACTILE SWITCH FOR A MOBILE ELECTRONIC DEVICE filed Jun. 16, 2015 (Bandringa); U.S. patent application Ser. No. 14/740,373 for CALIBRATING A VOLUME DIMENSIONER filed Jun. 16, 2015 (Ackley et al.); U.S. patent application Ser. No. 14/742,818 for INDICIA READING SYSTEM EMPLOYING DIGITAL GAIN CONTROL filed Jun. 18, 2015 (Xian et al.); U.S. patent application Ser. No. 14/743,257 for WIRELESS MESH POINT PORTABLE DATA TERMINAL filed Jun. 18, 2015 (Wang et al.); U.S. patent application Ser. No. 29/530,600 for CYCLONE filed Jun. 18, 2015 (Vargo et al.); U.S. patent application Ser. No. 14/744,633 for IMAGING APPARATUS COMPRISING IMAGE SENSOR ARRAY HAVING SHARED GLOBAL SHUTTER CIRCUITRY filed Jun. 19, 2015 (Wang); U.S. patent application Ser. No. 14/744,836 for CLOUD-BASED SYSTEM FOR READING OF DECODABLE INDICIA filed Jun. 19, 2015 (Todeschini et al.); U.S. patent application Ser. No. 14/745,006 for SELECTIVE OUTPUT OF DECODED MESSAGE DATA filed Jun. 19, 2015 (Todeschini et al.); U.S. patent application Ser. No. 14/747,197 for OPTICAL PATTERN PROJECTOR filed Jun. 23, 2015 (Thuries et al.); U.S. patent application Ser. No. 14/747,490 for DUAL-PROJECTOR THREE-DIMENSIONAL SCANNER filed Jun. 23, 2015 (Jovanovski et al.); and U.S. patent application Ser. No. 14/748,446 for CORDLESS INDICIA READER WITH A MULTIFUNCTION COIL FOR WIRELESS CHARGING AND EAS DEACTIVATION, filed Jun. 24, 2015 (Xie et al.).

(177) In the specification and/or figures, typical embodiments of the invention have been disclosed. The present invention is not limited to such exemplary embodiments. The use of the term “and/or” includes any and all combinations of one or more of the associated listed items. The figures are schematic representations and so are not necessarily drawn to scale. Unless otherwise noted, specific terms have been used in a generic and descriptive sense and not for purposes of limitation.

(178) The foregoing detailed description has set forth various embodiments of the devices and/or processes via the use of block diagrams, flow charts, schematics, exemplary data structures, and examples. Insofar as such block diagrams, flow charts, schematics, exemplary data structures, and examples contain one or more functions and/or operations, it will be understood by those skilled in the art that each function and/or operation within such block diagrams, flowcharts, schematics, exemplary data structures, or examples can be implemented, individually and/or collectively, by a wide range of hardware, software, firmware, or virtually any combination thereof.

(179) In one embodiment, the present subject matter may be implemented via Application Specific Integrated Circuits (ASICs). However, those skilled in the art will recognize that the embodiments disclosed herein, in whole or in part, can be equivalently implemented in standard integrated circuits, as one or more computer programs running on one or more computers (e.g., as one or more programs running on one or more computer systems), as one or more programs running on one or more controllers (e.g., microcontrollers) as one or more programs running on one or more processors (e.g., microprocessors), as firmware, or as virtually any combination thereof, and that designing the circuitry and/or writing the code for the software and/or firmware would be well within the skill of one of ordinary skill in the art in light of this disclosure.

(180) In addition, those skilled in the art will appreciate that the control mechanisms taught herein are capable of being distributed as a program product in a variety of tangible forms, and that an illustrative embodiment applies equally regardless of the particular type of tangible instruction bearing media used to actually carry out the distribution. Examples of tangible instruction bearing media include, but are not limited to, the following: recordable type media such as floppy disks, hard disk drives, CD ROMs, digital tape, flash drives, and computer memory.

(181) The various embodiments described above can be combined to provide further embodiments. These and other changes can be made to the present systems and methods in light of the above-detailed description. In general, in the following claims, the terms used should not be construed to limit the invention to the specific embodiments disclosed in the specification and the claims, but should be construed to include all voice-recognition systems that read in accordance with the claims. Accordingly, the invention is not limited by the disclosure, but instead its scope is to be determined entirely by the following claims.

Claims

1. A method of speech recognition for use in warehouse picking operations, the method comprising: receiving, at a microphone of a speech cognition device (SRD), an audio input, wherein the audio input is related to a confirmation phrase uttered in response to an instruction to pick an item; identifying, via a hardware processor of the SRD communicatively coupled with the microphone, a vocalization in the received audio input; classifying, via the hardware processor, a portion of the identified vocalization based on a machine learning model trained to understand input natural language, wherein the portion of the identified vocalization is classified as at least one of a user speech or a background speech; in an instance in which the portion of the identified vocalization is classified as the user speech; processing, via the hardware processor the portion of the identified vocalization. and generating, via the hardware processor, at least one of words or phrases related to the warehouse picking operations, and in an instance in which the portion of the identified vocalization is classified as the background speech, filtering via the hardware processor the portion of the identified vocalization.

2. The method of claim 1, wherein the machine learning model is at least one of a neural network system, a support vector machine, or an inductive logic system.

3. The method of claim 1, wherein the confirmation phrase is at least one of a confirmation of a recognition of a prompt, a confirmation of a completion of a task, or a confirmation of an identification of at least of a location and an object.

4. The method of claim 1, wherein the microphone is mounted on a headset and is configured for use in a warehouse environment.

5. The method of claim 1, wherein the machine learning model is trained based on a training corpus comprising at least one word or phrase related to the warehouse picking operations.

6. The method of claim 5, wherein the machine learning model is trained based on the training corpus and the audio input received during the warehouse picking operations.

7. A speech recognition device (SRD) for use in warehouse picking operations comprising: a microphone; at least one processor; and at least one memory including computer program code, the at least one memory and the computer program code configured to, with the at least one processor, cause the SRD to at least: receive, at the microphone of the SRD, an audio input, wherein the audio input is related to a confirmation phrase uttered in response to an instruction to pick an item; identify a vocalization in the received audio input; classify a portion of the identified vocalization based on a machine learning model trained to understand input natural language, wherein the portion of the identified vocalization is classified as at least one of a user speech or a background speech; in an instance in which the portion of the identified vocalization is classified as the user speech; process the portion of the identified vocalization, and generate at least one of words or phrases related to the warehouse picking operations; and in an instance in which the portion of the identified vocalization is classified as the background speech, filter the portion of the identified vocalization.

8. The SRD of claim 7, wherein the machine learning model is at least one of a neural network system, a support vector machine, or an inductive

logic system and wherein the machine learning model is trained to distinguish the user speech from the background speech.

9. The SRD of claim 7, wherein the confirmation phrase is at least one of a confirmation of a recognition of a prompt, a confirmation of a completion of a task, or a confirmation of an identification of at least of a location and an object.

10. The SRD of claim 7, further comprising a headset, wherein the microphone is mounted on the headset and is configured for use in a warehouse environment.

11. The SRD of claim 7, wherein the machine learning model is trained based on a training corpus comprising at least one word or phrase related to the warehouse picking operations.

12. The SRD of claim 11, wherein the machine learning model is trained based on the training corpus and the audio input received during the warehouse picking operations.

13. A method of speech recognition for use in warehouse picking operations, the method comprising: receiving, at a microphone of a speech recognition device (SRD), an audio input, wherein at least a portion of the audio input is related to a confirmation phrase uttered in response to an instruction to pick an item; identifying, via a hardware processor of the SRD communicatively coupled with the microphone, a vocalization in the received audio input; classifying, via the hardware processor, the portion of the identified vocalization based on a machine learning model trained to understand input natural language, wherein the portion of the identified vocalization is classified as at least one of a user speech, an environmental noise, or a background speech; in an instance in which the portion of the identified vocalization is classified as the user speech; processing, via the hardware processor, the portion of the identified vocalization. and generating, via the hardware processor, at least one of words or phrases related to the warehouse picking operations; in an instance in which the portion of the identified vocalization is classified as the background speech, filtering, via the hardware processor, the portion of the identified vocalization; and in an instance in which the portion of the identified vocalization is classified as the environmental noise, filtering, via the hardware processor, the portion of the identified vocalization.

14. The method of claim 13, wherein the machine learning model is at least one of a neural network system, a support vector machine, or an inductive logic system.

15. The method of claim 13, wherein the confirmation phrase is at least one of a confirmation of a recognition of a prompt, a confirmation of a completion of a task, or a confirmation of an identification of at least of a location and an object.

16. The method of claim 13, wherein the microphone is mounted on a headset and is configured for use in a warehouse environment.

17. The method of claim 13, wherein the environmental noise comprises at least one of an operation of a vehicle in a warehouse or a movement of pallets in the warehouse.

18. The method of claim 13, wherein the machine learning model is trained based on a training corpus comprising at least one word or phrase related to the warehouse picking operations.
