



US0D1090325S

(12) **United States Design Patent**
Joshi

(10) **Patent No.: US D1,090,325 S**

(45) **Date of Patent: ** Aug. 26, 2025**

(54) **ADJUSTABLE RING**

(71) Applicant: **Jewelex New York, Ltd.**, New York,
NY (US)

(72) Inventor: **Shashikant Dhaku Joshi**, Thane (IN)

(73) Assignee: **Jewelex New York, Ltd.**, New York,
NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/798,819**

(22) Filed: **Jul. 10, 2021**

(51) **LOC (15) Cl.** **11-01**

(52) **U.S. Cl.**

USPC **D11/86; D11/26**

(58) **Field of Classification Search**

USPC D11/1, 3, 4, 26-39, 91, 92, 86, 87

CPC A44C 9/00; A44C 9/0007; A44C 9/0015;

A44C 9/0023; A44C 9/003; A44C

9/0038; A44C 9/0046; A44C 9/0053;

A44C 9/0061; A44C 9/0069; A44C

9/0076; A44C 9/0084; A44C 9/0092;

A44C 9/02; A44C 1/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

135,712 A * 2/1873 Jenks A45C 11/324
63/11
300,286 A * 6/1884 Salisbury A44C 5/12
224/174
1,152,340 A * 8/1915 Obsbourn A44C 9/00
63/29.1
1,754,392 A * 4/1930 Levin A44C 9/02
63/15.6
1,809,045 A * 6/1931 Kraft A44C 9/02
63/15.6
D163,451 S * 5/1951 Fass D11/4

2,817,219 A * 12/1957 Campbell A44C 9/02
D11/86

3,221,514 A * 12/1965 Newman A44C 9/02
D11/27

3,423,956 A * 1/1969 Manne A44C 9/0046
63/15.65

4,471,634 A * 9/1984 Kaplan A44C 9/02
63/15.6

4,991,409 A * 2/1991 Creates A44C 9/0046
63/15.7

5,131,243 A * 7/1992 Coleman A44C 9/02
63/15.5

5,636,531 A * 6/1997 Miller A44C 9/02
63/15.7

6,192,708 B1 * 2/2001 Mitchell A44C 9/02
63/15

6,672,105 B1 * 1/2004 Sills A44C 9/02
63/15.5

(Continued)

Primary Examiner — Melanie Pellegrini

(74) *Attorney, Agent, or Firm* — Andrew F. Young, ESQ;
NOLTE LACKENBACH SIEGEL

(57)

CLAIM

The ornamental design for an adjustable ring as shown and
described.

DESCRIPTION

FIG. 1 is rear, top, perspective view of an adjustable ring
showing my new design.

FIG. 2 is a front, bottom, perspective view thereof.

FIG. 3 is a left side elevation view thereof.

FIG. 4 is a right side elevation view thereof.

FIG. 5 is a top plan view thereof.


FIG. 6 is a bottom plan view thereof.

FIG. 7 is a front elevation view thereof; and,

FIG. 8 is a rear elevation view thereof.

The dash-dash broken lines indicate portions that form no
part of the claimed design. No claim is made to portions
which are not shown.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D491,835	S *	6/2004	Death	D11/86
D530,237	S *	10/2006	Low	D11/26
D560,135	S *	1/2008	Kohl	D11/26
7,571,623	B2 *	8/2009	Kretchmer	A44C 5/22
				63/3.1
D600,585	S *	9/2009	Fox	D11/26
D719,053	S *	12/2014	Nisguretsky	D11/86
D843,872	S *	3/2019	Swart	D10/65
D862,278	S	10/2019	Joshi	
D862,279	S	10/2019	Joshi	
D863,099	S	10/2019	Joshi	
D866,385	S	11/2019	Joshi	
D966,927	S *	10/2022	Liu	D11/86
D1,015,926	S *	2/2024	Shinde	D11/86
D1,031,423	S *	6/2024	Swart	D11/26
D1,067,110	S *	3/2025	Zheng	D11/86
2002/0178749	A1 *	12/2002	Katano	A44C 9/02
				63/15.7
2003/0177787	A1 *	9/2003	Kuo	A44C 9/0046
				63/15.45
2007/0137249	A1 *	6/2007	Czajka	A44C 9/02
				63/15.6
2015/0121958	A1 *	5/2015	Murray	A44C 9/0023
				63/15.1
2015/0296932	A1 *	10/2015	Escobar	A44C 9/00
				63/15
2019/0014869	A1 *	1/2019	Yep	A44C 9/0084

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8