



US0D1090654S

(12) **United States Design Patent**
Stojanovski et al.

(10) **Patent No.:** **US D1,090,654 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **ROBOT ARM ATTACHMENT**

(71) Applicants: **Dimitrije Stojanovski**, Shelby
Township, MI (US); **Marino Difelice**,
Shelby Township, MI (US)

(72) Inventors: **Dimitrije Stojanovski**, Shelby
Township, MI (US); **Marino Difelice**,
Shelby Township, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/859,657**

(22) Filed: **Nov. 11, 2022**

(51) **LOC (15) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/199**

(58) **Field of Classification Search**
USPC D15/122, 199, 138, 145; D21/578;
D34/34
CPC B25J 9/1674; B25J 9/1697; B25J 13/089;
B25J 13/086; B25J 13/08; B25J 19/06;
B25J 19/021; B25J 13/006; B25J 5/007;
G05D 1/0022; G05D 1/0248; Y10S
901/01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,759 S * 2/1985 Coleman D15/138
5,069,524 A * 12/1991 Watanabe H01R 13/625
385/59
5,515,599 A * 5/1996 Best B23Q 1/5481
29/792
6,060,853 A * 5/2000 Rongo B25J 19/02
901/46
D510,585 S * 10/2005 Robinson D15/138
D609,259 S * 2/2010 Mortimer D15/199
D719,990 S * 12/2014 Manwaring D15/138
D783,695 S * 4/2017 Ke D15/199

D807,416 S * 1/2018 Du D15/138
D809,041 S * 1/2018 Zhang D24/138
D818,019 S * 5/2018 Huang D15/199
D827,005 S * 8/2018 Huang D15/199
D827,006 S * 8/2018 Lin D15/199
D839,332 S * 1/2019 Bailey D15/199
D881,962 S * 4/2020 Lundbäck D15/199
D883,351 S * 5/2020 Sansfaçon D15/199
D991,301 S * 7/2023 Bloem D15/199
12,103,180 B2 * 10/2024 Sansfaçon H02P 6/16

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1638712 * 7/2022
TW 201213072 A * 4/2012

Primary Examiner — Patricia A Palasik

(57) **CLAIM**

The ornamental design for a robot arm attachment, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a robot arm attachment according to the new design.

FIG. 2 is a back perspective view thereof.

FIG. 3 is a right side perspective view thereof.

FIG. 4 is a left side perspective view thereof.

FIG. 5 is a top perspective view thereof.

FIG. 6 is another top perspective view thereof.

FIG. 7 is a bottom perspective view thereof.

FIG. 8 is a top elevation view thereof.

FIG. 9 is a bottom elevation view thereof.

FIG. 10 is a Front elevation view thereof.


FIG. 11 is a back elevation view thereof.

FIG. 12 is a side elevation view, thereof; and,

FIG. 13 is a side elevation view, rotated 90° to the left, thereof.

Dotted lines in the drawings are portions of the robot arm assembly which form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0014929	A1 *	1/2010	Stojanovski		B23B 27/007	83/13
2011/0067514	A1 *	3/2011	Long		B25J 9/047	74/420
2011/0154935	A1 *	6/2011	Liu		B25J 17/0283	74/490.04
2011/0259137	A1 *	10/2011	Long		B25J 17/0258	901/26
2012/0103125	A1 *	5/2012	Liu		B25J 19/0025	901/19
2012/0103127	A1 *	5/2012	Liu		B25J 17/0283	74/423
2013/0068061	A1 *	3/2013	Yoon		B25J 18/02	901/25
2013/0125690	A1 *	5/2013	Long		B25J 9/0024	74/423
2014/0116182	A1 *	5/2014	Long		B25J 17/0291	74/490.04
2018/0168592	A1 *	6/2018	Overmyer		A61B 17/07207	
2021/0022760	A1 *	1/2021	Traina		A61B 34/35	
2021/0378773	A1 *	12/2021	Heiliger		A61B 34/30	

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

