



US0D1093188S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,093,188 S**
Tsurumi (45) **Date of Patent:** **** Sep. 16, 2025**

(54) **FIRE DETECTOR**

1/00; G01K 1/02; G01K 11/06; G01K
3/005; G01K 3/10; G01K 7/24; G01K
7/25

(71) Applicant: **HOCHIKI CORPORATION**, Tokyo
(JP)

See application file for complete search history.

(72) Inventor: **Hayato Tsurumi**, Tokyo (JP)

(56) **References Cited**

(73) Assignee: **Hochiki Corporation**, Tokyo (JP)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D377,321 S * 1/1997 Tomizawa D10/52
D391,185 S * 2/1998 Tomizawa D10/106.5
D426,482 S * 6/2000 Sakurai D10/106.5
D450,008 S * 11/2001 Sakurai D10/106.5
D664,875 S * 8/2012 Sun D10/106.5
D665,288 S * 8/2012 Sun D10/106.5
D715,170 S * 10/2014 Brigham D10/106.5
D715,171 S * 10/2014 Brigham D10/106.5
D812,506 S * 3/2018 Kalyan D10/106.5
D849,580 S * 5/2019 Arikawa D10/106.5
D871,245 S * 12/2019 Arikawa D10/106.5

(21) Appl. No.: **29/967,241**

(22) Filed: **Oct. 9, 2024**

(30) **Foreign Application Priority Data**

Aug. 29, 2024 (JP) 2024-17873

(51) **LOC (15) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106.5**

(58) **Field of Classification Search**

USPC D10/106.2, 106.5
CPC G08B 17/113; G08B 17/06; G08B 17/107;
G08B 17/10; G08B 17/12; G08B 17/00;
G08B 29/145; G08B 29/183; G08B
17/103; G08B 17/11; G08B 29/043;
G08B 17/04; G08B 29/24; G08B 25/002;
G08B 17/117; G08B 29/188; G08B
17/125; G08B 29/26; G08B 29/20; G08B
29/22; G08B 17/02; G08B 25/10; G08B
29/181; G08B 29/185; G08B 25/001;
G08B 25/003; G08B 29/02; G08B 29/14;
G08B 25/04; G08B 29/046; G08B 5/36;
G08B 7/066; G08B 13/183; G08B 19/00;
G08B 21/12; G08B 21/182; G08B
25/008; G08B 25/14; G08B 26/001;
G08B 29/04; G08B 29/123; G08B 31/00;
G08B 7/06; G08B 1/02; G08B 17/005;
G08B 25/004; G08B 25/009; G08B
26/00; G08B 29/06; G08B 7/062; G01K
5/62; G01K 7/00; G01K 7/38; G01K

* cited by examiner

Primary Examiner — George D. Kirschbaum

(74) *Attorney, Agent, or Firm* — Andrew F. Young, Esq.;
NOLTE LACKENBACH SIEGEL

(57) **CLAIM**

The ornamental design for fire detector as shown and
described.

DESCRIPTION

FIG. 1 is a front, top perspective view of a fire detector
showing our my design.

FIG. 2 is a top plan view thereof.


FIG. 3 is a bottom plan view thereof.

FIG. 4 is a right side view thereof, the left side being a mirror
image thereof; and,

FIG. 5 is a front elevation view thereof, the rear elevation
view being a mirror image thereof.

The dash-dash lines illustrate unclaimed environmental mat-
ter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5