



US0D1093331S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,093,331 S**
Sari et al. (45) **Date of Patent:** **** Sep. 16, 2025**

(54) **INTERCOMMUNICATION DEVICE**

(71) Applicant: **Axis AB**, Lund (SE)

(72) Inventors: **Alexander Sari**, Lund (SE); **Ilhan Veli**,
Lund (SE); **Hedvig Sannar**, Lund (SE);
Henrik Tengqvist, Lund (SE); **Johan**
Larsson, Lund (SE); **Mårten Karlsson**,
Lund (SE); **Mariano Vozzi**, Lund (SE);
Jonas Sjögren, Lund (SE); **Dan**
Carlberg, Lund (SE); **Sebastian**
Engwall, Lund (SE)

(73) Assignee: **Axis AB**, Lund (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/963,819**

(22) Filed: **Sep. 19, 2024**

(30) **Foreign Application Priority Data**

Apr. 12, 2024 (EM) 015057448-0003

(51) **LOC (15) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/159**

(58) **Field of Classification Search**

USPC D14/302–307, 900–902, 159; D13/163;
D20/10; D21/332, 325, 369, 370;
D99/28; D6/397, 466; 194/206;
361/679.01, 679.02, 679.04, 679.21,
361/679.57, 725
CPC G06Q 20/18; G06Q 20/10; G06Q 20/123;
G06Q 20/20; G06Q 30/02; G06Q 30/06;
A47F 9/047

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D519,100 S * 4/2006 Shioya D14/159
D577,985 S 10/2008 Kidman

D761,756 S * 7/2016 Michielan D14/159
D820,804 S * 6/2018 Nagatsuka D14/159
D820,805 S * 6/2018 Nagatsuka D14/159
D848,392 S * 5/2019 Zeng D14/159
D876,382 S * 2/2020 Hong D14/137
D918,079 S * 5/2021 Scalisi D10/118.2
D941,794 S * 1/2022 Meyerhoffer D14/159
D991,897 S * 7/2023 Erlandsen D14/159

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306391356 S 3/2021
CN 306794905 S 8/2021

(Continued)

OTHER PUBLICATIONS

Notice of Allowance and Search Report from Taiwanese Applica-
tion No. 113305112 mailed on Mar. 28, 2025, 9 pages.

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP

(57)

CLAIM

The ornamental design for a intercommunication device, as
shown and described.

DESCRIPTION

FIG. 1 is a front, left, top perspective view of an intercom-
munication device showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines in the drawings illustrate portions of the
intercommunication device that form no part of the claimed
design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,009,597 S 1/2024 Ni
D1,055,885 S * 12/2024 Sjögren D14/159

FOREIGN PATENT DOCUMENTS

CN 307913316 S 3/2023
TW D202312 S 1/2020

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7