



US0D1093772S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,093,772 S**
Luo (45) **Date of Patent:** **** Sep. 16, 2025**

(54) **TRANSMITTER**

(71) Applicant: **SHENZHEN WELLTURN TECHNOLOGY CO., LTD**, Shenzhen (CN)

(72) Inventor: **Xingsheng Luo**, Shenzhen (CN)

(73) Assignee: **SHENZHEN WELLTURN TECHNOLOGY CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/952,862**

(22) Filed: **Jul. 18, 2024**

(30) **Foreign Application Priority Data**

Jul. 11, 2024 (CN) 202430433805.X

(51) **LOC (15) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199; D10/104.1**

(58) **Field of Classification Search**
USPC D30/151–155, 144, 199, 160;
119/792–798, 850, 855–859, 863–865,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D683,915 S * 6/2013 So D30/152
D706,500 S * 6/2014 Hu D30/152
(Continued)

OTHER PUBLICATIONS

Wellturn Technology AEZ brand Wireless Dog Fence System, May 27, 2025, https://www.amazon.com/AEZ-Wireless-Electric-Waterproof-Rechargeable/dp/B0F9YRTXF2/ref=sr_1_6.*

(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Birchwood IP

(57) **CLAIM**

The ornamental design for a transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a front, right and top perspective view in the used configuration with the two parts assembled together of a transmitter, showing my new design;

FIG. 2 is a front, right and top perspective view of a first component of the transmitter;

FIG. 3 is a rear, left and bottom perspective view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof; and

FIG. 10 is an enlarged detail view of portion 9 encircled in FIG. 2.

FIG. 11 is a front, right and top perspective view of a second component of the transmitter, showing my new design;

FIG. 12 is a rear, left and bottom perspective view thereof;

FIG. 13 is a front view thereof;

FIG. 14 is a rear view thereof;

FIG. 15 is a left side view thereof;

FIG. 16 is a right side view thereof;


FIG. 17 is a top plan view thereof; and,

FIG. 18 is a bottom plan view thereof.

The broken lines shown in the drawings illustrate portions of the transmitter that form no part of the claimed design.

The dot-dash broken lines depict the boundaries of the enlargements that form no part of the claimed design.

1 Claim, 18 Drawing Sheets



(58) **Field of Classification Search**

USPC 119/654, 905, 907, 815, 712, 802, 784,
 119/769, 760, 776, 862, 908, 860,
 119/719-721; 242/381.1-381.2, 385.4,
 242/378.3, 376.1, 385.1, 916, 601, 570,
 242/405, 404, 371, 223, 170, 388.1,
 242/405.2, 377, 381.3, 381.6, 405.3, 388,
 242/6, 384.7, 382, 396.1, 404.1, 380;
 362/108; 33/767, 769, 414; D12/400;
 D3/229, 230, 207, 208, 215; 40/1.5, 455,
 40/640, 303; 206/63.3, 459.5, 702, 408;
 D6/515; D8/358, 360, 347, 360.1, 359,
 D8/356, DIG. 1; D24/145, 167, 186, 146,
 D24/169; D10/57, 72, 106.1, 104.1,
 D10/104.2, 109.2, 70, 97, 98, 78, 65;
 D20/28; 224/666, 678; 16/445; 283/74,
 283/70; D11/232, 200, 216, 1, 2, 86, 87,
 D11/201, 206-210, 212-215, 218;
 24/163 K, 122.3, 323, 702, 600.4-600.7,
 24/163 R, 169-171, 173, 177-179, 191,
 24/194, 195, 197, 200, 303, 616, 635,
 24/313, 615, 3, 6, 3 K, 599.2, 96, 221,
 24/237, 311, 312, 314, 321, 338, 339,
 24/309; 428/3, 4; 54/76, 1, 71; 63/29.1,
 63/3; 191/12.2 R, 12.4; D13/154, 153,
 D13/137.4, 155, 103, 168; D19/69, 67;
 379/438; 446/26; 473/576; D22/140;
 174/135; 439/504, 13, 501; D34/33;
 188/83, 82.1, 65.1; 254/134.3 FT;
 D29/124; D2/627, 624, 633, 625;
 132/145, 146, 148; 2/314; 59/79.1;
 340/573.3, 573.1, 573, 573.4,
 340/539.13-539.19; 343/895;
 278/8 AES; 231/7; 361/232; D14/344,
 D14/341, 137, 155, 496, 203.5, 203.3,
 D14/144, 218, 188, 216, 1, 92;
 342/357.51, 357.57, 357.52, 357.55;
 455/100, 352, 456.1, 550.1; 315/291
 CPC A01K 15/021; A01K 15/02; A01K 15/022;
 A01K 15/023; A01K 15/029; A01K
 15/04; A01K 15/00; A01K 15/006; A01K

12/022; A01K 27/009; A01K 27/00;
 A01K 27/001; A01K 27/006-008; A01K
 29/005; A01K 29/00; A61B 5/0002-0028;
 A61B 5/681; A61B 5/6822; A61B
 5/6824; A61B 5/6829

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D798,003	S	*	9/2017	Dong		D30/199
D811,016	S	*	2/2018	Liu		D10/104.1
D819,280	S	*	5/2018	Li		D30/152
D822,921	S	*	7/2018	Wen		D30/199
D879,390	S	*	3/2020	Cai		D10/104.1
D890,456	S	*	7/2020	Dai		D30/199
D925,143	S	*	7/2021	Jia		D10/104.1
D926,396	S	*	7/2021	Jia		D10/104.1
D938,669	S	*	12/2021	Jia		D10/104.1
D964,667	S	*	9/2022	Mo		D10/104.1
D965,925	S	*	10/2022	Zhu		D10/104.1
D966,633	S	*	10/2022	Jia		D10/104.1
D973,979	S	*	12/2022	Zhong		D30/152
D977,765	S	*	2/2023	Zhang		D30/199
D977,766	S	*	2/2023	Jia		D30/199
D983,468	S	*	4/2023	Zhu		D10/104.1
D987,915	S	*	5/2023	Luo		D10/104.1
D1,010,952	S	*	1/2024	Yu		D10/104.1
D1,010,953	S	*	1/2024	Yu		D10/104.1
D1,076,283	S	*	5/2025	Zhang		D30/199
D1,082,182	S	*	7/2025	Wen		D10/104.1
D1,085,584	S	*	7/2025	Li		D10/104.1
2020/0015456	A1	*	1/2020	Van Curen		A01K 15/022

OTHER PUBLICATIONS

Dotstar Wireless Dog Fence Training System, Mar. 14, 2025,
https://www.amazon.com/Wireless-Automatic-Voice-Activated-Contatiner-Waterproof/dp/B0F1FT22RN/ref=sr_1_9.*
 Bousnic Dog Training Collar Set, 2022, https://www.amazon.com/Bousnic-Shock-Collar-Dogs-5-120Lbs/dp/B0BCFKDK13/ref=sr_1_2_ssp.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18