



US012383587B2

(12) **United States Patent**
Choi et al.

(10) **Patent No.:** **US 12,383,587 B2**

(45) **Date of Patent:** **Aug. 12, 2025**

(54) **AAV TRIPLE-PLASMID SYSTEM**

(71) Applicant: **TAKEDA PHARMACEUTICAL COMPANY LIMITED**, Osaka (JP)

(72) Inventors: **Vivian Choi**, Lexington, MA (US);
Xing Li, Jamaica Plain, MA (US)

(73) Assignee: **TAKEDA PHARMACEUTICAL COMPANY LIMITED**, Osaka (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 920 days.

(21) Appl. No.: **17/288,141**

(22) PCT Filed: **Oct. 24, 2019**

(86) PCT No.: **PCT/US2019/057916**

§ 371 (c)(1),

(2) Date: **Apr. 23, 2021**

(87) PCT Pub. No.: **WO2020/086881**

PCT Pub. Date: **Apr. 30, 2020**

(65) **Prior Publication Data**

US 2021/0275614 A1 Sep. 9, 2021

Related U.S. Application Data

(60) Provisional application No. 62/750,603, filed on Oct. 25, 2018.

(51) **Int. Cl.**
A61K 35/761 (2015.01)
A61K 38/17 (2006.01)
C12N 15/11 (2006.01)

(52) **U.S. Cl.**
CPC **A61K 35/761** (2013.01); **A61K 38/17** (2013.01); **C12N 15/11** (2013.01)

(58) **Field of Classification Search**

CPC **A61K 35/761**; **A61K 38/17**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,840,719 B2	12/2017	High et al.	
2005/0112765 A1	5/2005	Li	
2016/0032319 A1*	2/2016	Wright	A61K 48/0091 435/235.1
2016/0108373 A1	4/2016	Bennett et al.	
2016/0222356 A1	8/2016	Zhao et al.	
2016/0273058 A1	9/2016	Akashika et al.	
2017/0021038 A1*	1/2017	Pan	A61P 27/02

(Continued)

FOREIGN PATENT DOCUMENTS

CN	104470545	3/2015
CN	105612253	5/2016

(Continued)

OTHER PUBLICATIONS

Robert et al. Manufacturing of recombinant adeno-associated viruses using mammalian expression platforms. *Biotechnology J.* 12:1-16. (Year: 2017).*

(Continued)

Primary Examiner — Arthur S Leonard

Assistant Examiner — Keenan A Bates


(74) *Attorney, Agent, or Firm* — Troutman Pepper Locke LLP

(57) **ABSTRACT**

A triple-plasmid system for producing recombinant adeno-associated viruses is disclosed.

12 Claims, 17 Drawing Sheets

Specification includes a Sequence Listing.



(56)

References Cited**U.S. PATENT DOCUMENTS**

2018/0057842 A1 3/2018 Stanley et al.
2019/0255152 A1 8/2019 Kim et al.

FOREIGN PATENT DOCUMENTS

CN	105765066	7/2016
JP	4473346 B2	6/2010
JP	2016517278 A	6/2016
JP	2016-525356	8/2016
JP	2018515102 A	6/2018
WO	2012158757 A1	11/2012
WO	2013164793 A2	11/2013
WO	2014144486 A2	9/2014
WO	2015031686 A1	3/2015
WO	2016139321 A1	9/2016
WO	2016196507 A1	12/2016
WO	2018080277	5/2017
WO	2019195727 A1	10/2019

OTHER PUBLICATIONS

Addgene (pLA230 Sequence Analyzer; sequence from Shinkai A et al. <https://www.addgene.org/browse/sequence/7054/> (Year: 2024).*

Shinkai A et al. In vivo mutagenesis by *Escherichia coli* DNA polymerase I. Ile(709) in motif A functions in base selection. J Biol Chem. 276(50):46759-64 (Year: 2001).*

Trapani et al. Methods in Molecular Biology 1715: Retinal Gene Therapy. Chapter 11: Dual AAV Vectors for Stargardt Disease: 153-175. (Year: 2017).*

Epitope-tagged transcription factor ChIP-seq (pp. 1-4. 2017). https://www.encodeproject.org/documents/35a9f776-dd6a-44e3-8795-50ead83f34f7/@/download/attachment/Guidelines_for_Use_of_Epitope_Tags_in_ChIP-seq_Jan_2017.pdf (Year: 2017).*

Ranjan et al. FLAG tag module for PCR based gene targeting. Journal of Yeast and Fungal Research 1: 165-169. (Year: 2010).*

European Search Report issued Jul. 11, 2022 in connection with EP Application No. 19876857.4.

Xiao et al., "Production of high-titer recombinant adeno-associated virus vectors in the absence of helper adenovirus", Journal of Virology, the American Society for Microbiology, US, vol. 72, No. 3, Mar. 1, 1998, pp. 2224-2232.

English Translation and Japan Office Action for Japanese Patent Application No. 2021-516750 (dated Sep. 22, 2023).

International Search Report mailed Jan. 27, 2020 in connection with PCT/US19/57916.

Written Opinion mailed Jan. 27, 2020 in connection with PCT/US19/57916.

Wang, et al., "A reliable and feasible qPCR strategy for titrating AAV vectors," Medical Science Monitor—Basic Research, Jul. 5, 2013 (Jul. 5, 2013), vol. 19, pp. 187-193.

English Translation and Office Action for Chinese Patent Application No. 201980069110.4 (dated Aug. 17, 2023).

Wright, JF, "Manufacturing and Characterizing AAV-based Vector For Use in Clinical Studies," Gene Therapy 15:840-848 (2008).

Bennicelli et al., "Reversal of Blindness in Animal Models of Leber Congenital Amaurosis Using Optimized AAV2-mediated Gene Transfer," Molecular Therapy 16(3):458-465 (2008).

Hauck et al., "Undetectable Transcription of cap in a Clinical AAV Vector: Implications for Performed Capsid in Immune Responses," Molecular Therapy 17(1):144-152 (2009).

Smith et al., "Packaging of Host Cell and Plasmid DNA into Recombinant Adeno-Associated Virus Particles Produced by Triple Transfection," Molecular Therapy 7(5):S348 (2003).

Ozawa, K., "Gene Therapy Using AAV Vectors," Drug Delivery System 22-6, p. 643-650 (2007) (English abstract only).

Chadeuf et al., "Evidence for Encapsulation of Prokaryotic Sequences During Recombinant Adeno-Associated Virus Production and Their in Vivo Persistence After Vector Delivery," Molecular Therapy 12(4):744-753 (2005).

* cited by examiner




Figure 1




Figure 2




Figure 3A




Figure 3B




Figure 4A




Figure 4B




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13A




Figure 13B




Figure 14A




Figure 14B




Figure 15A






Figure 15B



Target sequence	rAAV9-ssITR vg titer
	Mean
DNA titer tag	8.14E+12

Figure 16A



Target sequence	rAAV9-sclTR vg titer
	Mean
DNA titer tag	9.09E+11

Figure 16B

1

AAV TRIPLE-PLASMID SYSTEM

CROSS-REFERENCE

This application is a 371 National Stage of PCT/US19/57916, filed Oct. 24, 2019, which claims priority U.S. Provisional Patent Application No. 62/750,603, filed Oct. 25, 2018, which are incorporated herein by reference in their entirety.

SEQUENCE LISTING

The instant application contains a Sequence Listing which has been submitted electronically in ASCII format and is hereby incorporated by reference in its entirety. Said ASCII copy, created on Oct. 22, 2019, is named 250478_001858_SL.txt and is 274,165 bytes in size.

BACKGROUND

Adeno-associated virus (AAV) is a DNA parvovirus that infects humans and various other animal species such as primates, bovine, feline, and canines. It belongs to the family Parvoviridae and is placed in the genus *Dependovirus*, because productive infection by AAV occurs only in the presence of a helper virus (e.g., adenovirus or herpes virus). This small non-enveloped virus contains a 4.6 kbases single stranded DNA genome that encodes sets of replication (Rep) and capsid (Cap) proteins. For example, Rep proteins (Rep78, Rep68, Rep52 and Rep40) are involved in replication, rescue and integration of the AAV genome, and Cap proteins (VP1, VP2 and VP3) provides structural function and form the virion capsid. Flanking the Rep and Cap open reading frames at the 5' and 3' ends are 145 bp inverted terminal repeats (ITRs). The ITRs function in cis as origins of nucleic acid replication and as packaging signals for the virus.

There are two stages to the AAV life cycle once infection has occurred: 1) the lytic stage and 2) the lysogenic stage. With the aid of the helper virus, the lytic stage begins. During this stage AAV commences productive infection resulting in genome replication, viral gene expression, and virion production. The case of the adenoviral helper, the adenoviral proteins that provide helper functions regarding AAV expression include E1a, E1b, E2a, E4, and VA RNA. The adenovirus helps regulate cellular gene expression by providing the proper milieu for AAV productive infection. See Daya and Berns *Clinical Microbiology Reviews* October 2008, p. 583-593.

AAV is a versatile virus that can be engineered for gene therapy. Recombinant Adeno-Associated Viral Vector (rAAV), which lacks viral genes in its DNA genome, used of gene therapy is primarily a protein-based nanoparticle engineered to cross the cell membrane in order to traffic and deliver its DNA cargo into the nucleus of a cell. rAAV DNA genome can form circular concatemers persisting as episomes in the nucleus of a transduced cell. As the rAAV DNA does not integrate into the host genome, which contributes to the long-term gene expression and durability, which is one of the reasons rAAV is ideal for gene therapy.

Recombinant forms of AAV (rAAV) have been developed as vectors by replacing all viral genes with a therapeutic transgene expression cassette, while retaining the only cis elements, the ITRs, which is required for vector packaging and DNA replication. See, e.g., U.S. Pat. Nos. 4,797,368; 5,153,414; 5,139,941; 5,252,479; and 5,354,678; and International Publication Nos. WO1991/018088; WO1993/

2

024641 and WO1994/13788. Early methods of rAAV production relied on a two-plasmid system comprising: 1) an AAV helper plasmid (generally encompassing AAV Rep and Cap coding regions, while lacking AAV ITRs so it cannot replicate or package itself) and 2) an ITR-containing plasmid (generally encompassing a selected transgene of interest bounded by AAV ITRs which provides for viral replication and packaging functions). Both the helper plasmid and the ITR-containing plasmid bearing the selected gene can be introduced into suitable cells for production by transient transfection. The transfected cell can then be infected with a helper virus, such as an adenovirus or herpes simplex virus, which transactivates the AAV promoters present on the helper plasmid that direct the transcription and translation of AAV Rep and Cap regions. Regarding the Ad helper virus, the E1a, E1b, E2a, E4, and VA RNA genes can supply the helper functions necessary for rAAV production. Infection of helper virus into producer cells to generate rAAV was effective in producing rAAV; however, a consequence is that it can also produce helper virus particles that can elicit immune responses from the host. In certain platforms, the viral helper genes necessary for AAV manufacturing can be stably transfected into the manufacturing cell line (e.g., HEK293 cells), thereby reducing the possibility of an anti-helper virus immune response by the host immune system coming from trace levels of residual helper virus.

More recently, a triple-plasmid transfection method has been developed. This method uses an AAV serotype-specific Rep and Cap plasmid as well as the transgene-containing plasmid but eliminated the use of helper virus infection by supplying the essential helper viral genes on a third plasmid (i.e., the viral coding sequences were removed or reduced), thus lowering the potential anti-helper virus immune response by the host immune system. Supplying the viral helper genes on the third plasmid greatly decreased helper viral production in the transfected cells, providing only rAAV. Multiplasmid transient transfection of adherent HEK293 cells is a commonly used method for rAAV production.

In a multiplasmid system, it is important to maintain an appropriate plasmid size. Thus, it may be important to add nucleic acid sequences (a.k.a "stuffer sequences") to ensure that the plasmid is of an optimal size. For example, to discourage that the plasmid backbone of the ITR-containing plasmid is not packaged into the vector capsid, a stuffer sequence may need to be added such that the backbone is too large to be effectively packaged into the capsid. However, it is important that the stuffer sequence is "silent" and does not activate the immune system in the small chance that that plasmid does become packaged.

What is needed, therefore, is an improved triple-plasmid based system for producing rAAV. The plasmid system should provide improved transfection and lowered immunogenicity while still retaining optimum expression of the transgene. It is to such a plasmid system that embodiments of the present disclosure are directed.

BRIEF SUMMARY OF THE DISCLOSURE

As specified in the Background Section, there is a great need in the art to improve rAAV plasmid systems for rAAV-based gene therapies. The present disclosure satisfies this and other needs. Embodiments of the present disclosure relate generally to a plasmid system for the production of rAAV and more specifically to a triple-plasmid based system.

In one aspect, the invention is directed to a plasmid system for Recombinant Adeno-Associated Viral Vector (rAAV) production comprising: (i) a transgene-containing plasmid comprising at least one heterologous nucleic acid sequence flanked by a 5' and 3' AAV inverted terminal repeat (ITR) and a stuffer sequence outside of the ITRs; (ii) a plasmid comprising AAV replication (Rep) and capsid (Cap) gene sequences; and (iii) an adenovirus (Ad) helper plasmid.

In certain embodiments, the stuffer sequence increases the size of the transgene-containing plasmid backbone. In certain embodiments, the stuffer sequence increases the size of the transgene-containing plasmid backbone such that the transgene-containing plasmid backbone is discouraged from being packaged into an rAAV capsid. In certain embodiments, the plasmid backbone incorporation into the rAAV is below the limit of detection. In certain embodiments, the backbone of the transgene-containing plasmid is larger than a wild-type AAV genome following the addition of the stuffer sequence.

In certain embodiments, the stuffer sequence is devoid of enhancers, promoters, splicing regulators, noncoding RNAs, antisense sequences, coding sequences, or any combination thereof. In certain embodiments, the stuffer sequence is devoid of enhancers, promoters, splicing regulators, noncoding RNAs, antisense sequences, and coding sequences. In certain embodiments, the stuffer sequence comprises an inert intronic DNA sequence found in the human genome.

In certain embodiments, the stuffer sequence comprises a nucleic acid sequence of between 1000 and 5000 nucleotides in length or a nucleic acid sequence of between 1000 and 2000 nucleotides in length.

In certain embodiments, the stuffer sequence comprises GAPDH intron 2, fragment, or mutant thereof. In certain embodiments, the stuffer sequence comprises an inactivated gentamycin gene.

In certain embodiments, the stuffer sequence comprises a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 9. In certain embodiments, the stuffer sequences comprises SEQ ID NO: 9 or a fragment thereof. In certain embodiments, the fragment is between 800-1000 nucleotides long.

In certain embodiments, the stuffer sequence consists of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 9. In certain embodiments, the stuffer sequences consists of SEQ ID NO: 9 or a fragment thereof. In certain embodiments, the fragment is between 800-1000 nucleotides long.

In certain embodiments, the transgene-containing plasmid comprises a plasmid with a structure in the same order as FIG. 3A, wherein the eGFP and SEAP transgenes can be replaced with the at least one heterologous nucleic acid sequence.

In certain embodiments, the transgene-containing plasmid comprises a plasmid with a structure in the same order as FIG. 3B, wherein the eGFP transgene can be replaced with the at least one heterologous nucleic acid sequence.

In certain embodiments, the transgene-containing plasmid comprises nucleic acid sequences in the 5' to 3' direction of: a 5' ITR (e.g., SEQ ID NOs: 2 or 43), a promoter (e.g., SEQ ID NO: 4), at least one heterologous nucleic acid sequence, a polyA sequence (e.g., SEQ ID NO: 8), a 3' ITR (e.g., SEQ

ID NO: 3), and the stuffer sequence (e.g., SEQ ID NO: 9), wherein each nucleic acid sequence can be substituted with or encodes a corresponding functional fragment or derivative thereof or a sequence with at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity therewith.

In certain embodiments, the transgene-containing plasmid further comprises a DNA titer tag outside the expression cassette but between the 5' ITR and 3' ITR.

In certain embodiments, the transgene-containing plasmid further comprises a DNA titer tag i) upstream of the 3' ITR and downstream of a polyA sequence or ii) upstream of the 3' ITR and downstream of the at least one heterologous nucleic acid sequence; iii) or downstream of the 5' ITR and upstream of the at least one heterologous nucleic acid sequence; or iv) downstream of the 5' ITR and upstream of a promoter for the at least one heterologous nucleic acid sequence; or v) downstream of the 5' ITR and upstream of the 3' ITR.

In certain embodiments, the transgene-containing plasmid further comprises a DNA titer tag i) upstream of a 3' ITR (e.g., SEQ ID NO: 3) and downstream of a polyA sequence (e.g., SEQ ID NO: 8) or ii) upstream of a 3' ITR (e.g., SEQ ID NO: 3) and downstream of the at least one heterologous nucleic acid sequence; iii) or downstream of a 5' ITR (e.g., SEQ ID NOs: 2 or 43) and upstream of the at least one heterologous nucleic acid sequence; or iv) downstream of a 5' ITR (e.g., SEQ ID NOs: 2 or 43) and upstream of a promoter (e.g., SEQ ID NO: 4); or v) downstream of a 5' ITR (e.g., SEQ ID NOs: 2 or 43) and upstream of a 3' ITR (e.g., SEQ ID NO: 3).

In certain embodiments, the transgene-containing plasmid comprises nucleic acid sequences in the 5' to 3' direction of: a 5' ITR (e.g., SEQ ID NO: 2 or 43), a promoter (e.g., SEQ ID NO: 4), at least one heterologous nucleic acid sequence, a polyA sequence (e.g., SEQ ID NO: 8), a 3' ITR (e.g., SEQ ID NO: 3), and the stuffer sequence (e.g., SEQ ID NO: 9), wherein each nucleic acid sequence can be substituted with or encodes a corresponding functional fragment or derivative thereof or a sequence with at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity therewith.

In certain embodiments, the transgene-containing plasmid further comprises a DNA titer tag outside the expression cassette but between the 5' ITR and 3' ITR.

In certain embodiments, the transgene-containing plasmid further comprises a DNA titer tag i) upstream of the 3' ITR and downstream of a polyA sequence or ii) upstream of the 3' ITR and downstream of the at least one heterologous nucleic acid sequence; iii) or downstream of the 5' ITR and upstream of the at least one heterologous nucleic acid sequence; or iv) downstream of the 5' ITR and upstream of a promoter for the at least one heterologous nucleic acid sequence; or v) downstream of the 5' ITR and upstream of the 3' ITR.

In certain embodiments, the transgene-containing plasmid further comprises a DNA titer tag i) upstream of a 3' ITR (e.g., SEQ ID NO: 3) and downstream of a polyA sequence (e.g., SEQ ID NO: 8) or ii) upstream of a 3' ITR (e.g., SEQ ID NO: 3) and downstream of the at least one heterologous nucleic acid sequence; iii) or downstream of a 5' ITR (e.g., SEQ ID NOs: 2 or 43) and upstream of the at least one heterologous nucleic acid sequence; or iv) downstream of a 5' ITR (e.g., SEQ ID NOs: 2 or 43) and upstream of a

5

promoter (e.g., SEQ ID NO: 4); or v) downstream of a 5' ITR (e.g., SEQ ID NOS: 2 or 43) and upstream of a 3' ITR (e.g., SEQ ID NO: 3).

In certain embodiments, the AAV Rep gene sequence is from AAV serotype 2, 5, 8, 9, or hybrids thereof. In certain embodiments, the AAV Cap gene sequence is from AAV serotype 2, 5, 8, 9, or hybrids thereof. In certain embodiments, the plasmid comprising the Rep and Cap gene sequences further comprises a promoter. In certain embodiments, the promoter is an AAV promoter. In certain embodiments, the promoter is an AAV P5 promoter.

In certain embodiments, the Ad helper plasmid comprises one or more of Adenovirus genes selected from E1a, E1b, E2a, E4orf6, or VA RNA.

In certain embodiments, the Ad helper plasmid comprises nucleic acid sequences in the 5' to 3' direction of: SEQ ID NOS: 18, 17, 16, and 20, wherein each nucleic acid sequence can be substituted with a corresponding functional fragment or derivative thereof or a sequence with at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity therewith.

In certain embodiments, the Ad helper plasmid comprises nucleic acid sequences in the 5' to 3' direction of: SEQ ID NOS: 21, 16, 39, 40, 22, 23, and 20 wherein each nucleic acid sequence can be substituted with or encode a corresponding functional fragment or derivative thereof or a sequence with at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity therewith.

In certain embodiments, the Ad helper plasmid comprises a structure in the same order as either construct of FIG. 5.

In certain embodiments, the Ad helper plasmid comprises a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 14.

In certain embodiments, the Ad helper plasmid comprises a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 15.

In certain embodiments, the heterologous nucleic acid sequence is a heterologous gene of interest encoding a peptide, polypeptide, or protein. In certain embodiments, the peptide, polypeptide, or protein is an enzyme, antibody, MHC molecule, T-cell receptor, B-cell receptor, aptamer, avimer, receptor-binding ligand, targeting peptides, a therapeutic agent, or gene editing molecule. In certain embodiments, the heterologous nucleic acid sequence is a nucleic acid sequence such as an antisense, siRNA, shRNA, miRNA, EGSs, gRNA, sgRNA, ribozyme, or aptamer.

In another aspect, the invention is directed to a host cell comprising any one of the plasmid systems described herein.

In another aspect, the invention is directed to a rAAV produced by any one of the plasmid systems described herein.

In another aspect, the invention is directed to a DNA titer tag allowing for universal vector titrating, comprising a nucleic acid tag sequence from about 60 nucleotides to about 100 nucleotides long either upstream or downstream from a nucleic acid sequence of a heterologous nucleic acid sequence within a transgene-containing plasmid, wherein the nucleic acid tag sequence can be used in at least two

6

different transgene-containing plasmids to allow for universal vector genome titrating between at least two different types of AAV vectors. In certain embodiments, the nucleic acid tag sequence is about 100 nucleotides long.

In certain embodiments, the nucleic acid tag sequence is upstream from a 3' ITR sequence of the transgene-containing plasmid but not within an expression cassette of the transgene-containing plasmid.

In certain embodiments, the nucleic acid tag sequence is downstream from a 5' ITR sequence of the transgene-containing plasmid but not within an expression cassette of the transgene-containing plasmid.

In certain embodiments, the DNA titer tag comprises any one of nucleic acid sequences of SEQ ID NOS: 61-70.

In another aspect, the invention is directed to a method for producing a rAAV comprising transducing a cell with the any one of the plasmid systems described herein and isolating the rAAV. In another aspect, the invention is directed to a rAAV produced by said method.

In another aspect, the invention is directed to a composition comprising the plasmid system of the invention.

In another aspect, the invention is directed to a pharmaceutical composition comprising the rAAV produced by the plasmid system of the invention.

In another aspect, the invention is directed to a method for delivering or transferring a nucleic acid sequence into a subject's cell, comprising administering the rAAV produced by the plasmid system of the invention to a subject thereby delivering the nucleic acid sequence into the cell. In certain embodiments, the subject's cell is in culture or is present in the subject.

In another aspect, the invention is directed to a method for treating or preventing a disease or disorder in a subject, comprising administering to a subject in need thereof a rAAV produced by the plasmid system of the invention.

In another aspect, the invention is directed to a host cell comprising contacting the host cell with a rAAV produced by the plasmid system of the invention.

These and other objects, features and advantages of the present disclosure will become more apparent upon reading the following specification in conjunction with the accompanying description, claims and drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts an exemplary triple-plasmid system for the production of rAAV, in accordance with some embodiments of the present disclosure.

FIG. 2 depicts an exemplary transgene-containing plasmid for rAAV production incorporating eGFP and SEAP as transgenes, in accordance with some embodiments of the present disclosure.

FIGS. 3A-3B: shows exemplary gene constructs of transgene-containing plasmids for single-stranded (ss) (FIG. 3A) and self-complementary (sc) rAAV (FIG. 3B) production.

FIGS. 4A-4B: FIG. 4A depicts an exemplary AAV Rep-Cap plasmid incorporating different AAV Rep and Cap genes, in accordance with some embodiments of the present disclosure. FIG. 4B depicts an exemplary AAV Rep-Cap plasmid incorporating a promoter from AAV serotype 2.

FIG. 5 depicts exemplary Ad Helper Plasmids in short (top panel) and long (bottom panel) embodiments.

FIG. 6 is a Western blot showing expression levels of Cap proteins from different AAV serotypes from a plasmid according to the disclosure.

7

FIG. 7 is a Western blot showing expression levels of Cap proteins from different AAV serotypes from a plasmid according to the disclosure. A Monoclonal B1 clone was used for blot analysis.

FIG. 8 is a Western blot showing AAV P5-driven expression levels of Cap proteins from different AAV serotypes from a plasmid according to the disclosure. -: plasmid constructs without the P5 promoter; +: plasmid constructs with the P5 promoter. A Monoclonal B1 clone was used for blot analysis.

FIG. 9 shows the results of a qPCR assay of viral genome copy number using a short Ad Helper Plasmid according to the disclosure. 1: Negative Control 1 (pHelper+pAAV-RC2 (Agilent)); 2: Negative Control 2 (pHelper+pTRUF11); 3: Positive control (pHelper+pAAV-RC2+pTRUF11); 4: Short Ad Helper Test (Short-Helper (SEQ ID NO: 14)+pAAV-RC2+pTRUF11).

FIG. 10 shows the results of a qPCR assay of viral genome copy number using a long Ad Helper Plasmid according to the disclosure. 1: Negative Control 1 (pTRUF11+pAAV-RC2 (Rep2Cap2 (Agilent))); 2: Positive Control 2 (pHelper+pAAV-RC2+pTRUF11); 3: Short Ad Helper Test (Short-Helper (SEQ ID NO: 14)+pUC19-Rep2Cap8+pITRss (SEQ ID NO: 1)); 4: Long Ad Helper Test (Long-Helper (SEQ ID NO: 15)+pUC19-Rep2Cap8+pITRss (SEQ ID NO: 1)).

FIG. 11 shows the viral genome copy number per ml cell lysate for rAAV containing a single-stranded (top panel) or self-complementary (bottom panel) DNA genome produced using the corresponding transgene-containing plasmids for rAAV production. For the top panel: 1: Negative Control (pHelper+pAAV-RC2); 2: Positive Control (pHelper+pAAV-RC2+pTRUF11); 3: ssITR (pHelper+pAAV-RC2+ssITR) (SEQ ID NO: 1). For the bottom panel: 1: Negative Control (pHelper+pAAV-RC2); 2: Positive Control (pHelper+pAAV-RC2+pTRUF11); 3: scITR (pHelper+pAAV-RC2+scITR) (SEQ ID NO: 42).

FIG. 12 shows the viral genome copy number per ml cell lysate of multiple capsid serotypes for a triple-plasmid system according to the disclosure, along with positive and negative controls. 1: Negative Control (pHelper+pTRUF11); 2: Positive Control (pHelper+pTRUF11+pAAV-RC2); 3: pHelper+pTRUF11+pUC19-P5-Rep2Cap2 (SEQ ID NO: 31); 4: pHelper+pTRUF11+pUC19-Rep2/5Cap5 (SEQ ID NO: 24); 5: pHelper+pTRUF11+pUC19-P5-Rep2Cap8 (SEQ ID NO: 35); 6: pHelper+pTRUF11+pUC19-P5-Rep2Cap9 (SEQ ID NO: 37); 7: Short-Helper (SEQ ID NO: 14)+ssITR (SEQ ID NO: 1)+pUC19-P5-Rep2Cap2 (SEQ ID NO: 31); 8: Short-Helper (SEQ ID NO: 14)+ssITR (SEQ ID NO: 1)+pUC19-Rep2/5Cap5 (SEQ ID NO: 24); 9: Short-Helper (SEQ ID NO: 14)+ssITR (SEQ ID NO: 1)+pUC19-P5-Rep2Cap8 (SEQ ID NO: 35); 10: Short-Helper (SEQ ID NO: 14)+ssITR (SEQ ID NO: 1)+pUC19-P5-Rep2Cap9 (SEQ ID NO: 37); 11: Short-Helper (SEQ ID NO: 14)+ssITR (SEQ ID NO: 1)+pAAV-RC2.

FIG. 13A-13B shows that viral genome copy number per ml lysate for the single strand ITR (ssITR) transgene plasmid (FIG. 13A) and self complementary ITR (scITR) plasmid using both SV40 polyA and a 100 nucleotide long DNA titer tag for qPCR analysis.

FIGS. 14A-14B: FIG. 14A depicts an exemplary AAV Rep-Cap plasmid incorporating different AAV Rep and Cap genes, in accordance with some embodiments of the present disclosure. FIG. 14B depicts an exemplary AAV Rep-Cap plasmid incorporating different AAV Rep and Cap genes and incorporating the P5 promoter, in accordance with some embodiments of the present disclosure.

8

FIG. 15: shows exemplary ene constructs of transgene-containing plasmids for single-stranded (ss) (FIG. 15A) and self-complementary (sc) rAAV (FIG. 15B) production. Both modified plasmids were containing improved plasmid backbones with higher developability.

FIGS. 16A-16B: shows that viral genome copy number per ml lysate for the modified single strand ITR (ssITR) transgene plasmid (FIG. 16A) and modified self-complementary ITR (scITR) plasmid (FIG. 16B) using a 100 nucleotide long DNA titer tag for qPCR analysis.

DETAILED DESCRIPTION OF THE DISCLOSURE

As specified in the Background section, there is a great need in the art to identify technologies for rAAV production to generate rAAV-based gene therapies. The present disclosure satisfies this and other needs. Embodiments of the present disclosure relate generally to a rAAV production and more specifically to a triple-plasmid based system to produce rAAV.

To facilitate an understanding of the principles and features of the various embodiments of the disclosure, various illustrative embodiments are explained below. Although exemplary embodiments of the disclosure are explained in detail, it is to be understood that other embodiments are contemplated. Accordingly, it is not intended that the disclosure is limited in its scope to the details of construction and arrangement of components set forth in the following description or examples. The disclosure is capable of other embodiments and of being practiced or carried out in various ways. Also, in describing the exemplary embodiments, specific terminology will be resorted to for the sake of clarity.

It is intended that each term contemplates its broadest meaning as understood by those skilled in the art and includes all technical equivalents which operate in a similar manner to accomplish a similar purpose. It is to be understood that embodiments of the disclosed technology may be practiced without these specific details. In other instances, well-known methods, structures, and techniques have not been shown in detail in order not to obscure an understanding of this description. References to "one embodiment," "an embodiment," "example embodiment," "some embodiments," "certain embodiments," "various embodiments," etc., indicate that the embodiment(s) of the disclosed technology so described may include a particular feature, structure, or characteristic, but not every embodiment necessarily includes the particular feature, structure, or characteristic. Further, repeated use of the phrase "in one embodiment" does not necessarily refer to the same embodiment, although it may.

It must also be noted that, as used in the specification and the appended claims, the singular forms "a," "an" and "the" include plural references unless the context clearly dictates otherwise. For example, reference to a component is intended also to include composition of a plurality of components. References to a composition containing "a" constituent is intended to include other constituents in addition to the one named. In other words, the terms "a," "an," and "the" do not denote a limitation of quantity, but rather denote the presence of "at least one" of the referenced item.

As used herein, the term "and/or" may mean "and," it may mean "or," it may mean "exclusive-or," it may mean "one,"

it may mean “some, but not all,” it may mean “neither,” and/or it may mean “both.” The term “or” is intended to mean an inclusive “or.”

Ranges may be expressed herein as from “about” or “approximately” or “substantially” one particular value and/or to “about” or “approximately” or “substantially” another particular value. When such a range is expressed, other exemplary embodiments include from the one particular value and/or to the other particular value. Further, the term “about” means within an acceptable error range for the particular value as determined by one of ordinary skill in the art, which will depend in part on how the value is measured or determined, i.e., the limitations of the measurement system. For example, “about” can mean within an acceptable standard deviation, per the practice in the art. Alternatively, “about” can mean a range of up to $\pm 20\%$, preferably up to $\pm 10\%$, more preferably up to $\pm 5\%$, and more preferably still up to $\pm 1\%$ of a given value. Alternatively, particularly with respect to biological systems or processes, the term can mean within an order of magnitude, preferably within 2-fold, of a value. Where particular values are described in the application and claims, unless otherwise stated, the term “about” is implicit and in this context means within an acceptable error range for the particular value.

By “comprising” or “containing” or “including” is meant that at least the named compound, element, particle, or method step is present in the composition or article or method, but does not exclude the presence of other compounds, materials, particles, method steps, even if the other such compounds, material, particles, method steps have the same function as what is named.

Throughout this description, various components may be identified having specific values or parameters, however, these items are provided as exemplary embodiments. Indeed, the exemplary embodiments do not limit the various aspects and concepts of the present disclosure as many comparable parameters, sizes, ranges, and/or values may be implemented. The terms “first,” “second,” and the like, “primary,” “secondary,” and the like, do not denote any order, quantity, or importance, but rather are used to distinguish one element from another.

It is noted that terms like “specifically,” “preferably,” “typically,” “generally,” and “often” are not utilized herein to limit the scope of the claimed disclosure or to imply that certain features are critical, essential, or even important to the structure or function of the claimed disclosure. Rather, these terms are merely intended to highlight alternative or additional features that may or may not be utilized in a particular embodiment of the present disclosure. It is also noted that terms like “substantially” and “about” are utilized herein to represent the inherent degree of uncertainty that may be attributed to any quantitative comparison, value, measurement, or other representation.

The dimensions and values disclosed herein are not to be understood as being strictly limited to the exact numerical values recited. Instead, unless otherwise specified, each such dimension is intended to mean both the recited value and a functionally equivalent range surrounding that value. For example, a dimension disclosed as “50 mm” is intended to mean “about 50 mm”.

It is also to be understood that the mention of one or more method steps does not preclude the presence of additional method steps or intervening method steps between those steps expressly identified. Similarly, it is also to be understood that the mention of one or more components in a composition does not preclude the presence of additional components than those expressly identified.

As used herein, the terms “subject”, “patient”, “individual”, and “animal” are used interchangeably herein and refer to mammals, including, without limitation, human and veterinary animals (e.g., cats, dogs, cows, horses, sheep, pigs, etc.) and experimental animal models. In a preferred embodiment, the subject is a human.

As used herein, the term “gene therapy” includes any therapeutic approach of providing a nucleic acid encoding a therapeutic gene (e.g., a Factor VIII/IX/X) to a patient to relieve, diminish, or prevent the reoccurrence of one or more symptoms (e.g., clinical factors) associated with a disease or condition. The term encompasses administering any compound, drug, procedure, or regimen comprising a nucleic acid encoding a therapeutic gene, including any modified form of the gene (e.g., a Factor VIII/IX/X variant), for maintaining or improving the health of an individual with the disease or condition. One skilled in the art will appreciate that either the course of gene therapy or the dose of a genetic therapeutic agent can be changed, e.g., based upon the results obtained in accordance with the present disclosure.

As used herein the term “therapeutically effective” applied to dose or amount refers to that quantity of a compound or pharmaceutical composition that when administered to a subject for treating (e.g., preventing or ameliorating) a state, disorder or condition, is sufficient to affect such treatment. For example, a therapeutically effective amount of a drug useful for treating hemophilia can be the amount that is capable of preventing or relieving one or more symptoms associated with hemophilia. The “therapeutically effective amount” will vary depending on the compound or bacteria or analogues administered as well as the disease and its severity and the age, weight, physical condition and responsiveness of the mammal to be treated. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (see, e.g., Lieberman, *Pharmaceutical Dosage Forms* (vols. 1-3, 1992); Lloyd, *The Art, Science and Technology of Pharmaceutical Compounding* (1999); Pickar, *Dosage Calculations* (1999); and Remington: *The Science and Practice of Pharmacy*, 20th Edition, 2003, Gennaro, Ed., Lippincott, Williams & Wilkins).

As used herein, the term “vector” refers to any vehicle used to transfer a nucleic acid (e.g., encoding a gene therapy construct) into a host cell. In some embodiments, a vector includes a replicon, which functions to replicate the vehicle, along with the target nucleic acid. In some embodiments, a vector is a viral particle for introducing a target nucleic acid (e.g., a codon-altered polynucleotide encoding a therapeutic gene or therapeutic gene variant). Many modified eukaryotic viruses useful for gene therapy are known in the art. For example, adeno-associated viruses (AAVs) are particularly well suited for use in human gene therapy because humans are a natural host for the virus, the native viruses are not known to contribute to any diseases, and the viruses elicit a mild immune response. “Recombinant AAV” (rAAV) and “AAV” are used interchangeably throughout the application.

The term “plasmid” refers to an extrachromosomal circular DNA capable of autonomous replication in a given bacterial cell. Exemplary plasmids include but are not limited to those derived from pBR322, pUC, pUC19, pUC57, pJ241, or pJ247, pBluescript, pREP4, pCEP4, pCI, and pPoly (Lathé et al., *Gene* 57 (1987), 193-201). Plasmids can also be engineered by standard molecular biology techniques (Sambrook et al., *Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor (1989), N.Y.). It may also comprise a selection gene in order to select or to

identify the transfected cells (e.g., by complementation of a cell auxotrophy or by antibiotic resistance), stabilizing elements (e.g., *cer* sequence) or integrative elements (e.g., LTR viral sequences and transposons).

As used herein, the term “plasmid backbone” refers to a sequence of DNA that typically contains an origin of replication (e.g., SEQ ID NOs: 20 and 26), and an antibiotic selection gene, which are necessary for the specific growth of only the host that is transformed with the proper plasmid. In certain embodiments, these elements are not intended to be packaged in the rAAV capsid.

As used herein, the term “gene” refers to the segment of a DNA molecule that codes for a polypeptide chain (e.g., the coding region). In some embodiments, a gene is positioned by regions immediately preceding, following, and/or intervening the coding region that are involved in producing the polypeptide chain (e.g., regulatory elements such as a promoter, enhancer, polyadenylation sequence, 5'-untranslated region, 3'-untranslated region, or intron).

As used herein, the term “regulatory elements” refers to nucleic acid sequences, such as promoters, enhancers, terminators, polyadenylation sequences, introns, etc. . . . , that provide for the expression of a coding sequence in a cell.

As used herein, the term “promoter element” refers to a nucleic acid sequence that assists with controlling expression of a coding sequence. Generally, promoter elements are located 5' of the translation start site of a gene. However, in certain embodiments, a promoter element may be located within an intron sequence, or 3' of the coding sequence. In some embodiments, a promoter useful for gene therapy is derived from the native gene of the target protein. In some embodiments, a promoter useful for gene therapy is specific for expression in a particular cell or tissue of the target organism (e.g., a liver-specific promoter) (Wu Z et al. *Molecular Therapy* 16(2):280-9. Choi V W et al. *Molecular Therapy Methods & Clinical Development* 2015. 2:15022), both of which are incorporated herein in their entirety for all intended purposes. In yet other embodiments, one of a plurality of well characterized promoter elements is used in gene therapy described herein.

Non-limiting examples of well-characterized promoter elements include the CMV early promoter (e.g., hCMVie (SEQ ID NO: 4)), the 3-actin promoter, and the methyl CpG binding protein 2 (MeCP2) promoter. In some embodiments, the promoter is a constitutive promoter, which drives substantially constant expression of the target protein. In other embodiments, the promoter is an inducible promoter, which drives expression of the target protein in response to a particular stimulus (e.g., exposure to a particular treatment or agent). For a review of designing promoters for AAV-mediated gene therapy, see Gray et al. (*Human Gene Therapy* 22:1143-53 (2011)), the contents of which are expressly incorporated by reference in their entirety for all purposes.

As used herein, the term “transgene” broadly refers to any nucleic acid that is introduced into the genome of an animal, including but not limited to genes or nucleic acid having sequences which are perhaps not normally present in the genome, genes which are present but not normally transcribed and translated (“expressed”) in a given genome, or any other gene or nucleic acid which one desires to introduce into the genome. This may include genes which may normally be present in the non-transgenic genome, but which one desires to have altered in expression, or which one desires to introduce in a non-mutated form or an altered or variant form. The transgene may be specifically targeted to a defined genetic locus, may be randomly integrated within

a chromosome, or it may be extrachromosomally replicating DNA. A transgene may include one or more transcriptional regulatory sequences and any other nucleic acid, such as introns, that may be necessary for optimal expression of a selected nucleic acid. A transgene can be as few as a couple of nucleotides long, but is preferably at least about 50, 100, 150, 200, 250, 300, 350, 400, or 500 nucleotides long or even longer and can be, e.g., an entire viral genome. A transgene can be coding or non-coding sequences, or a combination thereof. A transgene usually comprises a regulatory element that is capable of driving the expression of one or more transgenes under appropriate conditions.

As used herein, the term “heterologous” as it relates to nucleic acid sequences, such as coding sequences and/or control sequences, denotes sequences that are not normally joined together and/or are not normally associated with a particular cell. Thus, a “heterologous” nucleic acid sequence means that the nucleic acid sequence is from an organism other than AAV or is synthetically derived. In certain embodiments, the heterologous nucleic acid sequence (e.g., a heterologous gene of interest) can encode a polypeptide such as, but not limited to, a clotting factor, an enzyme, an antibody or other polypeptide of interest. In certain embodiments, the heterologous nucleic acid sequence can encode an RNA having a structural or therapeutic function such as, but not limited to, an antisense, siRNA, shRNA, miRNA, EGSs, gRNA, sgRNA, ribozyme, or aptamer. Similarly, a cell transformed with a construct which is not normally present in the cell would be considered heterologous for purposes of this invention.

“Operably-linked” refers to the association of two or more nucleic acid sequence elements that are physically linked so that the function of one of the sequences is affected by another. For example, a regulatory DNA sequence is said to be “operably linked to” or “associated with” a DNA sequence that codes for an RNA or a polypeptide if the two sequences are situated such that the regulatory DNA sequence affects expression of the coding DNA sequence (i.e., that the coding sequence or functional RNA is under the transcriptional control of the promoter). Coding sequences can be operably-linked to regulatory sequences in sense or antisense orientation.

As used herein, the term “nucleic acid” refers to deoxyribonucleotides or ribonucleotides and polymers thereof in either single- or double-stranded form and complements thereof. The term encompasses nucleic acids containing known nucleotide analogs or modified backbone residues or linkages, which are synthetic, naturally occurring, and non-naturally occurring, which have similar binding properties as the reference nucleic acid, and which are metabolized in a manner similar to the reference nucleotides. Examples of such analogs include, without limitation, phosphorothioates, phosphoramidates, methyl phosphonates, chiral-methyl phosphonates, 2-O-methyl ribonucleotides, and peptide-nucleic acids (PNAs).

The term “amino acid” refers to naturally occurring and non-natural amino acids, including amino acid analogs and amino acid mimetics that function in a manner similar to the naturally occurring amino acids. Naturally occurring amino acids include those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ -carboxyglutamate, and O-phosphoserine. Naturally occurring amino acids can include, e.g., D- and L-amino acids. The amino acids used herein can also include non-natural amino acids. Amino acid analogs refer to compounds that have the same basic chemical structure as a naturally occurring amino acid, i.e., any carbon that is bound to a

hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, or methionine methyl sulfonium. Such analogs have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refer to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that function in a manner similar to a naturally occurring amino acid. Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

The term "derivative" as used herein refers to a nucleic acid, peptide, or protein or a variant or analog thereof comprising one or more mutations and/or chemical modifications as compared to a corresponding full-length wild type nucleic acid, peptide or protein. Non-limiting examples of chemical modifications involving nucleic acids include, for example, modifications to the base moiety, sugar moiety, phosphate moiety, phosphate-sugar backbone, or a combination thereof.

The nucleic acid sequences that encode mutant gene constructs that may be useful with the plasmid system described herein may be identical to a wildtype (i.e., unmutated) sequence or may be a different coding sequence, which sequence, as a result of the redundancy or degeneracy of the genetic code, encodes the same polypeptides as the wildtype coding sequence. One of ordinary skill in the art will recognize that each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, each variation of a nucleic acid which encodes a same polypeptide is implicit in each described sequence with respect to the expression product, but not with respect to actual gene therapy constructs.

As to amino acid sequences, one of ordinary skill in the art will recognize that individual substitutions, deletions or additions to a nucleic acid or peptide sequence that alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid. Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the disclosure. Conservative amino acid substitutions providing functionally similar amino acids are well known in the art. Dependent on the functionality of the particular amino acid, e.g., catalytic, structural, or sterically important amino acids, different groupings of amino acid may be considered conservative substitutions for each other.

The terms "identical" or percent (%) "identity," in the context of two or more nucleic acids or peptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST

2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection.

As is known in the art, a number of different programs may be used to identify whether a protein (or nucleic acid as discussed below) has sequence identity or similarity to a known sequence. Sequence identity and/or similarity is determined using standard techniques known in the art, including, but not limited to, the local sequence identity algorithm of Smith & Waterman, *Adv. Appl. Math.*, 2:482 (1981), by the sequence identity alignment algorithm of Needleman & Wunsch, *J. Mol. Biol.*, 48:443 (1970), by the search for similarity method of Pearson & Lipman, *Proc. Natl. Acad. Sci. U.S.A.*, 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Drive, Madison, Wis.), the Best Fit sequence program described by Devereux et al., *Nucl. Acid Res.*, 12:387-395 (1984), preferably using the default settings, or by inspection. Preferably, percent identity is calculated by FastDB based upon the following parameters: mismatch penalty of 1; gap penalty of 1; gap size penalty of 0.33; and joining penalty of 30, "Current Methods in Sequence Comparison and Analysis," *Macromolecule Sequencing and Synthesis, Selected Methods and Applications*, pp 127-149 (1988), Alan R. Liss, Inc., all of which are incorporated by reference.

In accordance with the present disclosure there may be employed conventional molecular biology, microbiology, and recombinant DNA techniques within the skill of the art. Such techniques are explained fully in the literature. See, e.g., Sambrook, Fritsch & Maniatis, *Molecular Cloning: A Laboratory Manual*, Second Edition (1989) Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (herein "Sambrook et al., 1989"); *DNA Cloning: A Practical Approach*, Volumes I and II (D. N. Glover ed. 1985); *Oligonucleotide Synthesis* (M. J. Gait ed. 1984); *Nucleic Acid Hybridization* (B. D. Hames & S. J. Higgins eds. (1985); *Transcription and Translation* (B. D. Hames & S. J. Higgins, eds. (1984); *Animal Cell Culture* (R. I. Freshney, ed. (1986); *Immobilized Cells and Enzymes* (IRL Press, (1986); B. Perbal, *A Practical Guide To Molecular Cloning* (1984); F. M. Ausubel et al. (eds.), *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994); among others.

Plasmid Systems of the Disclosure

In one aspect, the disclosure provides a triple-plasmid system for engineering and producing Recombinant Adeno Associated Viral Vector (rAAV). In certain embodiments, the three plasmid backbones are all the same. In certain embodiments, at least one of the three plasmid backbones are different. In certain embodiments, all three plasmid backbones are different. In certain embodiments, all three plasmid backbones are different to prevent recombination occurring that can lead to the reconstruction of the complete AAV genome. In certain embodiments, the three plasmids comprise plasmid backbones based on, for example and without limitation, pUC19, pBR322, pUC57, pJ241, or pJ247. In certain embodiments, the three plasmids comprise plasmid backbones based on pUC19, pJ241, and pJ247.

In certain embodiments, one plasmid serves as the transgene-containing plasmid for rAAV production construct, a second plasmid serves as the AAV Rep-Cap construct, and a third plasmid serves as the Adenovirus (Ad) Helper construct. Exemplary plasmids of each type are shown in FIG. 1.

Transgene-Containing Plasmid for rAAV Production

The transgene-containing plasmid for rAAV production is engineered to carry at least one heterologous nucleic acid sequence of interest (e.g., an anti-sense RNA molecule, shRNA, miRNA, a ribozyme, or a gene encoding a polypeptide of interest) in which the internal portion of the AAV genome is replaced with a heterologous nucleic acid sequence of interest within an expression cassette. "Expression cassette" as used herein means a nucleic acid sequence capable of directing expression of a particular heterologous nucleic acid sequence in an appropriate host cell (e.g., mammal), which may include a promoter operably linked to the nucleic acid sequence of interest that may be operably linked to termination signals. The expression cassette including the heterologous nucleic acid sequence of interest may be chimeric. The expression cassette may also be one that is naturally occurring but has been obtained in a recombinant form useful for heterologous expression.

In certain embodiments, the transgene-containing plasmid does not comprise an antibiotic resistance gene. In certain embodiments, the transgene-containing plasmid does not comprise an ampicillin resistance gene (e.g., SEQ ID NOs: 71 and 73). While antibiotic resistance genes are commonly used as selection markers for plasmid production, the inclusion of an antibiotic resistance gene (e.g., ampicillin resistance gene) can raise safety concerns. For example, there can be a horizontal gene transfer to patient's bacteria, which would be prevented if the gene is not present in the plasmid. It is particularly important to avoid using antibiotic selection markers involving antibiotics that are in significant clinical use, in order to avoid unnecessary risk of spread of antibiotic resistance traits to environmental microbes (e.g., ampicillin). One should also avoid using antibiotic resistance genes for antibiotics that cause serious hypersensitivity reactions in patients as there could be residual antibiotic in the pharmaceutical composition (e.g., penicillin and other β -lactam antibiotics).

Exemplary transgene-containing plasmids according to the invention is shown in FIGS. 2, 3A, 3B, 15A, and 15B and SEQ ID NOs: 1, 42, 71, and 73, or a plasmid with at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 1, 42, 71, and 73. FIGS. 2, 3A, 3B, 15A, and 15B provides an example of the order of the elements of the transgene-containing plasmids of the invention.

The transgene-containing plasmids according to SEQ ID NOs: 71 and 73 are advantageous because they remove all traces of the ampicillin resistance gene and also include an inactivated gentamycin resistance gene (e.g., the start codon from the open reading frame was removed), which acts as an additional stuffer sequence.

The transgene-containing plasmid is constructed using known techniques to at least provide operatively linked components in the direction of transcription, control elements including a transcriptional initiation region, the DNA of interest and a transcriptional termination region. The control elements are selected to be functional in a mammalian cell. The resulting construct, which contains the operatively linked components, is flanked (5' and 3') with functional AAV inverted terminal repeat (ITR) sequences. Termination signals, such as polyadenylation sites, can also be included in the plasmid.

The ITRs have been shown to be the only cis elements required for packaging allowing for complete gutting of viral genes to create rAAV. Even though the rolling-circle

DNA replication mechanism primarily amplifies (i.e., replicates) the transgene expression cassette DNA sequence flanked by the ITRs due to the presence of the D sequence within the ITRs, the plasmid DNA backbone (e.g., origin of replication, antibiotic resistance gene expression cassette, etc.) can also be packaged into the vector capsid, albeit at a lower frequency due to the absence of the flanking D sequence domain. AAV is efficient in packaging a genome size similar to or smaller than the wildtype virus genome (~4.7 kbases). One could discourage the packaging of the plasmid backbone by increasing the size of the backbone to such a degree that it is unfavorable for the backbone to be packaged into the capsid. Enlargement of the backbone can be achieved by additional "stuffer" sequences (i.e., filler component), resulting in a plasmid backbone size larger than the wild-type AAV genome. Without wishing to be bound by theory, it is suggested that the presence of an enlarged plasmid backbone can reduce the probability of the rAAV packaging the plasmid backbone into the vector capsid. In some embodiments, the enlarged plasmid backbone is created by use of the stuffer sequence.

In certain embodiments, the stuffer sequence is silent in terms of biological activity, in that it is devoid of at least one of enhancers, promoters, splicing regulators, noncoding RNAs, antisense sequences, and/or coding sequences. In certain embodiments, each of enhancers, promoters, splicing regulators, noncoding RNAs, antisense sequences, and coding sequences are absent.

In certain embodiments, the stuffer sequence comprises an inert intronic DNA sequence found in the human genome. By utilizing a DNA sequence from the human genome, there will be lower probability that the stuffer sequence will elicit an immune response in case the plasmid becomes packaged into the capsid. It is also important that the stuffer sequence does not include an open reading frame.

The stuffer sequence should be large enough that the size of the plasmid backbone is larger than the optimal packaging size of rAAV such that the plasmid backbone is not packaged into the vector capsid. The stuffer sequence can consist of at least 10, at least 20, at least 30, at least 40, at least 50, at least 60, at least 70, at least 80, at least 90, at least 100, at least 200, at least 300, at least 400, at least 500, at least 600, at least 700, at least 800, at least 900, at least 1000, at least 2000, at least 3000, at least 4000, at least 5000, at least 6000, at least 7000, at least 8000, at least 9000 or at least 10000 nucleotides. In certain embodiments, the stuffer sequence comprises a nucleic acid of between 1000 and 5000 nucleotides in length. In certain embodiments, the stuffer sequence comprises a nucleic acid of between 1000 and 2000 nucleotides in length. In certain embodiments, the stuffer sequence comprises a nucleic acid of between 800 and 1500 nucleotides in length. In certain embodiments, the stuffer sequence comprises a nucleic acid of between 800 and 1000 nucleotides in length.

In a preferred embodiment, the stuffer sequence comprises human GAPDH intron 2 (NG007073.2). Without wishing to be bound by theory, the use of human GAPDH intron 2 has lower immunogenicity as it is present in the human genome already and thus should not elicit an immune response if it is by chance packaged. GAPDH intron 2 is ideal as a stuffer sequence as it is a single naturally occurring sequence. There is no need to include any additional nucleotides or to link more than one sequence together, which would result in an unnatural buttressing of DNA sequences.

In certain embodiments, the stuffer sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about

70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 9 or a fragment thereof. In certain embodiments, the stuffer sequence comprises, consists of, or consists essentially of SEQ ID NO: 9 or a fragment thereof.

In certain embodiments, the stuffer sequence comprises an inactivated gentamycin gene. In certain embodiments, the gentamycin gene is modified so that it is not expressed. For example, the start codon could be removed.

In certain embodiments, the stuffer sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 72 or a fragment thereof. In certain embodiments, the stuffer sequence comprises, consists of, or consists essentially of SEQ ID NO: 72 or a non-functional fragment thereof.

The transgene-containing plasmid can be constructed using ITRs from any of the various AAV serotypes. These ITRs base pair to allow for synthesis of the complementary DNA strand. The ITRs remain functional in such plasmids to allow replication and packaging of the rAAV containing the heterologous nucleic acid sequence of interest. Mutations within the terminal repeat sequences of AAV plasmids are well tolerated in generating functional AAV vectors. See e.g., Samulski et al, 1983; Muzyczka et al, 1984; and U.S. Pat. No. 9,163,259, which of which as incorporated herein in their entirety for all purposes. Even plasmids with one of the two ITRs deleted, the AAV sequences could be rescued, replicated, and infectious virions be produced, as long as the existing ITR in the construct contains the full AAV ITR sequence.

The nucleic acid sequences of AAV ITR regions are known. The ITR need not have the wild-type nucleic acid sequence, but may be altered, e.g., by the insertion, deletion or substitution of nucleotides. Additionally, the AAV ITR may be derived from any of several AAV serotypes, including without limitation, AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, AAV11, or a chimera thereof. Furthermore, 5' and 3' ITRs which flank a selected nucleic acid sequence in an AAV vector need not necessarily be identical or derived from the same AAV serotype or isolate, so long as they function as intended, i.e., to allow for excision and rescue of the sequence of interest from a host cell genome. Even though SEQ ID NOs: 2 and 43 is used as an example of the 5' ITR sequence of the rAAV described in this document, it is expected that any 5' ITR sequence that carries the terminal resolution site would produce vectors with the same functionality. Likewise, even though SEQ ID NO: 3 is used as an example of the 3' ITR sequence of the rAAV described in this document, it is expected that any 3' ITR sequence that carries the terminal resolution site would produce vectors with the same functionality.

In certain embodiments, the 5' ITR sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 2 or SEQ ID NO 43 or a functional fragment or derivative thereof. In certain embodiments, the 5' ITR comprises, consists of, or consists essentially of SEQ ID NO: 2 or SEQ ID NO 43, or a functional fragment or derivative thereof.

In certain embodiments, the 3' ITR sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 3 or a functional fragment or derivative thereof. In certain embodiments, the 3' ITR comprises, consists of, or consists essentially of SEQ ID NO: 3, or a functional fragment or derivative thereof.

In certain embodiments, the transgene-containing plasmid comprising the stuffer sequence as described above is operably linked to an expression cassette.

In certain embodiments, the expression cassette comprises a promoter. In certain embodiments, the at least one heterologous nucleic acid sequence (e.g., heterologous gene of interest) is operably linked to a pol II promoter (constitutive, cell-specific, or inducible) such that the heterologous nucleic acid sequence is capable of being expressed in the patient's target cells under appropriate or desirable conditions. Numerous examples of constitutive, cell-specific, and inducible promoters are known in the art, and one of skill could readily select a promoter for a specific intended use, e.g., the selection of the muscle-specific skeletal α -actin promoter or the muscle-specific creatine kinase promoter/enhancer for muscle cell-specific expression, the selection of the constitutive CMV promoter for strong levels of continuous or near-continuous expression (e.g., hCMVie (SEQ ID NO: 4)), or the selection of the inducible ecdysone promoter for induced expression. Induced expression allows the skilled artisan to control the amount of protein that is synthesized. In this manner, it is possible to vary the concentration of therapeutic product. Other examples of well-known inducible promoters are: steroid promoters (e.g., estrogen and androgen promoters) and metallothionein promoters. In certain embodiments, the promoter is a pol III promoter. In certain embodiments, the promoter is a U6 promoter. In certain embodiments, the promoter is an H1 promoter. In certain embodiments, the gene expression cassette is without a promoter.

In certain embodiments, the transgene-containing plasmid is multicistronic, i.e., carries more than one gene. Unlike promoters which will create unique mRNA transcripts for each gene that is expressed, multicistronic plasmids simultaneously express two or more separate proteins from the same mRNA. In such cases, the multiple genes are separated by an element that allows for separate translation for each gene (e.g., internal ribosomal entry sites (IRES) or 2A peptides).

Even though SEQ ID NO: 6 is used as an example of an IRES sequence of the rAAV described in this document, it is expected that any 5' ITR sequence that carries the terminal resolution site would produce vectors with the same functionality.

IRES allow for initiation of translation from an internal region of the mRNA by acting as another ribosome recruitment site. In certain embodiments, the IRES sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 6 or a functional fragment or derivative thereof. In certain embodiments, IRES comprises, consists of, or consists essentially of SEQ ID NO: 6 or a functional fragment or derivative thereof.

In certain embodiments, the transgene-containing plasmid encodes a 2A peptide. 2A peptides (see non-limiting examples in Table 1 below) were created to overcome some of the disadvantages of the IRES element. In particular 2A peptides are “self-cleaving” in that these peptides are thought to function by making the ribosome skip the synthesis of a peptide bond at the C-terminus of a 2A element, leading to separation between the end of the 2A sequence and the next peptide downstream. The “cleavage” occurs between the Glycine and Proline residues found on the C-terminus meaning the upstream cistron will have a few additional residues added to the end, while the downstream cistron will start with the Proline. 2A cleavage is universal in eukaryotic cells, and, some scientists report close to 100% cleavage. The choice of specific 2A peptide will ultimately depend on a number of factors such as cell type or experimental conditions, which one of ordinary skill would be understand which one to choose.

TABLE 1

Examples of four common 2A peptides.	
Peptide	Amino acid sequence*
T2A:	(GSG) E G R G S L L T C G D V E E N P G P (SEQ ID NO: 74)
P2A:	(GSG) A T N F S L L K Q A G D V E E N P G P (SEQ ID NO: 75)
E2A:	(GSG) Q C T N Y A L L K L A G D V E S N P G P (SEQ ID NO: 76)
F2A:	(GSG) V K Q T L N F D L L K L A G D V E S N P G P (SEQ ID NO: 77)

*(GSG) residues can be added to the 5' end of the peptide to improve cleavage efficiency.

In an embodiment, the plasmid comprises 5' and 3' ITRs from an AAV, wherein the ITRs surround at least one gene. In certain embodiments, a stuffer sequence is located downstream of the 3' ITR. In certain embodiments, the stuffer sequence is upstream of the 5' ITR. ITRs can be from AAV serotypes AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, and/or AAV11, or a chimera thereof. In certain embodiments, the ITRs are from AAV serotypes AAV2 and/or AAV5. In certain embodiments, the ITRs can be SEQ ID NO: 2, 3, or 43, or a functional fragment or derivative thereof. In some embodiments, the gene is a reporter gene, such as for example and not limitation, eGFP (e.g., SEQ ID NO: 5) and/or SEAP (e.g., SEQ ID NO: 7). In some embodiments, the stuffer sequence is GAPDH intron 2 or a fragment or variant thereof. In some embodiments, the stuffer sequence is SEQ ID NO: 9 or a fragment thereof. Exemplary gene constructs are shown in FIG. 3 for use in plasmids to generate ssAAV (FIG. 3A) and scAAV (FIG. 3B) rAAV.

Rep-Cap Plasmid

The second plasmid comprises AAV replication (Rep) and capsid (Cap) gene sequences. The AAV Rep-Cap plasmid includes both of the major AAV genes open reading frames (ORFs), Rep gene, and Cap gene. Rep proteins have been shown to possess many functions, including, among others: recognition, binding and nicking of the AAV origin of DNA replication; DNA helicase activity; and modulation of transcription from AAV (or other heterologous) promoters. Cap proteins supply necessary packaging functions and assemble into the viral capsid shell. AAV helper functions are used herein to complement AAV functions in trans that are missing from AAV vectors. Rep and Cap genes are translated to produce multiple distinct proteins (Rep78, Rep68, Rep52, Rep40—required for the AAV life cycle; VP1, VP2, VP3—

capsid proteins). The Rep and/or Cap genes can be derived from AAV serotypes AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, and/or AAV11, or a chimera thereof. In certain embodiments, the AAV Rep and/or Cap genes encode genetically engineered AAV and/or chemically modified AAV. See e.g., AAV virions mutated to be less immunogenic such as those recited in U.S. Pat. No. 7,259,151, incorporated herein by reference for all intended purposes. The selection of the AAV serotype can be selected on the tropism of the AAV serotype. Table 2 below provides examples, without limitation, of tropism of the most widely used AAV serotypes. The tropism of AAV can also be modified via pseudotyping (i.e., the mixing of a capsid and genome from ITRs from a different viral serotypes). These serotypes are denoted using a slash, so that AAV2/5 indicates a virus containing the genome carrying ITR of serotype 2 packaged in the capsid from serotype 5. Use of these pseudotyped viruses can improve transduction efficiency, as

well as alter tropism. For example, neurons that are not efficiently transduced by AAV2, one can use AAV2/5, which is distributed more widely in the brain and shown to have improved transduction efficiency. One can also use hybrid capsids derived from multiple different serotypes, which also alter viral tropism. For example, AAV-DJ, which contains a hybrid capsid derived from eight serotypes, displays a higher transduction efficiency in vitro than any wild type serotype; in vivo, it displays very high infectivity across a broad range of cell types. The mutant AAV-DJ8 displays the properties of AAV-DJ, but with enhanced brain uptake. A number of AAV helper plasmids have been described, such as the commonly used plasmids pAAV/Ad and pIM29+45 which encode both Rep and Cap gene expression products. See, e.g., Samulski et al. (1989) J. Virol. 63:3822-3828; and McCarty et al. (1991) J. Virol. 65:2936-2945 and U.S. Pat. Nos. 5,139,941; 6,001,650; 6,376,237; 7,259,151, each of which are incorporated herein by reference in their entirety for all purposes.

TABLE 2

Tissue Tropism of AAV Serotypes	
Tissue	Optimal Serotype
Heart	AAV1, AAV8, AAV9
Kidney	AAV2
Liver	AAV7, AAV8, AAV9
Nervous System	AAV1, AAV2, AAV4, AAV5, AAV8, AAV9

TABLE 2-continued

Tissue Tropism of AAV Serotypes	
Tissue	Optimal Serotype
Lung	AAV4, AAV5, AAV6, AAV9
Pancreas	AAV8
Photoreceptor Cells	AAV2, AAV5, AAV8
RPE (Retinal Pigment Epithelium)	AAV1, AAV2, AAV4, AAV5, AAV8
Skeletal Muscle	AAV1, AAV6, AAV7, AAV8, AAV9

An exemplary Rep-Cap plasmid according to the invention is shown in FIGS. 4A, 4B, 14A, and 14B; and SEQ ID NOs: 24, 31, 33, 35, 37, 41, 59, and 60, or a plasmid with at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 24, 31, 33, 35, 37, 41, 59, or 60. FIGS. 4A, 4B, 14A, and 14B; provide examples of the order of the elements in the plasmids of AAV Rep-Cap plasmids of the invention.

In certain embodiments, the Rep genes can be derived from AAV serotypes AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, and/or AAV11, or a chimera thereof. In certain embodiments, the AAV Rep gene is genetically engineered AAV and/or chemically modified AAV. In certain embodiments, the Rep gene includes genes from AAV serotype 2 (Rep2) and/or Rep5, which includes chimeras (e.g., AAV Rep2/5).

In certain embodiments, the Cap genes can be derived from AAV serotypes AAV1, AAV2, AAV3, AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, and/or AAV11, or a chimera thereof. In certain embodiments, the AAV Cap gene is genetically engineered AAV and/or chemically modified AAV. In any of the foregoing embodiments, the Cap gene may be from the same AAV serotype as the Rep gene or a different AAV serotype from the Rep gene. In any of the foregoing embodiments, the plasmid further comprises a Cap gene from any of AAV serotypes 2, 5, 8, and/or 9 (Cap2, Cap5, Cap8, and Cap9, respectively), including chimeric proteins comprising hybrids of Cap proteins from those serotypes.

In certain embodiments, the Rep-Cap plasmid includes, but is not limited to, Rep gene sequence from AAV serotypes 2 and as a chimeric Rep protein combined from more than 1 serotypes, for example Rep2/5, and capsid gene sequence from any AAV capsid serotypes including AAV2, AAV5, AAV8, and/or AAV9.

In certain embodiments, the Rep gene sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 11, 12, 28, or 30, or a functional fragment or derivative thereof. In certain embodiments, Rep gene sequence comprises, consists of, or consists essentially of SEQ ID NOs: 11, 12, 28, or 30, or a functional fragment or derivative thereof.

In certain embodiments, the Cap gene sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 13, 29, 32, or 36, or a functional

fragment or derivative thereof. In certain embodiments, Cap gene sequence comprises, consists of, or consists essentially of SEQ ID NOs: 13, 29, 32, or 36, or a functional fragment or derivative thereof.

In certain embodiments, the promoter sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NO: 34, or a functional fragment or derivative thereof. In certain embodiments, promoter sequence comprises, consists of, or consists essentially of SEQ ID NO: 34, or a functional fragment or derivative thereof.

In an embodiment, the Rep-Cap plasmid further comprises an AAV promoter to control expression of the AAV Rep and Cap proteins described herein. The promoter can be any desired promoter, selected by known considerations, such as the level of expression of a nucleic acid functionally linked to the promoter and the cell type in which the vector is to be used. That is, the promoter can be tissue/cell-specific. Promoters can be prokaryotic, eukaryotic, fungal, nuclear, mitochondrial, viral or plant promoters. Promoters can be exogenous or endogenous to the cell type being transduced by the vector. Promoters can include, for example, bacterial promoters, known strong promoters such as SV40 or the inducible metallothionein promoter, or an AAV promoter, such as an AAV P5 promoter. Additionally, chimeric regulatory promoters for targeted gene expression can be utilized. Examples of these regulatory systems, which are known in the art, include the tetracycline based regulatory system which utilizes the tet transactivator protein (tTA), a chimeric protein containing the VP1 6 activation domain fused to the tet repressor of *Escherichia coli*, the EPTG based regulatory system, the CID based regulatory system, and the Ecdysone based regulatory system. Other promoters include promoters derived from actin genes, immunoglobulin genes, cytomegalovirus (CMV) (e.g., hCMVie (SEQ ID NO: 4), adenovirus, bovine papilloma virus, adenoviral promoters, such as the adenoviral major late promoter, an inducible heat shock promoter, respiratory syncytial virus, Rous sarcomas virus (RSV), etc. The promoter can be the promoter of any of the AAV serotypes and can be the p19 promoter or the p40 promoter. In certain embodiments, the promoter can be an AAV2 P5 promoter or an AAV5 P5 promoter or an AAV P5 promoter. Furthermore, smaller fragments of the P5 promoter that retain promoter activity can readily be determined by standard procedures including, for example, constructing a series of deletions in the P5 promoter, linking the deletion to a reporter gene, and determining whether the reporter gene is expressed, i.e., transcribed and/or translated. Examples of potential promoter can be found in WO2005017101, incorporated by reference herein for all intended purposes. In certain embodiments, the AAV promoter is from AAV serotype 2. Exemplary P5-Rep-Cap plasmids comprising the AAV2 promoter P5 are shown in FIGS. 4B and 14B and in SEQ ID NO: 34.

Suitable plasmid backbones for the Rep-Cap plasmid includes but is not limited to. pHLP19, pUC18, pUC19, and pAAV-RC2, see also plasmid backbones described in U.S. Pat. Nos. 6,001,650 and 6,156,303, the entirety of both incorporated herein by reference for all purposes. In certain embodiments, the Rep-Cap plasmid backbone is pUC19.

Ad Helper Plasmid

In an embodiment, the Ad helper plasmid comprises adenovirus genes including, but not limited to, Ad2 and/or Ad5. In an embodiment, the Ad helper plasmid comprises Ad5 genes. The Ad5 gene sequence is used because Ad5 is an efficient helper virus to rAAV. It is known that the full-complement of adenovirus genes is not required for helper function. In fact, it is more desirable to not have the full compliment. For example, adenovirus mutants incapable of DNA replication and late gene synthesis have been shown to be permissive for AAV replication. Ito et al., (1970) *J. Gen. Virol.* 9: 243; Ishibashi et al., (1971) *Virology* 45: 317. Thus, the Ad Helper Plasmid is designed to be of minimal size to only carry the required Ad genes required for rAAV production and to serve as a reduced plasmid size construct. It has been shown that adenoviruses defective in the E1 region, or having a deleted E4 region, are unable to support AAV replication. Thus, E1A and/or E4 regions are likely required for AAV replication, either directly or indirectly. Laughlin et al., (1982) *J. Virol.* 41: 868; Janik et al., (1981) *Proc. Natl. Acad. Sci. USA* 78: 1925; Carter et al., (1983) *Virology* 126: 505. Other characterized Ad mutants include: E1B (Laughlin et al. (1982), supra; Janik et al. (1981), supra; Ostrove et al., (1980) *Virology* 104: 502); E2A (Handa et al., (1975) *J. Gen. Virol.* 29: 239; Strauss et al., (1976) *J. Virol.* 17: 140; Myers et al., (1980) *J. Virol.* 35: 665; Jay et al., (1981) *Proc. Natl. Acad. Sci. USA* 78: 2927; Myers et al., (1981) *J. Biol. Chem.* 256: 567); E2B (Carter, Adeno-Associated Virus Helper Functions, in *I CRC Handbook of Parvoviruses* (P. Tijssen ed., 1990)); E3 (Carter et al. (1983), supra); and E4 (Carter et al. (1983), supra; Carter (1995)). Although studies of the accessory functions provided by adenoviruses having mutations in the E1B coding region have produced conflicting results, Samulski et al., (1988) *J. Virol.* 62: 206-210, recently reported that E1B55k is required for AAV virion production, while E1B19k is not. In addition, International Publication WO 97/17458 and Matshushita et al., (1998) *Gene Therapy* 5: 938-945, describe accessory proteins encoding various Ad genes. Particularly preferred accessory function plasmids comprise an adenovirus VA RNA coding region, an adenovirus E4 ORF6 coding region, an adenovirus E2A 72 kD coding region, an adenovirus E1A coding region, and an adenovirus E1B region lacking an intact E1B55k coding region. Examples of these plasmids are described in International Publication No. WO 01/83797. Each reference recited in this paragraph are incorporated herein by reference in their entirety for all purposes.

Exemplary Ad helper plasmids according to the invention is shown in FIG. 5 and SEQ ID NOs: 14 and 15, or a plasmid with at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 14 and 15. FIG. 5 provides examples of the order of the elements in the plasmids of Ad helper plasmids of the invention.

In certain embodiments, the Ad helper plasmid can include, without limitation, adenoviral gene sequences for E2a, E4 (orf6), the VA1 RNA gene, and the parvovirus VP capsid gene unit. In certain embodiments, the Ad Helper Plasmid can include VA, E4, and E2A genes. As there is a limitation of how much plasmid can be efficiently transfected to cells for rAAV production, having a reduced size plasmid carrying these Ad genes could help increase the

molar content of all three plasmids used in the transfection, thus increasing the probability of producing higher yield rAAV.

In an embodiment, the Ad helper plasmid comprises E2A, E4 ORFs 1, 2, 3, 4, and 6/7, and VA ("short Ad helper plasmid"). An exemplary short Ad Helper Plasmid is shown in the top panel of FIG. 5. The shorter plasmid described here is to reduce "plasmid load" during the step of transfection so that the overall copy number of plasmids of all three plasmids can be increased to give higher number of plasmid templates for gene expression and replication for rAAV production. The reduced plasmid load is surprisingly useful for larger batches. This may not be a crucial parameter in small research scale production but could be much more critical when scaled up. This exemplary short Ad Helper Plasmid is approximately 12 kb. In another embodiment, the Ad Helper Plasmid comprises E2A, E4 ORFs 1, 2, 3, 4, and 6/7, and VA, as well as genes encoding a protease and a fiber and promoter pVIII ("long Ad helper plasmid"). An exemplary long Ad Helper Plasmid is shown in the bottom panel of FIG. 5. This exemplary long Ad Helper Plasmid is approximately 18 kb.

The differences between the short and long constructs are shown in FIG. 5. The orientations of the three essential gene elements are different. The long version carries additional elements from the adenovirus genome that may have functions that influence rAAV production. The short version contains the minimal gene sequence that is known to be able to support rAAV production.

In certain embodiments, the VA sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 16 or 48-50, or a functional fragment or derivative thereof. In certain embodiments, VA sequence comprises, consists of, or consists essentially of SEQ ID NOs: 16 or 48-50, or a functional fragment or derivative thereof.

In certain embodiments, the E4 sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 17, 40, 47, or 55-58, or a functional fragment or derivative thereof. In certain embodiments, E4 sequence comprises, consists of, or consists essentially of SEQ ID NOs: 17, 40, 47, or 55-58, or a functional fragment or derivative thereof.

In certain embodiments, the E2A sequence comprises, consists of, or consists essentially of a nucleic acid having at least about 40%, about 50%, about 60%, about 65%, about 70%, about 75%, about 80%, about 85%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, or about 99% identity to SEQ ID NOs: 18, 39, 46, or 51, or a functional fragment or derivative thereof. In certain embodiments, E2A sequence comprises, consists of, or consists essentially of SEQ ID NOs: 18, 39, 46, or 51, or a functional fragment or derivative thereof.

Suitable plasmids for the Ad Helper Plasmid include, but are not limited to, pJ241, see also plasmids described in U.S. Pat. Nos. 6,001,650 and 6,156,303, the entirety of both incorporated by reference herein. In certain embodiments, the Ad Helper Plasmid backbone is pUC57.

Additional Genes

In a further embodiment, all three plasmids contain a selection marker. An example of a selection marker includes, but is not limited, to positive selection markers such as drug resistance genes including, but not limited to, G418 (with neor), puromycin (with puror), hygromycin B (with hygr), blasticidin S (with bsrr), mycophenolic acid and 6-thio (guanine) (with gpt) and gancyclovir or 1 (2'-deoxy-2'-fluoro-beta-D-arabinofuranosyl)-5-iodouracil (FIAU) (with HSV-tk), gentamycin, and/or kanamycin (with kanr). In a further embodiment, the drug selection marker on all three plasmids is kanamycin. In certain embodiments, the kanamycin gene comprises or consists of SEQ ID NOs: 19 or 25, or functional fragments or derivatives thereof. In certain embodiments, the gentamycin gene comprises or consists of SEQ ID NOs: 44 or 72, or functional fragments or derivatives thereof.

In an embodiment, one or more of the three plasmids carries one or more reporter genes. Several reporter genes are known in the art and some are commercially available (see, Alam and Cook, supra). The reporter gene can be inserted within a plasmid that is particularly suited for an organism and molecular biology manipulations. Promoters of interest can be inserted into cloning sites so that the expression of the reporter gene is under the control of the promoter (see, Rosenthal, N., *Methods Enzymol.* 152: 704-720 (1987); and Shiau, A. and Smith, J. M., *Gene* 67: 295-299 (1988)). Known methods are used to introduce these plasmids into a cell type or whole organism (see, Sambrook et al., *Molecular Biology, A Laboratory Manual*, Cold Spring Harbor Laboratory Press (1989); and Nolan, In: *Molecular Cloning*, Cold Spring Harbor Laboratory Press, (1989)). Examples of reporter genes include, without limitation, β -galactosidase (LacZ), firefly luciferase, *Renilla* luciferase, *Gussia* luciferase, chloramphenicol acetyltransferase (CAT), secreted embryonic alkaline phosphatase (SEAP), cyan fluorescent protein (CFP), green fluorescent protein (GFP), enhanced GFP (eGFP), yellow fluorescent protein (YFP), enhanced YFP (eYFP), blue fluorescent protein (BFP), enhanced BFP (eBFP), red fluorescent protein from the *Discosoma* coral (DsRed), and/or MmGFP (Zemicka-Goetz et al. (1997) *Development* 124: 1133-1137) or others familiar to those of ordinary skill. In another embodiment, one or more of the three plasmids carries a reporter construct comprising both eGFP and SEAP, with an internal ribosome entry site (IRES) located between eGFP and SEAP. In such an embodiment, eGFP, which localizes in the nucleus, can be used for determining vector transduction tropism of the rAAV, while SEAP, which is secreted outside of the cell, can permit quantitative measurement of transduction efficiency, either in culture medium in an in vitro setting, or in the subject's bloodstream in an in vivo setting. LacZ can enable color-based selection of desired clones, based on disruption of the lacZ gene by a cloned gene.

In an embodiment, each plasmid comprises a unique DNA titer tag. In certain embodiments, the DNA titer tag only appears in the transgene-containing plasmid. In certain embodiments the DNA titer tag appears in all of the plasmid systems. This unique DNA titer tag can be included to enable universal vector genome titering, e.g., via a qPCR (or ddPCR)-based vector genome titering assay, to quantify the amount of vector present. In certain embodiments, the DNA titer tag can be outside the expression cassette but between the 2 ITR's to ensure that it becomes packaged. For example, the DNA titer tag can be upstream of the 3'ITR sequence. As another example, the DNA titer tag can be downstream of the 5'ITR sequence. In certain embodiments,

the DNA titer tag is constructed such that it does not appear endogenously within the subject's genome. For example, the sequence can be compared against the subject's DNA (e.g., via a Blast search or other alignment search tool). The primers used to run the qPCR analysis can also be analyzed to ensure that they do not identify any sequence found in the host cells used to package the virion.

The DNA titer tag can be of a size that allows for efficient qPCR analysis but also takes up the least amount of genome space in the plasmid. In certain embodiments, the DNA titer tag sequence is about 60 nucleotides to about 100 nucleotides in length (e.g. SEQ ID NO: 10) and designed based on a sequence that does not exist in humans or standard laboratory animals. In certain embodiments, the DNA titer tag sequence is about 60 nucleotides to about 80 nucleotides, about 65 nucleotides to about 95 nucleotides, about 70 nucleotides to about 90 nucleotides, or about 75 nucleotides to about 85 nucleotides. In certain embodiments, the DNA titer tag sequence is about 60 nucleotides to about 70 nucleotides, about 65 nucleotides to about 75 nucleotides, about 70 nucleotides to about 80 nucleotides, about 75 nucleotides to about 85 nucleotides, about 80 nucleotides to about 90 nucleotides, about 85 nucleotides to about 95 nucleotides, or about 90 nucleotides to about 100 nucleotides. In certain embodiments, the DNA titer tag sequence is at least about 60 nucleotides, at least about 65 nucleotides, at least about 70 nucleotides, at least about 75 nucleotides, at least about 80 nucleotides, at least about 85 nucleotides, at least about 90 nucleotides, at least about 95 nucleotides, or at least about 100 nucleotides. In certain embodiments, the stretch of DNA titer sequence is 100 nucleotides in length. In certain embodiments, a titer tag of 100 nucleotides can be advantageous in rapid qPCR assays and allow for efficient packaging due to the overall plasmid size and packaging limitations.

Non-limiting examples of nucleic acid sequences that encode DNA titer tags includes SEQ ID NO: 61-70. Heterologous Nucleic Acid Sequence

Recombinant AAV made by the plasmids of the invention can be administered to one or more cells or tissue of a subject. Thus, the invention embraces the delivery of heterologous nucleic acid sequence that can be useful to modulate the cells or tissue of the subject. For example, rAAV can upregulate or downregulate an activity or product of a cell or tissue.

In certain embodiments, the heterologous nucleic acid sequence can be a heterologous gene of interest encoding one or more peptide, polypeptide, or protein. In certain embodiments, the heterologous nucleic acid sequence can encode a peptide, polypeptide, or protein that binds to a specific target of interest, which can be useful for the treatment or prevention of disease in a subject. Examples of such heterologous nucleic acid sequences and associated peptides, polypeptides, or proteins include, but are not limited to, a gene encoding antibodies, MHC molecules, T-cell receptors, B-cell receptors, aptamers, avimers, receptor-binding ligands, or targeting peptides. Antibodies useful in the present invention can encompass monoclonal antibodies, polyclonal antibodies, antibody fragments (e.g., Fab, Fab', F(ab')₂, Fv, Fc, etc.), chimeric antibodies, bispecific antibodies, heteroconjugate antibodies, single chain (ScFv), mutants thereof, fusion proteins comprising an antibody portion, humanized antibodies, and any other modified configuration of the immunoglobulin molecule that comprises an antigen recognition site of the required specificity, including glycosylation variants of antibodies, amino acid sequence variants of antibodies, and covalently modified

antibodies. The antibodies may be murine, rat, human, or any other origin (including chimeric or humanized antibodies). An antibody includes an antibody of any class, such as IgG, IgA, or IgM (or sub-class thereof), and the antibody need not be of any particular class. Depending on the antibody amino acid sequence of the constant domain of its heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2. The heavy-chain constant domains that correspond to the different classes of immunoglobulins are called alpha, delta, epsilon, gamma, and mu, respectively. The subunit structures and three-dimensional configurations of different classes of immunoglobulins are well known.

In certain embodiments, the heterologous nucleic acid sequence (e.g., heterologous gene of interest) can encode a peptide, polypeptide, or protein that can be useful for the treatment or prevention of disease in a subject. For example, the heterologous nucleic acid sequence can encode a protein X for the treatment of disease Y. Protein X can, for example, substitute for a mutated protein or act to block a mutated protein. Such nucleic acid sequences and associated diseases include, but are not limited to, nucleic acid sequences encoding glucose-6-phosphatase, associated with glycogen storage deficiency type 1A; DNA encoding phosphoenolpyruvate-carboxykinase, associated with Pepck deficiency; DNA encoding galactose-1 phosphate uridyl transferase, associated with galactosemia; DNA encoding phenylalanine hydroxylase, associated with phenylketonuria; DNA encoding branched chain alpha-ketoacid dehydrogenase, associated with Maple syrup urine disease; DNA encoding fumarylacetoacetate hydrolase, associated with tyrosinemia type 1; DNA encoding methylmalonyl-CoA mutase, associated with methylmalonic acidemia; DNA encoding medium chain acyl CoA dehydrogenase, associated with medium chain acetyl CoA deficiency; DNA encoding ornithine transcarbamylase, associated with ornithine transcarbamylase deficiency; DNA encoding argininosuccinic acid synthetase, associated with citrullinemia; DNA encoding low density lipoprotein receptor protein, associated with familial hypercholesterolemia; DNA encoding UDP-glucuronosyltransferase, associated with Crigler-Najjar disease; DNA encoding adenosine deaminase, associated with severe combined immunodeficiency disease; DNA encoding hypoxanthine guanine phosphoribosyl transferase, associated with Gout and Lesch-Nyan syndrome; DNA encoding biotinidase, associated with biotinidase deficiency; DNA encoding alpha-galactosidase-A, associated with Fabry disease; DNA encoding beta-glucocerebrosidase, associated with Gaucher disease; DNA encoding beta-glucuronidase, associated with Sly syndrome; DNA encoding peroxisome membrane protein 70 kDa, associated with Zellweger syndrome; DNA encoding porphobilinogen deaminase, associated with acute intermittent porphyria; DNA encoding alpha-1 antitrypsin for treatment of alpha-1 antitrypsin deficiency (emphysema); DNA encoding Cl-esterase for the treatment of hereditary angioedema (HAE); DNA encoding phenylalanine hydroxylase for the treatment of phenylketonuria; DNA encoding acid alpha-glucosidase for the treatment of with Pompe disease; DNA encoding ATP7B for the treatment of Wilson's disease; DNA encoding alpha-L-iduronidase for the treatment of mucopolysaccharidose type I (MPSI); DNA encoding iduronate sulfatase for the treatment of mucopolysaccharidose type II (MPSII); DNA encoding heparan sulfamidase for the treatment of

mucopolysaccharidose type IIIA (MPSIIIA); DNA encoding N-acetylglucosaminidase for the treatment of mucopolysaccharidose type IIIB (MPSIIIB); DNA encoding heparan-alpha-glucosaminide N-acetyltransferase for the treatment of mucopolysaccharidose type IIIC (MPSIIIC); DNA encoding N-acetylglucosamine 6-sulfatase for the treatment of mucopolysaccharidose type IIID (MPSIIID); DNA encoding galactose-6-sulfate sulfatase for the treatment of mucopolysaccharidose type IVA (MPSIVA); DNA encoding beta-galactosidase for the treatment of mucopolysaccharidose type IVB (MPSIVB); DNA encoding N-acetylgalactosamine-4-sulfatase for the treatment of mucopolysaccharidose type VI (MPSVI); DNA encoding beta-glucuronidase for the treatment of mucopolysaccharidose type VII (MPSVII); DNA encoding hyaluronidase for the treatment of mucopolysaccharidose type IX (MPSIX); DNA encoding erythropoietin for treatment of anemia due to thalassemia or to renal failure; DNA encoding vascular endothelial growth factor, DNA encoding angiopoietin-1, and DNA encoding fibroblast growth factor for the treatment of ischemic diseases; DNA encoding thrombomodulin and tissue factor pathway inhibitor for the treatment of occluded blood vessels as seen in, for example, atherosclerosis, thrombosis, or embolisms; DNA encoding aromatic amino acid decarboxylase (AADC), and DNA encoding tyrosine hydroxylase (TH) for the treatment of Parkinson's disease; DNA encoding the beta adrenergic receptor, DNA encoding anti-sense to, or DNA encoding a mutant form of, phospholamban, DNA encoding the sarco(endo)plasmic reticulum adenosine triphosphatase-2 (SERCA2), and DNA encoding the cardiac adenylyl cyclase for the treatment of congestive heart failure; DNA encoding a tumor suppressor gene such as p53 for the treatment of various cancers; DNA encoding a cytokine such as one of the various interleukins for the treatment of inflammatory and immune disorders and cancers; DNA encoding dystrophin or minidystrophin and DNA encoding utrophin or miniutrophin for the treatment of muscular dystrophies; DNA encoding ABCA4 for the treatment of Stargardt's disease; and, DNA encoding insulin for the treatment of diabetes.

In certain embodiments, the heterologous nucleic acid sequence (e.g., heterologous gene of interest) can encode a peptide, polypeptide, or protein that encodes a blood coagulation protein, which proteins may be delivered to the cells of a subject having a blood disorder (e.g., hemophilia). Examples of such nucleic acids and associated peptides, polypeptides, or proteins include, but are not limited to, DNA encoding Factor IX to a subject for treatment of hemophilia B, Factor VIII to a subject for treatment of hemophilia A, Factor VII for treatment of Factor VII deficiency, Factor X for treatment of Factor X deficiency, Factor XI for treatment of Factor XI deficiency, Factor XIII for treatment of Factor XIII deficiency, and Protein C for treatment of Protein C deficiency.

The invention also includes the expression of engineered artificial DNA binding domain peptide, transcriptional activator or transcriptional repressor and nucleases that can interact with the host cell genome to affect up or down gene expression level for genetic and/or acquired diseases.

The invention also includes the expression of heterologous nucleic acid sequences, including but not limited to, antisense, siRNA, shRNA, miRNA, EGSSs, gRNA, sgRNA, ribozymes, or aptamers, which could interact with cellular DNA, RNA and/or proteins that can change the gene expression or activities of proteins for genetic and/or acquired diseases.

The invention also includes the expression of intermediate and/or critical raw material for cellular therapy, including but not limited to rAAV, to be used to infect cells to generate genetically engineered cell therapy materials or drug product.

The invention also includes a heterologous nucleic acid sequence that is a gene editing molecule used for modifying a genomic locus of interest (i.e., target) in a cell. Such modifications include, but are not limited to a disruption, deletion, repair, mutation, addition, alteration, or modification of a gene sequence at a target locus in a gene. Examples of gene-editing molecules include, but are not limited to, endonucleases such as zinc finger nucleases (ZFNs), transcription activator-like effector nucleases (TALENs), meganucleases, restriction endonucleases, recombinases, and Clustered Regularly Interspersed Short Palindromic Repeats (CRISPR)/CRISPR-associated (Cas) proteins.

Delivery of rAAV

Recombinant AAV described herein, can be used at a therapeutically useful concentration for the treatment and/or prevention of a disease of interest, by administering to a subject in need thereof, an effective amount of the rAAV made by the plasmids of the invention. Subjects to be treated with rAAV made by the plasmids of the present invention can also be administered with other therapeutic agents or devices with known efficacy for treating or preventing the disease.

Delivery of the rAAV to a subject may be by intramuscular injection or by administration into the bloodstream of the subject. Administration into the bloodstream may be by injection into a vein, an artery, or any other vascular conduit the mutant virions into the bloodstream by way of isolated limb perfusion, a technique well known in the surgical arts, the method essentially enabling the artisan to isolate a limb from the systemic circulation prior to administration of the rAAV. Moreover, for certain conditions, it may be desirable to deliver the mutant virions to the CNS of a subject. By "CNS" is meant all cells and tissue of the brain and spinal cord of a vertebrate. Thus, the term includes, but is not limited to, neuronal cells, glial cells, astrocytes, cerebrospinal fluid (CSF), interstitial spaces, bone, cartilage, intracerebral ventricular, intracranial, cisterna *magna* injection, intrathecal, intracardiac, intranasal and the like. rAAV or cells transduced in vitro may be delivered directly to the CNS or brain by injection into, e.g., the ventricular region, as well as to the striatum (e.g., the caudate nucleus or putamen of the striatum), spinal cord and neuromuscular junction, or cerebellar lobule, with a needle, catheter or related device, using neurosurgical techniques known in the art, such as by stereotactic injection. See, e.g., Stein et al., J Virol 73:3424-3429, 1999; Davidson et al., PNAS 97:3428-3432, 2000; Davidson et al., Nat. Genet. 3:219-223, 1993; and Alisky and Davidson, Hum. Gene Ther. 11:2315-2329, 2000, each of which are incorporated herein in their entirety for all purposes. For administration to the eye, methods can include, subretinal, intravitreal, trans-scleral, or intracranial.

TABLE 3

Exemplary Sequences for Use in the Plasmids of the Invention	
Sequence ID	Description
SEQ ID NO: 1	Single-strand ITR transgene plasmid
SEQ ID NO: 2	5' ITR
SEQ ID NO: 3	3' ITR
SEQ ID NO: 4	hCMVie
SEQ ID NO: 5	eGFP

TABLE 3-continued

Exemplary Sequences for Use in the Plasmids of the Invention	
Sequence ID	Description
SEQ ID NO: 6	IRES
SEQ ID NO: 7	SEAP
SEQ ID NO: 8	SV40 poly A
SEQ ID NO: 9	GAPDH stuffer sequence
SEQ ID NO: 10	DNA titer tag
SEQ ID NO: 11	Rep2/5
SEQ ID NO: 12	Rep2
SEQ ID NO: 13	Cap9
SEQ ID NO: 14	Complete short ad helper plasmid
SEQ ID NO: 15	Complete long Ad helper plasmid
SEQ ID NO: 16	VA gene
SEQ ID NO: 17	E4 gene
SEQ ID NO: 18	E2A
SEQ ID NO: 19	Kanamycin resistance gene (complement)
SEQ ID NO: 20	pUC origin (complement)
SEQ ID NO: 21	P_Amp (complement)
SEQ ID NO: 22	Term_bla (complement)
SEQ ID NO: 23	Rpo_C (complement)
SEQ ID NO: 24	pRep2/5-Cap5 plasmid
SEQ ID NO: 25	Kanamycin resistance gene (complement)
SEQ ID NO: 26	origin of replication; RNaseH cleavage point
SEQ ID NO: 27	lac promoter (complement)
SEQ ID NO: 28	Rep5 BamHI fragment (complement)
SEQ ID NO: 29	Cap5/VP1 fragment (complement)
SEQ ID NO: 30	Start site of Rep2 (complement)
SEQ ID NO: 31	pRep2-Cap2 plasmid
SEQ ID NO: 32	Cap2
SEQ ID NO: 33	pUC19-Kan-Rep2Cap2 plasmid
SEQ ID NO: 34	AAV2/P5 promoter (complement)
SEQ ID NO: 35	pRep2-Cap8 plasmid
SEQ ID NO: 36	Cap8 gene (complement)
SEQ ID NO: 37	pRep2-Cap9 plasmid
SEQ ID NO: 38	lac promoter
SEQ ID NO: 39	E2A gene (complement)
SEQ ID NO: 40	E4 gene (complement)
SEQ ID NO: 41	pUC19-Kan-Rep2Cap9 plasmid
SEQ ID NO: 42	Self-complementary ITR transgene plasmid
SEQ ID NO: 43	Truncated 5' ITR
SEQ ID NO: 44	Gentamycin resistance gene (complement)
SEQ ID NO: 45	pHelper plasmid
SEQ ID NO: 46	E2A complement
SEQ ID NO: 47	E4 (complement)
SEQ ID NO: 48	VA (complement)
SEQ ID NO: 49	VA2 RNA (complement)
SEQ ID NO: 50	VA1 RNA (complement)
SEQ ID NO: 51	E2A-BP
SEQ ID NO: 52	L4 100K
SEQ ID NO: 53	hAdV2, 33-100kD
SEQ ID NO: 54	Incomplete L4 pVIII
SEQ ID NO: 55	E4 orf 6/7 (complement)
SEQ ID NO: 56	E4 orf 4 (complement)
SEQ ID NO: 57	E4 orf 3
SEQ ID NO: 58	E4 orf 2 (complement)
SEQ ID NO: 59	pAAV-RC
SEQ ID NO: 60	pUC19-Kan-Rep2Cap8 plasmid
SEQ ID NO: 61	DNA Titer Tag
SEQ ID NO: 62	DNA Titer Tag
SEQ ID NO: 63	DNA Titer Tag
SEQ ID NO: 64	DNA Titer Tag
SEQ ID NO: 65	DNA Titer Tag
SEQ ID NO: 66	DNA Titer Tag
SEQ ID NO: 67	DNA Titer Tag
SEQ ID NO: 68	DNA Titer Tag
SEQ ID NO: 69	DNA Titer Tag
SEQ ID NO: 70	DNA Titer Tag
SEQ ID NO: 71	Single-strand ITS transgene plasmid
SEQ ID NO: 72	Gentamycin resistance gene-inactivated (complement)
SEQ ID NO: 73	Self-complementary ITS transgene plasmid
SEQ ID NO: 74	T2A
SEQ ID NO: 75	P2A
SEQ ID NO: 76	E2A
SEQ ID NO: 77	F2A

The present disclosure is also described and demonstrated by way of the following examples. However, the use of these and other examples anywhere in the specification is illustrative only and in no way limits the scope and meaning of the disclosure or of any exemplified term. Likewise, the disclosure is not limited to any preferred embodiments described here. Indeed, many modifications and variations of the disclosure may be apparent to those skilled in the art upon reading this specification, and such variations can be made without departing from the disclosure in spirit or in scope. The disclosure is therefore to be limited only by the terms of the appended claims along with the full scope of equivalents to which those claims are entitled.

Example 1: In Vitro Expression of Cap Proteins

This example investigated the in vitro expression of the capsid proteins in AAV293 (Agilent) cells from pUC19-based plasmids as compared to expression levels of the same capsid proteins from control pAAV-RC2 based plasmids carrying Rep2 and Cap2 genes (Agilent) (FIG. 4A).

A first set of four plasmids with varied Rep and Cap genes were created in the pAAV-RC background, starting with Rep2Cap2-pAAV-RC (i.e., pAAV-RC2 as shown in FIG. 4A). The pAAV-RC2 was used to generate Rep2/5Cap5-pAAV-RC, Rep2Cap8-pAAV-RC, and Rep2Cap9-pAAV-RC (FIG. 4A).

A second set of four plasmids were created in the pUC19-Kan background, with the same replication and capsid proteins as the first set. Thus, Rep2Cap2-pUC19-Kan, Rep2/5Cap5-pUC19-Kan, Rep2Cap8-pUC19-Kan, and Rep2Cap9-pUC19-Kan (FIGS. 4A and 14A).

For the experiments, each of the 8 plasmids were separately transfected along with the Ad Helper plasmid, pHelper (Agilent) (e.g., SEQ ID NO: 45), at a ratio of 1:1.

Expression levels of the Cap protein from the pUC19-Kan-based plasmids were compared to expression levels of the same Cap protein from the pAAV-RC2-based plasmids via Western blotting using a monoclonal B1 antibody (FIG. 6). Positive controls AAV2 reference standard material (RSM) and AAV8 RSM are reference standard materials containing the AAV2 and AAV8 Cap proteins, while the negative control was a cell lysate from HEK293 without any Cap-bearing plasmid. The expression level of capsid protein was AAV5>AAV8>AAV9>AAV2 for both the pUC19-based plasmids and the pAAV-RC2-based plasmids.

FIG. 7 is a Western blot analysis conducted with reduced sample to specifically analyze the amounts of Cap proteins VP1-VP3 more clearly.

Next, the AAV2 P5 promoter was added to the Rep2Cap2 pUC19-Kan, Rep2Cap8 pUC19-Kan, and Rep2Cap9 pUC19-Kan plasmids (e.g., FIGS. 4B and 14B). FIG. 8 shows expression levels of Cap proteins from AAV serotypes 2, 8 and 9 expressed using the P5 promoter tested under the same conditions as described above in comparison with those without the P5 promoter. It was found that the P5 promoter gives higher levels of capsid protein expression. The transgene-containing plasmid and Ad helper plasmid were administered at a ratio of 1:1.

Example 2: Functional Testing of Short and Long Ad Helper Plasmids

The purpose of this example was to test the function of a short Ad helper plasmid and a long Ad helper plasmid versus

the commercial pHelper. Each plasmid was tested individually to ensure each one is functional before using them in combination.

FIG. 9 shows the positive test results using the short Ad helper plasmid (SEQ ID NO: 14) in the HEK293 host cell system. The short Ad helper plasmid (SEQ ID NO: 14) was tested by co-transfecting the short helper plasmid along with a pTRUF11 transgene-containing plasmid carrying GFP as the transgene between the ITRs and the Agilent RC2 plasmid carrying AAV Rep2 and Cap2 genes. The negative controls consisted of 1) a commercial Ad helper plasmid (pHelper) and the Agilent plasmid RC2 and 2) pHelper and pTRUF11; the positive control consisted of pHelper, pTRUF11, and Agilent RC2 plasmid. After 48 hours, the HEK293 cells were lysed with Triton X-100 and treated with benzonase nuclease to degrade DNA and RNA. The cell lysates, containing AAV particles, were treated with DNase I and serially diluted before undergoing qPCR to determine the viral genome copy number per ml cell lysate. FIG. 9 shows the results of the qPCR assay, with columns 1 and 2 representing the negative controls, column 3 showing the positive control, and column 4 showing the viral genome copy number obtained when the short Ad helper plasmid was used together with 2 other plasmids to produce rAAV.

A similar experiment was performed to test a long Ad helper plasmid (SEQ ID NO: 15) according to the disclosure (FIG. 10). FIG. 10 shows the viral genome copy number per ml cell lysate, as determined by qPCR, of a negative control (column 1), a positive control (column 2), the short Ad helper plasmid (SEQ ID NO: 14)+Rep-Cap bearing plasmid+ITR-GFP bearing plasmid (column 3), and the long Ad Helper Plasmid+Rep-Cap bearing plasmid+ITR-GFP bearing plasmid (column 4). Therefore, the long Ad Helper Plasmid also resulted in the production of AAV.

Example 3: rAAV Virion Production Using the Triple-Plasmid System

The ability of the single strand (ss)- and self-complementary (sc)-ITR-bearing plasmids according to the disclosure to form rAAV virions was tested. In this experiment, the plasmids were co-transfected into HEK293 cells (Agilent). For each transfection, Ad-helper plasmid, Rep-Cap plasmid, and transgene-containing plasmid were used at 1:1:1 molar ratio and 10 ug of total DNA was used per 10 cm plate. The negative control was the commercially available Ad helper plasmid (Agilent) and the commercially available Rep-Cap-bearing plasmid (Agilent), while the positive control used a different ITR-bearing plasmid (ATCC). The top panel of FIG. 11 shows the viral genome copy number per ml cell lysate for the ss-ITR-bearing plasmid (measured by qPCR as above), while the bottom panel shows the viral genome copy number per ml cell lysate for the sc-ITR-bearing plasmid. In both panels, column 1 shows the copy number for the negative control, column 2 represents the positive control, and column 3 represents the plasmid according to the disclosure.

Next, three plasmids according to the disclosure were co-transfected into HEK293 cells (again, 1:1:1 ratio) for qPCR assays. The negative control (column 1 of FIG. 12) was a commercially available Ad helper plasmid and a ITR-bearing plasmid. The positive control (column 2 of FIG. 12) included a commercially available Rep-Cap-bearing plasmid. Columns 3-6 correspond to AAV genome copy numbers from cells transfected with the same commercially available Ad helper plasmid and ITR-bearing plasmid along with a pUC19-based plasmid encoding Rep and Cap pro-

teins from AAV serotypes 2, 5, 8, or 9 (noted across the top of the figure). Columns 7-10 of FIG. 12 correspond to AAV genome copy numbers from cells transfected with Ad helper plasmids, pUC19-based Rep-Cap-bearing plasmids, and ITR-bearing plasmids according to the disclosure. Column 11 of FIG. 12 is another positive control corresponding to AAV genome copy number from cells transfected with an Ad helper plasmid and ss-ITR plasmid according to the disclosure and a commercially available Rep-Cap-bearing plasmid.

Example 4: Purification and Production of rAAVs

HEK293 cells were co-transfected with a plasmid system comprising three plasmids according to the disclosure. The cells were chemically lysed, and the cell pellet and medium were collected. The cell lysate was clarified and treated with benzonase. The clarified lysate was run on an appropriate affinity column (e.g., for a plasmid system comprising AAV8 capsid, the affinity column was AVB; for a plasmid system comprising AAV9, the affinity column was AAV9-POROS CaptureSelect). Following a buffer exchange, the rAAV was eluted from the column. The rAAV was then characterized, by way of example and not limitation, by qPCR to determine the viral genome copy number (see FIGS. 9-13, 16). The rAAV can further be evaluated by silver stain to determine purity and identity, by Limulus amoebocyte lysate (LAL) assay to measure endotoxin activity and microbial contamination, and by an in vitro transduction assay to determine biological activity. Other characterization assays include alkaline electrophoresis to test the size and integrity of the viral genome, ELISA to examine the capsids, infectious center assays to determine the infectivity of the rAAV particles, and electron microscopy to observe the rAAV particles. Western blotting for specific proteins may also be performed by using appropriate antibodies (see FIGS. 6-8).

Example 5: Use of Tag to Titer Vector Genome

While sequences such as polyA sequences can be used for qPCR quantification, it is not ideal to use such sequences for universal titrating. For example, each transgene may use a different polyA sequence (e.g., SV40, bGH polyA, etc.), thereby precluding its use to quantitate vectors across all transgene platforms. Therefore, a separate DNA titer tag outside the transgene cassette (i.e., not transcribed as part of the transgene mRNA transcript) was tested for its ability to universally quantitate any transgene cassette.

A 100 nucleotides DNA titer tag was included upstream of the 3' ITR sequence. This same titer tag can be used in any transgene-containing plasmid for rAAV production to allow

for universal vector genome titrating via qPCR techniques, which can be used as a single reference standard for any project. The qPCR titration results were compared for the same batch of AAV using either SV40 polyA or the 100 nucleotides DNA titer tag as the target sequence.

Two different viral vectors: rAAV8-ssITR (SEQ ID NO: 1) and rAAV8-scITR (SEQ ID NO: 42) were produced with the transgene-containing plasmid being either single-stranded (SEQ ID NO: 1) or self-complementary (SEQ ID NO: 42) transgene-containing plasmids. Similar qPCR titers were obtained using the two different target sequences, indicating the 100 nucleotides DNA titer tag works equally well as the SV40 polyA, which has been widely used in the field for qPCR-based vector titration (FIG. 13A (rAAV8-ssITR) and 13B (rAAV8-scITR)).

Example 6: Use of Tag to Titer Vector Genome

To further confirm the utility of the DNA titer tag, the same 100 nucleotides DNA titer tag used in Example 5 was included upstream of the 3' ITR sequence in two additional viral vectors: rAAV9-ssITR (SEQ ID NO: 71) and rAAV9-scITR (SEQ ID NO: 73).

While several possible embodiments are disclosed above, embodiments of the present disclosure are not so limited. These exemplary embodiments are not intended to be exhaustive or to unnecessarily limit the scope of the disclosure, but instead were chosen and described in order to explain the principles of the present disclosure so that others skilled in the art may practice the disclosure. Indeed, various modifications of the disclosure in addition to those described herein will become apparent to those skilled in the art from the foregoing description. Such modifications are intended to fall within the scope of the appended claims. Further, the terminology employed herein is used for the purpose of describing exemplary embodiments only and the terminology is not intended to be limiting since the scope of the various embodiments of the present disclosure will be limited only by the appended claims and equivalents thereof. The scope of the disclosure is therefore indicated by the following claims, rather than the foregoing description and above-discussed embodiments, and all changes that come within the meaning and range of equivalents thereof are intended to be embraced therein.

All patents, applications, publications, test methods, literature, and other materials cited herein are hereby incorporated by reference in their entirety as if physically present in this specification.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 77

<210> SEQ ID NO 1
 <211> LENGTH: 10630
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide
 <220> FEATURE:
 <221> NAME/KEY: modified_base
 <222> LOCATION: (6316)..(6415)
 <223> OTHER INFORMATION: a, c, t, g, unknown or other
 <220> FEATURE:

-continued

```

<221> NAME/KEY: misc_feature
<222> LOCATION: (6316)..(6415)
<223> OTHER INFORMATION: This region may encompass 60-100 nucleotides

<400> SEQUENCE: 1

tagggaaata ggccagggtt tcaccgtaac acgccacatc ttgcgaatat atgtgtagaa      60
actgccggaa atcgtcgtgt gcaactcatgg aaaacgggtg aacaagggtg aacactatcc      120
catatcacca gtcaccgtc tttcattgcc atacggaact ccggatgagc attcatcagg      180
cgggcaagaa tgtgaataaa ggccggataa aacttggtgt tatttttctt tacggttctt      240
aaaaaggccg taatatccag ctgaacggtc tgggtatagg tacattgagc aactgactga      300
aatgcctcaa aatgttcttt acgatgccat tgggatatat caacgggtgt atatccagt      360
atttttttct ccattttttt ttcctccttt agaaaaactc atcgagcatc aaatgaaact      420
gcaatttatt catatcagga ttatcaatac catatttttg aaaaagccgt ttctgtaatg      480
aaggagaaaa ctcaccgagg cagttccata ggatggcaag atcctggtat cggctctgca      540
ttccgactcg tccaacatca atacaacctt ttaattttcc ctcgtcaaaa ataaggttat      600
caagtgagaa atcaccatga gtgacgactg aatccgggtg gaatggcaaa agtttatgca      660
tttttttcca gacttggtta acaggccagc cattacgctc gtcacaaaa tcaactcgcat      720
caaccaaacc gttattcatt cgtgattgct cctgagcgag gcgaaatacg cgatcgctgt      780
taaaaggaca attacaaaca ggaatcgagt gcaaccggcg caggaacact gccagcgcat      840
caacaatatt ttcacctgaa tcaggatatt cttctaatac ctggaacgct gtttttcagg      900
ggatcgcagt ggtgagtaac catgcatcat caggagtacg gataaaatgc ttgatggctg      960
gaagtggcat aaattccgtc agccagttta gtctgacctc ctcatctgta acatcattgg      1020
caacgctacc tttgcatgt ttcagaaaca actctggcgc atcgggcttc ccatacaagc      1080
gatagattgt cgcacctgat tgcccacat tatcgcgagc ccatttatac ccatataaat      1140
cagcatccat gttggaattt aatcgcggcc tcgacgtttc ccgttgaata tggctcattt      1200
ttttttcttc ctttaccat gcttaatcag tgaggcacct atctcagcga tctgtctatt      1260
tcgttcaccc atagtgtgct gactccccgt cgtgtagata actacgatac gggagggtt      1320
accatctggc cccagcgtg cgatgatacc gcgagaacca cgctcaccgg ctccggattt      1380
atcagcaata aaccaggccg ccggaagggc cgagcgaga agtggctcct caactttatc      1440
cgctccatc cagtctatta attgttgccg ggaagctaga gtaagtagtt cgccagttaa      1500
tagtttgccg aacgttgttg ccacgcctac aggcacgtg gtgtcacgct cgtcgtttgg      1560
tatggcttca ttcagctccg gttcccaacg atcaaggcga gttacatgat ccccatggt      1620
gtgcacgttg tcagaagtaa gttggccgca gtgttatcac tcatggttat ggcagcactg      1680
cataattctc ttactgtcat gccatccgta agatgctttt ctgtgactgg tgagtactca      1740
accaagtcat tctgagaata gtgtatgcgg cgaccgagtt gctcttgccc ggcgtcaata      1800
cgggataata ccgcgccaca tagcagaact ttaaaagtgc tcatcattgg aaaacgttct      1860
tcggggcgaa aactctcaag gatcttaccg ctgttgagat ccagttcgat gtaaccact      1920
cgtgcaccca actgatcttc agcatctttt actttcacca gcgtttctgg gtgagcaaaa      1980
acaggaaggc aaaatgccgc aaaaaaggga ataaggcgca cacggaaatg ttgaatactc      2040
atattcttcc tttttcaata ttattgaagc atttatcagg gttattgtct catgagcgga      2100
tacatatttg aatgtattta gaaaaataaa caaatagggg tcagtgttac aaccaattaa      2160
ccaattctga acattatcgc gagccattt atacctgaat atggctcata acacccttg      2220

```

-continued

tttgcttggc ggcagtagcg cggtaggtccc acctgacccc atgccgaact cagaagtga	2280
acgccgtagc gccgatggta gtgtggggac tccccatgcg agagtaggga actgccaggc	2340
atcaataaaa acgaaaggct cagtcgaaaag actgggcctt tcgccccggc taattgaggg	2400
gtgtcgccct tattogactc ggggctcgag ctgcgcgctc gctcgctcac tgaggccgcc	2460
cgggcaaagc cggggcgctc ggcgacctt ggtcgcccgg cctcagttag cgagcgagcg	2520
cgcagagagg gagtgccaa ctccatcact aggggttcct ttaattaaac gcgtttacat	2580
aacttacggt aaatggccc cctggctgac cgcccaacga cccccccca ttgacgtcaa	2640
taatgacgta tgttccata gtaacgcaa tagggacttt ccattgacgt caatgggtgg	2700
actatttacg gtaaacgtcc cacttgccag tacatcaagt gtatcatatg ccaagtacgc	2760
ccccattga cgtcaatgac ggtaaatggc ccgcctggca ttatgccag tacatgacct	2820
tatgggactt tcctacttgg cagtacatct acgtattagt catcgctatt accatggtga	2880
tcgggttttg gcagtacatc aatgggcgtg gatagcgggt tgactcacgg ggatttccaa	2940
gtctccaccc cattgacgtc aatgggagtt tgttttgca ccaaaatcaa cgggactttc	3000
caaatgtcg taacaactcc gccccattga cgcaaatggg cggtaggcgt gtacggtggg	3060
aggtctatat aggcgcgcgc aactgaaaa ccagaaagt aactggtaag tttagtctt	3120
ttgtctttta ttccaggtcc cggatccggg ggtggtgcaa atcaagaac tgcctctag	3180
tggtggttc ctttacttct aggcctgtac ggaagtgtta cttctgctc aaaagctcct	3240
gcagggaatt cgccaccatg gtgagcaagg gcgaggagct gttcacccgg gtggtgccc	3300
tcctggtcga gctggacggc gacgtaaacg gccacaagt cagcgtgtcc ggcgaggcg	3360
agggcgatgc cacctacggc aagctgaccc tgaagttcat ctgcaccacc ggcaagctgc	3420
ccgtgccctg gcccacctc gtgaccaccc tgacctacgg cgtgcagtgc ttcagccgct	3480
accccgacca catgaagcag cagcattct tcaagtccg catgccga ggctacgtcc	3540
aggagcgac catcttcttc aaggacgacg gcaactaca gaccgcgcg gaggtgaagt	3600
tcgagggcga caccctggtg aaccgcatcg agctgaagg catcgacttc aaggaggacg	3660
gcaacatcct ggggcacaag ctggagtaca actacaacag ccacaacgtc tatatcatgg	3720
ccgacaagca gaagaacggc atcaaggtag acttcaagat ccgccacaac atcgaggacg	3780
gcagcgtgca gctcgccgac cactaccagc agaacacccc catcgccgac ggccccgtgc	3840
tgtgccccga caaccactac ctgagcacc agtcgccct gagcaagac cccaacgaga	3900
agcgcgatca catggtcctg ctggagttcg tgaccgcgc cgggatact ctcggcatgg	3960
acgagctgta caagtaatag actagtgcct ctctccctcc ccccccccta acgttactgg	4020
ccgaagccgc ttggaataag gccggtgtgc gtttgtctat atgttatttt ccaccatatt	4080
gccgtctttt ggcaatgtga gggcccgaa acctggccct gtcttcttga cgagcattcc	4140
taggggtctt tccccctcgc ccaagggaat gcaaggctcg ttgaatgtcg tgaaggaagc	4200
agttcctctg gaagcttctt gaagacaaac aacgtctgta gcgaccttt gcaggcagcg	4260
gaacccccca cctggcgaca ggtgcctctg cggccaaaag ccacgtgtat aagatacacc	4320
tgcaaaggcg gcacaacccc agtgccacgt tgtgagttgg atagttgtgg aaagagtcaa	4380
atggctcacc tcaagcgtat tcaacaagg gctgaaggat gcccagaagg taccctattg	4440
tatgggatct gatctggggc ctcggtgcac atgctttaca tgtgttagt cgaggttaaa	4500
aaacgtctag gcccccgaa ccacggggac gtggttttcc tttgaaaaac acgatgataa	4560

-continued

taccggtgcc	accatgctgc	tgtgtgtgct	gctgctgggc	ctgaggctac	agctctccct	4620
gggcatcato	ccagttgagg	aggagaaccc	ggacttcttg	aaccgcgagg	cagccgaggc	4680
cctgggtgcc	gccaagaagc	tgacgcctgc	acagacagcc	gccaagaacc	tcacatctt	4740
cctgggggat	gggatggggg	tgtctacggt	gacagctgcc	aggatcctaa	aagggcagaa	4800
gaaggacaaa	ctggggcctg	agatacccct	ggccatggac	cgttcccat	atgtggtct	4860
gtccaagaca	tacaatgtag	acaacatgt	gccagacagt	ggagccacag	ccacggccta	4920
cctgtgcggg	gtcaagggca	acttcagac	cattggcttg	agtgcagccg	cccgttttaa	4980
ccagtgaac	acgacacgcg	gcaacgaggt	catctccgtg	atgaatcggg	ccaagaaagc	5040
aggggaagtca	gtgggagtgg	taaccaccac	acgagtgcag	cacgcctcgc	cagccggcac	5100
ctacgccac	acggtgaacc	gcaactggta	ctcggacgcc	gacgtgcctg	cctcggccc	5160
ccaggagggg	tgccaggaca	tcgctacgca	gctcatctcc	aacatggaca	ttgacgtgat	5220
cctaggtgga	ggccgaaagt	acatgtttcg	catgggaacc	ccagaccctg	agtaccaga	5280
tgactacagc	caaggtggga	ccaggctgga	cgggaagaat	ctggtgcagg	aatggctggc	5340
gaagcgccag	ggtgcccggt	atgtgtggaa	ccgcactgag	ctcatgcagg	cttccctgga	5400
cccgtctgtg	acccatctca	tgggtctctt	tgagcctgga	gacatgaaat	acgagatcca	5460
ccgagactcc	acactggacc	cctccctgat	ggagatgaca	gaggctgccc	tgcgctgct	5520
gagcaggaac	ccccgcggct	tcttctctt	cgtggagggt	ggtcgcctcg	accatggtca	5580
tcacgaaagc	agggcttacc	gggcactgac	tgagacgac	atgttcgacg	acgccattga	5640
gagggcgggc	cagctcacca	gcgaggagga	cacgctgagc	ctcgtcactg	ccgaccactc	5700
ccacgtcttc	tccttcggag	gctaccccct	gcgaggggagc	tcacatcttcg	ggctggcccc	5760
tggaagggcc	cgggacagga	aggcctacac	ggtcctccta	tacggaaacg	gtccaggcta	5820
tgtgtcctaa	gacggcgccc	ggccggatgt	taccgagagc	gagagcggga	gccccgagta	5880
tcggcagcag	tcagcagtcg	ccttgacgca	agagacccac	gcaggcgagg	acgtggcggt	5940
gttcgcgcgc	ggcccgagg	cgcacctggt	tcacggcggtg	caggagcaga	ccttcatagc	6000
gcacgtcatg	gccttcgccc	cctgcctgga	gccctacacc	gcctgcgacc	tgcgcccccc	6060
cgcgggcacc	accgacgcgc	cgcacccggg	ttactctaga	gtcggggcgg	ccggccgctt	6120
cagacagaca	tgagtcgaca	gatcttttaa	aaaacctccc	acacaattgt	tgttggttaa	6180
ttgtttattg	cagcttataa	tggttacaaa	taaagcaata	gcacacaaa	ttcacaaat	6240
aaagcatttt	tttactgca	ttctagttgt	ggtttgtcca	aactcatcaa	tgtatcttat	6300
catgtctgtt	taaacnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	6360
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnattda	6420
aataggaacc	cctagtgatg	gagttggcca	ctccctctct	gcgcgctcgc	tcgctcactg	6480
agggccggcg	accaaaggtc	gcccgcgccc	cgggctttgc	ccggggcgcc	tcagtgcgag	6540
agcgagcgcg	cagagagtat	acatcgatgt	gagttcgcg	gtggctgggg	ggccctgggc	6600
tgcgacccgc	cccgaaccgc	gtctacgagc	cttgccggct	ccgggtcttt	gcagtcgtat	6660
gggggcaggg	tagctgttcc	ccgcaaggag	agctcaagg	cagcgctcgg	acctggcgga	6720
gccccgcacc	caggctgtgg	cgcctgtg	agctccgccc	ttgcggcgcc	atctgccccg	6780
agcctccttc	ccctagtccc	cagaaacagg	aggtccctac	tcccgcgcga	gatcccgacc	6840
cggaccccta	gggtgggggac	gctttctttc	ctttcgcgct	ctgcgggggc	acgtgtcgca	6900
gaggagcccc	tccccacagg	cctccggcac	cgcaggcccc	gggatgctag	tgcgagcg	6960

-continued

gtgcatccct	gtccggatgc	tgcgcctgcg	gtagagcggc	cgccatgttg	caaccgggaa	7020
ggaaatgaat	gggcagccgt	taggaaagcc	tgccggtgac	taaccctgcg	ctcctgcctc	7080
gatgggtgga	gtcgcgtgtg	gcgggggaagt	caggtggagc	gaggctagct	ggcccatttt	7140
ctcctccggg	tgatgctttt	cctagattat	tctctggtaa	atcaaagaag	tgggtttatg	7200
gaggtcctct	tgtgtccctt	ccccgcagag	gtgtgggtggc	tgtggcatgg	tgccaagccg	7260
ggagaagctg	agtcattgggt	agttggaaaa	ggacatttcc	accgcaaaat	ggcccctctg	7320
gtggtggccc	cttcctgcag	cgccggctca	cctcacggcc	cgcccttcc	cctgccagcc	7380
tagcgttgac	ccgaccccaa	aggccaggct	gtaaatgtca	ccgggaggat	tgggtgtctg	7440
ggcgctcctg	ggaacctgcc	cttctcccca	ttcctgtctc	cggaaccag	atctcccacc	7500
gcaccctggt	ctgaggttaa	atatagctgc	tgacctttct	gtagctgggg	gcctgggctg	7560
gggtctctct	ccatcccttc	tccccacaca	catgcactta	cctgtgtctc	cactcctgat	7620
ttctggaaaa	gagctaggaa	ggcacaggca	cttgcaaat	caaagccctg	ggactagggg	7680
gttaaaatc	agcttccctt	cttcccaccc	gccccagtct	ctgtcccttt	tgtaggaggg	7740
acttagagaa	ggggtgggct	tgcctgttcc	agttaatttc	tgacctttac	tcctgccttt	7800
tgagtttgat	gatgctgagt	gtacaagcgt	tttctcccta	aagggtgcag	ctgagctagg	7860
cagcagcaag	cattcctggg	gtggcatagt	ggggtgggtg	ataccatgta	caaagcttgt	7920
gcccagactg	tgggtggcag	tgccccacat	ggccgcttct	cctggaaggg	cttcgtatga	7980
ctgggggtgt	tgggcagccc	tggagccttc	agttgcagcc	atgccttaag	ccaggccagc	8040
ctggcaggga	agctcaaggg	agataaaatt	caacctcttg	ggccctcctg	ggggtaagga	8100
gatgctgcat	tgcctctctt	aatggggagg	tggcctaggg	ctgctcacat	attctggagg	8160
agcctccctt	cctcatgcct	tcttgctctt	tgtctcttag	gcatgcaaaa	gagtcgaata	8220
agggcgacac	aaaattttatt	ctaaatgcat	aataaatact	gataacatct	tatagtttgt	8280
atttatattt	gtattatcgt	tgacatgtat	aattttgata	tcaaaaactg	attttccctt	8340
tattattttc	gagattttatt	ttcttaattc	tctttaacaa	actagaaata	ttgtatatac	8400
aaaaaatcat	aaataataga	tgaatagttt	aattataggt	gttcacatca	cgaaaaagca	8460
acgtatctta	tttaaagtgc	gttgcttttt	tctcatctat	aagggttaaa	aattctcata	8520
tatcaagcaa	agtgacaggc	gcctctaaat	attctgacaa	atgctcttcc	cctaaactcc	8580
ccccataaaa	aaaccgcgcg	aagcgggttt	ttacgttatt	tgcggattaa	cgattactcg	8640
ttatcagaac	cgcccagggg	gcccagagctt	aagactggcc	gtcgttttac	aacacagaaa	8700
gagttttag	aaacgcaaaa	aggccatccg	tcaggggcct	tctgcttagt	ttgatgcctg	8760
gcagttccct	actctgcctt	tccgttccct	cgtctactga	ctcgtgcgc	tcggtcgttc	8820
ggctgcggcg	agcggtatca	gctcactcaa	aggcggtaat	acggttatcc	acagaatcag	8880
gggataacgc	aggaagaac	atgtgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	8940
agggcgctgt	gctggcgctt	ttccataggc	tccgcccccc	tgacgagcat	cacaaaaatc	9000
gacgctcaag	tcagaggtgg	cgaaccccca	caggactata	aagataccag	gcgtttccccc	9060
ctggaagctc	cctcgtgcgc	tctcctgttc	cgacctgtcc	gcttaccgga	tacctgtccg	9120
cctttctccc	ttcgggaagc	gtggcgcttt	ctcatagctc	acgctgtagg	tatctcagtt	9180
cgggtgtaggt	cgttcgctcc	aagctgggct	gtgtgcacga	acccccggtt	cagcccagacc	9240
gtcgcgcctt	atccggtaac	tatcgtcttg	agtcacaacc	ggtaagacac	gacttatcgc	9300

-continued

```

cactggcagc agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag 9360
agttcttgaa gtggtgggct aactacggct acactagaag aacagtattt ggtatctgcg 9420
ctctgctgaa gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaaaaa 9480
ccaccgctgg tagcggtggt ttttttgtt gcaagcagca gattacgcgc agaaaaaaag 9540
gatctcaaga agatcctttg atcttttcta cggggtctga cgctcagtg aacgacgcgc 9600
gcgtaactca cgttaaggga ttttggtcat gagcttgcgc cgtcccgta agtcagcgta 9660
atgctctgct taggtggcgg tacttggttc gatatcaaag tgcatactt ctcccgat 9720
gcccacttt gtatagagag cactgcggg atcgtcaccg taatctgctt gcacgtagat 9780
cacataagca ccaagcgctg tggcctcatg cttgaggaga ttgatgagcg cggtggaat 9840
gcctgcctc cgggtgctgc cgagactgc gagatcatag atatagatct cactacgcgg 9900
ctgctcaaac ttgggcagaa cgtaagccgc gagagcgcca acaaccgctt cttggtcgaa 9960
ggcagcaagc gcgatgaatg tcttactacg gagcaagttc ccgaggtaat cggagtcgg 10020
ctgatgttgg gagtaggtgg ctacgtcacc gaactcacga ccgaaaagat caagagcagc 10080
ccgcatggat ttgacttggc cagggccgag cctacatgtg cgaatgatgc ccatacttga 10140
gccacctaac tttgttttag ggcgactgcc ctgctgcgta acatcggtgc tgetccataa 10200
catcaaacat cgacccacgg cgtaacgcgc ttgctgcttg gatgccgag gcatagactg 10260
tacaaaaaaa cagtcataac aagccatgaa aaccgccact gcgccgttac caccgctgcg 10320
ttcggtaag gttctggacc agttgctga gcgcattttt ttttctctc cggcgtttac 10380
gccccgcct gccactcatc gcagtactgt tgtaattcat taagcattct gccgacatgg 10440
aagccatcac agacggcatg atgaacctga atcgccagcg gcatcagcac cttgtgcct 10500
tgcgtataat atttgcccat agtgaaaacg ggggcgaaga agttgtccat attggccacg 10560
tttaaatcaa aactggtgaa actcaccag ggattggcgc tgacgaaaaa catattctca 10620
ataaacctt 10630

```

```

<210> SEQ ID NO 2
<211> LENGTH: 130
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 2

```

```

ctgcgcctc gctcgtcac tgaggccgc cgggcaaagc ccgggcgtcg ggcgacctt 60
ggtcgcccg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttcct 130

```

```

<210> SEQ ID NO 3
<211> LENGTH: 133
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 3

```

```

aggaaccct agtgatggag ttggccactc cctctctgcg cgctcgtcg cteactgagg 60
ccggcgacc aaaggctgcc cgacgcccg gctttgccg ggccgctca gtgagcgagc 120
gagcgcgagc aga 133

```

-continued

<210> SEQ ID NO 4
 <211> LENGTH: 503
 <212> TYPE: DNA
 <213> ORGANISM: Human cytomegalovirus

<400> SEQUENCE: 4

```
acgcgtttac ataacttacg gtaaatggcc cgectggctg accgccaac gacccccgcc      60
cattgacgto aataatgacg tatgttccca tagtaacgcc aatagggact ttccattgac      120
gtcaatgggt ggactattta cggtaaactg cccacttggc agtacatcaa gtgtatcata      180
tgccaagtac gccccctatt gacgtcaatg acggtaaatg gcccgctgg cattatgccc      240
agtacatgac cttatgggac ttctactt ggacgtacat ctacgtatta gtcacgcta      300
ttaccatggt gatgcggttt tggcagtaca tcaatggcg tggatagcgg ttgactcac      360
ggggatttcc aagtctccac ccattgacg tcaatgggag tttgttttg caccaaaatc      420
aacgggactt tccaaaatgt cgtaacaact cggcccat gacgcaaatg ggcggtaggc      480
gtgtacggtg ggaggtctat ata                                          503
```

<210> SEQ ID NO 5
 <211> LENGTH: 723
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 5

```
atggtgagca agggcgagga gctgttcacc ggggtggcgc ccacccgtgt cgagctggac      60
ggcgacgtaa acggccacaa gtccagcgtg tccggcgagg gcgaggcgca tgccacctac      120
ggcaagctga cctgaagtt catctgcacc accggcaagc tgcccggtgc ctggcccacc      180
ctcgtgacca cctgacctc cggcgtgcag tgcttcagcc gctacccga ccacatgaag      240
cagcacgact tcttcaagtc cgccatgccc gaaggctacg tccaggagcg caccatcttc      300
ttcaaggacg acggcaacta caagaccgc gccgaggtga agttcgaggg cgacaccctg      360
gtgaaccgca tcgagctgaa gggcatcgac ttcaaggagg acggcaacat cctggggcac      420
aagctggagt acaactacaa cagccacaa gtctatatca tggccgacaa gcagaagaac      480
ggcatcaagg tgaacttcaa gatccgccac aacatcgagg acggcagcgt gcagctcgcc      540
gaccactacc agcagaacac ccccatcggc gacggccccg tgctgctgcc cgacaaccac      600
taoctgagca cccagtccgc cctgagcaaa gacccaacg agaagcgcga tcacatggtc      660
ctgctggagt tcgtgaccgc cgccgggatc actctcgca tggacgagct gtacaagtaa      720
tag                                          723
```

<210> SEQ ID NO 6
 <211> LENGTH: 575
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 6

```
gccccctctc ccccccccc cctaacgtta ctggccgaag ccgcttgaa taaggccggt      60
gtgcgtttgt ctatatgtta tttccacca tattgccgc ttttgcaat gtgagggccc      120
```

-continued

ggaaacctgg cctgtcttc ttgacgagca ttctagggg tcttccct ctcgcaaag	180
gaatgcaagg tctgtgaat gtcgtgaagg aagcagttcc tctggaagct tcttgaagac	240
aaacaacgtc tgtagcgacc ctttcgaggc agcggaaacc cccacctggc gacaggtgcc	300
tctgcggcca aaagccacgt gtataagata cacctgcaaa ggcggcacia cccagtgcc	360
acgttgtagg ttggatagtt gtggaagag tcaaatggct cacctcaagc gtattcaaca	420
aggggctgaa ggatgcccag aaggtacccc attgtatggg atctgatctg gggcctcgg	480
gcacatgctt tacatgtgtt tagtcgaggt taaaaaacgt ctaggcccc cgaaccacgg	540
ggacgtggtt ttcctttgaa aaacacgatg ataata	575

<210> SEQ ID NO 7

<211> LENGTH: 1560

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 7

atgtgtctgc tgctgtgct gctgggctg aggtacagc tctccctggg catcatcca	60
gttagaggagg agaaccggga cttctggaac cgcgaggcag ccgaggccct ggggtgccgc	120
aagaagctgc agcctgcaca gacagccgcc aagaacctca tcatcttctc gggcgatggg	180
atgggggtgt ctacgggtgac agctgccagg atcctaaaag ggcagaagaa ggacaaactg	240
gggctgaga taccctggc catggaccgc ttcccatatg tggctctgtc caagacatac	300
aatgtagaca aacatgtgcc agacagtga gccacagcca cggcctacct gtgcggggtc	360
aagggaact tccagaccat tggttgagt gcagccgcc gctttaacca gtgcaaacg	420
acacgcggca acgaggctcat ctccgtgatg aatcgggcca agaaagcagg gaagtcatg	480
ggagtggtaa ccaccacacg agtgcagcac gcctcgccag ccggcaccta cggccacacg	540
gtgaaccgca actggctact ggacgcccag gtgcctgcct cggcccgcga ggaggggtgc	600
caggacatcg ctacgcagct catctccaac atggacattg acgtgatcct aggtggaggc	660
cgaagtaca tgtttcgcgt gggaaaccca gacctgagt acccagatga ctacagccaa	720
ggtgggacca ggctggacgg gaagaatctg gtgcaggaat ggctggcgaa gcgccagggt	780
gcccgggatg tgtggaaccg cactgagctc atgcaggctt ccctggaccc gtctgtgacc	840
catctcatgg gtctctttga gcctggagac atgaaatacg agatccaccg agactccaca	900
ctggaccctt ccctgatgga gatgacagag gctgccctgc gcctgctgag caggaaaccc	960
cgcggcttct tcctcttcgt ggagggtggt cgcacgcacc atggtcatca tgaaagcagg	1020
gcttacgggg cactgactga gacgatcatg ttgcagcagc ccattgagag ggcggggccag	1080
ctcaccagcg aggaggacac gctgagcctc gtcactgccg accactccca cgtcttctcc	1140
ttcggaggct accccctgcg agggagctcc atcttcgggc tggccctgg caaggcccg	1200
gacaggaagg cctacacggt cctcctatac ggaaacggtc caggctatgt gctcaaggac	1260
ggcgcccgcc cggtatgttac cgagagcgag agcgggagcc ccgagtatcg gcagcagtca	1320
gcagtgcgcc tggacgaaga gaccacgca ggcgaggacg tggcggtgtt cgcgcgcggc	1380
ccgcaggcgc acctgggtca cggcgtgcag gagcagacct tcatagcgca cgtcatggcc	1440
ttcgccgctt gcctggagcc ctacacggcc tgcgacctgg cgcgcccgcc cggcaccacc	1500
gacgcgcgcg acccgggtta ctctagagtc ggggcggccg gccgcttcga gcagacatga	1560

-continued

```

<210> SEQ ID NO 8
<211> LENGTH: 168
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 8

agatctttaa aaaaacctcc cacacaattg ttgttgtaa cttgtttatt gcagcttata      60
atggttataa ataaagcaat agcatcacia atttcacaaa taaagcattt ttttactgc      120
attctagttg tggtttggtc aaactcatca atgtatctta tcatgtct      168

<210> SEQ ID NO 9
<211> LENGTH: 1632
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 9

gtgagttcgc ggggtgctgg ggggccctgg gctgcgaccg ccccgaaacc gcgtctacga      60
gccttgccgg ctccgggtct ttgcagtcgt atgggggcag ggtagctgtt ccccgcaagg      120
agagctcaag gtcagcgtcc ggacctggcg gagccccgca ccagggctgt ggcgccctgt      180
gcagctccgc ccttgccggc ccatctgccg ggagcctcct tcccctagtc ccagaaaca      240
ggaggtccct actcccgccc gagatcccca cccggacccc taggtggggg acgctttctt      300
tcctttccgc ctctgcgggg tcacgtgtcg cagaggagcc cctccccac ggctccggc      360
accgcaggcc ccgggatgct agtgccgagc ggggtcatcc ctgtccggat gctgcgctg      420
cggtagagcg gccgccatgt tgcaaccggg aaggaaatga atgggcagcc gttaggaaag      480
cctgccggtg actaacctcg cgctcctgcc tcgatgggtg gagtcgctg tggcggggaa      540
gtcaggtgga gcgaggctag ctggcccgat ttctcctccg ggtgatgctt ttctagatt      600
attctctggt aatcaaaga agtgggttta tggaggtcct cttgtgtccc ctccccgag      660
aggtgtggtg gctgtggcat ggtgccaaac cgggagaagc tgagtcattg gtagttggaa      720
aaggacattt ccaccgaaa atggcccttc tgggtggggc cccttctgc agcgccggct      780
cacctcacgg ccccgccctt cccctgccag cctagcgttg acccgacccc aaaggccagg      840
ctgtaaatgt caccgggagg attgggtgtc tgggcgcctc ggggaacctg cccttctccc      900
cattccgtct tccgaaaacc agatctccca ccgcacctg gtctgaggtt aaatatagct      960
gctgaacctt ctgtagctgg gggcctgggc tggggtcttc tccatccct tctcccaca      1020
cacatgcact tacctgtgct cccactcctg atttctgaa aagagctagg aaggacaggc      1080
aacttggaat atcaaagccc tgggactagg ggggttaaat acagcttccc ctcttcccac      1140
ccgccccagt ctctgtccct tttgtaggag ggacttagag aagggtggg cttgccctgt      1200
ccagttaatt tctgacctt actcctgcc tttgagtttg atgatgctga gtgtacaagc      1260
gttttctccc taaagggtgc agctgagcta ggcagcagca agcattcctg ggggtgcata      1320
gtgggggtgt gaataccatg tacaaagctt gtgccagac tgtgggtggc agtgccccac      1380
atggccgctt ctctggaag ggcttcgtat gactgggggt gttgggcagc cctggagcct      1440
tcagttgcag ccatgcctta agccaggcca gcctggcagg gaagctcaag ggagataaaa      1500
ttcaacctct tgggccctcc tgggggtaag gagatgctgc attcgccctc ttaatgggga      1560
ggtggcctag ggctgctcac atattctgga ggagcctccc ctctcatgc cttcttgct      1620

```

-continued

cttgtctctt ag 1632

```

<210> SEQ ID NO 10
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (1)..(100)
<223> OTHER INFORMATION: a, c, t, g, unknown or other
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(100)
<223> OTHER INFORMATION: This sequence may encompass 60-100 nucleotides

```

```

<400> SEQUENCE: 10

```

```

nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 60

```

```

nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 100

```

```

<210> SEQ ID NO 11
<211> LENGTH: 1845
<212> TYPE: DNA
<213> ORGANISM: Adeno-associated virus

```

```

<400> SEQUENCE: 11

```

```

atgccggggt tttaacagat tgtgattaag gtccccagcg accttgacga gcatctgccc 60

```

```

ggcattttctg acagctttgt gaactgggtg gccgagaagg aatgggagtt gccgccagat 120

```

```

tctgacatgg atctgaatct gattgagcag gcacccctga ccgtggccga gaagctgcag 180

```

```

cgcgactttc tgacggaatg gcgccgtgtg agtaaggccc cggaggccct tttctttgtg 240

```

```

caatttgaga agggagagag ctacttccac atgcacgtgc tcgtggaaac caccgggggtg 300

```

```

aaatccatgg ttttgggacg tttcctgagt cagattcgcg aaaaactgat tcagagaatt 360

```

```

taccgcggga tcgagccgac tttgccaaac tggttcgcg tcacaaagac cagaaatggc 420

```

```

gccggaggcg ggaacaaggt ggtggatgag tgctacatcc ccaattactt gctccccaaa 480

```

```

accagcctg agctccagtg ggcgtggact aatatggaac agtatTTaag cgcctgtttg 540

```

```

aatctcacgg agcgtaaacg gttggtggcg cagcatctga cgcacgtgtc gcagacgcag 600

```

```

gagcagaaca aagagaatca gaatcccaat tctgatgcgc cggatgatcag atcaaaaact 660

```

```

tcagccaggt acatggagct ggtcggtggg ctctgggaca aggggattac ctcgagagaag 720

```

```

cagtggatcc aggaaaatca ggagagctac ctctccttca actccaccgg caactctcgg 780

```

```

agccagatca aggccgcgct cgacaacgcg accaaaatta tgagtctgac aaaaagcgcg 840

```

```

gtggactacc tcgtggggag ctccgttccc gaggaacatt caaaaaacag aatctggcaa 900

```

```

atTTttgaga tgaatggcta cgaccgggcc tacgcgggat ccatacctcta cgctgggtgt 960

```

```

cagcgtctct tcaacaagag gaacacgcgc tggctctacg gaccgccac gaccggcaag 1020

```

```

accaacatcg cggaggccat cgccacact gtgccctttt acggctgcgt gaactggacc 1080

```

```

aatgaaaact ttccctttaa tgactgtgtg gacaaaatgc tcatttggtg ggaggaggga 1140

```

```

aagatgacca acaaggtggt tgaatccgcc aaggccatcc tggggggctc aaaggtgcgg 1200

```

```

gtcgatcaga aatgtaaact ctctgttcaa attgattcta cccctgtcat tgtaacttcc 1260

```

```

aatacaaaaca tgtgtgtggt ggtggatggg aattccacga ctttgaaca ccagcagccg 1320

```

```

ctggaggacc gcatgttcaa atttgaactg actaagcggc tcccgccaga ttttggcaag 1380

```

-continued

attactaagc aggaagtcaa ggactttttt gcttgggcaa aggtcaatca ggtgccggtg	1440
actcacgagt ttaagttcc caggggaattg gcgggaacta aaggggcgga gaaatctcta	1500
aaacgcccac tgggtgacgt caccaatact agctataaaa gtctggagaa gcgggccagg	1560
ctctcatttg ttcccagac gcctcgagcgc tcagacgtga ctgtgatcc cgctcctctg	1620
cgaccgctca attggaattc aaggtatgat tgcaaatgtg actatcatgc tcaatttgac	1680
aacatttcta acaaatgtga tgaatgtgaa tatttgaatc ggggcacaaa tggtatgatc	1740
tgtcacaatg taactcactg tcaaatgtg catgggattc cccctggga aaaggaaaac	1800
ttgtcagatt ttggggattt tgacgatgcc aataaagaac agtaa	1845

<210> SEQ ID NO 12

<211> LENGTH: 1866

<212> TYPE: DNA

<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 12

atgccggggt tttacgagat tgtgattaag gtccccagcg accttgacga gcatctgccc	60
ggcatttctg acagctttgt gaactgggtg gccgagaagg aatgggagtt gccgccagat	120
tctgacatgg atctgaatct gattgagcag gcacccctga ccgtggccga gaagctgcag	180
cgcgactttc tgacggaatg gcgcctgtg agtaaggccc cggaggccct tttctttgtg	240
caatttgaga agggagagag ctacttcac atgcacgtgc tcgtggaac caccggggtg	300
aaatccatgg ttttgggacg tttctgagt cagattcgcg aaaaactgat tcagagaatt	360
taccgcggga tcgagccgac ttgccaac tggttcgcg tcacaaagac cagaaatggc	420
gccggaggcg ggaacaagggt ggtggatgag tgctacatcc ccaattactt gctcccaaaa	480
accagcctg agctccagtg ggcgtggact aatatggaac agtatttaag cgctgtttg	540
aatctcacgg agcgtaaacg gttggtggcg cagcatctga cgcacgtgtc gcagacgcag	600
gagcagaaca aagagaatca gaatcccaat tctgatgcgc cggatgatcag atcaaaaact	660
tcagccaggat acatggagct ggtcggtggg ctctgggaca aggggattac ctcgagagaag	720
cagtggatcc aggaggacca ggcctcatac atctccttca atgcggcctc caactcgcg	780
tcccaaatca aggtgcctt ggacaatgcg ggaaagatta tgagcctgac taaaaccgcc	840
cccactacc tgggtggcca gcagcccggtg gaggaattt ccagcaatcg gatttataaa	900
atthttggaac taaacgggta cgatcccaaa tatgcggctt ccgtctttct gggatgggccc	960
acgaaaaagt tcggcaagag gaacaccatc tggctgtttg ggctgcaac taccgggaag	1020
accaacatcg cggaggccat agcccacact gtgcccctct acgggtgcgt aaactggacc	1080
aatgagaact ttcccttcaa cgactgtgtc gacaagatgg tgatctgggt ggaggagggg	1140
aagatgacgg ccaaggctgt ggagtcggcc aaagccattc tcggagggaag caagggtgcgc	1200
gtggaccaga aatgcaagtc ctgcggcccag atagaccgca ctcccgtgat cgtcacctcc	1260
aacaccaaca tgtgcgcctg gattgacggg aactcaacga ccttcgaaca ccagcagccg	1320
ttgcaagacc ggatgttcaa atttgaactc acccgccgtc tggatcatga ctttggaag	1380
gtcaccaagc aggaagtcaa agacttttct cgggtgggcaa aggatcacgt ggttgagggtg	1440
gagcatgaat tctacgtcaa aaagggtgga gccaaagaaa gaccgcccc cagtgcgcga	1500
gatataagtg agcccaaacg ggtgcgcgag tcagttgcgc agccatcgac gtcagacgcg	1560
gaagcttcga tcaactacgc agacaggtac caaaacaaat gttctcgtca cgtgggcatg	1620
aatctgatgc tgtttccctg cagacaatgc gagagaatga atcagaattc aaatatctgc	1680

-continued

```

ttcactcacg gacagaaaga ctgttttagag tgctttcccg tgtcagaatc tcaaccggt 1740
tctgtcgtca aaaaggcgta tcagaaactg tgetacattc atcatatcat gggaaagggtg 1800
ccagacgctt gcaactgcctg cgatctgggc aatgtggatt tggatgactg catctttgaa 1860
caataa 1866

```

```

<210> SEQ ID NO 13
<211> LENGTH: 2211
<212> TYPE: DNA
<213> ORGANISM: Adeno-associated virus

```

```

<400> SEQUENCE: 13

```

```

atgggtgccg atggttatct tccagattgg ctcgaggaca accttagtga aggaattcgc 60
gagtgggtggg ctttgaacc tggagccct caaccaagg caaatcaaca acatcaagac 120
aacgctcgag gtcttgtgct tccgggttac aaataccttg gaccggcaa cgactcgac 180
aagggggagc cggtaacgc agcagacgcg gcggccctcg agcacgaca ggctacgac 240
cagcagctca aggcgggaga caaccgtac ctcaagtaca accacgcga cgccgagtc 300
caggagcggc tcaaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttcag 360
gccaaaaaga ggcttcttga acctcttggc ctgggtgagg aagcggctaa gacggctcct 420
ggaaagaaga ggctgtaga gcagtctcct caggaaccgg actcctcgcg gggattggc 480
aaatcgggtg cacagccgc taaaaagaga ctcaatttcg gtcagactgg cgacacagag 540
tcagtcaccg acctcaacc aatcggagaa cctccgcgag cccctcagg tgtgggatct 600
cttacaatgg cttcaggtgg tggcgacca gtggcagaca ataacgaagg tgccgatgga 660
gtgggtagtt cctcgggaaa ttggcattgc gattcccaat ggctggggga cagagtcac 720
accaccagca ccgaacctg ggccctgccc acctacaaca atcacctcta caagcaaatc 780
tccaacagca catctggagg atcttcaaat gacaacgcct acttcggcta cagcaccccc 840
tgggggtatt ttgaattcaa cagattccac tgccaattct caccacgtga ctggcagcga 900
ctcatcaaca acaactgggg attccggcct aagcgaacta actcaagct cttcaacatt 960
cagggtcaaag aggttacgga caacaatgga gtcaagacca tcgccaataa ccttaccagc 1020
acggtccagg tcttcacgga ctcagactat cagctcccg acgtgctcgg gtcggctcac 1080
gagggtgccc tcccgcggt cccagcggac gttttcatga ttctcagta cgggtatctg 1140
acgcttaatg atggaagcca ggcgtgggt cgttcgtcct tttactgctt ggaatatctt 1200
ccgtcgcaaa tgctaagaac gggtaacaac ttccagtcca gctacgagtt tgagaacgta 1260
cctttccata gcagctacgc tcacagccaa agcctggacc gactaatgaa tccactcatc 1320
gaccaatact tgtactatct ctcaaagact attaacggtt ctggacagaa tcaacaaacg 1380
ctaaaattca gtgtggccgg acccagcaac atggctgtcc agggaagaaa ctacatacct 1440
ggaccagct accgacaaca acgtgtctca accactgtga ctcaaaacaa caacagcgaa 1500
tttgcttgcc ctggagcttc ttcttgggt ctcaatggac gtaatagctt gatgaatcct 1560
ggacctgcta tggccagcca caaagaagga gaggaccgtt tctttccttt gtctggatct 1620
ttaatttttg gcaaaacagg aactggaaga gacaacgtgg atgcggacaa agtcatgata 1680
accaacgaag aagaaattaa aactactaac ccggtagcaa cggagtccta tggacaagtg 1740
gccacaaacc accagagtgc ccaagcacag gcgcagaccg gctgggttca aaaccaagga 1800
atacttccgg gtatggtttg gcaggacaga gatgtgtacc tgcaaggacc catctgggccc 1860

```

-continued

```

aaaattcctc acacggacgg caactttcac cttctccgc tgatgggagg gtttgaatg 1920
aagcaccgcg ctctcagat cctcatcaaa aacacacctg tacctgcgga tcctccaacg 1980
gccttcaaca aggacaagct gaactcttcc atcaccagtg attctactgg ccaagtcagc 2040
gtggagatcg agtgggagct gcagaaggaa aacagcaagc gctggaaccc ggagatccag 2100
tacacttcca actattacaa gtctaataat gttgaatttg ctgttaatac tgaaggtgta 2160
tatagtgaac ccgccccat tggcaccaga tacctgactc gtaatctgta a 2211

```

<210> SEQ ID NO 14

<211> LENGTH: 12003

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 14

```

aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaacga 60
cgcgcgcgta actcacgtta agggattttg gtcctgagct tgcgccgtcc cgtcaagtca 120
gcgtaatgct ctgcttttag aaaaactcat cgagcatcaa atgaaactgc aatttattca 180
tatcaggatt atcaatacca tatttttgaa aaagccgttt ctgtaatgaa ggagaaaact 240
caccgaggca gttccatagg atggcaagat cctggtatcg gtctgcgatt ccgactcgtc 300
caacatcaat acaacctatt aatttcccct cgtcaaaaat aaggttatca agtgagaaat 360
caccatgagt gacgactgaa tccggtgaga atggcaaaag tttatgcatt tctttccaga 420
cttgttcaac agggccagcca ttacgctcgt catcaaaatc actcgcatca accaaaccgt 480
tattcattcg tgattgcgcc tgagcgaggc gaaatacgcg atcgtgttta aaaggacaat 540
tacaaacagg aatcgagtgc aaccggcgca ggaacactgc cagcgcatca acaatatttt 600
cacctgaatc aggatattct tctaatacct ggaacgctgt ttttcgggg atcgagtggt 660
tgagtaacca tgcacatca ggagtacgga taaaatgctt gatggtcgga agtggcataa 720
attccgctcg ccagtttagt ctgaccatct catctgtaac atcattggca acgctacctt 780
tgccatgttt cagaacaac tctggcgcat cgggcttccc atacaagcga tagattgtcg 840
cacctgattg ccgacatta tcgcgagccc atttataccc atataaatca gcatccatgt 900
tggaatttaa tcgcggctc gacgtttccc gttgaatatg gctcatatc ttcctttttc 960
aatattattg aagcatttat cagggttatt gtctcatgag cggatacata tttgaatgta 1020
tttagaaaaa taaacaaata ggggtcagtg ttacaaccaa ttaaccaatt ctgaacatta 1080
tcgcgagccc atttatacct gaatatggct cataacaccc cttgtttgcc tggcggcagt 1140
agcgcggtgg tcccacatga ccccatgccg aactcagaag tgaaacgccg tagcgccgat 1200
ggtagtgtgg ggactcccca tgcgagagta gggaaactgcc aggcatacaa taaaacgaaa 1260
ggctcagtcg aaagactggg cctttcgccc gggctaatta gggggtgtcg cccttcgctg 1320
aaggggtgcg cggtatcgta tacgtttaa cgcggccggt gtaccaact ccatgctcaa 1380
cagtccccag gtacagccca cctgctgtcg caaccaggaa cagctctaca gcttcctgga 1440
gcgcactcgc ccctacttcc gcagccacag tgcgcagatt aggagcgcca cttctttttg 1500
tcacttgaaa aacatgtaaa aataatgtac tagagacact ttcaataaag gcaaatgctt 1560
ttatttgtac actctcgggt gattatttac cccacccctt gccgtctgcg ccgtttaaaa 1620
atcaaagggg ttctgcgcg catcgctatg cgccactggc agggacacgt tgcgatactg 1680

```


-continued

gtgttttagtg	ctccacttaa	actcaggcac	aaccatccgc	ggcagctcgg	tgaagttttc	1740
actccacagg	ctgcgcacca	tcaccaacgc	gttttagcagg	tcgggcgcgc	atatcttgaa	1800
gtgcagttg	gggcctccgc	cctgcgcgcg	cgagttgcga	tacacagggt	tgcagcactg	1860
gaacactatc	agcgccgggt	ggtgcacgct	ggccagcacg	ctcttgctgg	agatcagatc	1920
cgcgtccagg	tcctccgcgt	tgtcagggc	gaacggagtc	aactttggta	gctgccttcc	1980
caaaaagggc	gcgtgcccag	gctttgagtt	gcactcgcac	cgtagtgga	tcaaaagggtg	2040
accgtgcccg	gtctgggcgt	taggatacag	cgctgcata	aaagccttga	tctgcttaaa	2100
agccacctga	gcctttgcgc	cttcagagaa	gaacatgccg	caagacttgc	cggaaaactg	2160
attggccgga	caggccgcgt	cgtgcacgca	gcaccttgcg	tcggtgttgg	agatctgcac	2220
cacatttcgg	ccccaccggt	tcttcacgat	cttgcccttg	ctagactgct	ccttcagcgc	2280
gcgctgcccc	ttttgcctcg	tcacatccat	ttcaatcacg	tgctccttat	ttatcataat	2340
gcttcctgtg	agacacttaa	gctcgccttc	gatctcagcg	cagcggtgca	gccacaacgc	2400
gcagcccgtg	ggctcgtgat	gctttaggt	cacctctgca	aacgactgca	ggtacgctg	2460
caggaatcgc	cccatcatcg	tcacaaagg	cttgttgctg	gtgaagggtca	gctgcaaccc	2520
gcggtgctcc	tcgttcagcc	aggtcttgca	tacggccgcc	agagcttcca	cttggtcagg	2580
cagtagtttg	aagttcgctt	ttagatcggt	atccacgtgg	tacttgcca	tcagcgcgcg	2640
cgcagcctcc	atgcccttct	cccacgcaga	cacgatccgc	acactcagcg	ggttcacac	2700
cgtaatttca	ctttccgctt	cgtggggctc	ttctctcttc	tcttgcttcc	gcataccacg	2760
cgcactggg	tcgtcttcat	tcagccgcgc	cactgtgcgc	ttacctcctt	tgccatgctt	2820
gattagcacc	gggtgggtgc	tgaacccac	cattttagc	gccacatctt	ctctttcttc	2880
ctcgtgttcc	acgattacct	ctgggtgatg	cgggcgcctg	ggcttgggag	aagggcgctt	2940
ctttttcttc	ttgggcgcaa	tggccaaatc	cgcgcgcgag	gtcgatggcc	gcgggctggg	3000
tgtgcgcgcg	accagcgcgt	cttgtgatga	gtcttccctg	tcctcggact	cgatacgccg	3060
cctcatccgc	ttttttgggg	gcgcccgggg	aggcggcgcc	gacggggacg	gggacgacac	3120
gtctccatg	gttgggggac	gtcgcgcgcg	accgcgtccg	cgtcggggg	tggtttcgcg	3180
ctgctcctct	tcgccactgg	ccatttcctt	ctcctatagg	cagaaaaaga	tcattggagt	3240
agtcgagaag	aaggacagcc	taaccgcccc	ctctgagttc	gccaccaccg	cctccaccga	3300
tgccgccaac	gcgcctacca	ccttccccgt	cgaggcacc	ccgcttgagg	aggaggaagt	3360
gattatcgag	caggaccag	gttttgtaag	cgaagacgac	gaggaccgct	cagtaccaac	3420
agaggataaa	aagcaagacc	aggacaacgc	agaggcaaac	gaggaacaag	tcgggcgggg	3480
ggacgaaagg	catggcgact	acctagatgt	gggagacgac	gtgctgttga	agcatctgca	3540
gcgccagtgc	gccattatct	gcgacgcgtt	gcaagagcgc	agcgatgtgc	ccctcgccat	3600
agcggatgtc	agccttgctt	acgaacgcca	cctattctca	ccgcgcgtac	cccccaaacg	3660
ccaagaaaa	ggcacatcg	agcccaacc	gcgcctcaac	ttctacccc	tatttgccgt	3720
gccagagggtg	cttgccacct	atcacatctt	tttccaaaac	tgcaagatac	ccctatcctg	3780
ccgtgccaac	cgcagccgag	cggacaagca	gctggccttg	cggcagggcg	ctgtcatacc	3840
tgatatcgcc	tcgctcaacg	aagtgcacaa	aatctttgag	ggtcttggac	gcgacgagaa	3900
gcgcgcggca	aacgctctgc	aacaggaaaa	cagcgaaaa	gaaagtcact	ctggagtgtt	3960
ggtggaactc	gagggtgaca	acgcgcgcct	agcgtacta	aaacgcagca	tcgaggtcac	4020
ccactttgcc	taccgcgcac	ttaacctacc	ccccaaagtc	atgagcacag	tcagtgtga	4080

-continued

gctgatcgtg	cgccgtgcgc	agccccctgga	gagggatgca	aatttgcaag	aacaaacaga	4140
ggagggccta	cccgcagttg	gcgacgagca	gctagcgcgc	tggettcaaa	cgcgcgagcc	4200
tgccgacttg	gaggagcgac	gcaaactaat	gatggccgca	gtgctcgta	ccgtggagct	4260
tgagtgcattg	cagcggttct	ttgctgaccc	ggagatgcag	cgcaagctag	aggaaacatt	4320
gcactacacc	tttcgacagg	gctacgtacg	ccaggcctgc	aagatctcca	acgtggagct	4380
ctgcaacctg	gtctcctacc	ttggaatttt	gcacgaaaac	cgcttgggc	aaaacgtgct	4440
tcattccacg	ctcaagggcg	aggcgcgccg	cgactacgtc	cgcgactgcg	tttacttatt	4500
tctatgtac	acctggcaga	cgcccatggg	cgtttggcag	cagtgtttgg	aggagtgcaa	4560
cctcaaggag	ctgcagaaac	tgctaaagca	aaacttgaag	gacctatgga	cggccttcaa	4620
cgagcgctcc	gtggccgcgc	acctggcgga	catcattttc	cccgaacgcc	tgettataac	4680
cctgcaacag	ggctctgccag	acttcaccag	tcaaagcatg	ttgcagaact	ttaggaactt	4740
tatcctagag	cgtcaggcaa	tcttgcccg	cacctgtgtg	gcacttctca	gcgactttgt	4800
gcccattaag	taccgcgaat	gccctccgcc	gctttggggc	cactgtctac	ttctgcagct	4860
agccaaactac	cttgctacc	actctgacat	aatggaagac	gtgagcggtg	acggtctact	4920
ggagtgtcac	tgctcgtgca	acctatgcac	cccgcaccgc	tccctggttt	gcaattcgca	4980
gtgtcttaac	gaaagtcaaa	ttatcggtac	ctttgagctg	caggggtccct	cgctgacga	5040
aaagtccgcg	gctccggggg	tgaactcac	tccggggctg	tggacgtcgg	cttaccttcg	5100
caaatgtgta	cctgaggact	accacgccca	cgagattagg	ttctacgaag	accaatcccc	5160
cccgccaaat	gcggagctta	ccgctgcgt	cattaccacg	ggccacattc	ttggccaatt	5220
gcaagccatc	aacaaagccc	gccaagagtt	tctgtctacg	aagggaacgg	gggtttactt	5280
ggacccccag	tccggcgagg	agctcaaccc	aatccccccg	ccgcgcagc	cctatcagca	5340
gcagccgcgg	gcccttgctt	cccaggatgg	cacccaaaaa	gaagctgcag	ctgccgcgc	5400
caccacagga	cgaggaggaa	tactgggaca	gtcaggcaga	ggaggttttg	gacgaggagg	5460
aggaggacat	gatggaagac	tgggagagcc	tagacgagga	agcttccgag	gtcgaagagg	5520
tgtagacga	aacacgtgca	ccctcggtcg	cattcccttc	gccggcgccc	cagaaatcgg	5580
caaccgggtc	cagcatggct	acaacctccg	ctcctcaggc	gccgcggcca	ctgccggttc	5640
gccgacccaa	ccgtagatgg	gacaccactg	gaaccagggc	cggttaagtcc	aagcagccgc	5700
cgccgttagc	ccaagagcaa	caacagcgcc	aaggctaccg	ctcatggcgc	gggcacaaga	5760
acgccatagt	tgettgtctg	caagactgtg	ggggcaacat	ctccttcgcc	cgccgctttc	5820
ttctctacca	tcacggcggtg	gccttcccc	gtaacatcct	gcattactac	cgctatctct	5880
acagcccata	ctgcaccggc	ggcagcgcca	gcggcagcaa	cagcagcggc	cacacagaag	5940
caaaggcgac	cggatagcaa	gactctgaca	aagcccaaga	aatccacagc	ggcggcagca	6000
gcaggaggag	gagcgtgcg	tctggcgccc	aacgaacccg	tatcgacccg	cgagcttaga	6060
aacaggattt	ttccactct	gtatgctata	tttcaacaga	gcaggggcca	agaacaagag	6120
ctgaaaataa	aaaacaggtc	tctgcgatcc	ctcaccgcga	gctgctgtga	tcacaaaagc	6180
gaagatcagc	ttcggcgcac	gctggaagac	gcggaggctc	tcttcagtaa	atactgcgcg	6240
ctgactctta	aggactagtt	tcgcgccctt	tctcaaat	aagcgcgaaa	actacgtcat	6300
ctccagcggc	cacacccggc	gccagcacct	gtcgtcagcg	ccattatgag	caaggaaatt	6360
cccacgcct	acatgtggag	ttaccagcca	caaattgggac	ttcgggtgg	agctgcccaa	6420

-continued

gactactcaa cccgaataaa ctacatgagc gcgggacccc acatgatatc ccgggtcaac	6480
ggaatccgcg cccaccgaaa ccgaattctc ttggaacagg cggctattac caccacacct	6540
cgtaataacc ttaatccccg tagttggccc gctgccttgg tgtaccagga aagtcctcgt	6600
cccaccactg tggtaacttc cagagacgcc caggccgaag ttcagatgac taactcaggg	6660
gcgcagcttg cgggcggctt tcgtcacagg gtgcggtcgc ccgggcgacg taggttttag	6720
ggcggagtaa cttgtatgtg ttgggaattg tagttttctt aaaatgggaa gttacgtaac	6780
gtgggaaaaa ggaagtgcg atttgaggaa gttgtgggtt ttttggtttt cgtttctggg	6840
cgtaggttcg cgtgcggttt tctgggtgtt ttttgtggac ttaaccgtt acgtcatttt	6900
ttagtcttat atatactgc tctgcacttg gccctttttt aactgtgac tgattgagct	6960
ggtgccgtgt cgagtgggtt tttttaata ggttttcttt tttactggta aggtgactg	7020
ttatggctgc cgctgtggaa gcgctgtatg ttgttctgga gcgggagggg gctattttgc	7080
ctaggcagga gggtttttca ggtgtttatg tgtttttctc tcctattaat tttgttatac	7140
ctctatggg ggctgtaatg ttgtctctac gcctgcgggt atgtattccc ccgggctatt	7200
tcggtcgctt tttagcactg accgatgtga atcaacctga tgtgtttacc gagtcttaca	7260
ttatgactcc ggacatgacc gaggagctgt cggtggtgct ttttaacac ggtgaccagt	7320
ttttttacgg tcacgccggc atggccgtag tccgtcttat gcttataagg gttgttttcc	7380
ctgttgtaag acaggcttct aatgtttaaa tgtttttttg ttattttatt ttgtgtttat	7440
gcagaaaccc gcagacatgt ttgagagaaa aatggtgtct tttctgtgg tggttccgga	7500
gcttaactgc ctttatctgc atgagcatga ctacgatgtg ctttcttttt tgcgcgaggc	7560
tttgctgat tttttgacg gcaccttgca ttttatatcg ccgccatgc aacaagctta	7620
catcggggct acgctgggta gcatagctcc gagtatgcgt gtcataatca gtgtgggttc	7680
ttttgtcatg gttcctggcg gggaaagtggc cgcgctggtc cgtgcagacc tgcacgatta	7740
tgttcagctg gccctgcgaa gggacctacg ggatcgcggt atttttgtta atgttccgct	7800
tttgaatctt atacaggtct gtgaggaacc tgaatttttg caatcatgat tcgctgcttg	7860
aggtgaagg tggaggcgcc tctggagcag atttttacaa tggccggact taatattcgg	7920
gatttgctta gagatatatt gagaagggtg cgagatgaga attatttggg catggttgaa	7980
ggtgctggaa tgtttataga ggagattcac cctgaagggt ttagccttta cgtccacttg	8040
gacgtgaggg ccgtttgctt tttggaagcc attgtgcaac atcttacaaa tgccattatc	8100
tgttcttttg ctgtagagtt tgaccacgcc accggagggg agcgcgttca cttaatagat	8160
cttcattttg aggttttggg taatcttttg gaataaaaaa aaaaacatgg ttcttccagc	8220
tcttcccgtc cctcccgtgt gtgactcgca gaacgaatgt gtaggttggc tgggtgtggc	8280
ttattctcgc gtggtggatg ttatcagggc agcggcgcat gaaggagttt acatagaacc	8340
cgaagccagg gggcgcttgg atgctttgag agagtggata tactacaact actacacaga	8400
gcgatctaag cggcgagacc ggagacgcag atctgtttgt cacgccgca cctggttttg	8460
cttcaggaaa tatgactacg tccggcgctt catttggcat gacactacga ccaacacgat	8520
ctcggttgtc tcgggcact ccgtacagta gggatcgctt acctcctttt gagacagaaa	8580
cccgcgtac catactggag gatcatccgc tgctgccga atgtaacact ttgacaatgc	8640
acaacgtgag ttactgtgga ggtcttcct gcagtgtggg atttacgtg attcaggaat	8700
gggtgtgtcc ctgggatatg gttctaacgc gggaggagct tgtaatcctg aggaagtgt	8760
tgcacgtgtg cctgtgttgt gccaacattg atatcatgac gagcatgatg atccatggtt	8820

-continued

acgagtcctg	ggctctccac	tgtcattgtt	ccagtcccg	tccctgcag	tgtatagccg	8880
gcgggcaggt	tttggccagc	tggtttagga	tgggtgtgga	tggcgccatg	tttaatcaga	8940
ggtttatatg	gtaccgggag	gtggtgaatt	acaacatgcc	aaaagaggta	atgtttatgt	9000
ccagcgtggt	tatgaggggt	cgcacttaa	tctacctgcg	cttgtggtat	gatggccacg	9060
tgggttctgt	ggccccgcc	atgagctttg	gatacagcgc	cttgcaactgt	gggattttga	9120
acaatattgt	ggtgctgtgc	tgcagttact	gtgctgattt	aagtgcagtc	agggtgcgct	9180
gctgtgcccc	gaggacaagg	cgccttatgc	tgcgggcggt	gcgaatcctc	gctgaggaga	9240
ccactgccat	gttgatttcc	tgcaggacgg	agcggcgcg	gcagcagttt	attcgcgcg	9300
tgctgcagca	ccaccgcctt	atcctgatgc	acgattatga	ctctaccccc	atgtaggcgt	9360
ggacttctcc	ttcgccgcc	gttaagcaac	cgaagtgg	acagcagcct	gtggctcagc	9420
agctggacag	cgacatgaac	ttaagtgagc	tgcggggga	gtttattaat	atcactgatg	9480
agcgtttggc	tcgacaggaa	accgtgtgga	atataacacc	taagaatatg	tctgttacc	9540
atgatatgat	gctttttaag	gccagccggg	gagaaaggac	tgtgtactct	gtgtgttggg	9600
agggaggtgg	caggttgaat	actaggggtc	tgtgagtttg	attaaggtac	ggtgatctgt	9660
ataagctatg	tgggtgtggg	gctatactac	tgaatgaaaa	atgacttgaa	attttctgca	9720
attgaaaaat	aaacacgttg	aaacataaca	caaacgattc	tttattcttg	ggcaatgtat	9780
gaaaaagtgt	aagaggatgt	ggcaaatatt	tcattaatgt	agttgtggcc	agaccagtcc	9840
catgaaaatg	acatagagta	tgcacttgga	gttggtgtctc	ctgtttcctg	tgtaccgttt	9900
agtgtaatcc	aaccgcggat	gtcgcctctc	ctgacgcggg	aggaggaggg	gagggtgccc	9960
tgcattgtctg	ccgtgtctct	tgtcttggcc	gctgctgagg	aggggggcgc	atctgcgcga	10020
gcaccggatg	catctgggaa	aagcaaaaaa	ggggctcgtc	cctgtttccg	gaggaatttg	10080
caagcggggg	cttgcatgac	ggggaggcaa	acccccgttc	gccgcagtc	ggccgggtccg	10140
agactcgaac	cgggggtccc	gcgactcaac	ccttggaaaa	taacctccg	gctacaggga	10200
gcgagccact	taagtcttcc	gctttccagc	ctaaccgctt	acgtgcgcg	cggccagtgg	10260
ccaaaaaagc	tagcgcagca	gccgcgcgc	ctggaaggaa	gccaaaagga	gcactcccc	10320
gttgtctgac	gtcgacaccc	tgggttcgac	acgcgggcgg	taaccgcagc	gatcacggcg	10380
gacggccgga	tacggggctc	gaaccccggt	cgcccgccat	gatacccttg	cgaatttatc	10440
caccagacca	cgggaagagt	cccgttaca	ggctctcctt	ttgcacggtc	tagagcgtca	10500
acgattgcgc	gcgcctgacc	ggccagagcg	tcccaccat	ggagcacttt	ttgccgtgc	10560
gcaacatctg	gaaccgcgtc	cgcgactttc	cgcgcgcctc	caccaccgcc	gccggcatca	10620
cctggatgtc	caggtacatc	tacggatatc	atttaattaa	gtactgtcga	cgcgtacaaa	10680
acgtcaaaa	ggcgacacaa	aatttattct	aatgcataa	taaatactga	taacatctta	10740
tagtttgtat	tatattttgt	attatcggtg	acatgtataa	tttgatatac	aaaaactgat	10800
tttcccttta	ttattttcga	gatttttttt	cttaattctc	tttaacaaac	tagaaatatt	10860
gtatatacaa	aaaatcataa	ataatagatg	aatagtttaa	ttataggtgt	tcacatcatg	10920
aaaaagcaac	gtatcttatt	taaagtgcgt	tgtttttttc	tcatttataa	ggttaataaa	10980
ttctcatata	tcaagcaaa	tgacaggcgc	ccttaaatat	tctgacaaa	gctctttccc	11040
taaaactcccc	ccataaaaaa	accgcgcgaa	gcgggttttt	acgttatattg	cggattaacg	11100
attactcgtt	atcagaaccg	cccagggggc	cgcagcttaa	gactggccgt	cgttttacaa	11160

-continued

```

cacagaaaga gttttagtaa acgcaaaaag gccatccgtc aggggccttc tgcttagttt 11220
gatgcctggc agttccctac tctgccttc cgttctctcg ctactgact cgtgcgctc 11280
ggtcgttcgg ctgcggcgag cggtatcagc tcaactcaaag gcgtaatac ggttatccac 11340
agaatcaggg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa 11400
ccgtaaaaag gcccggttgc tggcgttttt ccataggctc cgccccctg acgagcatca 11460
caaaaatcga cgtcaagtc agagggtggc aaaccgcaca ggactataaa gataccaggc 11520
gtttccctcc ggaagctccc tctgcgctc tcctgttccg accctgccgc ttaccggata 11580
cctgtccgcc tttctccctt cgggaagcgt ggcgctttct catagctcac gctgtaggta 11640
tctcagttcg gtgtaggtcg ttcgctccaa gctgggctgt gtgcacgaac cccccgttca 11700
gcccagccgc tgcgccttat ccggttaacta tcgtcttgag tccaaccggg taagacacga 11760
cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt atgtaggcgg 11820
tgctacagag ttcttgaagt ggtgggctaa ctacggctac actagaagaa cagtatttgg 11880
tatctgcgct ctgctgaagc cagttacctt cggaaaaaga gttggtagct cttgatccgg 11940
caaacaaacc accgctggta gcggtgggtt tttgtttgc aagcagcaga ttacgcgcag 12000
aaa 12003

```

```

<210> SEQ ID NO 15
<211> LENGTH: 17817
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 15

```

```

ttagaaaaac tcacgagca tcaaatgaaa ctgcaattta ttcatatcag gattatcaat 60
accatatttt tgaaaaagcc gtttctgtaa tgaaggagaa aactcacga ggcagttcca 120
taggatggca agatcctggc atcggctctg cgtccacat caatacaacc 180
tattaatttc ccctcgtaa aaataagggt atcaagttag aaatcacat gagtgacgac 240
tgaatccggt gagaatggca aaagtttatg catttcttc cagacttgtt caacaggcca 300
gccattacgc tcgtcatcaa aatcactcgc atcaacaaa ccgttattca ttcgtgattg 360
cgctgagcgc aggcgaaata cgcgatcgt gttaaaagga caattacaaa caggaatcga 420
gtgcaaccgc cgcaggaaca ctgccagcgc atcaacaata tttcacctg aatcaggata 480
ttcttctaat acctggaacg ctgtttttcc ggggatcgca gtggtgagta accatgcac 540
atcaggagta cggataaaat gcttgatggt cgggaagtgg ataaattccg tcagccagtt 600
tagtctgacc atctcatctg taacatcatt ggcaacgcta cctttgccat gtttcagaaa 660
caactctggc gcacgggct tcccatataa gcgatagatt gtcgcacctg attgcccgac 720
attatcgcca gccatttat acccatataa atcagcatcc atgttggaat ttaatcgcg 780
ctcgacgtt tccggttgaa tatggctcat atttctctt tttcaatatt attgaagcat 840
ttatcagggt tattgtctca tgagcggata catatttgaa tgtatttaga aaaataaaca 900
aataggggtc agtggtacaa ccaattaacc aattctgaac attatcgga gccatttat 960
acctgaatat ggctcataac accccttgtt tgctggcgg cagtagcgcg gtggtccac 1020
ctgaccccat gccgaactca gaagtgaac gccgtagcgc cgatggtagt gtggggactc 1080
cccatgcgag agtagggaac tgccaggcat caaataaaac gaaaggctca gtcgaaagac 1140

```

-continued

tgggccttcc	gcccgggcta	attagggggt	gtcgcccttc	gctgaagggg	tgaccgtata	1200
cgtttaaact	taattaatcg	acagaagcac	catgtccttg	ggtcgggect	gctgaatgcg	1260
caggcggtcg	gccatgcccc	aggcttcgtt	ttgacatcgg	cgcaggctctt	tgtagtagtc	1320
ttgcatgagc	ctttctaccg	gcactctctc	ttctccttcc	tcttgctctg	catctcttgc	1380
atctatcgct	gcggcgggcg	cggagtttgg	cgtaggtggg	cgcctctctc	ctcccatgcg	1440
tgtgaccccg	aagccctca	tcggctgaag	cagggttagg	tcggcgacaa	cgcgctcggc	1500
taatatggcc	tgctgcacct	gcgtgagggg	agactggaag	tcattccatgt	ccacaaagcg	1560
gtggtatgcg	cccgtgttga	tgggtgaagt	gcagttggcc	ataacggacc	agttaacggg	1620
ctggtgaccc	ggctgcgaga	gctcgggtga	cctgagacgc	gagtaagccc	tcgagtcaaa	1680
tacgtagtcg	ttgcaagtcc	gcaccaggta	ctggtatccc	acaaaaagt	gcggcgggcg	1740
ctggcggtag	agggggcagc	gtaggggtgg	cggggctccg	ggggcgagat	cttccaacat	1800
aaggcgatga	tatccgtaga	tgtacctgga	catccagggt	atgccggcgg	cgggtggtgga	1860
ggcgcgcgga	aagtcgcgga	cgcgggtcca	gatgttgccg	agcggcaaaa	agtgtctcat	1920
ggtcgggacg	ctctggcccg	tcaggcgccg	gcaatcggtg	acgtctctaga	ccgtgcacaa	1980
ggagagcctg	taagcgggca	ctcttcctg	gtctgggtgga	taaattcgca	aggggtatcat	2040
ggcgagacac	cgggggttcga	gccccgtatc	cggcctccg	ccgtgatcca	tgcggttacc	2100
gcccgcgtgt	cgaaccacag	tgtgcgacgt	cagacaacgg	gggagtgtct	cttttggtct	2160
ccttccaggc	gcggcggtg	ctgcgctagc	ttttttggcc	actggccggc	cgcagcgtaa	2220
gcggttaggc	tggaaagcga	aagcattaag	tggctcgctc	cctgtagccg	gagggttatt	2280
ttccaagggt	tgagtcgcgg	gacccccggg	tcgagtctcg	gaccggccgg	actgcggcga	2340
acgggggttt	gcctcccctg	catgcaagac	cccgtttgca	aattcctccg	gaaacaggga	2400
cagagccctt	ttttgctttt	cccagatgca	tcgggtgctg	cggcagatgc	gccccctcc	2460
tcagcagcgg	caagagcaag	agcagcggca	gacatgcagg	gcaccctccc	ctcctctac	2520
cgcgtcagga	ggggcgacat	ccgcggttga	cgcggcagca	gatgggtgatt	acgaaccccc	2580
gcggcgcccg	gcccggcact	acctggactt	ggaggagggc	gagggcctgg	cgcggctagg	2640
agcgcctct	cctgagcggg	acccaagggt	gcagctgaag	cgtgatacgc	gtgaggcgta	2700
cgtgccgcgg	cagaacctgt	ttcgcgaccg	caggggagag	gagcccgagg	agatgcggga	2760
tcgaaagtcc	cacgcagggc	gcgagctgcg	gcatggcctg	aatcgcgagc	ggttgctgcg	2820
cagaggaggc	tttgagcccg	acgcgcgaac	cgggattagt	ccgcgcgcgg	cacacgtggc	2880
ggccgcgcag	ctggtaacgg	catacagaca	gacggtgaac	caggagatta	actttcaaaa	2940
aagctttaac	aaccacgtgc	gtacgcttgt	ggcgcgcgag	gaggtggcta	taggactgat	3000
gcatctgtgg	gactttgtaa	gcgcgctgga	gcaaaaccca	aatagcaagc	cgctcatggc	3060
gcagctgttc	cttatagtgc	agcacagcag	ggacaacgag	gcattcaggg	atgcgctgct	3120
aaacatagta	gagcccgagg	gccgctggct	gctcgatttg	ataaacatcc	tgacagagcat	3180
agtgtgtcag	gagcgcagct	tgagcctggc	tgacaaggtg	gccgccatca	actattccat	3240
gcttagcctg	ggcaagtgtt	acgcccgaac	gatataccat	accccttacg	ttcccataga	3300
caaggaggta	aagatcgagg	ggttctacat	gcgcatggcg	ctgaaggtgc	ttaccttgag	3360
cgcgcacctg	ggcggtttatc	gcaacgagcg	catccacaag	gccgtgagcg	tgagccggcg	3420
gcgcgagctc	agcgaccgcg	agctgatgca	cagcctgcaa	agggccctgg	ctggcacggg	3480
cagcggcgat	agagaggccg	agtcctactt	tgacgcgggc	gctgacctgc	gctgggcccc	3540

-continued

aagccgacgc gccctggagg cagctggggc cggacctggg ctggcgggtg caccgcgcgc	3600
cgctggcaac gtcggcgggc tggaggaata tgacgaggac gatgagtacg agccagagga	3660
cggcgagtac taagcgtga tgtttctgat cagatgatgc aagacgcaac ggaccggcg	3720
gtgcggggcg cgctgcagag ccagccgtcc ggccttaact ccacggacga ctggcgccag	3780
gtcatggacc gcatcatgtc gctgactgcy cgcaatcctg acgcgttcgc gcagcagccg	3840
caggccaacc ggctctccgc aattctggaa gcggtgggtc cggcgcgcg aaaccccacg	3900
cacgagaagg tgctggcgat cgtaaacgcg ctggccgaaa acagggccat ccggcccgac	3960
gaggccggcc tgggtctacga cgcgctgctt cagcgcggtg ctctttacaa cagcggcaac	4020
gtgcagacca acctggaccg gctggtgggg gatgtgcgcg aggcctgggc gcagcgtgag	4080
cgcgcgcagc agcagggcaa cctgggctcc atggttgac taaacgcctt cctgagtaca	4140
cagcccgcca acgtgccgcg gggacaggag gactacacca actttgtgag cgcactgcgcg	4200
ctaattggtga ctgagacacc gcaaatgtag gtgtaccagt ctgggcccaga ctattttttc	4260
cagaccagta gacaaggcct gcagaccgta aacctgagcc aggccttcaa aaacttgag	4320
gggctgtggg ggggtgcgggc tcccacaggc gaccgcgcga ccgtgtctag cttgctgacg	4380
cccaactcgc gcctgttgct gctgctaata gcgccttca cggacagtgg cagcgtgtcc	4440
cgggacacat acctaggta cttgctgaca ctgtaccgcg aggccatagg tcaggcgcat	4500
gtggacgagc atactttcca ggagattaca agtgtcagcc gcgcgctggg gcaggaggac	4560
acgggcagcc tggaggcaac cctaaactac ctgctgacca accggcgga gaagatcccc	4620
togttgcaca gtttgcacc ctttggcgca tccattctc cagtaacttt atgtccatgg	4680
gcgcactcac agacctgggc caaaaccttc tctacgcaa ctccgccac gcgctagaca	4740
tgacttttga ggtggatccc atggacgagc ccaccttct ttatgttttg tttgaagtct	4800
ttgacgtggt ccgtgtgcac cggccgcacc cggcgctcat cgaaaccgtg tacttgcgca	4860
cgccttctc ggccggcaac gccacaacat aaagaagcaa gcaacatcaa caacagctgc	4920
cgccatgggc tccagtgagc aggaactgaa agccattgtc aaagatcttg gttgtgggccc	4980
atattttttg ggcacctatg acaagcgctt tccaggcttt gtttctccac acaagctcgc	5040
ctgcgccata gtcaatacgg ccggtcgcga gactgggggc gtacactgga tggcctttgc	5100
ctggaacccg cactcaaaaa catgctacct ctttgagccc tttggctttt ctgaccagcg	5160
actcaagcag gtttaccagt ttgagtacga gtcactcctg cgcgtagcg ccattgcttc	5220
ttccccgac cgctgtataa cgctggaaaa gtccacccaa agcgtacagg ggcccaactc	5280
ggccgcctgt ggactattct gctgcatgtt tctccacgcc tttgccaaact ggcccaaac	5340
tcccatggat cacaacccca ccatgaacct tattaccggg gtacccaact ccatgctcaa	5400
cagtccccag gtacagccca cctgcgtcg caaccaggaa cagctctaca gcttcctgga	5460
gcgcactcgc ccctacttcc gcagccacag tgcgcagatt aggagcgcca cttctttttg	5520
tcacttgaaa aacatgtaaa aataatgtac tagagacact ttcaataaag gcaaatgctt	5580
ttatttgtac actctcgggt gattatttac cccacccctt gccgtctgcg ccgtttaaaa	5640
atcaaagggg ttctgcgcg catcgctatg cgcactggc agggacacgt tgcgatactg	5700
gtgttttagt ctccacttaa actcaggcac aaccatccgc ggcagctcgg tgaagttttc	5760
actccacagg ctgcgcacca tcccaacgc gtttagcagg tcgggcgcgc atatcttgaa	5820
gtgcagttg gggcctccgc cctgcgcgcg cgagttgcga tacacagggt tgcagcactg	5880

-continued

gaacactatc agcgccgggt ggtgcacgct ggcacgacg ctcttgctcg agatcagatc	5940
cgcgtccagg tcctcccgct tgcctcaggc gaacggagtc aactttggta gctgccttcc	6000
caaaaagggc gcgtgccag gctttgagtt gcactcgac cgtagtggca tcaaaagggtg	6060
accgtgcccgt gtctggcgct taggatacag cgctgcata aaagccttga tctgcttaaa	6120
agccacctga gcctttgcgc cttcagagaa gaacatgccg caagacttgc cggaaaactg	6180
attggccgga caggcccgct cgtgcacgca gcaccttgcg tcggtgttgg agatctgcac	6240
cacatttcgg cccacccggt tcttcacgat cttggccttg ctagactgct ccttcagcgc	6300
gcgctgcccgt ttttcgctcg tcacatccat ttcaatcacg tgctccttat ttatcataat	6360
gcttcctgtg agacacttaa gctcgccttc gatctcagcg cagcgggtgca gccacaacgc	6420
gcagcccgtg ggctcgtgat gctttaggt caccctctgca aacgactgca ggtacgctg	6480
caggaatcgc cccatcatcg tcacaaagggt cttgttgctg gtgaagggtca gctgcaaccc	6540
gcggtgctcc tcgttcagcc aggtcttgca tacggccgccc agagcttcca cttggtcagg	6600
cagtagtttg aagttcgct ttagatcgtt atccacgtgg tacttgcca tcagcgcgcg	6660
cgcagcctcc atgcccttct cccacgcaga cagcatcgcc aactcagcg gggtcatcac	6720
cgtaatcca ctttcgctt cgtgggctc ttctctctcc tcttgctcc gcataccacg	6780
cgcactggg tcgtcttcat tcagcgcgcg cactgtgcgc ttacctcctt tgccatgctt	6840
gattagcacc ggtgggttgc tgaacccac catttgtagc gccacatctt ctctttcttc	6900
ctcgtgtcc acgattacct ctgggtgatg cgggcgctcg ggcttgggag aaggcgctt	6960
ctttttcttc ttgggcgcaa tggccaaatc cgcgcgcgag gtcgatggcc gcgggctggg	7020
tgtgcgcgcg accagcgcgt cttgtgatga gtcttctcgc tcctcggact cgatacgccc	7080
cctcatccgc ttttttggg gcgcccggg agggggggc gacggggacg gggacgacac	7140
gtctccatg gttgggggac gtcgcgcgc accgcgtccg cgctcggggg tggtttcgcg	7200
ctgctcctct tcccagctgg ccatttctct ctctatagg cagaaaaaga tcatggagtc	7260
agtcgagaag aaggacagcc taaccgcccc ctctgagttc gccaccaccg cctccaccga	7320
tgcgcgaac gcgcctacca ccttccccgt cgaggcacc cgccttgagg aggaggaagt	7380
gattatcgag caggaccag gttttgtaag cgaagacgac gaggaccgt cagtaccaac	7440
agaggataaa aagcaagacc aggacaacgc agaggcaaac gaggaacaag tcgggcgggg	7500
ggacgaaagg catggcgact acctagatgt gggagacgac gtgctgttga agcatctgca	7560
gcgcagtgcc gccattatct gcgacgcgtt gcaagagcgc agcgatgtgc cctcgcctat	7620
agcggatgtc agccttgctt acgaacgcca cctattctca ccgcggtac ccccaaacg	7680
ccaagaaaac ggcacatgcg agcccaaccc gcgcctcaac ttctacccc tatttgccgt	7740
gccagagggtg cttgccacct atcacatctt tttccaaaac tgcaagatac ccctatcctg	7800
ccgtgccaac cgcagccgag cggacaagca gctggccttg cggcagggcg ctgtcatacc	7860
tgatatgcc tcgctcaacg aagtgcctaa aatctttgag ggtcttggac gcgacgagaa	7920
gcgcgcggca aacgctctgc aacaggaaaa cagcgaatat gaaagtcact ctggagtgtt	7980
ggtggaactc gaggtgaca acgcgcgcct agccgtacta aaacgcagca tcgaggtcac	8040
ccactttgcc taccgcgcac ttaacctacc ccccaaggtc atgagcacag tcatgagtga	8100
gctgatcgtg cgcctgccc agcccctgga gagggatgca aatttgcaag aacaaacaga	8160
ggagggccta cccgcagttg gcgacgagca gctagcgcgc tggcttcaaa cgcgcgagcc	8220
tgccgacttg gaggagcgac gcaaaactat gatggccgca gtgctcgtta ccgtggagct	8280

-continued

tgagtgcattg	cagcggttct	ttgctgaccc	ggagatgcag	cgcaagctag	aggaaacatt	8340
gcactacacc	tttcgacagg	gctacgtacg	ccaggcctgc	aagatctcca	acgtggagct	8400
ctgcaacctg	gtctcctacc	ttggaatttt	gcacgaaaac	cgccttgggc	aaaacgtgct	8460
tcattccacg	ctcaagggcg	aggcgcgccg	cgactacgtc	cgcgactgcg	tttacttatt	8520
tctatgtac	acctggcaga	cgcccatggg	cgtttggcag	cagtgtttgg	aggagtgcaa	8580
cctcaaggag	ctgcagaaac	tgctaaagca	aaacttgaag	gacctatgga	cggccttcaa	8640
cgagcgctcc	gtggccgcgc	acctggcgga	catcattttc	cccgaacgcc	tgtttaaacc	8700
cctgcaacag	ggctgtccag	acttcaccag	tcaaagcatg	ttgcagaact	ttaggaactt	8760
tatcctagag	cgtcaggaa	tcttgcccg	cacctgtgt	gcacttccca	gcgactttgt	8820
gcccattaag	taccgcgaat	gccctccgcc	gctttggggc	cactgtctac	ttctgcagct	8880
agccaaactac	cttgctacc	actctgacat	aatggaagac	gtgagcgggtg	acggtctact	8940
ggagtgtcac	tgctgctgca	acctatgcac	cccgacccgc	tccttggttt	gcaattcgca	9000
gtgtcttaac	gaaagtcaaa	ttatcggtac	ctttgagctg	cagggctccct	cgctgacga	9060
aaagtccgcg	gctccggggg	tgaactcac	tccggggctg	tggacgtcgg	cttaccttcg	9120
caaatttgta	cctgaggact	accacgccc	cgagattagg	ttctacgaag	accaatcccg	9180
cccgccaaat	gcggagctta	cgctctgcgt	cattaccacg	ggccacattc	ttggccaatt	9240
gcaagccatc	aacaaagccc	gccaagagtt	tctgtctacg	aagggaagg	gggtttactt	9300
ggacccccag	tccggcgagg	agctcaaccc	aatccccccg	ccgcgcgagc	cctatcagca	9360
gcagccgcg	gcccttgctt	cccaggatgg	cacccaaaaa	gaagctgcag	ctgccgcgc	9420
caccacgga	cgaggaggaa	tactgggaca	gtcaggcaga	ggaggttttg	gacgaggagg	9480
aggaggacat	gatggaagac	tgggagagcc	tagacgagga	agcttccgag	gtcgaagagg	9540
tgtagacga	aacacgtca	ccctcggtcg	cattcccctc	gccggcgccc	cagaaatcgg	9600
caaccgggtc	cagcatggct	acaacctccg	ctcctcaggc	gccgcgggca	ctgccggttc	9660
gccgacccaa	ccgtagatgg	gacaccactg	gaaccagggc	cggttaagtcc	aagcagccgc	9720
cgcggttagc	ccaagagcaa	caacagcgcc	aaggctaccg	ctcatggcgc	gggcacaaga	9780
acgccatagt	tgtttgcttg	caagactgtg	ggggcaacat	ctccttcgcc	cgccgctttc	9840
ttctctacca	tcacggcggtg	gccttcccc	gtaacatcct	gcattactac	cgctcatctc	9900
acagcccata	ctgacccggc	ggcagcggca	gcggcagcaa	cagcagcggc	cacacagaag	9960
caaaggcgac	cggatagcaa	gactctgaca	aagcccaaga	aatccacagc	ggcggcagca	10020
gcaggaggag	gagcgctgcg	tctggcgccc	aacgaaccgg	tatcgacccg	cgagcttaga	10080
aacaggattt	ttcccactct	gtatgtctata	tttcaacaga	gcagggggcca	agaacaagag	10140
ctgaaaataa	aaaacaggtc	tctgcatcc	ctcaccgcga	gctgcctgta	tcacaaaagc	10200
gaagatcagc	ttcgccgcac	gctggaagac	gcggaggctc	tcttcagtaa	atactgcgcg	10260
ctgactctta	aggactagtt	tcgcgccctt	tctcaaattt	aagcgcgaaa	actacgtcat	10320
ctccagcggc	cacaccgggc	gccagcacct	gtcgtcagcg	ccattatgag	caaggaaatt	10380
cccacgccct	acatgtggag	ttaccagcca	caaattgggac	ttgcggctgg	agctgcccac	10440
gactactcaa	cccgaataaa	ctacatgagc	gcgggacccc	acatgatata	ccgggtcaac	10500
ggaatccgcg	cccaccgaaa	ccgaattctc	ttggaacagg	cggctattac	caccacacct	10560
cgtaataacc	ttaatccccg	tagttggccc	gctgccctgg	tgtaccagga	aagtcccgct	10620

-continued

```

cccaccactg tggtaacttcc cagagacgcc caggccgaag ttcagatgac taactcaggg 10680
gcgcagcttg cgggocggtt tcgtcacagg gtgcggtcgc ccgggcaggg tataactcac 10740
ctgacaatca gagggcgagg tattcagctc aacgacgagt cggtgagctc ctgccttggg 10800
ctccgtccgg acgggacatt tcagatcggc ggccgcggcc gtcttcatt cagcctcgt 10860
caggcaatcc taactctgca gacctcgtcc tctgagccgc gctctggagg cattggaact 10920
ctgcaattta ttgaggagtt tgtgccatcg gtctacttta accccttctc gggacctccc 10980
ggccactatc cggatcaatt tattcctaac tttagcgcgg taaaggactc ggccgacggc 11040
tacgactgaa tgttaagtgg agaggcagag caactgcgcc tgaaacacct ggtccactgt 11100
cgccgccaca agtgctttgc ccgcgactcc ggtgagtttt gctactttga attgcccgag 11160
gatcatatcg agggcccggc gcacggcgtc cggcttaccg ccaggggaga gcttgcccgt 11220
agcctgattc gggagtttac ccagcgcccc ctgctagttg agcgggacag gggacctgt 11280
gtttcactg tgaattgcaa ctgtcgatct tattcccttt aactaataaa aaaaaataat 11340
aaagcatcac ttacttaaaa tcagttagca aatttctgtc cagtttattc agcagcacct 11400
ccttgccctc ctcccagctc tggatttgca gcttccctct ggctgcaaac tttctccaca 11460
atctaaatgg aatgtcagtt tctcctggt cctgtccatc cgcaccact atcttcatgt 11520
tgttgcatg gaagcgcgca agaccgtctg aagatacctt caaccccggt tatccatag 11580
acacggaaac cggtcctcca actgtgcctt ttcttactcc tccctttgta tcccccaatg 11640
ggtttcaaga gagtcccctc ggggtactct ctttgccgct atccgaacct ctagtacct 11700
ccaatggcat gcttgcgctc aaaatgggca acggcctctc tctggacgag gccggcaacc 11760
ttacctccca aaatgtaacc actgtgagcc caccctctca aaaaaccaag tcaaacataa 11820
acctggaaat atctgcaccc ctccagtgta cctcagaagc cctaactgtg gctgcgcgcy 11880
cacctcta at ggtcgcgggc aacacactca ccatgcaatc acaggcccg ctaaccgtgc 11940
acgactccaa acttagcatt gccacccaag gacctctcac agtgtcagaa ggaaagctag 12000
ccctgcaaac atcaggcccc ctccaccaca ccgatagcag tacccttact atcaatgcct 12060
caccctctc aactactgcc actggtagct tgggcattga cttgaaagag cccatttata 12120
cacaaaatgg aaactagga ctaaaagtac gggctccttt gcatgtaaca gacgacctaa 12180
acactttgac cgtagcaact ggtccaggtg tgactattaa taatacttcc ttgcaaaacta 12240
aagttactgg agccttgggt tttgattcac aaggcaatat gcaacttaat gtagcaggag 12300
gactaaggat tgattctcaa aacagacgcc ttatacttga tgtagttat ccgtttgatg 12360
ctcaaaacca actaaatcta agactaggac agggccctct ttttataaac tcagcccaca 12420
acttgatata taactacaac aaaggccttt acttgtttac agcttcaaac aattccaaaa 12480
agcttgaggt taacctaac actgccaagg ggttgatgtt tgacgctaca gccatagcca 12540
ttaatgcagg agatgggctt gaatttggtt cacctaatgc accaaacaca aatccccctca 12600
aaacaaaaat tggccatggc ctagaatttg attcaaacaa ggctatgggt cctaaactag 12660
gaactggcct tagttttgac agcacagggt ccattacagt aggaaacaaa aataatgata 12720
agctaacttt gtggaccaca ccagctccat ctccctaactg tagactaaat gcagagaaaag 12780
atgctaaact cactttggtc ttaacaaaat gtggcagtc aatacttgct acagtttcag 12840
ttttggctgt taaaggcagt ttggctccaa tatctggaac agttcaaatg gctcatctta 12900
ttataagatt tgacgaaaat ggagtgctac taaacaattc cttcctggac ccagaatatt 12960
ggaactttag aaatggagat ctactgaag gcacagccta tacaacgct gttggattta 13020

```

-continued

tgctaacct atcagcttat ccaaaatctc acggtaaaac tgccaaaagt aacattgtca	13080
gtcaagttta cttaaacgga gacaaaacta aacctgtaac actaaccatt aactaaacg	13140
gtacacagga aacaggagac acaactccaa gtgcatactc tatgtcattt tcatgggact	13200
ggtctggcca caactacatt aatgaaatat ttgccacatc ctcttacact ttttcataca	13260
ttgccaaga ataaagaatc gtttgtgtta tgtttcaacg tgtttatatt tcaattgcag	13320
aaaatttcaa gtcatttttc attcagtagt atagcccccac caccacatag cttatacaga	13380
tcaccgtacc ttaatcaaac tcacagaacc ctagtattca acctgccacc tccctcccaa	13440
cacacagagt acacagtcct ttctccccgg ctggccttaa aaagcatcat atcatgggta	13500
acagacatat tcttaggtgt tatattccac acggtttcct gtcgagccaa acgctcatca	13560
gtgatattaa taaactcccc gggcagctca cttaagtcca tgctcgtgtc cagctgctga	13620
gccacaggct gctgtccaac ttgcggttgc ttaacgggcg gcgaaggaga agtccacgcc	13680
tacatggggg tagagtcata atcgtgcac aggatagggc ggtggtgctg cagcagcgcg	13740
cgaataaaact gctgcgcgcg ccgctccgtc ctgcaggaat acaacatggc agtgggtctc	13800
tcagcgatga ttgcaccgc ccgcagcata aggcgccttg tcctccgggc acagcagcg	13860
acctgatct cacttaaatc agcacagtaa ctgcagcaca gcaccacaat attgttcaaa	13920
atccacagtg gcaaggcgct gtatccaaag ctcatggcgg ggaccacaga acccagtg	13980
ccatcatacc acaagcgag gtagattaag tggcgacccc tcataaacac gctggacata	14040
aacattacct cttttggcat gttgtaattc accacctccc ggtaccatat aaacctctga	14100
ttaaacatgg cgccatccac caccatccta aaccagctgg ccaaaacctg ccgcgcggct	14160
atacactgca gggaaacggg actggaacaa tgacagtggg gagcccagga ctcgtaacca	14220
tggatcatca tgctcgtcat gatataatg ttggcacaac acaggcacac gtgcatacac	14280
ttctcagga ttacaagtc ctcccgctt agaaccatat ccagggaac aacctattcc	14340
tgaatcagcg taaatccac actgcaggga agacctcgca cgtaactcac gttgtgcatt	14400
gtcaaagtgt tacattcggg cagcagcgga tgatcctcca gtatggtagc gcgggtttct	14460
gtctcaaaag gaggtagacg atccctactg tacggagtgc gccgagacaa ccgagatcgt	14520
gttggtcgta gtgtcatgcc aaatggaacg ccggacgtag tcatatttcc tgaagcaaaa	14580
ccagggtcgg gcgtgacaaa cagatctgcg tctccggtct cgccgcttag atcgtctgt	14640
gtagtagttg tagtatatcc actctctcaa agcatccagg cgccccctgg cttegggttc	14700
tatgtaaact ccttcatgcg ccgctgccct gataacatcc accaccgcag aataagccac	14760
accagcccaa cctacacatt cgttctgcga gtcacacacg ggaggagcgg gaagagctgg	14820
aagaacctg tttttttttt tattccaaaa gattatccaa aacctcaaaa tgaagatcta	14880
ttaagtgaac gcgctccct ccggtggcgt ggtcaaaact tacagccaaa gaacagataa	14940
tggcatttgt aagatgttgc acaatggctt ccaaaaggca aacggccctc acgtccaagt	15000
ggacgtaaag gctaaacct tcagggtgaa tctcctctat aaacattcca gcaccttcaa	15060
ccatgcccaa ataattctca tctgccacc ttctcaatat atctctaagc aaatcccgaa	15120
tattaagtcc ggccattgta aaaatctgct ccagagcgcc ctccaccttc agcctcaagc	15180
agcgaatcat gattgcaaaa attcaggctc ctcacagacc tgtataagat tcaaaagcgg	15240
aacattaaca aaaataccgc gatcccgtag gtcccttcgc agggccagct gaacataatc	15300
gtgcaggctc gcacggacca gcgcggccac ttccccgcca ggaacctga caaaagaacc	15360

-continued

cacactgatt atgacacgca tactcggagc tatgctaacc agcgtagccc cgatgtaagc	15420
ttgttgcatg ggcggcgata taaatgcaa ggtgctgctc aaaaatcag gcaaagcctc	15480
gcgcaaaaaa gaaagcacat cgtagtcatg ctcatgcaga taaaggcagg taagctccg	15540
aaccaccaca gaaaaagaca ccatttttct ctcaaacatg tctgcgggtt tctgcataaa	15600
cacaaaataa aataacaaaa aaacatttaa acattagaag cctgtcttac aacaggaaaa	15660
acaaccctta taagcataag acggactacg gccatgccgg cgtgaccgta aaaaaactgg	15720
tcaccgtgat taaaaagcac caccgacagc tcctcgggtc tgtccggagt cataatgtaa	15780
gactcggtaa acacatcagg ttgattcaca tcggtcagtg ctaaaaagcg accgaaatag	15840
cccgggggaa tacatacccg caggcgtaga gacaacatta cagcccccac aggaggtata	15900
acaaaataa taggagagaa aaacacataa acacctgaaa aaccctcctg cctaggcaaa	15960
atagcacctt cccgctccag aacaacatac agcgcttcca cagcggcagc cataacagtc	16020
agccttacca gtaaaaaaga aaacctatta aaaaaacacc actcgacacg gcaccagctc	16080
aatcagtcac agtgtaaaaa agggccaagt gcagagcgag tatatatagg actaaaaaat	16140
gacgtaacgg ttaagtcca caaaaaacac ccagaaaacc gcacgcgaac ctacgccag	16200
aaacgaaagc caaaaaacc acaacttctt caaatcgta cttccgtttt cccacgttac	16260
gtaacttccc attttaagaa aactacaatt cccaacacat acaagttact ccgccctaaa	16320
acctacgtca acgttattta aatgtcgacg cgtacaaaac gtcaaaaggg cgacacaaaa	16380
tttattctaa atgcataata aatactgata acatcttata gtttgatta tattttgtat	16440
tatcgttgac atgtataatt ttgatatcaa aaactgattt tccctttatt attttcgaga	16500
tttattttct taattctctt taacaaacta gaaatattgt atatacaaaa aatcataaat	16560
aatagatgaa tagtttaatt atagggtgtc atcaatcgaa aaagcaacgt atcttattta	16620
aagtgcgttg cttttttctc atttataagg ttaataaatt ctcatatac aagcaaagtg	16680
acaggcgccc ttaaatattc tgacaaatgc tctttcccta aactccccc ataaaaaac	16740
ccgcgaagc ggggttttac gttatttgcg gattaacgat tactcgttat cagaaccgcc	16800
cagggggccc gagcttaaga ctggcgcgctg ttttacaaca cagaaagagt ttgtagaac	16860
gcaaaaaggc catcgcgcag gggccttctg cttagtttga tgctggcag ttcctactc	16920
tcgccttcg cttctcgcct cactgactcg ctgcgcctcg tcgttcggct gcggcgagcg	16980
gtatcagctc actcaaaggc ggtaatacgg ttatccacag aatcagggga taacgcagga	17040
aagaacatgt gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc cgcgttgctg	17100
gcgtttttcc ataggctccg ccccccgtgac gagcatcaca aaaatcgacg ctcaagtcag	17160
agggtggcaa acccgacagg actataaaga taccaggcgt tccccctgg aagctccctc	17220
gtgcgctctc ctgttccgac cctgcgcgtt accggatacc tgcgcgcctt tctccctcg	17280
ggaagcgtgg cgctttctca tagctcacgc tgtaggtatc tcagttcggg gtaggtcggt	17340
cgctccaagc tgggctgtgt gcacgaacc cccgttcagc ccgaccgctg cgccttatcc	17400
ggtaactatc gtcttgagtc caaccggta agacacgact tategccact ggcagcagcc	17460
actggtaaca ggattagcag agcgaggatg gtaggcgggt ctacagagtt cttgaagtgg	17520
tgggctaact acggtacac tagaagaaca gtatttggtt tctgcgctct gctgaagcca	17580
gttaccttcg gaaaaagagt tggtagctct tgatccggca aacaaaccac cgtggttagc	17640
ggtggttttt ttgtttgcaa gcagcagatt acgcgcagaa aaaaaggatc tcaagaagat	17700
cctttgatct tttctacggg gtctgacgct cagtggaacg acgcgcgcgt aactcacgtt	17760

-continued

aagggaatttt ggtcatgagc ttgcgcgcgc cgcgtaagtc agcgtaatgc tctgctt 17817

<210> SEQ ID NO 16
 <211> LENGTH: 743
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 16

tgatatccgt agatgtacct ggacatccag gtgatgccgc cggcgggtgg ggaggcgcgc	60
ggaaagtcgc ggacgcgggt ccagatgttg cgcagcggca aaaagtgttc catggtcggg	120
acgctctggc cggtcaggcg cgcgcaatcg ttgacgtct agaccgtgca aaaggagagc	180
ctgtaagcgg gcaactcttc gtggtctggt ggataaattc gcaagggat catggcggac	240
gaccgggggt cgagcccggt atccggccgt ccgcgctgat ccatgcgggt accgcccgcg	300
tgtcgaacct aggtgtgcga cgtcagacaa cgggggagtg ctcttttgg ctctctcca	360
ggcgcggcgc ctgctgcgct agcttttttg gccactggcc gcgcgcagcg taagcgggta	420
ggctggaaag cgaaagcatt aagtggctcg ctccctgtag ccggagggtt attttccaag	480
ggttgagtcg cgggaccccc ggttcgagtc tcggaccggc cggactgcgc cgaacggggg	540
tttgccctcc cgtcatgcaa gaccccgctt gcaaattcct ccggaaacag ggacgagccc	600
cttttttgc tttccagat gcatccgggt ctgcggcaga tgcgcccccc tctcagcag	660
cggcaagagc aagagcagcg gcagacatgc agggcaccct cccctcctcc taccgcgtca	720
ggaggggcga catccgcggt tga	743

<210> SEQ ID NO 17
 <211> LENGTH: 3201
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 17

cgacgtaggt tttaggcgcg agtaacttgt atgtgttggg aattgtagtt ttcttaaaat	60
gggaagtac gtaacgtggg aaaacggaag tgacgatttg aggaagtgt gggttttttg	120
gctttcgctt ctgggcgtag gttcgcgtgc ggttttctgg gtgttttttg tggactttaa	180
ccgttacgtc attttttagt cctatatata ctgcgtctgc acttggccct tttttacact	240
gtgactgatt gagctggtgc cgtgtcgagt ggtgtttttt taataggttt tcttttttac	300
tggttaaggct gactgttatg gctgccgctg tggaagcgt gtatgttgtt ctggagcggg	360
aggggtgctat tttgcctagg caggagggtt tttcagggtt ttatgtgttt ttctctcta	420
ttaattttgt tatacctcct atgggggctg taatgttgc tctacgcctg cgggtatgta	480
ttcccccggt ctatttcggt cgcttttttag cactgaccga tgtgaatcaa cctgatgtgt	540
ttaccgagtc ttacattatg actccggaca tgaccgagga gctgtcgggt gtgcttttta	600
atcacggtga ccagtttttt tacggtcacg ccggcatggc cgtagtccgt cttatgctta	660
taagggttgt ttttctgtt gtaagacagg cttctaattg ttaaatgttt tttgttatt	720
ttattttgtg tttatgcaga aacccgcaga catgtttgag agaaaaatgg tgtcttttc	780
tgtggtggtt ccggagctta cctgccttta tctgcatgag catgactacg atgtgctttc	840

-continued

ttttttgcgc gaggttttgc ctgatttttt gagcagcacc ttgcatttta tategccgcc	900
catgcaacaa gcttacatcg gggctacgct ggtagcata gctccagta tgcgtgtcat	960
aatcagtggt gggttttttg tcatggttcc tggcggggaa gtggccgcgc tggtcctg	1020
agacctgcac gattatgttc agctggccct gcgaaggac ctacgggatc gcggtat	1080
tgtaaatgtt ccgcttttga atcttatata ggtctgtgag gaacctgaat ttttgcaat	1140
atgattcgct gcttgaggct gaaggtggag ggcgctctgg agcagatttt tacaatggc	1200
ggacttaata ttcgggattt gcttagagat atattgagaa ggtggcgaga tgagaattat	1260
ttgggcatgg ttgaaggtgc tggaaatgtt atagaggaga ttcaccctga agggtttagc	1320
ctttacgtcc acttgacgt gagggccgtt tgccttttgg aagccattgt gcaacatctt	1380
acaaatgcca ttatctgttc tttggctgta gaggttgacc acgccaccgg aggggagcgc	1440
gttcacttaa tagatcttca ttttgagggt ttggataatc ttttgaata aaaaaaaaa	1500
catggttctt ccagctcttc ccgctcctcc cgtgtgtgac tcgcagaacg aatgtgtagg	1560
ttggctgggt gtggttatt ctgcgggtgt ggatgttacc agggcagcgg cgcgtgaagg	1620
agtttacata gaacccgaag ccagggggcg cctggatgct ttgagagagt ggatatacta	1680
caactactac acagagcgat ctaagcggcg agaccggaga cgcagatctg tttgtcacgc	1740
ccgcacctgg ttttgcttca ggaaatatga ctacgtccgg cgttccattt ggcatgacac	1800
tacgaccaac acgatctcgg ttgtctcggc gcactccgta cagtagggat cgtctacctc	1860
cttttgagac agaaaccgcg gctaccatac tggaggatca tccgctgctg ccgaatgta	1920
acactttgac aatgcacaac gtgagttacg tgcgaggtct tccctgcagt gtgggattta	1980
cgctgattca ggaatgggtt gttccctggg atatggttct aacgcgggag gagcttgtaa	2040
tcctgaggaa gtgtatgcac gtgtgcctgt gttgtgcca cattgatata atgacgagca	2100
tgatgatcca tggttacgag tcctgggctc tccactgtca ttgttccagt cccggttccc	2160
tgcagtgtat agccgggggg cagggttttg ccagctggtt taggatgggt gtggatggcg	2220
ccatgtttaa tcagagggtt atatggtacc gggagggtgt gaattacaac atgccaaaag	2280
aggtaatgtt tatgtccagc gtgtttatga ggggtcgcca cttaatctac ctgcgcttgt	2340
ggatgatgg ccacgtgggt tctgtggtcc ccgccatgag ctttggtatc agcgccttgc	2400
actgtgggat tttgaacaat attgtgggtc tgtgtgcag ttactgtgct gatttaagt	2460
agatcagggt gcgctgctgt gcccgaggga caaggccct tatgtgcgg gcggtgcgaa	2520
tcacgtctga ggagaccact gccatgtgt attcctgcag gacggagcgg cggcggcagc	2580
agtttattcg gcgctgctg cagcaccacc gccctatcct gatgcacgat tatgactcta	2640
cccccatgta ggcgtggact tctccttcgc cggccgttaa gcaaccgcaa gttggacagc	2700
agcctgtggc tcagcagctg gacagcgaca tgaacttaag tgagctgccc ggggagttta	2760
ttaatatcac tgatgagcgt ttggctcgac aggaaccgt gtggaatata acacctaaga	2820
atatgtctgt taccatgat atgatgctt ttaaggccag ccggggagaa aggactgtgt	2880
actctgtgtg ttgggaggga ggtggcaggt tgaatactag ggttctgtga gtttgattaa	2940
ggtacgggtga tctgtataag ctatgtggtg gtggggctat actactgaat gaaaaatgac	3000
ttgaaat	3060
ctgcaattga aaaataaaca cgttgaaaca taacacaaac gattctttat	3060
tcttgggcaa tgtatgaaa agtgaagag gatgtggcaa atatttcatt aatgtagttg	3120
tggccagacc agtcccatga aaatgacata gagtatgcac ttggagttgt gtctcctgtt	3180
tcctgtgtac cgtttagtgt a	3201

-continued

```

<210> SEQ ID NO 18
<211> LENGTH: 5336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 18

caccctgtga cgaaagccgc ccgcaagctg cgcccctgag ttagtcatct gaacttcggc      60
ctgggcgtct ctgggaagta ccacagtggg gggagcggga ctttctcgtt acaccagggc      120
agcggggcaa ctacggggat taagggttatt acgaggtgtg gtggtaatag ccgcctgttc      180
caagagaatt cgggtttcggg gggcgcggat tccgttgacc cgggatatca tgtgggggtcc      240
cgcgctcatg tagtttattc gggttgagta gtcttgggca gctccagccg caagtcccat      300
ttgtggctgg taactccaca tgtagggcgt ggggaatttc ttgctcataa tggcgctgac      360
gacaggtgct ggcgcggggt gtggcgctg gagatgacgt agttttcgcg cttaaatttg      420
agaaagggcg cgaaactagt ccttaagagt cagcgcgagc tatttactga agagagcctc      480
cgcgctcttc agcgtgcgcc gaagctgac ttcgcttttg tgatacagc agctgcgggt      540
gagggatcgc agagacctgt tttttatatt cagctcttgt tcttggcccc tgctctgttg      600
aaatatagca tacagagtgg gaaaaatcct gtttctaagc tcgcgggtcg atacgggttc      660
gttgggcgcc agacgcagcg ctctctctcc tgctgctgcc gccgctgtgg atttcttggg      720
ctttgtcaga gtcttgcctat ccggtcgcc ttgcttctgt gtggcgctg ctgttgcctg      780
cgctgccgct gccgcgggtg cagtatgggc tgtagagatg acggtagtaa tgcaggatgt      840
tacgggggaa ggccacgcgc tgatggtaga gaagaaagcg gcgggcgaag gagatgttgc      900
ccccacagtc ttgcaagcaa gcaactatgg cgttcttgtg ccgcgcccat gagcggtagc      960
cttggcgctg ttgttgcctc tgggctaacg gcggcggtcg cttggactta ccggccctgg      1020
ttccagtggg gtcccatcct cggttgggtc ggcgaacggg cagtgcgggc ggcgcctgag      1080
gagcggaggt tgtagccatg ctggaaccgg ttgccgattt ctggggcgcc ggcgagggga      1140
atgcgaccga gggtgacggg gtttcgtctg acacctcttc gacctcggaa gcttctctcg      1200
ctaggctctc ccagttcttc atcatgtcct cctcctctcc gtccaaaacc tctctgcct      1260
gactgtccca gtattctctc tcgtccgtgg gtggcggcgg cagctgcagc ttctttttgg      1320
gtgccatcct ggggaagcaag gggccgcggc tgctgctgat agggctgcgg cggcgggggg      1380
attgggttga gctcctcgcc ggactggggg tccaagtaaa ccccccgtcc ctttcttagc      1440
agaaactctt ggcgggcttt gttgatggct tgcaattggc caagaatgtg gccctgggta      1500
atgacgcagg cggttaagtc cgcatttggc gggcgggatt ggtcttcgta gaacctaatc      1560
tcgtgggcgt ggtagtctc aggtacaaat ttgcgaagg aagccgacgt ccacagcccc      1620
ggagtgagtt tcaaccccg agccgcggac ttttcgtcag gcgagggacc ctgcagctca      1680
aaggtaccga taatttgact ttcgttaagc agctgcgaat tgcaaaccag ggagcgggtg      1740
ggggtgcata ggttgacagc acagtacac tccagtagac cgtcaccgct cactcttcc      1800
attatgtcag agtggttagc aaggtagttg gctagctgca gaaggtagca gtggcccaa      1860
agcggcggag ggcattcgcg gtacttaatg ggcacaaagt cgctaggaag tgcacagcag      1920
gtggcgggca agattcctga gcgctctagg ataaagtccc taaagtctct caacatgctt      1980
tgactggtga agtctggcag accctgttgc agggttttaa gcaggcggtc ggggaaaatg      2040

```

-continued

atgtccgcca ggtgogcggc cacggagcgc tcgttgaagg ccgtccatag gtccttcaag	2100
ttttgcttta gcagtttctg cagctccttg aggttgact cctccaagca ctgctgcca	2160
acgcccattg ccgtctgcca ggtgtagcat agaaataagt aaacgcagtc gcggacgtag	2220
tcgcgccgcg cctcgccctt gagcgtggaa tgaagcacgt tttgcccaag gcggttttcg	2280
tgcaaaatc caaggttagga gaccaggttg cagagctcca cgttgagat cttgcaggcc	2340
tgcggtacgt agccctgtcg aaaggtgtag tgcaatgtt cctctagctt gcgctgcatc	2400
tccgggtcag caaagaaccg ctgcatgcac tcaagctcca cggtaacgag cactgcggcc	2460
atcattagtt tgcgtcgtc ctccaagtcg gcaggtcgc gcgtttgaag ccagcgcgt	2520
agctgctcgt cgccaactgc gggtagggcc tctctgttt gttcttgcaa atttgcattc	2580
ctctccaggg gctcgcacg gcgcacgac agctcactca tgactgtgct catgacctg	2640
gggggtaggt taagtcccg gtaggcaaag tgggtgacct cgatgctgcg ttttagtacg	2700
gctaggcgcg cgttgtcacc ctcgagttcc accaacctc cagagtgcct ttcattttcg	2760
ctgttttctt gttgcagagc gtttgccg cgcttctcgt cgcttcaag accctcaaag	2820
atttttggca cttcgttgag cgaggcgata tcaggtatga cagcgcctg ccgcaaggcc	2880
agctgcttgt ccgctcggct gcgggtggca cggcaggata ggggtatctt gcagttttg	2940
aaaaagatgt gataggtggc aagcacctc ggcacggcaa atacgggga gaagttgagg	3000
cgcggttggt gctcgcattt gccgttttct tggcgtttgg ggggtacgcg cggtgagaat	3060
aggtggcgtt cgtaggcaag gctgacatcc gctatggcga ggggcacatc gctgcgtct	3120
tgcaacgcgt cgcagataat ggcgcactgg cgctgcagat gcttcaacag cactcgtct	3180
cccacatcta gtagtcgcc atgcctttcg tcccccgcc cgaactgttc ctggttgcc	3240
tctgcttgtt cctggtcttg ctttttatcc tctgttgta ctgagcggtc ctgctcgtct	3300
tcgcttaca aacctgggtc ctgctcgata atcacttct cctcctcaag cgggggtgcc	3360
tcgacgggga aggtggtagg cgcgttgccg gcatcgggtg aggcgggtgt ggcgaactca	3420
gagggggcgg ttaggtgttc cttctctcgt actgactcca tgatcttttt ctgcctatag	3480
gagaagggaa tggccagtcg ggaagaggag cagcgcgaaa ccacccccga gcgcggagcg	3540
ggtgcggcgc gacgtcccc aacctggag gacgtgtcgt ccccgctccc gtcgcgcgcg	3600
cctccccggg cgcgcccaaa aaagcggatg aggcggcgta tcgagtcga ggacgaggaa	3660
gactcatcac aagacgcgt ggtgcgcgc acaccagcc cgcggccatc gacctcggcg	3720
gcggattttg ccattgcgcc caagaagaaa aagaagcgc cttctccaa gcccgagcgc	3780
ccgccatcac cagaggtaat cgtggacagc gaggaagaaa gagaagatgt ggcgctacaa	3840
atggtgggtt tcagcaaccc accggtgcta atcaagcatg gcaaaggagg taagcgcaca	3900
gtgcggcggc tgaatgaaga cgaaccagtg gcgcgtggta tgcggacgca agaggaagag	3960
gaagagccca gcgaagcgga aagtgaatt acggtgatga acccgctgag tgtgccgatc	4020
gtgtctcgtt gggagaaggg catggaggct gcgcgcgcgc tgatggacaa gtaccacgtg	4080
gataacgac taaaggcgaa cttcaaaacta ctgcctgacc aagtggaaag tctggcggcc	4140
gtatgcaaga cctggctgaa cgaggagcac cgcgggttgc agctgacctt caccagcaac	4200
aagacctttg tgacgatgat ggggcgattc ctgcaggcgt acctgcagtc gtttgacag	4260
gtgacctaca agcatcacga gccacgggc tcgcgctgtt ggctgcaccg ctgcgctgag	4320
atcgaaggcg agcttaagt tctacacgga agcattatga taaataagga gcacgtgatt	4380

-continued

```

gaatggtgac gacgagcga aaacgggcag cgcgcgctga aggagcagtc tagcaaggcc 4440
aagatcgtga agaaccggtg gggccgaaat gtggtgcaga tctccaacac cgacgcaagg 4500
tgctgcgtgc acgacgcggc ctgtccggcc aatcagtttt cggcaagtc ttgcggcatg 4560
ttcttctctg aaggcgcaaa ggctcagggtg gcttttaagc agatcaaggc ttttatgcag 4620
gcgctgtatc ctaacgcccc gaccggggcac ggtcaccttt tgatgccact acggtgcgag 4680
tgcaactcaa agcctgggca cgcgcctttt ttgggaaggc agctacaaa gttgactccg 4740
ttcgccctga gcaacgcgga ggacctggac gcggatctga tctccgacaa gagcgtgctg 4800
gccagcgtgc accaccgggc gctgatagtg ttccagtgtc gcaaccctgt gtatcgcaac 4860
tcgcgcgcgc agggcgaggg ccccaactgc gacttcaaga tatcggcgcg cgacctgcta 4920
aacgcgttgg tgatggtgcg cagcctgtgg agtgaaaact tcaccgagct gccgcggatg 4980
gttgtgcctg agtttaagtg gagcactaaa caccagtatc gcaacgtgct cctgccagtg 5040
gcgcatacgc atgcgcggca gaaccctttt gattttttaa cggcgcgagc ggcaagggtg 5100
ggggtaaata atcaccggag agtgtacaaa taaaagcatt tgcctttatt gaaagtgtct 5160
ctagtacatt atttttacat gtttttcaag tgacaaaaag aagtggcgct cctaattctg 5220
gcactgtggc tgcggaagta gggcgagtgg cgctccagga agctgtagag ctgttctctg 5280
ttgcgacgca ggggtgggctg tacctgggga ctgttgagca tggagttggg taccgc 5336

```

<210> SEQ ID NO 19

<211> LENGTH: 810

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 19

```

ttagaaaaac tcacgagca tcaaatgaaa ctgcaattta ttcatacag gattatcaat 60
accatatttt tgaaaaagcc gtttctgtaa tgaaggagaa aactcaccga ggcagttcca 120
taggatggca agatcctggt atcgggtctgc gattccgact cgtccaacat caatacaacc 180
tattaatttc cctcgtcaca aaataagggt atcaagttag aaatcaccat gagtgacgac 240
tgaatccggt gagaatggca aaagtttatg catttcttc cagacttggt caacaggcca 300
gccattacgc tcgtcatcaa aatcactcgc atcaacaaa ccgttattca ttcgtgattg 360
cgctgagcgc agggcaaaata cgcgacgct gttaaaagga caattacaaa caggaatcga 420
gtgcaaccgg cgcaggaaca ctgccagcgc atcaacaata tttcacctg aatcaggata 480
ttcttctaata acctggaacg ctgtttttcc ggggatcgca gtggtgagta accatgcatc 540
atcaggagta cggataaaat gcttgatggt cggaagtggc ataaattccg tcagccagtt 600
tagtctgacc atctcatctg taacatcatt ggcaacgcta cctttgccat gtttcagaaa 660
caactctggc gcacgggct tcccatacaa gcgatagatt gtgcacctg attgcccgcg 720
attatcgcca gccatttat acccatataa atcagcatcc atgttgaat ttaatcgcg 780
cctcgacgtt tcccggtgaa tatggtctat 810

```

<210> SEQ ID NO 20

<211> LENGTH: 674

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

-continued

<400> SEQUENCE: 20

```

atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggcgcggtt gctggcggtt    60
ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag tcagaggtagg    120
cgaaacccga caggactata aagataccag gcgtttcccc ctggaagctc cctcgtgcgc    180
tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cctttctccc ttcgggaagc    240
gtggcgcttt ctcatagttc acgctgtagg tatctcagtt cgggtgtaggt cgttcgctcc    300
aagctgggct gtgtgcacga acccccgtt cagcccgacc gctgcgcctt atccggtaac    360
tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc agccactggt    420
aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa gtggtgggct    480
aactacggct acactagaag aacagtatct ggtatctgcg ctctgctgaa gccagttacc    540
ttcggaaaaa gagttgtag ctcttgatcc ggcaaaaaa ccaccgctgg tagcggtggt    600
ttttttgttt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga agatcctttg    660
atcttttcta cggg                                         674

```

<210> SEQ ID NO 21

<211> LENGTH: 118

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 21

```

tttcaatatt attgaagcat ttatcagggt tattgtctca tgagcggata catatttgaa    60
tgtatttaga aaaataaaca aataggggtc agtggtacaa ccaattaacc aattctga    118

```

<210> SEQ ID NO 22

<211> LENGTH: 301

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 22

```

tattctaaat gcataataaa tactgataac atcttatagt ttgtattata ttttgtatta    60
tcggtgacat gtataatttt gatatacaaaa actgattttc cctttattat tttcgagatt    120
tattttctta attctcttta acaactaga aatattgtat atacaaaaaa tcataaataa    180
tagatgaata gtttaattat aggtgttcat caatcgaaaa agcaacgtat cttatttaaa    240
gtgcgttgct tttttctcat ttataagggt aaataattct catatatcaa gcaaagtgac    300
a                                                         301

```

<210> SEQ ID NO 23

<211> LENGTH: 120

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 23

```

ggcgccctta aatattctga caaatgctct ttccctaaac tccccccata aaaaaacccg    60
ccgaagcggg tttttacgtt atttgcggat taacgattac tcgttatcag aaccgccag    120

```

-continued

```

<210> SEQ ID NO 24
<211> LENGTH: 6838
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 24

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggcatagct gtttcctgtg      60
tgaaattgtt atccgctcac aattccacac aacatacagc ccggaagcat aaagtgtaaa      120
gcctggggtg cctaatgagt gagctaactc acattaattg cggtgcgctc actgcccgct      180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga      240
ggcgggtttg gtattgggag ctcttcgctc tcttcgctca ctgactcgct gcgctcggtc      300
gttcggctgc ggcgagcggg atcagctcac tcaaaggcgg taatacgggt atccacagaa      360
tcaggggata acgcaggaaa gaacatgtga gcaaaaggcc agcaaaaggc caggaaccgt      420
aaaaaggccg cgttgctggc gtttttccat aggtcccgcc cccctgacga gcatcacaaa      480
aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcgttt      540
ccccctggaa gctccctcgt gcgctctcct gttccgaccc tgccgcttac cggataactg      600
tccgccttcc tcccttcggg aagcgtggcg ctttctcata gctcacgctg taggtatctc      660
agttcggtgt aggtcgttcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc      720
gaccgctcgc ccttatccgg taactatcgt cttgagtcca acccggtaaq acacgactta      780
tcgccactgg cagcagccac tggtaacagg attagcagag cgagggtatg aggcggtgct      840
acagagttct tgaagtgggt gcctaactac ggctacacta gaaggacagt atttggtatc      900
tgcgctctgc tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa      960
caaaccaccg ctggtagcgg tgggtttttt gtttgcaagc agcagattac gcgcagaaaa      1020
aaaggatctc aagaagatcc tttgatcttt tctacggggg ctgacgctca gtggaacgaa      1080
aactcacgtt aagggatttt ggctcatgtg ttatcaaaaa ggatcttcac ctagatcctt      1140
ttaaattaaa aatgaagttt taaatcaatc taaagtatat atgagtaaac ttggtctgac      1200
agttagaaaa actcatcgag catcaaatga aactgcaatt tattcatatc aggattatca      1260
ataccatatt tttgaaaaag ccgtttctgt aatgaaggag aaaactcacc gaggcagttc      1320
cataggatgg caagatcctg gtatcgggtc gcgattccga ctcgccaac atcaatacaa      1380
cctattaatt tccctcgtc aaaaaataagg ttatcaagtg agaaatcacc atgagtgcgc      1440
actgaatccg gtgagaatgg caaaagtta tgcatttctt tccagacttg ttcaacaggc      1500
cagccattac gctcgtcatc aaaatcactc gcatcaacca aaccgttatt cattcgtgat      1560
tgcgcctgag cgagacgaaa tacgcgatcg ctgttaaaag gacaattaca aacaggaatc      1620
gaatgcaacc ggcgcaggaa cactgccagc gcatcaacaa tattttcacc tgaatcagga      1680
tattcttcta atacctggaa tgctgttttc ccagggatcg cagtgggtgag taaccatgca      1740
tcatcaggag tacggataaa atgcttgatg gtcggaagag gcataaatc cgtcagccag      1800
tttagtctga ccattctatc tgtaacatca ttggcaacgc tacctttgcc atgtttcaga      1860
aacaactctg gcgcatcggg ctcccatatc aatcgataga ttgtgcacc tgattgcccg      1920
acattatcgc gagcccatct ataccatat aaatcagcat ccatgttggg atttaatcgc      1980
ggcctagagc aagacgtttc ccgttgaata tggctcatat tcttctttt tcaatattat      2040

```

-continued

tgaagcattt atcagggtta ttgtctcatg agcggataca tatttgaatg tatttagaaa	2100
aataaacaat taggggttcc gcgcacattt ccccgaaaag tgccacctga cgtctaagaa	2160
accattatta acatgacatt aacctataaa aataggcgta tcacgaggcc ctttcgtctc	2220
gcgcgtttcg gtgatgacgg tgaacacctc tgacacatgc agtccccga gacggtcaca	2280
gcttgctctg aagcggatgc cgggagcaga caagcccgtc agggcgcgtc agcgggtgtt	2340
ggcgggtgtc ggggctggct taactatgct gcatcagagc agattgtact gagagtgcac	2400
catatgcggt gtgaaatacc gcacagatgc gtaaggagaa aataccgcat caggcgccat	2460
tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg tgcgggcctc ttcgctatta	2520
cgcagctggc cgaaggggg atgtgctgca aggcgattaa gttgggtaac gccagggttt	2580
tcccagtcac gacgttgtaa aacgacggcc agtgaattcg agtcggtac ccgtaacaaa	2640
agcttatcga gcggccgcaa gaggcagtat ttactgaca cgaatacacg gtttattgag	2700
ggtatgcgac atgaatgggt taaaggggtc gggtaagta tcgggttcgg ataggctcgg	2760
tgggtctgta tccccgggtg ctgtccgggg caaagtcac aaactggggg tcgttgtagt	2820
tgtttgtagt ctggatctct gggttccacc tcttgagatt ttccttcttg agtccact	2880
ccatctccac ggtgacctgc ccggtgctgt actgggtgat gaagctgctg acgggcacgt	2940
ccgagaagct ggtgatattt ccgggcacag gcgtgttctt gatgagcacc atgggcgggtg	3000
ggtgtttgag tccgaatccg cccatggcgg gagaggggtg aaagtgcgc cccgtctctg	3060
ggatcttgcc ccagatgggt ccttgaggtt acacgtccct ctccatccac acgctgccgg	3120
gcacgatttc ctggagggtg tacgtgccgg tcgcgggggc agtggtggag ctctggtgtg	3180
tggtggccat ctgcccgcgg acgttgtagc ccacgcggtt caccggctgc gtctcgtct	3240
cgtcgggtat gagcatgttg cctcagaggt acgtggcggg ggtgcccggg ttcgcgggt	3300
ggctgttgaa gatcatagt ttctccagg cataggtgtt gctgccctgg aggttggttg	3360
tcacgccgtt cggctgcggg ggcacctggt aactcgcgc ctcgagctcc atcctattgg	3420
tcgtggcgaa ggcgtgaca ctggcgcggt tgaccccgga gccaggttc cagccctggg	3480
ttcgcccat gggcccggg aaccagtttt tgtagggtgt ggcgtatctc ccggccaggt	3540
tcttggtgaa ctggactccg ccagtgttat ttgtgctcac gaagcggtag aagtactggt	3600
ccaccagcgg gttggccagc ttgaacaggt tctgactggg agcgaagctg gagtgaagg	3660
gcacctctc aaagtgttag gtaaaactca agttgttgcc cgttctcagc atcttctggtg	3720
gaaagtactc taggcagaag aagctgctcc tctcgggtgg attttctgtg ttgtcgcgg	3780
tcagcgtcgc gtaaccgtac tgcggcagcg taaagacctg cggaggggaa gccggcaggc	3840
atccctcggg ccggttgccg acgacgtagg gcagctggta gtcgtcgtcc gtaaacactt	3900
ggacggtgga ggtgaggttg ttggcgatgg tgggtgggga gtccctgcacc gtgacctctt	3960
tgacttgaat gttgaagatt ttgactctga gggacggggg tctgaagccc cagtagttgt	4020
tgatgagtct ttgccagtct cgggggctcc agtggtctg gaagcgggta aagtcaaagt	4080
acccccaggg ggtgctgtat ccaaagtagg cgttggcggt gcttcgctcg acggagccgc	4140
ttttgatctc tcggtactgg tggttgttgt agctgggcag caccaggtt cgggtggact	4200
tggtgacgac tctgtcccc atccagtggt aatcgcaatg ccaatctccc gaggcattgc	4260
ccactccatc ggcaccttgg ttattgtcgc ccaatgggccc gccacctccc gcagacattg	4320
tatcagctcc caaacttgag gctgggtggg ctgggatttg cagctgctgg gatccgctgg	4380

-continued

gtccagcttc	ggcgtctgac	gaggtggaag	gcttggagtc	ctcttcggtc	cgagccttct	4440
ttcttttttg	aaagtgttcg	tctatccgct	ttccggtagg	ggccgtctta	gcacctctct	4500
caaccaggcc	aaaagggttcg	agaacccttt	tcttggcctg	aaagactgcc	tttccgaggt	4560
ttccccgaa	ggatgtgtcg	tcggcgagct	tctcctgaaa	ctcggcgtec	gcgtggttgt	4620
acttgaggta	ggggttgtct	cccgcctcaa	gctgctcgtt	gtacgagatg	tcgtgctctc	4680
gcgcgacctc	gtctgccctg	ttgacaggct	ctcctcgatc	gagaccgttt	ccgggtccga	4740
gatagttata	accaggcagc	acaagaccac	gggcttgatc	ttgatgctgc	tgattgggtt	4800
ttgggttcgg	tgggcccgcct	tcaaggccca	aaaactcgcg	aagaccttca	ccaacttctt	4860
ccaaccaatc	tggagggtga	tcaacaaaag	acatgactac	tcgctttatt	tactgttctt	4920
tattggcatc	gtcaaaatcc	ccaaaatctg	acaagttttc	cttttcccag	gggggaatcc	4980
catgacaaat	ttgacagtga	gttacattgt	gacagatata	tccatttttg	ccccgattca	5040
aatattcaca	ttcatcacat	ttgttagaaa	tgttgtaaaa	ttgagcatga	tagtcacatt	5100
tgcaatcata	ccttgaattc	caattgagcg	gtcgcagagg	agcgggatca	acagtcacgt	5160
ctgaactcgc	aggcgtctcg	ggaacaaatg	agagcctggc	ccgcttctcc	agacttttat	5220
agctagtatt	ggtgacgtca	cccagtgggc	gttttagaga	tttctccgcc	ccttttagttc	5280
ccgccaattc	cctgggaact	ttaaaactgt	gagtcaccgg	cacctgattg	acctttgccc	5340
aagcaaaaaa	gtccttgact	tctgcttag	taatcttgcc	aaaatctggc	gggagccgct	5400
tagtcagttc	aaatttgaac	atgcggtcct	ccagcggctg	ctggtgttca	aaggtcgtgg	5460
aattcccatc	caccaccaca	cacatgtttg	tattggaagt	tacaatgaca	ggggtagaat	5520
caatttgaac	agaggattta	catttctgat	cgaccgcgac	ctttgagccc	cccaggatgg	5580
ccttggcgga	ttcaaccacc	ttgttggtca	tctttccctc	ctcccaccaa	atgagcattt	5640
tgccacacac	gtcattaaag	ggaaagtttt	cattgggtcca	gttcacgcag	ccgtaaaagg	5700
gcacagtgtg	ggcgatggcc	tccgcgatgt	tggctcttgc	ggtcgtggcg	ggtccgtaga	5760
gccagacggg	gttcctcttg	ttgaaggagc	gctgacacca	gccgtagagg	atggatcccg	5820
cgtaggccgg	gtcgtagcca	ttcatctcaa	aaatttgcca	gattctgttt	tttgaaatgt	5880
cctcgggaac	ggagctcccc	acgaggtagt	ccaccgcgct	ttttgtcaga	ctcataattt	5940
tggtcgcggt	gtcgcgcgcg	gccttgatct	ggctccgaga	gttgccgggtg	gagttgaagg	6000
agaggtagct	ctcctgattt	tcttgatccc	actgcttctc	cgaggtaatc	cccttggtcca	6060
cgagccaccc	gaccagctcc	atgtacctgg	ctgaagtttt	tgatctgac	accggcgcat	6120
cagaattggg	attctgattc	tctttgttct	gtcctcgctg	ctgcgacacg	tgcgtcagat	6180
gtgcgcgcc	caaccgttta	cgctccgtga	gattcaaaac	ggcgcttaaa	tactgttcca	6240
tattagtcca	cgcccactgg	agctcaggct	gggtttttgg	gagcaagtaa	ttggggatgt	6300
agcactcatc	caccaccttg	ttcccgcctc	cggcgccatt	tctgggtctt	gtgaccgcga	6360
accagtttgg	caaagtcggc	tcgatcccg	ggtaaaattct	ctgaatcagt	tttccgcgaa	6420
tctgactcag	gaaacgtccc	aaaaccatgg	atttcacccc	ggtgggtttcc	acgagcacgt	6480
gcatgtggaa	gtagctctct	cccttctcaa	attgcacaaa	gaaaagggcc	tccggggcct	6540
tactcacacg	gcgccattcc	gtcagaaaag	cgcgctgcag	cttctcggcc	acggtcaggg	6600
gtgcctgctc	aatcagatcc	agatccatgt	cagaatctgg	cggcaactcc	cattccttct	6660
cggccacca	gttcacaaag	ctgtcagaaa	tgcggggcag	atgctcgta	aggtcgtcgg	6720
ggaccttaat	cacaatctcg	taaaaccccg	gcatggcggc	tgcgcagatc	agaagttcct	6780

-continued

atactttcta gagaatagga acttcggaat aggaacttct gatcttcgg gggatcca 6838

<210> SEQ ID NO 25
 <211> LENGTH: 816
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 25

ttagaaaaac tcatcgagca tcaaatgaaa ctgcaattta ttcatatcag gattatcaat	60
accatatttt tgaaaaagcc gtttctgtaa tgaaggagaa aactcacga ggcagttcca	120
taggatggca agatcctggc atcggctctgc gattccgact cgtccaacat caatacaacc	180
tattaatttc cctcgtcaa aaataagggt atcaagtgcg aaatcaccat gagtgacgac	240
tgaatccggc gagaatggca aaagtttatg catttcttcc cagacttggt caacaggcca	300
gccattacgc tcgtcatcaa aatcactcgc atcaacaaa ccgttattca ttcgtgattg	360
cgctcgagcg agacgaaata cgcgatcgcg gttaaaagga caattacaaa caggaatcga	420
atgcaaccgg cgcaggaaca ctgccagcgc atcaacaata tttcacctg aatcaggata	480
ttcttctaac acctggaatg ctgttttccc agggatcgca gtggtgagta accatgcac	540
atcaggagta cggataaaat gcttgatggt cggaagaggc ataaattccg tcagccagtt	600
tagtctgacc atctcatctg taacatcatt ggcaacgcta cctttgccat gtttcagaaa	660
caactctggc gcatcgggct tcccatataa tcgatagatt gtcgcacctg attgcccgac	720
attatcgcca gccatttat acccatataa atcagcatcc atgttggaat ttaatcgcg	780
cctagagcaa gacgtttccc gttgaatatg gctcat	816

<210> SEQ ID NO 26
 <211> LENGTH: 673
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 26

tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt	60
tccataggct cgcggccctc gacgagcacc acaaaaatcg acgctcaagt cagaggtggc	120
gaaacccgac aggactataa agataccagg cgtttccccc tggaagctcc ctctgctgct	180
ctcctgttcc gacctgccc cttaccggat acctgtccgc ctttctccct tcgggaagcg	240
tggcgcttcc tcatagctca cgtgttaggt atctcagttc ggtgtaggtc gttcgtcca	300
agctgggctg tgtgcacgaa ccccccgttc agcccgaccg ctgcgcctta tccggtaact	360
atcgtcttga gtccaacccg gtaagacacg acttatcgcc actggcagca gccactggta	420
acaggattag cagagcgagg tatgtaggcg gtgctacaga gttcttgaag tggtagccta	480
actacggcta cactagaagg acagtatttg gtatctgcgc tctgctgaag ccagttacct	540
tcggaaaaag agttggtagc tcttgatccg gcaaaaaaac caccgctggg agcggtggtt	600
tttttgtttg caagcagcag attacgcgca gaaaaaagg atctcaagaa gatccttga	660
tcttttctac ggg	673

<210> SEQ ID NO 27

-continued

```

<211> LENGTH: 143
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

<400> SEQUENCE: 27

aattgttatt cgctcacaat tccacacac atacgagccg gaagcataaa gtgtaaagcc      60
tgggggtgcct aatgagtgcg ctaactcaca ttaattgcgt tgcgctcact gcccgctttc      120
cagtcgggaa acctgtcgtg cca                                              143

<210> SEQ ID NO 28
<211> LENGTH: 5121
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

<400> SEQUENCE: 28

ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa acaaaccacc      60
gctggttagcg gtgggttttt tgtttgcaag cagcagatta cgcgagaaaa aaaaggatct      120
caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaaaga aaactcacgt      180
taagggaatt tggtcattgt attatcaaaa aggatcttca cctagatcct tttaaattaa      240
aatgaagatt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga cagttagaaa      300
aactcatcga gcatcaaatg aaactgcaat ttattcatat caggattatc aataccatat      360
ttttgaaaaa gccgtttctg taatgaagga gaaaactcac cgaggcagtt ccataggatg      420
gcaagatcct ggtatcggtc tgcgattccg actcgtccaa catcaatata acctattaat      480
ttcccctcgt caaaaataag gttatcaagt gagaaatcac catgagtgac gactgaatcc      540
ggtgagaatg gcaaaagttt atgcatttct ttccagactt gttcaacagg ccagccatta      600
cgctcgtcat caaaatcact cgcacacacc aaaccgttat tcattcgtga ttgcgcctga      660
gcgagacgaa atacgcgacg gctgttaaaa ggacaattac aaacaggaat cgaatgcaac      720
cggcgagcga aactgtccag cgcacacaca atattttcac ctgaatcagg atattcttct      780
aatacctgga atgtgttttt ccaggggacg gcagtgggtg gtaacctgcg atcatcagga      840
gtacggataa aatgcttgat ggtcggaaga ggcataaatt ccgtcagcca gtttagtctg      900
accatctcat ctgtaacatc attggcaacg ctacctttgc catgtttcag aaacaactct      960
ggcgcatcgg gcttcccata caatcgatag attgtcgcac ctgattgccc gacattatcg      1020
cgagcccatt tatacccata taaatcagca tccatgttgg aatttaacg cggcctagag      1080
caagacgttt ccggttgat atgggtcata ctcttccttt ttcaatatta ttgaagcatt      1140
tatcagggtt attgtctcat gagcgggata atatttgaat gtatttagaa aaataaacia      1200
ataggggttc cgcgacattt tccccgaaa gtgccacctg acgtctaaga aaccattatt      1260
aacatgacat taacctataa aaataggcgt atcacgagcg ctttctgtct cgcgcggttc      1320
ggtgatgacg gtgaaaacct ctgacacatg cagctcccg agacgggtcac agcttgctctg      1380
taagcggatg ccgggagcag acaagcccgt cagggcgcgt cagcgggtgt tggcgggtgt      1440
cggggctgac ttaactatgc ggcacagag cagattgtac tgagagtgc ccatatgcgg      1500
tgtgaaatac cgcacagatg cgtaaggaga aaataccgca tcaggcgcca ttcgccattc      1560
aggctgcgca actgttggga agggcgatcg gtgcgggcct cttcgtatt acgccagctg      1620

```

-continued

gcgaaagggg gatgtgctgc aaggcgatta agttgggtaa cgcagggtt tcccagtca	1680
cgacgttgta aaacgacggc cagtgaattc gagctcggta cccgtaacaa aagcttatcg	1740
agcggccgca agaggcagta ttttactgac acgaatacac ggtttattga gggatatgca	1800
catgaatggg ttaaaggggt cgggtaaggt atcgggttcc gataggctcg gtggttctgt	1860
attccccggt gctgtccggg gcaaagtcca caaactgggg gtcgtttag ttgtttgtgt	1920
actggatctc tgggttcac ctcttgaggt ttctcttctt gagctccac tccatctcca	1980
cggtgacctg cccggtgctg tactgggtga tgaagctgct gacgggcacg tccgagaagc	2040
tggtgatatt tccgggcaca ggcgtgttct tgatgagcat catgggcggg ggggtgttga	2100
gtccgaatcc gcccatggcc ggagaggggt gaaagtgcgc cccgctctct gggatcttgg	2160
cccagatggg tccttgagg tacacgtccc tctccatcca cagctgcg ggcacgattt	2220
cctggaggtt gtacgtgccg gtcgcggggg cagtgggtga gctctggtt ttggtggcca	2280
tctgcccgc gacgtgttac gccacgcggg tcaccggctg cgtctcgctc tcgctggtag	2340
tgagcatggt gccctcagg tacgtggcgg tgggtcccgg gtccgcggc tggctgttga	2400
agatcatagt gttctccagg gcataggtgt tgcctccctg gaggttggtg gtcatgccgt	2460
tcggctgcgg gggcacctgg taactcgcgc cctcgagctc catcctattg gtcgtggcga	2520
agggcgtgac actggcggg ttgaccccg agccaggtt ccagccctgg gttcggccca	2580
tgggccccgg gaaccagttt ttgtaggtgt tggcgtatct cccggccagg ttcttgttga	2640
actggactcc gccagtgtta tttgtgctca cgaagcggtg caagtactgg tccaccagcg	2700
ggttggccag cttgaacagg ttctgactgg gagcgaagct ggagtggag ggcacctcct	2760
caaagtgtga ggtaaaactca aagttgttgc ccgttctcag catcttctg ggaaagtact	2820
ctaggcagaa gaagctgctc ctctcgggtg gatcttctgt gttgtcgcgg ttcagcgtcg	2880
cgtaaccgta ctgcggcagc gtaaacacct gcggagggaa ggcggcagg catccctcgg	2940
tcccgttgcc gacgacgtag ggcagctggt agtcgtcgtc cgtaaacact tggacggtag	3000
aggtgaggtt gttggcgatg gtggtggtag agtcctgcac cgtgacctct ttgacttgaa	3060
tgttgagatg tttgactctg agggaccggg gtctgaagcc ccagtagttg ttgatgagtc	3120
tttgccagtc tcgggggctc cagtggctgt ggaagcgggt aaagtcaaag taccaccagg	3180
gggtgctgta tccaaagtag gcgttggcgt tgcttcctgc gacggagccg cttttgatct	3240
ctcggtactg gtggttgttg tagctgggca gcaccacggg tcgggtggac ttggtgacga	3300
ctctgtcccc catccacgtg gaatcgcaat gccaatctcc cgaggcattg cccactccat	3360
cggcaccttg gttattgtcg cccaatgggc cgcacccctc cgcagacatt gtatcagctc	3420
ccaaacttga ggctgggttg gctgggattt gcagctgctg ggatccgctg ggtccagctt	3480
cggcgtctga cgagggtgaa ggcttgaggt cctcttcggt ccgagccttc tttcttttg	3540
gaaagtggtc gtctatccgc tttccggtag gggccgctt agcaccctct tcaaccaggc	3600
caaaagggtc gagaaccctt ttcttgccct gaaagactgc ctttcgagg ttcccccg	3660
aggatgtgtc gtcggcgagc ttctcctgaa actcggcgctc cgcgtgggtg tacttgaggt	3720
aggggtgtgc tcccgcctca agctgctcgt tgtacgagat gtcgtgctct cgcgcgacct	3780
cgtctgcctt gttgacaggc tctcctcgat cgagaccgtt tccgggtccg agatagttat	3840
aaccaggcag cacaagacca cgggcttgat cttgatgctg ctgattgggt tttggtttcg	3900
gtgggccccg ttcaaggccc aaaaactcgc gaagacctc accaacttct tccaaccaat	3960

-continued

```

ctggaggggtg atcaacaaaa gacatgacta ctcgctttat ttactgttct ttattggcat 4020
cgtcaaaatc cccaaaatct gacaagtttt ccttttccca ggggggaatc ccatgacaaa 4080
tttgacagtg agttacattg tgacagatac atccatTTTT gcccggattc aaatattcac 4140
attcatcaca tttgttagaa atgttgtaa attgagcatg atagtcacat ttgcaatcat 4200
accttgaatt ccaattgagc ggtcgcagag gagcgggacg aacagtcacg tctgaactgc 4260
gaggcgtctc gggaacaaat gagagcctgg cccgcttctc cagactttta tagctagtat 4320
tggtgacgtc acccagtggtg cgttttagag atttctccgc ccctttagtt cccgccaatt 4380
ccctgggaac tttaaactcg tgagtaccg gcacctgatt gacctttgcc caagcaaaaa 4440
agtccttgac ttctgtctta gtaatcttgc caaaatctgg cgggagcgcg ttagtcagtt 4500
caaatttgaa catgcgggtcc tccagcggct gctggtgttc aaaggctcgtg gaattcccat 4560
ccaccaccac acacatgttt gtattggaag ttacaatgac aggggtagaa tcaatttgaa 4620
cagaggattt acatttctga tcgaccgca cctttgagcc cccaggtatg gccttggcgg 4680
attcaaccac cttgttggtc atctttccct cctcccacca aatgagcatt ttgtccacac 4740
agtcattaaa gggaaagtgt tcattggtcc agttcacgca gccgtaaaag ggcacagtgt 4800
gggcatggtc ctcgcgatg ttggtcttgc cggctcgtgc gggctcgtag agccagacgg 4860
tgttcctctt gttgaaggag cgtgacacc agccgtagag gatggatccc gcgtaggccg 4920
ggtcgtagcc attcatctca aaaatttgc agattctgtt ttttgaatg tcctcgggaa 4980
cggagctccc cagaggttag tccaccgccc tttttgtcag actcataatt ttggtcgcgt 5040
tgtcgagcgc ggccttgatc tggctccgag agttgccggt ggagttgaag gagaggtagc 5100
tctcctgatt ttcttgatc c 5121

```

<210> SEQ ID NO 29

<211> LENGTH: 2175

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 29

```

ttaaaggggt cgggtaaggt atcgggttcc gataggtctg gtggttctgt attcccgggt 60
gtgtccggg gcaaaagcca caaactgggt gtcgtttag ttgtttgtgt actggatctc 120
tgggttccac ctcttgaggt ttctctctt gagtcccac tccatctcca cggtagactg 180
cccggtgctg tactgggtga tgaagctgct gacgggcacg tccgagaagc tggtagatatt 240
tccgggcaca ggcgtgttct tgatgagcat catgggcggt ggggtgttga gtccgaatcc 300
gcccattggc ggagaggggt gaaagtgcgc ccccgctctc gggatcttgg ccagatggg 360
tccttgaggg tacacgtccc tctccatcca cacgctgccg ggcacgattt cctggagggt 420
gtacgtgccg gtcgcggggg cagtgggtga gctctggtt ttggtggcca tctgcccgcc 480
gacgttgtag gccacgcggt tcaccggctg cgtctcgctc tcgctggtga tgagcatgtt 540
gcccctgagg tacgtggcgg tgggtcccgg gtctgcgggc tggtgttga agatcatagt 600
gttctccagg gcataggtgt tgctgccctg gaggttgttg gtcacgccgt tcggctgcgg 660
gggcacctgg taactcgcgc cctcagctc catcctattg gtcgtggcga aggcgctgac 720
actggcgcgg ttgaccccg agccaggtt ccagccctgg gtccggccca tgggccccgg 780
gaaccagttt ttgtaggtgt tggcgtatct cccggccagg ttcttgttga actggactcc 840

```

-continued

```

gccagtggtta tttgtgctca cgaagcggta caagtactgg tccaccagcg ggttggccag 900
cttgaacagg ttctgactgg gagcgaagct ggagtggaa ggcacctcct caaagttgta 960
ggtaaactca aagttgttgc cgtttctcag catcttgctg ggaaagtact ctaggcagaa 1020
gaagctgctc ctctcggtgg gattttctgt gttgtcgcgg ttcagcgctc cgtaaccgta 1080
ctgcggcagc gtaaacacct gcggagggaa ggccggcagg catccctcgg tcccgttgcc 1140
gacgacgtag ggcagctggt agtcgtcgtc cgtaaacact tggacggtgg aggtgaggtt 1200
gttgccgatg gtggtggtgg agtcctgcac cgtgacctct ttgacttgaa tgttgaagat 1260
tttgactctg agggaccggg gtctgaagcc ccagtagttg ttgatgagtc tttgccagtc 1320
tcgggggctc cagtggctgt ggaagcgggt aaagtcaaag taccctcagg ggggtgctga 1380
tccaaagtag gcgttgccgt tgcttccgtc gacggagccg cttttgatct ctcggtactg 1440
gtggttgttg tagctgggca gccccagggt tcgggtggac ttggtgacga ctctgtcccc 1500
catccacgtg gaatcgcaat gccaatctcc cgaggcattg cccactccat cggcaccttg 1560
gttattgtcg cccaatgggc cgccacctcc cgcagacatt gtatcagctc ccaaacttga 1620
ggctggttgg gctgggattt gcagctgctg ggatccgctg ggtccagctt cggcgtctga 1680
cgaggtggaa ggcttgaggt cctcttcggt ccgagccttc tttctttttg gaaagtggtc 1740
gtctatccgc tttccggtag gggccgtctt agcaccctct tcaaccaggc caaaagggtc 1800
gagaaccctt ttcttgccct gaaagactgc ctttccgagg tttccccga aggatgtgtc 1860
gtcggcgagc ttctctgaa actcggcgtc cgcgtggttg tacttgaggt aggggttgtc 1920
tcccgcctca agctgctcgt tgtacgagat gtcgtgctct cgcgcgacct cgtctgcct 1980
gttgacaggc tctcctcgat cgagaccgtt tccgggtccg agatagtat aaccaggcag 2040
cacaagacca cgggcttgat cttgatgctg ctgattgggt tttggtttcg gtgggcccgc 2100
ttcaaggccc aaaaactcgc gaagacctc accaacttct tccaaccaat ctggagggtg 2160
atcaacaaaa gacat 2175

```

```

<210> SEQ ID NO 30
<211> LENGTH: 3
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

```

```

<400> SEQUENCE: 30

```

```

cat

```

3

```

<210> SEQ ID NO 31
<211> LENGTH: 6980
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polynucleotide

```

```

<400> SEQUENCE: 31

```

```

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggtcatagct gtttcctgtg 60
tgaaattgtt atccgctcac aattccacac aacatacgag ccggaagcat aaagtgtaaa 120
gcctgggggtg cctaagtagt gagctaactc acattaattg cgttgcgctc actgcccgct 180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga 240
ggcggtttgc gtattgggag ctcttccgct tcctcgctca ctgactcgct gcgctcggtc 300

```

-continued

gttcggctgc	ggcgagcggg	atcagctcac	tcaaaggcgg	taatacgggt	atccacagaa	360
tcaggggata	acgcaggaaa	gaacatgtga	gcaaaaggcc	agcaaaaggc	caggaaccgt	420
aaaaaggccg	cgttgctggc	gtttttccat	aggctccgcc	cccctgacga	gcatcacaaa	480
aatcgacgct	caagtcagag	gtggcgaaac	ccgacaggac	tataaagata	ccaggcgttt	540
ccccctggaa	gctccctcgt	gcgctctcct	gttccgaccc	tgccgcttac	cggataacctg	600
tcgccttcto	tcccttcggg	aagcgtggcg	ctttctcata	gctcacgctg	taggtatctc	660
agttcgggtg	aggcgtttcg	ctccaagctg	ggctgtgtgc	acgaaccccc	cgttcagccc	720
gaccgctcgc	ccttatccgg	taactatcgt	cttgagtcca	acccggtaa	acacgactta	780
tcgccactgg	cagcagccac	tggtaacagg	attagcagag	cgagggtatg	aggcggtgct	840
acagagttct	tgaagtgggt	gcctaactac	ggctacacta	gaaggacagt	atttggtatc	900
tgcgctctgc	tgaagccagt	taccttcgga	aaaagagttg	gtagctcttg	atccggcaaa	960
caaaccaccg	ctggtagcgg	tggttttttt	gtttgcaagc	agcagattac	gcgcagaaaa	1020
aaaggatctc	aagaagatcc	tttgatcttt	tctacggggg	ctgacgctca	gtggaacgaa	1080
aactcacgtt	aagggatttt	ggctcatgtga	ttatcaaaaa	ggatcttcac	ctagatcctt	1140
ttaaattaaa	aatgaagttt	taaatcaatc	taaagtatat	atgagtaaac	ttggtctgac	1200
agttagaaaa	actcatcgag	catcaaatga	aactgcaatt	tattcatatc	aggattatca	1260
ataccatatt	tttgaaaaag	ccgtttctgt	aatgaaggag	aaaactcacc	gaggcagttc	1320
cataggatgg	caagatcctg	gtatcgggtc	gcgattccga	ctcgtccaac	atcaatacaa	1380
cctattaatt	tccctcgtc	aaaaataagg	ttatcaagtg	agaaatcacc	atgagtgcgc	1440
actgaatccg	gtgagaatgg	caaaagttaa	tgcatttctt	tccagacttg	ttcaacaggc	1500
cagccattac	gctcgtcatc	aaaatcactc	gcatcaacca	aaccgttatt	cattcgtgat	1560
tgcgcttgag	cgagacgaaa	tacgcgatcg	ctgttaaaag	gacaattaca	aacaggaatc	1620
gaatgcaacc	ggcgacggaa	cactgccagc	gcatcaacaa	tattttcacc	tgaatcagga	1680
tattcttcta	atacctggaa	tgctgttttc	ccagggatcg	cagtggtgag	taaccatgca	1740
tcacaggag	tacggataaa	atgcttgatg	gtcggaagag	gcataaattc	cgtcagccag	1800
tttagtctga	ccatctcatc	tgtaacatca	ttggcaacgc	tacctttgcc	atgtttcaga	1860
aacaactctg	gcgcacggg	cttcccatat	aatcgataga	ttgtgcacc	tgattgccc	1920
acattatcgc	gagcccat	atacccatat	aaatcagcat	ccatgttgga	atttaatcgc	1980
ggcctagagc	aagacgtttc	ccgttgaata	tggtccatc	tcttctttt	tcaatattat	2040
tgaagcattt	atcagggtta	ttgtctcatg	agcggataca	tatttgaatg	tatttagaaa	2100
aataaacaaa	taggggttcc	gcgcacattt	ccccgaaaag	tgccacctga	cgtctaagaa	2160
accattatta	acatgacatt	aacctataaa	aataggcgta	tcacgaggcc	ctttcgtctc	2220
gcgcgtttcg	gtgatgacgg	tgaaaacctc	tgacacatgc	agctcccgga	gacgggcaca	2280
gcttgtctgt	aagcggatgc	cgggagcaga	caagcccgtc	agggcgcgtc	agcgggtggt	2340
ggcgggtgtc	gggctggct	taactatgcg	gcatcagagc	agattgtact	gagagtgcac	2400
catatgcggg	gtgaaatacc	gcacagatgc	gtaaggagaa	aataccgcat	caggcgccat	2460
tcgccattca	ggctgcgcaa	ctgttgggaa	ggcgatcgg	tgccggcctc	ttcgctatta	2520
cgcacgtcgg	cgaaggggg	atgtgctgca	agcgattaa	gttgggtaac	gccagggttt	2580
tcccagtcac	gacgttgtaa	aacgacggcc	agtgaattcg	agctcggtag	ccgtagccat	2640

-continued

ggaaactaga taagaagaa atacgcagag accaaagtgc aactgaaacg aattaaacgg	2700
tttattgatt aacaagcaat tacagattac gagtcaggtg tctgggtgcc atggggcgag	2760
gctctgaata cagccatta gtgtccacag taaagtccac attaacagac ttgttgtagt	2820
tgggaagtgt ctgaatttcg ggattccagc gtttctgtt ttccttctgc agctcccact	2880
cgatctccac gctgacctgt cccgtggagt actgtgtgat gaaggaagca aactttgccg	2940
cactgaaggt ggtcgaagga ttcgcaggta ccgggggtgt cttgatgaga atctgtggag	3000
gaggggtgtt aagtccgaat ccaccatga ggggagaggg gtgaaaatgt ccgtccgtgt	3060
gtggaatctt tgcccagatg gggccctgaa ggtacacatc tctgtcctgc cagaccatgc	3120
ctggaagaac gccttggtgt ttgacatctg cggtagctgc ttgtctgtt cctctctgga	3180
ggttggtaga tacagaacca tactgtctcg tagccacggg attggtgtgc ctgatttct	3240
cttcgtctgt aatcatgacc ttttcaatgt ccacatttgt tttctctgag ccttgettcc	3300
caaagatgag aaccccgctc tgaggaaaaa acttttcttc atcgctcttg tggcttgcca	3360
tggccggggc cggattcacc agagagtctc tgccattgag gtggtacttg gtagctccag	3420
tccacgagta ttcactgttg ttgttatccg cagatgtctt tgatactcgc tgctggcggt	3480
aacaggggtc aggaagccag ttcctagact ggtcccgat gtcactcgt ccggcctgag	3540
aaaactgaag ccttgactgc gtggtggttc cacttgaggt gtttgtctc ctcaagtaat	3600
acaggtactg gtcgatgaga ggattcatga gacggtccag actctggctg tgagcgtagc	3660
tgctgtggaa aggaacgtcc tcaaaagtgt agctgaaggt aaagtgttt ccggtacgca	3720
gcatctgaga aggaaagtac tccaggcagt aaaatgaaga gcgtctact gcctgactcc	3780
cgttggtcag ggtgaggtat ccatactgtg gcacatgaa gacgtctgct gggaaacggc	3840
ggaggcatcc ttgatgcgcc gagccgagga cgtacgggag ctggtactcc gtagtcagta	3900
acacctgaac cgtgctggta aggttatttg caatcgtcgt cgtaccgtca ttctgcgtga	3960
cctctttgac ttgaatgtta aagagcttga agttgagtct cttgggtcgg aatccccagt	4020
tgttggtgat gagtctttgc cagtcacgtg gtgaaaagtg gcagtggaa ctggtgaagt	4080
caaaatacc ccaaggggtg ctgtagccaa agtagtgatt gtcgttcgag gctcctgatt	4140
ggctggaat ttgttttag aggtggtgt tgtaggtggg cagggccag gttcgggtgc	4200
tgggtggtgat gactctgtcg cccatccatg tggaatcgca atgccaattt ccgaggaat	4260
taccactcc gtcggcgccc tcgttattgt ctgccattgg tgcgccactg cctgtagcca	4320
tcgtattagt tccagacca gagggggctg ctgggtggctg tccgagaggc tgggggtcag	4380
gtactgagtc tgcgtctcca gtctgaccaa aattcaatct tttcttgca ggtgctggc	4440
ccgcctttcc ggttcccgag gaggagtctg gctccacagg agagtgtct accggcctct	4500
tttttcccg agccgtctta acaggttcct caaccaggcc cagaggttca agaaccctct	4560
ttttcgctg gaagactgct cgtccgaggt tgccccaaa agacgtatct tctttaaggc	4620
gctcctgaaa ctccgcgtcg gcgtggttgt acttgaggtg cgggttgtct ccgctgtcga	4680
gctgcgggtc gtaggctttg tcgtgctcga gggccggcgc gtctgcctcg ttgaccggct	4740
ctcccttgct gagtcgttg aagggtccga ggtacttgta ccaggaagc acaagacccc	4800
tgctgtcgtc cttatgcgc tctgccccgt ttgggtggtg tgggccaggc ttgagcttcc	4860
accactgtct tattccttca gagagagtgt cctcgagcca atctggaaga taaccatcgg	4920
cagccatacc tgatttaaat catttattgt tcaaagatgc agtcaccaa atccacattg	4980
accagatcgc aggcagtgca agcgtctggc acctttccca tgatatgatg aatgtagcac	5040

-continued

```

agtttctgat acgccttttt gacgacagaa acgggttgag attctgacac gggaaagcac 5100
tctaaacagt ctttctgtcc gtgagtgaag cagatatttg aattctgatt cattctctcg 5160
cattgtctgc agggaaacag catcagattc atgcccacgt gacgagaaca ttgtttttgg 5220
tacctgtctg cgtagtgtat cgaagcttcc gcgtctgacg tcgatggctg cgcaactgac 5280
tcgcgcaccc gtttgggctc acttatatct gcgtcactgg gggcgggtct tttcttggtc 5340
ccaccctttt tgacgtagaa ttcattgtcc acctcaacca cgtgatcctt tgcccaccgg 5400
aaaaagtctt tgacttcctg cttggtgacc ttcccaaagt catgatccag acggcgggtg 5460
agttcaaatt tgaacatccg gtcttgcaac ggctgctggg gttcgaaggc cgttgagttc 5520
ccgtcaatca cggcgccatc gttggtgttg gaggtgacga tcacgggagt cgggtctatc 5580
tgggccgagg acttgcatth ctggtccacg cgcacctgc ttctccgag aatggctttg 5640
gccgactcca cgacctggc ggtcatcttc cctcctccc accagatcac catcttgctg 5700
acacagtcgt tgaagggaaa gttctcattg gtccagttha cgcacccgta gaagggcaca 5760
gtgtgggcta tggcctccgc gatgttggtc ttcccggtag ttgcaggccc aaacagccag 5820
atggtgttcc tcttgccgaa cttttctgtg gcccatccca gaaagacgga agccgcata 5880
tggggatcgt acccgtttag ttccaaaatt ttataaatcc gattgctgga aatgtcctcc 5940
acgggctgct gggccaccag gtagtcgggg gcggttttag tcaggctcat aatctttccc 6000
gcattgtcca aggcagcctt gatttgggac cgcgagttgg aggcgcgatt gaaggagatg 6060
tatgaggcct ggtcctcctg gatccactgc ttctccgagg taatcccctt gtccacgagc 6120
cacccgacca gctccatgta cctggctgaa gtttttgatc tgatcacggg cgcacagaaa 6180
ttgggattct gattctcttt gttctgtctc tgcgtctgcg acacgtgcgt cagatgctgc 6240
gccaccaacc gtttacgctc cgtgagattc aaacaggcgc ttaaatactg ttccatatta 6300
gtccacgccc actggagctc aggctggggt ttggggagca agtaattggg gatgtagcac 6360
tcatccacca ccttgttccc gcctccggcg ccatttctgg tctttgtgac cgcgaaccag 6420
tttgcaaaag tcggctcgat ccgcgggtaa attctctgaa tcagtttttc gcgaatctga 6480
ctcaggaaaac gtcccaaaac catggatttc acccgggtgg ttccacgag acgtgcatg 6540
tggaagtagc tctctccctt ctcaaattgc acaaagaaaa gggcctccgg ggccttactc 6600
acacggcgcc attcgcgcag aaagtcgcgc tgcagcttct cggccacggc cagggggtgcc 6660
tgctcaatca gattcagatc catgtcagaa tctggcggca actccattc cttctcggcc 6720
acctagttca caaagctgtc agaaatgccg ggcagatgct cgtcaaggtc gctggggacc 6780
ttaatcacia tctcgtaaaa ccccgcatg gcggctgcgc gttcaaacct cccgcttcaa 6840
aatggagacc ctgcgtgctc actcgggctt aaatacccag cgtgaccaca tgggtgctga 6900
aaatgtcgca aaacactcac gtgacctcta atacaggacc tccctaacc tatgacgtaa 6960
ttcacgtcac gactccacca 6980

```

<210> SEQ ID NO 32

<211> LENGTH: 2208

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 32

```

ttacagatta cgagtcaggt atctggtgcc aatggggcga ggctctgaat acacgccatt 60

```

-continued

```

agtgccaca gtaaagcca cattaacaga cttgtttag ttggaagtgt actgaatttc 120
gggattccag cgtttgtgt tttccttctg cagctccac tcgatctcca cgtgacctg 180
tcccgtggag tactgtgtga tgaaggaagc aaactttgcc gcaactgaagg tggtcgaagg 240
attcgacagt accgggtgt tcttgatgag aatctgtgga ggagggtgt taagtccgaa 300
tccacctatg aggggagagg ggtgaaaatg tccgtccgtg tgtggaatct ttgccagat 360
gggcccctga aggtacacat ctctgtctg ccagacctg cctggaagaa cgccttgtgt 420
gttgacatct gcggtagtgt cttgtctgtt gcctctctgg aggttggttag atacagaacc 480
atactgtctc gtagccacgg gattggttgt cctgatttcc tctctgtctg taatcatgac 540
cttttcaatg tccacatttg tttctctga gccttgcttc ccaaagatga gaaccccgct 600
ctgaggaaaa aacttttctt catcgctctt gtggcttgcc atggccgggc ccggattcac 660
cagagagtct ctgccattga ggtggtactt ggtagctcca gtccacgagt attcactgtt 720
gttgttatcc gcagatgtct ttgatactcg ctgctggcgg taacagggtc caggaagcca 780
gttctctagc tggcccga tgtcactcgc tccggcctga gaaaactgaa gccttgactg 840
cgtggtggtt ccacttgag tgtttgttct gctcaagtaa tacaggtagt ggtcgatgag 900
aggattcatg agacggcca gactctggct gtgagcgtag ctgctgtgga aaggaacgtc 960
ctcaaaagt tagctgaagg taaagttgtt tccggtacgc agcatctgag aaggaaagta 1020
ctccaggcag taaaatgaag agcgtcctac tgctgactc ccgttggtca gggtaggta 1080
tccatactgt ggcaccatga agacgtctgc tgggaacggc gggaggcatc cttgatgcgc 1140
cgagccgagg acgtacggga gctggtactc cgagtcagta aacacctgaa ccgtgctggt 1200
aaggttattg gcaatcgctg tctgaccgtc attctgctg acctcttga cttgaatgtt 1260
aaagagcttg aagttgagtc tcttggtctg gaatccccag ttgttgtga tgagtctttg 1320
ccagtcacgt ggtgaaaagt ggcagtgga tctgttgaag tcaaaaatac cccaaggggt 1380
gctgtagcca aagtagtgat tgcgttcga ggctcctgat tggctggaaa tttgtttgta 1440
gaggtggttg ttgtaggtgg gcagggccca ggttcgggtg ctggtggtga tgactctgtc 1500
gcccacatc gtggaatcgc aatgccaatt tcccgaggaa ttaccactc cgtcggcgcc 1560
ctcgttattg tctgccattg gtgcgccact gcctgtagcc atcgtattag ttcccagacc 1620
agagggggtc gctggtggtc gtcgagagg ctgggggtca ggtactgagt ctgctctcc 1680
agtctgacca aaattcaatc tttttcttgc aggtgctggt cccgccttcc cgttcccg 1740
ggaggagtct ggctccacag gagagtgtc taccggcctc tttttcccg gagccgtctt 1800
aacaggttcc tcaaccaggc ccagagggtc aagaacctc ttttccgct ggaagactgc 1860
tcgtccgagg ttgccccaa aagacgtatc ttctttaagg cgtcctgaa actccgctc 1920
ggcgtggttg tacttgaggt acgggtgtgc tccgctgtcg agctgccggt cgtaggettt 1980
gtcgtgctcg agggccgagg cgtctgctc gttgaccggc tctccctgt cgagtcggt 2040
gaagggtccg aggtacttgt acccaggaag cacaagacc ctgctgtcgt cttatgccc 2100
ctctcgggc tttggtggtg gtgggccagg tttgagctc caccactgtc ttattccttc 2160
agagagagtg tctctgagcc aatctggaag ataaccatcg gcagccat 2208

```

<210> SEQ ID NO 33

<211> LENGTH: 6893

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 33

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggcatagct gtttcctgtg	60
tgaaattgtt atccgctcac aattccacac aacatacgag ccggaagcat aaagtgtaaa	120
gcctgggggtg cctaattgagt gagctaactc acattaattg cgttgcgctc actgcccgt	180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga	240
ggcgggtttgc gtattgggcg ctcttcgctc tcttcgctca ctgactcgct gcgctcggtc	300
gttcggctgc ggcgagcggg atcagctcac tcaaaggcgg taatacgggt atccacagaa	360
tcaggggata acgcaggaaa gaacatgtga gcaaaaggcc agcaaaaggc caggaacctg	420
aaaaaggcgg cgttgctggc gtttttccat aggtccgcc cccctgacga gcatcacaaa	480
aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcggtt	540
ccccctggaa gctccctcgt gcgctctcct gttccgacct tgccgcttac cggataacctg	600
tccgccttcc tcccttcggg aagcgtggcg cttttctata gctcacgctg taggtatctc	660
agttcggtgt aggtcgttcg ctccaagctg ggcgtgtgtc acgaaccccc cgttcagccc	720
gaccgctcgc ccttatccgg taactatcgt cttgagtcca acccggttaag acacgactta	780
tcgccactgg cagcagccac tggtaacagg attagcagag cgagggtatg aggcgggtgct	840
acagagttct tgaagtgggt gcctaactac ggctacacta gaaggacagt atttggtatc	900
tcgcgtctgc tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa	960
caaacaccgg ctggttagcg tggttttttt gtttgcaagc agcagattac gcgcagaaaa	1020
aaaggatctc aagaagatcc tttgatcttt tctacggggt ctgacgctca gtggaacgaa	1080
aactcacgtt aagggtttt ggctcatgtg ttatcaaaaa ggatcttcac ctagatcctt	1140
ttaaattaaa aatgaagttt taaatcaatc taaagtatat atgagtaaac ttggtctgac	1200
agttagaaaa actcatcgag catcaaatga aactgcaatt tattcatatc aggattatca	1260
ataccatatt tttgaaaaag ccgtttctgt aatgaaggag aaaactcacc gaggcagttc	1320
cataggtatg caagatcctg gtatcgggtc gcgattccga ctcgccaac atcaatacaa	1380
cctattaatt tcccctcgtc aaaaataagg ttatcaagtg agaaatcacc atgagtgacg	1440
actgaatccg gtgagaatgg caaaagttaa tgcatttctt tccagacttg ttcaacaggc	1500
cagccattac gctcgtcatc aaaatcactc gcatcaacca aaccgttatt cattcgtgat	1560
tgcgcctgag cgagacgaaa tacgcgatcg ctgttaaaag gacaattaca aacaggaatc	1620
gaatgcaacc ggcgcaggaa cactgccagc gcatcaacaa tattttcacc tgaatcagga	1680
tattcttcta atacctggaa tgetgttttc ccagggatcg cagtgggtgag taaccatgca	1740
tcatcaggag tacggataaa atgcttgatg gtcggaagag gcataaattc cgtcagccag	1800
tttagtctga ccatctcatc tgtaacatca ttggcaacgc tacctttgcc atgtttcaga	1860
aacaactctg gcgcatcggg cttcccatc aatcgataga ttgtgcacc tgattgcccg	1920
acattatcgc gagccattt ataccatata aatcagcat ccatgttgga atttaatcgc	1980
ggcctagagc aagacgtttc ccgttggaata tggctcatac tcttcctttt tcaatattat	2040
tgaagcattt atcagggtta ttgtctcatg agcggataca tatttgaatg tatttagaaa	2100
aataaacaaa taggggttcc gcgcacattt ccccgaaaag tgccacctga cgtctaagaa	2160
accattatta acatgacatt aacctataaa aataggcgta tcacgaggcc ctttcgtctc	2220

-continued

gcgcgtttcg	gtgatgacgg	tgaaaacctc	tgacacatgc	agctcccgga	gacggtcaca	2280
gcttgtctgt	aagcggatgc	cgggagcaga	caagcccgtc	agggcgcgtc	agcgggtgtt	2340
ggcgggtgtc	ggggctggct	taactatgcg	gcatcagagc	agattgtact	gagagtgcac	2400
catatgcggt	gtgaaatacc	gcacagatgc	gtaaggagaa	aataccgcac	caggcgccat	2460
tcgccattca	ggctgcgcaa	ctgttgggaa	gggcgatcgg	tgcgggcctc	ttcgctatta	2520
cgccagctgg	cgaagggggg	atgtgctgca	aggcgattaa	gttgggtaac	gccagggttt	2580
tcccagtcac	gacgttgtaa	aacgacggcc	agtgaattcg	agctcggtag	ccgtagccat	2640
ggaaactaga	taagaaagaa	atacgcagag	accaaagttc	aactgaaacg	aattaaacgg	2700
tttattgatt	aacaagcaat	tacagattac	gagtcaggta	tctggtgcca	atggggcgag	2760
gctctgaata	cacgccatta	gtgtccacag	taaagtccac	attaacagac	ttgtttagt	2820
tggaagtgtg	ctgaatttcg	ggattccagc	gtttgctgtt	ttccttctgc	agctcccact	2880
cgatctccac	gctgacctgt	cccgtggagt	actgtgtgat	gaaggaagca	aactttgccg	2940
cactgaaggt	ggtcgaagga	ttcgcaggta	ccgggggtgt	cttgatgaga	atctgtggag	3000
gaggggtgtt	aagtcgaat	cccccattga	ggggagaggg	gtgaaaatgt	ccgtccgtgt	3060
gtggaatctt	tgcccagatg	ggcccctgaa	ggtacacatc	tctgtcctgc	cagaccatgc	3120
ctggaagaac	gccttgtgtg	ttgacatctg	cggtagctgc	ttgtctgttg	cctctctgga	3180
ggttggtaga	tacagaacca	tactgtcccg	tagccacggg	attggttgtc	ctgatttcct	3240
cttcgtctgt	aatcatgacc	ttttcaatgt	ccacatttgt	tttctctgag	cettgcttcc	3300
caaagatgag	aaccccgtc	tgaggaaaaa	acttttcttc	atcgtccttg	tggttgcca	3360
tggccgggcc	cggattcacc	agagagtctc	tgccattgag	gtggtacttg	gtagctccag	3420
tccacgagta	ttcaactgtt	ttgttatccg	cagatgtctt	tgatactcgc	tgtggtgggt	3480
aacaggggtc	aggaagccag	ttcctagact	ggtcccgaat	gtcactcgtc	ccggcctgag	3540
aaaactgaag	ccttgactgc	gtgggtgggt	cacttggagt	gtttgttctg	ctcaagtaat	3600
acaggtactg	gtcgtatgag	ggattcatga	gacggtcacg	actctggctg	tgagcgtagc	3660
tgtctgggaa	aggaacgtcc	tcaaaagtgt	agctgaaggt	aaagtgtttt	ccggtacgca	3720
gcatctgaga	aggaaggtac	tccaggcagt	aaaatgaaga	gcgtcctact	gcctgactcc	3780
cgttgttcag	ggtaggtgat	ccatactgtg	gcaccatgaa	gacgtctgct	gggaacggcg	3840
ggagggatcc	ttgatgcgcc	gagccgagga	cgtacgggag	ctggtactcc	gagtcagtaa	3900
acacctgaac	cgtgctggta	aggttattgg	caatcgtcgt	cgtaccgtca	ttctgctgta	3960
cctctttgac	ttgaatgtta	aagagcttga	agttgagtct	cttgggtcgg	aatccccagt	4020
tgttgttgat	gagtctttgc	cagtcacgtg	gtgaaaagtg	gcagtggaat	ctgttgaagt	4080
caaaataccc	ccaaggggtg	ctgtagccaa	agtagtgatt	gtcgttcgag	gctcctgatt	4140
ggctggaaat	ttgtttgtag	aggtgggtgt	tgtagggtgg	cagggcccag	gttcgggtgc	4200
tgggtggtgat	gactctgtcg	cccatccatg	tggaaatcga	atgccaat	cccaggaat	4260
tacccactcc	gtcggcgccc	tcgttattgt	ctgccattgg	tgcccaactg	cctgtagcca	4320
tcgtattagt	tcccagacca	gagggggctg	ctgggtggctg	tccgagaggc	tgggggtcag	4380
gtactgagtc	tgcgctctcca	gtctgaccaa	aattcaatct	ttttcttgca	ggctgctggc	4440
ccgcctttcc	ggttcccag	gaggagtctg	gtccacagg	agagtgtctc	accggcctct	4500
tttttcccgg	agcgtcttta	acaggttcc	caaccaggcc	cagaggttca	agaaccctct	4560
ttttcgctg	gaagactgct	cgtccgaggt	tgcccccaaa	agacgtatct	tctttaaggc	4620

-continued

gctcctgaaa ctcgcgctcg gcgtggttgt acttgaggta cgggttgtct ccgctgtcga	4680
gctgccggtc gtaggetttg tegtgtctga gggccgggc gtctgectcg ttgaccggt	4740
ctcccttgtc gagtccttg aagggtccga ggtacttgta ccaggaagc acaagacccc	4800
tgctgtcgtc cttatgcgc tctgcgggct ttggtggtgg tgggccagggt ttgagcttcc	4860
accactgtct tattccttca gagagagtgt cctcgagcca atctggaaga taaccatcgg	4920
cagccatacc tgatttaaat catttattgt tcaaagatgc agtcatcaa atccacattg	4980
accagatcgc aggcagtga agcgtctggc acctttccca tgatatgatg aatgtagcac	5040
agtttctgat acgccttttt gacgacagaa acgggttgag attctgacac gggaaagcac	5100
tctaaacagt ctttctgtcc gtgagtgaag cagatatttg aattctgatt cattctctcg	5160
cattgtctgc agggaaacag catcagattc atgccacgt gacgagaaca ttgttttg	5220
tacctgtctg cgtagttgat cgaagcttcc gcgtctgacg tcgatggctg cgcaactgac	5280
tcgcgcaccc gtttgggctc acttatatct gcgtcactgg gggcgggtct tttcttggt	5340
ccaccctttt tgacgtagaa ttcattgtcc acctcaacca cgtgatcctt tgcccaccgg	5400
aaaaagtctt tgacttcctg cttggtgacc ttcccaaagt catgatccag acggcgggtg	5460
agttcaaatt tgaacatccg gtcttgcaac ggctgctggt gttcgaaggc cgttgagtgc	5520
ccgtcaatca cggcgccatc gttggtgttg gaggtgacga tcacgggagt cgggtctatc	5580
tgggcccagg acttgcatth ctggtccacg cgcacctgc ttctccgag aatggctttg	5640
gccgactcca cgacctgggc ggtcatcttc cctcctccc accagatcac catcttgctg	5700
acacagtcgt tgaagggaat gttctcattg gtccagtta cgcaccgta gaagggcaca	5760
gtgtgggcta tggcctccgc gatgttggtc ttcccggtag ttgcaggccc aaacagccag	5820
atggtgttcc tcttgccgaa cttttctgtg gcccatccca gaaagacgga agccgcata	5880
tggggatcgt acccgtttag ttccaaaatt ttataaatcc gattgctgga aatgtctcc	5940
acgggctgct gggccaccag gtagtcgggg gcggttttag tcaggctcat aatctttccc	6000
gcattgtcca aggcagcctt gatttgggac cgcgagttgg aggcgcatt gaaggagatg	6060
tatgaggcct ggtcctctg gatccactgc ttctccgagg taatccctt gtccacgagc	6120
caaccgacca gctccatgta cctggctgaa gtttttgatc tgatcaccgg cgcacagaa	6180
ttgggattct gattctcttt gttctgctcc tgcgtctgcg acacgtgcgt cagatgctgc	6240
gccaccaacc gtttacgctc cgtgagattc aaacaggcgc ttaaatactg ttccatatta	6300
gtccacgccc actggagctc aggctgggtt ttggggagca agtaattggg gatgtagcac	6360
tcatccacca ccttgttccc gctccggcg ccatttctgg tctttgtgac cgcgaaccag	6420
tttggaag tcggctcgat ccgcgggtaa attctctgaa tcagtttttc gcgaatctga	6480
ctcaggaaac gtcccaaac catggatttc accccgggtg tttccacgag cactgcatg	6540
tggaagtagc tctctccctt ctcaaattgc acaaagaaaa gggcctccgg ggccttactc	6600
acacggcgcc attcgtcag aaagtcgccc tgcagcttct cggccacggg cagggtgccc	6660
tgctcaatca gattcagatc catgtcagaa tctggcgga actccattc cttctcgccc	6720
accagttca caaagctgac agaaatgccg ggcagatgct cgtcaaggtc gctggggacc	6780
ttaatcacia tctcgtaaaa ccccgcatg gcggctgcgc agatcagaag ttctatact	6840
ttctagagaa taggaacttc ggaataggaa cttctgatct tccgggggat cca	6893

-continued

```

<211> LENGTH: 179
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 34

ccccggcatg gcggtgcgc gttcaaacct cccgcttcaa aatggagacc ctgcgtgctc      60
actcgggctt aaataccag cgtgaccaca tgggtgcga aaatgtcgca aaacactcac      120
gtgacctcta atacaggacc tccctaacc tatgacgtaa ttcacgtcac gactccacc      179

<210> SEQ ID NO 35
<211> LENGTH: 6989
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 35

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggtcatagct gtttcctgtg      60
tgaaattgtt atccgctcac aattccacac aacatacgag cgggaagcat aaagtgtaaa      120
gcctgggggtg cctaagtagt gagctaactc acattaattg cgttgcgctc actgcccgct      180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga      240
ggcggtttgc gtattgggag ctcttcgctc tctcgtctca ctgactcgct gcgctcggtc      300
gttcggctgc ggcgagcggg atcagctcac tcaaaggcgg taatacggtt atccacagaa      360
tcaggggata acgcaggaaa gaacatgtga gcaaaaggcc agcaaaaggc caggaaccgt      420
aaaaaggcgg cgttgcctgc gtttttccat aggtccgccc cccctgacga gcatcacaaa      480
aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcggtt      540
ccccctggaa gctccctcgt gcgctctcct gttccgacct tgccgcttac cggataacctg      600
tccgccttcc tcccttcggg aagcgtggcg cttttctcata gctcacgctg taggtatctc      660
agttcgggtg aggtcgttcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc      720
gaccgctcgc ccttatccgg taactatcgt cttgagtcca acccggtaa acacgactta      780
tcgccactgg cagcagccac tggtaacagg attagcagag cgagggtatg aggcgggtgct      840
acagagttct tgaagtgggt gcctaactac ggctacacta gaaggacagt atttggtatc      900
tcgcgtctgc tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa      960
caaacaccgg ctggtagcgg tggttttttt gtttgcaagc agcagattac gcgcagaaaa      1020
aaaggatctc aagaagatcc tttgatcttt tctacggggg ctgacgctca gtggaacgaa      1080
aactcacgtt aagggatttt ggtcatgtga ttatcaaaaa ggatcttcac ctagatcctt      1140
ttaaattaaa aatgaagttt taaatcaatc taaagtatat atgagtaaac ttggtctgac      1200
agttagaaaa actcatcgag catcaaatga aactgcaatt tattcatatc aggattatca      1260
ataccatatt tttgaaaaag ccgtttctgt aatgaaggag aaaactcacc gaggcagttc      1320
cataggatgg caagatcctg gtatcgggtc gcgattccga ctcgccaac atcaatacaa      1380
cctattaatt tcccctcgtc aaaaaaagg ttatcaagtg agaaatcacc atgagtgacg      1440
actgaatccg gtgagaatgg caaaagttaa tgcatttctt tccagacttg ttaacaggc      1500
cagccattac gctcgtcatc aaaatcactc gcatcaacca aaccgttatt cattcgtgat      1560
tgcgctgag cgagacgaaa tacgcgatcg ctgttaaaag gacaattaca aacaggaatc      1620

```

-continued

gaatgcaacc	ggcgcaggaa	cactgccagc	gcatcaacaa	tattttcacc	tgaatcagga	1680
tatttttcta	atacctggaa	tgtgttttc	ccagggatcg	cagtggtag	taaccatgca	1740
tcatcaggag	tacggataaa	atgcttgatg	gtcgggaagag	gcataaattc	cgtcagccag	1800
tttagtctga	ccatctcatc	tgtaacatca	ttggcaacgc	tacctttgcc	atgtttcaga	1860
aacaactctg	gcgcatcggg	cttcccatc	aatcgataga	ttgtcgcacc	tgattgcccg	1920
acattatcgc	gagcccatth	atacccatat	aaatcagcat	ccatggttga	atttaatcgc	1980
ggcctagagc	aagacgtttc	ccgttgaaata	tggtccatc	tcttcccttt	tcaatattat	2040
tgaagcattt	atcaggggta	ttgtctcatg	agcggataca	tatttgaatg	tatttagaaa	2100
aataaacaaa	taggggttcc	gcgcacattt	ccccgaaaag	tgccacctga	cgtctaagaa	2160
accattatta	acatgacatt	aacctataaa	aataggcgta	tcacgaggcc	ctttcgtctc	2220
gcgcgtttcg	gtgatgacgg	tgaaaacctc	tgacacatgc	agctcccggg	gacggtcaca	2280
gcttgtctgt	aagcggatgc	cgggagcaga	caagcccgtc	agggcgcgtc	agcgggtggt	2340
ggcgggtgtc	ggggctggct	taactatcg	gcatcagagc	agattgtact	gagagtgcac	2400
catatgcggt	gtgaaatacc	gcacagatgc	gtaaggagaa	aataccgcat	caggcgccat	2460
tcgccattca	ggctgcgcaa	ctgttgggaa	gggcgatcgg	tgccggcctc	ttcgtatta	2520
cgcagctgg	cgaaggggg	atgtgctgca	aggcgattaa	gttgggtaac	gccaggggtt	2580
tcccagtcac	gacgttgtaa	aacgacggcc	agtgaattcg	agctcggtag	ccgtagccat	2640
ggaaactaga	taagaaagaa	atacgcagag	accaaagtcc	aactgaaacg	aattaaacgg	2700
tttattgatt	aacaagcaat	tacagattac	gggtgaggta	acgggtgcca	atggggcggg	2760
gttcagagta	cacgccttct	gtattaacag	caaagtccac	actttagatg	ttgtagtagt	2820
tggagggtga	ctggatctcg	gggttccagc	gcttgcgtgt	ttccttctgc	agctcccat	2880
caatttccac	gctgacctgt	ccggtgctgt	attgcgtgat	gaaagagtcc	agctttgact	2940
ggttgaaggt	ggcggaggga	tccgcaggta	caggcgtggt	cttgatcagg	atctgaggcg	3000
gaggatgttt	caggccaaag	ccgcccattc	gcggagacgg	gtggaagtgg	ccgtccgtgt	3060
gaggaaatctt	ggcccagatg	ggaccctgca	ggtacacgtc	ccggttctgc	cagaccatac	3120
cgggtaaggc	cccctggctg	ttgacagttc	caatttgagg	agccgtgttt	tgctgctgca	3180
agttatctgc	cacgataccg	tattcctctg	tagccacagg	gttagtggtt	ttgatttctt	3240
cctcgtcggg	gagcatgaca	tcgctgtaat	ccgcattgtc	tctggcagca	ttttgtttgc	3300
caaaaatcag	gatcccgtta	ctgggaaaaa	aacgctcctc	gtcgtctttg	tgtgttgcca	3360
tagcgaatgc	aggattagcc	aatgaatttc	ttccattcag	atggtatttg	gtcccagcag	3420
tccaggcaaa	gttgctattg	ttgttttgcc	cgggtgtcgt	tgagacgcgt	tggtggcggg	3480
aacagggtcc	tggcagccag	ttctttgcct	gattggccat	tgtattaggg	ccaccttggc	3540
tgaagcccag	agctctgcgt	tttgccgtgc	ctcctgttgt	tgagtcgga	gacaagtagt	3600
acaggtagctg	gtcaatcaga	ggattcatca	gccggtccaa	gctctggctg	tgggcgtagc	3660
tgctgtggaa	aggcacgtcc	tcgaagggtg	aagtaaaactg	gaagtgtgtg	ccggttctca	3720
gcatctgcga	aggaaagtat	tccaggcagt	agaaggagga	gcgtcccacg	gcctgactac	3780
cgttggtgag	tgtaggttag	ccgtactggg	gaatcatgaa	cacgtccgcc	gggaacggag	3840
gcaggcagcc	ctggtgggca	gagccgagaa	cgtacggcag	ctggtactcc	gagtcggtaa	3900
acacctggat	gggtgctggg	aggttattgg	cgtgggtctt	ggcgccctca	ttctgcgtga	3960

-continued

ctccttgac	ctggatgttg	aagagcttga	agctgagtct	cttgggccgg	aatccccagt	4020
tgttggtgat	gagtcgctgc	cagtcacgtg	gtgaaaagtg	gcagtggaat	ctgttaaagt	4080
caaaataccc	ccaggggggtg	ctgtagccga	agtaggtgtt	gtcgttggtg	gtcctctccg	4140
atgtcccgtt	ggagatttgc	ttgtagaggt	ggttggttga	ggtgggcagg	gcccaggttc	4200
gggtgctggt	ggtgatgact	ctgtcgccca	gccatgtgga	atcgcaatgc	caatttcccg	4260
aggaactacc	cactocgtcg	gcgccttcgt	tattgtctgc	cattggtgcg	ccaccgctg	4320
cagccattgt	attaggtccc	acaccagagg	gcgctgctgg	aggttctccg	agaggttgag	4380
ggtctggaac	tgactctgag	tcgccagtct	gacaaaaatt	gagtcttttt	ctggcgggct	4440
gttgcccttt	cttgccgatg	cccgtagagg	agtctggaga	acgctggggt	gatggctcta	4500
ccggtctctt	ctttccagga	gccgtcttag	cgcttctctc	aaccagaccg	agaggttcga	4560
gaacccgctt	cttggcctgg	aagactgctc	gcccgagggt	gccccaaaa	gacgtatctt	4620
cttgacagcg	ctcctgaaac	tcggcgctcg	cgtggttata	ccgcaggtae	ggattgtcac	4680
ccgctgcag	ctgctggctg	taggccttgt	cgtgctcgag	ggccgctgcg	tccgcccgt	4740
tgacgggctc	ccccttgctg	agtcggttga	agggtcagag	gtactttag	ccaggaagca	4800
ccagaccccg	gccgtcgctc	tgttttctgt	ggttggtctt	gggcttcggg	gtccagggtt	4860
tcagcgccca	ccactcgcca	atgcctcag	agaggttgct	ctcgagccaa	tctggaagat	4920
aaccatcggc	agccatacct	gatttaaatc	atttattgtt	caaagatgca	gtcatccaaa	4980
tccacattga	ccagatcgca	ggcagtgcaa	gcgtctggca	cctttcccat	gatatgatga	5040
atgtagcaca	gtttctgata	cgcttttttg	acgacagaaa	cgggttgaga	ttctgacacg	5100
ggaaagcact	ctaaccagtc	ttctctgctg	tgagtgaagc	agatatttga	attctgattc	5160
attctctcgc	attgtctgca	gggaaacagc	atcagattca	tgcccacgtg	acgagaacat	5220
ttgttttgg	acctgtctgc	gtagttgac	gaagcttccg	cgtctgacgt	cgatggctgc	5280
gcaactgact	cgcgcacccg	tttgggctca	cttatatctg	cgtcactggg	ggcgggtctt	5340
ttcttggtgc	cacctttttt	gacgtagaat	tcattgtcca	cctcaaccac	gtgatccttt	5400
gcccacccga	aaaagtcttt	gacttcctgc	ttggtgacct	tcccaaagtc	atgatccaga	5460
cggcgggtga	gttcaaat	gaacatcccg	tcttgcaacg	gctgctgggt	ttcgaaggtc	5520
gttgagttcc	cgtcaatcac	ggcgacacatg	ttggtgttgg	aggtgacgat	cacgggagtc	5580
gggtctatct	gggcgagga	cttgcatctc	tggtccacgc	gcaccttgct	tcctccgaga	5640
atggctttgg	ccgactccac	gaccttggtg	gtcatcttcc	cctcctccca	ccagatcacc	5700
atcttgctga	cacagtcgtt	gaagggaag	ttctcattgg	tccagtttac	gcaccgtag	5760
aagggcacag	tgtgggctat	ggcctccgcg	atgttggctc	tcccgtagt	tgacggccca	5820
aacagccaga	tggtgttctc	cttgccgaac	ttttctgtgg	cccatccag	aaagacggaa	5880
gcccataatt	ggggatcgta	cccgtttagt	tccaaaattt	tataaatccg	attgctggaa	5940
atgtcctcca	cgggtgctg	gcccaccagg	tagtcggggg	cggtttttagt	caggctcata	6000
atctttcccg	cattgtccaa	ggcagccttg	atgtgggacc	gcgagttgga	ggcgcgattg	6060
aaggagatgt	atgaggcctg	gtcctcctgg	atccactgct	tctccgaggt	aatccccctg	6120
tccacgagcc	acccgaccag	ctccatgtac	ctggctgaag	tttttgatct	gatcaccggc	6180
gcatcagaat	tgggattctg	attctctttg	ttctgtcct	gcgtctgoga	caegtgcgtc	6240
agatgctgcy	ccaccaaccg	tttacgctcc	gtgagattca	aacaggcgct	taaatactgt	6300
tccatattag	tccacgcccc	ctggagctca	ggctgggttt	tggggagcaa	gtaattgggg	6360

-continued

```

atgtagcact catccaccac cttgttcccg cctccggcgc cttttctggt ctttgtgacc 6420
gcgaaccagt ttggcaaagt cggtcgcgc ccgcggtaaa ttctctgaat cagtttttcg 6480
cgaatctgac tcaggaaacg tcccaaaacc atggatttca ccccggtggt tccacgagc 6540
acgtgcatgt ggaagtagct ctctcccttc tcaaattgca caaagaaaag ggctccggg 6600
gccttactca cacggcgcca ttcgctcaga aagtcgcgct gcagcttctc ggccacggtc 6660
aggggtgcct gctcaatcag attcagatcc atgtcagaat ctggcggcaa ctcccattcc 6720
ttctcggcca ccagttcac aaagctgtca gaaatgccgg gcagatgctc gtcaaggctc 6780
ctggggacct taatcacaat ctcgtaaaac cccggcatgg cggtgcgcg tcaaacctc 6840
ccgcttcaaa atggagaccc tgcgtgctca ctccggctta aataccagc gtgaccacat 6900
ggtgtcgcaa aatgtcgcaa aacactcag tgacctctaa tacaggacct ccctaaccct 6960
atgacgtaat tcacgtcacg actccacca 6989

```

<210> SEQ ID NO 36

<211> LENGTH: 2217

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 36

```

ttacagatta cgggtgaggt aacgggtgcc aatggggcgg gggtcagagt acacgccttc 60
tgtattaaca gcaaagtcca cacttgtaga tttgtagtag ttggaggtgt actggatctc 120
ggggttccag cgcttgctgt tttcctctc cagctcccat tcaatttcca cgctgacctg 180
tccggtgctg tattgctgta tgaagaggtt cagctttgac tgggtgaagg tggtcggagg 240
atccgcaggt acaggcgtgt tcttgatcag gatctgaggc ggaggatgtt tcaggccaaa 300
gccgcccatc agcggagacg ggtggaagtt gccgtccgtg tgaggaatct tggcccagat 360
gggacctgc aggtacacgt cccggttctg ccagaccata ccgggtaagg cccctggct 420
gttgacagtt ccaatttgag gagccgtgtt ttgctgctgc aagttatctg ccacgatacc 480
gtattcctct gtatgccagc ggttagtggt tttgatttct tcctcgctgg tgagcatgac 540
atcgctgtaa tccgcattgt ctctggcagc attttgtttg ccaaaaatca ggatcccgtt 600
actgggaaaa aaacgctcct cgtcgtcttt gtgtgttgcc atagcgatgc caggattagc 660
caatgaattt cttccattca gatggtattt ggtcccagca gtccaggcaa agttgctatt 720
gttgttttgc ccggttgctg ttgagacgcg ttgttgccgg taacagggtc ctggcagcca 780
gttctttgcc tgattggcca ttgtattagg cccaccttgg ctgaagccca gagtctgcgt 840
atttgccgtg cctcctgttg tttgagtcg agacaagtag tacaggtagt ggtcaatcag 900
aggattcatc agccggtcca agctctggct gtgggcgtag ctgctgtgga aaggcacgtc 960
ctcgaaggty taagtaaact ggaagttgtt gccggttctc agcatctgcg aaggaaagta 1020
ttccaggcag tagaaggagg agcgtcccac ggctgacta ccgttggtga gtgttaggta 1080
gccgtactgg ggaatcatga acacgtccgc cgggaacgga ggcaggcagc cctggtgggc 1140
agagccgaga acgtacggca gctggtagtc cgagtccgta aacacctgga tgggtgctggt 1200
gaggttattg cgcaggtgtc tgggtccttc attctgcgtg acctccttga cctggatggt 1260
gaagagcttg aagctgagtc tcttgggccc gaatccccag ttgttgttga tgagtcgctg 1320
ccagtcacgt ggtgaaaagt ggcagtgga tctgttaaag tcaaaatacc cccagggggt 1380

```

-continued

```

gctgtagccg aagtaggtgt tgcgttggg ggctcctccc gatgtcccg tggagatttg 1440
ctttagagag tgggtgttgt aggtgggcag ggcccaggtt cgggtgctgg tggtagatgac 1500
tctgtcgccc agccatgtgg aatcgcaatg ccaatttccc gaggaactac ccactccgtc 1560
ggcgcccttc ttattgtctg ccattgggtg gccacgcct gcagccattg tattagggtcc 1620
cacaccagag ggcgctgctg gaggttctcc gagagggtga gggctctggaa ctgactctga 1680
gtcgccagtc tgacaaaaat tgagtctttt tctggcgggc tggtagcctt tcttgccgat 1740
ggccgtagag gagtctggag aacgctgggg tgatggctct accggtctct tctttccagg 1800
agccgtctta gcgccttctt caaccagacc gagagggttc agaaccgcct tcttgccctg 1860
gaagactgct gcgccgaggt tgccccaaa agacgtatct tcttgccagc gctcctgaaa 1920
ctcgcgctcg gcgtggttat accgcaggta cggattgtca ccgcctgca gctgctggtc 1980
gtaggccttg tcgtgctcga gggccgctgc gtccgccgcg ttgacgggct ccccttctg 2040
gagtcgcttg aagggctcga ggtacttgta gccaggaagc accagacccc ggccgctcgc 2100
ctgcttttgc tgggttgctt tgggtctcgg ggctccaggt ttcagcgcgc accactcgcg 2160
aatgcctcca gagagggtgt cctcgagcca atctggaaga taaccatcgg cagccat 2217

```

<210> SEQ ID NO 37

<211> LENGTH: 6983

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 37

```

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggtcatagct gtttctctg 60
tgaaattgtt atccgctcac aattccacac aacatacgag ccggaagcat aaagtgtaaa 120
gcctggggtg cctaagtagt gagctaactc acattaattg cgttgcgctc actgcccgct 180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga 240
ggcggtttgc gtattgggag ctcttccgct tctctgctca ctgactcgtc gcgctcggtc 300
gttcggctgc ggcgagcggg atcagctcac tcaaaggcgg taatacgggt atccacagaa 360
tcaggggata acgcaggaaa gaacatgtga gcaaaaggcc agcaaaaggc caggaaccgt 420
aaaaaggccg cgttgctggc gtttttccat aggtccgcc cccctgacga gcatcacaaa 480
aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcgttt 540
ccccctggaa gctcctcgt gcgctctcct gttccgacct tgccgcttac cggataactg 600
tccgccttcc tcccttcggg aagcgtggcg ctttctcata gctcacgctg taggtatctc 660
agttcggtgt aggtcgctcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc 720
gaccgctcgc ccttatccgg taactatcgt cttgagtcca acccgtaag acacgactta 780
tcgccactgg cagcagccac tggtaacagg attagcagag cgaggatatg aggcggtgct 840
acagagttct tgaagtggg gcctaactac ggctacacta gaaggacagt atttggtatc 900
tgcgctctgc tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa 960
caaaccaccg ctggtagcgg tgggtttttt gtttgcaagc agcagattac gcgcagaaaa 1020
aaaggatctc aagaagatcc tttgatcttt tctacggggt ctgacgctca gtggaacgaa 1080
aactcacggt aagggatttt ggtcatgtga ttatcaaaaa ggatcttcac ctagatcctt 1140
ttaaatataa aatgaagttt taaatcaatc taaagtatat atgagtaaac ttggtctgac 1200

```

-continued

agttagaaaa	actcatcgag	catcaaatga	aactgcaatt	tattcatatc	aggattatca	1260
ataccatatt	tttgaaaaag	ccgtttctgt	aatgaaggag	aaaactcacc	gaggcagttc	1320
cataggatgg	caagatcctg	gtatcggctc	gcgattccga	ctcgtccaac	atcaatacaa	1380
cctattaatt	tcccctcgtc	aaaaataagg	ttatcaagtg	agaaatcacc	atgagtgacg	1440
actgaatccg	gtgagaatgg	caaaagttta	tgcatttctt	tccagacttg	ttcaacaggc	1500
cagccattac	gctcgtcatc	aaaatcactc	gcatacaacca	aaccgttatt	cattcgtgat	1560
tgcgcctgag	cgagacgaaa	tacgcgatcg	ctgttaaaag	gacaattaca	aacaggaatc	1620
gaatgcaacc	ggcgcaggaa	cactgccagc	gcatacaaaa	tattttcacc	tgaatcagga	1680
tattcttcta	atacctggaa	tgctgttttc	ccagggatcg	cagtggtgag	taaccatgca	1740
tcatcaggag	tacggataaa	atgcttgatg	gtcggaaagag	gcataaatcc	cgtcagccag	1800
tttagtctga	ccatctcatc	tgtaacatca	ttggcaacgc	tacctttgcc	atgtttcaga	1860
aacaactctg	gcgcatcggg	cttcccatac	aatcgataga	ttgtgcgacc	tgattgcccg	1920
acattatcgc	gagcccatth	atacccatat	aaatcagcat	ccatgttgga	atttaatcgc	1980
ggcctagagc	aagaogtttc	ccgttgata	tggtccatcc	tcttctttt	tcaatattat	2040
tgaagcattt	atcaggggta	ttgtctcatg	agcggataca	tatttgaatg	tatttagaaa	2100
aataaaca	taggggttcc	gcgcacattt	ccccgaaaag	tgccacctga	cgtctaagaa	2160
accattatta	acatgacatt	aacctataaa	aataggcgta	tcacgaggcc	ctttcgtctc	2220
gcgcgtttcg	gtgatgacgg	tgaaaacctc	tgacacatgc	agctcccgga	gacgggcaca	2280
gcttgctctg	aagcggatgc	cgggagcaga	caagcccgtc	agggcgcgtc	agcgggtggt	2340
ggcgggtgtc	ggggctggct	taactatgct	gcatacagag	agattgtact	gagagtgcac	2400
catatgcggt	gtgaaatacc	gcacagatgc	gtaaggagaa	aataccgcat	caggcgccat	2460
tgcgcattca	ggctgcgcaa	ctgttgggaa	ggggcatcgg	tgccggccctc	ttcgtctatta	2520
cgcacagctg	cgaaaggggg	atgtgctgca	aggcgattaa	gttgggtaac	gccaggggtt	2580
tcccagtcac	gacgttgtaa	aacgacggcc	agtgaattcg	agctcggtag	ccgtagccat	2640
ggaaactaga	taagaaagaa	atacgcagag	accaaagtcc	aactgaaacg	aattaaacgg	2700
tttattgatt	aacaagcaat	tacagattac	gagtcaggta	tctggtgcca	atggggcggg	2760
gttcactata	tacaccttca	gtattaacag	caaattcaac	attattagac	ttgtaatagt	2820
tggaaagtga	ctggatctcc	gggttccagc	gcttgctgtt	ttccttctgc	agctcccact	2880
cgatctccac	gctgacttgg	ccagtagaat	actgggtgat	gaaagagttc	agcttgcctc	2940
tgttgaaggc	cgttggagga	tccgcaggta	cagggtgtgt	tttgatgagg	atctgaggag	3000
gcgggtgctt	cattccaaac	cctcccatac	gcggagaagg	gtgaaagtgg	ccgtccgtgt	3060
gaggaattht	ggcccaaatg	ggtccttgca	ggtacacatc	tctgtcctgc	caaaccatac	3120
ccggaagtat	tccttggttt	tgaaccagc	cggctctgcg	ctgtgcttgg	gcactctggt	3180
ggtttgtggc	cacttgctca	taggactccg	ttgctaccgg	gttagtagtt	ttaatttctt	3240
cttcgttggt	tatcatgact	ttgtccgcat	ccacgttgct	tcttccagtt	ccttgthtgc	3300
caaaaattaa	agatccagac	aaaggaaaga	aacggtcctc	tccttctttg	tggttggtcca	3360
tagcagggtc	aggattcatc	aagctattac	gtccattgag	agcccaagaa	gaagctccag	3420
gccaagcaaa	ttcgtgtgtg	ttgttttgag	tcacagtggg	tgagacacgt	tgthgtcggg	3480
agctgggtcc	aggatgttag	tttcttccct	ggacagccat	gttgctgggt	ccggccacac	3540

-continued

tgaatttttag	cgtttgttga	tctgtccag	aaccgttaat	agtccttgag	agatagtaca	3600
agtattggto	gatgagtga	ttcattagtc	ggccaggt	ttggctgtga	gcgtagctgc	3660
tatggaaaag	tacgttctca	aactcgtagc	tgaactggaa	gttgttaccc	gttccttagca	3720
tttgcgacgg	gaaatattcc	aggcagtaaa	aggacgaacg	acccacggcc	tggtctccat	3780
cattaagcgt	cagatacccg	tactgaggaa	tcataaaaac	gtccgctggg	aacggcggga	3840
ggcagccctc	gtgagccgac	ccgagcacgt	acgggagctg	atagtctgag	tccgtgaaga	3900
cctggaccgt	gctggtaagg	ttattggcga	tggtcttgac	tccattgttg	tccgtaacct	3960
ctttgacctg	aatgttgaag	agcttgaagt	tgagtcgctt	aggccggaat	ccccagttgt	4020
tgttgatgag	tcgctgccag	tcacgtggtg	agaagtggca	gtggaatctg	ttgaagtcaa	4080
aataccccca	gggggtgctg	tagccgaagt	aggcgttgct	atttgaagat	cctccagatg	4140
tgctgttgga	gatttgcttg	tagagtgat	tggtgttagt	gggcagggcc	caggttcggg	4200
tgctgggtgt	gatgactctg	tccccagcc	attgggaatc	gcaatgccaa	tttcccaggg	4260
aactaccac	tccatcggca	ccttcgttat	tgtctgccac	tggtgcgcca	ccacctgaag	4320
ccattgtaag	agatcccaca	cctgaggggg	ctgcgggagg	ttctccgatt	ggttgagggg	4380
ctgggactga	ctctgtgtcg	ccagtctgac	cgaaattgag	tctcttttta	gcgggctgtg	4440
cacccgattt	gccaataccc	gcggaggagt	ccggttcctg	aggagactgc	tctacaggcc	4500
tcttctttcc	aggagccgtc	ttagccgctt	cctcaaccag	accaagaggt	tcaagaagcc	4560
tctttttggc	ctggaagact	gctcgcccca	ggttgccccc	aaaagacgta	tcttctttga	4620
gcgctcctg	gaactcggcg	tcggcgtggt	tgtacttgag	gtacgggttg	tctccggcct	4680
tgagctgctg	gtcgtaggcc	ttgtcgtgct	cgagggccgc	cgctctgct	gcgttgaccg	4740
gtccccctt	gtcagtcg	ttgcgggtc	caaggatatt	gtaaccggga	agcacaagac	4800
ctcgagcgtt	gtcttgatgt	tggtgatttg	ccttgggttg	aggggctcca	ggtttcaaag	4860
ccccaccctc	gcgaattcct	tcactaaggt	tgctcctcag	ccaatctgga	agataaccat	4920
cggcagccat	acctgattta	aatcatttat	tggtcaaaga	tgcatgcac	caaatccaca	4980
ttgaccagat	cgcaggcagt	gcaagcgtct	ggcaccttcc	ccatgatatg	atgaatgtag	5040
cacagtttct	gatacgccct	tttgacgaca	gaaacgggtt	gagattctga	cacgggaaaag	5100
cactctaaac	agtccttctg	tccgtgagtg	aagcagatat	ttgaattctg	attcattctc	5160
tcgcattgtc	tgacgggaaa	cagcatcaga	ttcatgccca	cgtgacgaga	acatttgttt	5220
tggtacctgt	ctgcgtagtt	gatcgaagct	tccgcgtctg	acgtcagagg	ctgcgcaact	5280
gactcgcgca	cccgtttggg	ctcacttata	tctgcgtcac	tgggggcggg	tcttttcttg	5340
gtccaccct	ttttgacgta	gaattcatgc	tccacctcaa	ccacgtgac	ctttgcccac	5400
cggaaaaagt	ctttgacttc	ctgcttggtg	accttcccaa	agtcatgac	cagacggcgg	5460
gtgagttcaa	atttgaacat	ccggctctgc	aacggctgct	ggtgttcgaa	ggtcgttgag	5520
ttcccgctca	tcacggcgca	catgttggtg	ttggagggtga	cgatcacggg	agtcgggtct	5580
atctggggcc	aggacttgca	ttctgtgtcc	acgcgcacct	tgcttcctcc	gagaatggct	5640
ttggccgact	ccacgacctt	ggcggtcac	ttccctcct	cccaccagat	caccatcttg	5700
tcgacacagt	cgttgaaggg	aaagtctctca	ttggtccagt	ttacgcaccc	gtagaagggc	5760
acagtgtggg	ctatggcctc	cgcgatgttg	gtcttcccg	tagttgcagg	cccaaacagc	5820
cagatggtgt	tcctcttgcc	gaactttttc	gtggcccatc	ccagaaagac	ggaagccgca	5880
tattggggat	cgtacccggt	tagttccaaa	attttataaa	tccgattgct	ggaaatgtcc	5940

-continued

```

tccacgggct gctggcccac caggtagtcg ggggcgggtt tagtcaggct cataatcttt 6000
cccgcatgtt ccaaggcagc cttgatttgg gaccgcgagt tggaggccgc attgaaggag 6060
atgtatgagg cctggtcctc ctggatccac tgcttctccg aggtaatccc cttgtccacg 6120
agccaccgga ccagctccat gtacctggct gaagtttttg atctgatcac cggcgcatca 6180
gaattgggat tctgattctc tttgttctgc tcctgcgtct gcgacacgtg cgtcagatgc 6240
tgcgccacca accgtttacg ctccgtgaga ttcaaacagg cgcttaaata ctgttcata 6300
ttagtccacg cccactggag ctccaggctg gttttgggga gcaagtaatt ggggatgtag 6360
cactcatcca ccacctgtt cccgcctccg gcgccatttc tggcttttgt gaccgcgaac 6420
cagtttgga aagtcggctc gatcccgcg taaattctct gaatcagttt ttcgcgaatc 6480
tgactcagga aacgtcccaa aacctggat ttcaccccg tggtttccac gagcagtg 6540
atgtggaagt agctctctcc cttctcaaat tgcacaaaga aaagggcctc cggggcctta 6600
ctcacacggc gccattccgt cagaaagtcg cgctgcagct tctcgccac ggtcagggg 6660
gcctgctcaa tcagattcag atccatgtca gaatctggcg gcaactccca ttccttctcg 6720
gccaccagtc tcacaaagct gtcagaaatg ccgggcagat gctcgtcaag gtcgctggg 6780
accttaatca caatctcgta aaacccggc atggcggctg cgcgttcaaa cctcccgtt 6840
caaaatggag acctgcgtg ctactcggg cttaaatacc cagcgtgacc acatggtgtc 6900
gcaaaatgtc gcaaaacact cacgtgacct ctaatacagg acctccctaa ccctatgacg 6960
taattcacgt cagactcca cca 6983

```

```

<210> SEQ ID NO 38
<211> LENGTH: 31
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
oligonucleotide

```

```

<400> SEQUENCE: 38

```

```

caacatacga gccggaagca taaagtgtaa a 31

```

```

<210> SEQ ID NO 39
<211> LENGTH: 5334
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
polynucleotide

```

```

<400> SEQUENCE: 39

```

```

ggtacccaac tccatgctca acagtcccca ggtacagccc acctgcgtc gcaaccagga 60
acagctctac agcttctctg agcgccactc gccctacttc cgcagccaca gtgcgcagat 120
taggagcgcc acttcttttt gtcacttgaa aaacatgtaa aaataatgta ctagagacac 180
tttcaataaa ggcaaatgct tttatttgta cactctcggt tgattattta cccccaccct 240
tgccgtctgc gccgtttaaa aatcaaagg gttctgccgc gcacgctat gcgccactgg 300
caggagacac gtgcgatact ggtgtttagt gctccactta aactcaggca caaccatccg 360
cggcagctcg gtgaagtttt cactccacag gctgcgcacc atcaccaacg cgtttagcag 420
gtcggggcgc gatactctga agtcgcagtt ggggcctccg ccctgcgcgc gcgagttgcg 480
atacacaggg ttgcagcact ggaacactat cagcgccggg tgggtgcacg tggccagcac 540

```

-continued

gctcttgtcg gagatcagat ccgcgtccag gtectccgcg ttgctcaggg cgaacggagt	600
caactttggt agctgccttc ccaaaaaggg cgcgtgccca ggctttgagt tgcactcgca	660
ccgtagtggc atcaaaaggt gaccgtgccc ggtctgggcg ttaggataca gcgcctgcat	720
aaaagccttg atctgcttaa aagccacctg agcctttgcg ccttcagaga agaacatgcc	780
gcaagacttg ccgaaaaact gattggcccg acaggccgcg tcgtgcacgc agcaccttgc	840
gtcgggtgtg gagatctgca ccacatttcg gcccaccggg ttcttcacga tcttgccctt	900
gctagactgc tecttcagcg cgcgtgccc gttttcgtc gtcacatcca ttccaatcac	960
gtgctcctta tttatcataa tgcttcctg tagacactta agctgcctt cgatctcagc	1020
gcagcgggtc agccacaacg cgcagcccg gggtcgtga tgettgtagg tcacctctgc	1080
aaacgactgc aggtacgct gcaggaatcg ccccatcatc gtcacaaagg tcttgttgct	1140
ggtgaaggtc agctgcaacc cgcggtgctc ctcgctcagc caggtcttgc atacggccgc	1200
cagagcttcc acttggtcag gcagtagttt gaagttcgcc tttagatcgt tatccacgtg	1260
gtacttgtcc atcagcgcgc gcgcagctc catgcccttc tcccacgcag acacgatcgg	1320
cacactcagc gggttcatca ccgtaatttc actttccgct tcgctgggct ctctctcttc	1380
ctcttgctc cgcataccac gcgccactgg gtgctcttca ttcagccgc gcactgtgcg	1440
cttacctcct ttgccatgct tgattagcac cggtaggttg ctgaaaccca ccattttag	1500
cgccacatct tctctttctt cctcgctgtc caccgattacc tctgggtgatg gcgggcgctc	1560
gggcttgga gaaggcgct tctttttctt cttgggcgca atggccaaat ccgccgccga	1620
ggtcgatggc cgcgggctgg gtgtgcgcgg caccagcgcg tcttgtgatg agtcttctc	1680
gtcctcggac tcgatacgcc gctcatccg cttttttggg ggcccccggg gagggcgcg	1740
cgcgggggac ggggacgaca cgtctccat ggttggggga cgtcgcgcg caccgcgtcc	1800
gcgctcgggg gtggtttcgc gctgctctc ttcccgactg gccatttctt tctctatag	1860
gcagaaaaag atcatggagt cagtcgagaa gaaggacagc ctaaccgccc cctctgagtt	1920
cgcaccacc gccctaccg atcccgccaa cgcgcctacc accttcccc tcgaggcacc	1980
cccgcttgag gaggaggaag tgattatcga gcaggaccca ggttttgtaa gcgaagacga	2040
cagggaccgc tcagtaccaa caggagataa aaagcaagac caggacaacg caggagcaaa	2100
caggagaaca gtcgggcggg gggacgaaa gcatggcgac tacctagatg tgggagacga	2160
cgtgctgttg aagcatctgc agcgcagtg cgcattatc tgcgacgcg tgcaagagcg	2220
cagcgatgtg cccctcgcca tagcgatgt cagccttgc tacgaacgc acctattctc	2280
accgcgcta ccccccaaac gccaaagaaa cggcacatgc gagcccaacc cgcgcctcaa	2340
cttctacccc gtatttgccg tgccagaggt gcttgccacc tatcacatct tttccaaaa	2400
ctgcaagata cccctatcct gccgtgccaa ccgcagccga gcggacaagc agctggcctt	2460
gcggcagggc gctgtcatc ctgatatgc ctgctcaac gaagtgccaa aaatctttga	2520
gggtcttgga cgcgacgaga agcgcgcggc aaacgctctg caacaggaaa acagcgaaaa	2580
tgaaagtcac tctggagtgt tggtggaact cgagggtgac aacgcgcgc tagccgtact	2640
aaaacgcagc atcgaggtca cccactttgc ctaccggca cttaacctac ccccaaggt	2700
catgagcaca gtcagtgtg agctgatcgt gcgccgtgcg cagcccctgg agagggtatg	2760
aaatttgcaa gaacaaacag aggaggccct acccgagtt ggcgacgagc agctagcgcg	2820
ctggcttcaa acgcgcgagc ctgccgactt ggaggagcga cgcaactaa tgatggccgc	2880
agtgtctgtt accgtggagc ttgagtgcac gcagcggttc tttgtgacc cggagatgca	2940

-continued

gcgcaagcta	gaggaaacat	tgcactacac	ctttcgacag	ggctacgtac	gccaggcctg	3000
caagatctcc	aacgtggagc	tctgcaacct	ggtctcctac	cttgggaattt	tgacagaaaa	3060
ccgccttggg	caaaacgtgc	ttcattccac	gctcaagggc	gaggcgcgcc	gcgactacgt	3120
ccgcgactgc	gtttacttat	ttctatgcta	cacctggcag	acggccatgg	gcgtttggca	3180
gcagtgcttg	gaggagtgc	acctcaagga	gctgcagaaa	ctgctaaagc	aaaacttgaa	3240
ggacctatgg	acggccttca	acgagcgc	cgtggccgcg	cacctggcgg	acatcatttt	3300
ccccgaacgc	ctgcttaaaa	ccttgcaaca	gggtctgcc	gacttcacca	gtcaaagcat	3360
gttgacgaac	tttaggaact	ttatcctaga	gcgctcagga	atcttgcccc	ccacctgctg	3420
tgcacttctc	agcgactttg	tgcccattaa	gtaccgcgaa	tgccctccgc	cgctttgggg	3480
ccactgctac	cttctgcagc	tagccaaacta	ccttgccctac	cactctgaca	taatggaaga	3540
cgtgagcgg	gacgggtctac	tggagtgtca	ctgtcgctgc	aacctatgca	ccccgcaccg	3600
ctccctggtt	tgcaattcgc	agctgcttaa	cgaaagtcaa	attatcggta	cctttgagct	3660
gcagggtccc	tcgcctgacg	aaaagtccgc	ggctccgggg	tgaaaactca	ctccggggct	3720
gtggacgtcg	gcttaccttc	gcaaatttgt	acctgaggac	taccacgccc	acgagattag	3780
gttctacgaa	gaccaatccc	gcccgcacaa	tgcgagcgtt	accgcctgcg	tcattaccca	3840
gggccacatt	cttggccaat	tgcaagccat	caacaaagcc	cgccaagagt	ttctgctacg	3900
aaagggacgg	ggggtttact	tggaccccc	gtccggcgag	gagctcaacc	caatcccccc	3960
gcgcgcgcg	ccctatcagc	agcagccgcg	ggcccttgct	tcccaggatg	gcacccaaaa	4020
agaagctgca	gctgccgcg	ccaccacag	acgaggagga	atactgggac	agtcaggcag	4080
aggaggtttt	ggacgaggag	gaggaggaca	tgatggaaga	ctgggagagc	ctagacgagg	4140
aagcttcgga	ggtcgaagag	gtgtcagacg	aaacaccgct	accctcggtc	gcattcccct	4200
cgccggcgcc	ccagaaatcg	gcaaccgggt	ccagcatggc	tacaacctcc	gctcctcagg	4260
cgccgcgcg	actgcccggt	cgccgaccca	accgtagatg	ggacaccact	ggaaccaggg	4320
ccggtaagtc	caagcagcgc	ccgccgttag	cccaagagca	acaacagcgc	caaggctacc	4380
gctcatggcg	cgggcacaa	aacgccatag	ttgcttgctt	gcaagactgt	gggggcaaca	4440
tctccttcgc	ccgcgcgttt	cttctctacc	atcacggcgt	ggccttcccc	cgtaaacatcc	4500
tgcaattacta	ccgtcatctc	tacagcccat	actgcaccgg	cggcagcggc	agcggcagca	4560
acagcagcgg	ccacacagaa	gcaaaggcga	ccggatagca	agactctgac	aaagcccaag	4620
aaatccacag	cggcggcagc	agcaggagga	ggagcgcgtc	gtctggcgcc	caacgaaccc	4680
gtatcgaccc	gcgagcttag	aaacaggatt	tttccactc	tgatgctat	atttcaacag	4740
agcagggggc	aagaacaaga	gctgaaaata	aaaaacaggt	ctctgcgac	cctcaccgcg	4800
agctgcctgt	atcacaaaag	cgaagatcag	cttcggcgca	cgctggaaga	cgcgagggt	4860
ctcttcagta	aatactgcgc	gctgactctt	aaggactagt	ttcgccctct	ttctcaaatt	4920
taagcgcgaa	aactacgtca	tctccagcgg	ccacacccgg	cgccagcacc	tgctgctcag	4980
gccattatga	gcaaggaaat	tcccacgccc	tacatgtgga	gttaccagcc	acaaatggga	5040
cttgccgctg	gagctgcccc	agactactca	acccgaataa	actacatgag	cgcgggaccc	5100
cacatgatat	cccgggtcaa	cggaatccgc	gcccaccgaa	accgaattct	cttggaacag	5160
gcggtatatta	ccaccacacc	tcgtaataac	cttaatcccc	gtagtgggcc	cgctgcctctg	5220
gtgtaccagg	aaagtccgc	tcccaccact	gtggtacttc	ccagagacgc	ccaggccgaa	5280

-continued

gttcagatga ctaactcagg ggcgcagctt gcgggcggct ttcgtcacag ggtg 5334

<210> SEQ ID NO 40

<211> LENGTH: 3201

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 40

tacactaaac ggtacacagg aaacaggaga cacaactcca agtgcatact ctatgtcatt	60
ttcatggggac tgggtctggcc acaactacat taatgaaata tttgccacat cctcttacac	120
tttttcatac attgcccaag aataaagaat cgtttgtgtt atgtttcaac gtgtttattt	180
ttcaattgca gaaaatttca agtcattttt cattcagtag tatagcccca ccaccacata	240
gcttatacag atcacccgtac cttaatcaaa ctcacagaac cctagtattc aacctgccac	300
ctccctccca acacacagag tacacagtcc tttctcccg gctggcctta aaaagcatca	360
tatcatgggt aacagacata ttcttaggtg ttatattcca cacggtttcc tgtcgagcca	420
aacgctcatc agtgatatta ataaactccc cgggcagctc acttaagttc atgtcgtgt	480
ccagctgctg agccacaggc tgtgtgccaa cttgcgggtg cttaacgggc gccgaaggag	540
aagtccacgc ctacatgggg gtagagtcac aatcgtgcat caggataggc cgggtggtgct	600
gcagcagcgc gcgaataaac tgtgcccgc gccgctccgt cctgcaggaa tacaacatgg	660
cagtgggtctc ctcagcgatg attcgcaccg cccgcagcat aaggcgcctt gtcctccggg	720
cacagcagcg caccctgatc tcacttaaat cagcacagta actgcagcac agcaccacaa	780
tattgttcaa aatcccacag tgcaaggcgc tgtatccaaa gctcatggcg gggaccacag	840
aaccacgctg gccatcatc cacaagcgca ggtagattaa gtggcgaccc ctcataaaca	900
cgtgggacat aaacattacc tcttttgga tgttgtaatt caccacctcc cggtagcata	960
taaacctctg attaaacatg gcgccatcca ccaccatcct aaaccagctg gccaaaacct	1020
gcccgcggcg tatacactgc agggaaaccg gactggaaca atgacagtgg agagcccagg	1080
actcgtaacc atggatcatc atgctcgtca tgatatcaat gttggcaca cacaggcaca	1140
cgtgcataca cttcctcagg attacaagct cctcccgct tagaaccata tcccagggaa	1200
caaccattc ctgaatcagc gtaaatccca cactgcaggg aagacctgc acgtaactca	1260
cgttggtgcat tgtcaaatg ttacattcgg gcagcagcgg atgacctcc agtatggtag	1320
cgcggtttc tgtctcaaaa ggaggtagac gatccctact gtacggagtg cgccgagaca	1380
accgagatcg tgttggtcgt agtgtcatgc caaatggaa gccggacgta gtcataattc	1440
ctgaagcaaa accaggtgcg ggcgtgacaa acagatctgc gtctccggtc tcgcccgtta	1500
gatcgtctg ttagtagtct gtagtatatc cactctctca aagcatccag gcgccccctg	1560
gcttcgggtt ctatgtaaac tccttcacgc gccgctgccc tgataacatc caccaccgca	1620
gaataagcca caccagcca acctacacat tcgttctcgc agtcacacac gggaggagcg	1680
ggaagagctg gaagaacct gttttttttt ttattccaaa agattatcca aaacctcaaa	1740
atgaagatct attaatgaa cgcgctcccc tccggtggcg tggtaaaact ctacagccaa	1800
agaacagata atggcatttg taagatgttg cacaatggct tccaaaaggc aaacggccct	1860
cacgtccaag tggacgtaaa ggctaacc ctcagggtga atctctctca taaacattcc	1920
agcaccttca accatgccc aataattctc atctcgccac cttctcaata tatctctaag	1980

-continued

caaatcccga atattaagtc cggccattgt aaaaatctgc tccagagcgc cctccacctt	2040
cagcctcaag cagcgaatca tgattgcaaa aattcagggt cctcacagac ctgtataaga	2100
ttcaaaagcg gaacattaac aaaaataccg cgatcccgta ggtcccttcg cagggccagc	2160
tgaacataat cgtgcaggtc tgcacggacc agcgcggcca cttccccgcc aggaaccatg	2220
acaaaagaac ccacactgat tatgacacgc atactcggag ctatgctaac cagcgtagcc	2280
ccgatgtaag cttgttgcat gggcggcgat ataaaatgca aggtgctgct caaaaaatca	2340
ggcaaagcct cgcgcaaaaa agaaagcaca tcgtagtcat gctcatgcag ataaaggcag	2400
gtaagctccg gaaccaccac agaaaagac accatttttc tctcaaacat gtctgcgggt	2460
ttctgcataa acacaaaata aaataacaaa aaaacattta aacattagaa gctgtcttta	2520
caacaggaaa aacaaccctt ataagcataa gacggactac ggccatgccg gcgtgaccgt	2580
aaaaaaactg gtcaccgtga ttaaaaagca ccaccgacag ctccctcggtc atgtccggag	2640
tcataatgta agactcggta aacacatcag gttgattcac atcggtcagt gctaaaaagc	2700
gaccgaaata gcccggggga atacataccc gcaggcgtag agacaacatt acagcccca	2760
taggaggtat aacaaaatta ataggagaga aaaacacata aacacctgaa aaaccctcct	2820
gcctaggcaa aatagcacc ccccgctcca gaacaacata cagcgcttcc acagcggcag	2880
ccataacagt cagccttacc agtaaaaaag aaaacctatt aaaaaaacac cactcgacac	2940
ggcaccagct caatcagtca cagtgtaaaa aagggccaaag tgcagagcga gtatatatag	3000
gactaaaaaa tgacgtaacg gttaaagtcc acaaaaaaca cccagaaaaa cgcacgcgaa	3060
cctacgcca gaaacgaaag ccaaaaaacc cacaacttcc tcaaatcgtc acttccgttt	3120
tcccacgtta cgtaacttcc cattttaaga aaactacaat tcccaacaca tacaagttac	3180
tccgccctaa aacctacgtc a	3201

<210> SEQ ID NO 41

<211> LENGTH: 6896

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 41

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggtcatagct gtttcctgtg	60
tgaaattgtt atccgctcac aattccacac aacatacgag ccggaagcat aaagtgtaaa	120
gcctgggggtg cctaattgagt gagctaactc acattaattg cgttgcgctc actgcccgt	180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga	240
ggcggtttgc gtattgggag ctcttcgctc tctcgtctca ctgactcgtc gcgctcggtc	300
gttcggctgc ggcgagcgg atcagctcac tcaaaggcgg taatacgggt atccacagaa	360
tcaggggata acgcaggaaa gaacatgtga gcaaaaggcc agcaaaaggc caggaaccgt	420
aaaaaggccg cgttgctggc gtttttccat aggtccgcc cccctgacga gcatcacaaa	480
aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcgttt	540
ccccctggaa gctccctcgt gcgctctcct gttccgaccc tgccgcttac cggataacctg	600
tccgccttcc tcccttcggg aagcgtggcg ctttctcata gctcacgctg taggtatctc	660
agttcggtgt aggtcgctcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc	720
gaccgctgcg ccttatccgg taactatcgt cttgagtcca acccggtaa acacgactta	780

-continued

tcgcactg	cagcagccac	tggtaacagg	attagcagag	cgaggatgt	aggcgggtgct	840
acagagttct	tgaagtgggtg	gcctaactac	ggctacacta	gaaggacagt	atttggtatc	900
tgcgctctgc	tgaagccagt	taccttcgga	aaaagagttg	gtagctcttg	atccggcaaa	960
caaaccaccg	ctggtagcgg	tggttttttt	gtttgcaagc	agcagattac	gcgcagaaaa	1020
aaaggatctc	aagaagatcc	tttgatcttt	tctacggggg	ctgacgctca	gtggaacgaa	1080
aactcacgtt	aagggatttt	ggctcatgtga	ttatcaaaaa	ggatcttcac	ctagatcctt	1140
ttaaattaaa	aatgaagttt	taaatcaatc	taaagtatat	atgagtaaac	ttggtctgac	1200
agttagaaaa	actcatcgag	catcaaatga	aactgcaatt	tattcatatc	aggattatca	1260
ataccatatt	tttgaaaaag	ccgtttctgt	aatgaaggag	aaaactcacc	gaggcagttc	1320
cataggatgg	caagatcctg	gtatcgggtc	gcgattccga	ctcgtccaac	atcaatacaa	1380
cctattaatt	tccctcgtc	aaaaataagg	ttatcaagtg	agaaatcacc	atgagtgacg	1440
actgaatccg	gtgagaatgg	caaaagttaa	tgcattttct	tccagacttg	ttcaacaggc	1500
cagccattac	gctcgtcatc	aaaatcactc	gcatcaacca	aaccgttatt	cattcgtgat	1560
tgcgcttgag	cgagacgaaa	tacgcgatcg	ctgttaaaag	gacaattaca	aacaggaatc	1620
gaatgcaacc	ggcgcaggaa	cactgccagc	gcatcaacaa	tattttcacc	tgaatcagga	1680
tattcttcta	atacctggaa	tgctgttttc	ccagggatcg	cagtggtgag	taaccatgca	1740
tcatcaggag	tacggataaa	atgcttgatg	gtcgggaagag	gcataaatc	cgtcagccag	1800
tttagtctga	ccatctcatc	tgtaacatca	ttggcaacgc	tacctttgcc	atgtttcaga	1860
aacaactctg	gcgcacggg	cttcccatc	aatcgataga	ttgtcgacc	tgattgcccg	1920
acattatcgc	gagccattt	atacccatat	aaatcagcat	ccatgttgga	atttaatcgc	1980
ggcctagagc	aagaogtttc	ccgttgaaata	tggtccatc	tcttcccttt	tcaatattat	2040
tgaagcattt	atcagggtta	ttgtctcatg	agcggataca	tatttgaatg	tatttagaaa	2100
aataaacaaa	taggggttcc	gcgcacattt	ccccgaaaag	tgccacctga	cgtctaagaa	2160
accattatta	acatgacatt	aacctataaa	aataggcgta	tcacgaggcc	ctttcgtctc	2220
gcgcgtttcg	gtgatgacgg	tgaaaacctc	tgacacatgc	agctcccgga	gacggtcaca	2280
gcttgctctg	aagcggatgc	cgggagcaga	caagcccgtc	agggcgcgtc	agcgggtggt	2340
ggcgggtgtc	ggggctggct	taactatgcg	gcatcagagc	agattgtact	gagagtgcac	2400
catatgcggt	gtgaaatacc	gcacagatgc	gtaaggagaa	aataccgcac	caggcggccat	2460
tcgccattca	ggctgcgcaa	ctgttgggaa	ggcgcatcgg	tgccgggcctc	ttcgctatta	2520
cgcagctg	cgaaggggg	atgtgctgca	aggcgattaa	gttgggtaac	gccaggggtt	2580
tcccagtcac	gacgttgtaa	aacgacggcc	agtgaattcg	agctcggtag	ccgtagccat	2640
ggaaactaga	taagaaagaa	atacgcagag	accaaagtcc	aactgaaacg	aattaaacgg	2700
tttattgatt	aacaagcaat	tacagattac	gagtcaggta	tctgggtgcca	atggggcggg	2760
gttcactata	tacaccttca	gtattaacag	caaattcaac	attattagac	ttgtaatagt	2820
tggaagtgtg	ctggatctcc	gggttccagc	gcttgctgtt	ttccttctgc	agctcccact	2880
cgatctccac	gctgacttgg	ccagtagaat	actgggtgat	gaaagagttc	agcttgcct	2940
tggtgaaggg	cgttgaggga	tccgcaggta	cagggtgtgt	tttgatgagg	atctgaggag	3000
gcgggtgctt	cattocaaac	cctcccatca	gcggagaagg	gtgaaagttg	ccgtccgtgt	3060
gaggaatttt	ggcccaaatg	ggtccttgca	ggtacacatc	tctgtcctgc	caaaccatac	3120
ccggaagtat	tccttggttt	tgaaccacgc	cggctctgcg	ctgtgcttgg	gcactctggt	3180

-continued

ggtttgtggc cacttgteca taggactccg ttgctaccgg gttagtagtt ttaatttctt	3240
cttcgttggt tatcatgact ttgtccgcat ccacgttgte tcttccagtt ccttgtttgc	3300
caaaaattaa agatccagac aaaggaaaga aacggtcctc tccttctttg tggctggcca	3360
tagcagggtcc aggatccatc aagctattac gtccattgag agcccaagaa gaagctccag	3420
gccaaagcaaa ttcgctgttg ttgttttgag tcacagtggg tgagacacgt tgttgctggg	3480
agctgggtcc aggtatgtag tttcttcctt ggacagccat gttgctgggt ccggccacac	3540
tgaattttag cgtttggtga ttctgtccag aaccgttaat agtctttgag agatagtaca	3600
agtattggte gatgagtgga ttcattagtc ggtccaggct ttggctgtga gcgtagctgc	3660
tatggaaagg tacgttctca aactcgtagc tgaactggaa gttgttacct gttcttagca	3720
tttgcgacgg gaaatattcc aggcagtaaa aggcagaaac acccagggcc tggcttccat	3780
cattaagcgt cagatacccg tactgaggaa tcatgaaaac gtccgctggg aacggcggga	3840
ggcagccctc gtgagccgac ccgagcacgt acgggagctg atagtctgag tccgtgaaga	3900
cctggaccgt gctggtaagg ttattggcga tggctctgac tccattgttg tccgtaacct	3960
ctttgacctg aatgttgaag agcttgaagt tgagtcgctt aggcgggaat ccccagttgt	4020
tgttgatgag tcgctgccag tcacgtgggt agaagtggca gtggaactcg ttgaagtcaa	4080
aataccccca ggggggtgct tagccgaagt aggcgttgte atttgaagat cctccagatg	4140
tgctgttgga gatttgcttg tagaggtgat tgttgtaggt gggcagggcc caggttcggg	4200
tgctgggtgt gatgactctg tccccagcc attgggaatc gcaatgccaa tttcccagag	4260
aactaccac tccatcgcca ccttcgttat tgtctgccac tggctgcgca ccacctaag	4320
ccattgtaag agatccaca cctgaggggg ctgcgggagg ttctccgatt ggttgagggt	4380
ctgggactga ctctgtgtcg ccagctctgac cgaaattgag tctcttttta gcggtctgtg	4440
cacccgattt gccaatcccc gcggaggagt ccggttctcg aggagactgc tctacaggcc	4500
tcttctttcc aggagccgtc ttgacgctt cctcaaccag accaagaggt tcaagaagcc	4560
tctttttggc ctggaagact gctcgcccca ggttgcccc aaaagacgta tcttctttga	4620
gcccgtcctg gaactcggcg tcggcggtgt tgtacttgag gtacgggttg tctccggcct	4680
tgagctgctg gtcgtaggcc ttgtcgtgct cgagggccgc cgcgtctgct gcgttgaccg	4740
gtccccctt gtcgagtcgg ttgccgggtc caaggtattt gtaacccgga agcacaagac	4800
ctcgagcgtt gtcttgatgt tgttgatttg ccttgggttg aggggctcca ggtttcaaag	4860
cccaccactc gcgaattcct tcaactaagg ttgtctcgag ccaatctgga agataaccat	4920
cggcagccat acctgattta aatcatttat tgttcaaaga tgcagtcac caaatccaca	4980
ttgaccagat cgcaggcagt gcaagcgtct ggcaccttcc ccatgatatg atgaatgtag	5040
cacagtttct gatacgctt tttgacgaca gaaacgggtt gagattctga cacgggaaag	5100
cactctaaac agtctttctg tccgtgagtg aagcagatat ttgaattctg attcattctc	5160
tcgcatgtgc tgcagggaag cagcatcaga ttcatgcca cgtgacgaga acatttggtt	5220
tggtaacctg ctgcgtagtt gatcgaagct tccgcgtctg acgtcgatgg ctgcgcaact	5280
gactcgcgca cccgtttggg ctcaactata tctgcgtcac tgggggcggg tcttttcttg	5340
gtccaccct ttttgacgta gaattcatgc tccacctcaa ccacgtgac ctttgccac	5400
cggaaaaagt ctttgacttc ctgcttggtg accttcccaa agtcatgac cagacggcgg	5460
gtgagttcaa atttgaacat ccggctctgc aacggctgct ggtgttcgaa ggtcgttgag	5520

-continued

```

ttcccgctcaa tcacggcgca catgttggtg ttggagggtga cgateacggg agtcgggtct 5580
atctgggccc aggacttgca tttctggtcc acgcgcacct tgcttctccc gagaatggct 5640
ttggccgact ccacgacctt ggcggtcacc tccccctcct cccaccagat caccatcttg 5700
tcgacacagt cgttgaaggg aaagtctca ttggtccagt ttacgcaccc gtagaagggc 5760
acagtgtggg ctatggcctc cgcgatgttg gtcttcccg tagttgcagg cccaaacagc 5820
cagatggtgt tcctcttgcc gaacttttcc gtggcccatc ccagaaagac ggaagccgca 5880
tattggggat cgtacccgtt tagttccaaa attttataaa tccgattgct ggaaatgtcc 5940
tccacgggct gctggccacc caggtagtcg ggggcgggtt tagtcaggct cataatcttt 6000
cccgcatgtt ccaaggcagc cttgatttgg gaccgcgagt tggaggccgc attgaaggag 6060
atgtatgagg cctggctctc ctggatccac tgcttctccg aggtaatccc cttgtccacg 6120
agccacccga ccagctccat gtacctggct gaagtttttg atctgatcac cggcgcatca 6180
gaattgggat tctgattctc tttgttctgc tcttcgctct gcgacacgtg cgtcagatgc 6240
tgcgccacca accgtttacg ctccgtgaga ttcaaacagg cgcttaaata ctgttccata 6300
ttagtccacg cccactggag ctccaggtcg gttttgggga gcaagtaatt ggggatgtag 6360
cactcatcca ccacctgtt cccgctccg gcgccatttc tggctcttgc gaccgcgaac 6420
cagtttgga aagtggctc gatcccgcg taaattctct gaatcagttt ttcgcgaatc 6480
tgactcagga aacgtcccaa aaccatggat ttcaccccg tggtttccac gagcacgtgc 6540
atgtggaagt agctctctcc cttctcaaat tgcacaaaga aaagggcctc cggggcctta 6600
ctcacacggc gccattccgt cagaaagtcg cgctgcagct tctcgccac ggtcaggggt 6660
gcctgctcaa tcagattcag atccatgtca gaatctggcg gcaactccca ttcctctctg 6720
gcccccagtc tcacaaagct gtcagaaatg ccgggcagat gctcgtcaag gtcgctgggg 6780
accttaatca caatctcgta aaaccccgcc atggcggtcg cgcagatcag aagttcctat 6840
actttctaga gaataggaac ttcggaatag gaacttctga tcttcgggg gatcca 6896

```

```

<210> SEQ ID NO 42
<211> LENGTH: 8469
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (4155)..(4254)
<223> OTHER INFORMATION: a, c, t, g, unknown or other
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (4155)..(4254)
<223> OTHER INFORMATION: This region may encompass 60-100 nucleotides
<400> SEQUENCE: 42

```

```

tagggaaata ggccagggtt tcaccgtaac acgccacatc ttgcgaatat atgtgtagaa 60
actgccggaa atcgtcgtgt gcaactcatg aaaacgggtg aacaaggggtg aacactatcc 120
catatcacca gctcacgctc tttcattgcc atacggaact ccggatgagc attcatcagg 180
cgggcaagaa tgtgaataaa ggccggataa aacttgtgct tatttttctt tacggtcttt 240
aaaaaggccg taatatccag ctgaacggtc tggttatagg tacattgagc aactgactga 300
aatgcctcaa aatgttcttt acgatgccat tgggatatat caacgggtgtg atatccagtg 360
atttttttct ccattttttt ttctctcttt agaaaaactc atcgagcatc aaatgaaact 420

```


-continued

gcaatttatt catatcagga ttatcaatac catatttttg aaaaagccgt ttctgtaatg	480
aaggagaaaa ctcaccgagg cagttccata ggatggcaag atcctggat cggctcgcga	540
ttccgactcg tccaacatca atacaacctt ttaattttcc ctcgtcaaaa ataaggttat	600
caagtggaaa atcaccatga gtgacgactg aatccggtga gaatggcaaa agtttatgca	660
tttctttcca gacttgttca acaggccagc cattacgctc gtcatcaaaa tcaactcgcat	720
caaccaaacc gttattcatt cgtgattgcg cctgagcgag gcgaaatcg cgatcgctgt	780
taaaaggaca attacaaaca ggaatcgagt gcaaccggcg caggaacact gccagcgcat	840
caacaatatt ttcacctgaa tcaggatatt cttctaatac ctggaacgct gtttttcggt	900
ggatcgcatg ggtgagtaac catgcatcat caggagtacg gataaaatgc ttgatggtcg	960
gaagtggcat aaattccgct agccagttaa gtctgacct ctcactgtga acatcattgg	1020
caacgctacc tttgccatgt ttcagaaaca actctggcgc atcgggcttc ccatacaagc	1080
gatagattgt cgcacctgat tgcccacat tatcgcgagc ccattttata ccatataaat	1140
cagcatccat gttggaattt aatcgcgcc tcgacgttcc ccgttgaata tggtcattt	1200
ttttttccct ctttccaat gcttaatcag tgaggcacct atctcagcga tctgtctatt	1260
tcgttcctcc atagttgctt gactccccgt cgtgtagata actacgatac gggagggctt	1320
acctctggc cccagcgctg cgatgatacc gcgagaacca cgctcaccgg ctccgattt	1380
atcagcaata aaccagccag ccggaagggc cgagcgaga agtggctctg caactttatc	1440
cgctccatc cagtctatta attgttgcg ggaagctaga gtaagtagt cgcaggttaa	1500
tagtttgcc aacgttggtt ccacgctac aggcacgtg gtgtcacgt cgtcgtttgg	1560
tatggcttca ttcagctccg gttcccaacg atcaaggcga gttacatgat ccccatgtt	1620
gtgcacgttg tcagaagtaa gttggccgca gtgttatcac tcatggttat ggcagcactg	1680
cataattctc ttactgtcat gccatccgta agatgctttt ctgtgactgg tgagtactca	1740
accaagtcat tctgagaata gtgtatgcg cgaccgagtt gctcttgccc ggcgtcaata	1800
cgggataata ccgcgccaca tagcagaact ttaaaagtgc tcatcattgg aaaacgttct	1860
tcggggcgaa aactctcaag gatcttaccg ctgttgagat ccagttcgat gtaaccact	1920
cgtgcaccca actgatcttc agcatctttt actttcacca gcgtttctgg gtgagcaaaa	1980
acaggaaggc aaaatgccg aaaaaaggga ataaggcgca cacggaaatg ttgaatactc	2040
atattcttcc tttttcaata ttattgaagc atttatcagg gttattgtct catgagcgga	2100
tacatatttg aatgtattta gaaaaataaa caaatagggg tcagtgttac aaccaattaa	2160
ccaattctga acattatcgc gagccattt atacctgaat atggctcata acacccttg	2220
tttgccctggc ggcagtagcg cgttggtccc acctgacccc atgccgaact cagaagtga	2280
acgccgtagc gccgatggta gtgtggggac tccccatgcg agagtaggga actgccaggc	2340
atcaaaaaa acgaaaggct cagtcgaaag actgggctt tcgccccggc taattgaggg	2400
gtgtcgccct tattegactc ggggctcgag cagcagctgc gcgctcgctc gctcactgag	2460
gcgccccggg caaagcccg gcgtcgggcg accttggtgc gcccgccctc agtgagcgag	2520
cgagcgcgca gagaggaggt ggggttttaa ttaaacgcgt ttacataact tacggtaaat	2580
ggcccgccctg gctgaccgcc caacgacccc cgccattga cgtcaataat gacgtatgtt	2640
cccatagtaa cgccaatagg gactttccat tgacgtcaat ggggtgacta tttacggtaa	2700
actgcccact tggcagtaca tcaagtgtat catatgcaa gtacgcccc tattgacgtc	2760
aatgacggta aatggcccg ctggcattat gccagtaga tgacctatg ggactttct	2820

-continued

acttggcagt	acatctacgt	attagtcac	gctattacca	tggatgacg	gttttggcag	2880
tacatcaatg	ggcgtggata	gcggtttgac	tcacggggat	ttccaagtct	ccacccatt	2940
gacgtcaatg	ggagtttgtt	ttggcaccaa	aatcaacggg	actttccaaa	atgtcgtaac	3000
aactccgccc	cattgacgca	aatgggcggg	aggcgtgtac	ggggggaggt	ctatataggc	3060
gcgcggaact	gaaaaaccag	aaagttaact	ggtaagttaa	gtctttttgt	cttttatctc	3120
aggtcccga	tccggtgggt	gtgcaaatca	aagaactgct	cctcagtgga	tgttgccctt	3180
acttctaggc	ctgtacggaa	gtgttacttc	tgtctctaaa	gctcctgcag	ggaattcgcc	3240
accatgggtg	gcaagggcga	ggagctgttc	accgggggtg	tgcccatcct	ggtcgagctg	3300
gacggcgacg	taaacggcca	caagttcagc	gtgtccggcg	aggcgagagg	cgatgccacc	3360
tacggcaagc	tgacctgaa	gttcactctg	accacggcga	agctgcccgt	gcctggccc	3420
acctctgtga	ccacctgac	ctacggcggt	cagtgtctca	gccgtacccc	cgaccacatg	3480
aagcagcacg	acttcttcaa	gtccgccatg	cccgaaggct	acgtccagga	gcgcaccatc	3540
ttcttcaagg	acgacggcaa	ctacaagacc	cgcgcggagg	tgaagttcga	ggcgacaccc	3600
ctggtgaacc	gcacgagct	gaagggcac	gacttcaagg	aggacggcaa	catcctgggg	3660
cacaagctgg	agtacaacta	caacagccac	aacgtctata	tcatggccga	caagcagaag	3720
aacggcatca	agggtgaact	caagatccgc	cacaacatcg	aggacggcag	cgtgcagctc	3780
gccgaccact	accagcagaa	cacccccatc	ggcgacggcc	ccgtgctgct	gcccgacaa	3840
cactacctga	gcacccagtc	cgcctcgagc	aaagacccca	acgagaagcg	cgatcacatg	3900
gtctctgtgg	agttcgtgac	cgcgcggggg	atcactctcg	gcacggacga	gctgtacaag	3960
taatagacta	gtgtcgacag	atctttttaa	aaacctccca	cacaattgtt	gttggttaact	4020
tgtttattgc	agcttataat	ggttacaaat	aaagcaatag	catcacaat	ttcacaata	4080
aagcatTTTT	ttcactgcat	tctagtgtg	gtttgtccaa	actcatcaat	gtatcttacc	4140
atgtctgttt	aaacnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	4200
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	4260
ataggaaacc	ctagtgtagg	agttggccac	tccctctctg	cgcgctcgct	cgctcactga	4320
ggccggggcg	ccaaaggctg	ccgcagcccc	gggctttgcc	ggggcgccct	cagtgcagca	4380
gcgagcgcgc	agagagtata	catcgatgtg	agttcgcggg	tggctggggg	gcctggggct	4440
gcgacccccc	ccgaaccgcg	tctacgagcc	ttgcgggctc	cgggtctttg	cagtctgatg	4500
ggggcagggt	agctgttccc	cgcaaggaga	gctcaaggtc	agcgtccgga	cctggcgag	4560
ccccgcaccc	aggctgtggc	gcctctgtca	gtccgcctct	tgcggcgcca	tctgcccgga	4620
gcctccttcc	cctagtcccc	agaaacagga	ggtcctctact	cccgcccgag	atcccgaccc	4680
ggacccctag	gtgggggacg	ctttctttcc	tttcgcgctc	tgcgggggtca	cgtgtcgacg	4740
aggagcccc	ccccacggc	ctccggcacc	gcaggccccg	ggatgctagt	gcgcagcggg	4800
tgcacccctg	tccgatgct	gcgcctgcgg	tagagcggcc	gccatgttgc	aaccgggaag	4860
gaaatgaatg	ggcagccgtt	aggaaagcct	gccggtgact	aacctgcgc	tcctgcctcg	4920
atgggtggag	tcgcgtgtgg	cggggaagtc	agggtggagc	aggctagctg	gcccgatctc	4980
tcctccgggt	gatgttttct	ctagattatt	ctctggtaaa	tcaaagaagt	gggtttatgg	5040
aggtcctctt	gtgtcccttc	ccgcagaggg	tgtggtggct	gtggcatggt	gccaagccgg	5100
gagaagctga	gtcatgggta	gttggaagag	gacatttcca	ccgcaaatg	gcccctctgg	5160

-continued

tggtggcccc	ttcctgcagc	gccggctcac	ctcacggccc	cgcccttccc	ctgccagcct	5220
agcgttgacc	cgaccccaaa	ggccaggctg	taaattgtcac	cgaggaggatt	gggtgtctgg	5280
gcgcctcggg	gaacctgccc	ttctcccat	tccgtcttcc	ggaaaccaga	tctccaccg	5340
caccttggtc	tgaggttaaa	tatagctgct	gacctttctg	tagctggggg	cctgggctgg	5400
ggctctctcc	catcccttct	ccccacacac	atgcacttac	ctgtgctccc	actcctgatt	5460
tctggaaaag	agctaggaag	gacaggcaac	ttggcaaatc	aaagccctgg	gactaggggg	5520
ttaaaataca	gcttcccctc	ttcccaccg	cccagctctc	tgtccctttt	gtaggaggga	5580
cttagagaag	gggtgggctt	gcctgtcca	gttaatttct	gacctttact	cctgcccttt	5640
gagtttgatg	atgctgagtg	tacaagcgtt	ttctccctaa	agggcgagc	tgagctaggc	5700
agcagcaagc	attcctgggg	tggcatagtg	gggtggtgaa	taccatgtac	aaagcttgtg	5760
cccagactgt	gggtggcagt	gccccacatg	gccgcttctc	ctggaagggc	ttcgtatgac	5820
tgggggtgtt	gggcagccct	ggagccttca	gttgacgcca	tgccttaage	caggccagcc	5880
tggcagggaa	gctcaaggga	gataaaattc	aacctcttgg	gccctcctgg	gggtaaggag	5940
atgctgcatt	cgccctctta	atggggaggt	ggcctagggc	tgctcacata	ttctggagga	6000
gcctcccctc	ctcatgcott	cttgcctctt	gtctcttagg	catgcaaaag	agtcgaataa	6060
gggcgacaca	aaatttattc	taaatgcata	ataaatactg	ataacatctt	atagtttgta	6120
ttatatattg	tattatcggt	gacatgtata	attttgatat	caaaaactga	ttttcccttt	6180
attattttcg	agattttatt	tcttaattct	ctttaacaaa	ctagaaatat	tgtatataca	6240
aaaaatcata	aataatagat	gaatagttaa	attatagggt	ttcatcaatc	gaaaaagcaa	6300
cgtatcttat	ttaaagtcg	ttgctttttt	ctcatttata	aggttaaata	attctcatat	6360
atcaagcaaa	gtgacaggcg	cccttaata	ttctgacaaa	tgctctttcc	ctaaactccc	6420
cccataaaaa	aaccgcgcga	agcgggtttt	tacgttattt	gcggattaac	gattactcgt	6480
tatcagaacc	gcccaggggg	cccagctta	agactggccg	tcgttttaca	acacagaaa	6540
agtttgtaga	aacgcaaaaa	ggccatccgt	caggggcctt	ctgcttagtt	tgatgcctgg	6600
cagttcccta	ctctgcctt	ccgttctctc	gctcactgac	tcgtgcgct	cggtcgttcg	6660
gctgcggcga	gcggtatcag	ctcactcaaa	ggcggaata	cggttatcca	cagaatcagg	6720
ggataacgca	ggaagaaca	tgtgagcaaa	aggccagcaa	aaggccagga	accgtaaaaa	6780
ggccgcgttg	ctggcgtttt	tccataggct	ccgccccct	gacgagcatc	acaaaaatcg	6840
acgctcaagt	cagagggtgc	gaaaccgac	aggactataa	agataaccagg	cgtttccccc	6900
tgggaagctc	ctcgtgcgct	ctcctgttcc	gacctgccc	cttaaccgat	acctgtccgc	6960
ctttctccct	tcgggaagcg	tggcgcttcc	tcatagctca	cgctgtaggt	atctcagttc	7020
ggtgtaggtc	gttcgctcca	agctgggctg	tgtgcacgaa	ccccccgttc	agcccgaccg	7080
ctgcgcctta	tccggtaact	atcgtcttga	gtccaacccg	gtaagacacg	acttatcgcc	7140
actggcagca	gccactggta	acaggattag	cagagcgagg	tatgtaggcg	gtgctacaga	7200
gttcttgaag	tggtgggcta	actacggcta	cactagaaga	acagtatttg	gtatctgcgc	7260
tctgctgaag	ccagttacct	tcggaaaaag	agttggtagc	tcttgatccg	gcaaacaaac	7320
caccgctggt	agcgggtggt	ttttgtttg	caagcagcag	attacgcgca	gaaaaaaagg	7380
atctcaagaa	gaccccttga	tctttctac	ggggtctgac	gctcagtgga	acgacgcgcg	7440
cgtaactcac	gttaagggat	tttggcatg	agcttgccgc	gtcccgtaaa	gtcagcgtaa	7500
tgctctgctt	aggtggcggt	acttgggtcg	atatcaaagt	gcataccttc	ttcccgatg	7560

-continued

```

cccaactttg tatagagagc cactgcgga tcgtcacgt aatctgcttg cactagatc 7620
acataagcac caagcgcgtt ggcccatgc ttgaggagat tgatgagcgc ggtggcaatg 7680
ccctgcctcc ggtgctcgcc ggagactgcg agatcataga tatagatctc actacgcggc 7740
tgctcaaaact tgggcagaac gtaagccgcg agagcgccaa caaccgcttc ttggtcgaag 7800
gcagcaagcg cgatgaatgt cttactacgg agcaagtcc cgaggtaatc ggagtccggc 7860
tgatgttggg agtaggtggc tacgtcacgc aactcacgac cgaaaagatc aagagcagcc 7920
cgcatggatt tgacttggtc agggccgagc ctacatgtgc gaatgatgcc catacttgag 7980
ccacctaact ttgttttagg gcgactgcc tgetgcgtaa catcggttget gctccataac 8040
atcaaacatc gaccacggc gtaacgcgt tcgtgcttgg atgcccagg catagactgt 8100
acaaaaaac agtcataaca agccatgaaa accgccactg cgccgttacc accgtgcgt 8160
tcggtcaagg ttctggacca gttgcgtgag cgcatttttt tttcctctc gccgtttacg 8220
ccccgccctg cactcatcg cagtactgtt gtaattcatt aagcattctg ccgacatgga 8280
agccatcaca gacggcatga tgaacctgaa tcgccagcgg catcagcacc ttgtgcctt 8340
gcgtataata tttgccata gtgaaaacgg gggcgaagaa gttgtccata ttggccacgt 8400
ttaaatacaa actggtgaaa ctcaccagc gattggcgt gacgaaaaac atattctcaa 8460
taaaccctt 8469

```

```

<210> SEQ ID NO 43
<211> LENGTH: 116
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 43
cagcagctgc gcctcgtc gctcactgag gccgccggg caaagcccg gcgtcgggcg 60
acctttggtc gcccgccctc agtgagcgcg cgagcgcgca gagaggaggt gggggt 116

```

```

<210> SEQ ID NO 44
<211> LENGTH: 534
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

```

```

<400> SEQUENCE: 44
ttaggtggcg gtacttgggt cgatatcaaa gtgcatcact tcttcccgta tgcccaactt 60
tgtatagaga gccactgcgg gatcgtcacc gtaatctgct tgcacgtaga tcacataagc 120
accaagcgcg ttggcctcat gcttgaggag attgatgagc gcggtggcaa tgccctgcct 180
cgggtgctcg ccggagactg cgagatcata gatatagatc tctacgcgcg gctgctcaaa 240
cttgggcaga acgtaagcgc cgagagcgcc aacaaccgct tcttggtcga aggcagcaag 300
cgcgatgaat gtcttactac ggagcaagtt cccgaggtaa tcggagtcgc gctgatgttg 360
ggagttagtg gctacgtcac cgaactcac accgaaaaga tcaagagcag cccgcatgga 420
tttgacttgg tcagggccga gcctacatgt gcgaatgatg ccatacttg agccacctaa 480
ctttgtttta gggcgactgc cctgctgcgt aacatcggtg ctgctccata acat 534

```

```

<210> SEQ ID NO 45

```

-continued

```

<211> LENGTH: 11635
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 45

ggtagcccaac tccatgctta acagtcccca ggtacagccc accctgcgtc gcaaccagga      60
acagctctac agcttctctgg agcgccactc gccctacttc cgcagccaca gtgcgcagat      120
taggagcgcc acttcttttt gtcacttgaa aaacatgtaa aaataatgta ctaggagaca      180
ctttcaataa aggcaaatgt ttttatttgt acactctcgg gtgattattt accccccacc      240
cttgccgtct cgcgcgttta aaaatcaaag ggggtctgcc gcgcatcgct atgcgccact      300
ggcagggaca cgttcgcata ctgggtgtta gtgtccactc taaactcagg cacaaccatc      360
cgcggcagct cgggtgaagt ttcactccac aggtgcgca ccatcaccaa cgcgtttagc      420
aggtcgggcg cgcgatatct gaagtgcgag ttggggcctc cgcctgcgc gcgcgagttg      480
cgatacacag ggttcgagca ctggaacact atcagcgccg ggtggtgcac gctggccagc      540
acgtctttgt cggagatcag atccgcgtcc aggtcctccg cgttgctcag ggcgaacgga      600
gtcaactttg gtatgtgcct tcccaaaaag ggtgcatgcc caggctttga gttgcactcg      660
caccgtagtg gcatcagaag gtgaccgtgc ccggtctggg cgtaggata cagcgctgc      720
atgaaagcct tgatctgctt aaaagccacc tgagcctttg cgccttcaga gaagaacatg      780
ccgcaagact tgccggaaaa ctgattggcc ggacaggccg cgtcatgcac gcagcacctt      840
gcgtcggtgt tggagatctg caccacattt cggccccacc ggttcttcac gatcttgccc      900
ttgctagact gctccttcag cgcgcgctgc ccgttttcgc tcgtcacatc catttcaatc      960
acgtgctcct tatttatcat aatgctcccg ttagacactc taagctcgcc ttcatctca      1020
gcgcagcggg gcagccacaa cgcgcagccc gtgggctcgt ggtgcttgta ggttacctct      1080
gcaaacgact gcaggtacgc ctgcaggaat cgcgccatca tcgtcacaaa ggtcttggtg      1140
ctgggtgaagg tcagctgcaa ccgcgggtgc tcctcggtta gccaggtctt gcatacggcc      1200
gccagagctt ccacttggtc aggcagtagc ttgaagtttg cctttagatc gttatccacg      1260
tggtacttgt ccatcaacgc gcgcgcagcc tccatgccct tctccacgc agacacgatc      1320
ggcaggtcga cgcgggttat caccgtgctt tcactttccg cttcactgga ctcttccttt      1380
tcctcttgcg tccgcatacc ccgcgccact ggggtgctct catteagccg ccgcaccgtg      1440
cgcttacctc ccttgccgtg cttgattagc accggtgggt tgctgaaacc caccatttgt      1500
agcgccacat cttctcttcc tcctcgtcg tccacgatca cctctgggga tggcggggcg      1560
tcgggcttg gaggagggcg cttcttttcc tttttggacg caatggccaa atccgccgtc      1620
gaggtcgatg gccgcgggct ggggtgtgcgc ggcaccagcg catcttgatga cgagtcttct      1680
tcgtcctcgg actcgagacg ccgcctcagc cgcttttttg ggggcgcgcg gggaggcggc      1740
ggcgacggcg acggggacga cacgtcctcc atggttggtg gacgtcgcgc cgcaccgcgt      1800
ccgcgctcgg ggggtggttc gcgctgctcc tcttcccgac tggccatttc cttctcctat      1860
aggcagaaaa agatcatgga gtcagtcgag aaggaggaca gcctaaccgc cccctttgag      1920
ttcgcaccca ccgcctccac cgatgccgcc aacgcgccta ccaccttccc cgtcgaggca      1980
cccccgcttg aggaggagga agtgattatc gagcaggacc cagggtttgt aagcgaagac      2040
gacgaggatc gctcagtacc aacagaggat aaaaagcaag accaggacga cgcagaggca      2100

```

-continued

aacgaggaac	aagtcgggcg	gggggaccaa	aggcatggcg	actacctaga	tgtgggagac	2160
gacgtgctgt	tgaagcatct	gcagcgccag	tgcgccatta	tctgcgacgc	gttgcaagag	2220
cgcagcgatg	tgccctcg	catagcggat	gtcagccttg	cctacgaacg	ccacctgttc	2280
tcaccgcgcg	taccccccaa	acgccaagaa	aacggcacat	gcgagcccaa	cccgcgctc	2340
aactttctacc	ccgtatttgc	cgtgccagag	gtgcttgcca	cctatcacat	ctttttccaa	2400
aactgcaaga	taccctatc	ctgccgtgcc	aaccgcagcc	gagcggacaa	gcagctggcc	2460
ttgcggcagg	gcgtgtcat	acctgatatc	gcctcgctcg	acgaagtgcc	aaaaatcttt	2520
gagggctctg	gacgcgacga	gaaacgcgcg	gcaaacgctc	tgcaacaaga	aaacagcgaa	2580
aatgaaagtc	actgtggagt	gctggtggaa	cttgagggtg	acaacgcgcg	cctagccgtg	2640
ctgaaacgca	gcctcgaggt	caccactttt	gcctaccgg	cacttaacct	accccccaag	2700
gttatgagca	cagtcagtag	cgagctgac	gtgcgccgtg	cacgacccct	ggagagggat	2760
gcaaacttgc	aagaacaaac	cgaggagggc	ctaccgcgag	ttggcgatga	gcagctggcg	2820
cgtggtcttg	agacgcgcga	gcctgccgac	ttggaggagc	gacgcaagct	aatgatggcc	2880
gcagtgcttg	ttaccgtgga	gcttgagtgc	atgcagcggg	tctttgctga	cccgagatg	2940
cagcgcaagc	tagaggaaac	gttgacttac	acctttcgcc	agggctacgt	gcgccaggcc	3000
tgcaaaattt	ccaacgtgga	gctctgcaac	ctggtctcct	accttggaat	tttgcacgaa	3060
aaccgcctcg	ggcaaaacgt	gcttcattcc	acgctcaagg	gcgaggcgcg	ccgcgactac	3120
gtccgcgact	gcgtttactt	attttctgtc	tacacctggc	aaacggccat	gggcgtgtgg	3180
cagcaatgcc	tggaggagcg	caacctaaag	gagctgcaga	agctgctaaa	gcaaaacttg	3240
aaggacctat	ggacggcctt	caacgagcgc	tccgtggccg	cgacacctgg	ggacattatc	3300
ttcccccgaac	gcctgcttaa	aaccttgcaa	cagggtctgc	cagacttcac	cagtcaaagc	3360
atgttgcaaa	acttttagaa	ctttatccta	gagcgttcag	gaattctgcc	cgccacctgc	3420
tgtgcgcttc	ctagcgactt	tgtgccatt	aagtaccgtg	aatgccctcc	gccgctttgg	3480
ggtcactgct	accttctgca	gctagccaac	tacctgcct	accactccga	catcatggaa	3540
gacgtgagcg	gtgacggcct	actggagtgt	cactgtcgtc	gcaacctatg	cacccgcac	3600
cgtccctcgg	tctgcaattc	gcaactgctt	agcgaaagtc	aaattatcgg	tacctttgag	3660
ctgcagggtc	cctcgctga	cgaaaagtcc	gcggctccgg	gggtgaaact	cactccgggg	3720
ctgtggacgt	cggcttacct	tcgcaaat	gtacctgagg	actaccacgc	ccacgagatt	3780
aggttctacg	aagaccaatc	ccgcccgcca	aatgcggagc	ttaccgcctg	cgtcattacc	3840
cagggccaca	tccttgccca	attgcaagcc	atcaacaaag	ccgcaccaaga	gtttctgcta	3900
cgaaggggac	gggggggtta	cctggacccc	cagtcggcg	aggagctcaa	cccaatcccc	3960
ccgccgcgcg	agccctatca	gcagccgcgg	gcccttgctt	cccaggatgg	cacccaaaaa	4020
gaagctgcag	ctgccgcgcg	cgccaccac	ggacgaggag	gaatactggg	acagtcaggc	4080
agaggaggtt	ttggacgagg	aggaggagat	gatggaagac	tggaacagcc	tagacgaagc	4140
ttccgaggcc	gaagaggtgt	cagacgaaac	accgtcacc	tcggtcgcat	ttccctcgcc	4200
ggcgccccag	aaattggcaa	ccgttcccag	catcgctaca	acctccgctc	ctcaggcgcc	4260
gccggcactg	cctgttcgcc	gacccaaccg	tagatgggac	accactggaa	ccagggccgg	4320
taagtctaa	cagcgccgcg	cgttagccca	agagcaacaa	cagcgccaag	gtaccgctc	4380
gtggcgggg	cacaagaacg	ccatagttgc	ttgcttgcaa	gactgtgggg	gcaacatctc	4440
cttcgcccgc	cgtttttctt	tctaccatca	cggcgtggcc	ttcccccgta	acatcctgca	4500

-continued

ttactaccgt catctctaca gccctactg caccggcggc agcggcagcg gcagcaacag	4560
cagcgggtcac acagaagcaa aggcgaccgg atagcaagac tctgacaaag cccaagaaat	4620
ccacagcggc ggcagcagca ggaggaggag cgctgcgtct ggcgcccaac gaacccgat	4680
cgaccgcga gcttagaaat aggatttttc ccactctgta tgctatatatt caacaaagca	4740
ggggccaaga acaagagctg aaaataaaaa acaggtctct gcgctccctc acccgagct	4800
gcctgtatca caaaagcgaa gatcagcttc ggcgcacgct ggaagacgcg gaggtctctct	4860
tcagcaaata ctgcgcgtg actcttaagg actagtctcg cgcctttctt caaatttaag	4920
cgcgaaaact acgtcatctc cagcggccac acccgggccc agcacctgtc gtcagcgcca	4980
ttatgagcaa ggaaattccc acgccctaca tgtggagtta ccagccacaa atgggacttg	5040
cggctggagc tgcccaagac tactcaaccc gaataaacta catgagcgcg ggacccaca	5100
tgatatcccg ggtcaacgga atccgcgccc accgaaaccg aattctcctc gaacaggcgg	5160
ctattaccac cacacctcgt aataacctta atccccgtag ttggcccgtc gccctgggtg	5220
accaggaaag tcccgtctcc accactgtgg tacttccag agacgccag gccgaagttc	5280
agatgactaa ctcaggggcg cagcttgccg gcggctttcg tcacagggtg cggtcgccc	5340
ggcgtttag ggcgagtaa cttgcatgta ttgggaattg tagttttttt aaaatgggaa	5400
gtgacgtatc gtgggaaaac ggaagtgaag atttgaggaa gttgtgggtt ttttgcttt	5460
cgtttctggg cgtagggtcg cgtgcgggtt tctgggtgtt tttgtggac ttaaccgtt	5520
acgtcatttt ttagtctat atatactgc tctgtacttg gcccttttta cactgtgact	5580
gattgagctg gtgcgctgc gagtgggtt ttttaatatg ttttttact ggtaaggctg	5640
actgttatgg ctgcgctgt ggaagcgtg tatgtgttc tggagcggga ggggtctatt	5700
ttgcctaggc aggagggtt ttacaggtt tatgtgttt tctctctat taattttgtt	5760
atacctcta tgggggctgt aatgtgtct ctacgctgc gggtagtat tccccgggc	5820
tatttcggtc gctttttagc actgaccgat gttaccaac ctgatgtgtt tacgagtct	5880
tacattatga ctccggacat gaccgaggaa ctgtcgggtg tgctttttaa tcacggtgac	5940
cagttttttt acggtcacgc cggcatggcc gtagtccgtc ttatgcttat aagggtgtt	6000
tttctgttg taagacaggc ttctaattg taaatgttt ttttttgtt attttatatt	6060
gtgtttaatg caggaaaccg cagacatgt ttgagaaaa atggtgtctt tttctgtgtt	6120
ggttccggaa cttacctgc tttatctgca tgagcatgac tacgatgtgc ttgctttttt	6180
gcgcgagct ttgctgatt ttttgagcag caccctgcat tttatctgc cgcctatgca	6240
acaagcttac ataggggcta cgctggttag catagctccg agtatgcgtg tcataatcag	6300
tgtgggttct tttgtcatgg ttctggcgg ggaagtggcc gcgctggctc gtgcagacct	6360
gcacgattat gttcagctgg cctgcgaag ggacctacg gatcgcggtt tttttgttaa	6420
tgttccgctt ttgaattcta tacaggtctg tgaggaacct gaatttttgc aatcatgatt	6480
cgctgcttga ggctgaaggt ggaggcgcgt ctggagcaga tttttacaat ggccggactt	6540
aatattcggg atttgcttag agacatatg ataagggtgc gagatgaaaa ttatttgggc	6600
atggttgaag gtgctggaat gtttatagag gagattcacc ctgaagggtt tagcctttac	6660
gtccacttgg acgtgagggc agtttgctt ttggaagcca ttgtgcaaca tcttacaat	6720
gccattatct gttctttggc tgtagagttt gaccacgcca ccggagggga gcgcgttcac	6780
ttaatagatc ttcattttga ggttttggat aatcttttgg aataaaaaaa aaaaaacatg	6840

-continued

gtttctccag	ctttccccc	tcttcccg	tgtgactcgc	agaacgaatg	tgtaggttgg	6900
ctgggtgtgg	cttattctgc	ggtggtggat	gttatcagg	cagcgccgca	tgaaggagtt	6960
tacatagaac	cgaagccag	ggggcgctg	gatgctttga	gagagtggat	atactacaac	7020
tactacacag	agcgagctaa	gcgacgagac	cggagacgca	gatctgtttg	tcacgcccgc	7080
acctggtttt	gcttcaggaa	atatgactac	gtccggcgctt	ccatttggca	tgacactacg	7140
accaacacga	tctcggttgt	ctcgccgcac	tccgtacagt	agggatcgcc	tacctccttt	7200
tgagacagag	acccgcgcta	ccatactgga	ggatcatccg	ctgctgccc	aatgtaacac	7260
tttgacaatg	cacaacgtga	gttacgtgcg	aggctctccc	tgcagtgtgg	gattttacgct	7320
gattcaggaa	tgggttgttc	cctgggatat	ggttctgacg	cgggaggagc	ttgtaatcct	7380
gaggaagtgt	atgcacgtgt	gcctgtgttg	tgccaacatt	gatatcatga	cgagcatgat	7440
gatccatggt	tacgagtcct	gggctctcca	ctgtcattgt	tccagtcccc	gttccctgca	7500
gtgcatagcc	ggcgggcagg	ttttggccag	ctggtttagg	atggtggtgg	atggcgccat	7560
gtttaatcag	aggtttatat	ggtaccggga	ggtggtgaat	tacaacatgc	caaaagaggt	7620
aatgtttatg	tccagcgtgt	ttatgagggg	tcgccactta	atctacctgc	gcttgtggta	7680
tgatggccac	gtgggttctg	tggctcccc	catgagcttt	ggatacagcg	ccttgcactg	7740
tgggattttg	aacaatattg	tgggtgctgtg	ctgcagttac	tgtgctgatt	taagtgagat	7800
caggggtgcg	tgtgtgcccc	ggaggacaag	gcgtctcatg	ctgcgggcgg	tgcaaatcat	7860
cgtgaggag	accactgcc	tgtgttattc	ctgcaggacg	gagcgccggc	ggcagcagtt	7920
tattcgccg	ctgctgcagc	accaccgccc	tatcctgatg	cacgattatg	actctacccc	7980
catgtaggcg	tggacttccc	cttcgcccgc	cgttgagcaa	ccgcaagtgg	gacagcagcc	8040
tgtggctcag	cagctggaca	gcgacatgaa	cttaagcgag	ctgcccgggg	agtttattaa	8100
tatcactgat	gagcgtttgg	ctgcacagga	aaccgtgtgg	aatataacac	ctaagaatat	8160
gtctgttacc	catgatatga	tgtcttttaa	ggccagccgg	ggagaaaagg	ctgtgtactc	8220
tgtgtgttgg	gagggagggtg	gcaggttgaa	tactagggtt	ctgtgagttt	gattaaggta	8280
cggatgatcaa	tataagctat	gtggtggtgg	ggctatacta	ctgaatgaaa	aatgacttga	8340
aattttctgc	aattgaaaa	taaacacgtt	gaaacataac	atgcaacagg	ttcacgattc	8400
tttattcctg	ggcaatgtag	gagaagggtg	aagagttggt	agcaaaagtt	tcagtgggtg	8460
attttccact	ttcccaggac	catgtaaaag	acatagagta	agtgttacc	tcgtagttt	8520
ctgtggattc	actagaatcg	atgtaggatg	ttgcccctcc	tgacgccgta	ggagaagggg	8580
aggggtgcct	gcattgtctg	cgtgtctctt	gtctctgccc	ctgctgagga	ggggggcgca	8640
tctgcccag	caccggatgc	atctgggaaa	agcaaaaaag	gggctcgtcc	ctgtttccgg	8700
aggaatttgc	aagcggggtc	ttgcatgacg	gggaggcaaa	cccccgttcg	ccgcagtcgc	8760
gcccggccga	gactcgaacc	gggggtcctg	cgactcaacc	cttggaataa	aaccctccgg	8820
ctacagggag	cgagccactt	aatgttttcg	ctttccagcc	taaccgctta	cgccgcgcgc	8880
ggccagtggc	caaaaaagct	agcgacgacg	ccgcccgcgc	tggaaagga	ccaaaaggag	8940
cgtcccccg	ttgtctgacg	tcgcacacct	gggttcgaca	cgcgggcggt	aaccgcatgg	9000
atcacggcgg	acggccggat	ccgggggttcg	aaccccggtc	gtccgccatg	atacccttgc	9060
gaatttatcc	accagaccac	ggaagagtgc	ccgcttacag	gctctccttt	tgcacggtct	9120
agagcgtcaa	cgactgcgca	cgctcaccg	gccagagcgt	cccaccatg	gagcactttt	9180
tgccgctgcg	caacatctgg	aaccgcgtcc	gcgactttcc	gcgcgcctcc	accaccgcgc	9240

-continued

ccggcatcac	ctggatgtcc	aggtacatct	acggattacg	tcgacgttta	aaccatatga	9300
tcagctcact	caaaggcggt	aatacgggta	tccacagaat	caggggataa	cgcaggaaag	9360
aacatgtgag	caaaaggcca	gcaaaaggcc	aggaaccgta	aaaaggccgc	gttgctggcg	9420
ttttccata	ggctccgccc	cctgacgag	catcacaaaa	atcgacgctc	aagtcagagg	9480
tggcgaaacc	cgacaggact	ataaagatac	caggcgtttc	cccctggaag	ctccctcgtg	9540
cgctctcctg	ttccgacct	gocgcttacc	ggataacctgt	cgcctttctt	cccttcggga	9600
agcgtggcgc	tttctcatag	ctcacgctgt	aggatatctca	gttcgggtga	ggtcgttcgc	9660
tccaagctgg	gctgtgtgca	cgaaccccc	gttcagcccg	accgctgcgc	cttatccggt	9720
aactatcgtc	ttgagtccea	cccggtaaga	cacgacttat	cgccactggc	agcagccact	9780
ggtaacagga	ttagcagagc	gaggtatgta	ggcggtgcta	cagagttctt	gaagtggtag	9840
cctaactacg	gctacactag	aagaacagta	tttggtatct	gcgctctgct	gaagccagtt	9900
accttcggaa	aaagagtgtg	tagctcttga	tccggcaaac	aaaccaccgc	tggtagcgggt	9960
ggtttttttg	tttgcaagca	gcagattacg	cgcagaaaaa	aaggatctca	agaagatcct	10020
ttgatctttt	ctacggggtc	tgacgctcag	tggaacgaaa	actcacgtta	agggattttg	10080
gtcatgagat	tatcaaaaag	gatcttcacc	tagatccttt	taaattaaaa	atgaagtttt	10140
aaatcaatct	aaagtatata	tgagtaaact	tggtctgaca	gttaccaatg	cttaatcagt	10200
gaggcaccta	tctcagcgat	ctgtctattt	cgttcatcca	tagttgcctg	actcccgcgc	10260
gtgtagataa	ctacgatacg	ggagggctta	ccatctggcc	ccagtgtgct	aatgataccg	10320
cgagaccac	gctcaccggc	tccagattta	tcagcaataa	accagccagc	cggaggggcc	10380
gagcgcagaa	gtggtcctgc	aactttatcc	gcctccatcc	agtctattaa	ttgttgccgg	10440
gaagctagag	taagtagttc	gccagttaat	agtttgcgca	acgttggtgc	cattgctaca	10500
ggcatcgtgg	tgtcacgctc	gtcgttttgt	atggcttcat	tcagctccgg	ttcccaacga	10560
tcaaggcgag	ttacatgata	ccccatgttg	tgcaaaaaag	cggttagctc	cttcggtcct	10620
ccgatcgttg	tcagaagtaa	gttgcccgca	gtgttatcac	tcatggttat	ggcagcactg	10680
cataattctc	ttactgtcat	gccatccgta	agatgctttt	ctgtgactgg	tgagtactca	10740
accaagtcac	tctgagaata	gtgtatgcgg	cgaccgagtt	gctcttgccc	ggcgtcaata	10800
cgggataata	cgcgcgcaca	tagcagaact	ttaaaagtgc	tcatcattgg	aaaacgttct	10860
tcggggcgaa	aactctcaag	gatcttaccg	ctgttgagat	ccagttcgat	gtaaccact	10920
cgtgcaccca	actgatcttc	agcatctttt	actttcacca	gcgtttctgg	gtgagcaaaa	10980
acaggaaggc	aaaatgccgc	aaaaaaggga	ataaggcgca	cacggaaatg	ttgaatactc	11040
atactcttcc	tttttcaata	ttattgaagc	atttatcagg	gttattgtct	catgagcgga	11100
tacatatattg	aatgtattta	gaaaaataaa	caaatagggg	ttccgcgcac	atttccccga	11160
aaagtgccac	ctaaattgta	agcgttaata	ttttgttaaa	attcgcgtta	aatttttgtt	11220
aaatcagctc	attttttaac	caataggccg	aaatcgga	aatcccttat	aaatcaaaag	11280
aatagaccga	gatagggttg	agtgtgtgtc	cagtttgga	caagagtcca	ctattaaaga	11340
acgtggactc	caacgtcaaa	gggcgaaaaa	ccgtctatca	gggcgatggc	ccactacgtg	11400
aaccatcacc	ctaatacaagt	tttttggggg	cgaggtgccg	taaagcacta	aatcggaacc	11460
ctaaagggag	ccccgatatt	agagcttgac	ggggaagacc	ggcgaacgtg	gcgagaaagg	11520
aagggaagaa	agcgaaaagga	gcgggcgcta	gggcgctggc	aagtgtagcg	gtcacgctgc	11580

-continued

gcgtaaccac cacaccgcgc gcgcttaatg cgcgcgtaca gggcgcgatg gatcc 11635

<210> SEQ ID NO 46

<211> LENGTH: 5336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 46

```

ggtaaccaac tccatgctta acagtcccca ggtacagccc accctgcgtc gcaaccagga    60
acagctctac agcttctctg agcgcactc gccctacttc cgcagccaca gtgcgcagat    120
taggagcgcc acttcttttt gtcacttgaa aaacatgtaa aaataatgta ctaggagaca    180
ctttcaataa aggcaaatgt ttttatttgt acactctcgg gtgattatgt acccccacc    240
cttgccgtct gcgcggttta aaaatcaaag ggggtctgcc gcgcctcgt atgcgccact    300
ggcagggaca cgttgcgata ctgggtgtta gtgctccact taaactcagg cacaaccatc    360
cgcggcagct cgggtaagtt ttcactccac aggtgcgcga ccatcaccaa cgcgttttagc    420
aggtcgggcy ccgatatctt gaagtcgcag ttggggcctc cgcctcgcgc gcgcgagttg    480
cgatacacag ggttcgcaga ctggaacact atcagcgcgc ggtggtgcac gctggccagc    540
acgtctctgt cggagatcag atccgcgtcc aggtcctcgc cgttgctcag ggcgaacgga    600
gtcaactttg gtagctgctt tcccaaaaag ggtgcatgcc caggctttga gttgcaactc    660
caccgtagtg gcatcagaag gtgaccgtgc ccggtctggg cgttaggata cagcgccctgc    720
atgaaagcct tgatctgctt aaaagccacc tgagcctttg cgccttcaga gaagaacatg    780
ccgcaagact tgccggaaaa ctgattggcc ggacaggccg cgtcatgcac gcagcacctt    840
gcgtcgggtg tggagatctg caccacattt cggccccacc ggttcttcac gatcttggcc    900
ttgctagact gctccttcag cgcgcgctgc ccgttttcgc tcgtcacatc catttcaatc    960
acgtgctcct tatttatcat aatgctcccg tgtagacact taagctcgc ttcgatctca   1020
gcgcagcggt gcagccacaa cgcgcagccc gtgggctcgt ggtgcttgta ggttacctct   1080
gcaaacgact gcaggtagc ctgcaggaat cgcctcatca tcgtcacaaa ggtcttggtg   1140
ctggtgaagg tcagctgcaa ccgcgggtgc tcctcgttta gccaggctct gcatacggcc   1200
gccagagctt ccacttggtc aggcagtagc ttgaagtttg ccttttagatc gttatccacg   1260
tggtacttgt ccatcaacgc gcgcgcagcc tccatgccct tctccacgc agacacgatc   1320
ggcaggctca cggggtttat caccgtgctt tcactttccg cttcactgga ctcttccttt   1380
tcctcttgcg tccgcatacc ccgcgccact gggctcgtct cattcagccg ccgcaccgtg   1440
cgcttacctc ccttgccgtg cttgattagc accggtgggt tgctgaaacc caccatttgt   1500
agcgcacatc cttctcttcc ttcctcgtg tccacgatca cctctgggga tggcgggcygc   1560
tcgggcttgg gagaggggcy cttcttttcc tttttggacg caatggccaa atccgcgcgc   1620
gaggtcgatg gcccggggct ggggtgtgcgc ggcaccagcg catcttggtg cgagctctct   1680
tcgtcctcgc actcgagagc ccgcctcagc cgtctttttg ggggcgcgcg gggaggcggc   1740
ggcgacggcy acggggacga cacgtcctcc atggttggtg gacgtcgcgc cgcaccgcgt   1800
ccgcgctcgc ggggtggttc gcgtgctcc tcttcccgac tggccatttc cttctcctat   1860
aggcagaaaa agatcatgga gtcagtcgag aaggaggaca gcctaaccgc cccctttgag   1920
ttcgccacca ccgcctccac cgatgcgcgc aacgcgccta ccaccttccc cgtcgaggca   1980

```

-continued

cccccgcttg	aggaggagga	agtgattatc	gagcaggacc	caggttttgt	aagcgaagac	2040
gacgaggatc	gctcagtacc	aacagaggat	aaaaagcaag	accaggacga	cgagaggca	2100
aacgaggaac	aagtcgggcg	gggggaccaa	aggcatggcg	actacctaga	tgtgggagac	2160
gacgtgctgt	tgaagcatct	gcagcgccag	tgcgccatta	tctgcgacgc	gttgcaagag	2220
cgcagcgatg	tgccccctgc	catagcggat	gtcagccttg	cctacgaacg	ccacctgttc	2280
tcaccgcgcg	taccccccaa	acgccaaaga	aacggcacat	gcgagcccaa	cccgcgcttc	2340
aaacttctacc	ccgtatttgc	cgtgccagag	gtgcttgcca	cctatcacat	ctttttccaa	2400
aaactgcaaga	taccctctac	ctgccgtgcc	aaccgcagcc	gagcggacaa	gcagctggcc	2460
ttgcggcagg	gcgctgtcat	acctgatatc	gcctcgctcg	acgaagtgcc	aaaaatcttt	2520
gagggctctg	gacgcgacga	gaaacgcgcg	gcaaacgctc	tgcaacaaga	aaacagcgaa	2580
aatgaaagtc	actgtggagt	gctgggtgaa	cttgagggtg	acaacgcgcg	cctagccgtg	2640
ctgaaacgca	gcctcgaggt	caccactttt	gcctaccggy	cacttaacct	accccccaag	2700
gttatgagca	cagtcagtga	cgagctgac	gtgcgccgtg	cacgacccct	ggagagggat	2760
gcaaacttgc	aagaacaac	cgaggagggc	ctaccgcgag	ttggcgatga	gcagctggcg	2820
cgtgggcttg	agacgcgcga	gcctgcccgc	ttggaggagc	gacgcaagct	aatgatggcc	2880
gcagtgcctg	ttaccgtgga	gcttgagtgc	atgcagcggg	tctttgctga	cccgagatg	2940
cagcgcaagc	tagaggaaac	gttgccactac	acctttcgcc	agggtctacg	gcgccaggcc	3000
tgcaaaattt	ccaacgtgga	gctctgcaac	ctgggtctct	accttggaat	tttgacgaa	3060
aaaccgctcg	ggcaaaacgt	gcttcattcc	acgctcaagg	gcgaggcgcg	ccgcgactac	3120
gtccgcgact	gcgtttactt	atttctgtgc	tacacctggc	aaacggccat	gggcgtgtgg	3180
cagcaatgcc	tggaggagcg	caacctaaag	gagctgcaga	agctgctaaa	gcaaaacttg	3240
aaggacctat	ggacggcctt	caacgagcgc	tccgtggccg	cgacacctgg	ggacattatc	3300
ttccccgaac	gcctgcttaa	aaccttgcaa	cagggtctgc	cagacttcac	cagtcaaagc	3360
atgttgcaaa	actttaggaa	ctttatccta	gagcgttcag	gaattctgcc	cgccacctgc	3420
tgtgcgcttc	ctagcgactt	tgtgccatt	aagtaccgtg	aatgccctcc	gccgctttgg	3480
ggtcactgct	accttctgca	gctagccaac	taccttgctt	accactccga	catcatggaa	3540
gacgtgagcg	gtgacggcct	actggaggtg	cactgtcgct	gcaacctatg	cacccgcac	3600
cgtccctcgg	tctgcaattc	gcaactgctt	agcgaaagtc	aaattatcgg	tacctttgag	3660
ctgcagggtc	cctcgctga	cgaaaagtcc	gcggctccgg	ggttgaaact	cactccgggg	3720
ctgtggacgt	cggttacctt	tgcgaaattt	gtacctgagg	actaccacgc	ccacgagatt	3780
aggttctacg	aagaccaatc	ccgccgcga	aatgcggagc	ttaccgcctg	cgtcattacc	3840
cagggccaca	tccttgccca	attgcaagcc	atcaacaaag	ccgcgcaaga	gtttctgcta	3900
cgaaggaggc	gggggggtta	cctggacccc	cagtcgggcy	aggagctcaa	cccaatcccc	3960
ccgcgcgcgc	agccctatca	gcagcgcgcy	gcccttgctt	cccaggatgg	cacccaaaaa	4020
gaagctgcag	ctgcgcgcgc	cgccacccac	ggacgaggag	gaatactggg	acagtcaagg	4080
agaggagggt	ttggacgagg	aggaggagat	gatggaagac	tgggacagcc	tagacgaagc	4140
ttccgaggcc	gaagagggtg	cagacgaaac	accgtcaccc	tcggtcgcat	tccccctgc	4200
ggcgccccag	aaattggcaa	ccgttcccag	catcgctaca	acctccgctc	ctcaggcgcc	4260
gccggcactg	cctgttcgcc	gacccaaccg	tagatgggac	accactggaa	ccagggcggg	4320
taagtctaag	cagcgccgcg	cgttagccca	agagcaacaa	cagcgccaag	gctaccgctc	4380

-continued

```

gtggcgcggg cacaagaacg ccatagttgc ttgcttgcaa gactgtgggg gcaacatctc 4440
cttcgcccgc cgttttcttc tctaccatca cggcgtggcc ttccccgta acatcctgca 4500
ttactaccgt catctctaca gccctactg caccggcgcc agcggcagcg gcagcaacag 4560
cagcgggtcag acagaagcaa aggcgaccgg atagcaagac tctgacaaag cccaagaaat 4620
ccacagcggc ggcagcagca ggaggaggag cgtgcgtctt ggcgccaac gaaccggtat 4680
cgaccgcga gcttagaaat aggatttttc cactctgta tgctatat tt caacaaagca 4740
ggggccaaga acaagagctg aaaataaaaa acaggtctct gcgtccctc accgcagct 4800
gcctgtatca caaaagcgaa gatcagcttc ggcgacgct ggaagacgcg gaggtctct 4860
tcagcaaata ctgcgcgtg actcttaagg actagtttcg cgccctttct caaatttaag 4920
cgcgaaaact acgtcatctc cagcgccac acccgcgcc agcacctgtc gtcagcgcca 4980
ttatgagcaa ggaaattccc acgcctaca tgtggagtta ccagccacaa atgggacttg 5040
cggctggagc tgcccaagac tactcaaccc gaataaacta catgagcgcg ggacccaca 5100
tgatatcccg ggtcaacgga atccgcgcc accgaaacg aattctctc gaacaggcgg 5160
ctattaccac cacacctgt aataacctta atccccgtag ttggcccgct gccctggtgt 5220
accaggaaag tcccgcctcc accactgtgg tacttccag agacgccag gccgaagttc 5280
agatgactaa ctcagggcg cagcttgccg gcggctttcg tcacagggtg cggtcg 5336

```

<210> SEQ ID NO 47

<211> LENGTH: 3201

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 47

```

cccgggcggt ttagggggga gtaacttgca tgtattggga attgtagttt ttttaaatg 60
ggaagtgcg tatcgtggga aaacggaagt gaagatttga ggaagttgtg ggttttttg 120
ctttcgtttc tggcgctagg ttgcgctgcg gttttctggg tgtttttgt ggactttaac 180
cgttacgtca ttttttagtc ctatatatac tcgctctgta cttggccctt tttactagt 240
gactgattga gctgggtgcc tgcgagtggt gtgtttttaa taggtttttt tactggttaag 300
gctgactgtt atggctgccg ctgtggaagc gctgtatgtt gttctggagc gggagggtgc 360
tattttgcct aggcaggagg gtttttcagg tgtttatgtg tttttctctc ctattaattt 420
tgttatacct cctatggggg ctgtaatgtt gtctctacgc ctgcgggtat gtattcccc 480
gggctatttc ggtcgctttt tagcactgac cgatgttaac caacctgatg tgtttaaccg 540
gtcttacatt atgactccg acatgaccga ggaactgtcg gtggtgcttt ttaatcacgg 600
tgaccagttt tttacggtc acgcggcat gcccgtagtc cgtcttatgc ttataaggg 660
tgttttctc gttgtaagac aggtctctaa tgtttaaatg tttttttttt tgttatttta 720
ttttgtgtt aatgcaggaa ccgcagaca tgtttgagag aaaaatgggt tctttttctg 780
tggtggttcc ggaacttacc tgcctttatc tgcagagca tgactacgat gtgcttgctt 840
ttttgcgcga ggctttgctt gattttttga gcagcacctt gcattttata tcgcgcacca 900
tgcaacaagc ttacataggg gctacgtggt ttagcatagc tccgagtatg cgtgtcataa 960
tcagtgtggg ttcttttctg atggttctct gcggggaagt ggccgcgctg gtccgtgcag 1020
acctgcacga ttatgttcag ctggccctgc gaaggacac acgggatcgc ggtatttttg 1080

```

-continued

ttaatgttcc gcttttgaat cttatacagg tctgtgagga acctgaattt ttgcaatcat	1140
gattcgctgc ttgaggctga aggtggaggg cgctctggag cagattttta caatggccgg	1200
acttaatat cgggatttgc ttagagacat attgataagg tggcgagatg aaaattattt	1260
gggcatgggt gaaggtgctg gaatgtttat agaggagatt caccctgaag ggtttagcct	1320
ttacgtccac ttggacgtga gggcagtttg ccttttgga gccattgtgc aacatcttac	1380
aaatgccatt atctgttctt tggtctgtaga gtttgaccac gccaccggag gggagcgcg	1440
tcacttaata gatcttcatt ttgaggtttt ggataatctt ttggaataaa aaaaaaaaaa	1500
catggttctt ccagctcttc ccgctcctcc cgtgtgtgac tcgcagaacg aatgtgtagg	1560
ttggctgggt gtggtcttatt ctgcgggtgt ggatgttatc agggcagcgg cgcataagg	1620
agtttacata gaaccogaag ccagggggag cctggatgct ttgagagagt ggataacta	1680
caactactac acagagcgag ctaagcgacg agaccggaga cgcagatctg tttgtcacgc	1740
ccgcacctgg ttttgcttca ggaatatga ctacgtccgg cggtccattt ggcatgacac	1800
tacgaccaac acgatctcgg ttgtctcggc gcactccgta cagtagggat cgcctacctc	1860
cttttgagac agagaccgcg gctaccatac tggaggatca tccgctgctg ccgaatgta	1920
acacttgac aatgcacaac gtgagttacg tgcgaggtct tccctgcagt gtgggattta	1980
cgctgattca ggaatgggtt gttccctggg atatggttct gacgcgggag gagcttgtaa	2040
tcctgaggaa gtgtatgcac gtgtgcctgt gttgtgcca cattgatatc atgacgagca	2100
tgatgatcca tggttacgag tcttgggctc tccactgtca ttgttccagt cccggttccc	2160
tgcagtgcac agcggcgagg cagggttttg ccagctggtt taggatgggt gtggatggcg	2220
ccatgttta tcagaggttt atatgttacc gggaggtggt gaattacaac atgccaaaag	2280
aggtaatgtt tatgtccagc gtgtttatga ggggtcgcca cttaacttac ctgcgcttgt	2340
ggtatgatgg ccacgtgggt tctgtggtcc ccgccatgag ctttggtac agcgccttgc	2400
actgtgggat tttgaacaat attgtggtgc tgtgctgcag ttactgtgct gatttaagtg	2460
agatcagggt cgcgtgctgt gcccgagga caaggcgtct catgctgcgg gcggtgcgaa	2520
tcacgcgtga ggagaccact gccatgttgt attcctgcag gacggagcgg cggcggcagc	2580
agtttattcg cgcgtgctg cagcaccacc gccctatcct gatgcacgat tatgactcta	2640
ccccatgta ggcgtggact tccccctgc cgcctgtga gcaaccgaa gttggacagc	2700
agcctgtggc tcagcagctg gacagcgaca tgaacttaag cgagctgccc ggggagttaa	2760
ttaatatac tgatgagcgt ttggctcgac aggaaccgt gtggaatata acacctaaga	2820
atatgtctgt taccatgat atgatcctt ttaaggccag ccggggagaa aggactgtgt	2880
actctgtgtg ttggggagga ggtggcaggt tgaatactag ggttctgtga gtttgattaa	2940
ggtacggtga tcaatataag ctatgtggtg gtggggctat actactgaat gaaaaatgac	3000
ttgaaatttt ctgcaattga aaaataaaca cgttgaaaca taacatgcaa cagggttcacg	3060
attctttatt cctgggcaat gtaggagaag gtgtaagagt tggtagcaaa agtttcagt	3120
gtgtattttc cactttccca ggaccatgta aaagacatag agtaagtgtc tacctcgcta	3180
gtttctgtgg attcactaga a	3201

<210> SEQ ID NO 48

<211> LENGTH: 743

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 48

tcgatgtagg atgttgcccc tctgacgcg gtaggagaag gggaggggtgc cctgcatgtc	60
tgccgctgct cttgctcttg ccgctgctga ggaggggggc gcctctgccg cagcaccgga	120
tgcctctggg aaaagcaaaa aaggggctcg tccctgttcc cggaggaatt tgcaagcggg	180
gtcttgcatg acggggaggg aaacccccgt tcgcccagct ccggccggcc cgagactcga	240
accgggggtc ctgcgactca acccttgga aataaccctc cggctacagg gagcgagcca	300
cttaatgctt tcgctttcca gcctaaccgc ttacgccgcg cgcggccagt ggccaaaaaa	360
gctagcgcag cagccgcgcg gcttgaagg aagccaaaag gagcgctccc ccgttgctctg	420
acgtcgcaca cctgggttcg acacgcgggc ggtaaccgca tggatcacgg cggacggccg	480
gatccggggt tcgaaccccg gtcgtccgcc atgataccct tgcgaattta tccaccagac	540
cacggaagag tgcccgttta caggctctcc ttttgacggg tctagagcgt caacgactgc	600
gcacgcctca ccggccagag cgtcccagcc atggagcact ttttgccgct gcgcaacatc	660
tggaaccgcg tccgcgactt tccgcgcgcc tccaccaccg ccgcgcgcat cactggatg	720
tccaggtaca tctacggatt acg	743

<210> SEQ ID NO 49

<211> LENGTH: 160

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 49

aaggggctcg tccctgttcc cggaggaatt tgcaagcggg gtcttgcatg acggggaggg	60
aaacccccgt tcgcccagct ccggccggcc cgagactcga accgggggtc ctgcgactca	120
acccttgga aataaccctc cggctacagg gagcgagcca	160

<210> SEQ ID NO 50

<211> LENGTH: 162

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 50

aaaggagcgc tccccgctt tctgacgtcg cacacctggg ttgcacacgc gggcggtaac	60
cgcctggatc acggcgagcg gccggatccg ggggtcgaac cccggctcgtc cgccatgata	120
cccttgcgaa tttatccacc agaccacgga agagtgcccg ct	162

<210> SEQ ID NO 51

<211> LENGTH: 1590

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 51

ttaaaaaatca aaggggttct gccgcgcac gctatgcgcc actggcaggg acacgttgcg	60
atactggtgt ttagtgctcc acttaaacac aggcacaacc atccgcggca gctcggtgaa	120

-continued

```

gttttcactc cacaggctgc gcaccatcac caacgcgttt agcaggtcgg gcgccgatat 180
cttgaagtcg cagttggggc ctcgcacctg cgcgcgcgag ttgcgataca cagggttgca 240
gcactggaac actatcagcg ccgggttggtg cacgctggcc agcacgctct tgcggagat 300
cagatccgcg tccaggctct ccgcgttgct cagggcgaac ggagtcaact ttggtagctg 360
ccttcccaaa aagggtgcat gccaggett tgagttgcac tcgcaccgta gtggcatcag 420
aagggtgaccg tgcccggtct gggcgtagg atacagcgcc tgcataaaag ccttgatctg 480
cttaaaagcc acctgagcct ttgcgccttc agagaagaac atgcgcgaag acttgccgga 540
aaactgattg gccggacagg ccgcgtcatg cacgcagcac cttgcgtcgg tgttgagat 600
ctgcaccaca tttcgcccc accggttctt cacgatcttg gccttgctag actgctcctt 660
cagcgcgcgc tgcccgtttt cgctcgtcac atccatttca atcacgtgct cttattttat 720
cataatgctc ccgtgtagac acttaagctc gccttcgac tcagcgcagc ggtgcagcca 780
caacgcgcag ccggtgggct cgtggtgctt gtaggttacc tctgcaaacg actgcaggta 840
cgctgcagg aatgccecca tcacgtcac aaaggtcttg ttgctggtga aggtcagctg 900
caaccgcggg tgcctcctgt ttagccaggt cttgcatacg gccgcagag cttccacttg 960
gtcaggcagt agcttgaagt ttgcctttag atcgttatcc acgtggtact tgtccatcaa 1020
cgcgcgcgca gcctccatgc ccttctccca cgcagacacg atcggcagge tcagcgggtt 1080
tatcacctg ctttacttt ccgcttact ggactcttcc ttttctctt gcgtccgcat 1140
accccgcgcc actgggtcgt cttcattcag ccgcgcacc gtgcgcttac ctcccttgcc 1200
gtgcttgatt agcacccgtg ggttgctgaa acccaccatt tgtagcgcca catcttctct 1260
ttcttctcgc ctgtccacga tcacctctgg ggatggcggg cgctcgggct tgggagaggg 1320
gcgcttcttt ttcttttttg acgcaatggc caaatccgcc gtcgaggtcg atggccgcgg 1380
gctgggtgtg cgcggcacca gcgcattctg tgacgagtct tcttcgtcct cggactcgag 1440
acgcgcctc agccgctttt ttggggggcg gcggggaggc ggcggcgacg gcgacgggga 1500
cgacacgtcc tccatggttg gtggacgtcg ccgcgcaccg cgctccgcgt cgggggtggt 1560
ttcgcgtgc tctcttccc gactggccat 1590

```

<210> SEQ ID NO 52

<211> LENGTH: 2446

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 52

```

ttccttctcc tataggcaga aaaagatcat ggagtcagtc gagaaggagg acagcctaac 60
cgcccccttt gagttcgcca ccaccgctc caccgatgcc gccaacgcgc ctaccacctt 120
ccccgtcgag gcacccccgc ttgaggagga ggaagtgatt atcgagcagg acccaggttt 180
tgtaagcgaa gacgacgagg atcgctcagt accaacagag gataaaaagc aagaccagga 240
cgacgcagag gcaaacgagg aacaagtcgg gcggggggac caaaggcatg gcgactacct 300
agatgtggga gacgacgtgc tgttgaagca tctgcagcgc cagtgcgcca ttatctgcga 360
cgcggttgaa gagcgcagcg atgtgcccc cgccatagcg gatgtcagcc ttgcctacga 420
acgccacctg ttctcaccgc gcgtaccccc caaacgcaa gaaaacggca catgcgagcc 480
caaccgcgc ctcaacttct accccgtatt tgccgtgcca gaggtgcttg ccacctatca 540

```

-continued

```

catctttttc caaaactgca agatacccct atcctgccgt gccaaaccga gccgagcgga    600
caagcagctg gccttgccgc agggcgctgt catacctgat atcgectcgc tcgacgaagt    660
gccaaaaatc tttgagggtc ttggacgcga cgagaaacgc gcggcaaacg ctctgcaaca    720
agaaaacagc gaaaatgaaa gtcactgtgg agtgctgggt gaacttgagg gtgacaacgc    780
gcgcctagcc gtgctgaaac gcagcatcga ggtcaccac tttgectacc cggcacttaa    840
cctaccccc aaggttatga gcacagtcac gagcgagctg atcgtgcgcc gtgcacgacc    900
cctggagagg gatgcaaact tgcaagaaca aaccgaggag ggctacccg cagttggcga    960
tgagcagctg gcgcgctggc ttgagacgcg cgagcctgcc gacttgagg agcgacgcaa   1020
gctaattgat gccgcagtcg ttgttaccgt ggagcttgag tgcctgcgc ggttctttgc   1080
tgaccgggag atgcagcgca agctagagga aacgttgcac tacaccttc gccagggcta   1140
cgtgcgccag gcctgcaaaa ttccaacgt ggagctctgc aacctggtct cctaccttgg   1200
aatTTTgcac gaaaaccgcc tcgggcaaaa cgtgcttcat tccacgctca agggcgaggc   1260
gcgcgcgcac tacgtccgcg actgcgttta cttatttctg tgetacacct ggcaaaccgc   1320
catgggctgt tggcagcaat gcctggagga gcgcaacct aaggagctgc agaagctgct   1380
aaagcaaaac ttgaaggacc tatggacggc cttcaacgag cgctccgtgg ccgcgcacct   1440
ggcgacatt atcttccccg aacgctgct taaaaccctg caacagggtc tgccagactt   1500
caccagtcaa agcatgttgc aaaactttag gaactttatc ctagagcgtt caggaattct   1560
gcccgccacc tgctgtgcgc ttctagcga ctttgtgccc attaagtacc gtgaatgccc   1620
tccgcccgtt tggggtcact gctaccttct gcagctagcc aactaccttg cctaccactc   1680
cgacatcatg gaagacgtga gcggtgacgg cctactggag tgtcactgtc gctgcaacct   1740
atgcaccccg caccgctccc tggctctgcaa ttgcgaactg cttagcgaaa gtcaaattat   1800
cggtagcttt gagctgcagg gtccctcgcc tgacgaaaag tccgcggctc cgggggttgaa   1860
actcactccg gggctgtgga cgtcggtta ccttcgcaaa tttgtacctg aggactacca   1920
cgcccacgag attaggttct acgaagacca atcccgccc ccaaagcgag agcttaccgc   1980
ctgctgctatt acccaggggc acatccttgg ccaattgcaa gccatcaaca aagcccgcca   2040
agagtttctg ctacgaaagg gacggggggt ttacctggac cccagtcgc gcgaggagct   2100
caacccaatc ccccgccgc cgcagcccta tcagcagccg cgggcccctg cttcccagga   2160
tggcacccaa aaagaagctg cagctgccgc cgcgccacc caggacgag gaggaatact   2220
gggacagtca ggcagaggag gttttggacg aggaggagga gatgatggaa gactgggaca   2280
gcctagacga agcttccgag gccgaagagg tgtcagacga aacaccgtca ccctcggtcg   2340
cattcccctc gccggcgccc cagaaattgg caaccgttcc cagcatcgct acaacctccg   2400
ctcctcaggc gccgcgggca ctgcctgttc gccgacccaa ccgtag                    2446

```

<210> SEQ ID NO 53

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 53

```

ccccctactg caccggcggc agcggcagcg gcagcaacag cagcggtcac acagaagcaa    60
aggcgaccgg atagcaagac tctgacaaag cccaagaaat ccacagcggc ggcagcagca   120

```


-continued

```

ggaggaggag cgctgcgtct ggcgcccaac gaaccogtat cgaccgcga gcttagaaat 180
aggatttttc ccactctgta tgctatattt caacaaagca ggggccaaga acaagagctg 240
aaaataaaaa acaggctctct gcgctccctc acccgagct gcctgtatca caaaagcgaa 300
gatcagcttc ggcgacgct ggaagacgcg gaggtctctc tcagcaaata ctgcgcgctg 360
actcttaagg actag 375

```

```

<210> SEQ ID NO 54
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 54

```

```

atgagcaagg aaattccac gccctacatg tggagttacc agccacaaat gggacttgcg 60
gctggagctg cccaagacta ctcaaccga ataaactaca tgagcgcggg accccacatg 120
atatcccggt tcaacggaat ccgccccac cgaaaccgaa ttctcctcga acaggcggt 180
attaccacca cacctcgtaa taacctaat ccccgtagtt ggcccgctgc cctggtgtac 240
caggaaagtc ccgctccac cactgtggtta cttcccagag acgcccaggc cgaagttcag 300
atgactaact cagggcgca gcttgccggc ggcttctcgc acaggggtgc gtcg 354

```

```

<210> SEQ ID NO 55
<211> LENGTH: 1164
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 55

```

```

atgactacgt ccggcggtcc atttggcatg acactacgac caacacgac tcggttgtct 60
cggcgcactc cgtacagtag ggatcgcta cctcctttt agacagagac ccgcgctacc 120
atactggagg atcatccgt gctgcccga tgtaacactt tgacaatgca caacgtgagt 180
tacgtgcgag gtcttccctg cagtgtgga ttacgctga ttcaggaatg ggttgttccc 240
tgggatatgg ttctgacgcg ggaggagctt gtaatcctga ggaagtgtat gcacgtgtgc 300
ctgtgttgtg ccaacattga tatcatgacg agcatgatga tccatggtta cgagtcctgg 360
gctctccact gtcattgttc cagtcgccgt tccctgcagt gcatagccgg cgggcagggt 420
ttggccagct ggtttaggat ggtggtggat ggcgccatgt ttaatcagag gtttatatgg 480
taccgggagg tggtgaatta caacatgcca aaagaggtaa tgtttatgtc cagcgtgttt 540
atgaggggtc gccacttaat ctacctgcgc ttgtggtatg atggccacgt gggttctgtg 600
gtccccgcca tgagcttttg atacagcgcc ttgcactgtg ggattttgaa caatattgtg 660
gtgctgtgct gcagttactg tgctgattta agtgagatca ggggtgcgctg ctgtgcccg 720
aggacaaggc gtctcatgct gcgggcggtg cgaatcatcg ctgaggagac cactgccatg 780
ttgtattcct gcaggacgga gcggcgggcg cagcagttta ttccgcgct gctgcagcac 840
caccgcccta tctgatgca cgattatgac tctaccccca tgtaggcgtg gacttcccct 900
tcgcccggcg ttgagcaacc gcaagttgga cagcagcctg tggctcagca gctggacagc 960
gacatgaact taagcgagct gcccggggag tttattaata tcaactgatga gcgtttggct 1020

```

-continued

```

cgacagggaaa ccgtgtggaa tataacacct aagaatatgt ctgttaccca tgatatgatg 1080
ctttttaagg ccagccgggg agaaggact gtgtactctg tgtgttggga gggaggtggc 1140
aggttgaata ctagggttct gtga 1164

```

```

<210> SEQ ID NO 56
<211> LENGTH: 345
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 56
atggttcttc cagctcttcc cgctcctccc gtgtgtgact cgcagaacga atgtgtaggt 60
tggctgggtg tggcttattc tgcggtggtg gatgttatca gggcagcggc gcatgaagga 120
gtttacatag aaccogaagc cagggggcgc ctggatgctt tgagagagtg gatatactac 180
aactactaca cagagcgagc taagcgacga gaccggagac gcagatctgt ttgtcacgcc 240
cgcacctggt tttgcttcag gaaatatgac tacgtccggc gttccatttg gcatgacact 300
acgaccaaca cgatctcggt tgtctcggcg cactccgtac agtag 345

```

```

<210> SEQ ID NO 57
<211> LENGTH: 319
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 57
atgattcgct gcttgagget gaaggtggag ggcgctctgg agcagatttt tacaatggcc 60
ggacttaata ttcgggattt gcttagagac atattgataa ggtggcgaga tgaaaattat 120
ttgggcatgg ttgaagggtc tggaatgttt atagaggaga ttcaccctga agggtttagc 180
ctttacgtcc acttgacgt gagggcagtt tgccttttgg aagccattgt gcaacatctt 240
acaaatgcca ttatctgttc ttggctgta gagtttgacc acgccaccgg aggggagcgc 300
gttcacttaa tagatcttc 319

```

```

<210> SEQ ID NO 58
<211> LENGTH: 411
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 58
atgcaggaac ccgcagacat gtttgagaga aaaatgggtg ctttttctgt ggtggttccg 60
gaacttacct gcctttatct gcatgagcat gactacgatg tgcttgcttt ttgcgcgag 120
gctttgcctg attttttgag cagcaccttg cattttatat cgccgcccat gcaacaagct 180
tacatagggg ctacgctggt tagcatagct ccgagtatgc gtgtcataat cagtgtgggt 240
tcttttgtca tggttcctgg cggggaagtg gccgcgctgg tccgtgcaga cctgcacgat 300
tatgttcagc tggccctgcg aagggaaccta cgggatcgcg gtatttttgt taatgttccg 360
cttttgaatc ttatacaggt ctgtgaggaa cctgaatttt tgcaatcatg a 411

```

```

<210> SEQ ID NO 59

```

-continued

```

<211> LENGTH: 7327
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

<400> SEQUENCE: 59

gcgcgccgat atcgttaacg ccccgccgcg gccgctctag aactagtgga tcccccgaa    60
gatcagaagt tcctattccg aagttcctat tctctagaaa gtataggaaac ttctgatctg    120
cgcagccgcc atgcgggggt tttacgagat tgtgattaag gtccccagcg accttgacga    180
gcatctgccc ggcattttctg acagctttgt gaactgggtg gccgagaagg aatgggagtt    240
gccgccagat tctgacatgg atctgaatct gattgagcag gcacccctga ccgtggccga    300
gaagctgcag cgcgactttc tgacggaatg gcgcctgtg agtaaggccc cggaggccct    360
tttctttgtg caatttgaga agggagagag ctacttcac atgcacgtgc tcgtggaac    420
caccgggggtg aaatccatgg ttttgggacg ttctctgagt cagattcgcg aaaaactgat    480
tcagagaatt taccgcggga tcgagccgac tttgccaaac tggttcgcg tcacaaagac    540
cagaaatggc gccggaggcg ggaacaaggt ggtggatgag tgctacatcc ccaattactt    600
gtccccaaa acccagcctg agctccagtg gccgtggact aatatggaac agtatttaag    660
cgctgtttg aatctcagcg agcgtaaacg gttggtggcg cagcatctga cgcacgtgtc    720
gcagacgcag gagcagaaca aagagaatca gaatcccaat tctgatgcgc cggatgatcag    780
atcaaaaact tcagccaggt acatggagct ggtcgggtg ctctgggaca aggggattac    840
ctcggagaag cagtggatcc aggaggacca ggcctcatac atctccttca atgcggcctc    900
caactcgcg tcccaaatca aggtgcctt ggacaatgcg ggaaagatta tgagcctgac    960
taaaaccgcc cccgactacc tgggtgggcca gcagcccggtg gaggacattt ccagcaatcg    1020
gatttataaa attttggaac taaacgggta cgatcccaa tatcggtctt ccgtctttct    1080
gggatgggccc acgaaaaagt tcggcaagag gaacaccatc tggctgtttg ggctgcaac    1140
taccgggaag accaacatcg cggaggccat agccacact gtgcccttct acgggtgcgt    1200
aaactggacc aatgagaact ttcccttcaa cgaactgtgtc gacaagatgg tgatctggtg    1260
ggaggagggg aagatgaccg ccaaggtcgt ggagtcggcc aaagccattc tcggaggaa    1320
caaggtgcgc gtggaccaga aatgcaagtc ctcggcccag atagaccga ctcccgatg    1380
cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg aactcaacga cttcgaaca    1440
ccagcagccg ttgcaagacc ggatgttcaa atttgaactc acccgccgtc tggatcatga    1500
ctttgggaag gtcaccaagc aggaagtcaa agacttttct cgggtgggcaa aggatcacgt    1560
ggttgagggtg gagcatgaat tctacgtcaa aaagggtgga gccaaagaaa gaccgcccc    1620
cagtgcgcga gatataagt agccaaaacg ggtgcgcgag tcagttgcgc agccatcgac    1680
gtcagacgcg gaagcttcga tcaactacgc agacaggtag caaaacaaat gttctcgtca    1740
cgtgggcatg aatctgatgc tgtttccctg cagacaatgc gagagaatga atcagaattc    1800
aaatatctgc ttcactcacg gacagaaaga ctgttttagag tgctttcccg tgcagaatc    1860
tcaaccggtt tctgtcgtca aaaaggcgta tcagaaactg tgctacattc atcatatcat    1920
gggaaagggtg ccagacgctt gcactgcctg cgatctggtc aatgtggatt tggatgactg    1980
catctttgaa caataaatga tttaaatcag gtatggctgc cgatgggttat cttccagatt    2040
ggctcgagga cactctctct gaaggaataa gacagtgggtg gaagctcaa cctggccac    2100

```

-continued

caccacaaaa gcccgcagag cggcataagg acgacagcag gggctctgtg cttectgggt	2160
acaagtacct cggacccttc aacggactcg acaagggaga gccggtcaac gaggcagacg	2220
ccgcggccct cgagcacgac aaagcctacg accggcagct cgacagcgga gacaaccgt	2280
acctcaagta caaccacgcc gacgcggagt ttcaggagcg ccttaaagaa gatacgtctt	2340
ttgggggcaa cctcggacga gcagtcttc aggcgaaaaa gagggttctt gaacctctgg	2400
gcctgggtta ggaacctgtt aagacggctc cgggaaaaaa gaggccgga gagcactctc	2460
ctgtggagcc agactcctcc tcgggaaccg gaaaggcggg ccagcagcct gcaagaaaaa	2520
gattgaattt tggtcagact ggagacgcag actcagtacc tgacccccag cctctcggac	2580
agccaccagc agccccctct ggtctgggaa ctaatacgat ggctacaggc agtggcgcac	2640
caatggcaga caataacgag ggcgcgcgac gagtgggtaa ttcctcggga aattggcatt	2700
gcgattccac atggatgggc gacagagtca tcaccaccag caccogaacc tgggccctgc	2760
ccacctacaa caaccacctc taaaaacaaa ttccagcca atcaggagcc tcgaacgaca	2820
atcactactt tggctacagc accccttggg ggtattttga cttcaacaga ttccactgcc	2880
acttttcacc acgtgactgg caaagactca tcaacaacaa ctggggattc cgaccaaga	2940
gactcaactt caagctcttt aacattcaag tcaaagggt cagcgagaat gacggtagca	3000
cgacgattgc caataacctt accagcacgg ttcagggtgt tactgactcg gagtaccagc	3060
tcccgtacgt cctcggctcg gcgcatcaag gatgcctccc gccgttccca gcagacgtct	3120
tcattggtgcc acagtatgga tacctcacc cgaacaacgg gagtcaaggc gtaggacgct	3180
cttcatttta ctgcctggag tactttcctt ctcagatgct gcgtaccgga aacaacttta	3240
ccttcagcta cacttttgag gacgttcctt tccacagcag ctacgctcac agccagagtc	3300
tggaccgtct catgaatcct ctcacgacc agtacctgta ttacttgagc agaacaacaa	3360
ctccaagtgg aaccaccacg cagtcaaggc ttcagtttcc tcaggccgga gcgagtgaca	3420
ttcgggacca gtctaggaac tggcttcctg gacctgtta ccgccagcag cgagtatcaa	3480
agacatctgc ggataacaac aacagtgaat actcgtggac tggagctacc aagtaccacc	3540
tcaatggcag agactctctg gtgaatccgg gcccggccat ggcaagccac aaggacgatg	3600
aagaaaagt ttttcctcag agcgggggtc tcacttttgg gaagcaaggc tcagagaaaa	3660
caaatgtgga cattgaaaag gtcattgatta cagacgaaga ggaaatcagg acaaccaatc	3720
ccgtggctac ggagcagtat ggttctgtat ctaccaacct ccagagaggg aacagacaag	3780
cagctaccgc agatgtcaac acacaaggcg ttcttcacag catggtctgg caggacagag	3840
atgtgtacct tcaggggccc atctggggcaa agattccaca caggacgga cattttcacc	3900
cctctccct catgggtgga ttcggactta aacacctcc tccacagatt ctcacaaaga	3960
acaccccggt acctgcgaat ccttcgacca ccttcagtgc ggcaaagt tttctcttca	4020
tcacacagta ctccacggga caggctcagc tggagatcga gtgggagctg cagaaggaaa	4080
acagcaaacy ctggaatccc gaaattcagt acaactccaa ctacaacaag tctgttaatg	4140
tggactttac tgtggacact aatggcgtgt attcagagcc tcgccccatt ggcaccagat	4200
acctgactcg taatctgtaa ttgcttgta atcaataaac cgtttaattc gtttcagttg	4260
aactttggtc tctcgtatt tctttcttat ctagtttcca tggctacgta gataagtagc	4320
atggcgggtt aatcattaac tacagcccg gcgtttaaac agcgggcgga ggggtggagt	4380
cgtgacgtga attacgtcat aggggttagg aggtcctgta ttagaggtca cgtgagtgtt	4440
ttgcgacatt ttgcgacacc atgtggtctc gctggggggg ggggcccgag tgagcacgca	4500

-continued

gggtctccat	tttgaagcgg	gaggtttgaa	cgagcgctgg	cgcgctcact	ggcgcgcgtt	4560
ttacaacgtc	gtgactggga	aaacctggc	gttacccaac	ttaatcgct	tgcagacat	4620
ccccctttcg	ccagctggcg	taatagcgaa	gaggcccgca	ccgatcgccc	ttccaacag	4680
ttgcgcagcc	tgaatggcga	atggaaattg	taagcgtaa	tattttgtta	aaattcgcgt	4740
taaatttttg	ttaaatcagc	tcattttttt	aaccaatagg	ccgaaatcgg	caaaatccct	4800
tataaatcaa	aagaatagac	cgagataggg	ttgagtgttg	ttccagtttg	gaacaagagt	4860
ccactattaa	gaacgtggac	tccaacgtca	aaggcgcaaa	aaccgtctat	cagggcgatg	4920
gcccactacg	tgaaccatca	ccctaataca	gttttttggg	gtcgaggtgc	cgtaaagcac	4980
taaatcggaa	ccctaaaggg	agccccgat	ttagagcttg	acggggaaag	ccggcgaacg	5040
tggcgagaaa	ggaagggaag	aaagcgaaag	gagcgggcgc	tagggcgctg	gcaagtgtag	5100
cggtcacgct	gcgcgtaacc	accacaccgc	ccgcgcttaa	tgcgcgccta	cagggcgcggt	5160
caggtggcac	tttctgggga	aatgtgcgcg	gaacccctat	ttgtttat	ttctaataac	5220
attcaaatat	gtatccgctc	atgagacaat	aacctgata	aatgcttcaa	taatattgaa	5280
aaaggaagag	tatgagtatt	caacatttcc	gtgtcgccct	tattcccttt	tttgcggcat	5340
tttgcccttc	tgtttttgc	caccagaaa	cgctggtgaa	agtaaaagat	gctgaagatc	5400
agttgggtgc	acgagtgggt	tacatcgaa	tggatctcaa	cagcggtaa	atccttgaga	5460
gttttcgccc	cgaagaacgt	ttccaatga	tgagcacttt	taaagtcttg	ctatgtggcg	5520
cggattatc	ccgtattgac	gccgggcaag	agcaactcgg	tcgccgcata	cactattctc	5580
agaatgactt	ggttgagtac	tcaccagtca	cagaaaagca	tcttacggat	ggcatgacag	5640
taagagaatt	atgcagtgtc	gccataacca	tgagtataaa	cactgcggcc	aacttacttc	5700
tgacaacgat	cggaggaccg	aaggagctaa	ccgctttttt	gcacaacatg	ggggatcatg	5760
taactcgct	tgatcgttgg	gaaccggagc	tgaatgaagc	cataccaaac	gacgagcgtg	5820
acaccacgat	gcctgtagca	atggcaacaa	cgttcgcaaa	actattaact	ggcgaactac	5880
ttactctagc	ttcccgcaaa	caattaatag	actggatgga	ggcgataaaa	gttgcaggac	5940
cactctcgcg	ctcgcccttc	ccggctgggt	ggtttattgc	tgataaatct	ggagccgggtg	6000
agcgtgggtc	tcgcgggtatc	attgcagcac	tggggccaga	tggttaagccc	ttccgtatcg	6060
tagttatcta	cacgacgggg	agtcaggcaa	ctatggatga	acgaaataga	cagatcgctg	6120
agatagggtc	ctcactgatt	aagcattgg	aactgtcaga	ccaagtttac	tcatatatac	6180
tttagattga	tttaaaactt	catttttaat	ttaaaaggat	ctaggtgaag	atcctttttg	6240
ataatctcat	gaccaaaatc	ccttaacgtg	agttttctgt	ccactgagcg	tcagaccccg	6300
tagaaaagat	caaaggatct	tcttgagatc	ctttttttct	gcgcgtaate	tgtgcttgc	6360
aaacaaaaaa	accacccgcta	ccagcgggtg	ttgttttgcc	ggatcaagag	ctaccaactc	6420
tttttcgcaa	ggtaactggc	ttcagcagag	cgcagatacc	aaatactgtt	cttctagtgt	6480
agccgtagt	aggccaccac	ttcaagaact	ctgtagcacc	gcctacatac	ctcgctctgc	6540
taatcctgtt	accagtgggt	gctgccagtg	gcgataagtc	gtgtcttacc	gggttggtg	6600
caagacgata	gttaccggat	aaggcgagc	ggtcgggctg	aacggggggg	tcgtgcacac	6660
agcccagctt	ggagcgaacg	acctacaccg	aactgagata	cctacagcgt	gagctatgag	6720
aaagcgccac	gcttcccgaa	gggagaaaag	cggacaggtg	tcgggtaagc	ggcagggctg	6780
gaacaggaga	gcgcacgagg	gagcttccag	ggggaaacgc	ctggatatct	tatagtcctg	6840

-continued

tcgggtttcg ccacctctga cttgagcgtc gatttttgtg atgctcgta ggggggcgga	6900
gcctatggaa aaacgccagc aacgcgcct ttttacggtt cctggccttt tgctggcctt	6960
ttgctcacat gttcttctc gcgttatccc ctgattctgt ggataaccgt attaccgcct	7020
ttgagtgagc tgataccgct cgcgcagcc gaacgaccga gcgcagcgag tcagtgcgcg	7080
aggaagcgga agagcgccca atacgcaaac cgcctctccc cgcgcgttgg ccgattcatt	7140
aatgcagctg gcacgacagg tttcccgact ggaaagcggg cagtgcgcgc aacgcaatta	7200
atgtgagtta gctcactcat taggcacccc aggcctttaca ctttatgctt ccggctcgta	7260
tggtgtgtgg aattgtgagc ggataacaat ttcacacagg aaacagctat gacctgatt	7320
acgcaa	7327

<210> SEQ ID NO 60

<211> LENGTH: 6902

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 60

ctagagtcga cctgcaggca tgcaagcttg gcgtaatcat ggtcatagct gtttcctgtg	60
tgaaattgtt atccgctcac aattccacac aacatacgag ccggaagcat aaagtgtaaa	120
gcctggggtg cctaattgagt gagctaactc acattaattg cgttgcgctc actgcccgct	180
ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga	240
ggcgggttgc gtattgggag ctcttcgctc tctctgctca ctgactcgct gcgctcggtc	300
gttcggctgc ggcgagcggg atcagctcac tcaaaggcgg taatacggtt atccacagaa	360
tcaggggata acgcaggaaa gaacatgtga gcaaaaggcc agcaaaaggc cagggaacct	420
aaaaaggcgg cgttgcctgc gtttttccat aggtccgccc cccctgacga gcatcacaaa	480
aatcgacgct caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcggtt	540
ccccctggaa gctccctcgt gcgctctcct gtccgacccc tgccgcttac cggataacct	600
tccgccttcc tcccttcggg aagcgtggcg cttttctcata gctcacgctg taggtatctc	660
agttcgggtg aggtcggtcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc	720
gaccgctcgc ccttatccgg taactatcgt cttgagtcca acccggttaag acacgactta	780
tcgccactgg cagcagccac tggtaacagg attagcagag cgagggtatg aggcgggtgct	840
acagagttct tgaagtgggt gcctaactac ggctacacta gaaggacagt atttggtatc	900
tgcgctctgc tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa	960
caaacaccgg ctggtagcgg tggttttttt gtttgcaagc agcagattac gcgcagaaaa	1020
aaaggatctc aagaagatcc tttgatcttt tctacggggt ctgacgctca gtggaacgaa	1080
aactcacgtt aagggttttt ggctcatgtg ttatcaaaaa ggatcttcac ctagatcctt	1140
ttaaattaaa aatgaagttt taaatcaatc taaagtatat atgagtaaac ttggtctgac	1200
agttagaaaa actcatcgag catcaaatga aactgcaatt tattcatatc aggattatca	1260
ataccatatt tttgaaaaag ccgtttctgt aatgaaggag aaaactcacc gaggcagttc	1320
cataggatgg caagatcctg gtatcgggtc gcgattccga ctcgccaac atcaatacaa	1380
cctattaatt tccctcgtc aaaaataagg ttatcaagtg agaaatcacc atgagtgcgc	1440
actgaatccg gtgagaatgg caaaagttaa tgcatttctt tccagacttg ttcaacaggc	1500

-continued

cagccattac gctcgtcatc aaaatcactc gcatcaacca aaccgttatt cattcgtgat	1560
tgcgcttgag cgagacgaaa tacgcgatcg ctgttaaaag gacaattaca aacaggaatc	1620
gaatgcaacc ggcgacgaa cactgccagc gcatcaacaa tattttcacc tgaatcagga	1680
tatttttcta atacctggaa tgctgttttc ccagggatcg cagtgggtgag taacctgca	1740
tcatcaggag tacggataaa atgcttgatg gtcggaagag gcataaatc cgtcagccag	1800
tttagtctga ccatctcatc tgtaacatca ttggcaacgc tacctttgcc atgtttcaga	1860
aacaactctg gcgcctcggg ctcccatcac aatcgataga ttgtcgcacc tgattgcccg	1920
acattatcgc gagccattt ataccatata aatcagcat ccatgttgga atttaatcgc	1980
ggcctagagc aagacgtttc cgttggaata tggctcatalc tcttcctttt tcaatattat	2040
tgaagcattt atcagggtta ttgtctcatg agcggataga tatttgaatg tatttagaaa	2100
aataaacaac taggggttcc gcgcacattt ccccgaaaag tgccacctga cgtctaagaa	2160
accattatta acatgacatt aacctataaa aataggcgta tcacgaggcc ctttcgtctc	2220
gcgcgtttcg gtgatgacgg tgaaaacctc tgacacatgc agctcccgga gacggtcaca	2280
gcttgtctgt aagcggatgc cgggagcaga caagcccgtc agggcgcgtc agcgggtgtt	2340
ggcgggtgtc ggggctggct taactatcgc gcatcagagc agattgtact gagagtgcac	2400
catatgcggt gtgaaatacc gcacagatgc gtaaggagaa aataccgcat caggcgccat	2460
tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg tgccggcctc ttcgctatta	2520
cgcagctgg cgaaaggggg atgtgctgca aggcgattaa gttgggtaac gccaggggtt	2580
tcccagtcac gacgttgtaa aacgacggcc agtgaattcg agctcgttac ccgtagccat	2640
ggaaactaga taagaaagaa atacgcagag accaaagtcc aactgaaacg aattaaacgg	2700
tttattgatt aacaagcaat tacagattac ggggtgagga acgggtgcca atggggcggg	2760
gttcagagta cacgccttct gtattaacag caaagtccac actttagatg ttgtagtagt	2820
tggagggtga ctggatctcg gggttccagc gcttgcgtgt ttccttctgc agctcccat	2880
caatttcac gctgacctgt ccggtgctgt attgcgtgat gaaagagttc agctttgact	2940
ggttgaagg ggtcggagga tccgcaggta caggcgtgtt cttgatcagg atctgaggcg	3000
gaggatgtt caggccaaag ccgcccatca cgggagacgg gtggaagtg ccgtccgtgt	3060
gaggaatctt ggcccagatg ggaccctgca ggtacacgtc ccggttctgc cagaccatac	3120
cgggtaaggc cccctggctg ttgacagttc caatttgagg agccgtgttt tgctgctgca	3180
agttatctgc cacgataccg tattcctctg tagccacagg gttagtgggt ttgatttctt	3240
cctcgtcggg gagcatgaca tcgctgtaat ccgcattgtc tctggcagca ttttgtttgc	3300
caaaaatcag gatcccgtaa ctgggaaaaa aacgctcctc gtcgtctttg tgtgttgcca	3360
tagcgatgcc aggtattgac aatgaatttc ttccattcag atggtatttg gtcccagcag	3420
tccaggcaaa gttgctattg ttgttttgcc cgggtgtcgt tgagacgcgt tgttgccggt	3480
aacagggtcc tggcagccag ttctttgcct gattggccat tgtattaggc ccacctggc	3540
tgaagcccag agtctgcgta ttgcccgtgc ctccgttgtt ttgagtcoga gacaagtagt	3600
acaggtagct gtcaatcaga ggattcatca gccggtccaa gctctggctg tgggcgtagc	3660
tgctgtggaa aggcacgtcc tcgaagggtg aagtaaaactg gaagtgttg ccggttctca	3720
gcatctgcga aggaaagtat tccaggcagt agaaggagga gcgtccacg gcctgactac	3780
cgttggtgag tgttaggtag ccgtactggg gaatcatgaa cacgtccgcc gggaacggag	3840
gcaggcagcc ctggtgggca gagccgagaa cgtacggcag ctggtactcc gagtccgtaa	3900

-continued

acacctggat	ggtgctggtg	aggttattgg	cgatggtctt	ggtgccttca	ttctgcgtga	3960
cctccttgac	ctggatgttg	aagagcttga	agctgagtct	cttgggccgg	aatccccagt	4020
tgttgttgat	gagtcgctgc	cagtcacgtg	gtgaaaagtg	gcagtggaat	ctgttaaagt	4080
caaaataccc	ccaggggggtg	ctgtagccga	agtaggtgtt	gtcgttgggtg	gtcctctccg	4140
atgtcccgtt	ggagatttgc	ttgtagaggt	ggttgttgta	ggtgggcagg	gccaggttc	4200
gggtgctggt	ggtgatgact	ctgtcgccca	gccatgtgga	atcgcaatgc	caatttcccg	4260
aggaactacc	cactccgtcg	gcgccttcgt	tattgtctgc	cattggtgcg	ccaccgctg	4320
cagccattgt	attaggtccc	acaccagagg	gcgctgctgg	aggttctccg	agaggttgag	4380
ggtctggaac	tgactctgag	tcgccagtct	gaccaaatt	gagtctttt	ctggcgggct	4440
gttgccctt	cttgccgatg	cccgtagagg	agtctggaga	acgctggggt	gatggctcta	4500
ccggtctctt	ctttccagga	gccgtcttag	cgccttctc	aaccagaccg	agaggttcga	4560
gaaccgctt	cttgccctgg	aagactgctc	gcccgagggt	gccccaaaa	gacgtatctt	4620
cttgacagc	ctcctgaaac	tcggcgctcg	ctggttata	ccgcaggta	ggattgtcac	4680
ccgctgcag	ctgctggtcg	taggccttgt	ctgctcgag	ggccgctg	tcgcccgt	4740
tgacgggctc	cccctgtcg	agtcggtga	agggtccgag	gtactttag	ccaggaagca	4800
ccagaccccg	gccgtcgcc	tgttttctg	ggttggtt	gggttcggg	gtccagggt	4860
tcagcgcaca	ccactcgca	atgcctcag	agaggttgc	ctcgagcaa	tctggaagat	4920
aaccatcg	agccatacct	gatttaaatc	atttattgtt	caaagatgca	gtcatccaaa	4980
tcacattga	ccagatcgca	ggcagtgcaa	gcgtctggca	cctttcccat	gatatgatga	5040
atgtagcaca	gtttctgata	cgcctttttg	acgacagaaa	cgggttgaga	ttctgacacg	5100
ggaaagcact	ctaaccagtc	ttctgtccg	tgagtgaagc	agatatttga	attctgattc	5160
attctctcgc	attgtctgca	gggaaacagc	atcagattca	tgcccacgtg	acgagaacat	5220
ttgttttgg	acctgtctgc	gtagttgatc	gaagcttccg	cgtctgacgt	cgatggctgc	5280
gcaactgact	cgcgcacccg	tttgggtc	cttatatctg	cgtaactggg	ggcgggtctt	5340
ttcttggtc	caccctttt	gacgtagaat	tcatgtcca	cctcaaccac	gtgatcctt	5400
gccacccgga	aaaagtctt	gacttcctgc	ttggtgacct	tcccaaagtc	atgatccaga	5460
cggcgggtga	gttcaaat	gaacatccg	tcttgcaacg	gctgctgggt	ttcgaaggtc	5520
gttgagttcc	cgtcaatcac	ggcgcacatg	ttggtgttgg	aggtagacgt	cacgggagtc	5580
gggtctatct	gggcgagga	cttgcatctc	tggtccacgc	gcaccttget	tcctccgaga	5640
atggctttgg	ccgactccac	gaccttggcg	gtcatcttcc	cctcctccca	ccagatcacc	5700
atcttgtcga	cacagtcgtt	gaagggaag	ttctcattgg	tccagtttac	gcaccgtag	5760
aagggcacag	tgtgggctat	ggcctccgcg	atgttggct	tcccggtagt	tgacggccca	5820
aacagccaga	tggtgttct	cttgccgaac	ttttctgtg	ccatcccg	aaagacggaa	5880
gccgcatatt	ggggatcgta	ccggtttagt	tccaaaatt	tataaatccg	attgctggaa	5940
atgtcctcca	cgggctgctg	gcccaccagg	tagtcggggg	cggttttagt	caggctcata	6000
atctttcccg	cattgtccaa	ggcagccttg	atttgggacc	gcgagttgga	ggccgcattg	6060
aaggagatgt	atgaggcctg	gtcctcctgg	atccactgct	tctccgaggt	aatccccttg	6120
tccacgagcc	acccgaccag	ctccatgtac	ctggctgaag	tttttgatct	gatcacccgc	6180
gcatcagaat	tgggattctg	attctctttg	ttctgctcct	gcgtctgca	cacgtgcgtc	6240

-continued

```

agatgctgcy ccaccaaccg ttacgctcc gtgagattca aacaggcgct taaatactgt 6300
tccatattag tccacgccca ctggagctca ggctggggtt tggggagcaa gtaattgggg 6360
atgtagcact catccaccac cttgttcccg cctccggcgc catttctggt ctttgtgacc 6420
gcgaaccagt ttggcaaagt cggtcgcgc ccgcggtaaa ttctctgaat cagtttttcg 6480
cgaatctgac tcaggaaacg tcccaaaacc atggatttca ccccggtggt ttccacgagc 6540
acgtgcatgt ggaagtagct ctctcccttc tcaaattgca caaagaaaag ggctccggg 6600
gccttactca cacggcgcca ttcgctcaga aagtcgcgct gcagcttctc ggccacggtc 6660
aggggtgcct gctcaatcag attcagatcc atgtcagaat ctggcgcaa ctccatttc 6720
ttctcgcca cccagttcac aaagctgtca gaaatgccg gcagatgctc gtcaaggctc 6780
ctggggacct taatcacaat ctgtaaaac cccggcatgg cggctgcgca gatcagaagt 6840
tcctatactt tctagagaat aggaacttcg gaataggaa ttctgatctt ccgggggac 6900
ca 6902

```

```

<210> SEQ ID NO 61
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polynucleotide

```

```

<400> SEQUENCE: 61

```

```

ttagaccgtg ccatggctag ttgggtacca ggtcaccgt gctcgacttc cggctctcat 60
ggagaactgg tgaccggtaa ccgaccgtaa gattgggaat 100

```

```

<210> SEQ ID NO 62
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polynucleotide

```

```

<400> SEQUENCE: 62

```

```

tgtcaagaat acgatcggaaggactcgac aattgatggg cctgtagcgc caacgttgta 60
ctttatccaa ggtgagctca ggagtgttat cataaatacg 100

```

```

<210> SEQ ID NO 63
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polynucleotide

```

```

<400> SEQUENCE: 63

```

```

tctctgttc atccgacaac cacactccct agttcaggga ggtcactcga gttagagctg 60
aaacccact agtcacgct cggtatcaac ccgggtaagt 100

```

```

<210> SEQ ID NO 64
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
    polynucleotide

```

```

<400> SEQUENCE: 64

```

-continued

```

gtggctcctt taaggtctcg cctgttcgat tgttcgtcgc tgccgcggat cagcaaagtt    60
gcttcctgcc taattcggcc taaggatccg ctagtgcgcg                            100

```

```

<210> SEQ ID NO 65
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 65
actgcgcttc tgtggctcct gaacaacgca aagcttcggg cgcttagtcc agtggatggg    60
ccaaggacaa ttgcagtgcg tatctccact gctgaaaccc                            100

```

```

<210> SEQ ID NO 66
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 66
gtgaaagatg aggagtgcgt ttacgccttc acgaagccct aattaccgga gtatcgtaag    60
ccaatatcgt agcccagttc ctgtacaggg tcgcgtataa                            100

```

```

<210> SEQ ID NO 67
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 67
acgatttcgg tcgttcatat gagccaccag gcttgcctct tcgcgcaatt tgacacgcaa    60
caccgcgtgc cattccgagg tcgttagggc ttttggattt                            100

```

```

<210> SEQ ID NO 68
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 68
aacctatttg attgtacagc gtgagtacga agcgaatagg ctagtaacac tgccctatgc    60
aaagacgcct tgggtgattc tagagctggg attggtacga                            100

```

```

<210> SEQ ID NO 69
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide

```

```

<400> SEQUENCE: 69
tgaggtcctc tccttttcat ccgtgtccta acgcttcgat ccttctgcag gctcctctta    60
tggatgtttt atcacctcgt cgagcgtgca cgatggtgga                            100

```

-continued

```

<210> SEQ ID NO 70
<211> LENGTH: 100
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide

<400> SEQUENCE: 70

gaactccgcg tgcagcgcg agttgacacg gaaggccagg gagccaattt ccactgtcct      60
gagctagacc ccttgatagc acttgctgtg catggttgct                               100

<210> SEQ ID NO 71
<211> LENGTH: 10150
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
        polynucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (5875)..(5974)
<223> OTHER INFORMATION: a, c, t, g, unknown or other
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (5875)..(5974)
<223> OTHER INFORMATION: This region may encompass 60-100 nucleotides

<400> SEQUENCE: 71

tagggaaata ggccagggtt tcaccgtaac acgccacatc ttgcgaatat atgtgtagaa      60
actgccggaa atcgctgtgt gcaactcatgg aaaacgggtg aacaagggtg aacactatcc    120
catatcacca gctcacgctc ttctattgcc atacggaact ccgcatgagc attcatcagg      180
cgggcaagaa tgtgaataaa ggccggataa aacttgtgct tatttttctt tacgggtctt     240
aaaaaggccg taatatccag ctgaacggtc tgggttatagg tacattgagc aactgactga      300
aatgcctcaa aatgttcttt acgatgccat tgggatatat caacgggtgt atatccagtg      360
atTTTTTctt ccattttttt ttctctcttt agaaaaactc atcgagcatc aaatgaaact     420
gcaatttatt catatcagga ttatcaatac catatttttg aaaaagccgt ttctgtaatg      480
aaggagaaaa ctacccgagg cagttccata ggatggcaag atcctggtat cggctctgca      540
ttccgactcg tccaacatca atacaacctt ttaatttccc tcgctcaaaa ataaggttat      600
caagtgagaa atcaccatga gtgacgactg aatccggtga gaatggcaaa agtttatgca      660
tttctttcca gacttgttca acaggccagc cattacgctc gtcacaaaa tcactcgcat      720
caaccaaacc gttattcatt cgtgattgcy cctgagcgag gcgaaatcgc cgatcgctgt      780
taaaaggaca attacaaaca ggaatcgagt gcaaccggcg caggaacact gccagcgcat      840
caacaatatt ttcacctgaa tcaggatatt cttctaatac ctggaacgct gtttttccgg      900
ggatcgcagt ggtgagtaac catgcatcat caggagtacg gataaaatgc ttgatggtcg      960
gaagtggcat aaattccgct agccagttha gtctgacctt ctcatctgta acatcattgg    1020
caacgctacc tttgocatgt ttcagaaaca actctggcgc atcgggcttc ccatacaagc    1080
gatagattgt cgcacctgat tgcccagatc tatcgcgagc ccattttatac ccatataaat    1140
cagcatccat gttggaattt aatcgcggcc tcgacgtttc ccgttgaata tggetcattt    1200
ttttttccto ctttaccaat gcttaatcag tgaggcacct atctcagcga tctgtctatt    1260
tcgttcaccc atagttgctt gactccccgt cgtgtagata actacgatac gggagggcct    1320

```

-continued

accatctggc	cccagcgctg	cgatgatacc	gcgagaacca	cgctcaccgg	ctccggattt	1380
atcagcaata	aaccagccag	ccggaagggc	cgagcgcaga	agtggctctg	caactttatc	1440
cgccctcatc	cagtcotatta	attgttgccg	ggaagctaga	gtaagtagtt	cgccagttaa	1500
tagtttgccg	aacgttggtg	ccatcgctac	aggcatcggt	gtgtcacgct	cgctggttgg	1560
tatggcttca	ttcagctccg	gttcccaacg	atcaaggcga	gattcttctc	ttttcaatat	1620
tattgaagca	tttatcaggg	ttattgtctc	atgagcggat	acataattga	atgtatttag	1680
aaaaataaac	aaataggggt	cagtgttaca	accaattaac	caattctgaa	cattatcgcg	1740
agcccattha	tacctgaata	tggctcataa	cacccttgtg	ttgcctggcg	gcagtagcgc	1800
ggtgggtccca	cctgacccca	tgcgaactc	agaagtga	cgccgtagcg	ccgatggtag	1860
tgtggggact	ccccatgcga	gagtagggaa	ctgccaggca	tcaaataaaa	cgaaaggctc	1920
agtcgaaaga	ctgggccttt	cgcccggtct	aattgagggg	tgctgcctct	attcgactcg	1980
gggctcgagc	tgcgcgctcg	ctcgtctact	gaggccgccc	gggcaaagcc	cgggcgctcg	2040
gcgacctttg	gtcgcgccgc	ctcagtgagc	gagcgcgcgc	gcagagaggg	agtggccaac	2100
tccatcacta	gggggttctt	taattaacg	cgtttacata	acttacggta	aatggcccgc	2160
ctggctgacc	gcccacgcac	ccccgccc	tgacgtcaat	aatgacgtat	gttcccatag	2220
taacgccaat	agggactttc	cattgacgtc	aatgggtgga	ctatttacgg	taaactgccc	2280
acttggcagt	acatcaagtg	tatcatatgc	caagtacgcc	ccctattgac	gtcaatgacg	2340
gtaaatggcc	cgcttggeat	tatgccagct	acatgacctt	atgggacttt	cctacttggc	2400
agtacatcta	cgtattagtc	atcgctatta	ccatgggtgat	gcggttttgg	cagtacatca	2460
atgggcgtgg	atagcggttt	gactcacggg	gatttccaag	tctccacccc	attgacgtca	2520
atgggagttt	gttttgccac	caaaatcaac	gggactttcc	aaaatgtcgt	aacaactccg	2580
ccccattgac	gcaaatgggc	ggtaggcgtg	tacgggtggg	ggtctatata	ggcgcgccga	2640
actgaaaaac	cagaaagtta	actggtaagt	ttagtctttt	tgtcttttat	ttcaggtccc	2700
ggatccgggtg	gtggtgcaaa	tcaaagaact	gtctctcagt	ggatgttgcc	tttacttcta	2760
ggcctgtacg	gaagtgttac	ttctgtctta	aaagctcctg	cagggaattc	gccaccatgg	2820
tgagcaaggg	cgaggagctg	ttcacccggg	tgggtcccat	cctggctgag	ctggacggcg	2880
acgtaaacgg	ccacaagttc	agcgtgtccg	gcgagggcga	gggcgatgcc	acctacggca	2940
agctgaccct	gaagttcatc	tgcaccaccg	gcaagctgcc	cgtgccctgg	cccaccctcg	3000
tgaccaccct	gacctacggc	gtgcagtgct	tcagccgcta	ccccgaccac	atgaagcagc	3060
acgactttct	caagtcgcc	atgccgaag	gtacgtccca	ggagcgcacc	atctttctca	3120
aggacgcagg	caactacaag	accgcgcgcg	aggtgaagtt	cgagggcgac	accctggtga	3180
accgcatcga	gctgaagggc	atcgacttca	aggaggacgg	caacatcctg	gggcacaagc	3240
tggagtacaa	ctacaacagc	cacaacgtct	atatcatggc	cgacaagcag	aagaacggca	3300
tcaagggtgaa	cttcaagatc	cgccacaaca	tcgaggacgg	cagcgtgcag	ctcgcgcacc	3360
actaccagca	gaacaccccc	atcggcgcag	gccccgtgct	gctgcccgc	aaccactacc	3420
tgagcaccca	gtccgcctcg	agcaaagacc	ccaacgagaa	gcgcgatcac	atggctctgc	3480
tggagtctgt	gaccgcgcgc	gggatcactc	tcggcatgga	cgagctgtac	aagtaataga	3540
ctagtgcctc	tctccctccc	ccccccctaa	cgttactggc	cgaagccgct	tggaataagg	3600
ccggtgtgcy	tttgtctata	tgttatcttc	caccatattg	ccgtcttttg	gcaatgtgag	3660
ggcccgga	cctggccctg	tcttcttgac	gagcattcct	aggggtcttt	cccctctcgc	3720

-continued

caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca gttcctctgg aagcttcttg	3780
aagacaaaca acgtctgtag cgaccctttg caggcagcgg aacccccac ctggcgacag	3840
gtgcctctgc ggccaaaagc cagctgtata agatacacct gcaaaggcgg cacaacccca	3900
gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa tggctcacct caagcgtatt	3960
caacaagggg ctgaaggatg ccagaaaggc accccattgt atgggatctg atctggggcc	4020
tcgggtgcaca tgctttacat gtgttttagtc gaggttaaaa aacgtctagg cccccgaac	4080
cacggggacg tggttttcct ttgaaaaaca cgatgataat accggtgcc ccatgctgct	4140
gctgctgctg ctgctggggc tgaggctaca gctctccctg ggcatcatcc cagttgagga	4200
ggagaacccg gacttctgga accgcgaggc agccgaggcc ctgggtgccg ccaagaagct	4260
gcagcctgca cagacagcgg ccaagaacct catcatcttc ctgggcgatg ggatgggggt	4320
gtctacgggt acagctgccg ggatcctaaa agggcagaag aaggacaaac tggggcctga	4380
gataccccctg gccatggacc gcttcccata tgtggctctg tccaagacat acaatgtaga	4440
caaacatgtg ccagacagtg gagccacagc cacggcctac ctgtgcgggg tcaagggcaa	4500
cttcagacc attggcttga gtgcagccgc ccgctttaac cagtgaaca cgacacgcgg	4560
caacgaggtc atctccgtga tgaatcgggc caagaaagca gggaagtcag tgggagtggt	4620
aaccaccaca cgagtgcagc acgcctcgcc agccggcacc tacgccaca cggatgaaccg	4680
caactggtac tcggacgcgg acgtgcctgc ctccggccgc caggaggggt gccaggacat	4740
cgctacgcag ctcatctcca acatggacat tgacgtgatc ctaggaggag gccgaaagta	4800
catgtttcgc atgggaaccc cagaccctga gtaccagat gactacagcc aagggtggac	4860
caggctggac gggaagaatc tgggtgcagga atggctggcg aagcgcagg gtgcccggt	4920
tgtgtggaac cgcactgagc tcatgcaggc ttccctggac ccgtctgtga cccatctcat	4980
gggtctcttt gagcctggag acatgaaata cgagatccac cgagactcca cactggaccc	5040
ctccctgatg gagatgacag aggcctgccct gcgcctgctg agcaggaacc cccgcggctt	5100
cttcctcttc gtggaggggt gtcgcacga ccatggatcat catgaaagca gggcttaccg	5160
ggcactgact gagaagatca tgttcgacga cgcattgag agggcggggc agctcaccag	5220
cgaggaggac acgctgagcc tcgtcactgc cgaccactcc cactcttct ccttcggagg	5280
ctacccccctg cgaggagact ccatcttcgg gctggccccct ggcaaggccc gggacaggaa	5340
ggcctacacg gtccctctat acggaaaagg tccaggctat gtgctcaagg acggcgcccc	5400
gccggatgtt accgagagcg agagcgggag ccccgagtat cggcagcagt cagcagtgcc	5460
cctggacgaa gagaccacg caggcgagga cgtggcggtg ttgcgcgcgg gcccgcaggc	5520
gcacctgggt cacggcggtg aggagcagac cttcatagcg cactcatgg ccttcgccgc	5580
ctgcctggag ccctacaccg cctgcgacct ggccgcccc gccggcacca ccgacgccgc	5640
gcaccgggt tactctagag tcggggcggc cggccgcttc gagcagacat gagtcgacag	5700
atcttttaaa aaacctccca cacaattgtt gttgttaact tgtttattgc agcttataat	5760
ggttacaaat aaagcaatag catcacaaat ttcacaaata aagcattttt ttcactgcat	5820
tctagtgtgt gttgttccaa actcatcaat gtatcttata atgtctgttt aaacnnnnnn	5880
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn	5940
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnatTTaa ataggaaccc ctagtgatgg	6000
agttggccac tccctctctg cgcgctcgct cgctcactga ggccgggcga ccaaaggctc	6060

-continued

```

cccgaacgccc gggttttgcc cggggcgccct cagtgcgcga ggcagcgccg agagagtata 6120
catcgatgtg agttcgcggg tggtcggggg gccctgggct gcgacccccc ccgaaccgcg 6180
tctacgagcc ttgcgggctc cgggtctttg cagtcgtatg ggggcagggt agctgttccc 6240
cgcaaggaga gctcaaggtc agcgctcgga cctggcggag ccccgacccc aggetgtggc 6300
gccctgtgca gctccgcctc tgcggcgcca tctgcccga gccctcctcc cctagtcctc 6360
agaaacagga ggtccctact cccgcgcgag atcccgaccc ggacccctag gtgggggacg 6420
ctttctttcc ttctgcgctc tgcgggggtca cgtgtcgcag aggagccctc ccccaacggc 6480
ctccggcacc gcaggccccc ggatgctagt gcgcagcggg tgcacccctg tccggatgct 6540
gcgcctgcgg tagagcgccc gccatgttgc aaccgggaag gaaatgaatg ggcagccgtt 6600
aggaaagcct gccggtgact aacctgcgc tcctgcctcg atgggtggag tcgcgtgtgg 6660
cggggaagtc aggtggagcg aggctagctg gcccgatttc tcctccgggt gatgcttttc 6720
ctagattatt ctctggtaaa tcaagaagt gggtttatgg aggtcctctt gtgtccctc 6780
cccgagaggg tgtgggtggc gtggcatggt gccaaagcgg gagaagctga gtcattgggt 6840
gttggaagg gacatttcca ccgcaaaatg gccctctcgg tgggtggccc tcctgcagc 6900
gccggctcac ctcacggccc cgcctctccc ctgccagcct agcgttgacc cgaccccaaa 6960
ggccaggctg taaatgtcac cgggaggatt ggggtgtctg gcgcctcggg gaacctgccc 7020
ttctcccat tcctctctcc ggaaccaga tctcccaccg caccctggtc tgaggtaaa 7080
tatagctgct gacctttctg tagctggggg cctgggctgg ggtctctctc catccctct 7140
ccccacacac atgcacttac ctgtgctccc actcctgatt tctggaaaag agctaggaag 7200
gacaggcaac ttggcaaatc aaagccctgg gactaggggg ttaaaataca gcttccctc 7260
tcccaccgg cccagctctc tgtccctttt gtaggagggg cttagagaag ggggtgggctt 7320
gccctgtcca gttaatttct gacctttact cctgcccttt gagtttgatg atgctgagt 7380
tacaagcgtt ttctccctaa aggggtgcagc tgagctaggc agcagcaagc attcctgggg 7440
tggcatagtg ggggtgtgaa taccatgtac aaagcttggt ccagactgt ggggtggcagt 7500
gcccacatg gccgcttctc ctggaagggc ttcgtatgac tgggggtgtt gggcagccct 7560
ggagccttca gttgcagcca tgccttaagc caggccagcc tggcagggaa gctcaaggga 7620
gataaaatc aacctcttgg gccctcctgg gggtaaggag atgctgcatt cgcctctta 7680
atggggaggg ggctaggggc tgctcacata ttctggagga gcctccctc ctcatgctt 7740
cttgctctt gtctcttagg catgcaaaag agtcgaataa gggcgacaca aaatttattc 7800
taaatgcata ataaatctg ataacatctt atagtttgta ttatattttg tattatcgtt 7860
gacatgtata attttgatat caaaaactga ttttccctt attattttcg agatttattt 7920
tcttaattct ctttaacaaa ctgagaatat tgtatataca aaaaatcata aataatagat 7980
gaatagttta attatagggt ttcattcaatc gaaaaagcaa cgtatcttat ttaaagtgcg 8040
ttgctttttt ctcatttata aggttaaata attctcatat atcaagcaaa gtgacaggcg 8100
ccctaaata ttctgacaaa tgctctttcc ctaaactccc ccataaaaa aaccgcgcga 8160
agcgggtttt tacgttattt gcggattaac gattactcgt tatcagaacc gccaggggg 8220
cccgagctta agactggccg tcgttttaca acacagaaag agttttaga aacgcaaaaa 8280
ggccatccgt caggggcctt ctgcttagtt tgatgcctgg cagttcccta ctctgcctt 8340
ccgttctctc gctcactgac tcgctgcgct cggctggtcg gctgcggcga gcggtatcag 8400
ctcactcaaa ggcggaata cggttatcca cagaatcagg ggataacgca ggaaagaaca 8460

```

-continued

tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt	8520
tccataggct cgcggccctt gacgagcctc acaaaaatcg acgctcaagt cagaggtggc	8580
gaaacccgac aggactataa agataccagg cgtttccccc tggaagctcc ctgctgcgct	8640
ctcctgttcc gaccctgccc cttaccggat acctgtccgc ctttctccct tcgggaagcg	8700
tgccgctttc tcatagctca cgtgttaggt atctcagttc ggtgtaggtc gtctgctcca	8760
agctgggctg tgtgcacgaa cccccgctt agcccgaccg ctgcgcctta tccggttaact	8820
atcgtcttga gtccaacccg gtaagacacg acttatcgcc actggcagca gccactggta	8880
acaggattag cagagcgagg tatgtaggcg gtgctacaga gttcttgaag tggtagggta	8940
actacggcta cactagaaga acagtatttg gtatctgcgc tctgctgaag ccagttacct	9000
tcggaaaaag agttggtagc tcttgatccg gcaaaaaaac caccgctggg agcgggtggt	9060
tttttgtttg caagcagcag attacgcgca gaaaaaaagg atctcaagaa gatcctttga	9120
tcttttctac ggggtctgac gctcagtgga acgacgcgcg cgtaactcac gttaagggat	9180
tttggtcatg agcttgccgc gtcccgctca gtcagcgtaa tgcctacactt cttcccgat	9240
gcccactttt gtatagagag ccaactgcggg atcgtcaccg taatctgctt gcacgtagat	9300
ttataaagca ccaagcgcgt tggccttttag cttgaggaga ttgatgagcg cggtaggcaat	9360
gcccctgcctc cggtgctgcg cgggagactgc gagatttaag atatagatct cactacgcgg	9420
ctgctcaaac ttgggcagaa cgtaagccgc gagagcgcca acaaccgctt cttggtcgaa	9480
ggcagcaagc gcgatgaatg tcttactacg gagcaagtcc cagaggtaat cggagtcgag	9540
ctgatgttgg gagtaggtgg ctacgtcacc gaactcacga ccgaaaagat caagagcagc	9600
ccgttaggat ttgacttggg cagggccgag cctattagtg cgaatgatgc ctttaactga	9660
gccacctaac tttgttttag ggcgactgcc ctgctgcgta attacgttgc tgctcttaaa	9720
ttacaaacat cgaccacagg cgtaacgcgc ttgctgcttg gatgccgag gcatagactg	9780
tacaaaaaaa cagtcataac aagccatgaa aaccgccact gcgcggttac caccgctgcg	9840
ttcgggtcaag gttctggacc agttgcgtga gcgcattttt tttctcctc cggcgctttac	9900
gccccgcctt gccactcctc gcagttactg ttgaattcat taagcattct gccgacatgg	9960
aagccatcac agacggcatg atgaacctga atcgccagcg gcacacgac cttgtcgctt	10020
tcggtataat atttgcccat agtgaaaacg ggggcgaaga agttgtccat attggccacg	10080
tttaaatcaa aactggtgaa actcaccag ggattggcgc tgacgaaaaa catattctca	10140
ataaacctt	10150

<210> SEQ ID NO 72

<211> LENGTH: 498

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic polynucleotide

<400> SEQUENCE: 72

cacttcttcc cgtatgcccc actttgtata gagagccact gcgggacgt caccgtaatc	60
tgcttgacag tagatttata aagcaccaag cgcgttgccc tttagcttga ggagattgat	120
gagcgcgggt gcaatgcctt gctccgggtg ctgcgcggag actgcgagat ttaagatata	180
gatctcacta cgcggctgct caaacttggg cagaacgtaa gccgcgagag cgccaacaac	240
cgttctcttg tcgaaggcag caagcgcgat gaatgtctta ctacggagca agttcccgag	300

-continued

```

gtaatcggag tccggctgat gttgggagta ggtggctacg tcaccgaact caccgaccgaa 360
aagatcaaga gcagcccgtt aggatttgac ttggtcaggg ccgagcctat tagtgcgaa 420
gatgccttaa cttgagccac ctaactttgt tttagggcga ctgcctgct gcgtaattac 480
gttgctgctc ttaaatta 498

```

```

<210> SEQ ID NO 73
<211> LENGTH: 7989
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      polynucleotide
<220> FEATURE:
<221> NAME/KEY: modified_base
<222> LOCATION: (3714)..(3813)
<223> OTHER INFORMATION: a, c, t, g, unknown or other
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (3714)..(3813)
<223> OTHER INFORMATION: This region may encompass 60-100 nucleotides

```

```

<400> SEQUENCE: 73
tagggaaata ggccaggttt tcaccgtaac acgccacatc ttgcgaatat atgtgtagaa 60
actgccggaa atcgtcgtgt gactcatgg aaaacgggtg aacaagggg aacactatcc 120
catatcacca gctcaccgtc ttccattgcc ataccggaact ccgatgagc attcatcagg 180
cgggcaagaa tgtgaataaa ggccggataa aacttgtgct tatttttctt tacggctctt 240
aaaaaggccg taatatccag ctgaacggtc tggttatagg tacattgagc aactgactga 300
aatgcctcaa aatgttcttt acgatgccat tgggatatat caacgggtgt atatccagt 360
attttttctt ccattttttt ttctctcttt agaaaaactc atcgagcatc aaatgaaact 420
gcaatttatt catatcagga ttatcaatac catatttttg aaaaagccgt ttctgtaatg 480
aaggagaaaa ctcaccgagg cagttccata ggatggcaag atcctgggat cggctcgcga 540
ttccgactcg tccaacatca atacaacctt ttaatttccc ctctcaaaa ataaggttat 600
caagtgaaga atcaccatga gtgacgactg aatccgggtg gaatggcaaa agtttatgca 660
tttctttcca gacttgttca acaggccagc cattacgctc gtcacaaaa tcaactcgcat 720
caaccaaacc gttattcatt cgtgattgag cctgagcgag gcgaaatacg cgatcgctgt 780
taaaaggaca attacaaaca ggaatcgagt gcaaccggcg caggaaact gccagcgcat 840
caacaatatt ttcacctgaa tcaggatatt cttctaatac ctggaacgct gtttttccgg 900
ggatcgaggt ggtgagtaac catgcatcat caggagtacg gataaaatgc ttgatggctg 960
gaagtggcat aaattccgtc agccagttaa gtctgacct ctcatctgta acatcattgg 1020
caacgctacc tttgcatgt ttcagaaaca actctggcgc atcgggcttc ccatacaagc 1080
gatagattgt cgcacctgat tgcccacat tatcgcgagc ccatttatac ccatataaat 1140
cagcatccat gttggaattt aatcgcgcc tcgacgttcc cgttgaata tggtcattt 1200
ttttttctc ctttaccat gcttaatcag tgaggcact atctcagca tctgtctatt 1260
tcgttcaccc atagttgctt gactccccgt cgtgtagata actacgatac gggagggctt 1320
accatctggc cccagcgctg cgatgatacc gcgagaacca cgctcaccgg ctccggattt 1380
atcagcaata aaccagccag ccggaagggc cgagcgaga agtggctctg caactttatc 1440
cgctccatc cagtctatta attgttgccg ggaagctaga gtaagtagtt cgccagttaa 1500
tagtttgccg aacgttgttg ccacgcctac aggcacgtg gtgtcacgct cgtcgtttgg 1560

```


-continued

tatggcttca ttcagctccg gttcccaacg atcaaggcga gattcttctt ttttcaatat	1620
tattgaagca tttatcaggg ttattgtctc atgagcggat acatatttga atgtatttag	1680
aaaaataaac aaataggggt cagtgttaca accaattaac caattctgaa cattatcgcg	1740
agcccattha tacctgaata tggtcataa cacccttgt ttgcctggcg gcagtagcgc	1800
ggtggtccca cctgacccca tgccgaactc agaagtgaac cgccgtagcg ccgatggtag	1860
tgtggggact ccccatgcga gagtagggaa ctgccaggca tcaaataaaa cgaaaggctc	1920
agtcgaaaga ctgggccttt cgccggggt aattgagggg tgcgcctt attcgactcg	1980
gggctcgagc agcagctgcg cgctcgctcg ctactgagg ccgcccgggc aaagcccggg	2040
cgccgggcga cctttgctcg ccgggcctca gtgagcgagc gagcgcgag agagggagtg	2100
gggttttaac taaacgcgtt tacataactt acggtaaatg gccgcctgg ctgaccgcc	2160
aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg	2220
actttccatt gacgtcaatg ggtggactat ttacggtaaa ctgccactt ggagtagcat	2280
caagtgtatc atatgccaaag tacgccccct attgacgtca atgacggtaa atggccgcc	2340
tggcattatg cccagtagac gacctatgg gactttccta cttggcagta catctacgta	2400
ttagtcacgc ctattacat ggtgatgcg ttttggcagt acatcaatgg gcgtggatag	2460
cggtttgact cagggggatt tccaagtct caccctattg acgtcaatgg gagtttggtt	2520
tggcaccaaa atcaacggga ctttccaaa tgctgtaaca actccgcccc attgacgcaa	2580
atgggcggta ggcgtgtacg gtgggaggtc tatataggcg cgccgaactg aaaaaccaga	2640
aagttaactg gtaagtttag tctttttgtc ttttatttca ggtcccgat ccgggtggtag	2700
tgcaaatcaa agaactgtc ctacgtggat gttgccttta cttctaggcc tgtacggaag	2760
tgttacttct gctctaaaag ctctgcagg gaattcgcca ccatggtgag caagggcgag	2820
gagctgttca ccgggggtgt gcccatctg gtgcagctgg acggcgagct aaacggccac	2880
aagttcagcg tgcccgcca gggcgagggc gatgccacct acggcaagct gacctgaag	2940
ttcatctgca ccacggcaa gctgccgtg ccctggccca ccctcgtgac caccctgacc	3000
tacggcgtgc agtcttcag ccgctacccc gaccacatga agcagcacga cttcttcaag	3060
tcgcccagc ccgaaggcta cgtccaggag cgcaccatct tcttcaagga cgacggcaac	3120
tacaagacc gcgcgaggt gaagtctgag ggcgacccc tgggaaccc catcgagctg	3180
aagggcacgc acttcaagga ggacggcaac atcctggggc acaagctgga gtacaactac	3240
aacagccaca acgtctatat catggccgac aagcagaaga acggcatcaa ggtgaacttc	3300
aagatccgcc acaacatcga ggacggcagc gtgcagctcg ccgaccata ccagcagaac	3360
acccccatcg gcgacggccc cgtgctgctg ccgcacaacc actacctgag caccagtc	3420
gccctgagca aagaccccaa cgagaagcgc gatcacatgg tctgctgga gttcgtgacc	3480
gccgcggga tcaactctcg catggacgag ctgtacaagt aatagactag tgcgacaga	3540
tcttttaaaa aacctccac acaattgtt ttgttaactt gtttattgca gcttataatg	3600
gttacaataa aagcaatagc atcacaatt tcacaaataa agcatttttt tcaactgcatt	3660
ctagttgtgg tttgtccaaa ctcatcaatg tatcttatca tgtctgttta aacnnnnnnn	3720
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn	3780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnatttaaa taggaacccc tagtgatgga	3840
gttgccact ccctctctgc gcgctcgctc gctcactgag gccgggcgac caaaggctcg	3900

-continued

ccgacgcccc	ggctttgccc	gggcggcctc	agtgagcgag	cgagcgcgca	gagagtatac	3960
atcgatgtga	gttcgcgggg	ggctgggggg	ccttgggctg	cgaccgcccc	cgaaccgcgt	4020
ctacgagcct	tgcgggctcc	gggtctttgc	agtcgtatgg	gggcagggta	gctgttcccc	4080
gcaaggagag	ctcaaggtea	gcgctcggac	ctggcggagc	cccgcaccca	ggctgtggcg	4140
cctctgtcag	ctccgccctt	gcggcgccat	ctgcccgag	cctccttccc	ctagtcccca	4200
gaaacaggag	gtccctactc	ccgcccagaga	tcccgacccg	gaacctaggt	tgggggacgc	4260
tttctttcct	ttcgcgctct	gcgggggtcac	gtgtcgcaga	ggagcccttc	ccccacggcc	4320
tccggcaccg	caggccccgg	gatgctagtg	cgcagcgggt	gcacccctgt	ccggtatgctg	4380
cgcttgcggt	agagcgggcg	ccatgttgca	accgggaagg	aaatgaatgg	gcagccgtta	4440
ggaaagcctg	ccggtgacta	accctgcgct	cctgcctcga	tgggtggagt	cgcggtgtggc	4500
ggggaagtca	ggtggagcga	ggctagctgg	cccgatctct	cctccgggtg	atgcttttcc	4560
tagattatct	tctggtaaat	caaagaagtg	ggtttatgga	ggctcctctg	tgtccctccc	4620
ccgcagaggt	gtggtggctg	tggcatgggt	ccaagccggg	agaagctgag	tcattgggtag	4680
ttggaaaagg	acattttcac	cgcaaaatgg	cccctctggt	ggtggccctc	tcttcgagcg	4740
ccggtccacc	tcacggcccc	gcccttcccc	tgcagccta	gcgttgacct	gaccccaaa	4800
gccaggctgt	aaatgtcacc	gggaggattg	ggtgtctggg	cgctcggggg	aacctgccct	4860
tctccccatt	ccgtcttcgg	gaaaccagat	ctcccaccgc	acctggtct	gagggttaaat	4920
atagctgtg	acctttctgt	agctgggggc	ctgggctggg	gctctctccc	atcccttctc	4980
cccacacaca	tgcacttacc	tgtgtcccca	ctcctgattt	ctggaaaaga	gctaggaagg	5040
acaggcaact	tggcaaatca	aagccctggg	actagggggg	taaaatacag	cttccccctc	5100
tcccaccgcg	cccagtctct	gtcccttttg	taggaggggc	ttagagaagg	ggtgggcttg	5160
ccctgtccag	ttaatttctg	acctttactc	ctgccctttg	agtttgatga	tgctgagtgt	5220
acaagcgttt	tctccctaaa	gggtgcagct	gagctaggca	gcagcaagca	ttcctggggg	5280
ggcatagtgg	ggtgggtgaat	accatgtaca	aagcttgtgc	ccagactgtg	ggtggcagtg	5340
ccccacatgg	ccgcttctcc	tggaaaggct	tcgtatgact	gggggtgttg	ggcagccctg	5400
gagccttcag	ttgcagccat	gccttaagcc	aggccagcct	ggcagggaag	ctcaagggag	5460
ataaaattca	acctcttggg	ccctcctggg	ggttaaggaga	tgctgcattc	gccctcttaa	5520
tggggaggtg	gcctagggct	gctcacatat	tctggaggag	cctccccctc	tcattgccttc	5580
ttgcctcttg	tctcttaggc	atgcaaaaaga	gtcgaataag	ggcgacacaa	aattttattct	5640
aaatgcataa	taaatactga	taacatctta	tagtttgtat	tatatcttgt	attatcgttg	5700
acatgtataa	ttttgatata	aaaaactgat	tttcccttta	ttattttcga	gattttatct	5760
cttaattctc	tttaacaaac	tagaaatatt	gtatatacaa	aaaatcataa	ataatagatg	5820
aatagtttaa	ttataggtgt	tcattcaatc	aaaaagcaac	gtatcttatt	taaagtgcgt	5880
tgcctttttc	tcattttata	ggttaaataa	ttctcatata	tcaagcaaa	tgacaggcgc	5940
ccttaaatat	tctgacaaat	gctctttccc	taaactcccc	ccataaaaaa	accgcgcgaa	6000
gcgggttttt	acgttatctg	cggattaacg	attactcggt	atcagaaccg	cccagggggc	6060
ccgagcttaa	gactggccgt	cgtttttaca	cacagaaaaga	gtttgtagaa	acgcaaaaag	6120
gcatccctgc	agggggcctc	tgcctagttt	gatgcctggc	agttccctac	tctgccttcc	6180
cgcttccctg	ctcactgact	cgtcgcgtc	ggtcgttcgg	ctgcggcgag	cggtatcagc	6240
tcactcaaa	gcggaatac	ggttatccac	agaatcaggg	gataacgcag	gaaagaacat	6300

-continued

```

gtgagcaaaa ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc tggcgttttt 6360
ccataggctc cgccccctg acgagcatca caaaaatcga cgctcaagtc agaggtggcg 6420
aaacccgaca ggactataaa gataccaggc gtttccccct ggaagctccc tcgtgcgctc 6480
tcctgttccg acctgcgcgc ttaccggata cctgtccgcc tttctccctt cggaagcggt 6540
ggcgctttct catagctcac gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa 6600
gctgggctgt gtgcacgaac cccccgttca gcccgaccgc tgcgccttat ccggttaacta 6660
tcgtcttgag tccaaccogg taagacacga cttatcgcca ctggcagcag ccactggtaa 6720
caggattagc agagcgaggt atgtaggcgg tgetacagag ttcttgaagt ggtgggctaa 6780
ctacggctac actagaagaa cagtatttgg tatctgcgct ctgctgaagc cagttacctt 6840
cggaaaaaaga gttggtagct cttgatccgg caaacaacc accgctggta gcggtggttt 6900
ttttgtttgc aagcagcaga ttacgcgcag aaaaaaggga tctcaagaag atcctttgat 6960
ctttctacg gggctgcagc ctcagtggaa cgacgcgcgc gtaactcacg ttaagggatt 7020
ttggtcatga gcttgcgcgc tcccgtaag tcagcgtaat gctacacttc tccccgatg 7080
cccaactttg tatagagagc cactgcggga tcgtcaccgt aatctgcttg cacgtagatt 7140
tataaagcac caagcgcgtt ggcctttagc ttgaggagat tgatgagcgc ggtggcaatg 7200
ccctgcctcc ggtgctgcgc ggagactgcg agatttaaga tatagatctc actacgcggc 7260
tgctcaaact tgggcagaac gtaagccgcg agagcgccaa caaccgcttc ttggtcgaag 7320
gcagcaagcg cgatgaatgt cttactacgg agcaagttcc cgaggtaatc ggagtccggc 7380
tgatgttggg agtaggtggc tacgtcaccg aactcacgac cgaaaagatc aagagcagcc 7440
cgttaggatt tgacttggtc agggccgagc ctattagtgc gaatgatgcc ttaacttgag 7500
ccacctaact ttgttttagg gcgactgccc tgctgcgtaa ttacgttget gctcttaaat 7560
tacaaacatc gaccacggc gtaacgcgct tgctgcttgg atgcccagg catagactgt 7620
acaaaaaac agtcataaca agccatgaaa accgccactg cgccgttacc accgctgcgt 7680
tcgggtcaagg ttctggacca gttgcgtgag cgcatttttt tttctctcgc gccgtttacg 7740
ccccgccctg ccactcatcg cagtactgtt gtaattcatt aagcattctg ccgacatgga 7800
agccatcaca gacggcatga tgaacctgaa tcgccagcgg catcagcacc ttgtcgctt 7860
gcgtataata tttgccata gtgaaaacgg gggcgaagaa gttgtccata ttggccacgt 7920
ttaaatcaaa actggtgaaa ctcaccagg gattggcgct gacgaaaaac atattctcaa 7980
taaaccctt 7989

```

```

<210> SEQ ID NO 74
<211> LENGTH: 21
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      Peptide
<220> FEATURE:
<221> NAME/KEY: MISC_FEATURE
<222> LOCATION: (1)..(3)
<223> OTHER INFORMATION: This region may or may not be present

<400> SEQUENCE: 74

```

```

Gly Ser Gly Glu Gly Arg Gly Ser Leu Leu Thr Cys Gly Asp Val Glu
1           5           10           15

```

```

Glu Asn Pro Gly Pro
20

```

-continued

```

<210> SEQ ID NO 75
<211> LENGTH: 22
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide
<220> FEATURE:
<221> NAME/KEY: MISC_FEATURE
<222> LOCATION: (1)..(3)
<223> OTHER INFORMATION: This region may or may not be present

```

```

<400> SEQUENCE: 75

Gly Ser Gly Ala Thr Asn Phe Ser Leu Leu Lys Gln Ala Gly Asp Val
1             5             10             15

Glu Glu Asn Pro Gly Pro
                20

```

```

<210> SEQ ID NO 76
<211> LENGTH: 23
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide
<220> FEATURE:
<221> NAME/KEY: MISC_FEATURE
<222> LOCATION: (1)..(3)
<223> OTHER INFORMATION: This region may or may not be present

```

```

<400> SEQUENCE: 76

Gly Ser Gly Gln Cys Thr Asn Tyr Ala Leu Leu Lys Leu Ala Gly Asp
1             5             10             15

Val Glu Ser Asn Pro Gly Pro
                20

```

```

<210> SEQ ID NO 77
<211> LENGTH: 25
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      peptide
<220> FEATURE:
<221> NAME/KEY: MISC_FEATURE
<222> LOCATION: (1)..(3)
<223> OTHER INFORMATION: This region may or may not be present

```

```

<400> SEQUENCE: 77

Gly Ser Gly Val Lys Gln Thr Leu Asn Phe Asp Leu Leu Lys Leu Ala
1             5             10             15

Gly Asp Val Glu Ser Asn Pro Gly Pro
                20             25

```

What is claimed is:

1. A plasmid system for Recombinant Adeno-Associated Viral Vector (rAAV) production comprising the following three plasmids:

(i) a transgene-containing plasmid comprising at least one heterologous nucleic acid flanked by a 5' and 3' AAV inverted terminal repeat (ITR) and a stuffer sequence outside of the ITRs, wherein the stuffer sequence comprises a nucleic acid having at least 40% identity to SEQ ID NO: 9;

(ii) a plasmid comprising AAV replication (Rep) and capsid (Cap) gene sequences; and

(iii) an adenovirus (Ad) helper plasmid, wherein the backbone of the transgene-containing plasmid is larger than a wild-type AAV genome, and wherein the transgene-containing plasmid further comprises a DNA titer tag having a length of between about 60 nucleotides to about 100 nucleotides.

2. The plasmid system of claim 1, wherein the transgene-containing plasmid is not packaged into an rAAV capsid.

227

3. The plasmid system of claim 1, wherein the stuffer sequence comprises a nucleic acid sequence of between 1000 and 2600 nucleotides in length.

4. The plasmid system of claim 1, wherein the stuffer sequence comprises GAPDH intron 2, fragment, or mutant thereof.

5. The plasmid system of claim 1, wherein the stuffer sequence comprises SEQ ID NO: 9.

6. The plasmid system of claim 1, wherein the transgene-containing plasmid comprises nucleic acid sequences in the 5' to 3' direction of: SEQ ID NO: 2, SEQ ID NO: 4, at least one heterologous nucleic acid, SEQ ID NO: 8, SEQ ID NO: 3, and the stuffer sequence.

7. The plasmid system of claim 1, wherein the transgene-containing plasmid comprises:

- a) the DNA titer tag i) upstream of the 3' ITR and downstream of a polyA sequence or ii) upstream of the 3' ITR and downstream of the at least one heterologous nucleic acid; iii) or downstream of the 5' ITR and upstream of the at least one heterologous nucleic acid sequence; or iv) downstream of the 5' ITR and upstream of a promoter for the at least one heterologous nucleic acid sequence; or v) downstream of the 5' ITR and upstream of the 3' ITR; or

228

- b) the DNA titer tag i) upstream of SEQ ID NO: 3 and downstream of SEQ ID NO: 8 or ii) upstream of SEQ ID NO: 3 and downstream of the at least one heterologous nucleic acid sequence; iii) or downstream of SEQ ID NO: 2 or SEQ ID NO: 43 and upstream of the at least one heterologous nucleic acid sequence; or iv) downstream of SEQ ID NO: 2 and upstream of SEQ ID NO: 4; or v) downstream of SEQ ID NO: 2 or SEQ ID NO: 43 and upstream of SEQ ID NO: 3.

8. The plasmid system of claim 1, wherein the transgene-containing plasmid comprises nucleic acid sequences in the 5' to 3' direction of: SEQ ID NO: 43, SEQ ID NO: 4, at least one heterologous nucleic acid sequence, SEQ ID NO: 8, SEQ ID NO: 3, and the stuffer sequence.

9. The plasmid system of claim 8, wherein the transgene-containing plasmid comprises the DNA titer tag outside the expression cassette but between the 5' ITR and 3' ITR.

10. A host cell comprising the plasmid system of claim 1.

11. A method for producing a Recombinant Adeno-Associated Viral Vector (rAAV) comprising transducing a cell with the plasmid system of claim 1 and isolating the rAAV.

12. A composition comprising the plasmid system of claim 1.

* * * * *