



US0D1093724S

(12) **United States Design Patent**
Lv et al.

(10) **Patent No.:** **US D1,093,724 S**

(45) **Date of Patent:** **** Sep. 16, 2025**

(54) **ELECTRONIC ATOMIZING DEVICE**

(71) Applicant: **SHENZHEN SMOORE TECHNOLOGY LIMITED**, Shenzhen (CN)

(72) Inventors: **Jingjing Lv**, Shenzhen (CN); **Zhen Jiang**, Shenzhen (CN)

(73) Assignee: **Shenzhen Smoore Technology Limited**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **30/007,960**

(22) Filed: **Jun. 12, 2025**

Related U.S. Application Data

(62) Division of application No. 29/900,352, filed on Aug. 21, 2023, now Pat. No. Des. 1,087,454.

(30) **Foreign Application Priority Data**

Feb. 20, 2023 (CN) 202330061824.X

(51) **LOC (15) Cl.** **27-02**

(52) **U.S. Cl.** **D27/162**

(58) **Field of Classification Search**

USPC D27/162, 100, 101, 163–165, 172, D27/174–176, 183, 185–194; D23/366; D24/110, 110.5; D9/516, 522, 523, 572
CPC A24F 47/002; A24F 47/006; A24F 47/00; A61M 15/00; A61M 15/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D819,880 S * 6/2018 Qiu D27/101
D819,882 S * 6/2018 Qiu D27/101

D828,621 S * 9/2018 Qiu D27/162
D932,093 S * 9/2021 Shi D27/162
D950,147 S * 4/2022 Yu D27/162
D968,017 S * 10/2022 Yang D27/162
D988,589 S * 6/2023 Li D27/162
D989,385 S * 6/2023 Hai D27/162
D1,000,693 S * 10/2023 Li D27/162
D1,002,097 S * 10/2023 Li D27/162
D1,002,099 S * 10/2023 Chen D27/162
D1,012,359 S * 1/2024 Huang D27/162
D1,020,072 S * 3/2024 Shi D27/162
D1,020,073 S * 3/2024 Sha D27/162
D1,020,075 S * 3/2024 Wang D27/162
D1,033,728 S * 7/2024 Zhu D27/162
D1,035,121 S * 7/2024 Wang D27/162
D1,036,766 S * 7/2024 Upton D27/162
D1,041,744 S * 9/2024 Li D27/162
D1,044,116 S * 9/2024 Yang D27/162
D1,057,272 S * 1/2025 Lv D27/162

(Continued)

Primary Examiner — Rebecca Tsehaye


(57) **CLAIM**

The ornamental design for an electronic atomizing device as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right side perspective view of an electronic atomizing device showing our new design; FIG. 2 is a rear, bottom, left side perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof.
The broken lines in the drawings depict portions of the electronic atomizing device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,063,187	S	*	2/2025	Yang	D27/162
D1,067,509	S	*	3/2025	Ouyang	D27/162
D1,071,322	S	*	4/2025	Wang	D27/162
D1,085,529	S	*	7/2025	Chen	D27/162

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8