

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400013
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Duetta; Colin et al.

Guided navigation of electronic documents

Abstract

A system identifies a reference document and an associated explanatory document, the reference document containing information to support an explanation contained in the explanatory document. The system provides control of navigation of the reference document to a first electronic device. The system initiates a local authorization of a second electronic device to authorize the second electronic device to display the explanatory document when the second electronic device is detected as physically proximate the first electronic device. If the local authorization is successful, the system synchronizes passive navigation of the explanatory document at the second electronic device with the navigation of the reference document at the first electronic device.

Inventors: Duetta; Colin (Binbrook, CA), Salvatori; Michael (Burlington, CA), Heaslip; Brandon (Guelph, CA)

Applicant: GYDME INC. (Hamilton, CA)

Family ID: 1000008779963

Assignee: GYDME INC. (Hamilton, CA)

Appl. No.: 17/841199

Filed: June 15, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20220405414 A1	Dec. 22, 2022

Related U.S. Application Data

us-provisional-application US 63211934 20210617

Publication Classification

Int. Cl.: G06F21/62 (20130101); G06F9/451 (20180101); G06F16/27 (20190101)

U.S. Cl.:

CPC G06F21/6218 (20130101); G06F9/453 (20180201); G06F16/27 (20190101);

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
9565175	12/2016	Saylor	N/A	G06F 21/10
11432149	12/2021	Dhanao	N/A	H04W 12/068
2006/0195494	12/2005	Dietrich	N/A	N/A
2011/0043652	12/2010	King	707/706	G06F 40/194
2015/0187034	12/2014	Mullen	235/494	G16H 30/20
2015/0193579	12/2014	Bruce	705/2	H04L 67/14
2015/0302386	12/2014	Chander	705/35	G06F 16/951
2016/0063185	12/2015	Yang	705/3	G06Q 10/10
2016/0092442	12/2015	Gillett et al.	N/A	N/A
2016/0139035	12/2015	Florescu	506/40	B01L 3/561
2016/0261658	12/2015	Taylor et al.	N/A	N/A
2017/0270249	12/2016	Beerling	N/A	H04W 12/06
2018/0360410	12/2017	Sun	N/A	G16H 30/20
2019/0348169	12/2018	Gibby	N/A	G16H 30/40
2020/0388380	12/2019	Romanychev	N/A	G06K 19/06037
2021/0233644	12/2020	Hansis	N/A	G16H 40/20
2021/0257108	12/2020	Rong	N/A	G16H 10/60
2022/0361755	12/2021	Stanley	N/A	G16H 40/67
2022/0366562	12/2021	Yu	N/A	G06T 7/0012

Primary Examiner: Abrishamkar; Kaveh

Attorney, Agent or Firm: Perry + Currier

Background/Summary

BACKGROUND

(1) Documents are often used during face-to-face consultations and other discussions between people. For example, during a patient consultation, a healthcare professional, such as a physician,

may reference a document that contains information concerning a medical product, such as a prescription drug, to aid the patient's understanding of the medical product.

Description

BRIEF DESCRIPTION OF THE FIGURES

- (1) FIG. 1 is a block diagram of an embodiment of a system for dissemination of documents for synchronized navigation.
- (2) FIG. 2 is a signal diagram of an example of synchronized navigation of documents.
- (3) FIG. 3 is a schematic diagram of example reference and explanatory documents with example navigation and synchronization logic.
- (4) FIG. 4 is a schematic diagram of another example of synchronization logic.
- (5) FIG. 5 is a schematic diagram of an example data structure that implements correlated reference and explanatory documents, navigation logic, and synchronization logic.
- (6) FIG. 6 is a block diagram of another embodiment of a system for dissemination of documents for synchronized navigation.

DETAILED DESCRIPTION

- (7) A face-to-face consultation, discussion, or other face-to-face interaction (henceforth “consultation”) may be an essential component to certain practices, such as the medical practice, the professional dissemination of medical knowledge, the prescribing of medications, and other healthcare services. However, it is often the case that the document used to assist in such a service is a physical document, such as a brochure, booklet, flipchart, pamphlet, or the like.
- (8) These documents are susceptible to becoming out-of-date and may be inconvenient to store, especially in large quantities. Moreover, some patients may be hesitant to handle these documents, in view of a perception, whether valid or not, that the document may bear a communicable disease or may be unsanitary.
- (9) Described herein are techniques to provide electronic documents for in-person consultations to solve one or more of these problems and further to improve the dissemination of professional advice and knowledge. As will be discussed in greater detail, an electronic reference document and an electronic explanatory document are provided. The person (“consultant”) giving a consultation views the reference document on an electronic device, while the receiving person, such as a patient, client, or inquirer (“inquirer”), views the explanatory document on a separate electronic device and may indeed never see the reference document. The reference document contains information relevant to the consultant, and such information may be highly technical in nature. The explanatory document contains information that is relatively easy to understand by the layperson and that is supported by the information contained in the reference document. The consultant controls navigation of both the reference document and explanatory document from their device. The inquirer views the explanatory document as a form of guided presentation by the consultant, so that the dissemination of information may be carefully controlled and performed properly, such as in accordance with professional medical standards, best practices, and/or legal requirements. The consultant may interpret the technical information in the reference document for the inquirer as they view the explanatory document, so as to convey understanding to the inquirer.
- (10) The electronic device used by the inquirer may be their personal device, such as their own smartphone or tablet. Fear or contamination may thus be mitigated.
- (11) Authorization for the inquirer to view the explanatory document may be highly localized to maintain controlled access to information, while taking advantage of the natural tendency for doctor and patient, for example, to recognize each other or be capable of performing an out-of-band authentication. Further, the natural setting of such a consultation is respected, which may benefit both doctor and patient.

(12) The reference document and explanatory document may provide for communication between the consultant and inquirer, such as via highlighting by the consultant or via monitoring of the viewing behavior of the inquirer.

(13) A library of reference documents and corresponding explanatory documents may be maintained, where such documents may be downloaded to the devices in real time. The library may store various versions of documents in different languages and other features tailored to specific groups of inquirers.

(14) These and other features and advantages of the techniques disclosed herein will be discussed in greater detail with reference to the embodiments described herein.

(15) FIG. 1 shows a system **100** for dissemination of documents for synchronized navigation. The system **100** include a library **102** of electronic documents, a first (consultant) electronic device **104**, a second (inquirer) electronic device **106**, and a computer network **108** via which the library **102** and devices **104**, **106** may communicate. The computer network **108** may include the internet, a local-area network (LAN), a wireless or mobile network, and similar.

(16) The library **102** may include a server or other computing device that includes a processor, memory, storage device, and network interface to store reference documents **110** and explanatory documents **112** and transfer such documents **110**, **112** to the respective devices **104**, **106**. The functionality discussed herein may be performed by any combination of the library **102** and devices **104**, **106**. For example, the library **102** may host a script that is communicated to a device **104**, **106** to fully or partially carry out a function. Alternatively or additionally, the library **102** may run a script or program to fully or partially carry out the same function or a different function. Web browser-based technologies such as WebSocket may be used.

(17) The library **102** may execute an authorization program **118** to authorize the devices **104**, **106** to receive the documents **110**, **112**. The authorization program **118** may allow for login by a user of a device **104**, **106** and further may authenticate the user, for example, by way of a username and password, digital certificate, or similar credentials. In this embodiment, consultants are provided with login credentials to authorize access to reference documents **110** and explanatory documents **112**. Further, inquirers may not be provided with login credentials, so that their access to explanatory documents **112** is dependent upon the consultant's access to the documents **110**, **112**.

(18) Each electronic device **104**, **106** may be a smartphone, tablet computer, or similar computing device that includes a processor, memory, storage device, and network interface to communicate with the library **102** via the network **108**. The electronic devices **104**, **106** may also communicate with each other via the network **108** or directly, such as via a camera and display.

(19) Each electronic device **104**, **106** may include a respective user agent program **114**, **116**, such as a web browser, specialized application, or similar program capable of receiving and displaying a respective document **110**, **112**.

(20) At the consultant electronic device **104**, the user agent **114** may control navigation of a reference document **112** downloaded from the library **102**. An explanatory document **112** corresponding to the reference document **110** may be made accessible to the inquirer electronic device **106**, and the user agent **116** at that device **106** may display the explanatory document **112**. The reference document **110** may include navigation logic, such as an ordering of pages, which allows the reference document **110** to be browsed at the user agent **114** of the consultant electronic device **104**. Navigation logic may be internal to the reference document.

(21) An explanatory document **112** may be related to the corresponding reference document **110** by synchronization logic **120** that may be stored at the library **102**. The synchronization logic **120** links the pages of the explanatory document **112** to the reference document **110**. When the user agent **114** at the consultant electronic device **104** is used to select a page for the reference document **110**, the consultant device **104** communicates an indication of that page to the library **102**, which applies the synchronization logic **120** to obtain a corresponding page for the explanatory document **112**. The library **102** then communicates an indication of that page to the inquirer electronic device

106, so that user agent **116** automatically controls the explanatory document **112** to navigate to that page. In various examples, the library **102** communicates the page of the explanatory document **112** when that page is identified by the synchronization logic **120**. In other examples, the entire explanatory document **112** is downloaded to the inquirer electronic device **106**, and the synchronization logic **120** communicates a page number or other identifier to the inquirer electronic device **106** when a particular page it to be displayed, so that the user agent **116** switches to that particular page. As such, the inquirer may experience passive navigation of the explanatory document **112** at their device **106** as controlled by the consultant's active navigation of the reference document at their device **104**.

(22) Multiple versions of an explanatory document **112** may be associated with the same reference document **110**. For example, explanatory documents **112** in different languages, of different reading levels, for different sightedness (e.g., large print, high contrast), with different cultural contexts, with different formatting, and/or with different branding may be associated with the same reference document **110**. This may help tailor consultations to different patients. The library **102** may be configured to receive user input from the consultant, via the consultant electronic device **104**, related to a characteristic of the inquirer being consulted via the inquirer electronic device **106**, and then select or modify the explanatory document **112** based on the characteristic. The reference document **110** may also be selected or modified similarly. Example characteristics include language fluency, age, cultural background, etc.

(23) FIG. 2 shows how, in this embodiment, corresponding reference and explanatory documents are obtained and, further, how navigation of these documents is synchronized. An illustrative example has a doctor in possession of their consultant electronic device **104** as they are about to inform a patient, who has their inquirer electronic device **106**, about a medical product, such as a medication. Both devices **104**, **106** are connected to the internet. The doctor directs their device **104** to a library **102** of documents.

(24) The consultant electronic device **104** selects a document, at **200**. This may include the consultant selecting a document from a list of available documents provided by the library **102**. The consultant may log in to the library **102**, thereby identifying themselves as a consultant, and choose a document. As the library **102** maintains a correlation between reference and explanatory documents, the selected reference document and associated explanatory document are thereby identified to the library **102**.

(25) The consultant electronic device **104** requests, at **202**, the selected reference document from the library **102**.

(26) The library **102** responds by transmitting, at **204**, the selected reference document or a portion thereof, such as the first page, to the consultant electronic device **104**. The library **102** may generate a code for the consultation and transmit the code with the selected reference document to the consultant electronic device **104**. In some examples, only the code is communicated, at **204**, at this time, and pages of the selected reference document may be transmitted at a later time. In some examples, a Uniform Resource Locator (URL) of the reference document is transmitted to the consultant electronic device **104**, and such a URL may include a code.

(27) The consultant electronic device **104** may, at **206**, initiate local authorization of the inquirer electronic device **106** to authorize the inquirer electronic device **106** to display the explanatory document. The doctor in this example has already identified the patient by recognizing them and/or having them go through the process of booking and attending the consultation. The doctor may then locally authorize the guided presentation of the explanatory document to the patient by having the patient demonstrate to the library **102** that they are in physical proximity to the document. This local authorization may be achieved in a number of ways.

(28) The consultant electronic device **104** may display a code for capture by the inquirer electronic device **106**. Such a code may have been communicated to the consultant electronic device **104** previously, at **204**. For example, the library **102** may generate a code when accepting the request, at

202, from the consultant electronic device **104**. The code is known to the library **102** and consultant electronic device **104** and may be shared between the doctor and patient when they are in physical proximity, e.g., in the same consultation room. The code may include a machine-readable code, such as a QR code or barcode, that is rendered by the consultant electronic device **104**. The inquirer electronic device **106** may capture the code, such as by using its camera, at the direction of the patient.

(29) In another example, the code may include a human-intelligible code, such as a string of alphanumeric characters. A human-intelligible code may be displayed at the consultant electronic device **104** for viewing by the doctor and/or patient. A human-intelligible code may be wirelessly transmitted to the inquirer electronic device **106** by the library **102** or the consultant electronic device **104**. For example, the library may send a Short Message Service (SMS) message to the inquirer electronic device **106**. However communicated, the human-intelligible code may be manually typed into the inquirer electronic device **106** by the patient.

(30) A machine-readable code may bear a network address of the library **102** and thus may automatically direct the inquirer electronic device **106** to the library **102**. For example, a QR code may embed a URL for the library **102** and the URL may also specify the code specific to the present consultation as a parameter. The inquirer electronic device **106** may be configured to automatically follow links detected in a scanned QR code.

(31) Entry of a human-intelligible code in the form of a string of numbers, letters, symbols, or a combination of such, may first require the inquirer electronic device **106** to be directed to the URL of the library **102**. For example, the patient may enter this URL, so as to be presented with a form in which to enter the human-intelligible code.

(32) In whichever manner the code is shared, the inquirer electronic device **106** provides the code to the library **102** in what is a request for the explanatory document, at **208**. The library **102** compares its version of the code to the received code and, if they match, grants the inquirer electronic device **106** access to the explanatory document, at **210**. This may include transmitting all or a portion of the explanatory document. In some examples, only a URL to the explanatory document is sent to the inquirer electronic device **106**.

(33) After local authorization is successful, the reference document may be navigated, at **212**. For example, the physician may control the consultant electronic device **104** to display various pages of the reference document according to its navigation logic. The reference document may be navigated along a linear navigation logic from the first page to the last. Forward and backward navigation may be provided, so that the physician may navigate to a previous page for further explanation or clarification. In various examples, a table of contents or index may be provided to allow for random navigation of the reference document. In various examples, hyperlinks may be provided in the reference document for linked navigation among the pages of the reference document. If the page of the reference document being navigated to has not yet been downloaded to the consultant electronic device **104**, it may be downloaded at this time.

(34) As the reference document is navigated, the consultant electronic device **104** may, at **214**, send to the library **102** a request for synchronization of the explanatory document being viewed on the inquirer electronic device **106** by the patient. A request for synchronization may be communicated whenever the consultant electronic device **104** changes the page of the reference document. A request for synchronization may be inherent to the page selecting methodology implemented by the library **102**. For example, each page of the reference document may have a unique URL (e.g., a general URL for the document with a page number as a parameter).

(35) The library responds to such requests for synchronization by transmitting synchronization data to the inquirer electronic device **106**, at **216**. Synchronization data may take the form of a page number or other identifier of a page of the explanatory document, or, as in the example above, a URL of the specific page of the explanatory document.

(36) Repetition of actions **212-216** defines synchronized passive navigation of the explanatory

document as controlled by active navigation of the reference document. The doctor may thus control the presentation of the explanatory document while viewing the reference document, so that the doctor may be prompted to explain technical concepts to the patient based on their knowledge and professional judgment without having to present the reference document to the patient, so that the patient's understanding may be enriched.

(37) FIG. 3 shows example reference and explanatory documents **110**, **112** with example navigation logic **300** and example synchronization logic **120**.

(38) The reference document **110** includes a first group of pages **302-310** and associated navigation logic **300** that governs the navigation of the reference document by associating a current page with a next page. In this example, a linear sequence of pages **302-310** is defined.

(39) The explanatory document **112** includes a second group of pages **312-320**, which are linked to the first group of pages **302-310** by the synchronization logic **120**. In this example, the synchronization logic **120** identifies a page **312-320** of the second group of pages for each respective page **302-310** of the first group of pages. The synchronization logic **120** thus defines a one-to-one page mapping of the second group of pages to the first group of pages.

(40) The synchronization logic **120** may be contained in the reference document **110** or may be a separate file or data structure.

(41) FIG. 4 shows another example of synchronization logic **400** that defines a different mapping among pages of reference and explanatory documents. In this example, an explanatory document **402** includes a page **316** that is correlated to multiple different pages **304**, **308** of a reference document **110**. Numerous other examples are possible and may accord with one-to-one, many-to-one, one-to-many, and many-to-many page correlation schemes.

(42) FIG. 5 shows an example data structure **500** that correlates an explanatory document **502** to a reference document **504** and provides navigation logic **506** and synchronization logic **508**. The data structure **500** may be used to implement a database, file structure, or other programmatic structure. The elements shown in FIG. 5 may be implemented with database columns, rows, or fields; fields in a file that uses object notation syntax (e.g., JSON, XML, YML, etc.); a directory structure; or similar.

(43) The reference document **504** may include an identifier **510** to uniquely identify the document **504**. Each page of the reference document **504** may include a page identifier **512** to uniquely identify the page, content **514** of the page (e.g., text, image, animation, video, etc.), and next and previous page identifiers **516**, **518** which may specify the next and previous page identifiers **512** and thereby define navigation logic **506**. The content **514** of the reference document **504** is specifically tailored to the consultant and may include technical information unsuitable for the layperson. Each page of the reference document **504** may further include an explanatory page identifier **520** that defines synchronization logic **508**. Any or all of the identifiers **510**, **512**, **516-520** may be communicated as a URL (e.g., a URL with parameters) and the location specified by the URL may store the respective page content **514**.

(44) The explanatory document **502** may include an identifier **522** to uniquely identify the document **502**. Each page of the explanatory document **502** may include a page identifier **524** to uniquely identify the page and content **526** of the page (e.g., text, image, animation, video, etc.). The content **526** of the explanatory document **502** is specifically tailored to the layperson inquirer and may summarize technical information in general and understandable language. The content **526** may also include legal disclaimers, safety warnings, advisory messages, etc. Any or all of the identifiers **522**, **524** may be communicated as a URL (e.g., a URL with parameters) and the location specified by the URL may store the respective page content **526**.

(45) A consultation **530** may be defined to correlate instances of the reference document **504** and the explanatory document **502**. The consultation **530** may include a unique identifier **532** that may be or may include a shareable code for the consultation **530**. In other examples, an additional data element is included to define the shareable code. The consultation **530** may further include a

reference document identifier **534** that identifies the particular reference document **504** used during the consultation **530**. The consultation **530** may further include an explanatory document identifier **536** that identifies the particular explanatory document **502** used during the consultation **530**. In other examples, the reference document **504** may store the explanatory document identifier **536**.

(46) Guided navigation of the explanatory document **502** is facilitated by navigation logic **508** provided by the explanatory page identifier **520** associated with each page of the reference document **504**. Hence, when the consultant navigates to a next or previous page of the reference document **504**, the respective explanatory page identifier **520** may be used to automatically navigate to the page of the explanatory document **502** without requiring input by the inquirer.

(47) FIG. **6** shows another embodiment of a system for dissemination of documents for synchronized navigation. A library **602** may store, transmit, and synchronize navigation of reference and explanatory documents **110**, **112**, as discussed elsewhere herein. The library **602** may provide further functionality as discussed below.

(48) In various examples a reference document **110** may include an embedded copy of some or all of the explanatory document **112**. A consultant **604** may thus see what an inquirer **606** sees, in addition to the further information of the reference document **110**. The library **602** may be configured to receive a modification to an explanatory document **112** based on user input **608** received at a consultant electronic device **104**. The library **602** may store and/or execute a modification program **610**, which may be communicated in whole or in part to the devices **104**, **106** for local execution. Example modifications include a highlight, a graphic, or a drawn object, such as a circle or line, or other temporary modifications to draw the inquirer's attention to a certain part of the explanatory document **112**. The user agent **114** of the consultant electronic device **104** may be configured to detect such a modification and communicate the modification to the library **602**, which then communicates the modification to the inquirer electronic device **106** to update the explanatory document **112** at the user agent **116**. A finger tap, a touch, or similar user input **608** made by the consultant **604** may be detected and then rendered as a suitable modification at the user agent **116** of the inquirer electronic device **106**. This may assist the consultant **604** in communicating with the inquirer **606** and drawing attention to certain features of the explanatory document **112**.

(49) The library **602** may be configured to track user input **608**, **612** by one or both of the consultant **604** and inquirer **606**. The library **602** may store and/or execute a tracking program **614**, which may be communicated in whole or in part to either or both of the devices **104**, **106** for local execution. The tracking program **614** may track user input **612** received at the inquirer electronic device. Such user input may be a touch, a tap, eye tracking, or similar. The library **602** may display a notification **620** at the consultant electronic device in response to the user input **612** received at the inquirer electronic device **106**. A notification **620** may include a message, an indicator of the location in the explanatory document **112** that the inquirer **606** has touched, tapped, or looked. This may provide further information to the consultant **604** to assist in conveying information to the inquirer **606**. For example, if the inquirer **606** is looking at a certain part of the explanatory documents **112**, the consultant may be informed of such and thus may anticipate a question or realize that something needs further explanation.

(50) The library **602** may be configured to track navigational user input **608** received at the consultant electronic device **104**, so as to collect information on how reference documents **110**, and thus explanatory documents **112**, are navigated. This information may be used to improve such documents **110**, **112**. Navigation of a plurality of reference documents **110** by various different consultants **604** may be tracked to determine metrics **616** for the corresponding explanatory documents **112**. For example, if physicians **604** tend to frequently return to a certain page of a reference document **110**, it may show that the explanatory document **112** needs improvement, as it may be the case that physicians **604** frequently return to the given page because of questions or poor understanding by the inquirer **606** who is viewing the explanatory document **112**.

(51) The library **602** may be configured to initiate display of a feedback prompt **618** at the inquirer electronic device **106** and receive a user response **612** to the feedback prompt **618**. The feedback prompt **618** may explicitly require confirmation of understanding of the consultation and the content of the explanatory document. The library **602** may obtain other kinds of feedback over various ranges of time. For example, the library **602** may request and receive an indication that confirms obtention or usage by the inquirer **606** of a medical product or service described by the explanatory document **112**. The library **602** may request and receive an indication from the inquirer **606** of satisfaction or usefulness of such a medical product or service. The library **602** may accordingly determine a metric **616**, such as an effectiveness metric, for the corresponding reference document **110**, explanatory document **112**, or both.

(52) In view of the above, it should be apparent that guided navigation of documents provides for greater understanding of complex subject matter. Further, the localized authentication of an inquirer by a consultant offers quick and convenient usage that is similar to the usage of paper/hardcopy documents, but without the drawbacks.

(53) The library **102** and user devices **104**, **106** may each include a processor that may include a central processing unit (CPU), a microcontroller, a microprocessor, a field-programmable gate array (FPGA), an application-specific integrated circuit (ASIC), or a similar device capable of executing the instructions. The library **102** and user devices **104**, **106** may each include a non-transitory machine-readable medium may include an electronic, magnetic, optical, or other physical storage device that encodes instructions that implement the functionality discussed herein. The machine-readable medium may include non-volatile memory, such as read-only memory (ROM), electrically-erasable programmable read-only memory (EEPROM), or flash memory that cooperates with the processor to execute the instructions.

(54) Instructions may be directly executed, such as binary or machine code, and/or may include interpretable code, bytecode, source code, or similar instructions that may undergo additional processing to be executed. All of such examples may be considered executable instructions.

(55) It should be recognized that features and aspects of the various examples provided above can be combined into further examples that also fall within the scope of the present disclosure. In addition, the figures are not to scale and may have size and shape exaggerated for illustrative purposes.

Claims

1. A non-transitory machine-readable medium comprising instructions that when executed by a processor cause the processor to: identify a reference document comprising technical information and an associated explanatory document comprising simplified information for a layperson, the technical information containing information supporting an explanation contained in the explanatory document; provide control of navigation of the reference document to a first electronic device; locally authorize the second electronic device to display the explanatory document when the second electronic device is detected as physically proximate the first electronic device; and if the local authorization is successful, control passive navigation of the explanatory document at the second electronic device with active navigation of the reference document at the first electronic device.
2. The non-transitory machine-readable medium of claim 1, wherein locally authorize the second electronic device comprises display of a code at the first electronic device for capture by the second electronic device.
3. The non-transitory machine-readable medium of claim 2, wherein the display of the code comprises display of a machine-readable code.
4. The non-transitory machine-readable medium of claim 3, wherein the code comprises a QR code.

5. The non-transitory machine-readable medium of claim 1, wherein locally authorize the second electronic device comprises: sharing of a human-intelligible code between the first electronic device and the second electronic device; and receiving manual entry of the human-intelligible code at the first electronic device, the second electronic device, or both.
6. The non-transitory machine-readable medium of claim 5, wherein the human-intelligible code is wirelessly transmitted to the second electronic device for manual entry at the second electronic device.
7. The non-transitory machine-readable medium of claim 1, wherein: the reference document comprises a first group of pages associated with navigation logic that governs the navigation of the reference document by associating a current page with a next page; the explanatory document comprises a second group of pages; and the first and second groups of pages are linked by synchronization logic that identifies a page of the second group of pages for each page of the first group of pages.
8. The non-transitory machine-readable medium of claim 7, wherein the navigation logic defines a linear sequence of the first group of pages.
9. The non-transitory machine-readable medium of claim 7, wherein the synchronization logic defines a one-to-one page mapping of the second group of pages to the first group of pages.
10. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to: receive a modification to the explanatory document based on user input received at the first electronic device; and communicate the modification to the second electronic device to update the explanatory document.
11. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to track user input received at the second electronic device.
12. The non-transitory machine-readable medium of claim 11, wherein the instructions are further to initiate display of a notification at the first electronic device in response to a user input received at the second electronic device.
13. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to: initiate display of a feedback prompt at the second electronic device; and receive a user response to the feedback prompt.
14. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to track navigational user input received at the first electronic device.
15. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to: track navigation of a plurality of reference documents that are associated with a plurality of explanatory documents; and determine a metric for the plurality of explanatory documents based on the tracked navigation of the plurality of reference documents.
16. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to: receive an indication that confirms obtention or usage by a user of the second electronic device of a product or service described by the explanatory document; and determine a metric for the reference document, the explanatory document, or both based on the indication.
17. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to: allow selection of the reference document or the explanatory document from a library; and automatically select the explanatory document or the reference document based on the selection.
18. The non-transitory machine-readable medium of claim 1, wherein the instructions are further to: receive user input related to a characteristic of a user of the second electronic device; and select or modify the reference document, the explanatory document, or both based on the characteristic of the user.
19. The non-transitory machine-readable medium of claim 1, wherein: the explanatory document contains information to disseminate to a patient concerning a medical product; and the reference document contains controlled information for a healthcare practitioner concerning the medical product.

20. The non-transitory machine-readable medium of claim 19, wherein the medical product comprises a medication to be prescribed.
