

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400260
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Tarmann; Benjamin et al.

Approving and updating dynamic mortgage applications

Abstract

A system and computer-implemented method for approving a dynamic mortgage application. In one aspect, the method may include determining a customer is approved for a mortgage and determining a real estate property is mortgage ready, including calculating an appraisal value for the real estate property based upon the information about the real property retrieved from a computer file or memory location/address (such as by using a machine learning or artificial intelligence algorithm). The method may still further include comparing the calculated amount the customer is approved for a mortgage loan with the calculated appraisal value of the real estate property; and approving the mortgage application of the customer for the real estate property when the calculated amount the customer is approved for the mortgage loan meets, or exceeds, the calculated appraisal value of the real estate property.

Inventors: Tarmann; Benjamin (Heyworth, IL), Rhodes; Richard R. (Tacoma, WA), Awasthy; Lokesh (Santa Clara, CA), DeRoeck; Denise (Bloomington, IL), Skaggs; Jaime (Chenoa, IL), Alt; Jacob J. (Downs, IL), Phillips; Shanna L. (Bloomington, IL), Tummala; Shyam (Bloomington, IL), Meierotto; Matthew S. (Bloomington, IL), Groonwald; Richard D. (Bloomington, IL), Hughes; Brian J. (Scottsdale, AZ)

Applicant: State Farm Mutual Automobile Insurance Company (Bloomington, IL)

Family ID: 1000008779948

Assignee: State Farm Mutual Automobile Insurance Company (Bloomington, IL)

Appl. No.: 18/641541

Filed: April 22, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240265444 A1	Aug. 08, 2024

Related U.S. Application Data

continuation parent-doc US 18296594 20230406 US 11995717 child-doc US 18641541
continuation parent-doc US 17168961 20210205 US 11636539 20230405 child-doc US 18296594
continuation parent-doc US 15975316 20180509 US 10949919 20210316 child-doc US 17168961
us-provisional-application US 62581391 20171103
us-provisional-application US 62535018 20170720
us-provisional-application US 62514470 20170602
us-provisional-application US 62504328 20170510

Publication Classification

Int. Cl.: **G06Q40/03** (20230101); **G06F16/27** (20190101); **G06N20/00** (20190101); **G06Q50/16** (20120101)

U.S. Cl.:

CPC **G06Q40/03** (20230101); **G06F16/27** (20190101); **G06N20/00** (20190101); **G06Q50/16** (20130101);

Field of Classification Search

CPC: G06Q (40/03)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
3735360	12/1972	Anderson et al.	N/A	N/A
5018063	12/1990	Liu	N/A	N/A
5689650	12/1996	McClelland et al.	N/A	N/A
6463509	12/2001	Teoman et al.	N/A	N/A
6904496	12/2004	Raves et al.	N/A	N/A
7051326	12/2005	Goodman	N/A	N/A
7313683	12/2006	Takahashi	N/A	N/A
7593893	12/2008	Ladd et al.	N/A	N/A
7603533	12/2008	Tsypliaev et al.	N/A	N/A
7653592	12/2009	Flaxman et al.	N/A	N/A
7725359	12/2009	Katzfey et al.	N/A	N/A
7835919	12/2009	Bradley	705/1.1	G06Q 40/02
8090936	12/2011	Fallon et al.	N/A	N/A
8335747	12/2011	Roberts	705/306	G06Q 50/16
8423451	12/2012	Flaxman et al.	N/A	N/A
8433650	12/2012	Thomas	N/A	N/A
8442906	12/2012	Thomas	N/A	N/A
9672487	12/2016	Garcia et al.	N/A	N/A
10008102	12/2017	McEachron	N/A	N/A
10404471	12/2018	Griffin et al.	N/A	N/A

10467675	12/2018	Manelis et al.	N/A	N/A
10521780	12/2018	Hopkins, III et al.	N/A	N/A
2001/0029482	12/2000	Tealdi et al.	N/A	N/A
2003/0212565	12/2002	Badali et al.	N/A	N/A
2003/0212628	12/2002	Kuttan et al.	N/A	N/A
2004/0044730	12/2003	Gockel et al.	N/A	N/A
2005/0119908	12/2004	Hippe et al.	N/A	N/A
2006/0020541	12/2005	Gommlich	N/A	N/A
2006/0031159	12/2005	Minot et al.	N/A	N/A
2006/0155639	12/2005	Lynch et al.	N/A	N/A
2006/0235712	12/2005	Rodriguez	N/A	N/A
2006/0282356	12/2005	Andres et al.	N/A	N/A
2007/0244798	12/2006	Weidenbenner	N/A	N/A
2009/0006185	12/2008	Stinson	N/A	N/A
2009/0222328	12/2008	Figueroa et al.	N/A	N/A
2010/0042534	12/2009	Moran	N/A	N/A
2010/0106639	12/2009	Banerjee et al.	N/A	N/A
2011/0106692	12/2010	Moore et al.	N/A	N/A
2011/0218934	12/2010	Elser	N/A	N/A
2012/0185375	12/2011	Tealdi et al.	N/A	N/A
2013/0131977	12/2012	Dickson et al.	N/A	N/A
2013/0262290	12/2012	Hanson	N/A	N/A
2013/0290164	12/2012	Salm	705/38	G06Q 40/02
2014/0012720	12/2013	O'Kane	N/A	N/A
2014/0032262	12/2013	Desmond	N/A	N/A
2014/0279398	12/2013	Stewart et al.	N/A	N/A
2014/0289098	12/2013	Walzak	N/A	N/A
2014/0304028	12/2013	Saxena et al.	N/A	N/A
2014/0316965	12/2013	Petrisor	N/A	N/A
2015/0039490	12/2014	Forrester et al.	N/A	N/A
2015/0127488	12/2014	Cutler	N/A	N/A
2015/0154663	12/2014	Willard	705/306	G06Q 30/0278
2015/0170269	12/2014	Bradley	705/7.29	G06Q 50/16
2015/0269666	12/2014	Swierczek	N/A	N/A
2015/0310476	12/2014	Gadwa	N/A	N/A
2015/0332283	12/2014	Witchey	N/A	N/A
2016/0027069	12/2015	Treadwell et al.	N/A	N/A
2016/0034996	12/2015	Min	N/A	N/A
2016/0035053	12/2015	Gerhardt	N/A	N/A
2016/0125531	12/2015	Rose	N/A	N/A
2016/0171603	12/2015	Amtrup et al.	N/A	N/A
2016/0203522	12/2015	Shiffert	705/14.58	G06Q 30/0267
2016/0247223	12/2015	Arnall	N/A	G06Q 50/16
2016/0253622	12/2015	Sriram et al.	N/A	N/A
2016/0330034	12/2015	Back et al.	N/A	N/A
2016/0371740	12/2015	Heiser, II et al.	N/A	N/A
2017/0031676	12/2016	Cecchetti et al.	N/A	N/A
2017/0046638	12/2016	Chan et al.	N/A	N/A

2017/0046651	12/2016	Lin et al.	N/A	N/A
2017/0046799	12/2016	Chan et al.	N/A	N/A
2017/0046806	12/2016	Haldenby et al.	N/A	N/A
2017/0076408	12/2016	D'Souza et al.	N/A	N/A
2017/0116693	12/2016	Rae et al.	N/A	N/A
2017/0124558	12/2016	Molnar	N/A	N/A
2017/0132617	12/2016	D'Souza et al.	N/A	N/A
2017/0161717	12/2016	Xing et al.	N/A	N/A
2017/0186116	12/2016	Poll et al.	N/A	N/A
2017/0206365	12/2016	Garcia et al.	N/A	N/A
2017/0213267	12/2016	Degaugue et al.	N/A	N/A
2017/0243193	12/2016	Manian	N/A	G06Q 20/3829
2017/0243287	12/2016	Johnsrud	N/A	N/A
2017/0244721	12/2016	Kurian et al.	N/A	N/A
2017/0331810	12/2016	Kurian	N/A	N/A
2018/0039667	12/2017	Pierce	N/A	N/A
2018/0047111	12/2017	Vieira	N/A	N/A
2018/0062831	12/2017	Zhang	N/A	N/A
2018/0075527	12/2017	Nagla	N/A	N/A
2018/0082287	12/2017	Sheerin	N/A	N/A
2018/0115538	12/2017	Blake	N/A	N/A
2018/0189312	12/2017	Alas et al.	N/A	N/A
2018/0211313	12/2017	Narahari	N/A	N/A
2018/0241546	12/2017	Leng et al.	N/A	N/A
2018/0285971	12/2017	Rosenoer	N/A	N/A
2018/0285996	12/2017	Ma	N/A	N/A
2018/0294956	12/2017	O'Brien et al.	N/A	N/A
2018/0308140	12/2017	Shkipin	N/A	N/A
2018/0322597	12/2017	Sher	N/A	N/A
2019/0034911	12/2018	Wilson	N/A	N/A
2021/0256451	12/2020	Tarmann et al.	N/A	N/A
2021/0256552	12/2020	Tarmann et al.	N/A	N/A
2021/0272145	12/2020	Tarmann et al.	N/A	N/A
2021/0350455	12/2020	Tarmann et al.	N/A	N/A
2021/0350456	12/2020	Tarmann et al.	N/A	N/A
2022/0114663	12/2021	Tarmann et al.	N/A	N/A
2023/0394569	12/2022	Tarmann	N/A	N/A
2024/0303732	12/2023	Tarmann et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2017100375	12/2016	AU	N/A
3026039	12/2016	CA	N/A
107038642	12/2016	CN	N/A
WO2017091530	12/2016	WO	N/A
WO2017143435	12/2016	WO	N/A

OTHER PUBLICATIONS

Notice of Allowance mailed Sep. 20, 2024 for related U.S. Appl. No. 18/236,539, entitled “Continuously Monitoring and Updating Mortgage Ready Data” (9 pages). cited by applicant

Office Action for related U.S. Appl. No. 18/236,539, mailed on May 6, 2024, entitled “Continuously Monitoring and Updating Mortgage Ready Data”, 21 pages. cited by applicant

Hotlon, et al., “Blockchain: The Impact on the Real Estate Industry”, PillsburyLawClientAlert, 2016, pp. 1-4. cited by applicant

Office Action for U.S. Appl. No. 17/383,350, mailed on Oct. 17, 2023, Benjamin Tarmann, “Continuously Updating Mortgage Ready Data”, 13 pages. cited by applicant

Office Action for U.S. Appl. No. 17/560,938, mailed on Nov. 1, 2023, Benjamin Tarmann, “Approving and Updating Dynamic Mortgage Applications”, 24 pages. cited by applicant

“Bitcoins Academic Pedigree”, Communications of the ACM, Dec. 2017, vol. 60, No. 12, 2017, 11 pgs. cited by applicant

Ali, et al., “Blockchain and mortgage lending process: A study of people, process, and technology involved”, vol. 7, Issue 1, 2019, 15 pgs. cited by applicant

Aru, HashCoin Uses Emercoin Blockchain for Vehicle Registration and Tracking, Cointelegraph, downloaded from the Internet at: <<<https://cointelegraph.com/news/hashcoin-uses-Demercoin-blockchain-for-vehicle-registration-and-tracking/>>> (Dec. 8, 2016). cited by applicant

Blockchain in the Insurance Section, Pricewaterhouse Coopers LLP brochure, 2 pp. (2016). cited by applicant

Blockchain in the Insurance Section, www.pwc.co.uk, Pricewaterhouse Coopers LLP brochure 160407-104750-SP-OS, downloaded from the internet <<<https://www.the-digital-insurer.com/wp-content/uploads/2016/12/795-blockchain-in-insurance.pdf>>>, 2 pp. (2016). cited by applicant

Cointelegraph, “How Blockchain Technology Works—Guide for Beginners”, retrieved on Jul. 28, 2020 from <<cointelegraph.com/bitcoin-for-beginners/how-blockchain-technology-works>>. cited by applicant

DeRidder, et al., “Blockchain: The Impact on the Real Estate Industry”, PillsburyLaw Client Alert, Dec. 2016, 4 pgs. cited by applicant

Final Office Action dated Jun. 12, 2020 for U.S. Appl. No. 15/975,278 “Incentivizing an Agent Based Upon Mortgage Ready Data Updated” Tarmann, 28 pages. cited by applicant

Final Office Action dated Jun. 25, 2020 for U.S. Appl. No. 15/975,504, “Identifying Multiple Mortgage Ready Properties”, Tarmann, 11 pages. cited by applicant

Final Office Action dated Jul. 31, 2020 for U.S. Appl. No. 15/975,316 “Approving and Updating Dynamic Mortgage Applications” Tarmann, 31 pages. cited by applicant

Final Office Action dated Oct. 15, 2020 for U.S. Appl. No. 15/975,156, “Approving and Updating Dynamic Mortgage Applications”, Tarmann, 63 pages. cited by applicant

Final Office Action dated Nov. 12, 2020 for U.S. Appl. No. 15/975,253, “Identifying Multiple Mortgage Ready Properties”, Tarmann, 16 pages. cited by applicant

Haber, et al., “How to Time-Stamp a Digital Document”, Journal of Cryptology, 1991, pp. 99-111. cited by applicant

Lee, “Banks Take Over the Blockchain”, Euromoney, vol. 47, Iss. 566, Jun. 2016, 13 pages. cited by applicant

Mittal, et al., “Real Estate Management System based on Blockchain”, 2020 IEEE & the Uttar Pradesh Section International Conference on Electrical, Electronics and Computer Engineering, (UPCON), 2020, 6 pgs. cited by applicant

Non Final Office Action dated Feb. 28, 2020 for U.S. Appl. No. 15/975,184 “Continuously Monitoring and Updating Mortgage Ready Data” Tarmann, 29 pages. cited by applicant

Non Final Office Action dated Mar. 9, 2020 for U.S. Appl. No. 15/975,316 “Approving and Updating Dynamic Mortgage Applications” Tarmann, 38 pages. cited by applicant

Non Final Office Action dated Apr. 29, 2020 for U.S. Appl. No. 15/975,156 “Approving and

Updating Dynamic Mortgage Applications” Tarmann, 52 pages. cited by applicant
Non Final Office Action dated Jun. 9, 2020 for U.S. Appl. No. 15/975,523 “Identifying Multiple Mortgage Ready Properties”, Tarmann, 13 pages. cited by applicant
Non Final Office Action dated Jun. 15, 2020 for U.S. Appl. No. 15/975,474, “Continuously Updating Mortgage Ready Data”, Tarmann, 18 pages. cited by applicant
Non Final Office Action dated Jun. 19, 2020 for U.S. Appl. No. 15/975,344, “Continuously Monitoring and Updating Mortgage Ready Data”, Tarmann, 29 pages. cited by applicant
Non Final Office Action dated Jul. 29, 2020 for U.S. Appl. No. 15/975,442 “Approving and Updating Dynamic Mortgage Applications” Tarmann, 21 pages. cited by applicant
Non Final Office Action dated Oct. 7, 2020 for U.S. Appl. No. 15/975,422, “Incentivizing Agents Based Upon Updatedmortgage Ready Data”, Tarmann, 30 pages. cited by applicant
Non Final Office Action dated Oct. 7, 2020 for U.S. Appl. No. 15/975,536, “Incentivizing Agents Based Upon Mortgage Ready Data Updated”, Tarmann, 27 pages. cited by applicant
Non Final Office Action dated Dec. 27, 2019 for U.S. Appl. No. 15/975,504 “Identifying Multiple Mortgage Ready Properties” Tarmann, 10 pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,253, mailed Nov. 17, 2021, Tarmann, “Identifying Multiple Mortgage Ready Properties” 8 pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,253, mailed on Jun. 17, 2021, Tarmann, “Identifying Multiple Mortgage Ready Properties”, 15 Pages. cited by applicant
Office action for U.S. Appl. No. 15/975,278, mailed on Mar. 9, 2021, Tarmann, “Incentivizing an Agent Based Upon Mortgage Ready Data Updated”, 22 Pages. cited by applicant
Office action for U.S. Appl. No. 15/975,386, mailed on Nov. 25, 2019, Tarmann, “Identifying Multiple Mortgage Ready Properties”, 24 pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,422, mailed on Apr. 21, 2021, Tarmann, “Incentivizing Agents Based Upon Updated Mortgage Ready Data”, 29 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,422, mailed on Jun. 1, 2020, Tarmann, “Incentivizing Agents Based Upon Updated Mortgage Ready Data”, 25 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,422, mailed on Nov. 29, 2019, Tarmann, “Incentivizing Agents Based Upon Updated Mortgage Ready Data”, 26 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,504, mailed on Mar. 2, 2023, Tarmann, “Identifying Multiple Mortgage Ready Properties”, 12 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,504, mailed on Jul. 17, 2023, Tarmann, “Identifying Multiple Mortgage Ready Properties” 14 pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,504, mailed on Sep. 9, 2021, Tarmann, “Identifying Multiple Mortgage Ready Properties”, 12 pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,504, mailed on Sep. 22, 2023, Tarmann, “Identifying Multiple Mortgage Ready Properties”, 7 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,504, mailed on Dec. 13, 2021, Tarmann, “Identifying Multiple Mortgage Ready Properties”, 14 Pages. cited by applicant
Office action for U.S. Appl. No. 15/975,536, mailed on Mar. 9, 2021, Tarmann, “Incentivizing an Agent Based Upon Mortgage Ready Data Updated”, 22 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,536, mailed on Apr. 21, 2021, Tarmann, “Incentivizing Agents Based Upon Mortgage Ready Data Updated”, 27 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,536, mailed on Jun. 1, 2020, Tarmann, “Incentivizing Agents Based Upon Mortgage Ready Data Updated”, 24 Pages. cited by applicant
Office Action for U.S. Appl. No. 15/975,536, mailed on Nov. 29, 19, Tarmann, “Incentivizing Agents Based Upon Mortgage Ready Data Updated”, 25 Pages. cited by applicant
Office action for U.S. Appl. No. 15/975,536, mailed on Dec. 2, 2019, Tarmann, “Incentivizing an Agent Based Upon Mortgage Ready Data Updated”, 34 Pages. cited by applicant
Office Action for U.S. Appl. No. 17/168,642, mailed on Jul. 18, 2022, Tarmann, “Continuously

Monitoring and Updating Mortgage Ready Data”, 25 pgs. cited by applicant
Office Action for U.S. Appl. No. 17/168,642, mailed on Dec. 19, 2022, Tarmann, “Continuously Monitoring and Updating Mortgage Ready Data”, 25 Pages. cited by applicant
Office Action for U.S. Appl. No. 17/168,961, mailed on Jul. 20, 2022, Tarmann, “Approving and Updating Dynamic Mortgage Applications”, 26 pages. cited by applicant
Office Action for U.S. Appl. No. 17/383,347, mailed on Jun. 9, 2023, Tarmann, “Continuously Updating Mortgage Ready Data”, 10 Pages. cited by applicant
Office Action for U.S. Appl. No. 17/383,347, mailed on Oct. 6, 2023, Tarmann, “Continuously Updating Mortgage Ready Data”, 17 pages. cited by applicant
Office Action for U.S. Appl. No. 17/560,938, mailed on Jul. 26, 2023, Tarmann, “Approving and Updating Dynamic Mortgage Applications”, 23 Pages. cited by applicant
Oparah, “3 Ways That The Blockchain Will Change the Real Estate Market”, Feb. 6, 2016, retrieved from <<<https://techcrunch.com/2016/02/06/3-ways-that-blockchain-will-change-the-real-estate-market/>>>. cited by applicant
Sakho, et al., “Blockchain: Perspectives and issues”, Journal of Intelligent and Fuzzy Systems, 2019, 25 pgs. cited by applicant
Non-Final Office Action for related U.S. Appl. No. 17/383,350, dated Sep. 3, 2024, 15 pages. cited by applicant
Gabison, “Policy Considerations for the Blockchain Technology Public and Private Applications”, SMU Science and Technology Law Review, vol. 19, No. 3, 2016, 25 pgs. cited by applicant
Notice of Allowance mailed Feb. 12, 2025 in related U.S. Appl. No. 17/383,350 (24 pages). cited by applicant
Non-Final Office Action for related U.S. Appl. No. 18/666,481, dated Mar. 13, 2025 (15 pages). cited by applicant

Primary Examiner: Anderson; Scott C

Attorney, Agent or Firm: Lee & Hayes, P.C.

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of and claims priority to pending U.S. patent application Ser. No. 18/296,594 filed on Apr. 6, 2023, and entitled “Approving and Updating Dynamic Mortgage Applications, which is a continuation of and claims priority to U.S. patent application Ser. No. 17/168,961 filed on Feb. 5, 2021, and entitled “Approving and Updating Dynamic Mortgage Applications,” issuing as U.S. Pat. No. 11,636,539 on Apr. 25, 2023, which is a continuation of and claims priority to U.S. patent application Ser. No. 15/975,316, filed on May 9, 2018, and entitled, “Approving and Updating Dynamic Mortgage Applications,” issued as U.S. Pat. No. 10,949,919 on Mar. 16, 2021, which claims the benefit of U.S. Provisional Patent Application No. 62/504,328, filed on May 10, 2017, and entitled “System and Method of Utilizing Blockchain Technology to Approve and Update Dynamic Mortgage Applications,” U.S. Provisional Patent Application No. 62/514,470, filed on Jun. 2, 2017, and entitled “System and Method of Utilizing Blockchain Technology to Approve and Update Dynamic Mortgage Applications,” U.S. Provisional Patent Application No. 62/535,018, filed Jul. 20, 2017, and entitled “System and Method of Approving and Updating Dynamic Mortgage Applications,” and U.S. Provisional Patent Application No. 62/581,391, filed on Nov. 3,

2017, and entitled “Approving and Updating Dynamic Mortgage Applications,” the entire disclosures of which are expressly incorporated by reference herein for all purposes.

TECHNICAL FIELD

(1) This disclosure relates to systems and methods for approving a mortgage application and, more particularly, at least in some embodiments, to systems and methods for approving and updating a mortgage application using computing and/or blockchain technologies.

BACKGROUND

(2) During a conventional mortgage loan process, it may typically take at least 30 days to meet all the requirements necessary for a real estate property to close, e.g., officially transfer the property from one owner to another owner. More specifically, various items are needed to close the property, each of which may include a certain period of time to complete. For example, a home buyer's mortgage application must be approved, which may require the home buyer to submit various items of information to a bank for review. In addition, a home appraisal may be required, which may typically involve an inspector physically reviewing and evaluating the condition of the real estate property and preparing a report. Further, proof of a title search evidencing ownership of the property, for example, may be required along with proof of homeowner's and mortgage insurance.

(3) As is well known in the industry, all of these components of the process may require some time and together often result in at least 30, sometimes 45 days, to enable the real estate property to be closed. This time delay has several drawbacks, including inconvenience, and often frustration, for those involved.

SUMMARY

(4) The present embodiments relate to closing on a property at a faster rate than the typical time period of at least 30 days. Home buyers, e.g., mortgagees, often desire a faster close once securing a contract to buy a real estate property for various reasons. Such reasons include wanting to begin renovations on, or having to move into, the real estate property as soon as possible. Likewise, lenders, such as various banks, may also desire a faster closing process at least to generate and secure the revenue from the closing at a faster rate. In addition, faster closing processes may result in fewer problems during the time period leading up to the closing, resulting in fewer failed real estate transactions. Still further, like both home buyers and lenders, insurance companies may also be interested in a faster closing process.

(5) In one aspect, the present embodiments may relate determining that a customer, a property or home, and/or a local government entity is “mortgage ready.” For instance, a home may already have an appraisal performed on it recently, a customer may have submitted recent financial information, and/or a government entity may be set up for handling e-titles/electronic titles or otherwise be capable of handling electronic deeds. If the home buyer, home, and/or local government entity is maintained in a mortgage ready condition, the processing time for home closing may be streamlined.

(6) In another aspect, a computer-implemented method of using a blockchain to determine a customer is approved for a mortgage may be provided. The method may include: (1) receiving, at one or more processors, a request for a mortgage associated with a customer identification number; (2) identifying, via the one or more processors, a blockchain associated with the customer, the customer's blockchain may be identified using the customer identification number; (3) accessing, at a memory coupled to the one or more processors, the blockchain corresponding to the customer identification number to retrieve information about the customer, the information including one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data; (4) verifying, via the one or more processors, no increased risk event occurred, the increased risk event including one or more of a decrease in the deposit account data for down payment, a declaration of bankruptcy, a decrease

in credit score, an unemployment claim, or old or expired pay stub data; and/or (5) calculating, via the one or more processors, an amount the customer is approved for a mortgage loan based upon the retrieved information about the customer and indicating, via the one or more processors, the customer is mortgage ready. The method may include additional, less, or alternative actions, including those discussed elsewhere herein.

(7) In another aspect, a computer-implemented method of using blockchain technology to determine a real estate property is mortgage ready may be provided. The method may include: (1) receiving, at one or more processors, a request for an appraisal associated with one or more of a real estate property identification number (PIN) and/or a multiple listing service (MLS) number; (2) identifying, via the one or more processors, a blockchain associated with the real estate property, the real estate property's blockchain may be identified using the PIN and/or MLS number; (3) accessing, at a memory coupled to the one or more processors, the blockchain corresponding to the PIN and/or MLS number to retrieve information about the real estate property, the information including one or more of list price, real estate property age, historical appraisal data, age of roof, age of siding, age of driveway, age of one or more appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, and/or repairs data; (4) verifying, via the one or more processors, no increased risk event occurred, the increased risk event including one or more of an indication a claim for damages was filed or the property is in one or more of a hurricane zone, a flood zone, or an earthquake zone; (5) calculating, via the one or more processors, an appraisal value for the real estate property based upon the retrieved information about the real estate property from the blockchain; (6) comparing, via the one or more processors, the calculated appraisal value with the list price accessed from the blockchain corresponding to the PIN and/or MLS number; and/or (7) indicating, via the one or more processors, the real estate property is mortgage ready when the calculated appraisal value is equal to, or exceeds, the list price value. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(8) In another aspect, a computer-implemented method of approving a dynamic mortgage application may be provided. The method may include: (1) determining, via one or more processors, a customer is approved for a mortgage, including calculating, via the one or more processors, an amount in which the customer is approved for a mortgage loan based upon the information about the customer retrieved from the blockchain; (2) determining, via one or more processors, a real estate property is mortgage ready, including calculating, via the one or more processors, an appraisal value for the real estate property based upon the information about the real property retrieved from the blockchain; (3) comparing, via the one or more processors, the calculated amount the customer is approved for a mortgage loan with the calculated appraisal value of the real estate property; and/or (4) approving the mortgage application of the customer for the real estate property when the calculated amount the customer is approved for the mortgage loan meets, or exceeds, the calculated appraisal value of the real estate property, reducing a processing time and closing time of the mortgage. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(9) In yet another aspect, a computer-implemented method of using blockchain technology to continuously update information about a customer approved for a mortgage may be provided. The customer may be associated with a customer identification number. The method may include: (1) monitoring, via one or more processors, information accessed from a blockchain corresponding to the customer identification number, the information used to determine the customer is approved for a mortgage and including one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status,

telematics data, credit score data, deposit account data for down payment, and current payment stub data; (2) receiving, at the one or more processors, new information about the customer, the new information used to determine the customer is approved for a mortgage and including one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data; (3) updating, at a memory coupled to the one or more processors, a block of the blockchain to include the new information; and/or (4) recalculating, via the one or more processors, the amount in which the customer is approved for a mortgage based upon the new information received. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(10) In another aspect, a computer-implemented method of identifying multiple mortgage ready properties using a blockchain may be provided. Each mortgage ready property may be associated with a property identification number (PIN) and/or a multiple listing service (MLS) number. The method may include: (1) receiving, at one or more processors, information from a customer approved for a mortgage about preferences for a real estate property, the information including customer preference for one or more of real estate property list price, age, historical appraisal data, age of roof, age of siding, age of driveway, age of appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials for new construction, repairs data, and price range; (2) accessing, at a memory coupled to the one or more processors, a blockchain to retrieve a plurality of mortgage ready real estate properties meeting one or more of the customer preferences information; and/or (3) transmitting, via the one or more processors, the plurality of real estate properties meeting one or more of the customer preferences information to the customer. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(11) In still yet another aspect, a computer-implemented method of incentivizing an insurance agent to update a blockchain may be provided. The method may include: (1) receiving, at one or more processors, a message indicating an agent updated a blockchain with information about a customer or a real estate property; (2) increasing, via the one or more processors and according to an interval of time, a score of the agent for at least one item of information about one or more of the customer or the real estate property updated to the blockchain, the interval of time including one or more of real time, daily, weekly, bi-weekly, monthly, or quarterly; and/or (3) calculating, via the one or more processors, an agent rating based upon the score of the agent, the agent rating used to compute one or more of compensation or bonus of the agent. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(12) In still yet another aspect, a computer-implemented method of determining a customer is approved for a mortgage may be provided. The method may include receiving, at one or more processors, a request for a mortgage associated with a customer identification number, and identifying, via the one or more processors, a memory storage location associated with the customer, the customer's memory storage location may be identified using the customer identification number. The method may also include accessing, at a memory coupled to the one or more processors, the memory storage location corresponding to the customer identification number to retrieve information about the customer relative to obtaining a mortgage. The method may further include verifying, via the one or more processors, no increased risk event occurred, and calculating, via the one or more processors, an amount the customer is approved for a mortgage loan based upon the retrieved information about the customer and indicating, via the one or more processors, the customer is mortgage ready, reducing the processing time for a mortgage approval. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(13) In yet another aspect, a computer-implemented method of determining a real estate property is mortgage ready may be provided. The method may include receiving, at one or more processors, a request for an appraisal associated with one or more of a real estate property identification number (PIN) and/or a multiple listing service (MLS) number, and identifying, via the one or more processors, a memory storage location associated with the real estate property, the real estate property's computer file or memory location may be identified using the PIN and/or MLS number. The method may include accessing, at a memory coupled to the one or more processors, the memory storage location corresponding to the PIN and/or MLS number to retrieve information about the real estate property, and verifying, via the one or more processors, no increased risk event occurred. The method may further include calculating, via the one or more processors, an appraisal value for the real estate property based upon the retrieved information about the real estate property from the memory storage location, and comparing, via the one or more processors, the calculated appraisal value with the list price accessed from the memory storage location corresponding to the PIN and/or MLS number. The method may also include indicating, via the one or more processors, the real estate property is mortgage ready when the calculated appraisal value is equal to, or exceeds, the list price value. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(14) In still another aspect, a computer-implemented method of approving a dynamic mortgage application may be provided. The method may include determining, via one or more processors, a customer is approved for a mortgage, including calculating, via the one or more processors, an amount in which the customer is approved for a mortgage loan based upon the information about the customer retrieved from a memory storage location. The method may include determining, via one or more processors, a real estate property is mortgage ready, including calculating, via the one or more processors, an appraisal value for the real estate property based upon the information about the real property retrieved from the memory storage location, such as by using a machine learning or an artificial intelligence algorithm. The method may include comparing, via the one or more processors, the calculated amount the customer is approved for a mortgage loan with the calculated appraisal value of the real estate property. The method may also include approving the mortgage application of the customer for the real estate property when the calculated amount the customer is approved for the mortgage loan meets, or exceeds, the calculated appraisal value of the real estate property, reducing a processing time and closing time of the mortgage. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(15) In yet another aspect, a computer system for approving a dynamic mortgage application of a customer for a real estate property may be provided. The customer corresponds to a customer identification number record tracked by a computer, such as a computer employing one or more machine learning techniques, or via a memory storage location, and the real estate property corresponds to a real estate property identification number (PIN) record tracked by a computer, such as a computer employing one or more machine learning techniques, or via a memory storage location. The system may include a network interface configured to interface with one or more processors, a memory configured to store non-transitory computer executable instructions and configured to interface with the one or more processors, and the one or more processors configured to interface with the memory. In addition, the one or more processors are configured to execute the non-transitory computer executable instructions to cause the system to: determine a customer is approved for a mortgage loan based upon information about the customer retrieved from the memory storage location; determine a real estate property is mortgage ready based upon information about the real estate property retrieved from the memory storage location; compare a calculated amount the customer is approved for a mortgage loan with a calculated appraisal value of the real estate property; and/or approve the mortgage application of the customer for the real estate property when the calculated amount the customer is approved for the mortgage loan is equal to, or exceeds, the calculated appraisal value of the real estate property, reducing a processing time

and closing time of the mortgage. The system may include additional, less, or alternate elements, including those discussed elsewhere herein.

(16) In still yet another aspect, a computer-implemented method of continuously updating information about a customer approved for a mortgage may be provided. The customer may be associated with a customer identification number, and the method may include monitoring, via one or more processors, information accessed from a memory storage location corresponding to the customer identification number, with the information being used to determine the customer is approved for a mortgage. The method may further include receiving, at the one or more processors, new information about the customer, the new information used to determine the customer is approved for a mortgage. The method may also include updating, at a memory coupled to the one or more processors, the memory storage address to include the new information; and recalculating, via the one or more processors, the amount in which the customer is approved for a mortgage based upon the new information received. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(17) In yet another aspect, a computer-implemented method of continuously updating information about a real estate property identified as mortgage ready may be provided. The real estate property is associated with a real estate property identification number (PIN) and/or a multiple listing service (MLS) number. The method may include monitoring, via one or more processors, information about the real estate property corresponding to the PIN and/or MLS number, the information used to determine the real estate property is mortgage ready, and/or identifying, via the one or more processors, new information about the real estate property, the new information including any of the information used to determine the real estate property is mortgage ready. The method may further include updating, at a memory coupled to the one or more processors, a memory storage location to include the new information about the real estate property; and/or recalculating, via the one or more processors, the appraisal value for the real estate property based upon the new information received. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(18) In still yet another aspect, a computer system for continuously updating information about one or more of a customer approved for a mortgage and a real estate property identified as mortgage ready using computer technology and/or machine learning algorithms or artificial intelligence is disclosed. The customer is associated with a customer identification number record tracked by a memory storage location, and the real estate property may correspond to a real estate property identification number (PIN) record tracked by a memory storage location. The system may include a network interface configured to interface with one or more processors of an insurance entity, and a memory configured to store non-transitory computer executable instructions and configured to interface with the one or more processors. The one or more processors may be configured to interface with the memory and to execute the non-transitory computer executable instructions to cause the system to: monitor information corresponding to one or more of the customer or the real estate property; identify new information about one or more of the customer or the real estate property; update a memory storage location to include the new information about one or more of the customer or the real estate property; and/or recalculate one or more of the amount in which the customer is approved for the mortgage or the appraisal value of the real estate property based upon one or more of new information received and the updated information from the memory storage location. The system may include additional, less, or alternate elements, including those discussed elsewhere herein.

(19) In still another aspect, a computer-implemented method of identifying multiple mortgage ready properties using computer technology and/or machine learning algorithms or artificial intelligence is disclosed. Each mortgage ready property is associated with a property identification number (PIN) and/or a multiple listing service (MLS) number. The method may include receiving, at one or more processors, information from a customer approved for a mortgage about preferences

for a real estate property, and accessing, at a memory coupled to the one or more processors, a memory storage location to retrieve a plurality of mortgage ready real estate properties meeting one or more of the customer preferences information. The method may include transmitting, via the one or more processors (and/or associated transceivers), the plurality of real estate properties meeting one or more of the customer preferences information to the customer. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(20) In still yet another aspect, a computer system for identifying multiple mortgage ready properties using computer technology and/or machine learning technologies may be provided. Each mortgage ready property may be associated with a property identification number (PIN) and/or a multiple listing service (MLS) number. The system may include a network interface configured to interface with one or more processors of an entity, and a memory configured to store non-transitory computer executable instructions and configured to interface with the one or more processors. The one or more processors are configured to interface with the memory. In addition, the one or more processors are configured to execute the non-transitory computer executable instructions to cause the system to: receive information from a customer approved for a mortgage about preferences for a real estate property; access a memory associated with a memory storage location to retrieve a plurality of real estate properties meeting one or more of the customer preferences information, each real estate property of the plurality of real estate properties being mortgage ready; and/or transmit the identified plurality of real estate properties meeting the customer preferences information to the customer. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(21) In still yet another aspect, a computer-implemented method of incentivizing an insurance agent to update a memory storage location may be provided. The method may include receiving, at one or more processors, a message indicating an agent updated a memory storage location with information about a customer or a real estate property. The method may also include increasing, via the one or more processors and according to an interval of time, a score of the agent for at least one item of information about one or more of the customer or the real estate property updated to the memory storage location. The interval of time may include one or more of real time, daily, weekly, bi-weekly, monthly, or quarterly. The method may also include calculating, via the one or more processors, an agent rating based upon the score of the agent, the agent rating used to compute one or more of compensation or bonus of the agent. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(22) In yet another aspect, a computer system for incentivizing an insurance agent to update a memory storage location may be provided. The system may include a network interface configured to interface with one or more processors of an entity and a memory configured to store non-transitory computer executable instructions and configured to interface with the one or more processors. The one or more processors are configured to interface with the memory and to execute the non-transitory computer executable instructions to cause the system to: receive one or more of a message or a signal indicating an agent updated a memory storage location with information about one or more of a customer or a real estate property; increase a score of the agent for at least one item of information about one or more of the customer or the real estate property updated to the memory storage location; and/or calculate an agent rating based upon the score of the agent. The system may include additional, less, or alternate elements, including those discussed elsewhere herein.

(23) Advantages will become more apparent to those skilled in the art from the following description of the preferred embodiments which have been shown and described by way of illustration. As will be realized, the present embodiments may be capable of other and different embodiments, and their details are capable of modification in various respects. Accordingly, the drawings and description are to be regarded as illustrative in nature and not as restrictive.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) The Figures described below depict various aspects of the system and methods disclosed therein. It should be understood that each figure depicts an example of a particular aspect of the disclosed system and methods, and that each of the figures is intended to accord with a possible example thereof. Further, wherever possible, the following description refers to the reference numerals included in the following figures, in which features depicted in multiple figures are designated with consistent reference numerals.
- (2) There are shown in the drawings arrangements which are presently discussed, it being understood, however, that the present examples are not limited to the precise arrangements and instrumentalities shown, wherein:
- (3) FIG. 1A is an exemplary computing environment including components associated with a system and method of approving a dynamic mortgage application using blockchain technology in accordance with one aspect of the present disclosure;
- (4) FIG. 1B is an exemplary computing environment including components associated with a system and method of approving a dynamic mortgage application in accordance with another aspect of the present disclosure;
- (5) FIG. 2 depicts an exemplary computer system in which some of the techniques described herein may be implemented in accordance with one aspect of the present disclosure;
- (6) FIG. 3A depicts an exemplary distributed ledger system, such as a blockchain system, in accordance with one aspect of the present disclosure;
- (7) FIG. 3B depicts an exemplary sequence diagram of the distributed ledger system of FIG. 3A;
- (8) FIG. 4 depicts an exemplary node of the distributed ledger system of FIG. 3 in accordance with one aspect of the present disclosure;
- (9) FIG. 5 depicts an exemplary blockchain in accordance with one aspect of the present disclosure;
- (10) FIG. 6 depicts an exemplary computer-implemented method of utilizing blockchain technology to determine a customer is approved for a mortgage;
- (11) FIG. 7 depicts an exemplary computer-implemented method of utilizing blockchain technology to determine a real estate property is mortgage ready;
- (12) FIG. 8 depicts an exemplary computer-implemented method of using a blockchain to approve a dynamic mortgage application;
- (13) FIG. 9 depicts an exemplary computer-implemented method of utilizing blockchain technology to continuously update information about a customer approved for a mortgage;
- (14) FIG. 10 depicts an exemplary computer-implemented method of utilizing blockchain technology to continuously update information about a real estate property identified as mortgage ready;
- (15) FIG. 11 depicts an exemplary computer-implemented method of utilizing blockchain technology to identify multiple mortgage ready properties based upon customer input;
- (16) FIG. 12 depicts an exemplary computer-implemented method of incentivizing an agent to update a blockchain;
- (17) FIG. 13 is a front view of an exemplary computing device of the system and method of approving a dynamic mortgage application of FIGS. 1A and 1B;
- (18) FIG. 14 is another front view of the exemplary computing device of the system and method of approving a dynamic mortgage application of FIGS. 1A and 1B, the exemplary computing device displaying a prompt for information relative to verifying an identity of the customer;
- (19) FIG. 15 is another front view of the exemplary computing device of the system and method of approving a dynamic mortgage application of FIGS. 1A and 1B, the exemplary computing device displaying bank account information relative to an identified customer;

(20) FIG. 16 is another front view of the exemplary computing device of the system and method of approving a dynamic mortgage application of FIGS. 1A and 1B, the exemplary computing device displaying a calculated amount the identified customer is approved for a mortgage; and
(21) FIG. 17 is another front view of the exemplary computing device of the system and method of approving a dynamic mortgage application of FIGS. 1A and 1B, the exemplary computing device displaying a listing of mortgage ready real estate properties.

(22) The Figures depict preferred embodiments for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the systems and methods illustrated herein may be employed without departing from the principles of the invention described herein.

DETAILED DESCRIPTION

(23) Generally, the present disclosure and exemplary aspects relate to, inter alia, systems and methods for utilizing blockchain technology to approve a dynamic mortgage application. For example, a blockchain may be used to approve a customer for a mortgage amount, determine and identify a real estate property as mortgage ready (e.g., having a calculated appraisal value using information about the real estate property accessed from the blockchain that meets, or exceeds, a list price of the real estate property), approve a dynamic mortgage application, monitor and update the mortgage ready data relative to both the customer and the real estate property, and identify multiple mortgage ready properties based upon customer input, and incentivize and rate insurance agents based upon the customer and real estate property mortgage ready data received from the agent. In one example, the systems and methods described herein allow for using a private blockchain of an insurance entity, which gives the option for private information and permissioned participants in the blockchain.

(24) The disclosed systems and methods may use an application of distributed ledgers, where each new block may be cryptographically linked to the previous block in order to form a “blockchain,” as described in more detail below. More particularly, to create a new block, each transaction within a block may be assigned a hash value (i.e., an output of a cryptographic hash function). These hash values may then be combined utilizing data storage and cryptographic techniques (e.g., a Merkle Tree) to generate a hash value representative of the entire new block, and, consequently, the transactions stored in the block. This hash value may then be combined with the hash value of the previous block to form a hash value included in the header of the new block, thereby cryptographically linking the new block to the blockchain. To this end, the precise value utilized in the header of the new block is dependent on the hash value for each transaction in the new block, as well as the hash value for each transaction in every prior block.

(25) Exemplary Environment for Approving a Dynamic Mortgage Application Using Blockchain Technology

(26) FIG. 1A depicts an exemplary computing environment 10 including components associated with approving a dynamic mortgage application using blockchain technology in accordance with one aspect of the present disclosure. As illustrated in FIG. 1A, the environment 10 may include N computing devices 12-1 through 12-N associated with N respective customers (e.g., thousands of customers, millions of customers, etc.). Each of the computing devices 12-1 through 12-N may be any suitable type of computing device having wired and/or wireless communication capabilities, such as a personal computer, tablet, phablet, smartphone, etc.

(27) The environment 10 may also include a computing system 14 associated with an insurance entity. The computing system 14 may include one or more servers of the insurance entity, or may include a plurality of networked computing devices that have an appearance of a single, logical computing device or system, e.g., a group of cloud computing devices. The computing system 14 may be communicatively coupled to computing devices 12-1 through 12-N via a network (not shown in FIG. 1A). The network may be a single communication network, or may include multiple communication networks of one or more types (e.g., one or more wired and/or wireless local area

networks (LANs), and/or one or more wired and/or wireless wide area networks (WANs) such as the Internet), for example.

(28) The environment **10** may also include a computing system **16** associated with a realtor entity, a computing system **18** associated with a bank entity, and a computing system **20** associated with a county entity. Each of the computing systems **16**, **18** and **20** may include one or more servers or computing devices and may be communicatively coupled to computing system **14** of the insurance entity via a network (not shown in FIG. **1A**). The network may be a single communication network, or may include multiple communication networks of one or more types (e.g., one or more wired and/or wireless LANs, and/or one or more wired and/or wireless WANs such as the Internet), for example.

(29) The computing system **14** may include various units, including a customer unit **22**, a real estate property unit **24**, and an insurance agent unit **26**. Each of some or all of the units **22**, **24** and **26** may include a respective set of one or more computing devices or processors that execute software instructions to perform the corresponding functions described herein. Alternatively, each of some or all of the units **22**, **24** and **26** may be or include a respective component of software that is stored on one or more computer-readable media (e.g., a random access memory (RAM) and/or read-only memory (ROM) of the computing system **14**) and executed by one or more processors of the computing system **14** to perform the corresponding functions described herein. Further, one or more of the units may be combined into a single unit, or may be omitted. In addition, the computing system **14** of the insurance entity may further include a blockchain system **200**, which is explained more below and in FIG. **3A**, for example. The blockchain system **200** may be a part of one or more of the units **22**, **24**, **26** or only one of the units when the units are combined into a single unit, for example.

(30) Generally, in one embodiment, customer unit **22** collects information regarding the customers operating computing devices **12-1** through **12-N** (with customer permission, affirmative consent, or via the customer), stores the collected information in a customer profile database that includes a separate profile for each customer, and updates the blockchain system **200** with the customer information, creating a digital identity for each customer on the blockchain system **200**, for example. The customer profile database may be any suitable type of persistent memory. The customer unit **22** may obtain the customer information in any of one or more ways. For example, customer unit **22** may obtain demographic information (e.g., gender, birth date) and information about customer's finances and employment via on-line forms (e.g., insurance applications, mortgage applications) filled out by the customers using computing devices **12-1** through **12-N**. The customer unit **22** may provide the on-line forms as one or more web pages (e.g., HTML files, JavaServer Pages files, etc.) stored in a memory of the computing system **14**, and the consumers may use web browser applications executing on the computing devices **12-1** through **12-N** to access the web page(s), for example.

(31) Via the on-line forms, or via other suitable means, customer unit **22** may also collect insurance preferences and/or requirements of the various customers. For example, each customer may enter his or her preferred or required coverage types, coverage limits, deductibles, insurance provider ratings (e.g., AAA), and/or any other preference or requirement relating to insurance. A customer may indicate that he or she prefers to have a policy through an insurance company that offers live insurance agents, for example. In one alternative embodiment and/or scenario, some or all of the consumers provide information via physical application forms, and some or all of the computing devices **12-1** through **12-N** may be omitted in the example environment **10**. Generally, the customer unit **22** may store the individual preferences of a particular customer (or indications thereof) in a respective customer profile of the customer profile database of the customer unit **22**, for example.

(32) Further, the customer unit **22** may collect other information that is also to be stored in the customer database (with customer permission). For a customer already having an insurance policy with the insurance entity **14**, such as an insurance provider, for example, customer unit **22** may

receive or obtain information from the customer's insurance account and/or policy. For example, claims information from that provider (e.g., number and/or dates of past claims, past claim payouts made to or on behalf of the consumer, etc.) may be obtained. Alternatively, or additionally, customer unit **22** may receive telematics data relative to the customer's existing real estate property and health or lifestyle habits. Generally, the customer unit **22** may store individual characteristics of a particular customer (or indications thereof) in a respective customer profile within the customer profile database. Individual customer characteristics or customer information may include, for example, customer age, marital status, homeowner status, geographical location, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data. Customer unit **22** may then update the blockchain system **200** of the insurance entity **14** to include all of the customer information about each of the customers, creating the digital identity for each customer on the blockchain system **200**, for example.

(33) With the foregoing, a customer may opt-in to a rewards, insurance discount, or other type of program. After the customer provides their affirmative consent, an insurance provider remote server may collect data from the customer's mobile device, smart home controller, smart or autonomous vehicle, or other smart devices-such as with the customer's permission or affirmative consent. The data collected may be related to smart home functionality (or home occupant preferences or preference profiles), smart or autonomous vehicle functionality, and/or insured assets before (and/or after) an insurance-related event, including those events discussed elsewhere herein. In return, risk averse insureds, home owners, or home or apartment occupants may receive discounts or insurance cost savings related to home, renters, personal articles, auto, and other types of insurance from the insurance provider, and such information may be further collected by the insurance entity **14**, such as by the customer unit **22**.

(34) In one aspect, smart or interconnected home data, and/or other data, including the types of data discussed elsewhere herein, may be collected or received by an insurance provider remote server, such as via direct or indirect wireless communication or data transmission from a smart home controller, mobile device, smart or autonomous vehicle, or other customer computing device, after a customer affirmatively consents or otherwise opts-in to an insurance discount, reward, or other program. The insurance entity **14**, such as the insurance provider, may then analyze the data received with the customer's permission to provide benefits to the customer. As a result, risk averse customers may receive insurance discounts or other insurance cost savings based upon data that reflects low risk behavior and/or technology that mitigates or prevents risk to (i) insured assets, such as homes, personal belongings, or vehicles, and/or (ii) home or apartment occupants. Such information may be further collected by the insurance entity **14**, such as by the customer unit **22**.

(35) In a similar manner, the real estate property unit **24** may collect information regarding various real estate properties the insurance entity **14** is currently insuring. Alternatively, or additionally, the real estate property unit **24** may collect real estate property information transmitted to the insurance entity **14** by one or more of the computing system **16** associated with the realtor entity, the computing system **18** associated with the bank entity, or the computing system **20** associated with the county entity. The real estate property unit **24** may then store the collected information about each real estate property in a database of the real estate property unit **24**, for example, that includes a separate profile for each real estate property. The database may again be any suitable type of persistent memory. In addition, the real estate property unit **24** may then update the blockchain system **200** with the real estate property information collected, creating a digital identity for each real estate property on the blockchain system **200**, in one example.

(36) The real estate property unit **24** may obtain the real estate property information in any of one or more ways. For example, real estate property unit **24** may obtain information about the real estate property via on-line forms (e.g., appraisal and mortgage applications) filled out by individuals operating the computing system **16** of the realtor entity and/or the computing system **18**

of the bank entity, e.g., the bank entity providing the mortgage associated with the real estate property. Alternatively, and/or additionally, the real estate property unit **24** may obtain the real estate property information by accessing a blockchain **21** of the computing system **20** of the county entity, as explained more below. Still further, the real estate property unit **24** may obtain the real estate property information from the insurance agent unit **26** associated with the insurance entity. In that example, the insurance agent providing the homeowner's and/or mortgage insurance for the real estate property may provide information to the real estate property unit **24** about the real estate property. Such real estate property information may include one or more of the real estate property age, historical appraisal data, age of roof, age of siding, age of driveway, age of one or more appliances, basement remodel data, square footage data, number of bathrooms and/or bedrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, repairs data and/or any other real estate property characteristics.

(37) Further, the real estate property unit **24** may collect other information that is also to be stored in a database and updated to the blockchain system **200** of the insurance entity **14**, for example. In one example, for a real estate property already having an insurance policy with the insurance entity **14**, such as an insurance provider, for example, the real estate property unit **24** may receive or obtain information from the real estate property's insurance account and/or policy. For example, claims information from that provider (e.g., number and/or dates of past claims, past claim payouts made relative to the real estate property) may be obtained. Alternatively, or additionally, real estate property unit **24** may receive telematics data relative to the customer's existing real estate property and health or lifestyle habits. Generally, the real estate property unit **24** may then store individual characteristics of a particular real estate property (or indications thereof) and update the blockchain to include the information about the real estate property.

(38) Referring now to FIG. **1B**, another exemplary computing environment including components associated with a system and method of approving a dynamic mortgage application in accordance with another aspect of the present disclosure is depicted. This exemplary environment is identical to the exemplary computing environment of FIG. **1A**, except the insurance entity **14** does not include the blockchain system **200** as depicted in FIG. **1A**, but rather a more general memory storage location **27**, as explained more below. As such, parts of the exemplary environment of FIG. **1B** that are the same as parts of the exemplary environment of FIG. **1A** have the same reference numbers and no further explanation is provided herein for the sake of brevity. Different parts, namely the memory storage location **27**, however, have different reference numbers and are explained more below and throughout the description.

(39) In particular, and in one example, the memory storage location **27** of the insurance entity **14** may include one or more of a computer file, a memory, a memory location, or an address that may be associated with one or more of the customer or the real estate property or properties. In another example, the memory storage location **27** may include one or more of a blockchain system **200**, a computer file, a memory, a memory location, or an address separate from the blockchain system **200**, for example. In yet another example, each of the computing systems **16**, **18**, **20** of the realtor entity, bank entity, and county entity, respectively, may include one or more of a blockchain system or a memory storage location for example, as is explained more in the context of the exemplary computer system of FIG. **2**.

(40) Still further, an additional computing system **23** of a third party entity **21** may also be included in the exemplary computing environment of FIG. **1B**. Like the computing systems **16**, **18**, **20**, the computing system **23** of the third party entity may include one or more of a separate memory storage location and/or a blockchain system separate from one or more of the blockchain systems of one or more of the computing systems **14**, **16**, **18**, **20** corresponding, respectively, to the insurance entity, realtor entity, bank entity or county entity.

(41) In addition, the computing system **23** of the third party entity may include one or more of Equifax, Instatouch, Maxwell, FinLocker, or any other third party able to provide information needed for determining or calculating whether the customer or real estate property is mortgage ready, as further defined herein. Such information may include any information relative to a digital identify of one or more of the customer or the real estate property, as further explained below.

(42) Exemplary Computer System for Approving a Dynamic Mortgage Application Utilizing Blockchain Technology

(43) FIG. 2 depicts an exemplary computer system **100** in which the techniques and methods described herein may be implemented, according to one embodiment. In one embodiment, the computer system **100** may be included in the system **10** of one or both of FIGS. 1A and 1B. For example, any one or more of the units **22-26** may comprise one or more instances of the computer system **100**, or the insurance entity **14** may comprise one or more instances of the computer system **100**. In addition, any one or more of the computing systems **16, 18, 20, 21** of the realtor entity, the bank entity, the county entity, and the third party entity, respectively, may comprise one or more instances of the computer system **100**. Further, any one or more of the computing devices of customers **12-1** through **12-N** may comprise one or more instances of the computer system **100**.

(44) The computer system **100** of FIG. 2 may include a computing device in the form of a computer **110**. Components of the computer **110** may include, but are not limited to, a processing unit **120**, a system memory **130**, and a system bus **121** that couples various system components including the system memory **130** to the processing unit **120**. The system bus **121** may be any of several types of bus structures including a memory bus or memory controller, a peripheral bus, or a local bus, and may use any suitable bus architecture. In one example, the system memory **130** is the memory storage location of each computing device **12**.

(45) Computer **110** typically includes a variety of computer-readable media. Computer-readable media can be any available media that can be accessed by computer **110** and may include both volatile and nonvolatile media, and both removable and non-removable media. By way of example, and not limitation, computer-readable media may comprise computer storage media and communication media. Computer storage media includes tangible, volatile and nonvolatile, removable and non-removable media implemented in any method or technology for non-transitory storage of information such as computer-readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, FLASH memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can accessed by computer **110**. More generally and in one example, one or more of the aforementioned listing of computer storage media may be the memory storage location as defined herein. Communication media typically embodies computer-readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism, and includes any information delivery media. By way of example, and not limitation, communication media may include wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, radio frequency (RF), infrared and other wireless media. Combinations of any of the above are also included within the scope of computer-readable media.

(46) The system memory **130**, which may include the memory storage location in one example, may include computer storage media in the form of volatile and/or nonvolatile memory such as read only memory (ROM) **131** and random access memory (RAM) **132**. A basic input/output system **133** (BIOS), containing the basic routines that help to transfer information between elements within computer **110**, such as during start-up, is typically stored in ROM **131**. RAM **132** typically contains data and/or program modules that are immediately accessible to, and/or presently being operated on, by processing unit **120**. By way of example, and not limitation, FIG. 2 illustrates

operating system **134**, application programs **135**, other program modules **136**, and program data **137**.

(47) The computer **110** may also include other removable/non-removable, volatile/nonvolatile computer storage media. By way of example only, FIG. 2 illustrates a hard disk drive **141** that reads from or writes to non-removable, nonvolatile magnetic media, a magnetic disk drive **151** that reads from or writes to a removable, nonvolatile magnetic disk **152**, and an optical disk drive **155** that reads from or writes to a removable, nonvolatile optical disk **156** such as a CD ROM or other optical media. Other removable/non-removable, volatile/nonvolatile computer storage media that can be used in the exemplary operating environment include, but are not limited to, magnetic tape cassettes, flash memory cards, digital versatile disks, digital video tape, solid state RAM, solid state ROM, and the like. The hard disk drive **141** may be connected to the system bus **121** through a non-removable memory interface such as interface **140**, and magnetic disk drive **151** and optical disk drive **155** may be connected to the system bus **121** by a removable memory interface, such as interface **150**.

(48) The drives and their associated computer storage media discussed above and illustrated in FIG. 2 provide storage of computer-readable instructions, data structures, program modules and other data for the computer **110**. In FIG. 2, for example, hard disk drive **141** is illustrated as storing operating system **144**, application programs **145**, other program modules **146**, and program data **147**. Note that these components may either be the same as or different from operating system **134**, application programs **135**, other program modules **136**, and program data **137**. Operating system **144**, application programs **145**, other program modules **146**, and program data **147** are given different numbers here to illustrate that, at a minimum, they are different copies. A user may enter commands and information into the computer **110** through input devices such as cursor control device **161** (e.g., a mouse, touch pad, etc.) and keyboard **162**. A monitor **191** or other type of display device is also connected to the system bus **121** via an interface, such as a video interface **190**. In addition to the monitor, computers may also include other peripheral output devices such as printer **196**, which may be connected through an output peripheral interface **195**.

(49) The computer **110** may operate in a networked environment using logical connections to one or more remote computers, such as a remote computer **180**. The remote computer **180** may be a personal computer, a server, a router, a network PC, a peer device or other common network node, and typically includes many or all of the elements described above relative to the computer **110**, although only a memory storage device **181** has been illustrated in FIG. 2. The logical connections depicted in FIG. 2 include a local area network (LAN) **171** and a wide area network (WAN) **173**, but may also include other networks. Such networking environments are commonplace in hospitals, offices, enterprise-wide computer networks, intranets and the Internet.

(50) When used in a LAN networking environment, the computer **110** is connected to the LAN **171** through a network interface or adapter **170**. When used in a WAN networking environment, the computer **110** may typically include a modem **172** or other means for establishing communications over the WAN **173**, such as the Internet. The modem **172**, which may be internal or external, may be connected to the system bus **121** via the input interface **160**, or other appropriate mechanism. The communications connections **170**, **172**, which allow the device to communicate with other devices, are an example of communication media, as discussed above. In a networked environment, program modules depicted relative to the computer **110**, or portions thereof, may be stored in the remote memory storage device **181**. By way of example, and not limitation, FIG. 2 illustrates remote application programs **185** as residing on memory device **181**.

(51) In some configurations, the computer **110** may be included in a plurality of networked computers or computing devices that have the logical appearance as a single, integral computing node, e.g., a cloud computing system. For example, the application programs **145**, other program modules **146** and/or program data **137** may be stored in and executed by the logical, single computing node.

(52) The techniques and methods for approving and updating a dynamic mortgage application using blockchain technology described herein may be implemented in part within a computer system such as the computer system **100** illustrated in FIG. 2. The computer **110** may be a server or computing device of the insurance entity **14** (e.g., within the computing system **14** of FIG. 1), and the remote computer **180** may be a server or computing device of one or more of the computing systems **16**, **18** and **20** of FIG. 1, for example. In some such embodiments, the LAN **171** may be omitted (e.g., communications may between computer **110** and computer **3180** may only occur via WAN **173**). Application programs **135** and **145** may include programs that implement customer unit **22**, the real estate property unit **24**, and the insurance agent unit **26** of FIG. 1, for example. Databases in each of the units **22-26** may be stored on hard disk drive **141**, magnetic disk **152** or optical disk **156**, for example.

(53) In general, any of the storage media described above including but not limited to the system memory **130**, the ROM **131**, the RAM **132**, the hard disk drive **141**, the magnetic disk **152** or the optical disk **156** may comprise the memory storage location as defined herein.

(54) Exemplary Distributed Ledger

(55) Referring now to FIG. 3A, an exemplary distributed ledger system **200**, such as a blockchain system, in accordance with one aspect of the present disclosure is depicted. An example of a distributed ledger system **200** is the blockchain system **200** of FIG. 1 described above. FIG. 3A includes a plurality of nodes **212**, **214**, and **216**, network connections **218**, and a distributed ledger **220** having a blockchain **222**. In a distributed ledger system **200**, each node maintains a copy of the distributed ledger **220**, which includes a copy of the blockchain **222**. As changes are made to the distributed ledger **200**, each node updates their respective copy of the distributed ledger **220**. A consensus mechanism may be used by the nodes in the distributed ledger system **200** to decide whether it is appropriate to make changes to the distributed ledger **220**, as explained more below.

(56) Therefore, each node has their own copy of the distributed ledger **220**, which is identical to every other copy of the distributed ledger **220** stored by each other node. The distributed ledger system **220** is more robust than a central authority database system, for example, because the distributed ledger system **220** is decentralized. As such, there is no single point of failure.

(57) Exemplary Sequence Diagram

(58) FIG. 3B depicts an exemplary sequence diagram **300** in accordance with one aspect of the blockchain system **200** of the present disclosure. FIG. 3B includes a set of nodes **212**, **214** and **216**. At **302**, Node A **212** may generate a transaction. The transaction may be transmitted from Node A **212** to Node C **216** at **304**. Node C **216** may validate the transaction at **306**, and, if the transaction is valid, transmit the transaction at **308** to Node B **214**. Node B **214** may validate the transaction at **310**. At **312**, Node C **216** may compile a block including the validated transaction. Compiling a block may include generating a solution to a cryptographic puzzle, and linking the block to other blocks, as described above. Once the block is compiled, Node C **216** may transmit the block with the solution at **314** to both Node A **212** and Node B **214**.

(59) Both Node A **212** and Node B **214** may then validate the solution to the block at **316**. Verifying may include checking a cryptographic key-pair as described above. At **318** the three nodes form a consensus that the solution is valid, thereby forming a consensus on the blocks of transactions stored by all the nodes.

(60) Exemplary Node

(61) FIG. 4 depicts an exemplary node **400** in accordance with one aspect of the present disclosure. In some embodiments, node **400** may be the same type of node as Node C **216** in FIG. 3B. In other embodiments, node **400** may be the same type of node as Node A **212** and Node B **214** in FIG. 3B. Node **400** may be capable of performing the functionality disclosed herein. In particular, node **400** may be utilized in the decentralized system described in FIG. 3A, and/or the blockchain system **500** described below in FIG. 5.

(62) The node **400** may include at least one processor **402**, memory **404**, a communication module

406, a set of applications **408**, external ports **410**, user interface **412**, a blockchain manager **414**, smart contracts **416**, operating system **418**, a display screen **420**, and input/output components **422**. In some embodiments, the node **400** may generate a new block of transactions of the blockchain by using the blockchain manager **414**. Similarly, the node **400** may use the blockchain manager **414** in conjunction with the smart contracts **416** stored in memory **404** to execute the functionality disclosed herein.

(63) In other embodiments, the smart contracts **416** operate independent of the blockchain manager **414** or other applications. In some embodiments, node **400** does not have a blockchain manager **414**, or smart contracts **416** stored at the node. In some embodiments, the node **400** may have additional or less components than what is described. The components of the node **400** are described in more detail below.

(64) The node **400**, as part of a decentralized ledger system **200**, or another decentralized or centralized network, may be used as part of systems that interact with and/or manipulate data and transactions associated with the approving a dynamic mortgage application, including determining a customer is approved for a mortgage and determining real estate property is mortgage ready, as described more below.

(65) Exemplary Blockchain System

(66) FIG. 5 depicts an exemplary blockchain system **500** in accordance with one aspect of the present disclosure. FIG. 5 includes a blockchain **502** having at least one block of transactions **504**. The blockchain **502** may be the blockchain system **200** described above and depicted in FIG. 3A, for example, or the blockchain of FIG. 4. The blockchain **502** further includes a Merkle Tree **506** and a transaction **508**. The Merkle Tree may be the above-referenced Merkle Tree that cryptographically links transactions together. In other examples, the blockchain system **500** may utilize a different method of organizing transactions in a block. In some examples, the blockchain system **500** includes a plurality of blocks connected together to form a chain of blocks of transactions **502**.

(67) Each block of transactions **504** may include at least one transaction **508**. In other embodiments, each block of transactions **504** has a size limit that necessarily limits the number of transactions that the block may store. Each block of transactions **504** includes a reference to a previous block of transactions that was added to the blockchain **502** prior to the block of transactions **504** being added to the blockchain **502**. As such, and as described above, each block of transactions **504** is linked to every other block in the blockchain **502**.

(68) In some embodiments, the block of transactions **504** may organize the transactions it has received into a Merkle Tree **506** to facilitate access to the stored transactions. The transactions may be hashed using a cryptographic hash algorithm, and the hash of each transaction may be stored in the tree. As the tree is constructed the hash of each adjacent node at the same level may be hashed together to create a new node that exists at a higher level in the tree. Therefore, the root of the tree, or the node at the top of the tree, is dependent upon the hash of each transaction stored below in the tree. Each transaction **508** may include a set of data **510**. The set of data **510** may include identifying data for the transaction, and transaction data identifying the nature of the transaction and what the transactions entails

(69) Exemplary Methods of Using a Blockchain to Approve a Dynamic Mortgage Application

(70) FIG. 6 depicts an exemplary computer-implemented method **600** for using a blockchain to determine a customer is approved for a mortgage associated with one aspect of the present disclosure. The customer may be one or more customers **12-1** through **12-N**, as depicted in FIG. 1. Each customer may correspond to a respective customer identification number or record tracked by a blockchain that is maintained by one or more participants. In some examples, the one or more participants may be one or more of the nodes **212**, **214**, **216** described above and depicted in FIG. 3A, for example. In addition, the blockchain may be the blockchain **222** of the blockchain system **200** of FIG. 1 and/or the blockchain **500** of FIG. 5. The steps of the flow diagram may be

performed by the nodes, such as the nodes depicted in FIG. 3A. The method **600** may include additional, fewer, or alternative actions, including those described elsewhere herein.

(71) More specifically, and in one example, the method **600** may include receiving, at one or more processors, such as the one or more processors of the insurance entity **14**, a request for a mortgage associated with a customer identification number (block **602**). Said another way, the one or more processors may receive a request from a customer for a mortgage, and the customer is associated with a customer identification number. The method may further include identifying, via the one or more processors of the insurance entity, one or more of a blockchain or a memory storage location associated with the customer. The customer's blockchain or the customer's mortgage storage location may be identified using the customer identification number (block **604**), for example.

(72) The method may further include accessing, at a memory coupled to the one or more processors, one or more of the blockchain or the memory storage location corresponding to the customer identification number to retrieve information about the customer (block **606**). The information about the customer may include one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data. According to some aspects, accessing one or more of the blockchain or the memory storage location may include verifying, at the one or more processors, a notification source for the request for the mortgagee; identifying, at the one or more processors, one or more entries in one or more of the blockchain or memory storage location corresponding to the customer identification number or record for the customer; and accessing, at the memory, the one or more entries in one or more of the blockchain or memory storage location corresponding to the customer identification number records for the customer. According to still other aspects, the blockchain system **200** may include one or more of the blockchain system of the insurance entity **14** or the blockchain **500** depicted in FIG. 5.

(73) The method may further include verifying, at the one or more processors, no increased risk event occurred (block **608**). The increased risk event may include one or more of a decrease in the deposit account data for down payment, a declaration of bankruptcy, a decrease in credit score, an unemployment claim, or old or dated pay stub data. In some examples, old or dated pay stub data may include a pay stub more than two weeks old or more than one month old.

(74) The method may then also include calculating, at the one or more processors, an amount the customer is approved for a mortgage loan based upon the retrieved information about the customer (block **610**). In one example, the one or more processors may calculate the amount using one or more of an algorithm or a set of rules based upon at least one or more of the information about the customer listed above. In addition, the method may further include indicating, at the one or more processors, the customer is mortgage ready (block **612**), which reduces the processing time for approving a mortgage application of the customer, as explained more below. Further, the method may further include updating, at the memory, one or more of a block for the blockchain or the memory storage location to indicate the customer is mortgage ready (block **614**). Still further, in yet still other aspects, the method may further include transmitting, via the one or more processors coupled with the network interface, the block to another participant in the blockchain.

(75) In some aspects, the method **600** may further include monitoring, via the one or more processors, the retrieved information about the customer from one or more of the blockchain or the memory storage location in real time, such as via machine learning (such as supervised or unsupervised machine learning) or artificial intelligence algorithms. For example, machine learning may be utilized to identify increased risk events across a pool of mortgage customers. Accordingly, the one or more processors may monitor a plurality of mortgage transactions recorded in the blockchain or the memory storage location to develop and/or train the machine learning algorithms associated with customer mortgage risk. To this end, upon the completion of the mortgage, the machine learning algorithms may be adjusted based upon the mortgage outcomes and/or the

retrieved information about the customer. That is, if a mortgage successfully is completed without any delays, the machine learning algorithms that detect increased risk events may decrease weights associated with characteristics of the customer.

(76) In one embodiment, machine learning techniques may also be used to determine whether information associated with the consumer indicates that the consumer is mortgage ready. To this end, the machine learning algorithms may develop and updates weights for different types of customer information, such as customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data. Based upon an analysis of the various weights, the machine learning algorithms may determine that the customer is mortgage ready.

(77) In another embodiment, machine learning techniques may also be used to predict the likelihood of a delay in the mortgage process and/or other negative outcomes. For instance, rather than detecting whether an increased risk event has occurred, the machine learning techniques may analyze the retrieved customer information to determine an overall customer risk profile. In some scenarios, the overall risk may be determined based upon a plurality of sub-models that analyze individual aspects of mortgage risk. In this embodiment, an “increased risk event” may be the machine learning algorithm that assesses an overall customer risk profile determining that the risk for the current customer exceeds a threshold value.

(78) The method may still further include updating, via the one or more processors and according to an interval of time, the amount in which the customer is approved for a mortgage loan based upon any changes in the information about the customer being monitored. The interval of time may include one or more of real time, daily, every two weeks, monthly, every six months and yearly.

(79) Alternatively, and/or additionally, the method may further include receiving, via the one or more processors, updated information about the customer. The updated information may include one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data. In this example, the method may then further include updating, at the memory, one or more of a block for the blockchain or the memory storage location to include and/or indicate the updated information about the customer received again according to an interval of time. The interval of time may include one or more of real time, daily, bi-weekly, bi-monthly, monthly, bi-annually or annually. The updated blocks may then be transmitted, via one or more of the processors, to other nodes in a communication network, for example.

(80) Referring now to FIG. 7, an exemplary computer-implemented method **700** for using one or more of a blockchain or a memory storage location to determine a real estate property is mortgage ready is depicted. Each real estate property may correspond to one or more of a respective real estate property identification number (PIN) (such as a tax identification number), a multiple listing service (MLS) number or record, or street address or other record or identifier tracked by a blockchain that is maintained by one or more participants. In some examples, the one or more participants may be one or more of the nodes **212**, **214**, **216** described above and depicted in FIG. 3A, for example. In addition, the blockchain may be the blockchain **222** of the blockchain system **200** of FIG. 1 and/or the blockchain **500** of FIG. 5. The steps of the flow diagram may be performed by the nodes, such as the nodes depicted in FIG. 3A. The method **700** may include additional, fewer, or alternative actions, including those described elsewhere herein.

(81) As depicted in FIG. 7, the method may include receiving, at one or more processors, a request for an appraisal associated with one or more of a real estate property identification number (PIN) and/or a multiple listing service (MLS) number (block **702**). In addition, the method may include identifying, via the one or more processors, one or more of a blockchain or a memory storage location associated with the real estate property (block **704**). In one example, the real estate

property's blockchain or memory storage location may be identified using the PIN and/or MLS number. Further, the method may include accessing, at a memory coupled to the one or more processors, one or more of the blockchain or the memory storage location corresponding to the PIN and/or MLS number to retrieve information about the real estate property (block **706**). In some examples, the information includes one or more of list price, real estate property list price age, historical appraisal data, age of roof, age of siding, age of driveway, age of one or more appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, street address or other location data, and repairs data.

(82) In addition, the method may include verifying, via the one or more processors, no increased risk event occurred (block **708**) or an increased risk event did not occur. The increased risk event may include one or more of an indication a claim for damages was filed or the property is in one or more of a hurricane zone, a flood zone, or an earthquake zone. The method may further include calculating, via the one or more processors, an appraisal value for the real estate property based upon the retrieved information about the real estate property from the blockchain (block **710**). In one example, the one or more processors may calculate the amount using an algorithm or one or more sets of rules based upon the real estate property information described above.

(83) Still further, the method may include comparing, via the one or more processors, the calculated appraisal value with the list price accessed from one or more of the blockchain or the memory storage location corresponding to the PIN and/or MLS number (block **712**). More specifically, the one or more processors may determine if the calculated appraisal value is equal to, or exceeds, the list price (accessed from the blockchain, for example) (block **714**). If yes, the one or more processors may further indicate that the real estate property is mortgage ready (block **716**). In some aspects, the method may further include updating, at the memory, one or more of a block for the blockchain or the memory storage location to indicate the real estate property is mortgage ready (block **718**). However, if the one or more processors determine the calculated appraisal value does not equal, or exceed, the list price, then the one or more processors may indicate the real estate property is not mortgage ready (block **720**). In some aspects, the one or more processors may then further update, at the memory, the block or the memory storage location to indicate the real estate property is not mortgage ready (block **722**).

(84) Similar to the method for using one or more of a blockchain or a memory storage location to determine a customer is approved for a mortgage associated described above, in some aspects the method **700** may further include monitoring, via the one or more processors, the retrieved information about the real estate property from one or more of the blockchain or the memory storage location in real time, such as via machine learning or artificial intelligence algorithms. According to some aspects, the machine learning algorithms associated with the method **700** may be implemented in a similar manner as described with respect to the method **600** above. To this end, machine learning techniques may be utilized to identify increased risk events based upon characteristics of properties across a pool of properties and/or develop an overall property risk profile.

(85) In one embodiment, machine learning techniques, including supervised or unsupervised machine learning, may also be used to determine whether information associated with the real estate property indicates that the real estate property is mortgage ready. To this end, the machine learning algorithms may develop and update weights for different types of real estate property information, such as real estate property list price, age, historical appraisal data, age of roof, age of siding, age of driveway, age of appliances, basement remodel data, square footage data, number of bedrooms, number of bathrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to

recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, and/or repairs data. Based upon an analysis of the various weights, the machine learning algorithms may determine that the real estate property is mortgage ready.

(86) In other aspects, the method **700** may include updating, at the memory and according to an interval of time, the appraisal value based upon any changes in the information about the real estate property being monitored. The interval of time may include one or more of real time, daily, every two weeks, monthly, every six months and yearly.

(87) Still further, the method **700** may also include receiving, via the one or more processors, updated or new information about the real estate property. The updated or new information may include one or more of real estate property list price, age, historical appraisal data, age of roof, age of siding, age of driveway, age of appliances, basement remodel data, square footage data, number of bedrooms, number of bathrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, and/or repairs data. Still further, the method **700** may include then updating, at the memory, one or more of a block for the blockchain or the memory storage location to include the new information about one or more of the real estate property or the updated appraisal value according to an interval of time. The interval of time may again include one or more of real time, daily, every two weeks, monthly, every six months and yearly. Still further, the method **700** may include transmitting, via one or more of the processors, the updated blockchain to other nodes in a communication network.

(88) Referring now to FIG. **8**, an exemplary computer-implemented method **800** of approving a dynamic mortgage application using one or more of a blockchain or a memory storage location is depicted. The blockchain may be the blockchain **222** of the blockchain system **200** of FIG. **1** and/or the blockchain **500** of FIG. **5**. The steps of the flow diagram may be performed by the nodes, such as the nodes depicted in FIG. **3A**. The method **800** may include additional, fewer, or alternative actions, including those described elsewhere herein.

(89) The method **800** may include determining, via one or more processors, such as one or more processors of the insurance entity **14**, for example, a customer is approved for a mortgage (block **802**). Determining a customer is approved for a mortgage or mortgage ready may include at least part of the method **600** depicted in FIG. **6** and described above. More generally, determining the customer is approved for a mortgage or mortgage ready may include identifying and accessing one or more of a blockchain or a memory storage location using a customer identification number to retrieve information about the customer and relative to an approval of a mortgage (see, e.g., blocks **606** and **608** of FIG. **6**).

(90) The method **800** may further include determining, again via the one or more processors, a real estate property is mortgage ready (block **804**). Determining a real estate property is mortgage ready may include at least part of the method **700** depicted in FIG. **7** and described above. More generally, determining the real estate property is mortgage ready may include identifying one or more of a blockchain or memory storage location using a real estate property identification number, and accessing one or more of the blockchain or the memory storage location to retrieve information about the real estate property (e.g., blocks **704**, **706** of FIG. **7**). The method **700** may also include calculating an appraisal value of the real estate property based upon the information about the real estate property accessed from the blockchain, comparing the calculated appraisal value for the real estate property with a list price of the real estate property accessed from the blockchain, and indicating the real estate property is mortgage ready when the appraisal value is equal to, or exceeds, the list price (see, e.g., blocks **710**, **712** and **716** of FIG. **7**).

(91) After it is determined that the customer is approved for a mortgage and the real estate property is mortgage ready, the method **800** may further include comparing, via the one or more processors, such as the one or more processors of the insurance entity **14**, a calculated amount the customer is

approved for a mortgage with the calculated appraisal value of the real estate property (block **806**). More specifically, the one or more processors may determine if the amount the customer is approved for a mortgage is equal to, or exceeds, the calculated appraisal value of the real estate property (block **808**). If yes, the one or more processors approve a mortgage application of the customer for the requested real estate property that is mortgage ready (block **810**). The method may then further include updating, at the memory, one or more of a block for the blockchain or the memory storage location to indicate the customer mortgage application for the requested real estate property is approved (block **812**).

(92) However, if the amount the customer is approved for a mortgage does not equal, or exceed, the calculated appraisal value of the real estate property, the one or more processors may indicate the mortgage application of the customer for the requested real estate property is not approved (block **814**). In one example, the method may further include updating, at the memory, a block for the blockchain to indicate the customer mortgage application for the requested property is not approved.

(93) In some aspects, the method **800** of FIG. **8** may further include identifying, via the one or more processors, a county blockchain associated with the real estate property requested or of interest, such as the blockchain system **21** of the computing system **20** of the county entity in FIG. **1**. In this example, the county blockchain may be identified using the PIN and/or MLS number and accessed, at a memory coupled to the one or more processors, corresponding to the PIN and/or MLS number to retrieve information about the real estate property. Such information may include one or more of proof of a title search, or proof of lien free title.

(94) In other aspects, the method **800** may further include offering, via the one or more processors, a quote for one or more of homeowner's insurance and mortgage insurance for the requested real estate property based upon the calculated appraisal value. Said another way, the method **800** may include generating, via the one or more processors, one or more of a homeowner's insurance quote or a mortgage insurance quote for the requested real estate property based upon the appraisal value, which was calculated from information accessed in the blockchain. The method **800** may still further include monitoring, via the one or more processors, one or more of the retrieved information about the customer from the blockchain or the retrieved information about the real estate property from the blockchain according to an interval of time, such as real time.

(95) The method **800** may also include updating, at the memory, one or more of a block or the blockchain or a memory storage location to include any new information about the customer or any new information about the real estate property identified while monitoring the information. The method **800** may still further include updating, at the memory, the blockchain to include and/or indicate one or more of the calculated amount the customer is approved for a mortgage, the calculated appraisal value of the real estate property requested, or a status of the one or more of the customer or the real estate property as mortgage ready.

(96) In view of the foregoing, one of ordinary skill in the art will at least appreciate the following advantages of one or more of the systems and methods **600**, **700**, **800**. For example, the foregoing methods **600**, **700**, **800** enable a mortgage to be processed at least within three to seven days, a considerably shorter period of time than the traditional 30 days or more for conventional mortgages. In addition, because the information relative to customers determined to be mortgage ready and the real estate properties determined to be mortgage ready is continuously updated, the customer may decide at any point that he or she is ready to complete a mortgage application for a particular real estate property, for example, and the work needed for the customer to be approved for the mortgage is already done and updated, or already substantially done.

(97) Moreover, by using one or more of a private, internal blockchain of the insurance entity **14** (FIG. **1**) or a memory storage location, the insurance entity **14**, such as an insurance provider, is able to market its products as having mortgage ready advantages. Said another way, for customers already having insurance products, such as one or more of homeowner's insurance, life insurance,

renter's insurance, or auto insurance with the insurance entity **14**, such customers may enjoy benefits of having information relative to both the customer and/or the real estate property being continuously updated to the blockchain. As a result, the insurance entity **14**, for example, is able to provide mortgage ready status for one or more of the customer or the real estate property, which may enable the customer to close a property within three days. For example, this mortgage ready status may enable the customer to buy a real estate property, e.g., a house, and sell their real estate property insured by the insurance entity **14**, for example, at a significantly faster rate than using another vendor or conventional methods.

(98) Further, by using the blockchain, such an internal blockchain system **200** of the insurance entity **14**, for at least the methods **600-800** described above, it is simpler and easier for customers desiring to be preapproved for a mortgage and/or approved for a mortgage application for a real estate property to provide information for the same. This is at least because such information is pre-populated, and/or included and/or accessible on the blockchain. Said another way, there is low customer effort and a high degree of automation for customers desiring to be approved for a mortgage using the blockchain of the insurance entity **14**, for example. Because the blockchain essentially includes a digital identity for each of the customer and the real estate properties, as described above, and the digital identity, e.g., information about each of the customer and real estate property, is continuously updated with accurate information, there is a significantly faster mortgage and appraisal process than conventional processes. This also allows the customer to be approved for a mortgage application directed to a particular real estate property, for example, at a significantly reduced period of time than conventional time periods for mortgage applications, revolutionizing conventional mortgage processes.

(99) Moreover, if the customer's current real estate property, which the customer desired to sell, is insured by the insurance entity **14** using the blockchain for information about the real estate property, for example, the customer can market the real estate property as capable of being sold, e.g., closed, within 3 to 7 days. This is an extremely desirable period of time for many entities, including, but not limited to, the real estate property buyer, the lender or bank entity, and the insurance entity, such as the insurance provider.

(100) Still further, the information about the real estate properties collected and updated to the blockchain is significantly more detailed and accurate compared to information about real estate properties currently existing in the mortgage industry. As a result, more accurate real estate transactions and insurance offers for the real estate properties, for example, can occur.

(101) As one of ordinary skill in the art will further appreciate, many of the foregoing advantages, in whole or part, are also provided by the following other exemplary methods of the present disclosure.

(102) Exemplary Methods of Continuously Monitoring and Updating Mortgage Ready Data

(103) Referring now to FIG. **9**, an exemplary computer-implemented method **900** of using one or more of a blockchain or a memory storage location to continuously monitor and update information about a customer approved for a mortgage, such as a mortgage ready customer, is depicted. The method **900** may include monitoring, via the one or more processors, information about the customer accessed from one or more of the blockchain or the memory storage location corresponding to an identification number of the customer, such as the customer identification number (block **902**). The information about the customer is information used to determine a customer is approved for a mortgage, and includes one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current pay stub data and the like.

(104) The method **900** may further include receiving, via the one or more processors, new information, such as new information accessed from one or more of the blockchain or the memory storage location, about the customer (block **904**). The new information is used to determine the

customer is approved for a mortgage, and includes one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current pay stub data, for example. In some aspects, the one or more processors may then update, at the memory, the blockchain or the memory storage location to include the new information about the customer (block **906**).

(105) The method **900** may further include verifying, via the one or more processors, the new information continues to meet minimum qualifications for maintaining the status of the customer as approved for the mortgage, e.g., maintaining the status of the customer as mortgage ready (block **908**). In one example, the method may further include validating, via the one or more processors, the status of the customer as approved for the mortgage when the new information meets the minimum qualifications. The minimum qualifications include maintaining a predetermined level or amount of money in a designated deposit account for a down payment on the real estate property, and providing an updated pay stub one of every two week period of time, bi-monthly, or monthly indicating the employment status is employed.

(106) In addition, the method **900** may further include recalculating, via the one or more processors, an amount the customer is approved for a mortgage based upon the new information received, such as new information accessed from the blockchain (block **910**). The method may then further include updating, at the memory, one or more of the blockchain or the memory storage location to include the recalculated amount the customer is approved for the mortgage (block **912**). After one or more of the blockchain or the memory storage location is updated (block **912**), the one or more processors continue to monitor the information about the customer accessed from one or more of the blockchain (block **902**) or the memory storage location. In some aspects, the method **900** may further include transmitting, via the one or more processors, the updated blockchain information to other nodes in a communication network.

(107) Referring now to FIG. **10**, an exemplary computer-implemented method **1000** of using one or more of a blockchain or a memory storage location to continuously update information about a real estate property identified as mortgage ready is depicted. The real estate property is associated with one or more of a real estate property identification number (PIN) and/or a multiple listing service (MLS) number, for example. The method **1000** may include monitoring, via the one or more processors, information corresponding to the PIN and/or MLS number accessed from one or more of the blockchain (block **1002**) or the memory storage location. The information is the information used to determine if the real estate property is mortgage ready, and includes one or more of real estate property age, historical appraisal data, age of roof, age of siding, age of driveway, age of appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to the airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in the neighborhood, building materials data for new construction, and/or repairs data.

(108) The method **1000** may further include identifying, via the one or more processors, new information about the real estate property, such as new information accessed from one or more of the blockchain (block **1004**) or the memory storage location. The new information includes any of the foregoing information used to determine the real estate property is mortgage ready listed above. The method **1000** may further include updating, at the memory, one or more of a block for the blockchain or the memory storage location, to include the new information about the real estate property (block **1006**).

(109) The method **1000** may still further include verifying, via the one or more processors, that the information continues to meet minimum qualifications for maintaining the status of the real estate property as mortgage ready (block **1008**). In some aspects, the minimum qualifications for maintaining the status of the real estate property as mortgage ready include having a title free of

any liens, and having an absence of any insurance claims exceeding a predetermined threshold. The predetermined threshold may include one of \$2000, \$5000, \$10,000 or other threshold determined by an entity, such as the insurance entity **14**, as critical to maintaining the status as mortgage ready. The minimum qualifications may further include maintaining the status of the real estate property in one or more of a no flood zone, a no hurricane zone, or a no earthquake zone.

(110) The method **1000** may also include recalculating, via the one or more processors, the appraisal value for the real estate property based upon one or more of the new information received or the updated information from the blockchain (block **1010**). In some aspects, the method **1000** may further include updating, at the memory, one or more of a block for the blockchain or the memory storage location to include the recalculated amount (block **1012**).

(111) In still further aspects, the method **1000** may include comparing, via the one or more processors, the recalculated appraisal value with a list price accessed from one or more of the blockchain or the memory storage location according to an interval of time, such as real time, as defined above. In addition, the method **1000** may still further include indicating, via the one or more processors, the real estate property is mortgage ready when the recalculated appraisal value meets or exceeds the list price. In a similar manner, the method **1000** may still further include indicating, via the one or more processors, the real estate property is not mortgage ready when the recalculated appraisal value is below the list price.

(112) Exemplary Methods of Identifying Multiple Mortgage Ready Properties Based Upon Customer Input

(113) Referring now to FIG. **11**, an exemplary computer-implemented method **1100** of identifying multiple mortgage ready properties using one or more of a blockchain or memory storage location is depicted. As in previous aspects of the present disclosure, each mortgage ready property is associated with a real estate property identification number (PIN) and/or a multiple listing service (MLS) number. According to some aspects, the method may include receiving, via one or more processors, information from a customer approved for a mortgage about preferences for a real estate property (block **1102**). In some examples, the information includes customer preferences for one or more of real estate property list price, age, historical appraisal data, age of roof, age of siding, age of driveway, age of appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials for new construction, repairs data, and price range.

(114) The method **1100** may further include identifying, via one or more processors, from one or more of a blockchain or a memory storage location a plurality of mortgage ready real estate properties meeting at least one or one or more of the customer preferences information received by the customer (block **1104**). In addition, the method may further include transmitting, via the one or more processors, the plurality of real estate properties meeting the customer preferences information to the customer (block **1106**) approved for a mortgage. In yet other examples, the method **1100** may include verifying, via the one or more processors, from one or more of a blockchain or the memory storage location associated with the customer that the customer associated with the real estate property preference information is approved for a mortgage and accessing, at a memory, an amount in which the customer is approved for the mortgage.

(115) The method **1100** may further include receiving, via the one or more processors, a request from the customer for a mortgage loan for one of the real estate properties meeting the customer preferences information. In addition, the method **1100** may further include comparing, via the one or more processors, the amount in which the customer is approved for a mortgage loan with an appraisal value of the requested real estate property accessed from one or more of the blockchain or the memory storage location. In some examples, the method **1100** may further include calculating, via the one or more processors, a required down payment amount based upon the appraisal value of

the requested real estate property, for example. In addition, the method may include comparing, via the one or more processors, the required down payment amount with a deposit account value of the customer accessed from one or more of the memory storage location or the blockchain.

(116) The method **1100** may further include approving, via the one or more processors, a mortgage application of the customer for the requested real estate property when the amount the customer is approved for the mortgage loan exceeds the appraisal value of a property selected from the plurality of mortgage ready properties identified as meeting one or more of the customer's preferences (block **1108**). In some examples, approving, via the one or more processors, the mortgage application of the customer for the requested mortgage ready real estate property comprises indicating, via the one or more processors, a deposit account value of the customer (accessed from one or more of the memory storage location or blockchain) meets, or exceeds, the down payment amount for the requested real estate property.

(117) The method **1100** may still further include generating, via the one or more processors, an offer for homeowner's insurance quote or mortgage insurance quote based upon the identified mortgage ready property (block **1110**). Still further, the method **1100** may include transmitting, via the one or more processors, one or more quotes to the customer providing the preferences about the real estate properties for review and approval (block **1112**).

(118) In other aspects, the method **1100** may include updating, via the one or more processors, at least one real estate property from the plurality of real estate properties meeting the customer preferences information according to an interval of time, such as in real time.

(119) Exemplary Method of Incentivizing/Rating Agents Based Upon Mortgage Ready Customer and Real Estate Property Information

(120) Referring now to FIG. **12**, an exemplary computer-implemented method **1200** of incentivizing an insurance agent to update one or more of a blockchain or a memory storage location is depicted. The method **1200** may include receiving, via one or more processors, one or more of a message or a signal indicating an agent updated one or more of a blockchain or a memory storage location with mortgage ready information about the customer or the real estate property (block **1202**). The method may further include increasing, via the one or more processors and according to an interval of time, a score of the agent for at least one item of information about one or more of the customer or the real estate property that was updated to one or more of the blockchain (block **1204**) or memory storage location. The interval of time may include one or more of real time, daily, bi-weekly, monthly, quarterly, bi-yearly, or annually. The method **1200** may further include calculating, via the one or more processors, an agent rating based upon the score of the agent (block **1206**). In one example, the agent rating for updating information about the customer or the real estate property may include one of excellent, very good, average, below average, and poor. The agent rating may be used to compute one or more of compensation or bonus of the agent, for example. The method **1200** may still further include updating, at the memory, one or more of the blockchain or memory storage location, such as by creating a new block to include the calculated insurance agent rating relative to an identified insurance agent (block **1208**).

(121) According to some aspects, receiving a message indicating an agent updated one or more of a blockchain or memory storage location with information about the customer may include receiving information about the customer that includes one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data. In addition, increasing a score of the agent for at least one item of information about the customer may comprise increasing the score of the agent for each item of information about the customer updated to one or more of the blockchain or the memory storage location corresponding to the customer.

(122) According to still other aspects, receiving a message indicating an agent updated one or more of a blockchain or a memory storage location with information about the real estate property may

include receiving information about the real estate property that includes one or more of real estate property age, historical appraisal data, age of roof, age of siding, age of driveway, age of one or more appliances, basement remodel data, square footage data, number of bathrooms and/or bedrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, or repairs data. In addition, increasing a score of the agent for at least one item of information updated to one or more of the blockchain or the memory storage location may comprise increasing the score of the agent for each item of information about one or more of the real estate property or the customer updated to the blockchain.

(123) Additional “Mortgage Ready” Embodiments

(124) Some of the present embodiments employ blockchain technology. Other embodiments of the present disclosure may not employ blockchain technologies or techniques, but employ other computer/computing technologies. For instance, machine learning algorithms or artificial intelligence techniques may or may not, be utilized.

(125) In one aspect, a computer-implemented method of determining a customer is approved for a mortgage (or mortgage ready) may be provided. The method may include (1) receiving, at one or more processors, a request for a mortgage associated with a customer identification number; (2) identifying, via the one or more processors, a computer or memory file, or memory storage location (or computer folder, or memory location) associated with the customer, the customer's computer file or memory storage location may be identified using the customer identification number; (3) accessing, at a memory coupled to the one or more processors, the computer file or memory storage location corresponding to the customer identification number to retrieve information about the customer, the information including one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data; (4) verifying, via the one or more processors, no increased risk event occurred, the increased risk event including one or more of a decrease in the deposit account data for down payment, a declaration of bankruptcy, a decrease in credit score, an unemployment claim, or old or expired pay stub data; and/or (5) calculating, via the one or more processors, an amount the customer is approved for a mortgage loan based upon the retrieved information about the customer and indicating, via the one or more processors, the customer is mortgage ready, reducing the processing time for a mortgage approval. The method may include additional, less, or alternate actions, including that discussed elsewhere herein.

(126) In another aspect, a computer-implemented method of determining a real estate property is mortgage ready may be provided. The method may include (1) receiving, at one or more processors, a request for an appraisal associated with one or more of a real estate property identification number (PIN) and/or a multiple listing service (MLS) number; (2) identifying, via the one or more processors, a computer file or memory location associated with the real estate property, the real estate property's computer file or memory location may be identified using the PIN and/or MLS number; (3) accessing, at a memory coupled to the one or more processors, the computer file or memory location corresponding to the PIN and/or MLS number to retrieve information about the real estate property, the information including one or more of list price, real estate property age, historical appraisal data, age of roof, age of siding, age of driveway, age of one or more appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage data, neighborhood crime score, proximity to public transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials data for new construction, repairs data; (4) verifying, via the one or more processors, no increased risk event occurred, the increased risk event including one or more of an indication a claim for damages was

filed on the property is in one or more of a hurricane zone, a flood zone, or an earthquake zone; (5) calculating, via the one or more processors, an appraisal value for the real estate property based upon the retrieved information about the real estate property from the computer file or memory location; (6) comparing, via the one or more processors, the calculated appraisal value with the list price accessed from the computer file or memory location corresponding to the PIN and/or MLS number; and/or (7) indicating, via the one or more processors, the real estate property is mortgage ready when the calculated appraisal value is equal to or exceeds the list price value. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(127) In another aspect, a computer-implemented method of approving a dynamic mortgage application may be provided. The method may include (1) determining, via one or more processors, a customer is approved for a mortgage, including calculating, via the one or more processors, an amount in which the customer is approved for a mortgage loan based upon the information about the customer retrieved from a computer file or memory location/address; (2) determining, via one or more processors, a real estate property is mortgage ready, including calculating, via the one or more processors, an appraisal value for the real estate property based upon the information about the real property retrieved from the computer file or memory location/address (such as by using a machine learning or artificial intelligence algorithm); (3) comparing, via the one or more processors, the calculated amount the customer is approved for a mortgage loan with the calculated appraisal value of the real estate property; and/or (4) approving the mortgage application of the customer for the real estate property when the calculated amount the customer is approved for the mortgage loan meets, or exceeds, the calculated appraisal value of the real estate property, reducing a processing time and closing time of the mortgage. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(128) In another aspect, a computer-implemented method of continuously updating information about a customer approved for a mortgage may be provided. The customer may be associated with a customer identification number and the method may include: (1) monitoring, via one or more processors, information accessed from a computer file and/or memory location/address corresponding to the customer identification number, the information used to determine the customer is approved for a mortgage, and including one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data; (2) receiving, at the one or more processors, new information about the customer, the new information used to determine the customer is approved for a mortgage, and including one or more of customer age, marital status, homeowner status, income level, occupation, finances or income, insurance status, education level, employment status, telematics data, credit score data, deposit account data for down payment, and current payment stub data; (3) updating, at a memory coupled to the one or more processors, the computer file and/or memory location/address to include the new information; and/or (4) recalculating, via the one or more processors, the amount in which the customer is approved for a mortgage based upon the new information received. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(129) In another aspect, a computer-implemented method of identifying multiple mortgage ready properties using computer technology and/or machine learning algorithms or artificial intelligence may be provided. Each mortgage ready property may be associated with a property identification number (PIN) and/or a multiple listing service (MLS) number. The method may include (1) receiving, at one or more processors, information from a customer approved for a mortgage about preferences for a real estate property, the information including customer preference for one or more of real estate property list price, age, historical appraisal data, age of roof, age of siding, age of driveway, age of appliances, basement remodel data, square footage data, number of bathrooms, number of bedrooms, flood or water damage, neighborhood crime score, proximity to public

transportation, proximity to airport, proximity to major metropolitan area, proximity to recreation, school district data, fire or flood claims in neighborhood, building materials for new construction, repairs data, and price range; (2) accessing, at a memory coupled to the one or more processors, a computer file and/or memory location/address to retrieve a plurality of mortgage ready real estate properties meeting one or more of the customer preferences information; and/or (3) transmitting, via the one or more processors, the plurality of real estate properties meeting one or more of the customer preferences information to the customer. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(130) In another aspect, a computer-implemented method of incentivizing an insurance agent to update a computer file and/or memory location/address may be provided. The method may include (1) receiving, at one or more processors, a message indicating an agent updated a computer file and/or memory location/address with information about a customer or a real estate property; (2) increasing, via the one or more processors and according to an interval of time, a score of the agent for at least one item of information about one or more of the customer or the real estate property updated to the computer file and/or memory location/address, the interval of time including one or more of real time, daily, weekly, bi-weekly, monthly, or quarterly; and/or (3) calculating, via the one or more processors, an agent rating based upon the score of the agent, the agent rating used to compute one or more of compensation or bonus of the agent. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(131) Exemplary Computing Device for Approving a Dynamic Mortgage

(132) Referring now to FIG. 13, a front view of an exemplary computing device 12-1 of the system and method of approving a dynamic mortgage application of FIGS. 1A and 1B is depicted. While the computing device 12-1 is depicted, one of ordinary skill in the art will appreciate that any other computing device of FIGS. 1A and 1B, for example, disclosed in the foregoing description may alternatively be used and still fall within the scope of the present disclosure. In this example, the exemplary computing device 12-1 is a smart phone, but may alternatively include a tablet, a personal computer, a laptop, an iPad, a Kindle or any other type of e-reader, or other electronic device. An application having the icon 1202 associated with a mortgage ready application capable of being downloaded to the exemplary computing device 12-1 is depicted.

(133) Upon initiating the application having the icon 1202, a display 1204 of the exemplary computing device 12-1 may initially list a plurality of selections for a user or a customer. The plurality of selections include a Get MortgageReady button or touch screen area 1206, a Find A Home button or touch screen area 1208, a Buy A Home button or touch screen area 1210, a Get Home Insurance button or touch screen area 1212, a Loan Rates button or touch screen area 1214, a Review Loan Amount button or touch screen area 1216, a Find An Agent button or touch screen area 1228, and Questions button or touch screen area 1220.

(134) Upon selection of the Get MortgageReady button or touch screen area 1206 by a customer, for example, a verification of identity prompt for the customer is displayed, as depicted in FIG. 14. Said another way, FIG. 14 depicts the exemplary computing device 12-1 displaying prompts for information relative to verifying an identity of the customer. In one example, the prompts displayed on the computing device 12-1 upon selection of the Get MortgageReady button or touch screen area 1206 includes a Request to Enter a Zip Code prompt 1230 and a Request to Enter Last Four Digits of SS # prompt 1232.

(135) Upon entering such data into each of the corresponding prompts 1230, 1232, the exemplary computing device 12-1 displays bank account information corresponding to the identified customer, as depicted in FIG. 15. More specifically, and in one example, after the data corresponding to prompts 1230 and 1232 is entered by the customer, the exemplary computing device 12-1 transmits the data, via one or more transmitters associated with the computing device 12-1, to the computing device 14 (FIGS. 1A and 1B) associated with the insurance entity, for example, in real time. The computing device 14 associated with the insurance entity then accesses

one or more of the blockchain system **200**, for example, or a memory storage location (e.g., FIG. **1B**) corresponding to a customer identification number of the identified customer to retrieve information about the customer, such as financial information. In one example, the financial information includes bank account information from the insurance entity bank. The financial information retrieved about the customer, such as bank account information and loan products, is then transmitted to and listed on the display **1204** of the computing device **12-1**, as depicted in FIG. **15**.

(136) In one example, deposit account information about the customer is provided in an area **1236** of the display **1204**, and loan product information, such as current mortgage information, is provided in another area **1238** of the display **1204**, as also depicted in FIG. **15**. Of course, more or fewer bank accounts and/or loan products may alternatively and/or additionally be displayed depending upon the customer information and still fall within the scope of the present disclosure.

(137) In addition to the customer's financial information, one or more prompts may also be displayed on the display **1204**. In one example, the prompts may relate to requests for any additional accounts or products with other banks different from the computing system **14** of the insurance entity, for example. As depicted in FIG. **15**, there may be another user name prompt **1240** and a password prompt **1242** associated with the username corresponding to a bank account or product with a third party different than the insurance entity. Additional data relative to such other bank accounts and/or products may then be accessed from one or more of the blockchain **200** or memory storage location corresponding to the customer and used to calculate an amount the customer is approved for a mortgage, as explained more below.

(138) Referring now to FIG. **16**, after all of the customer information relative to the mortgage application has been accessed from one or more of a blockchain or memory storage location associated with the customer, an amount the customer is approved for the mortgage may then be calculated. In one example, information is accessed and retrieved from a memory storage location or a blockchain system of a third party, such as FinLocker or another entity having credit score information relative to the customer or information about the customer relative to underwriting a loan. As is understood from this description, and explained in detail above, calculating the amount the customer is approved for the mortgage is based upon the information retrieved about the customer relative to mortgage approval. The calculated amount the customer is approved for a mortgage is then transmitted to the computing unit **12-1** and displayed on the display **1204**. In this example, both a personalized message **1244** indicating the customer is "mortgage ready" and/or approved for a mortgage and the calculated amount the customer is approved for the mortgage are displayed on the display **1204**.

(139) In another example, an additional prompt **1248** relative to finding a home is provided on the display **1204**. If the customer is interested in reviewing homes for sale at that time, the customer may actuate the yes button **1250** to review a list of mortgage ready homes having an appraisal value equal to, less than, or within a range of the amount the customer is approved for the mortgage. Alternatively, if the customer is not interested in finding homes for sale at that time, the customer may actuate the No button **1252** to end the mortgage ready application on the computing system **12-1** of the customer.

(140) Referring now to FIG. **17**, when the customer actuates the yes button **1250** (FIG. **15**), a listing of real estate properties **1254** determined to be mortgage ready and having a calculated appraisal value meeting, less than, or within a range of the amount the customer is approved for a mortgage is displayed. In this listing of real estate properties **1254**, the address of each real estate property and corresponding appraisal value may be displayed, as depicted in FIG. **17**. In another example, a map **1256** depicting the location of each of the real estate properties provided in the listing of real estate properties **1254** may also be displayed, depicting the location of each real estate property relative to the other real estate properties in the listing **1254**.

(141) In addition, in one example, pins **1258** associated with a real estate property displayed on a

map **1256** of the display **1204** may be color coded to help indicate a status. More specifically, pins **1258** having the color red may indicate the real estate property has mortgage ready status, and pins **1258** having the color blue may indicate the real estate property does not have mortgage ready status. Further, in another example, real estate properties that are for sale and have a listing value that is greater than the calculated amount the customer is approved for the mortgage may be displayed in the listing of real estate properties **1254** in a different color, such as the color gray. Likewise, real estate properties in the listing **1254** having a listing value that meets, or is less than, the calculated amount the customer is approved for the mortgage may be displayed in the color green.

(142) Of course, one of ordinary skill in the art will understand that various other colors, shapes or icons may alternatively be used to code such features of the real estate properties, for example, and still fall within the scope of the present disclosure. Moreover, the listing of real estate properties **1254** may be accessed from a third party entity **23** (e.g., FIG. **1B**), which may be one or more of an MLS service, Zillow, or other real estate property service having such information.

(143) One of ordinary skill in the art will further appreciate the following benefits of the systems and methods described herein. For example, with the mortgage ready application and methods, part of which is depicted in FIG. **13**, customers are continuously in an approved status, up to a supported loan amount. In addition, the systems and processes of the mortgage ready application allow the customer's information to be regularly refreshed and/or updated, which is then used to constantly update the calculated amount the customer is approved for a mortgage. In addition, when a customer has found a specific real estate property, MortgageReady application is able to seamlessly populate a **1003** application to formally complete the loan process. As a result, the customers will experience the fastest, simplest approval process in the industry, all with confidence that they are already approved.

(144) Further, the real estate properties currently and formerly insured by the insurance entity also benefit as they are ready to be purchased upon receiving mortgage ready status, as described herein. Leveraging and accessing existing insurance entity property data, public data and title information from one or more of any of the blockchain systems or memory storage locations described above, such real estate properties are qualified for an accelerated purchase. Further, the insurance entity will capitalize on the existing data to drastically reduce the costs and time associated with appraisals and title transfers. When a customer of a bank affiliated with the insurance entity is purchasing a MortgageReady real estate property insured by the insurance entity, for example, they will experience a faster, easier collateral verification and title transfer process.

(145) In one aspect, a computer-implemented method of matching a mortgage ready customer with a mortgage ready property may be provided. The method may include, via one or more processors, servers, networks, and/or transceivers: (1) retrieving from a memory unit, or receiving (such as via wireless communication or data transmission over one or more radio frequency links) customer income and/or asset information; (2) verifying an identity of a customer that is currently online, such as via a secure network connection; (3) verifying that the customer's income and/or asset information is up-to-date or current, or receiving up-to-date income and/or asset information for the customer via a secure network connection; (4) pre-approving the customer up to a maximum loan amount based upon the current or up-to-date customer income and/or asset information; (5) asking or inquiring of the customer if they are ready to search available (and/or mortgage ready) properties, or otherwise receiving an indication from the customer's mobile device that the customer is actively shopping properties or wants to see available properties; and/or (6) if so, causing a virtual map of available properties for sale to be graphically depicted on the customer's mobile device, the properties graphically depicted being color coded to indicate whether (i) they have list prices below the maximum loan amount that the customer is currently pre-approved for, and/or (ii) are mortgage ready (e.g., pre-vetted to indicate that an appraisal indicates that the house is valued at or near the asking price). The map depicted may be centered about or around a current

GPS location retrieved or received from the customer's mobile device. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

(146) In another aspect, a computer system configured to match a mortgage ready customer with a mortgage ready property may be provided. The system may include one or more processors, servers, networks, and/or transceivers configured to: (1) retrieve from a memory unit, or receive (such as via wireless communication or data transmission over one or more radio frequency links) customer income and/or asset information; (2) verify an identity of a customer that is currently online, such as via a secure network connection; (3) verify that the customer's income and/or asset information is up-to-date or current, or receive up-to-date income and/or asset information for the customer via a secure network connection; (4) pre-approve the customer up to a maximum loan amount based upon the current or up-to-date customer income and/or asset information; (5) ask or inquire of the customer if they are ready to search available (and/or mortgage ready) properties, or otherwise receive an indication from the customer's mobile device that the customer is actively shopping properties or wants to view available properties; and/or (6) if so, cause a virtual map of available properties for sale to be graphically depicted on the customer's mobile device, the properties graphically depicted being color coded to indicate whether (i) they have list prices below the maximum loan amount that the customer is currently pre-approved for, and/or (ii) are mortgage ready (e.g., pre-vetted to indicate that an appraisal indicates that the house is valued at or near the asking price). The map depicted may be centered about or around a current GPS location retrieved or received from the customer's mobile device. The system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

(147) In another aspect, a graphical user interface (GUI) for graphically representing or virtually depicting mortgage ready properties may be provided. The GUI may include (1) a map portion showing or depicting properties for sale, such as via icons, the properties or representative icons being color coded. The GUI may utilize color coding, i.e., a first and second color, within the map portion, such as the first color being associated with properties that are (i) mortgage ready, and/or (ii) within a purchase price amount that the customer is approved for; and the second color being associated with properties that are (i) not mortgage ready (i.e., not pre-vetted/inspected/appraised), and/or (ii) have list prices above an approved max purchase price for the customer. The GUI may also include (2) a list price portion listing (a) addresses, and (b) list prices for the properties shown in the map portion. As a result, matching mortgage ready customers with mortgage ready properties is facilitated and the customer experience enhanced.

ADDITIONAL CONSIDERATIONS

(148) The following additional considerations apply to the foregoing discussion. Throughout this specification, plural instances may implement components, operations, or structures described as a single instance. Although individual operations of one or more methods are illustrated and described as separate operations, one or more of the individual operations may be performed concurrently, and nothing requires that the operations be performed in the order illustrated. Structures and functionality presented as separate components in example configurations may be implemented as a combined structure or component. Similarly, structures and functionality presented as a single component may be implemented as separate components. These and other variations, modifications, additions, and improvements fall within the scope of the subject matter herein.

(149) Discussions herein referring to an “appraiser,” “inspector,” “adjuster,” “claim representative” or the like are non-limiting. One skilled in the art will appreciate that any user associated with an insurance company or an insurance function may utilize one or more of the devices, systems, and methods disclosed in the foregoing description. One skilled in the art will further realize that any reference to a specific job title or role does not limit the disclosed devices, systems, or methods, or the type of user of said devices, systems, or methods.

(150) Certain implementations are described herein as including logic or a number of components,

modules, or mechanisms. Modules may constitute either software modules (e.g., code implemented on a tangible, non-transitory machine-readable medium such as RAM, ROM, flash memory of a computer, hard disk drive, optical disk drive, tape drive, etc.) or hardware modules (e.g., an integrated circuit, an application-specific integrated circuit (ASIC), a field programmable logic array (FPLA)/field-programmable gate array (FPGA), etc.). A hardware module is a tangible unit capable of performing certain operations and may be configured or arranged in a certain manner. In exemplary implementations, one or more computer systems (e.g., a standalone, client or server computer system) or one or more hardware modules of a computer system (e.g., a processor or a group of processors) may be configured by software (e.g., an application or application portion) as a hardware module that operates to perform certain operations as described herein.

(151) Unless specifically stated otherwise, discussions herein using words such as “processing,” “computing,” “calculating,” “determining,” “presenting,” “displaying,” or the like may refer to actions or processes of a machine (e.g., a computer) that manipulates or transforms data represented as physical (e.g., electronic, magnetic, or optical) quantities within one or more memories (e.g., volatile memory, non-volatile memory, or a combination thereof), registers, or other machine components that receive, store, transmit, or display information.

(152) As used herein any reference to “one implementation,” “one embodiment,” “an implementation,” or “an embodiment” means that a particular element, feature, structure, or characteristic described in connection with the implementation is included in at least one implementation. The appearances of the phrase “in one implementation” or “in one embodiment” in various places in the specification are not necessarily all referring to the same implementation.

(153) Some implementations may be described using the expression “coupled” along with its derivatives. For example, some implementations may be described using the term “coupled” to indicate that two or more elements are in direct physical or electrical contact. The term “coupled,” however, may also mean that two or more elements are not in direct contact with each other, but yet still co-operate or interact with each other. The implementations are not limited in this context.

(154) As used herein, the terms “comprises,” “comprising,” “includes,” “including,” “has,” “having” or any other variation thereof, are intended to cover a non-exclusive inclusion. For example, a process, method, article, or apparatus that comprises a list of elements is not necessarily limited to only those elements but may include other elements not expressly listed or inherent to such process, method, article, or apparatus. Further, unless expressly stated to the contrary, “or” refers to an inclusive or and not to an exclusive or. For example, a condition A or B is satisfied by any one of the following: A is true (or present) and B is false (or not present), A is false (or not present) and B is true (or present), and both A and B are true (or present).

(155) In addition, use of the “a” or “an” are employed to describe elements and components of the implementations herein. This is done merely for convenience and to give a general sense of the invention. This description should be read to include one or at least one and the singular also includes the plural unless it is obvious that it is meant otherwise.

(156) Moreover, the patent claims at the end of this patent application are not intended to be construed under 35 U.S.C. § 112(f) unless traditional means-plus-function language is expressly recited, such as “means for” or “step for” language being explicitly recited in the claim(s). The systems and methods described herein are directed to an improvement to computer functionality, and improve the functioning of conventional computers.

(157) Upon reading this disclosure, those of skill in the art will appreciate still additional alternative structural and functional designs for a system and a process for inspecting a structure to estimate the condition of a structure through the disclosed principles herein. Thus, while particular implementations and applications have been illustrated and described, it is to be understood that the disclosed implementations are not limited to the precise construction and components disclosed herein. Various modifications, changes and variations, which will be apparent to those skilled in the

art, may be made in the arrangement, operation and details of the method and apparatus disclosed herein without departing from the spirit and scope defined in the appended claims.

Claims

1. A computer-implemented method for determining a customer is approved for a loan, the computer-implemented method comprising: receiving, at a processor, a request for a loan associated with a real estate property; retrieving, by the processor, based on information associated with the request, and from a first block of a first blockchain, a loan approval amount; retrieving, by the processor and from a second block of a second blockchain, an appraisal value for the real estate property; verifying, by the processor, the appraisal value based on a first cryptographic key-pair associated with the second blockchain by establishing a consensus with a remote node that a solution associated with the first cryptographic key-pair is valid; based on verifying the appraisal value, determining, by the processor and based on the loan approval amount and the appraisal value, an approval status for the loan; generating, by the processor and based on the approval status, a third block of the first blockchain comprising data representing the approval status; and verifying, by the processor, the approval status based on a second cryptographic key-pair associated with the first blockchain.
2. The computer-implemented method of claim 1, further comprising: detecting, by the processor, an updated loan approval amount for the real estate property in the first block of the first blockchain; and generating, by the processor and based on the updated loan approval amount, a fourth block of the first blockchain comprising second data representing an updated approval status for the loan determined based on the updated loan approval amount.
3. The computer-implemented method of claim 1, further comprising: determining a difference between the appraisal value for the real estate property and a list price for the real estate property; and determining the approval status for the loan further based on the difference.
4. The computer-implemented method of claim 3, further comprising retrieving, from the second block of the second blockchain, the list price for the real estate property.
5. The computer-implemented method of claim 1, further comprising: detecting, by the processor, an updated appraisal value for the real estate property in the second block of the second blockchain; and generating, by the processor and based on the updated appraisal value, a fourth block of the first blockchain comprising second data representing an updated approval status for the loan determined based on the updated appraisal value.
6. The computer-implemented method of claim 1, further comprising compiling a new block for one or more of the first blockchain or the second blockchain comprising the approval status.
7. The computer-implemented method of claim 1, wherein the approval status comprises an amount that a customer is approved for a mortgage.
8. The computer-implemented method of claim 1, further comprising: retrieving, by the processor and from a third block of a third blockchain, real estate property information associated with the real estate property; verifying, by the processor, the real estate property information based on a third cryptographic key-pair associated with the third blockchain; based on verifying the real estate property information, determining the appraisal value for the real estate property based on the real estate property information; and storing the appraisal value for the real estate property in the second block of the second blockchain.
9. The computer-implemented method of claim 1, wherein the real estate property information comprises one or more of: an age of the real estate property, historical appraisal data for the real estate property, area data for an area proximate to the real estate property; or claim data for an area proximate to the real estate property.
10. A system for determining a customer is approved for a mortgage, the system comprising: one or more processors; a network interface configured to interface with the one or more processors; and a

memory configured to store non-transitory computer executable instructions that are executed by the one or more processors to perform operations comprising: receiving a request for a loan associated with a real estate property; retrieving, based on information associated with the request, and from a first block of a first blockchain, a loan approval amount; retrieving, from a second block of a second blockchain, an appraisal value for the real estate property; verifying the appraisal value based on a first cryptographic key-pair associated with the second blockchain by establishing a consensus with a remote node that a solution associated with the first cryptographic key-pair is valid; based on verifying the appraisal value, determining, based on the loan approval amount and the appraisal value, an approval status for the loan; generating, based on the approval status, a third block of the first blockchain comprising data representing the approval status; and verifying the approval status based on a second cryptographic key-pair associated with the first blockchain.

11. The system of claim 10, wherein the operations further comprise: receiving a request for the appraisal value of the real estate property; and in response to the request, providing the appraisal value of the real estate property retrieved from the second block of the second blockchain.

12. The system of claim 10, wherein determining the approval status for the loan comprises: determining a difference between the appraisal value for the real estate property and a list price for the real estate property; and determining the approval status for the loan further based on the difference.

13. The system of claim 12, wherein the operations further comprise retrieving, from the second block of the second blockchain, the list price for the real estate property.

14. The system of claim 12, wherein determining the approval status for the loan comprises: determining, based on the difference, that the appraisal value for the real estate property is greater than or equal to the list price for the real estate property; and determining that the customer is mortgage ready for the real estate property based on determining that the appraisal value for the real estate property is greater than or equal to the list price for the real estate property.

15. The system of claim 12, wherein the operations further comprise: detecting an updated list price for the real estate property in the second block of the second blockchain; and updating, based on the updated list price for the real estate property, the approval status for the customer.

16. The system of claim 10, wherein determining the approval status comprises: determining a difference between the loan approval amount and the appraisal value; and determining the approval status for the loan further based on the difference.

17. The system of claim 10, wherein the operations further comprise: retrieving, from a third block of a third blockchain, title information for the real estate property; and determining the approval status for the loan further based on the title information for the real estate property.

18. A system for determining a customer is approved for a mortgage, the system comprising: means for receiving a request for a loan associated with a real estate property; means for retrieving, based on information associated with the request, and from a first block of a first blockchain, a loan approval amount; means for retrieving, from a second block of a second blockchain, an appraisal value for the real estate property; means for verifying the appraisal value based on a first cryptographic key-pair associated with the second blockchain by establishing a consensus with a remote node that a solution associated with the first cryptographic key-pair is valid; means for determining, based on verifying the appraisal value, the loan approval amount, and the appraisal value, an approval status for the loan; means for generating, based on the approval status, a third block of the first blockchain comprising data representing the approval status; and means for verifying the approval status based on a second cryptographic key-pair associated with the first blockchain.

19. The system of claim 18, further comprising: means for determining that the real estate property is not mortgage ready based on determining that the appraisal value of the real estate property is less than a list price of the real estate property.

20. The system of claim 19, further comprising means for compiling a new block for the second blockchain comprising an indication that the real estate property is not mortgage ready.
