



US0D1091270S

(12) **United States Design Patent** (10) **Patent No.: US D1,091,270 S**
Warlick et al. (45) **Date of Patent: ** Sep. 2, 2025**

(54) **OPENER TOOL**

(71) Applicants: **Michael B Warlick**, Stafford, VA (US);
George M Davison, Pittsburgh, PA
(US); **John M Margolis**, Glenshaw, PA
(US); **Daniel McConnel**, Verona, PA
(US); **Donald H Saller**, McKinney, TX
(US)

(72) Inventors: **Michael B Warlick**, Stafford, VA (US);
George M Davison, Pittsburgh, PA
(US); **John M Margolis**, Glenshaw, PA
(US); **Daniel McConnel**, Verona, PA
(US); **Donald H Saller**, McKinney, TX
(US)

(73) Assignee: **Michael B. Warlick**, Stafford, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/850,788**

(22) Filed: **Aug. 23, 2022**

(51) **LOC (15) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D8/18**

(58) **Field of Classification Search**

USPC ... D8/18, 33, 34, 35, 36, 37, 38, 39, 40, 41,
D8/42, 43; D19/68; D3/210

CPC B67B 7/16; B67B 7/18; B67B 7/24; B67B
7/26; B67B 7/44

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D100,469 S * 7/1936 Frins D8/18
D116,179 S * 8/1939 Yates, Jr. D8/34
D118,329 S * 12/1939 Crowley D8/18
D119,965 S * 4/1940 Paolantonio D8/40
D161,321 S * 12/1950 de Fee D8/18

D236,321 S * 8/1975 Cromoga D8/20
D240,188 S * 6/1976 Lytle D8/18
D247,686 S * 4/1978 Desjardins D8/18
D266,479 S * 10/1982 Hayakawa D8/18
D267,521 S * 1/1983 Mathieson D8/43
D270,807 S * 10/1983 Dilliner D8/18
4,409,863 A 10/1983 Anderson
D271,659 S * 12/1983 Fayle D8/18
D278,950 S * 5/1985 Vaughan D8/18
4,607,407 A 8/1986 Bergmeister
4,633,740 A 1/1987 Jacobs
D303,345 S * 9/1989 Sawatsky D8/40
D306,124 S * 2/1990 Hoilien D8/18
5,077,850 A * 1/1992 Brubaker B67B 7/44
224/163
D335,432 S * 5/1993 Vaughan D8/34
D505,847 S * 6/2005 Kelleghan D8/40
D519,010 S * 4/2006 Oas D8/34
7,313,983 B1 1/2008 Book
7,363,837 B1 4/2008 Odell
D596,011 S * 7/2009 Almayda D8/105

(Continued)

Primary Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — David M. DeMay

(57) **CLAIM**

The ornamental design for an opener tool as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an opener tool showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;


FIG. 4 is a right side elevation view thereof, the left side elevation is a mirrored image of the right side elevation;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The dashed lines depict portions of the opener tool that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D693,202	S *	11/2013	Berman	D8/105
8,646,361	B2	2/2014	Minnette	
D705,034	S *	5/2014	Connell	D8/105
D715,610	S *	10/2014	Almsberger	D8/18
8,950,291	B1	2/2015	Coleman	
9,056,757	B1	6/2015	Stangeland	
D748,956	S *	2/2016	Goeckel	D8/19
9,272,891	B2	3/2016	Arellano	
D758,823	S *	6/2016	Hawkins	D8/105
D782,890	S *	4/2017	Palomino	D8/18
D799,297	S *	10/2017	Manor	D8/105
D808,765	S *	1/2018	Kisling	D8/19
D871,867	S *	1/2020	Losee	D8/18
D873,640	S *	1/2020	Armocida	D8/40
D879,581	S *	3/2020	Arakelian	D8/19
10,828,764	B2	11/2020	Hawker	
D935,716	S *	11/2021	O'Donnell	D32/46
D945,852	S *	3/2022	Hu	D8/19
D946,366	S *	3/2022	Krosser	D8/19
2004/0064897	A1 *	4/2004	Muller	A45D 29/02
				7/162
2008/0307584	A1 *	12/2008	Jones	B25C 3/008
				7/166
2021/0154543	A1 *	5/2021	Schiefelbein	A63B 57/60
2023/0159239	A1 *	5/2023	Clore	B65D 51/243
				215/228

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5



Fig. 6