



US0D1091747S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,747 S**
Malone et al. (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **RIFLE FOREND**

(71) Applicant: **Four Peaks Tactical, LLC**, Scottsdale,
AZ (US)

(72) Inventors: **Peter Theodore Malone**, Scottsdale,
AZ (US); **Kent Jason Thomas**,
Scottsdale, AZ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/881,478**

(22) Filed: **Jan. 2, 2023**

(51) **LOC (15) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**
USPC D22/108, 103, 104; D21/573
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D703,286 S * 4/2014 Chen D22/108
D709,582 S * 7/2014 Geissele D22/108
(Continued)

OTHER PUBLICATIONS

"The Genesis MBS: Modern Breaching Shotgun" [online]. James
Reeves. [Published Mar. 2, 2024]. Retrieved from the Internet:
<<https://www.thefirearmblog.com/blog/2024/03/02/genesis-mbs-modern-breaching-shotgun/>>.*

(Continued)

Primary Examiner — Mojtaba Tehrani

(57) **CLAIM**

The ornamental design for a rifle forend as shown and
described.


DESCRIPTION

A portion of the disclosure of this patent document contains
material that is subject to copyright protection. The copy-
right owner has no objection to the facsimile reproduction
by anyone of the patent document or the patent disclosure as
it appears in the patent and Trademark Office patent file or
records, but otherwise reserves all copyright rights whatso-
ever.

FIG. 1 is a top view of a rifle forend;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is an oblique, top right front view thereof;
FIG. 6 is an oblique, top left front view thereof;
FIG. 7 is an oblique, bottom left front view thereof;
FIG. 8 is an oblique, bottom right front view thereof;
FIG. 9 is an oblique, top right rear view thereof;
FIG. 10 is an oblique, top left rear view thereof;
FIG. 11 is an oblique, bottom left rear view thereof;
FIG. 12 is an oblique, bottom right rear view thereof;
FIG. 13 is a front elevation view thereof, and wherein
dash-dot-dot line A-A defines an auxiliary view direction for
FIG. 15, dash-dot-dot line B-B defines an auxiliary view
direction for FIG. 16, dash-dot-dot line C-C defines an
auxiliary view direction for FIG. 17, and dash-dot-dot line
D-D defines an auxiliary view direction for FIG. 18;
FIG. 14 is a rear elevation view thereof,
FIG. 15 is an auxiliary view thereof, taken from the view
direction defined by A-A in FIG. 13;
FIG. 16 is an auxiliary view thereof, taken from the view
direction defined by B-B in FIG. 13;
FIG. 17 is an auxiliary view thereof, taken from the view
direction defined by C-C in FIG. 13; and,
FIG. 18 is an auxiliary view thereof, taken from the view
direction defined by D-D in FIG. 13.

The evenly broken lines in the drawings depict unclaimed
portions of the rifle forend and form no part of the claimed
design; portions enclosed by the evenly broken lines form no
part of the claimed design; the dash-dot broken lines in FIG.
13 disclose the direction of the auxiliary views and form no
part of the claimed design.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**CPC . F41G 1/00; F41G 1/22; F41G 11/003; F41C
23/16; F41A 21/32

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D747,428 S * 1/2016 Chen D22/108
D754,274 S * 4/2016 Geissele D22/108
D757,876 S * 5/2016 Boswell, Jr. D22/108
D770,590 S * 11/2016 Sui D22/108
D771,216 S * 11/2016 Dubois D22/108
D783,760 S * 4/2017 Pavlick D22/108
D783,761 S * 4/2017 Pavlick D22/108
D785,743 S * 5/2017 Pavlick D22/108
D787,003 S * 5/2017 Spector D22/108
D787,004 S * 5/2017 Spector D22/108
D790,029 S * 6/2017 Geissele D22/108
D795,984 S * 8/2017 Frederickson D22/108
D795,986 S * 8/2017 Frederickson D22/108
10,066,897 B2 * 9/2018 Hwang F41A 21/48
D834,113 S * 11/2018 Chu D21/574
D851,201 S * 6/2019 Hiler, Jr. D22/108
D888,184 S * 6/2020 Bietsch D22/108
D894,313 S * 8/2020 Noonan D22/108
D905,814 S * 12/2020 Voegelé D22/108

D953,470 S * 5/2022 Windfeldt D22/108
D993,329 S * 7/2023 Liao D21/573
D1,000,574 S * 10/2023 Shen D21/573
D1,004,041 S * 11/2023 DiMuzio D22/108
D1,010,055 S * 1/2024 Ruter D22/108
D1,026,157 S * 5/2024 Landies, III D22/108
D1,027,093 S * 5/2024 Winenger D22/108
D1,027,094 S * 5/2024 Angstadt D22/108
2016/0010946 A1 * 1/2016 Gibbens F41G 11/003
42/71.01
2025/0164208 A1 * 5/2025 Cogan F41C 23/16

OTHER PUBLICATIONS

“AR-15 Pistol Upper Gold Plated 5.56 M-LOK Gold Dipped Upper Set” [online]. Veriforcetactical.com. [Retrieved Jun. 11, 2025]. Retrieved from the Internet: <<https://veriforcetactical.com/product/ar-15-pistol-upper-gold-plated-556-m-lok-gold-dipped-upper-set/>>.*

“9.2" 5.56 Carbine Upper with Javelin-9" M-LOK Rail System and Buzzsaw Linear Compensator” [online]. Sotmfg.com. [Retrieved Jun. 11, 2025]. Retrieved from the Internet: <<https://sotmfg.com/product/9-2%E2%80%B3-upper-with-javelin-9-m-lok-rail-system-and-buzzsaw-linear-compensator/>>.*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18