



US0D1091903S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,903 S**  
**Chen** (45) **Date of Patent:** **\*\* Sep. 2, 2025**

(54) **MULTIFUNCTIONAL EMERGENCY DEVICE**

(71) Applicant: **SHENZHEN DIEPIN TECHNOLOGY CO., LTD.,**  
Guangdong (CN)

(72) Inventor: **Weihao Chen**, Shenzhen (CN)

(73) Assignee: **SHENZHEN DIEPIN TECHNOLOGY CO., LTD.,** Shenzhen (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/880,286**

(22) Filed: **Jul. 20, 2023**

(30) **Foreign Application Priority Data**

Jun. 2, 2023 (CN) ..... 202330336941.2

(51) **LOC (15) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/38; D26/63**

(58) **Field of Classification Search**  
USPC ..... D26/24, 37-52, 60-66, 93, 102-112;  
D10/104.1, 109.1, 111, 114.1-114.2;  
D3/274  
CPC ..... F21L 4/00; F21L 4/08; F21V 23/0414;  
G08B 25/016; B25F 1/006  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D414,575 S \* 9/1999 Yuen ..... D3/274  
D427,345 S \* 6/2000 Yuen ..... D26/38  
D529,644 S \* 10/2006 Yuen ..... D26/38  
D724,458 S 3/2015 Stowers  
D848,655 S \* 5/2019 Fang ..... D26/63  
D853,613 S \* 7/2019 Lien ..... D26/63  
D874,900 S \* 2/2020 Prieto ..... D26/38

D986,461 S \* 5/2023 Fang ..... D26/63  
D997,407 S \* 8/2023 Zheng ..... D26/37  
D1,035,107 S \* 7/2024 He ..... D26/65  
D1,047,248 S \* 10/2024 Zeng ..... D26/37

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 308447251 \* 1/2024  
CN 309052233 \* 1/2025  
GB 6442622 \* 5/2025

**OTHER PUBLICATIONS**

Notice of Allowance issued on Dec. 5, 2023, in corresponding Japanese Application No. 2023-014968, 6 pages.

(Continued)

*Primary Examiner* — Marissa J. Cash

*Assistant Examiner* — William B Melliar

(74) *Attorney, Agent, or Firm* — Maier & Maier, PLLC


(57) **CLAIM**

The ornamental design for a multifunctional emergency device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a multifunctional emergency device showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left view thereof;  
FIG. 5 is a right view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof;  
FIG. 8 is a perspective view thereof in a first alternate position, showing that the head of the multifunctional emergency device is bent; and,  
FIG. 9 is a perspective view thereof in a second alternate position, showing that the multifunctional emergency device is folded.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D1,058,012 S \* 1/2025 Chen ..... D26/65  
D1,069,222 S \* 4/2025 Chen ..... D26/93

OTHER PUBLICATIONS

Quality Products, "5 in 1 Emergency Kit No. 6056", p. A-6, (Patent No. J6-430) (Publicly Available Materials, Design Division, Japan Patent Office, No. HD17004279) [www.coido.com](http://www.coido.com), 2 pages.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9