


(12)
United States Patent
Chung

(10) **Patent No.:** **US 12,406,307 B2**
(45) **Date of Patent:** **Sep. 2, 2025**

(54)	ELECTRONIC DEVICE AND METHOD FOR MANAGING PERSONAL RESOURCE	(56)	References Cited
		U.S. PATENT DOCUMENTS	
(71)	Applicant: Trinion America, Inc. , San Diego, CA (US)	5,873,108 A *	2/1999 Goyal G06F 3/04886 715/764
(72)	Inventor: Moon Sun Chung , Seoul (KR)	7,293,072 B2 *	11/2007 Blegen G06Q 20/108 715/825
(73)	Assignee: Trinion America, Inc. , San Diego, CA (US)	7,975,239 B2 *	7/2011 Bellotti G06Q 10/06 715/767
		(Continued)	
		FOREIGN PATENT DOCUMENTS	
(*)	Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 169 days.	KR	10-1949447 B1 2/2019
		KR	10-2084167 B1 2/2020
		KR	10-2020-0047139 A 5/2020
(21)	Appl. No.: 18/330,195	OTHER PUBLICATIONS	
(22)	Filed: Jun. 6, 2023	Office Action received in Korean Application No. 10-2022-0079866 dated Dec. 6, 2023.	
(65)	Prior Publication Data	<i>Primary Examiner</i> — Daniel Rodriguez	
US 2024/0005407 A1 Jan. 4, 2024		(74) <i>Attorney, Agent, or Firm</i> — Knobbe, Martens, Olson & Bear, LLP	
(30)	Foreign Application Priority Data	(57)	ABSTRACT
Jun. 29, 2022 (KR) 10-2022-0079866		According to various embodiment of the present disclosure, there is provided a technique that includes a display; a storage; and a processor, wherein the processor is configured to: display a home screen; display a schedule management screen comprising the information about a plurality of schedules of the user, in response to a first user input for selecting a schedule management icon; display a connections management screen comprising the information about a plurality of contacts, in response to a second user input for selecting a connections management icon; display an asset management screen comprising asset information of the user on the display, in response to a third user input for selecting	
(51)	Int. Cl. G06F 3/04842 (2022.01) G06F 3/04817 (2022.01) G06Q 40/06 (2012.01)	(Continued)	
(52)	U.S. Cl. CPC G06Q 40/06 (2013.01); G06F 3/04817 (2013.01); G06F 3/04842 (2013.01)		
(58)	Field of Classification Search CPC G06F 3/048–05 See application file for complete search history.		



an asset management icon; and display a report management screen comprising information about a usage log of the application during a preset period, in response to a fourth user input for selecting a report management icon.

17 Claims, 44 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

2002/0097277 A1 * 7/2002 Pitroda G06Q 10/10
715/854
2004/0225695 A1 * 11/2004 Womack G06F 3/04883
2008/0028317 A1 * 1/2008 Castelli G06Q 10/109
715/744
2009/0187531 A1 * 7/2009 Singh G06Q 10/10
715/764
2010/0269049 A1 * 10/2010 Fearon G06Q 10/109
715/752
2011/0126123 A1 * 5/2011 Reter G06F 15/0266
715/769
2011/0145761 A1 * 6/2011 Krief G06Q 10/109
715/810
2011/0313805 A1 * 12/2011 Heydemann G06Q 10/06316
705/7.14

2012/0036441 A1 * 2/2012 Basir H04L 67/04
715/734
2012/0198347 A1 * 8/2012 Hirvonen G06F 16/9038
715/738
2012/0311451 A1 * 12/2012 Beaven H04L 65/40
715/736
2013/0006868 A1 * 1/2013 Hawkes G06Q 40/08
705/306
2013/0067343 A1 * 3/2013 Groves H04L 67/54
715/739
2014/0282016 A1 * 9/2014 Hosier, Jr. G06F 3/017
715/733
2016/0014059 A1 * 1/2016 Rathod H04M 1/72484
715/752
2016/0092094 A1 * 3/2016 Topping G06Q 10/10
715/765
2016/0180298 A1 * 6/2016 McClement G06F 3/04842
705/7.21
2017/0085520 A1 * 3/2017 Umapathy G06Q 10/1097
2017/0201850 A1 * 7/2017 Raleigh H04W 4/50
2017/0344923 A1 * 11/2017 Pike G06Q 10/10
2018/0129993 A1 * 5/2018 Fowler G06F 21/31
2022/0083178 A1 * 3/2022 Arama G06F 3/04817
2022/0237700 A1 * 7/2022 Sreenivasan G06F 3/0488
2022/0383268 A1 * 12/2022 Chen G06Q 10/0633
2023/0298017 A1 * 9/2023 Joao G06Q 50/163
705/26.62
2023/0351282 A1 * 11/2023 Uren G06Q 10/06312

* cited by examiner

FIG. 1




FIG. 2A




FIG. 2B

220

×

○○○,
please enter date of birth.

Aren't you curious about time statistics
until now and upcoming schedules?

July 7, 1988 223

Next 221

Detailed description: FIG. 2B is a schematic diagram of a mobile application interface, designated by reference numeral 220. The interface is displayed on a rectangular screen. At the top left, there is a close button represented by an 'X' symbol. Below this is a horizontal line. Further down, there are three empty circles followed by a comma, and the text 'please enter date of birth.' Below this text is a promotional message: 'Aren't you curious about time statistics until now and upcoming schedules?'. Underneath the message is a date input field, designated by reference numeral 223, which contains the text 'July 7, 1988'. At the bottom of the screen is a rounded rectangular button, designated by reference numeral 221, with the text 'Next' centered on it.

FIG. 2C

230

×

Curious about lifestyle
Please enter marital status

Is there a partner with whom you share
life and collect assets?

233

☒ Single

☐ Married

☐ Others

Previous

Next

235

231

Detailed description: The figure shows a mobile application screen (230) with a close button (X) in the top right corner. Below a horizontal line, the text 'Curious about lifestyle' and 'Please enter marital status' is displayed. A question 'Is there a partner with whom you share life and collect assets?' is shown. A dashed box (233) contains three radio button options: 'Single' (which is selected), 'Married', and 'Others'. At the bottom, there are two buttons: 'Previous' (235) and 'Next' (231).

FIG. 2D

240

×

Jay YOO,
please enter your job.

What job do you have?
Please enter various jobs.

243

Office worker/self-employed/etc.

+ Add job

Previous

245

Next

241

Detailed description: The figure shows a mobile application screen with a white background. At the top right is a close button (X). Below it is a horizontal line. The main text area contains a greeting 'Jay YOO,' followed by 'please enter your job.' and a prompt 'What job do you have? Please enter various jobs.' Below this is a dashed rectangular box containing two rounded rectangular buttons: 'Office worker/self-employed/etc.' and '+ Add job'. At the bottom of the screen are two more rounded rectangular buttons: 'Previous' and 'Next'.

FIG. 2E

250

×

What type?

When drawing up a schedule, do you plan or improvise the schedule?

☒ Planned
Type of person who plans a schedule in advance by hour, day, month, and year and executes the schedule (there is calendar mainly used)

☐ Improvisatory
Type of person who executes a schedule in an improvisatory manner according to circumstances than planning the schedule (there is no calendar mainly used)

253

Do you like to meet someone?
Do you like being alone?

☒ Extroverted
Extrovert who often meets friends and acquaintances and spends much money on fashion

☐ Introverted
Introvert who usually has meeting with family and prefer to be alone

Stable asset management or aggressive asset management?

☒ Stable
Disposition to save most of assets and be passive in investment

☐ Aggressive
Disposition to invest more than 60% of assets or spend more than half of income

255

Previous

Start

251

FIG. 3A




FIG. 3B




FIG. 3C

350 9:41   

< Select conduct

Please enter a conduct name

1 Personal maintenance ^

└ Sleep v

└ Meal and Snack ^

└ Meal with family

└ Other meals

└ Snack and beverage

└ Personal care v

└ Health care (medical) v

└ Other personal maintenance v

2 Work v

3 Learning v

4 Home management v

351

FIG. 3D




FIG. 3E




FIG. 3F




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D




FIG. 5A

500

9:41   

Generate conduct ☐ Briefly

501 { Enter a conduct name

502 { Time ☒ All day 

Tuesday, October 12, 2021 10:05 am

Tuesday, October 12, 2021 11:05 am

No repeat  One time 

☒ Calculate D-Day ☒ Anniversary 

Whether to perform

Plan Performance

503 { Connections

People Place

503a 503b

FIG. 5B

500

Assets

504 Amount Expenditure ☐

- 550 million

505

✓ Assets Liabilities

Linked passbook Savings passbook

506

+ Add photos

+ Add music

+ Add memos

507 Generate conduct

FIG. 5C




FIG. 5D




FIG. 5E




FIG. 5F




FIG. 5G




FIG. 6




FIG. 7




FIG. 8A




FIG. 8B




FIG. 9A




FIG. 9B

900

Fixed cost

Insurance fee	100,000 won
Communication cost	50,000 won
Real estate purchase fund	8,300,000 won
Rent (monthly rent, management fee)	700,000 won
+ Add	

920

Variable cost

Food expenses	200,000 won
Tax	100,000 won
Congratulation and condolence expenses	0 won
Shopping	100,000 won
Others	200,000 won
+ Add	

FIG. 10A




FIG. 10B

1020	Expenditure		1000
	Insurance fee	Plan	Performance
	100,000 won		100,000 won
	Communication cost		
	50,000 won		50,000 won
	Real estate purchase fund		
	8,300,000 won		8,300,000 won
	Rent		
	700,000 won		700,000 won
	Food expenses		
	200,000 won		200,000 won
	Tax		
	100,000 won		100,000 won
	Congratulation and condolence expenses		
	0 won		300,000 won
	Shopping		

FIG. 10C

Congratulation and condolence expenses

0 won 300,000 won

Shopping

100,000 won 80,000 won

Others

200,000 won 50,000 won

+ Add

Profit and Loss

Total income	5,500,000
Total expenditure	3,500,000
Estimated difference	2,000,000
Actual difference	3,000,000

Income increased by 30% compared to plan.

FIG. 11




FIG. 12A

1200

9:41   

< Lunch + Coffee ◀ View performance ▶

☒ Throughout one month ▼

Tuesday, October 01, 2021 10:00 am

Friday, November 30, 2021 10:30am

Every day 0.5 times

Expected food expenses
in September 29,000/300,000 won



Reduce food expenses Day 25

Budget for food expenses for the remaining 5 days
is only 10,000 won.

Connections to participate

 Jade ☒ Sharing completed

Assets

Total expenditure 10,000 won

FIG. 12B




FIG. 13A




FIG. 13B

The interface is divided into two main sections. The top section, labeled 1300, contains three expandable asset categories: 'Other physical assets', 'Non-physical assets', and 'Cherished items'. Each category has an 'Add' button. Under 'Other physical assets', there are entries for 'Car' (50,000,000 won) and 'Yacht' (4,000,000 won). Under 'Cherished items', there are entries for 'Shoes' (4,000,000 won) and 'Bag' (4,000,000 won). The bottom section, labeled 1320, is titled 'Liabilities' and also has an 'Add' button. It contains four entries: 'Loan (House + Car)' (290,000,000 won), 'Credit card' (1,000,000 won), 'Burden of mind' (300,000 won), and 'Congratulation and congratulation expenses' (300,000 won).

1300

Other physical assets ^ (+) Add

Car 50,000,000 won

Yacht 4,000,000 won

Non-physical assets v (+) Add
Intellectual property rights, points, licenses, patents, royalties, etc.

Cherished items ^ (+) Add

Shoes 4,000,000 won

Bag 4,000,000 won

1320

Liabilities (+) Add

Loan (House + Car) 290,000,000 won

Credit card 1,000,000 won

Burden of mind 300,000 won

Congratulation and congratulation expenses 300,000 won

FIG. 13C

1300

Equity

Competence ^ (+) Add

Work ability 4,000,000 won

Intellectual ability 4,000,000 won

Career 4,000,000 won

Job ^ (+) Add

Job 4,000,000 won

1320 {

Fees for obtaining qualifications ^ (+) Add

Language qualification 40,000 won

Tuition fee ^ (+) Add

Language qualification 40,000 won

Mind ^ (+) Add

Emotion 40,000 won

Satisfaction 40,000 won

Disposition 40,000 won

Body ^ (+) Add

FIG. 14A




FIG. 14B




FIG. 15A




FIG. 15B




FIG. 15C





FIG. 15D



1

ELECTRONIC DEVICE AND METHOD FOR MANAGING PERSONAL RESOURCE

CROSS-REFERENCE TO RELATED APPLICATION

This application is based upon and claims the benefit of priority from Korean Patent Application No. 10-2022-0079866, filed on Jun. 29, 2022, the entire contents of which are incorporated herein by reference.

TECHNICAL FIELD

The present disclosure relates to an electronic device and a method for managing a personal resource.

BACKGROUND

With diversification of functions of an electronic device, the electronic device is being implemented in the form of a multimedia player having complex functions such as capturing still or moving images, playback of music or video files, games, broadcast reception, or a call function. For example, a user may be provided with various types of services by using applications installed in an electronic device. Such an electronic device may include a display, and may display screens related to functions on the display.

Today, humans can manage various personal resources (e.g., time, personal connections, or assets) through IT infrastructure, and it has become important to efficiently manage finite personal resources. Recently, with the development of smart devices, various applications for managing personal resources have been released.

SUMMARY

When various personal resources are individually managed through different applications, it may be inconvenient and difficult for a user to combine and manage the personal resources. For example, when a contact application is used to manage personal connections among various personal resources, in general, only one-dimensional information such as counterparts' names and phone numbers may be stored and managed, and when a schedule management application is used to manage a schedule, in general, only one-dimensional information such as schedule time and schedule contents may be stored and managed.

According to various embodiments of the present disclosure, there is provided a technique that includes a display; a storage configured to store personal information of a user, information about a plurality of schedules of the user, information about a plurality of contacts, and asset information of the user; and a processor, wherein the processor is configured to: display, on the display, a home screen of an application for personal resource management; display a schedule management screen comprising the information about the plurality of schedules of the user on the display, in response to a first user input for selecting a schedule management icon on the home screen; display a connections management screen comprising the information about the plurality of contacts on the display, in response to a second user input for selecting a connections management icon on the home screen; display an asset management screen comprising the asset information of the user on the display, in response to a third user input for selecting an asset management icon on the home screen; and display a report management screen comprising information about a usage

2

log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen.

The processor is configured to: generate, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generate, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generate, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and display the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

The schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

The processor is configured to display, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display.

The processor is configured to display a conduct generation screen for generating new conduct information on the display, in response to a sixth user input for selecting a conduct addition icon included in the schedule management screen, and wherein the conduct information comprises schedule information, place information, asset information, and rating information.

The processor is configured to: receive a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and display profile information, call log information, and conduct information related to the selected contact on the display, in response to the seventh user input, and wherein the conduct information related to the selected contact comprises a conduct name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

The asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the processor is configured to display each piece of the classified asset information of the user in different areas of the asset management screen.

The processor is configured to: generate a monthly profit and loss statement based on the asset information of the user; and display the generated monthly profit and loss statement in one area of the asset management screen, based on an eighth input for selecting a profit and loss statement tab included in the asset management screen.

The processor is configured to: generate a monthly statement of financial position, based on the asset information of the user; and display the generated monthly statement of financial position in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

According to various embodiment of present disclosure, there is provided a technique that includes: displaying, on a display, a home screen of an application for personal resource management; displaying a schedule management screen comprising information about a plurality of schedules of a user stored in a storage on the display, in response to a first user input for selecting a schedule management icon on

the home screen; displaying a connections management screen comprising information about a plurality of contacts stored in the storage on the display, in response to a second user input for selecting a connections management icon on the home screen; displaying an asset management screen comprising asset information of the user stored in the storage on the display, in response to a third user input for selecting an asset management icon on the home screen; and displaying a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen.

The method further includes: generating, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generating, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generating, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and displaying the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

The schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

The method further includes: displaying, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display after the displaying of the schedule management screen on the display.

The method further includes: displaying, after the displaying of the schedule management screen on the display, a conduct generation screen for generating new conduct information on the display, in response to a sixth user input for selecting a conduct addition icon included in the schedule management screen, and wherein the conduct information comprises schedule information, place information, asset information, and rating information.

The method further includes: after the displaying of the connections management screen on the display, receiving a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and displaying profile information, call log information, and conduct information related to the selected contact on the display, in response to the seventh user input, wherein the conduct information related to the selected contact comprises a conduct name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

The asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the displaying of the asset management screen includes displaying each piece of the classified asset information of the user in different areas of the asset management screen.

The method further includes: generating a monthly profit and loss statement based on the asset information of the user; and displaying the generated monthly profit and loss statement in one area of the asset management screen, based on an eighth input for selecting a profit and loss statement tab included in the asset management screen.

The method further includes: generating a monthly statement of financial position, based on the asset information of the user; and displaying the generated monthly statement of financial position in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

According to various embodiment of the present disclosure, a non-transitory computer-readable recording medium recording a program to be performed on a computer, wherein the program comprises executable commands which, when executed by a processor, cause the processor to: display, on the display, a home screen of an application for personal resource management; display a schedule management screen comprising information about plurality of schedules of a user stored in a storage on the display, in response to a first user input for selecting a schedule management icon on the home screen; display a connections management screen comprising information about plurality of contacts stored in the storage on the display, in response to a second user input for selecting a connections management icon on the home screen; display an asset management screen comprising asset information of the user stored in the storage on the display, in response to a third user input for selecting an asset management icon on the home screen; and display a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen.

BRIEF DESCRIPTION OF DRAWINGS

The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate embodiments of the present disclosure.

FIG. 1 is a block diagram of an electronic device according to various embodiments of the present disclosure.

FIGS. 2A, 2B, 2C, 2D, and 2E illustrate an execution screen and a sign-up screen of an application according to various embodiments of the present disclosure.

FIG. 3A illustrates a home screen of an application according to various embodiments of the present disclosure. FIGS. 3B and 3C illustrate conduct selection screens of an application according to various embodiments of the present disclosure.

FIGS. 3D, 3E, and 3F illustrate a profile screen of an application according to various embodiments of the present disclosure.

FIGS. 4A, 4B, 4C, and 4D illustrate a schedule management screen of an application according to various embodiments of the present disclosure.

FIGS. 5A, 5B, 5C, 5D, 5E, 5F, and 5G illustrate a conduct generation screen of an application according to various embodiments of the present disclosure.

FIG. 6 illustrates a conduct list screen of an application according to various embodiments of the present disclosure.

FIG. 7 illustrates connections management screen of an application according to various embodiments of the present disclosure.

FIGS. 8A and 8B illustrate a contact details screen according to various embodiments of the present disclosure.

FIGS. 9A and 9B illustrate a business plan screen among asset management screens according to various embodiments of the present disclosure.

FIGS. 10A, 10B, and 10C illustrate a profit and loss statement screen among asset management screens according to various embodiments of the present disclosure.

FIG. 11 illustrates a profit and loss statement detail screen according to various embodiments of the present disclosure.

FIGS. 12A and 12B illustrate a conduct detail screen according to various embodiments.

FIGS. 13A, 13B, and 13C illustrate a financial position statement screen among asset management screens according to various embodiments of the present disclosure.

FIGS. 14A and 14B illustrate a current status screen among asset management screens according to various embodiments of the present disclosure.

FIGS. 15A, 15B, 15C, and 15D illustrate a report management screen of an application according to various embodiments of the present disclosure.

DETAILED DESCRIPTION

Embodiments of the present disclosure are illustrated for describing the technical spirit of the present disclosure. The scope of the claims according to the present disclosure is not limited to the embodiments described below or to the detailed descriptions of these embodiments.

All technical or scientific terms used herein have meanings that are generally understood by a person having ordinary knowledge in the art to which the present disclosure pertains, unless otherwise specified. The terms used herein are selected for only more clear illustration of the present disclosure, and are not intended to limit the scope of claims in accordance with the present disclosure.

The expressions “include”, “provided with”, “have” and the like used herein should be understood as open-ended terms connoting the possibility of inclusion of other embodiments, unless otherwise mentioned in a phrase or sentence including the expressions.

A singular expression can include meanings of plurality, unless otherwise mentioned, and the same is applied to a singular expression stated in the claims.

The terms “first”, “second”, etc. used herein are used to identify a plurality of components from one another, and are not intended to limit the order or importance of the relevant components.

The term “unit” used in these embodiments means a software component or hardware component, such as a field-programmable gate array (FPGA) and an application specific integrated circuit (ASIC). However, a “unit” is not limited to software and hardware and it may be configured to be an addressable storage medium or may be configured to run on one or more processors. For example, a “unit” may include components, such as software components, object-oriented software components, class components, and task components, as well as processors, functions, attributes, procedures, subroutines, segments of program codes, drivers, firmware, micro-codes, circuits, data, databases, data structures, tables, arrays, and variables. Functions provided in components and “unit” may be combined into a smaller number of components and “units” or further subdivided into additional components and “units.”

The expression “based on” used herein is used to describe one or more factors that influences a decision, an action of judgment or an operation described in a phrase or sentence including the relevant expression, and this expression does not exclude additional factor influencing the decision, the action of judgment or the operation.

When a certain component is described as “coupled to” or “connected to” another component, this should be understood as having meaning that the certain component may be coupled or connected directly to the other component or that

the certain component may be coupled or connected to the other component via a new intervening component.

Hereinafter, embodiments of the present disclosure will be described with reference to the accompanying drawings. In the accompanying drawings, like or relevant components are indicated by like reference numerals. In the following description of embodiments, repeated descriptions of the identical or relevant components will be omitted. However, even if a description of a component is omitted, such a component is not intended to be excluded in an embodiment.

Although process steps, method steps, algorithms, and the like have been described in a successive order with regard to the flowcharts illustrated in the present disclosure, such processes, methods, and algorithms may be configured to operate in any appropriate order. In other words, steps of processes, methods, and algorithms described in various embodiments of the present disclosure are not necessarily performed in the order described in the present disclosure. In addition, some steps may be described as being performed asynchronously, such steps may be performed synchronously in other embodiments. In addition, an example of a process by illustration in the drawings does not mean that the exemplified processes exclude other changes and modifications related thereto, does not mean that the exemplified process or any of its steps is essential to one or more of various embodiments of the present disclosure, and does not mean that the exemplified process is preferable.

FIG. 1 is a block diagram of an electronic device 100 according to various embodiments of the present disclosure.

Referring to FIG. 1, the electronic device 100 according to various embodiments may include a processor 110, a display 120, a storage 130, a communication circuit 140, and an input device 150. Omitting or replacing some of the elements illustrated in FIG. 1 will not interfere with implementing the various embodiments disclosed in this document.

According to various embodiments, the processor 110 of the electronic device 100 may be an element capable of controlling the elements of the electronic device 100 and/or performing data processing or calculation related to communication. The processor 110, for example, may be operatively connected to the elements of the electronic device 100. The processor 110 may load commands or data received from other components of the electronic device 100 into a memory (not shown), may process the commands or data stored in the memory, and may store result data.

The display 120 according to various embodiments may display various screens, based on control of the processor 110. The display 120 may be implemented in the form of a touch sensor panel (TSP) capable of recognizing touch or approach (e.g., hovering) of various external objects. For example, the display 120 may include a capacitive sensor to recognize touch or approach of the various external objects. The capacitive sensor may include a plurality of capacitors, and the capacitive sensor may apply an electrical signal to the capacitors. The capacitors may charge and discharge electric charges in response to the application of the electrical signal. When the electrical signal is applied to the capacitors, the capacitors may be charged according to the magnitude of voltage of the electrical signal. The display 120 may receive a user's touch input, based on a signal collected by the capacitive sensor.

The input device 150 according to various embodiments may receive a command or data to be used by an element (e.g., the processor 110) of the electronic device 100 from outside (e.g., the user) of the electronic device 100. The input device 150 may include, for example, a microphone,

7

a mouse, a keyboard, or a digital pen. According to various embodiments, the input device **150** may be implemented as an element separate from the display **120**, or may be implemented as a single element with the display **120**. For example, the input device **150** may be implemented as a touch sensor panel of the display **120**. The input device **150** may be implemented in various forms in which a user input can be received, but is not limited to the above examples.

The storage **130** according to various embodiments may store various pieces of data used by at least one element of the electronic device **100**. For example, the storage **130** may store a plurality of contacts. For example, the storage **130** may store various pieces of information (e.g., personal information, schedule information, contact record information, income and expenditure information) corresponding to the plurality of contacts.

The communication circuit **140** of the electronic device **100** according to various embodiments may establish a communication channel with an external device, and may transmit or receive various pieces of data to or from the external device. According to various embodiments, the communication circuit **140** may include a cellular communication module so as to be connected to a cellular network (e.g., 3G, LTE, 5G, WiBro, or WiMax). According to various embodiments, the communication circuit **140** may include a short-range communication module to transmit or receive data to or from the external device by using short-range communication (e.g., Wi-Fi, Bluetooth, Bluetooth low energy (BLE), or UWB), but the present disclosure is not limited thereto.

FIGS. 2A, 2B, 2C, 2D, and 2E illustrate an execution screen and a sign-up screen of an application according to various embodiments of the present disclosure.

Referring to FIGS. 2A and 2B, the processor **110** according to various embodiments of the present disclosure may execute an application for personal resource planning “Button” shown in FIG. 2A may be an application name. The processor **110** may display, through the display **120**, various execution screens of the application for personal resource planning. When the application for personal resource planning is first executed, the processor **110** may display an initial screen **210** on the display **120**. When a user’s input for selecting a start icon **211** included in the initial screen **210** is received, the processor **110** may display a personal information input screen **220** for inputting personal information of the user. For example, the user may input the user’s birthdate into a birthdate input window **223** included in the personal information input screen **220**, and may select a “next” icon **221**. In this case, the processor **110** may store the input birthdate of the user in the storage **130**.

As illustrated in FIG. 2C, the user may input personal information regarding marital status through a selection area **233** of a personal information input screen **230**. For example, the user may select one from among single or married. After completion of the input, the user may select a “next” icon **231**. The input information regarding marital status may be stored in the storage **130**. Also, the user may select a “previous” icon **235** to return to the previous page. When the “next” icon **231** is selected, the user may input, as illustrated in FIG. 2D, personal information about a job through an input area **243** of a personal information input screen **240**. For example, the user may be input as an office worker. After completing the input, the user may select a “next” icon **241**. The input personal information about a job may be stored in the storage **130**. The user may select a “previous” icon **245** to return to the previous page. When the “next” icon **241** is selected, a personal information input

8

screen **250** may be displayed as illustrated in FIG. 2E. The user may select a personality type and an asset management type through a questionnaire area **253** of the personal information input screen **250**. After completing the input, the user may select a start icon **251**. The input content may be stored in the storage **130**. In order to return to the previous page, a “previous” icon **255** may be selected. In addition, the user may input various pieces of personal information of the user (e.g., the user’s address, phone number, e-mail address, business hours, schedule information, birthdate of a family member). Through the above-described process, the user may select the start icon **251** when personal information is input.

FIG. 3A illustrates a home screen **300** of an application according to various embodiments of the present disclosure.

Referring to FIG. 3A, the processor **110** according to various embodiments may display the home screen of the application after input of the user’s personal information is completed. Alternatively, when the application is executed, the processor **110** may display the home screen **300**. The home screen **300** may include, for example, a setting area **310**, an information display area **320**, and a function selection area **330**.

The processor **110** according to various embodiments may display, in the function selection area **330**, a home screen icon **331**, a schedule management icon **333**, a connections management icon **335**, an asset management icon **337**, and a report management icon **339**. The processor **110** may display the home screen **300** of the application when a user input for selecting the home screen icon **331** is received.

The processor **110** according to various embodiments may display, in the setting area **310**, a list icon **311** for displaying a list of functions provided by the application. When a user input for selecting the list icon **311** is received, the processor **110** may display the list of functions provided by the application.

The processor **110** according to various embodiments may display various pieces of information based on the personal information of the user inputted in the information display area **320**. The processor **110** may display, in the information display area **320**, an icon **325** for generating various types of conducts (or conduct information). The conduct disclosed herein may imply information about various schedules or activities. For example, the conduct may include information about daily activities, information about business activities, and information about meeting activities. The conduct may include the name of a planned conduct, schedule information, location information, asset information, and rating information. Planned schedule information may include information about the planned time required and participant, planned asset information may imply planned income or expenditure, and planned rating information may be a score for evaluating the corresponding conduct. For example, the conduct is information about a schedule or activity of at least one among daily life, meal, coffee, meditation, walk, jogging, golf, horseback riding, surfing, work, presentation, meeting, class, research, cooking, repair, study, painting, and bicycling.

The processor **110** may display, in the information display area **320**, a plurality of shortcut icons for generating a new conduct. The processor **110** may display, in a shortcut icon area **321**, the plurality of shortcut icons for generating a new conduct. For example, the processor **110** may display, in the shortcut icon area **321**, an icon for generating a conduct related to a meal and an icon for generating a conduct related to work. The processor **110** may display a conduct, which is frequently performed in a current time zone, in the shortcut

icon area **321**. The processor **110** may display, in the shortcut icon area **321**, a quick conduct addition icon (shortcut) **321a** for quickly adding a new conduct. When the user selects the quick conduct addition icon **321a**, the user may move to a conduct selection screen to quickly generate a conduct. A description thereof will be made in detail with reference to FIGS. **3B** and **3C**.

According to various embodiments, the type of conduct information may be a planned conduct or a performance conduct. The planned conduct may imply a conduct planned to be performed in the future. For example, the planned conduct may include an activity planned to be performed on a specific day, a schedule planned to be performed with a specific person, and an activity planned to be performed at a specific period. The performance conduct may imply a conduct that has already been performed. For example, the performance conduct is a past conduct, and may include actual performance details of the corresponding conduct. For example, the performance conduct may be additionally generated by inputting whether the planned conduct is performed, a rating, and an actual performance content.

The processor **110** may display, in the information display area **320**, an icon **323** for generating a planned conduct and a record icon **324** for making a record about a past conduct. The processor **110** may further display the generated planned conduct in the information display area **320**. For example, a planned conduct, which includes information indicating that a weekly meeting is scheduled to be held in a café from 10 am to 1:30 pm on September 30, may be displayed in the information display area **320**.

The processor **110** may display the contents of the past conduct in the information display area **320**. For example, the processor **110** may display, in the information display area **320**, the contents of a past conduct related to travel expense report preparation that is scheduled to be made by 4 pm today.

The processor **110** may display information about connections in the information display area **320**. The processor **110** may display connections management information **322** in the information display area **320**, based on the plurality of contacts and a communication goal for each of the plurality of contacts. For example, the processor **110** may display information about a specific contact for which a communication goal has not been achieved in the information display area **320**. For example, the processor **110** may display the text "You called OOO a month ago. How about making a call?" in the information display area **320**.

The processor **110** may further display information about connections who have joined a specific group (or meeting), among the information about connections, in the information display area **320**. For example, the processor **110** may display information about connections who have joined a reading group in the information display area **320**, together with the phrase "Contact people who have joined the reading group once a week".

The processor **110** may further display the conduct addition icon **325** for generating a new conduct. The user may select the conduct addition icon **325** to generate and add a new conduct.

FIGS. **3B** and **3C** illustrate conduct selection screens of an application according to various embodiments of the present disclosure. When the user selects the quick conduct addition icon **321a** illustrated in FIG. **3A**, the user may move to a conduct selection screen **340** to quickly generate a conduct. The user may select the type of a new conduct to be generated from among a plurality of types of conducts.

According to an embodiment, the user may input the name of the new conduct, which is to be generated, in a conduct name input area **341** to search for and select the type of the new conduct to be generated. In this case, the processor **11** may display the type of conduct that has been found in a conduct type selection area **345** below. For example, the user may search for "meeting" in the conduct name input area **341**, and may select a "meeting" conduct displayed in the conduct type selection area **345**.

According to an embodiment, the user may select a category of the new conduct to be generated from among a plurality of categories displayed in a conduct category area **343**. In this case, the processor **110** may display at least one type of conduct included in the category selected in the conduct type selection area **345**. For example, the user may select a "routine" conduct, in which case a conduct related to a routine may be generated.

According to an embodiment, the user may select, through a details icon **347**, the type of new conduct to be generated. The processor **110** may display a menu tree screen **350** including a conduct menu tree **351** in response to receiving a user input for selecting the details icon **347**. For example, the user may select a desired conduct type in the displayed conduct menu tree **351**. For example, in the conduct menu tree **351**, the user may select "Personal Maintenance"—"Meals and Snacks"—"Meal with Family" to select the type of new conduct to be generated as a meal with family.

According to various embodiments, the user may rate each of the plurality of conducts, and may perform feeling evaluation (e.g., good, dislike, expected, difficult) for each of the plurality of conducts. For example, the user may rate a specific conduct at 4.5 out of 5, and may evaluate a feeling about the particular conduct as "Good."

FIGS. **3D**, **3E**, and **3F** illustrate a profile screen **360** of an application according to various embodiments of the present disclosure. The profile screen **360** according to various embodiments may display a status bar display area **361**, a personal information display area **362**, a call log display area **363**, a connections display area **364**, an evaluation area **365**, a disposition display area **366**, a main conduct display area **367**, a mainly participating connections area **368**, and a news and SNS area **369**.

Referring to FIG. **3D**, the processor **110** according to various embodiments may display how much time the user is using in the form of a bar graph through a time status bar **361a** of the status bar display area **361**. The processor **110** may display how many connections the user is using in the form of a bar graph through a connections status bar **361b**. The processor **110** may display how many assets the user is using in the form of a bar graph through an asset status bar **361c**.

The time status bar **361a** is a status bar indicating the degree to which the user utilizes time, and may be generated based on stored information about a plurality of schedules. The information about the plurality of schedules may be information about schedules stored in a plurality of conducts. For example, the time status bar **361a** may be generated based on total time of actually performed schedules compared with total time of planned schedules in the plurality of conducts. For example, if the total time of schedules in the plurality of conducts planned to be performed today is 12 hours, the time status bar **361a** may be displayed as 50% full.

The connections status bar **361b** is a status bar indicating the degree to which a user utilizes connections, and may be generated based on stored information about plurality of

11

contacts. The information about the plurality of contacts may be, for example, information about connections (or schedule information) stored in a plurality of conducts. For example, the connections status bar **361b** may be generated based on a total of actually performed meetings with connections compared with a total of planned meetings with connections in the plurality of conducts. For example, if a plurality of contacts are contacts of 100 people, and if it is planned to meet 10 people in a week, the connections status bar **361b** may be displayed as 10% full.

The asset status bar **361c** is a status bar indicating the degree to which the user utilizes assets, and may be generated based on the user's asset information. The user's asset information may be information about assets stored in the plurality of conducts. According to an embodiment, the asset status bar **361c** may be generated based on a total of actual assets compared to a total of planned assets in the plurality of conducts. According to an embodiment, the asset status bar **361c** may be generated based on income and expenditure details planned in the plurality of conducts. For example, if the income of this month is 10 million won and the expenditure is 5 million won, the asset status bar **361c** may be displayed as 50% full.

In the present embodiment, the time status bar **361a**, the connections status bar **361b**, and the asset status bar **361c** have been described as being displayed on the profile screen **360**, but may be displayed in one area of the home screen **300**.

The processor **110** according to various embodiments may display the user's personal information in the personal information display area **362**. The processor **110** may display at least one of the user's image, phone number, and motto.

The processor **110** according to various embodiments may display the accumulated number of calls, the total number of calls, and the number of recent calls in the call log display area **363**. The accumulated number of calls may be, for example, a number obtained by cumulatively summing the number of incoming/outgoing calls and the number of missed calls. The total number of calls may be a number obtained by cumulatively summing the number of incoming/outgoing calls. Recent calls may refer to the number of calls made within a predetermined period (e.g., the last 30 days).

The processor **110** according to various embodiments may display, through the connections display area **364**, a predetermined number of connections (e.g., 6 people) which have been most frequently contacted. The processor **110** may display a recent call log through the connections display area **364**. The processor **110** may further display a full view icon for additionally showing the recent call log through the connections display area **364**. The connections information disclosed herein may match contact information.

Referring to FIG. 3E, the processor **110** according to various embodiments may display a daily score for a performed conduct through the evaluation area **365**. The processor **110** according to various embodiments may display connections having a disposition similar to that of the user, among a plurality of connections, through the disposition display area **366**.

The processor **110** according to various embodiments may display main conducts in reverse-chronological order through the main conduct display area **367**. For example, the processor **110** may display, the main conduct display area **367**, information about a conduct "English conversation 1 hour" which is the most recent conduct. The main conducts may refer, for example, to conducts planned to be performed today.

12

Referring to FIG. 3F, the processor **110** according to various embodiments may display, in the mainly participating connections area **368**, information about connections that performed a conduct with the user. The processor according to various embodiments may display main news and SNS sharing icons in the news and SNS area **369**.

FIGS. 4A, 4B, 4C, and 4D illustrate a schedule management screen **400** of an application according to various embodiments of the present disclosure. The processor **110** may display the schedule management screen **400** on the display **120**, in response to a user input for selecting the schedule management icon **333** of the function selection area **330** in FIG. 3A.

Referring to FIG. 4A, the schedule management screen **400** according to various embodiments may include a setting area **410** and a schedule display area **420**. The processor **110** may display input information about a plurality of schedules on the schedule display area **420** of the schedule management screen **400** through various view types. The processor **110** may display a schedule management screen of various view types in response to a user input of selecting a calendar icon **411**. The view types may include, for example, a monthly calendar, an annual calendar, a daily calendar, or a calendar for a lifetime or each schedule.

The processor **110** according to various embodiments may display various pieces of upcoming schedule information on the schedule display area **420**, based on a conduct of the user that has been inputted. That is, the processor **110** may display at least one conduct including schedule information, among a plurality of registered conducts, in the schedule display area **420**. "Schedule information" described herein may imply a conduct including schedule information. If the schedule display area **420** is set to "viewing plans," a planned conduct among the plurality of registered conducts may be displayed. For example, if a planned conduct related to "riding a bicycle for 30 minutes" is registered, the processor **110** may display information about the corresponding conduct in the schedule display area **420**. For example, if a planned conduct related to "playing a round of golf" is registered, the processor **110** may display information about the corresponding conduct in the schedule display area **420**. For example, the processor **110** may display today's schedule information in the schedule display area **420**.

As described above, if the schedule display area **420** is set to "view performance," performance conducts among the plurality of registered conducts may be displayed. Furthermore, when the schedule display area **420** is set to "view together," a plurality of conducts including all of the planned conducts and the performance conducts may be displayed together.

The processor **110** according to various embodiments may further display a conduct addition icon **430**. In response to receiving a user input for selecting the conduct addition icon **430**, the processor **110** may display a conduct generation screen such that the user can generate a new conduct. A specific method for generating a conduct will be described later.

The processor **110** according to various embodiments may display the calendar icon **411**, a setting icon **412**, a filter icon **413**, and a search icon **414** in the setting area **410**. The calendar icon **411** may be an icon for displaying schedule information in a calendar format type, the setting icon **412** may be an icon for managing settings related to schedule information, the filter icon **413** may be an icon for filtering and displaying only a desired conduct, and the search icon **414** may be an icon for searching for a specific conduct.

13

The processor 110 according to various embodiments may display various pieces of schedule information of the user in a calendar type, in response to a user input for selecting the calendar icon 411. A calendar may include, for example, a daily calendar, a monthly calendar, an annual calendar, or a calendar for a lifetime or each schedule.

The processor 110 according to various embodiments may input a filtering search word for filtering only desired schedule information among the various pieces of schedule information, in response to a user input for selecting the filter icon 413. For example, when a user input for selecting the filter icon 413 is received, the processor 110 may display, as shown in FIG. 4B, a filtering screen 402 in which a filtering search word can be input. When “Jeong-Yeon HWANG” and “Jae-Hoon LEE” are input in the search window, the processor 110 may filter and display only schedule information (conduct) related to “Jeong-Yeon HWANG” and “Jae-Hoon LEE” among various pieces of schedule information. Even in this case, as illustrated in FIG. 4B, the schedule information (conduct) related to “Jeong-Yeon HWANG” and “Jae-Hoon LEE” may be displayed in the schedule display area, or as illustrated in FIG. 4C, the schedule information (conduct) related to “Jeong-Yeon HWANG” and “Jae-Hoon LEE” may be displayed in a calendar type in a schedule calendar screen 404.

The processor 110 according to various embodiments may display information about a plurality of schedules through various view types, and as illustrated in FIG. 4D, may display lifetime schedule information at a glance through a lifetime goal screen 406. In the above case, planned schedule information (planned conduct) may be displayed when “viewing plans” is set, only schedule information (performance conduct) actually achieved (or performed), among information about a plurality of planned schedules, may be displayed when “view performance” is set, and the planned schedule information and the actually achieved schedule information may be displayed together when “view together” is set. FIG. 4D illustrates an example of the lifetime goal screen 406 set to “view together,” and the planned schedule information and the actually achieved schedule information are displayed together. When “view together” is set, the planned schedule information (planned conduct) and the actually achieved schedule information (performed conduct) may be displayed to be distinguished from each other. For example, the edge of planned schedule information (planned conduct) may be indicated by a dotted line, and the actually achieved schedule information (performance conduct) may be indicated by a thick solid line. For example, planned schedule information (planned conduct) may not include an edge, but the actually achieved schedule information (performance conduct) may include an edge having a specific color (e.g., purple). The above-described method for displaying the planned schedule information and the actually achieved schedule information to be distinguished from each other is not limited thereto, and various display methods may be applied.

The processor 110 according to various embodiments may display, in response to a user input for selecting information about one schedule from information about a plurality of schedules, a detailed schedule screen for the selected schedule information. The detailed schedule screen for the selected schedule information may include detailed information registered for the selected schedule information, income and expenditure information, or photos and music information.

14

FIGS. 5A, 5B, 5C, 5D, 5E, 5F, and 5G illustrate a conduct generation screen of an application according to various embodiments of the present disclosure.

Referring to FIGS. 5A and 5B, the processor 110 may display a conduct generation screen 500 for generating a new conduct. The conduct generation screen 500 according to various embodiments may include a name input area 501 for inputting a name of a conduct to be generated, a schedule input area 502 for inputting schedule information of the conduct to be generated, a connections input area 503 for inputting connections information related to the conduct to be generated, asset input areas 504 and 505 for inputting assets related to the conduct to be generated, and other input area 506 for adding a photo, music, or a memo related to the conduct to be generated.

A user may input the name of a conduct to be generated into the name input area 501. The user may input the schedule of the conduct to be generated into the schedule input area 502. The user may input information about activity frequency, activity time, participants, and costs through the schedule input area 502. The frequency may be set to, for example, a reference period (e.g., daily, weekly, or monthly) and the number of activities (e.g., once, twice, or three times) during the reference period.

The user may use a connections icon 503a of the connections input area 503 to add connections information related to a conduct to be generated. For example, when the user wants to perform the corresponding conduct with connections A, the user may add information (or contact information) about the connections A through the connections icon 503a. The user may use a location icon 503b of the connections input area 503 to add location information related to the conduct to be generated. For example, the user may add location information through the location icon 503b when performing the corresponding conduct in area A.

For example, the processor 110 may display a connections selection screen 510 as illustrated in FIG. 5C in response to receiving a user input for selecting the connections icon 503a. The processor 110 may display the connections selection screen 510 which includes a connections search window 511 for searching for connections to be input, a connections category tab 512 for categorizing the connections, and a connections display area 513 for displaying the connections in the form of buttons. The user may directly search for connections to be input through the connections search window 511, may select a desired connections category in the connections category tab 512 and then search for connections, and may directly search for the connections to be input from among connections displayed in the connections display area 513. The processor may display information about a plurality of connections as a list, in response to a user input for selecting a details icon 515. The list may recommend connections that are frequently met, or may sort and display connections in alphabetical order.

The user may input information about an asset or a debt in the asset input areas 504 and 505 related to a conduct to be generated. The user may also input information about an asset-related passbook (e.g., a savings passbook). The user may input information about a passbook related to debt (e.g., a negative passbook). The user may also input income or expenditure details of the corresponding conduct. The user may input photos, music or memos related to the conduct to be generated into the other input area 506.

For example, the processor 110 may display a fund source selection screen 520 as illustrated in FIG. 5D in response to receiving a user input for selecting a linked passbook in the asset input areas 504 and 505. The fund source selection

15

screen 520 may include a fund source selection area 521 where various bank accounts, credit cards, and check cards can be selected. The user may input a fund source (a passbook related to an asset) by selecting the corresponding fund source and selecting an addition icon 522.

The processor 110 according to various embodiments may generate a conduct in response to a user input for selecting a conduct generation icon 507. For example, when the user has completed inputting information related to the conduct to be generated as described above, the user may select the conduct generation icon 507 to generate a new conduct. A default value may be applied to items, which have not been input by the user, among the above-mentioned contents.

FIG. 5E illustrates a conduct-details view screen 550 displaying the generated conduct according to various embodiments of the present disclosure. The conduct-details view screen 550 illustrated in FIG. 5E is a screen that has been set to “viewing plans” 551, and may be a screen displaying plan information of the generated conduct. Referring to FIG. 5E, the processor 110 may generate a conduct, based on the information input through the above-described process. The conduct-details view screen 550 may include a plan viewing area 552, a schedule area 553, a connections area 554, an asset area 555, and a place area 556. For example, the user may generate a conduct which has the name “30-minute bike ride,” which has plan information (schedule information) of riding a bike for 30 minutes from 8:30 AM every day for the whole month, in which the user participates with “Jade” and which is performed in “Olympic Park.”

The processor 110 according to various embodiments may share information about the corresponding conduct with other connections, in response to a user input for selecting a share icon 557. The processor 110 may also modify some contents of the corresponding conduct through a schedule modification icon 558.

FIGS. 5F and 5G illustrate a conduct-details view screen 560 of a generated conduct according to various embodiments of the present disclosure. The conduct-details view screen 560 illustrated in FIG. 5F is a screen that has been set to a performance view 561, and may be a screen displaying performance information of the generated conduct. The performance information of the generated conduct may include actual performance details of the corresponding conduct.

Like the conduct-details view screen 560 in FIG. 5E, the conduct-details view screen 560 may include a performance view area 562, a schedule area 563, a connections area 564, an asset area 565, and a place area 566.

The processor 110 may display, in a graph, how much a corresponding conduct is achieved, and may display an execution rate. For example, the processor 110 may generate and display, through the performance view area 562, a graph showing how much the corresponding conduct has actually been performed compared to the plan thereof. For example, the processor 110 may calculate and display, through the schedule area 563, an execution rate for the performance of the corresponding conduct compared to a plan of the corresponding conduct. Here, a comment on the calculated execution rate may be further displayed. For example, the processor 110 may further display comments such as “The execution rate is low compared to the plan.”

For example, the processor 110 may display, in the connections area 564, whether connections registered in the corresponding conduct have participated. For example, the processor 110 may display, in the asset area 565, how much asset registered in the corresponding conduct has been used.

16

The processor 110 according to various embodiments may share information about the corresponding conduct with other connections, in response to a user input for selecting a share icon 567. The processor 110 may also modify some contents of the corresponding conduct through a schedule modification icon 568.

The processor 110 according to various embodiments may set the screen to “view plans” as illustrated in FIG. 5E to display planned contents about the corresponding conduct, may set the screen to “view performance” as illustrated in FIGS. 5F and 5G to display an actually achieved (or performed) content among contents of a planned conduct, or may set the screen to “view together” to display the planned conduct and the actually achieved content together.

FIG. 6 illustrates a conduct list screen 600 of an application according to various embodiments of the present disclosure.

The processor 110 according to various embodiments may collect conducts having a specific conduct name and display the collected conducts in the form of a list. For example, the processor 110 may collect conducts related to “golf” and display the same on the conduct list screen 600. The user may select a specific conduct displayed in the list to determine detailed information about the specific conduct.

FIG. 7 illustrates a connections management screen of an application according to various embodiments of the present disclosure. In the present drawing, connections information may imply contact information. In addition, the contact information may include contact information related to a person and contact information related to a place.

Referring to FIG. 7, the processor 110 of the electronic device 100 according to various embodiments of the present disclosure displays a connections management screen 700 when a user input for selecting the connections management icon 335 is received on the home screen 300 illustrated in FIG. 3A. The connections management screen 700 may include, for example, a connections classification tab 710. The connections management screen 700 in FIG. 7 may be a contact list screen that displays contacts in the form of a list. That is, the connections management screen 700 may include a plurality of contacts.

The processor 110 according to various embodiments may display an addition icon 701 for adding a contact. The processor 110 may display a screen for adding a contact, in response to receiving a user input for selecting the addition icon 701. The user may input information about a new contact on the screen for adding the contact. The new added contact may be stored in the storage 130.

The processor 110 according to various embodiments may display a plurality of contacts on the connections management screen 700. For example, the processor 110 may display the plurality of contacts on the connections management screen 700, based on the plurality of contacts stored in the storage 130. The processor 110 may display the name and image of a person corresponding to each of the plurality of contacts together with the contact thereof. For example, the processor 110 may display a contact about “Jade” in one area of the connections management screen 700.

The processor 110 according to various embodiments may filter and display only contact information about a person or contact information about a place through the connections classification tab 710. The processor 110 may display a button channel screen including a recommended button channel and a user’s button channel, in response to a user input for selecting a button channel. The button channel, for example, may imply contact information registered in a server.

17

The processor **110** according to various embodiments may display a name search icon on the connections management screen **700**. For example, the user may easily input the name of a person, for whom the user wants to search, through the name search icon to easily find the name of the person.

The processor **110** according to various embodiments may receive a user input for selecting one contact from among the plurality of displayed contacts. The processor **110** may display a detailed screen for displaying and managing various pieces of information related to the selected contact in response to the reception of one of the plurality of contacts.

FIGS. **8A** and **8B** illustrate a contact details screen **800** for displaying information related a specific contact (or specific connections). In the present drawing, for convenience of description, the description will be made assuming that a contact related to Jade is selected from among the plurality of contacts displayed on the connections management screen **700** of FIG. **7**. For example, the contact details screen **800** may include a plurality of pages, or may include one scrollable page.

The contact details screen **800** according to various embodiments may include a return area **810**, a profile area **820**, a call log area **830**, a group area **840**, a disposition area **850**, a conduct area **860**, a main news area **870**, an SNS area **880**, and a memo area **890**.

When a user input for selecting a return icon displayed in the return area **810** is received, the processor **110** according to various embodiments may return to the connections management screen. The processor **110** may display a name, a phone number, or an image related to each of relevant connections in the profile area **820**. In case of contact information about a place, the processor **110** may further display a location icon **821** indicating location information. The processor **110** may further display a communication application icon that allows the user to communicate with a selected contact. The communication application may include at least one among, for example, a call application, a short message service (SMS) application, a multimedia messaging service (MMS) application, an e-mail application, an instant message application, and an SNS application. When a user input for selecting a communication application is received, the processor **110** may execute the selected communication application. For example, when a user input for selecting a call application is received, the processor **110** may execute the selected call application to make a call to Jade's phone number.

The processor **110** according to various embodiments may display the number of cumulative calls, the total number of calls, and the number of recent calls in the call log area **830**. The number of cumulative calls may be a number obtained by cumulatively summing, for example, the number of incoming/outgoing calls and the number of missed calls. The total number of calls may be a number obtained by summing the number of incoming/outgoing calls. The number of recent calls may be the number of calls that are made within a predetermined time period (e.g., last 30 days).

The processor **110** according to various embodiments may display information about a group including the relevant connections in the group area **840**. For example, the processor **110** may display, in the group area **840**, information indicating that the relevant connections belong to a "friend" group and a "study" group. The processor **110** according to various embodiments may display the disposition of each of the relevant connections in the disposition area **850**. The processor **110** may also display information about other

18

connections having dispositions similar (or identical) to those of the relevant connections in the disposition area **850** together.

The processor **110** according to various embodiments may display conduct information related to relevant connections in the conduct area **860**. The processor **110** may further display a conduct generation icon for allowing the user to directly generate a new conduct related to the corresponding connections. The conduct may be information about a schedule or activity with a person corresponding to a selected contact. The processor **110** may display details of the conduct in response to a user input for selecting the conduct.

The processor **110** according to various embodiments may display news information related to the relevant connections in the news area **870**. The processor **110** according to various embodiments may display an SNS sharing icon in the SNS area **880**. The processor **110** according to various embodiments may display a memo related to the relevant connections in the memo area **890**.

The processor **110** according to various embodiments may share information about the relevant connections with other connections in response to receiving a user input for selecting a sharing icon **801**. The processor **110** according to various embodiments may modify contact information of relevant connections through a contact modification icon **803**. When a user input for selecting the contact modification icon **803** is received, the processor **110** may display a screen for editing detailed information of the contact.

FIGS. **9A** and **9B** illustrate a business plan screen **900** among asset management screens according to various embodiments of the present disclosure. For example, when a user input for selecting the asset management icon **337** of the function selection area **330** in FIG. **3A** is received, the processor **110** may display an asset management screen. The processor **110** according to various embodiments may generate and display a business plan, a profit and loss statement, a statement of financial position, and a current status as part of asset management. For example, a user may move to a desired asset management screen by selecting one of a business plan tab **911**, a profit and loss statement tab **913**, a financial position statement tab **917**, and a current status tab **915** of an asset management tab area **910**. FIGS. **9A** and **9B** illustrate the business plan screen **900** among asset management screens.

The processor **110** according to various embodiments may generate a business plan based on a plurality of conducts including information on income and expenditure. The processor **110** may determine monthly income and expenditure planned (included) in the plurality of conducts, and may generate a monthly business plan based thereon. A business plan, for example, may be generated on a monthly basis, and may include monthly income and expenditure.

The processor **110** may determine the planned monthly income and expenditure, based on the plurality of conducts, and may generate a monthly business plan based on the determined monthly income and expenditure. The processor **110** may calculate a total sum of a plurality of planned income and expenditure details in relation to the plurality of conducts, respectively. The processor **110** may display details of the generated monthly business plan in a business plan display area **920**. Monthly income may include, for example, fixed income, investment income, and other income. Monthly expenditure may include fixed and variable costs. That is, the processor **110** may generate a monthly business plan by extracting monthly income and expenditure contents included in the plurality of registered

conducts. In addition, the user may directly add monthly expenditure or income on the business plan screen **900**.

For example, when September income is planned to be a fixed income of 6,000,000 won, an investment income of 3,300,000 won, and other income of 1,000,000 won when based on the plurality of conducts, the processor **110** may generate a September business plan based on the above-mentioned planned September income. In the same way, the processor **110** may generate a September business plan by determining the planned expenditure for September. The processor **110** according to various embodiments may calculate and display an amount estimated to be additionally expendable, based on the determined monthly income and expenditure.

FIGS. **10A**, **10B**, and **10C** illustrate a profit and loss statement display screen **1000** among asset management according to various embodiments of the present disclosure. FIGS. **11**, **12A**, and **12B** illustrate a profit and loss statement detail screen **1100**, **1200** according to various embodiments of the present disclosure.

Referring to FIGS. **10A** to **10C**, the processor **110** according to various embodiments may display the profit and loss statement display screen **1000** including an asset management tab area **1010** and a profit and loss statement display area **1020**. The user may select a profit and loss statement tab **1013** of the asset management tab area **1010** to determine the profit and loss statement display screen **1000**.

The processor **110** according to various embodiments may generate a profit and loss statement based on planned income and expenditure and actual income and expenditure. The processor **110** may generate a monthly profit and loss statement. For example, when September investment income has been planned to be 2,300,000 won but actual September investment income is 500,000 won, the processor **110** may display the profit and loss statement as shown in the profit and loss statement display area **1020** in FIG. **10A**. In the same way, each item of income and expenditure may be calculated. The user's income and expenditure details may include income and expenditure information registered with respect to a plurality of conducts. For example, when income details are registered with respect to a specific conduct of the user, the processor **110** may reflect the registered income details to information about a deposit among the user's income. For example, when expenditure details are registered in relation to the specific conduct, the processor **110** may reflect the registered expenditure details to the information about the user's deposit.

The processor **110** according to various embodiments may calculate a total income based on actual income stored in the plurality of conducts, may calculate total expenditure based on actual expenditure, may calculate the expected difference between planned income and planned expenditure, and may calculate the actual difference between the actual income and the actual expenditure. The processor **110** may display the calculations in the profit and loss statement display area **1020**.

FIG. **11** illustrates a profit and loss statement detail screen **1100** according to various embodiments of the present disclosure. When the user is curious about the details of the profit and loss statement shown in FIGS. **10A** to **10C**, the user may select a desired item to check the profit and loss statement detail screen **1100**. FIG. **11** is the profit and loss statement detail screen **1100** displaying the details of food expenses. Of course, details other than the food expense details may be selected and displayed.

The processor **110** according to various embodiments may display a conduct list including at least one conduct related

to food expenses. The at least one conduct may include a conduct in which food expenses are to be spent and a conduct in which food expenses are actually spent. Thus, the user may compare the planned food expenses with the actually paid food expenses at a glance.

The user may select a specific conduct from the displayed conduct list to additionally determine details of the specific conduct. In response to receiving a user input for selecting a conduct **1110** related to "lunch+coffee," the processor **110** may display a detailed screen regarding the conduct **1110**.

FIGS. **12A** and **12B** illustrate a detailed screen **1200** of a conduct according to various embodiments. When a user input for selecting the conduct **1110** relating to "lunch+coffee" in FIG. **11** is received, the processor **110** may display the detailed screen **1200** of the conduct **1110**. The configuration of the detailed screen **1200** is the same as the configuration described with reference to FIGS. **5E**, **5F**, and **5G**, and thus a detailed description thereof will be omitted.

FIGS. **13A**, **13B**, and **13C** illustrate a financial position statement screen **1300** among asset management screens according to various embodiments of the present disclosure.

The processor **110** according to various embodiments may display a financial position statement screen **1300** including an asset management tab area **1310** and a financial position statement display area **1320**. The processor **110** may display the financial position statement screen **1300**, in response to a user input for selecting a financial position statement tab **1315** of the asset management tab area **1310**.

The financial position statement display area **1320** according to various embodiments may include information on assets, liabilities, and equity. The processor **110** may generate a statement of financial position, based on information about the user's assets, liabilities, and equity stored in a plurality of conducts. The processor **110** may generate a monthly statement of financial position.

Asset information of the user may include, for example, an asset amount. The asset information of the user may include asset information registered with respect to a plurality of conducts of the user. The processor **110** may classify and display the asset information of the user by asset type. The processor **110** may display the asset information classified by asset type in different areas within the financial position state display area **1320**. The processor **110** may further display a total asset amount of each piece of the user's asset information in the financial position state display area **1320**.

Assets include financial assets (e.g., deposits, savings, cash, insurance, and pensions), real estate assets (e.g., houses), physical assets (e.g., cars and yachts), non-physical assets (e.g., licenses and intellectual property rights), and cherished items (e.g., shoes, bags). Liabilities may include loans, credit cards, debts of the mind, and expenditure for congratulations and condolences. Equity may include equity regarding competence (e.g., work ability, intellectual ability, career), occupation, fees for obtaining qualifications (e.g., language qualifications), tuition fees (e.g., language qualifications), mind (e.g., emotion, satisfaction, and disposition), and body (e.g., blood pressure, weight, health check-up). The user may directly add assets, liabilities, and equity in the statement of financial position.

FIGS. **14A** and **14B** illustrate a current status screen **1400** among asset management screens according to various embodiments of the present disclosure. The current status screen **1400** may be displayed by selecting a current status tab **1417** of an asset management tab area **1410**. The current

21

status screen **1400** may include a debt-to-income ratio, an assets-liabilities status, mind statistics, health statistics, and other statistics.

The debt-to-income ratio is a value generated based on current income and debt, and the debt-to-income ratio may further include a consumption debt-to-income ratio and a house debt-to-income ratio. The above-mentioned debt ratio may be calculated in the form of %. The assets-liabilities status may include an assets-liabilities ratio generated based on current assets and liabilities, and the assets-liabilities status may further include a ratio of total liabilities to assets and a ratio of house debt to assets.

The mind statistics may refer to statistics of emotional states obtained by evaluating a plurality of conducts. The mind statistics may be displayed in the form of a graph including a ratio for each emotion. The health statistics may include total steps, total calories burned, and an average heart rate. The health statistics may further include the result of comparison with statistical values of other months. Other statistics may further include a financial soundness ratio, revenue simulation, expenditure plan simulation, and performance compared with a plan.

FIGS. **15A**, **15B**, **15C**, and **15D** illustrate a report management screen **1500** of an application according to various embodiments of the present disclosure. The processor **110** may display the report management screen **1500** in response to a user input for selecting the report management icon **339** of the function selection area **330** in FIG. **3A**. The processor **110** may display the report management screen **1500** including various pieces of information about an application usage log of the application during a preset period (e.g., one month).

The report management screen **1500** according to various embodiments may include a period setting area **1510** and a report display area **1520**. The report display area **1520** may include information about connections that are frequently contacted, information on a conduct which has used the most time, information about an overall conduct execution rate, information about an execution rate for each conduct, information about connections that have frequently participated in a conduct, information about monthly target assets, information about income for each conduct, or information about expenditure for each conduct.

The information about connections that are frequently contacted may be information including the number of people (e.g., five people) designated in the order of making a lot of calls among the information about a plurality of connections. The information on a conduct which has used the most time may be information including a number (e.g., three) of conducts designated in the order of the actual time spent among a plurality of conducts.

The information about an overall conduct execution rate may be graph information indicating a ratio of a planned conduct and an actually performed conduct among a plurality of conducts. The information about an overall conduct execution rate may be a graph displaying a monthly conduct execution rate. The information about an execution rate for each conduct may be information indicating a plan and performance ratio of each of a plurality of conducts.

The information about connections that have frequently participated in a conduct may be information that displays connections by a preset number (e.g., 5 people) in the order of most frequent participation, based on information on connections that have participated in a plurality of conducts. Each piece of the information about connections that have frequently participated in a conduct may further include a conduct execution rate for each of connections.

22

The information about monthly target assets may be a graph comparing monthly planned assets and performance assets. The information about income for each conduct may be a graph displaying income for each item, based on a plurality of conducts. The information about expenditure for each conduct may be a graph displaying expenditure for each item, based on a plurality of conducts. The weekly report may be information obtained by calculating various statistical information generated based on a plurality of conducts (e.g., remaining working hours this week, sleeping time this week, living time, number of meals this week, and conduct performance time this week).

The electronic device according to various embodiments of the present disclosure may efficiently manage the various personal resources by combining and managing personal information, schedule information, connections information, and asset information together to comprehensively manage the various personal resources.

While the foregoing methods have been described with respect to particular embodiments, these methods may also be implemented as computer-readable code on a computer-readable recording medium. The computer-readable recording medium includes any kind of data storage devices that can be read by a computer system. Examples of the computer-readable recording medium includes ROM, RAM, CD-ROM, magnetic tape, floppy disk, optical data storage device, and the like. Also, the computer-readable recording medium can be distributed to computer systems which are connected through a network so that the computer-readable code can be stored and executed in a distributed manner. Further, the functional programs, code, and code segments for implementing the foregoing embodiments can easily be inferred by programmers in the art to which the present disclosure pertains.

While certain embodiments have been described, these embodiments have been presented by way of example only, and are not intended to limit the scope of the disclosures. Indeed, the embodiments described herein may be embodied in a variety of other forms. Furthermore, various omissions, substitutions and changes in the form of the embodiments described herein may be made without departing from the spirit of the disclosures. The accompanying claims and their equivalents are intended to cover such forms or modifications as would fall within the scope and spirit of the disclosures.

What is claimed is:

1. An electronic device comprising:

a display;

a storage configured to store personal information of a user, information about a plurality of schedules of the user, information about a plurality of contacts, and asset information of the user; and

a processor,

wherein the processor is configured to:

display, on the display, a home screen of an application for personal resource management;

display a schedule management screen comprising the information about the plurality of schedules of the user on the display, in response to a first user input for selecting a schedule management icon on the home screen;

display a connections management screen comprising the information about the plurality of contacts on the display, in response to a second user input for selecting a connections management icon on the home screen;

23

display an asset management screen comprising the asset information of the user on the display, in response to a third user input for selecting an asset management icon on the home screen;

display a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen;

generate, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time;

generate, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections;

generate, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and

display the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

2. The electronic device of claim 1, wherein the schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

3. The electronic device claim 2, wherein the processor is configured to display, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display.

4. The electronic device of claim 1, wherein the processor is configured to display an activity generation screen for generating new activity information on the display, in response to a sixth user input for selecting an activity addition icon included in the schedule management screen, and

wherein the activity information comprises schedule information, place information, asset information, and rating information.

5. The electronic device of claim 1, wherein the processor is configured to:

receive a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and

display profile information, call log information, and activity information related to the selected contact on the display, based on the seventh user input, and wherein the activity information related to the selected contact comprises an activity name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

6. The electronic device of claim 1, wherein the asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the processor is configured to display each piece of the classified asset information of the user in different areas of the asset management screen.

7. The electronic device of claim 6, wherein the processor is configured to:

generate a monthly profit and loss statement based on the asset information of the user; and

display the generated monthly profit and loss statement in one area of the asset management screen, in response to

24

an eighth input for selecting a profit and loss statement tab included in the asset management screen.

8. The electronic device of claim 7, wherein the processor is configured to:

generate a monthly statement of financial position, based on the asset information of the user; and

display the generated monthly statement of financial position in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

9. A method for managing a personal resource by using an electronic device, the method comprising:

displaying, on a display, a home screen of an application for personal resource management;

displaying a schedule management screen comprising information about a plurality of schedules of a user stored in a storage on the display, in response to a first user input for selecting a schedule management icon on the home screen;

displaying a connections management screen comprising information about a plurality of contacts stored in the storage on the display, in response to a second user input for selecting a connections management icon on the home screen;

displaying an asset management screen comprising asset information of the user stored in the storage on the display, in response to a third user input for selecting an asset management icon on the home screen;

displaying a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen;

generating, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time;

generating, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections;

generating, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and

displaying the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

10. The method of claim 9, wherein the schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

11. The method of claim 10, further comprising displaying, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display after the displaying of the schedule management screen on the display.

12. The method of claim 9, further comprising displaying, after the displaying of the schedule management screen on the display, an activity generation screen for generating new activity information on the display, based on a sixth user input for selecting an activity addition icon included in the schedule management screen,

wherein the activity information comprises schedule information, place information, asset information, and rating information.

25

13. The method of claim 9, further comprising:
 after the displaying of the connections management
 screen on the display, receiving a seventh user input for
 selecting one contact from among the plurality of
 contacts included in the connections management
 screen; and
 displaying profile information, call log information, and
 activity information related to the selected contact on
 the display, based on the seventh user input,
 wherein the activity information related to the selected
 contact comprises an activity name, schedule informa-
 tion, place information, asset information, and rating
 information, which are related to the selected contact.

14. The method of claim 9, wherein the asset information
 of the user is classified into a financial asset, a real estate
 asset, a physical asset, a non-physical asset, a cherished
 item, income details, and expenditure details, and
 wherein the displaying of the asset management screen
 comprises displaying each piece of the classified asset
 information of the user in different areas of the asset
 management screen.

15. The method of claim 14, further comprising:
 generating a monthly profit and loss statement based on
 the asset information of the user; and
 displaying the generated monthly profit and loss state-
 ment in one area of the asset management screen, in
 response to an eighth input for selecting a profit and
 loss statement tab included in the asset management
 screen.

16. The method of claim 15, further comprising:
 generating a monthly statement of financial position,
 based on the asset information of the user; and
 displaying the generated monthly statement of financial
 position in one area of the asset management screen, in
 response to a ninth user input for selecting a financial
 position statement tab included in the asset manage-
 ment screen.

26

17. A non-transitory computer-readable recording
 medium recording a program to be performed on a com-
 puter, wherein the program comprises executable commands
 which, when executed by a processor, cause the processor
 to:

- display, on the display, a home screen of an application for
 personal resource management;
- display a schedule management screen comprising infor-
 mation about a plurality of schedules of a user stored in
 a storage on the display, based on a first user input for
 selecting a schedule management icon on the home
 screen;
- display a connections management screen comprising
 information about a plurality of contacts stored in the
 storage on the display, based on a second user input for
 selecting a connections management icon on the home
 screen;
- display an asset management screen comprising asset
 information of the user stored in the storage on the
 display, based on a third user input for selecting an
 asset management icon on the home screen;
- display a report management screen comprising informa-
 tion about a usage log of the application during a preset
 period on the display, based on a fourth user input for
 selecting a report management icon on the home
 screen;
- generate, based on the information about the plurality of
 schedules, a time status bar indicating a degree to
 which the user uses time;
- generate, based on the information about the plurality of
 contacts, a connections status bar indicating a degree to
 which the user uses connections;
- generate, based on the asset information of the user, an
 asset status bar indicating a degree to which the user
 uses assets; and
- display the time status bar, the connections status bar, and
 the asset status bar in one area of the home screen.

* * * * *