

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12406307
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	Chung; Moon Sun

Electronic device and method for managing personal resource

Abstract

According to various embodiment of the present disclosure, there is provided a technique that includes a display; a storage; and a processor, wherein the processor is configured to: display a home screen; display a schedule management screen comprising the information about a plurality of schedules of the user, in response to a first user input for selecting a schedule management icon; display a connections management screen comprising the information about a plurality of contacts, in response to a second user input for selecting a connections management icon; display an asset management screen comprising asset information of the user on the display, in response to a third user input for selecting an asset management icon; and display a report management screen comprising information about a usage log of the application during a preset period, in response to a fourth user input for selecting a report management icon.

Inventors:	Chung; Moon Sun (Seoul, KR)
Applicant:	Trinion America, Inc. (San Diego, CA)
Family ID:	85220818
Assignee:	Trinion America, Inc. (San Diego, CA)
Appl. No.:	18/330195
Filed:	June 06, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240005407 A1	Jan. 04, 2024

Foreign Application Priority Data

KR	10-2022-0079866	Jun. 29, 2022
----	-----------------	---------------

Publication Classification

Int. Cl.: G06F3/04842 (20220101); G06F3/04817 (20220101); G06Q40/06 (20120101)

U.S. Cl.:

CPC G06Q40/06 (20130101); G06F3/04817 (20130101); G06F3/04842 (20130101);

Field of Classification Search

CPC: G06F (3/048-05)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
5873108	12/1998	Goyal	715/764	G06F 3/04886
7293072	12/2006	Blegen	715/825	G06Q 20/108
7975239	12/2010	Bellotti	715/767	G06Q 10/06
2002/0097277	12/2001	Pitroda	715/854	G06Q 10/10
2004/0225695	12/2003	Womack	N/A	G06F 3/04883
2008/0028317	12/2007	Castelli	715/744	G06Q 10/109
2009/0187531	12/2008	Singh	715/764	G06Q 10/10
2010/0269049	12/2009	Fearon	715/752	G06Q 10/109
2011/0126123	12/2010	Reter	715/769	G06F 15/0266
2011/0145761	12/2010	Krief	715/810	G06Q 10/109
2011/0313805	12/2010	Heydemann	705/7.14	G06Q 10/06316
2012/0036441	12/2011	Basir	715/734	H04L 67/04
2012/0198347	12/2011	Hirvonen	715/738	G06F 16/9038
2012/0311451	12/2011	Beaven	715/736	H04L 65/40
2013/0006868	12/2012	Hawkes	705/306	G06Q 40/08
2013/0067343	12/2012	Groves	715/739	H04L 67/54
2014/0282016	12/2013	Hosier, Jr.	715/733	G06F 3/017
2016/0014059	12/2015	Rathod	715/752	H04M 1/72484
2016/0092094	12/2015	Topping	715/765	G06Q 10/10
2016/0180298	12/2015	McClement	705/7.21	G06F 3/04842
2017/0085520	12/2016	Umapathy	N/A	G06Q 10/1097
2017/0201850	12/2016	Raleigh	N/A	H04W 4/50
2017/0344923	12/2016	Pike	N/A	G06Q 10/10
2018/0129993	12/2017	Fowler	N/A	G06F 21/31

2022/0083178	12/2021	Arama	N/A	G06F 3/04817
2022/0237700	12/2021	Sreenivasan	N/A	G06F 3/0488
2022/0383268	12/2021	Chen	N/A	G06Q 10/0633
2023/0298017	12/2022	Joao	705/26.62	G06Q 50/163
2023/0351282	12/2022	Uren	N/A	G06Q 10/06312

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
10-1949447	12/2018	KR	N/A
10-2084167	12/2019	KR	N/A
10-2020-0047139	12/2019	KR	N/A

OTHER PUBLICATIONS

Office Action received in Korean Application No. 10-2022-0079866 dated Dec. 6, 2023. cited by applicant

Primary Examiner: Rodriguez; Daniel

Attorney, Agent or Firm: Knobbe, Martens, Olson & Bear, LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION

(1) This application is based upon and claims the benefit of priority from Korean Patent Application No. 10-2022-0079866, filed on Jun. 29, 2022, the entire contents of which are incorporated herein by reference.

TECHNICAL FIELD

(2) The present disclosure relates to an electronic device and a method for managing a personal resource.

BACKGROUND

(3) With diversification of functions of an electronic device, the electronic device is being implemented in the form of a multimedia player having complex functions such as capturing still or moving images, playback of music or video files, games, broadcast reception, or a call function. For example, a user may be provided with various types of services by using applications installed in an electronic device. Such an electronic device may include a display, and may display screens related to functions on the display.

(4) Today, humans can manage various personal resources (e.g., time, personal connections, or assets) through IT infrastructure, and it has become important to efficiently manage finite personal resources. Recently, with the development of smart devices, various applications for managing personal resources have been released.

SUMMARY

(5) When various personal resources are individually managed through different applications, it may be inconvenient and difficult for a user to combine and manage the personal resources. For example, when a contact application is used to manage personal connections among various personal resources, in general, only one-dimensional information such as counterparts' names and

phone numbers may be stored and managed, and when a schedule management application is used to manage a schedule, in general, only one-dimensional information such as schedule time and schedule contents may be stored and managed.

(6) According to various embodiments of the present disclosure, there is provided a technique that includes a display; a storage configured to store personal information of a user, information about a plurality of schedules of the user, information about a plurality of contacts, and asset information of the user; and a processor, wherein the processor is configured to: display, on the display, a home screen of an application for personal resource management; display a schedule management screen comprising the information about the plurality of schedules of the user on the display, in response to a first user input for selecting a schedule management icon on the home screen; display a connections management screen comprising the information about the plurality of contacts on the display, in response to a second user input for selecting a connections management icon on the home screen; display an asset management screen comprising the asset information of the user on the display, in response to a third user input for selecting an asset management icon on the home screen; and display a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen.

(7) The processor is configured to: generate, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generate, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generate, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and display the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

(8) The schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

(9) The processor is configured to display, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display.

(10) The processor is configured to display a conduct generation screen for generating new conduct information on the display, in response to a sixth user input for selecting a conduct addition icon included in the schedule management screen, and wherein the conduct information comprises schedule information, place information, asset information, and rating information.

(11) The processor is configured to: receive a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and display profile information, call log information, and conduct information related to the selected contact on the display, in response to the seventh user input, and wherein the conduct information related to the selected contact comprises a conduct name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

(12) The asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the processor is configured to display each piece of the classified asset information of the user in different areas of the asset management screen.

(13) The processor is configured to: generate a monthly profit and loss statement based on the asset information of the user; and display the generated monthly profit and loss statement in one area of the asset management screen, based on an eighth input for selecting a profit and loss statement tab included in the asset management screen.

(14) The processor is configured to: generate a monthly statement of financial position, based on the asset information of the user; and display the generated monthly statement of financial position

in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

(15) According to various embodiment of present disclosure, there is provided a technique that includes: displaying, on a display, a home screen of an application for personal resource management; displaying a schedule management screen comprising information about a plurality of schedules of a user stored in a storage on the display, in response to a first user input for selecting a schedule management icon on the home screen; displaying a connections management screen comprising information about a plurality of contacts stored in the storage on the display, in response to a second user input for selecting a connections management icon on the home screen; displaying an asset management screen comprising asset information of the user stored in the storage on the display, in response to a third user input for selecting an asset management icon on the home screen; and displaying a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen.

(16) The method further includes: generating, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generating, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generating, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and displaying the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

(17) The schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

(18) The method further includes: displaying, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display after the displaying of the schedule management screen on the display.

(19) The method further includes: displaying, after the displaying of the schedule management screen on the display, a conduct generation screen for generating new conduct information on the display, in response to a sixth user input for selecting a conduct addition icon included in the schedule management screen, and wherein the conduct information comprises schedule information, place information, asset information, and rating information.

(20) The method further includes: after the displaying of the connections management screen on the display, receiving a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and displaying profile information, call log information, and conduct information related to the selected contact on the display, in response to the seventh user input, wherein the conduct information related to the selected contact comprises a conduct name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

(21) The asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the displaying of the asset management screen includes displaying each piece of the classified asset information of the user in different areas of the asset management screen.

(22) The method further includes: generating a monthly profit and loss statement based on the asset information of the user; and displaying the generated monthly profit and loss statement in one area of the asset management screen, based on an eighth input for selecting a profit and loss statement tab included in the asset management screen.

(23) The method further includes: generating a monthly statement of financial position, based on the asset information of the user; and displaying the generated monthly statement of financial

position in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

(24) According to various embodiment of the present disclosure, a non-transitory computer-readable recording medium recording a program to be performed on a computer, wherein the program comprises executable commands which, when executed by a processor, cause the processor to: display, on the display, a home screen of an application for personal resource management; display a schedule management screen comprising information about plurality of schedules of a user stored in a storage on the display, in response to a first user input for selecting a schedule management icon on the home screen; display a connections management screen comprising information about plurality of contacts stored in the storage on the display, in response to a second user input for selecting a connections management icon on the home screen; display an asset management screen comprising asset information of the user stored in the storage on the display, in response to a third user input for selecting an asset management icon on the home screen; and display a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen.

Description

BRIEF DESCRIPTION OF DRAWINGS

- (1) The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate embodiments of the present disclosure.
- (2) FIG. 1 is a block diagram of an electronic device according to various embodiments of the present disclosure.
- (3) FIGS. 2A, 2B, 2C, 2D, and 2E illustrate an execution screen and a sign-up screen of an application according to various embodiments of the present disclosure.
- (4) FIG. 3A illustrates a home screen of an application according to various embodiments of the present disclosure. FIGS. 3B and 3C illustrate conduct selection screens of an application according to various embodiments of the present disclosure.
- (5) FIGS. 3D, 3E, and 3F illustrate a profile screen of an application according to various embodiments of the present disclosure.
- (6) FIGS. 4A, 4B, 4C, and 4D illustrate a schedule management screen of an application according to various embodiments of the present disclosure.
- (7) FIGS. 5A, 5B, 5C, 5D, 5E, 5F, and 5G illustrate a conduct generation screen of an application according to various embodiments of the present disclosure.
- (8) FIG. 6 illustrates a conduct list screen of an application according to various embodiments of the present disclosure.
- (9) FIG. 7 illustrates connections management screen of an application according to various embodiments of the present disclosure.
- (10) FIGS. 8A and 8B illustrate a contact details screen according to various embodiments of the present disclosure.
- (11) FIGS. 9A and 9B illustrate a business plan screen among asset management screens according to various embodiments of the present disclosure.
- (12) FIGS. 10A, 10B, and 10C illustrate a profit and loss statement screen among asset management screens according to various embodiments of the present disclosure.
- (13) FIG. 11 illustrates a profit and loss statement detail screen according to various embodiments of the present disclosure.
- (14) FIGS. 12A and 12B illustrate a conduct detail screen according to various embodiments.
- (15) FIGS. 13A, 13B, and 13C illustrate a financial position statement screen among asset

management screens according to various embodiments of the present disclosure.

(16) FIGS. 14A and 14B illustrate a current status screen among asset management screens according to various embodiments of the present disclosure.

(17) FIGS. 15A, 15B, 15C, and 15D illustrate a report management screen of an application according to various embodiments of the present disclosure.

DETAILED DESCRIPTION

(18) Embodiments of the present disclosure are illustrated for describing the technical spirit of the present disclosure. The scope of the claims according to the present disclosure is not limited to the embodiments described below or to the detailed descriptions of these embodiments.

(19) All technical or scientific terms used herein have meanings that are generally understood by a person having ordinary knowledge in the art to which the present disclosure pertains, unless otherwise specified. The terms used herein are selected for only more clear illustration of the present disclosure, and are not intended to limit the scope of claims in accordance with the present disclosure.

(20) The expressions “include”, “provided with”, “have” and the like used herein should be understood as open-ended terms connoting the possibility of inclusion of other embodiments, unless otherwise mentioned in a phrase or sentence including the expressions.

(21) A singular expression can include meanings of plurality, unless otherwise mentioned, and the same is applied to a singular expression stated in the claims.

(22) The terms “first”, “second”, etc. used herein are used to identify a plurality of components from one another, and are not intended to limit the order or importance of the relevant components.

(23) The term “unit” used in these embodiments means a software component or hardware component, such as a field-programmable gate array (FPGA) and an application specific integrated circuit (ASIC). However, a “unit” is not limited to software and hardware and it may be configured to be an addressable storage medium or may be configured to run on one or more processors. For example, a “unit” may include components, such as software components, object-oriented software components, class components, and task components, as well as processors, functions, attributes, procedures, subroutines, segments of program codes, drivers, firmware, micro-codes, circuits, data, databases, data structures, tables, arrays, and variables. Functions provided in components and “unit” may be combined into a smaller number of components and “units” or further subdivided into additional components and “units.”

(24) The expression “based on” used herein is used to describe one or more factors that influences a decision, an action of judgment or an operation described in a phrase or sentence including the relevant expression, and this expression does not exclude additional factor influencing the decision, the action of judgment or the operation.

(25) When a certain component is described as “coupled to” or “connected to” another component, this should be understood as having meaning that the certain component may be coupled or connected directly to the other component or that the certain component may be coupled or connected to the other component via a new intervening component.

(26) Hereinafter, embodiments of the present disclosure will be described with reference to the accompanying drawings. In the accompanying drawings, like or relevant components are indicated by like reference numerals. In the following description of embodiments, repeated descriptions of the identical or relevant components will be omitted. However, even if a description of a component is omitted, such a component is not intended to be excluded in an embodiment.

(27) Although process steps, method steps, algorithms, and the like have been described in a successive order with regard to the flowcharts illustrated in the present disclosure, such processes, methods, and algorithms may be configured to operate in any appropriate order. In other words, steps of processes, methods, and algorithms described in various embodiments of the present disclosure are not necessarily performed in the order described in the present disclosure. In addition, some steps may be described as being performed asynchronously, such steps may be

performed synchronously in other embodiments. In addition, an example of a process by illustration in the drawings does not mean that the exemplified processes exclude other changes and modifications related thereto, does not mean that the exemplified process or any of its steps is essential to one or more of various embodiments of the present disclosure, and does not mean that the exemplified process is preferable.

(28) FIG. 1 is a block diagram of an electronic device **100** according to various embodiments of the present disclosure.

(29) Referring to FIG. 1, the electronic device **100** according to various embodiments may include a processor **110**, a display **120**, a storage **130**, a communication circuit **140**, and an input device **150**. Omitting or replacing some of the elements illustrated in FIG. 1 will not interfere with implementing the various embodiments disclosed in this document.

(30) According to various embodiments, the processor **110** of the electronic device **100** may be an element capable of controlling the elements of the electronic device **100** and/or performing data processing or calculation related to communication. The processor **110**, for example, may be operatively connected to the elements of the electronic device **100**. The processor **110** may load commands or data received from other components of the electronic device **100** into a memory (not shown), may process the commands or data stored in the memory, and may store result data.

(31) The display **120** according to various embodiments may display various screens, based on control of the processor **110**. The display **120** may be implemented in the form of a touch sensor panel (TSP) capable of recognizing touch or approach (e.g., hovering) of various external objects. For example, the display **120** may include a capacitive sensor to recognize touch or approach of the various external objects. The capacitive sensor may include a plurality of capacitors, and the capacitive sensor may apply an electrical signal to the capacitors. The capacitors may charge and discharge electric charges in response to the application of the electrical signal. When the electrical signal is applied to the capacitors, the capacitors may be charged according to the magnitude of voltage of the electrical signal. The display **120** may receive a user's touch input, based on a signal collected by the capacitive sensor.

(32) The input device **150** according to various embodiments may receive a command or data to be used by an element (e.g., the processor **110**) of the electronic device **100** from outside (e.g., the user) of the electronic device **100**. The input device **150** may include, for example, a microphone, a mouse, a keyboard, or a digital pen. According to various embodiments, the input device **150** may be implemented as an element separate from the display **120**, or may be implemented as a single element with the display **120**. For example, the input device **150** may be implemented as a touch sensor panel of the display **120**. The input device **150** may be implemented in various forms in which a user input can be received, but is not limited to the above examples.

(33) The storage **130** according to various embodiments may store various pieces of data used by at least one element of the electronic device **100**. For example, the storage **130** may store a plurality of contacts. For example, the storage **130** may store various pieces of information (e.g., personal information, schedule information, contact record information, income and expenditure information) corresponding to the plurality of contacts.

(34) The communication circuit **140** of the electronic device **100** according to various embodiments may establish a communication channel with an external device, and may transmit or receive various pieces of data to or from the external device. According to various embodiments, the communication circuit **140** may include a cellular communication module so as to be connected to a cellular network (e.g., 3G, LTE, 5G, WiBro, or WiMax). According to various embodiments, the communication circuit **140** may include a short-range communication module to transmit or receive data to or from the external device by using short-range communication (e.g., Wi-Fi, Bluetooth, Bluetooth low energy (BLE), or UWB), but the present disclosure is not limited thereto.

(35) FIGS. 2A, 2B, 2C, 2D, and 2E illustrate an execution screen and a sign-up screen of an application according to various embodiments of the present disclosure.

(36) Referring to FIGS. 2A and 2B, the processor **110** according to various embodiments of the present disclosure may execute an application for personal resource planning “Button” shown in FIG. 2A may be an application name. The processor **110** may display, through the display **120**, various execution screens of the application for personal resource planning. When the application for personal resource planning is first executed, the processor **110** may display an initial screen **210** on the display **120**. When a user's input for selecting a start icon **211** included in the initial screen **210** is received, the processor **110** may display a personal information input screen **220** for inputting personal information of the user. For example, the user may input the user's birthdate into a birthdate input window **223** included in the personal information input screen **220**, and may select a “next” icon **221**. In this case, the processor **110** may store the input birthdate of the user in the storage **130**.

(37) As illustrated in FIG. 2C, the user may input personal information regarding marital status through a selection area **233** of a personal information input screen **230**. For example, the user may select one from among single or married. After completion of the input, the user may select a “next” icon **231**. The input information regarding marital status may be stored in the storage **130**. Also, the user may select a “previous” icon **235** to return to the previous page. When the “next” icon **231** is selected, the user may input, as illustrated in FIG. 2D, personal information about a job through an input area **243** of a personal information input screen **240**. For example, the user may be input as an office worker. After completing the input, the user may select a “next” icon **241**. The input personal information about a job may be stored in the storage **130**. The user may select a “previous” icon **245** to return to the previous page. When the “next” icon **241** is selected, a personal information input screen **250** may be displayed as illustrated in FIG. 2E. The user may select a personality type and an asset management type through a questionnaire area **253** of the personal information input screen **250**. After completing the input, the user may select a start icon **251**. The input content may be stored in the storage **130**. In order to return to the previous page, a “previous” icon **255** may be selected. In addition, the user may input various pieces of personal information of the user (e.g., the user's address, phone number, e-mail address, business hours, schedule information, birthdate of a family member). Through the above-described process, the user may select the start icon **251** when personal information is input.

(38) FIG. 3A illustrates a home screen **300** of an application according to various embodiments of the present disclosure.

(39) Referring to FIG. 3A, the processor **110** according to various embodiments may display the home screen of the application after input of the user's personal information is completed. Alternatively, when the application is executed, the processor **110** may display the home screen **300**. The home screen **300** may include, for example, a setting area **310**, an information display area **320**, and a function selection area **330**.

(40) The processor **110** according to various embodiments may display, in the function selection area **330**, a home screen icon **331**, a schedule management icon **333**, a connections management icon **335**, an asset management icon **337**, and a report management icon **339**. The processor **110** may display the home screen **300** of the application when a user input for selecting the home screen icon **331** is received.

(41) The processor **110** according to various embodiments may display, in the setting area **310**, a list icon **311** for displaying a list of functions provided by the application. When a user input for selecting the list icon **311** is received, the processor **110** may display the list of functions provided by the application.

(42) The processor **110** according to various embodiments may display various pieces of information based on the personal information of the user inputted in the information display area **320**. The processor **110** may display, in the information display area **320**, an icon **325** for generating various types of conducts (or conduct information). The conduct disclosed herein may imply information about various schedules or activities. For example, the conduct may include

information about daily activities, information about business activities, and information about meeting activities. The conduct may include the name of a planned conduct, schedule information, location information, asset information, and rating information. Planned schedule information may include information about the planned time required and participant, planned asset information may imply planned income or expenditure, and planned rating information may be a score for evaluating the corresponding conduct. For example, the conduct is information about a schedule or activity of at least one among daily life, meal, coffee, meditation, walk, jogging, golf, horseback riding, surfing, work, presentation, meeting, class, research, cooking, repair, study, painting, and bicycling.

(43) The processor **110** may display, in the information display area **320**, a plurality of shortcut icons for generating a new conduct. The processor **110** may display, in a shortcut icon area **321**, the plurality of shortcut icons for generating a new conduct. For example, the processor **110** may display, in the shortcut icon area **321**, an icon for generating a conduct related to a meal and an icon for generating a conduct related to work. The processor **110** may display a conduct, which is frequently performed in a current time zone, in the shortcut icon area **321**. The processor **110** may display, in the shortcut icon area **321**, a quick conduct addition icon (shortcut) **321a** for quickly adding a new conduct. When the user selects the quick conduct addition icon **321a**, the user may move to a conduct selection screen to quickly generate a conduct. A description thereof will be made in detail with reference to FIGS. **3B** and **3C**.

(44) According to various embodiments, the type of conduct information may be a planned conduct or a performance conduct. The planned conduct may imply a conduct planned to be performed in the future. For example, the planned conduct may include an activity planned to be performed on a specific day, a schedule planned to be performed with a specific person, and an activity planned to be performed at a specific period. The performance conduct may imply a conduct that has already been performed. For example, the performance conduct is a past conduct, and may include actual performance details of the corresponding conduct. For example, the performance conduct may be additionally generated by inputting whether the planned conduct is performed, a rating, and an actual performance content.

(45) The processor **110** may display, in the information display area **320**, an icon **323** for generating a planned conduct and a record icon **324** for making a record about a past conduct. The processor **110** may further display the generated planned conduct in the information display area **320**. For example, a planned conduct, which includes information indicating that a weekly meeting is scheduled to be held in a café from 10 am to 1:30 pm on September 30, may be displayed in the information display area **320**.

(46) The processor **110** may display the contents of the past conduct in the information display area **320**. For example, the processor **110** may display, in the information display area **320**, the contents of a past conduct related to travel expense report preparation that is scheduled to be made by 4 pm today.

(47) The processor **110** may display information about connections in the information display area **320**. The processor **110** may display connections management information **322** in the information display area **320**, based on the plurality of contacts and a communication goal for each of the plurality of contacts. For example, the processor **110** may display information about a specific contact for which a communication goal has not been achieved in the information display area **320**. For example, the processor **110** may display the text “You called OOO a month ago. How about making a call?” in the information display area **320**.

(48) The processor **110** may further display information about connections who have joined a specific group (or meeting), among the information about connections, in the information display area **320**. For example, the processor **110** may display information about connections who have joined a reading group in the information display area **320**, together with the phrase “Contact people who have joined the reading group once a week”.

(49) The processor **110** may further display the conduct addition icon **325** for generating a new conduct. The user may select the conduct addition icon **325** to generate and add a new conduct.

(50) FIGS. **3B** and **3C** illustrate conduct selection screens of an application according to various embodiments of the present disclosure. When the user selects the quick conduct addition icon **321a** illustrated in FIG. **3A**, the user may move to a conduct selection screen **340** to quickly generate a conduct. The user may select the type of a new conduct to be generated from among a plurality of types of conducts.

(51) According to an embodiment, the user may input the name of the new conduct, which is to be generated, in a conduct name input area **341** to search for and select the type of the new conduct to be generated. In this case, the processor **11** may display the type of conduct that has been found in a conduct type selection area **345** below. For example, the user may search for “meeting” in the conduct name input area **341**, and may select a “meeting” conduct displayed in the conduct type selection area **345**.

(52) According to an embodiment, the user may select a category of the new conduct to be generated from among a plurality of categories displayed in a conduct category area **343**. In this case, the processor **110** may display at least one type of conduct included in the category selected in the conduct type selection area **345**. For example, the user may select a “routine” conduct, in which case a conduct related to a routine may be generated.

(53) According to an embodiment, the user may select, through a details icon **347**, the type of new conduct to be generated. The processor **110** may display a menu tree screen **350** including a conduct menu tree **351** in response to receiving a user input for selecting the details icon **347**. For example, the user may select a desired conduct type in the displayed conduct menu tree **351**. For example, in the conduct menu tree **351**, the user may select “Personal Maintenance”—“Meals and Snacks”—“Meal with Family” to select the type of new conduct to be generated as a meal with family.

(54) According to various embodiments, the user may rate each of the plurality of conducts, and may perform feeling evaluation (e.g., good, dislike, expected, difficult) for each of the plurality of conducts. For example, the user may rate a specific conduct at 4.5 out of 5, and may evaluate a feeling about the particular conduct as “Good.”

(55) FIGS. **3D**, **3E**, and **3F** illustrate a profile screen **360** of an application according to various embodiments of the present disclosure. The profile screen **360** according to various embodiments may display a status bar display area **361**, a personal information display area **362**, a call log display area **363**, a connections display area **364**, an evaluation area **365**, a disposition display area **366**, a main conduct display area **367**, a mainly participating connections area **368**, and a news and SNS area **369**.

(56) Referring to FIG. **3D**, the processor **110** according to various embodiments may display how much time the user is using in the form of a bar graph through a time status bar **361a** of the status bar display area **361**. The processor **110** may display how many connections the user is using in the form of a bar graph through a connections status bar **361b**. The processor **110** may display how many assets the user is using in the form of a bar graph through an asset status bar **361c**.

(57) The time status bar **361a** is a status bar indicating the degree to which the user utilizes time, and may be generated based on stored information about a plurality of schedules. The information about the plurality of schedules may be information about schedules stored in a plurality of conducts. For example, the time status bar **361a** may be generated based on total time of actually performed schedules compared with total time of planned schedules in the plurality of conducts. For example, if the total time of schedules in the plurality of conducts planned to be performed today is 12 hours, the time status bar **361a** may be displayed as 50% full.

(58) The connections status bar **361b** is a status bar indicating the degree to which a user utilizes connections, and may be generated based on stored information about plurality of contacts. The information about the plurality of contacts may be, for example, information about connections (or

schedule information) stored in a plurality of conducts. For example, the connections status bar **361b** may be generated based on a total of actually performed meetings with connections compared with a total of planned meetings with connections in the plurality of conducts. For example, if a plurality of contacts are contacts of 100 people, and if it is planned to meet 10 people in a week, the connections status bar **361b** may be displayed as 10% full.

(59) The asset status bar **361c** is a status bar indicating the degree to which the user utilizes assets, and may be generated based on the user's asset information. The user's asset information may be information about assets stored in the plurality of conducts. According to an embodiment, the asset status bar **361c** may be generated based on a total of actual assets compared to a total of planned assets in the plurality of conducts. According to an embodiment, the asset status bar **361c** may be generated based on income and expenditure details planned in the plurality of conducts. For example, if the income of this month is 10 million won and the expenditure is 5 million won, the asset status bar **361c** may be displayed as 50% full.

(60) In the present embodiment, the time status bar **361a**, the connections status bar **361b**, and the asset status bar **361c** have been described as being displayed on the profile screen **360**, but may be displayed in one area of the home screen **300**.

(61) The processor **110** according to various embodiments may display the user's personal information in the personal information display area **362**. The processor **110** may display at least one of the user's image, phone number, and motto.

(62) The processor **110** according to various embodiments may display the accumulated number of calls, the total number of calls, and the number of recent calls in the call log display area **363**. The accumulated number of calls may be, for example, a number obtained by cumulatively summing the number of incoming/outgoing calls and the number of missed calls. The total number of calls may be a number obtained by cumulatively summing the number of incoming/outgoing calls. Recent calls may refer to the number of calls made within a predetermined period (e.g., the last 30 days).

(63) The processor **110** according to various embodiments may display, through the connections display area **364**, a predetermined number of connections (e.g., 6 people) which have been most frequently contacted. The processor **110** may display a recent call log through the connections display area **364**. The processor **110** may further display a full view icon for additionally showing the recent call log through the connections display area **364**. The connections information disclosed herein may match contact information.

(64) Referring to FIG. 3E, the processor **110** according to various embodiments may display a daily score for a performed conduct through the evaluation area **365**. The processor **110** according to various embodiments may display connections having a disposition similar to that of the user, among a plurality of connections, through the disposition display area **366**.

(65) The processor **110** according to various embodiments may display main conducts in reverse-chronological order through the main conduct display area **367**. For example, the processor **110** may display, the main conduct display area **367**, information about a conduct "English conversation 1 hour" which is the most recent conduct. The main conducts may refer, for example, to conducts planned to be performed today.

(66) Referring to FIG. 3F, the processor **110** according to various embodiments may display, in the mainly participating connections area **368**, information about connections that performed a conduct with the user. The processor according to various embodiments may display main news and SNS sharing icons in the news and SNS area **369**.

(67) FIGS. 4A, 4B, 4C, and 4D illustrate a schedule management screen **400** of an application according to various embodiments of the present disclosure. The processor **110** may display the schedule management screen **400** on the display **120**, in response to a user input for selecting the schedule management icon **333** of the function selection area **330** in FIG. 3A.

(68) Referring to FIG. 4A, the schedule management screen **400** according to various embodiments

may include a setting area **410** and a schedule display area **420**. The processor **110** may display input information about a plurality of schedules on the schedule display area **420** of the schedule management screen **400** through various view types. The processor **110** may display a schedule management screen of various view types in response to a user input of selecting a calendar icon **411**. The view types may include, for example, a monthly calendar, an annual calendar, a daily calendar, or a calendar for a lifetime or each schedule.

(69) The processor **110** according to various embodiments may display various pieces of upcoming schedule information on the schedule display area **420**, based on a conduct of the user that has been inputted. That is, the processor **110** may display at least one conduct including schedule information, among a plurality of registered conducts, in the schedule display area **420**. “Schedule information” described herein may imply a conduct including schedule information. If the schedule display area **420** is set to “viewing plans,” a planned conduct among the plurality of registered conducts may be displayed. For example, if a planned conduct related to “riding a bicycle for 30 minutes” is registered, the processor **110** may display information about the corresponding conduct in the schedule display area **420**. For example, if a planned conduct related to “playing a round of golf” is registered, the processor **110** may display information about the corresponding conduct in the schedule display area **420**. For example, the processor **110** may display today's schedule information in the schedule display area **420**.

(70) As described above, if the schedule display area **420** is set to “view performance,” performance conducts among the plurality of registered conducts may be displayed. Furthermore, when the schedule display area **420** is set to “view together,” a plurality of conducts including all of the planned conducts and the performance conducts may be displayed together.

(71) The processor **110** according to various embodiments may further display a conduct addition icon **430**. In response to receiving a user input for selecting the conduct addition icon **430**, the processor **110** may display a conduct generation screen such that the user can generate a new conduct. A specific method for generating a conduct will be described later.

(72) The processor **110** according to various embodiments may display the calendar icon **411**, a setting icon **412**, a filter icon **413**, and a search icon **414** in the setting area **410**. The calendar icon **411** may be an icon for displaying schedule information in a calendar format type, the setting icon **412** may be an icon for managing settings related to schedule information, the filter icon **413** may be an icon for filtering and displaying only a desired conduct, and the search icon **414** may be an icon for searching for a specific conduct.

(73) The processor **110** according to various embodiments may display various pieces of schedule information of the user in a calendar type, in response to a user input for selecting the calendar icon **411**. A calendar may include, for example, a daily calendar, a monthly calendar, an annual calendar, or a calendar for a lifetime or each schedule.

(74) The processor **110** according to various embodiments may input a filtering search word for filtering only desired schedule information among the various pieces of schedule information, in response to a user input for selecting the filter icon **413**. For example, when a user input for selecting the filter icon **413** is received, the processor **110** may display, as shown in FIG. 4B, a filtering screen **402** in which a filtering search word can be input. When “Jeong-Yeon HWANG” and “Jae-Hoon LEE” are input in the search window, the processor **110** may filter and display only schedule information (conduct) related to “Jeong-Yeon HWANG” and “Jae-Hoon LEE” among various pieces of schedule information. Even in this case, as illustrated in FIG. 4B, the schedule information (conduct) related to “Jeong-Yeon HWANG” and “Jae-Hoon LEE” may be displayed in the schedule display area, or as illustrated in FIG. 4C, the schedule information (conduct) related to “Jeong-Yeon HWANG” and “Jae-Hoon LEE” may be displayed in a calendar type in a schedule calendar screen **404**.

(75) The processor **110** according to various embodiments may display information about a plurality of schedules through various view types, and as illustrated in FIG. 4D, may display

lifetime schedule information at a glance through a lifetime goal screen **406**. In the above case, planned schedule information (planned conduct) may be displayed when “viewing plans” is set, only schedule information (performance conduct) actually achieved (or performed), among information about a plurality of planned schedules, may be displayed when “view performance” is set, and the planned schedule information and the actually achieved schedule information may be displayed together when “view together” is set. FIG. **4D** illustrates an example of the lifetime goal screen **406** set to “view together,” and the planned schedule information and the actually achieved schedule information are displayed together. When “view together” is set, the planned schedule information (planned conduct) and the actually achieved schedule information (performed conduct) may be displayed to be distinguished from each other. For example, the edge of planned schedule information (planned conduct) may be indicated by a dotted line, and the actually achieved schedule information (performance conduct) may be indicated by a thick solid line. For example, planned schedule information (planned conduct) may not include an edge, but the actually achieved schedule information (performance conduct) may include an edge having a specific color (e.g., purple). The above-described method for displaying the planned schedule information and the actually achieved schedule information to be distinguished from each other is not limited thereto, and various display methods may be applied.

(76) The processor **110** according to various embodiments may display, in response to a user input for selecting information about one schedule from information about a plurality of schedules, a detailed schedule screen for the selected schedule information. The detailed schedule screen for the selected schedule information may include detailed information registered for the selected schedule information, income and expenditure information, or photos and music information.

(77) FIGS. **5A**, **5B**, **5C**, **5D**, **5E**, **5F**, and **5G** illustrate a conduct generation screen of an application according to various embodiments of the present disclosure.

(78) Referring to FIGS. **5A** and **5B**, the processor **110** may display a conduct generation screen **500** for generating a new conduct. The conduct generation screen **500** according to various embodiments may include a name input area **501** for inputting a name of a conduct to be generated, a schedule input area **502** for inputting schedule information of the conduct to be generated, a connections input area **503** for inputting connections information related to the conduct to be generated, asset input areas **504** and **505** for inputting assets related to the conduct to be generated, and other input area **506** for adding a photo, music, or a memo related to the conduct to be generated.

(79) A user may input the name of a conduct to be generated into the name input area **501**. The user may input the schedule of the conduct to be generated into the schedule input area **502**. The user may input information about activity frequency, activity time, participants, and costs through the schedule input area **502**. The frequency may be set to, for example, a reference period (e.g., daily, weekly, or monthly) and the number of activities (e.g., once, twice, or three times) during the reference period.

(80) The user may use a connections icon **503a** of the connections input area **503** to add connections information related to a conduct to be generated. For example, when the user wants to perform the corresponding conduct with connections A, the user may add information (or contact information) about the connections A through the connections icon **503a**. The user may use a location icon **503b** of the connections input area **503** to add location information related to the conduct to be generated. For example, the user may add location information through the location icon **503b** when performing the corresponding conduct in area A.

(81) For example, the processor **110** may display a connections selection screen **510** as illustrated in FIG. **5C** in response to receiving a user input for selecting the connections icon **503a**. The processor **110** may display the connections selection screen **510** which includes a connections search window **511** for searching for connections to be input, a connections category tab **512** for categorizing the connections, and a connections display area **513** for displaying the connections in

the form of buttons. The user may directly search for connections to be input through the connections search window **511**, may select a desired connections category in the connections category tab **512** and then search for connections, and may directly search for the connections to be input from among connections displayed in the connections display area **513**. The processor may display information about a plurality of connections as a list, in response to a user input for selecting a details icon **515**. The list may recommend connections that are frequently met, or may sort and display connections in alphabetical order.

(82) The user may input information about an asset or a debt in the asset input areas **504** and **505** related to a conduct to be generated. The user may also input information about an asset-related passbook (e.g., a savings passbook). The user may input information about a passbook related to debt (e.g., a negative passbook). The user may also input income or expenditure details of the corresponding conduct. The user may input photos, music or memos related to the conduct to be generated into the other input area **506**.

(83) For example, the processor **110** may display a fund source selection screen **520** as illustrated in FIG. 5D in response to receiving a user input for selecting a linked passbook in the asset input areas **504** and **505**. The fund source selection screen **520** may include a fund source selection area **521** where various bank accounts, credit cards, and check cards can be selected. The user may input a fund source (a passbook related to an asset) by selecting the corresponding fund source and selecting an addition icon **522**.

(84) The processor **110** according to various embodiments may generate a conduct in response to a user input for selecting a conduct generation icon **507**. For example, when the user has completed inputting information related to the conduct to be generated as described above, the user may select the conduct generation icon **507** to generate a new conduct. A default value may be applied to items, which have not been input by the user, among the above-mentioned contents.

(85) FIG. 5E illustrates a conduct-details view screen **550** displaying the generated conduct according to various embodiments of the present disclosure. The conduct-details view screen **550** illustrated in FIG. 5E is a screen that has been set to “viewing plans” **551**, and may be a screen displaying plan information of the generated conduct. Referring to FIG. 5E, the processor **110** may generate a conduct, based on the information input through the above-described process. The conduct-details view screen **550** may include a plan viewing area **552**, a schedule area **553**, a connections area **554**, an asset area **555**, and a place area **556**. For example, the user may generate a conduct which has the name “30-minute bike ride,” which has plan information (schedule information) of riding a bike for 30 minutes from 8:30 AM every day for the whole month, in which the user participates with “Jade” and which is performed in “Olympic Park.”

(86) The processor **110** according to various embodiments may share information about the corresponding conduct with other connections, in response to a user input for selecting a share icon **557**. The processor **110** may also modify some contents of the corresponding conduct through a schedule modification icon **558**.

(87) FIGS. 5F and 5G illustrate a conduct-details view screen **560** of a generated conduct according to various embodiments of the present disclosure. The conduct-details view screen **560** illustrated in FIG. 5F is a screen that has been set to a performance view **561**, and may be a screen displaying performance information of the generated conduct. The performance information of the generated conduct may include actual performance details of the corresponding conduct.

(88) Like the conduct-details view screen **560** in FIG. 5E, the conduct-details view screen **560** may include a performance view area **562**, a schedule area **563**, a connections area **564**, an asset area **565**, and a place area **566**.

(89) The processor **110** may display, in a graph, how much a corresponding conduct is achieved, and may display an execution rate. For example, the processor **110** may generate and display, through the performance view area **562**, a graph showing how much the corresponding conduct has actually been performed compared to the plan thereof. For example, the processor **110** may

calculate and display, through the schedule area **563**, an execution rate for the performance of the corresponding conduct compared to a plan of the corresponding conduct. Here, a comment on the calculated execution rate may be further displayed. For example, the processor **110** may further display comments such as “The execution rate is low compared to the plan.”

(90) For example, the processor **110** may display, in the connections area **564**, whether connections registered in the corresponding conduct have participated. For example, the processor **110** may display, in the asset area **565**, how much asset registered in the corresponding conduct has been used.

(91) The processor **110** according to various embodiments may share information about the corresponding conduct with other connections, in response to a user input for selecting a share icon **567**. The processor **110** may also modify some contents of the corresponding conduct through a schedule modification icon **568**.

(92) The processor **110** according to various embodiments may set the screen to “view plans” as illustrated in FIG. 5E to display planned contents about the corresponding conduct, may set the screen to “view performance” as illustrated in FIGS. 5F and 5G to display an actually achieved (or performed) content among contents of a planned conduct, or may set the screen to “view together” to display the planned conduct and the actually achieved content together.

(93) FIG. 6 illustrates a conduct list screen **600** of an application according to various embodiments of the present disclosure.

(94) The processor **110** according to various embodiments may collect conducts having a specific conduct name and display the collected conducts in the form of a list. For example, the processor **110** may collect conducts related to “golf” and display the same on the conduct list screen **600**. The user may select a specific conduct displayed in the list to determine detailed information about the specific conduct.

(95) FIG. 7 illustrates a connections management screen of an application according to various embodiments of the present disclosure. In the present drawing, connections information may imply contact information. In addition, the contact information may include contact information related to a person and contact information related to a place.

(96) Referring to FIG. 7, the processor **110** of the electronic device **100** according to various embodiments of the present disclosure displays a connections management screen **700** when a user input for selecting the connections management icon **335** is received on the home screen **300** illustrated in FIG. 3A. The connections management screen **700** may include, for example, a connections classification tab **710**. The connections management screen **700** in FIG. 7 may be a contact list screen that displays contacts in the form of a list. That is, the connections management screen **700** may include a plurality of contacts.

(97) The processor **110** according to various embodiments may display an addition icon **701** for adding a contact. The processor **110** may display a screen for adding a contact, in response to receiving a user input for selecting the addition icon **701**. The user may input information about a new contact on the screen for adding the contact. The new added contact may be stored in the storage **130**.

(98) The processor **110** according to various embodiments may display a plurality of contacts on the connections management screen **700**. For example, the processor **110** may display the plurality of contacts on the connections management screen **700**, based on the plurality of contacts stored in the storage **130**. The processor **110** may display the name and image of a person corresponding to each of the plurality of contacts together with the contact thereof. For example, the processor **110** may display a contact about “Jade” in one area of the connections management screen **700**.

(99) The processor **110** according to various embodiments may filter and display only contact information about a person or contact information about a place through the connections classification tab **710**. The processor **110** may display a button channel screen including a recommended button channel and a user's button channel, in response to a user input for selecting a

button channel. The button channel, for example, may imply contact information registered in a server.

(100) The processor **110** according to various embodiments may display a name search icon on the connections management screen **700**. For example, the user may easily input the name of a person, for whom the user wants to search, through the name search icon to easily find the name of the person.

(101) The processor **110** according to various embodiments may receive a user input for selecting one contact from among the plurality of displayed contacts. The processor **110** may display a detailed screen for displaying and managing various pieces of information related to the selected contact in response to the reception of one of the plurality of contacts.

(102) FIGS. **8A** and **8B** illustrate a contact details screen **800** for displaying information related a specific contact (or specific connections). In the present drawing, for convenience of description, the description will be made assuming that a contact related to Jade is selected from among the plurality of contacts displayed on the connections management screen **700** of FIG. **7**. For example, the contact details screen **800** may include a plurality of pages, or may include one scrollable page.

(103) The contact details screen **800** according to various embodiments may include a return area **810**, a profile area **820**, a call log area **830**, a group area **840**, a disposition area **850**, a conduct area **860**, a main news area **870**, an SNS area **880**, and a memo area **890**.

(104) When a user input for selecting a return icon displayed in the return area **810** is received, the processor **110** according to various embodiments may return to the connections management screen. The processor **110** may display a name, a phone number, or an image related to each of relevant connections in the profile area **820**. In case of contact information about a place, the processor **110** may further display a location icon **821** indicating location information. The processor **110** may further display a communication application icon that allows the user to communicate with a selected contact. The communication application may include at least one among, for example, a call application, a short message service (SMS) application, a multimedia messaging service (MMS) application, an e-mail application, an instant message application, and an SNS application. When a user input for selecting a communication application is received, the processor **110** may execute the selected communication application. For example, when a user input for selecting a call application is received, the processor **110** may execute the selected call application to make a call to Jade's phone number.

(105) The processor **110** according to various embodiments may display the number of cumulative calls, the total number of calls, and the number of recent calls in the call log area **830**. The number of cumulative calls may be a number obtained by cumulatively summing, for example, the number of incoming/outgoing calls and the number of missed calls. The total number of calls may be a number obtained by summing the number of incoming/outgoing calls. The number of recent calls may be the number of calls that are made within a predetermined time period (e.g., last 30 days).

(106) The processor **110** according to various embodiments may display information about a group including the relevant connections in the group area **840**. For example, the processor **110** may display, in the group area **840**, information indicating that the relevant connections belong to a "friend" group and a "study" group. The processor **110** according to various embodiments may display the disposition of each of the relevant connections in the disposition area **850**. The processor **110** may also display information about other connections having dispositions similar (or identical) to those of the relevant connections in the disposition area **850** together.

(107) The processor **110** according to various embodiments may display conduct information related to relevant connections in the conduct area **860**. The processor **110** may further display a conduct generation icon for allowing the user to directly generate a new conduct related to the corresponding connections. The conduct may be information about a schedule or activity with a person corresponding to a selected contact. The processor **110** may display details of the conduct in response to a user input for selecting the conduct.

(108) The processor **110** according to various embodiments may display news information related to the relevant connections in the news area **870**. The processor **110** according to various embodiments may display an SNS sharing icon in the SNS area **880**. The processor **110** according to various embodiments may display a memo related to the relevant connections in the memo area **890**.

(109) The processor **110** according to various embodiments may share information about the relevant connections with other connections in response to receiving a user input for selecting a sharing icon **801**. The processor **110** according to various embodiments may modify contact information of relevant connections through a contact modification icon **803**. When a user input for selecting the contact modification icon **803** is received, the processor **110** may display a screen for editing detailed information of the contact.

(110) FIGS. **9A** and **9B** illustrate a business plan screen **900** among asset management screens according to various embodiments of the present disclosure. For example, when a user input for selecting the asset management icon **337** of the function selection area **330** in FIG. **3A** is received, the processor **110** may display an asset management screen. The processor **110** according to various embodiments may generate and display a business plan, a profit and loss statement, a statement of financial position, and a current status as part of asset management. For example, a user may move to a desired asset management screen by selecting one of a business plan tab **911**, a profit and loss statement tab **913**, a financial position statement tab **917**, and a current status tab **915** of an asset management tab area **910**. FIGS. **9A** and **9B** illustrate the business plan screen **900** among asset management screens.

(111) The processor **110** according to various embodiments may generate a business plan based on a plurality of conducts including information on income and expenditure. The processor **110** may determine monthly income and expenditure planned (included) in the plurality of conducts, and may generate a monthly business plan based thereon. A business plan, for example, may be generated on a monthly basis, and may include monthly income and expenditure.

(112) The processor **110** may determine the planned monthly income and expenditure, based on the plurality of conducts, and may generate a monthly business plan based on the determined monthly income and expenditure. The processor **110** may calculate a total sum of a plurality of planned income and expenditure details in relation to the plurality of conducts, respectively. The processor **110** may display details of the generated monthly business plan in a business plan display area **920**. Monthly income may include, for example, fixed income, investment income, and other income. Monthly expenditure may include fixed and variable costs. That is, the processor **110** may generate a monthly business plan by extracting monthly income and expenditure contents included in the plurality of registered conducts. In addition, the user may directly add monthly expenditure or income on the business plan screen **900**.

(113) For example, when September income is planned to be a fixed income of 6,000,000 won, an investment income of 3,300,000 won, and other income of 1,000,000 won when based on the plurality of conducts, the processor **110** may generate a September business plan based on the above-mentioned planned September income. In the same way, the processor **110** may generate a September business plan by determining the planned expenditure for September. The processor **110** according to various embodiments may calculate and display an amount estimated to be additionally expendable, based on the determined monthly income and expenditure.

(114) FIGS. **10A**, **10B**, and **10C** illustrate a profit and loss statement display screen **1000** among asset management according to various embodiments of the present disclosure. FIGS. **11**, **12A**, and **12B** illustrate a profit and loss statement detail screen **1100**, **1200** according to various embodiments of the present disclosure.

(115) Referring to FIGS. **10A** to **10C**, the processor **110** according to various embodiments may display the profit and loss statement display screen **1000** including an asset management tab area **1010** and a profit and loss statement display area **1020**. The user may select a profit and loss

statement tab **1013** of the asset management tab area **1010** to determine the profit and loss statement display screen **1000**.

(116) The processor **110** according to various embodiments may generate a profit and loss statement based on planned income and expenditure and actual income and expenditure. The processor **110** may generate a monthly profit and loss statement. For example, when September investment income has been planned to be 2,300,000 won but actual September investment income is 500,000 won, the processor **110** may display the profit and loss statement as shown in the profit and loss statement display area **1020** in FIG. **10A**. In the same way, each item of income and expenditure may be calculated. The user's income and expenditure details may include income and expenditure information registered with respect to a plurality of conducts. For example, when income details are registered with respect to a specific conduct of the user, the processor **110** may reflect the registered income details to information about a deposit among the user's income. For example, when expenditure details are registered in relation to the specific conduct, the processor **110** may reflect the registered expenditure details to the information about the user's deposit.

(117) The processor **110** according to various embodiments may calculate a total income based on actual income stored in the plurality of conducts, may calculate total expenditure based on actual expenditure, may calculate the expected difference between planned income and planned expenditure, and may calculate the actual difference between the actual income and the actual expenditure. The processor **110** may display the calculations in the profit and loss statement display area **1020**.

(118) FIG. **11** illustrates a profit and loss statement detail screen **1100** according to various embodiments of the present disclosure. When the user is curious about the details of the profit and loss statement shown in FIGS. **10A** to **10C**, the user may select a desired item to check the profit and loss statement detail screen **1100**. FIG. **11** is the profit and loss statement detail screen **1100** displaying the details of food expenses. Of course, details other than the food expense details may be selected and displayed.

(119) The processor **110** according to various embodiments may display a conduct list including at least one conduct related to food expenses. The at least one conduct may include a conduct in which food expenses are to be spent and a conduct in which food expenses are actually spent. Thus, the user may compare the planned food expenses with the actually paid food expenses at a glance.

(120) The user may select a specific conduct from the displayed conduct list to additionally determine details of the specific conduct. In response to receiving a user input for selecting a conduct **1110** related to "lunch+coffee," the processor **110** may display a detailed screen regarding the conduct **1110**.

(121) FIGS. **12A** and **12B** illustrate a detailed screen **1200** of a conduct according to various embodiments. When a user input for selecting the conduct **1110** relating to "lunch+coffee" in FIG. **11** is received, the processor **110** may display the detailed screen **1200** of the conduct **1110**. The configuration of the detailed screen **1200** is the same as the configuration described with reference to FIGS. **5E**, **5F**, and **5G**, and thus a detailed description thereof will be omitted.

(122) FIGS. **13A**, **13B**, and **13C** illustrate a financial position statement screen **1300** among asset management screens according to various embodiments of the present disclosure.

(123) The processor **110** according to various embodiments may display a financial position statement screen **1300** including an asset management tab area **1310** and a financial position statement display area **1320**. The processor **110** may display the financial position statement screen **1300**, in response to a user input for selecting a financial position statement tab **1315** of the asset management tab area **1310**.

(124) The financial position statement display area **1320** according to various embodiments may include information on assets, liabilities, and equity. The processor **110** may generate a statement of financial position, based on information about the user's assets, liabilities, and equity stored in a plurality of conducts. The processor **110** may generate a monthly statement of financial position.

(125) Asset information of the user may include, for example, an asset amount. The asset information of the user may include asset information registered with respect to a plurality of conducts of the user. The processor **110** may classify and display the asset information of the user by asset type. The processor **110** may display the asset information classified by asset type in different areas within the financial position state display area **1320**. The processor **110** may further display a total asset amount of each piece of the user's asset information in the financial position state display area **1320**.

(126) Assets include financial assets (e.g., deposits, savings, cash, insurance, and pensions), real estate assets (e.g., houses), physical assets (e.g., cars and yachts), non-physical assets (e.g., licenses and intellectual property rights), and cherished items (e.g., shoes, bags). Liabilities may include loans, credit cards, debts of the mind, and expenditure for congratulations and condolences. Equity may include equity regarding competence (e.g., work ability, intellectual ability, career), occupation, fees for obtaining qualifications (e.g., language qualifications), tuition fees (e.g., language qualifications), mind (e.g., emotion, satisfaction, and disposition), and body (e.g., blood pressure, weight, health check-up). The user may directly add assets, liabilities, and equity in the statement of financial position.

(127) FIGS. **14A** and **14B** illustrate a current status screen **1400** among asset management screens according to various embodiments of the present disclosure. The current status screen **1400** may be displayed by selecting a current status tab **1417** of an asset management tab area **1410**. The current status screen **1400** may include a debt-to-income ratio, an assets-liabilities status, mind statistics, health statistics, and other statistics.

(128) The debt-to-income ratio is a value generated based on current income and debt, and the debt-to-income ratio may further include a consumption debt-to-income ratio and a house debt-to-income ratio. The above-mentioned debt ratio may be calculated in the form of %. The assets-liabilities status may include an assets-liabilities ratio generated based on current assets and liabilities, and the assets-liabilities status may further include a ratio of total liabilities to assets and a ratio of house debt to assets.

(129) The mind statistics may refer to statistics of emotional states obtained by evaluating a plurality of conducts. The mind statistics may be displayed in the form of a graph including a ratio for each emotion. The health statistics may include total steps, total calories burned, and an average heart rate. The health statistics may further include the result of comparison with statistical values of other months. Other statistics may further include a financial soundness ratio, revenue simulation, expenditure plan simulation, and performance compared with a plan.

(130) FIGS. **15A**, **15B**, **15C**, and **15D** illustrate a report management screen **1500** of an application according to various embodiments of the present disclosure. The processor **110** may display the report management screen **1500** in response to a user input for selecting the report management icon **339** of the function selection area **330** in FIG. **3A**. The processor **110** may display the report management screen **1500** including various pieces of information about an application usage log of the application during a preset period (e.g., one month).

(131) The report management screen **1500** according to various embodiments may include a period setting area **1510** and a report display area **1520**. The report display area **1520** may include information about connections that are frequently contacted, information on a conduct which has used the most time, information about an overall conduct execution rate, information about an execution rate for each conduct, information about connections that have frequently participated in a conduct, information about monthly target assets, information about income for each conduct, or information about expenditure for each conduct.

(132) The information about connections that are frequently contacted may be information including the number of people (e.g., five people) designated in the order of making a lot of calls among the information about a plurality of connections. The information on a conduct which has used the most time may be information including a number (e.g., three) of conducts designated in

the order of the actual time spent among a plurality of conducts.

(133) The information about an overall conduct execution rate may be graph information indicating a ratio of a planned conduct and an actually performed conduct among a plurality of conducts. The information about an overall conduct execution rate may be a graph displaying a monthly conduct execution rate. The information about an execution rate for each conduct may be information indicating a plan and performance ratio of each of a plurality of conducts.

(134) The information about connections that have frequently participated in a conduct may be information that displays connections by a preset number (e.g., 5 people) in the order of most frequent participation, based on information on connections that have participated in a plurality of conducts. Each piece of the information about connections that have frequently participated in a conduct may further include a conduct execution rate for each of connections.

(135) The information about monthly target assets may be a graph comparing monthly planned assets and performance assets. The information about income for each conduct may be a graph displaying income for each item, based on a plurality of conducts. The information about expenditure for each conduct may be a graph displaying expenditure for each item, based on a plurality of conducts. The weekly report may be information obtained by calculating various statistical information generated based on a plurality of conducts (e.g., remaining working hours this week, sleeping time this week, living time, number of meals this week, and conduct performance time this week).

(136) The electronic device according to various embodiments of the present disclosure may efficiently manage the various personal resources by combining and managing personal information, schedule information, connections information, and asset information together to comprehensively manage the various personal resources.

(137) While the foregoing methods have been described with respect to particular embodiments, these methods may also be implemented as computer-readable code on a computer-readable recording medium. The computer-readable recording medium includes any kind of data storage devices that can be read by a computer system. Examples of the computer-readable recording medium includes ROM, RAM, CD-ROM, magnetic tape, floppy disk, optical data storage device, and the like. Also, the computer-readable recording medium can be distributed to computer systems which are connected through a network so that the computer-readable code can be stored and executed in a distributed manner. Further, the functional programs, code, and code segments for implementing the foregoing embodiments can easily be inferred by programmers in the art to which the present disclosure pertains.

(138) While certain embodiments have been described, these embodiments have been presented by way of example only, and are not intended to limit the scope of the disclosures. Indeed, the embodiments described herein may be embodied in a variety of other forms. Furthermore, various omissions, substitutions and changes in the form of the embodiments described herein may be made without departing from the spirit of the disclosures. The accompanying claims and their equivalents are intended to cover such forms or modifications as would fall within the scope and spirit of the disclosures.

Claims

1. An electronic device comprising: a display; a storage configured to store personal information of a user, information about a plurality of schedules of the user, information about a plurality of contacts, and asset information of the user; and a processor, wherein the processor is configured to: display, on the display, a home screen of an application for personal resource management; display a schedule management screen comprising the information about the plurality of schedules of the user on the display, in response to a first user input for selecting a schedule management icon on the home screen; display a connections management screen comprising the information about the

plurality of contacts on the display, in response to a second user input for selecting a connections management icon on the home screen; display an asset management screen comprising the asset information of the user on the display, in response to a third user input for selecting an asset management icon on the home screen; display a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen; generate, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generate, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generate, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and display the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

2. The electronic device of claim 1, wherein the schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

3. The electronic device claim 2, wherein the processor is configured to display, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display.

4. The electronic device of claim 1, wherein the processor is configured to display an activity generation screen for generating new activity information on the display, in response to a sixth user input for selecting an activity addition icon included in the schedule management screen, and wherein the activity information comprises schedule information, place information, asset information, and rating information.

5. The electronic device of claim 1, wherein the processor is configured to: receive a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and display profile information, call log information, and activity information related to the selected contact on the display, based on the seventh user input, and wherein the activity information related to the selected contact comprises an activity name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

6. The electronic device of claim 1, wherein the asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the processor is configured to display each piece of the classified asset information of the user in different areas of the asset management screen.

7. The electronic device of claim 6, wherein the processor is configured to: generate a monthly profit and loss statement based on the asset information of the user; and display the generated monthly profit and loss statement in one area of the asset management screen, in response to an eighth input for selecting a profit and loss statement tab included in the asset management screen.

8. The electronic device of claim 7, wherein the processor is configured to: generate a monthly statement of financial position, based on the asset information of the user; and display the generated monthly statement of financial position in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

9. A method for managing a personal resource by using an electronic device, the method comprising: displaying, on a display, a home screen of an application for personal resource management; displaying a schedule management screen comprising information about a plurality of schedules of a user stored in a storage on the display, in response to a first user input for selecting a schedule management icon on the home screen; displaying a connections management screen comprising information about a plurality of contacts stored in the storage on the display, in

response to a second user input for selecting a connections management icon on the home screen; displaying an asset management screen comprising asset information of the user stored in the storage on the display, in response to a third user input for selecting an asset management icon on the home screen; displaying a report management screen comprising information about a usage log of the application during a preset period on the display, in response to a fourth user input for selecting a report management icon on the home screen; generating, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generating, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generating, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and displaying the time status bar, the connections status bar, and the asset status bar in one area of the home screen.

10. The method of claim 9, wherein the schedule management screen comprises information about at least one schedule that has been completed among the information about the plurality of schedules.

11. The method of claim 10, further comprising displaying, in response to a fifth user input for selecting information about one schedule from the information about the plurality of schedules of the user included in the schedule management screen, a detailed schedule screen comprising details information, income and expenditure information, and photo and music information registered with respect to the selected information on the display after the displaying of the schedule management screen on the display.

12. The method of claim 9, further comprising displaying, after the displaying of the schedule management screen on the display, an activity generation screen for generating new activity information on the display, based on a sixth user input for selecting an activity addition icon included in the schedule management screen, wherein the activity information comprises schedule information, place information, asset information, and rating information.

13. The method of claim 9, further comprising: after the displaying of the connections management screen on the display, receiving a seventh user input for selecting one contact from among the plurality of contacts included in the connections management screen; and displaying profile information, call log information, and activity information related to the selected contact on the display, based on the seventh user input, wherein the activity information related to the selected contact comprises an activity name, schedule information, place information, asset information, and rating information, which are related to the selected contact.

14. The method of claim 9, wherein the asset information of the user is classified into a financial asset, a real estate asset, a physical asset, a non-physical asset, a cherished item, income details, and expenditure details, and wherein the displaying of the asset management screen comprises displaying each piece of the classified asset information of the user in different areas of the asset management screen.

15. The method of claim 14, further comprising: generating a monthly profit and loss statement based on the asset information of the user; and displaying the generated monthly profit and loss statement in one area of the asset management screen, in response to an eighth input for selecting a profit and loss statement tab included in the asset management screen.

16. The method of claim 15, further comprising: generating a monthly statement of financial position, based on the asset information of the user; and displaying the generated monthly statement of financial position in one area of the asset management screen, in response to a ninth user input for selecting a financial position statement tab included in the asset management screen.

17. A non-transitory computer-readable recording medium recording a program to be performed on a computer, wherein the program comprises executable commands which, when executed by a processor, cause the processor to: display, on the display, a home screen of an application for personal resource management; display a schedule management screen comprising information about a plurality of schedules of a user stored in a storage on the display, based on a first user input

for selecting a schedule management icon on the home screen; display a connections management screen comprising information about a plurality of contacts stored in the storage on the display, based on a second user input for selecting a connections management icon on the home screen; display an asset management screen comprising asset information of the user stored in the storage on the display, based on a third user input for selecting an asset management icon on the home screen; display a report management screen comprising information about a usage log of the application during a preset period on the display, based on a fourth user input for selecting a report management icon on the home screen; generate, based on the information about the plurality of schedules, a time status bar indicating a degree to which the user uses time; generate, based on the information about the plurality of contacts, a connections status bar indicating a degree to which the user uses connections; generate, based on the asset information of the user, an asset status bar indicating a degree to which the user uses assets; and display the time status bar, the connections status bar, and the asset status bar in one area of the home screen.
