

US Patent & Trademark Office

Patent Public Search | Text View

United States Design Patent	D1092578
Kind Code	S
Date of Patent	September 09, 2025
Inventor(s)	Lu; Lijun

Chuck set

Inventors: Lu; Lijun (Guangdong, CN)

Applicant: GUANGZHOU AVISON TRADING CO., LTD. (Guangdong, CN)

Assignee: GUANGZHOU AVISON TRADING CO., LTD. (Guangdong, CN)

() Term:** 15 Years **Appl. No.:**

D/933853

Filed:

March 22, 2024

Foreign Application Priority Data

CN	202330654675.8	Oct. 10, 2023
----	----------------	---------------

Publication Classification

LOC Cl.: 1503

U.S. Cl.:

USPC D15/130

Field of Classification Search

CPC: B23B (31/1238); B23B (2231/38); B23B (31/123); B23B (2231/44); B23B (2231/06); B23B (31/1253); B23B (2260/008); B23B (2222/64); B23B (2222/98); B23B (2228/10); B23B (2260/128); B23B (31/18); B23B (45/008); B23B (31/202); B23B (49/008); B23B (2231/22); B23B (31/1071); B23B (31/1207); B23B (31/2073); B23B (31/008); B23B (31/16); B23B (31/305); B23B (45/003); B23B (51/12); B23B (2231/04); B23B (2231/12); B23B (31/02); B23B (31/0261); B23B (31/16004); B23B (31/16233); B23B (31/20); B23B (31/28); B23B (31/36); B23B (2260/136); B23B (31/1072); B23B (31/10741); B23B (31/1215); B23B (31/16275); B23B (31/16287); B23B (31/20125); B23B (31/30); B23B (31/307); B23B (2231/30); B23B (2260/088); B23B (31/185); B23B (31/2072); B23B (31/223); B23B (2260/044); B23B (31/10);

B23B (31/107); B23B (31/16254); B23B (31/34); B23B (45/001); B23B (5/18); B23B (2215/08); B23B (2226/33); B23B (2226/61); B23B (2231/0264); B23B (2231/34); B23B (27/00); B23B (31/001); B23B (31/005); B23B (31/025); B23B (31/1261); B23B (31/16195); B23B (31/162); B23B (31/16225); B23B (31/16241); B23B (31/16258); B23B (31/16283); B23B (31/208); B23B (31/24); B23B (31/302); B23B (41/00); B23B (45/06); B23B (5/00); B23B (7/12); B23B (9/08); B23B (13/125); B23B (2231/00); B23B (2231/022); B23B (2231/0232); B23B (2231/0268); B23B (2231/10); B23B (2231/14); B23B (2231/26); B23B (2231/52); B23B (2240/04); B23B (2250/12); B23B (2250/16); B23B (2251/14); B23B (2251/606); B23B (2260/022); B23B (2260/0445); B23B (2260/07); B23B (2260/106); B23B (2260/11); B23B (2260/124); B23B (2260/134); B23B (2265/32); B23B (2270/025); B23B (2270/027); B23B (25/00); B23B (25/06); B23B (31/028); B23B (31/102); B23B (31/103); B23B (31/1075); B23B (31/117); B23B (31/12); B23B (31/141); B23B (31/142); B23B (31/16012); B23B (31/16045); B23B (31/1605); B23B (31/16129); B23B (31/16158); B23B (31/16204); B23B (31/16216); B23B (31/16229); B23B (31/16279); B23B (31/19); B23B (31/204); B23B (31/22); B23B (31/32); B23B (31/402); B23B (31/4033); B23B (39/00); B23B (41/02); B23B (45/02); B23B (47/28); B23B (5/08); B23B (51/108); B23B (11/00); B23B (13/00); B23B (13/126); B23B (2222/80); B23B (2226/27); B23B (2226/36); B23B (2231/2008); B23B (2231/201); B23B (2231/2021); B23B (2231/2045); B23B (2231/2072); B23B (2231/2081); B23B (2231/2091); B23B (2231/24); B23B (2240/28); B23B (2260/00); B23B (2260/062); B23B (2260/096); B23B (2260/126); B23B (23/00); B23B (27/12); B23B (27/1685); B23B (29/03446); B23B (29/03457); B23B (29/24); B23B (29/248); B23B (29/323); B23B (3/00); B23B (3/06); B23B (3/30); B23B (31/00); B23B (31/023); B23B (31/026); B23B (31/06); B23B (31/08); B23B (31/101); B23B (31/113); B23B (31/1173); B23B (31/1175); B23B (31/1246); B23B (31/1269); B23B (31/16008); B23B (31/16016); B23B (31/16054); B23B (31/16079); B23B (31/16083); B23B (31/16087); B23B (31/1612); B23B (31/16166); B23B (31/16179); B23B (31/16183); B23B (31/16208); B23B (31/16212); B23B (31/1622); B23B (31/16237); B23B (31/16262); B23B (31/1627); B23B (31/16291); B23B (31/26); B23B (31/265); B23B (31/4053); B23B (31/4066); B23B (31/408); B23B (39/161); B23B (39/20); B23B (39/22); B23B (41/04); B23B (43/02); B23B (45/00); B23B (47/34); B23B (49/005); B23B (49/06); B23B (5/161); B23B (5/168); B23B (5/28); B23B (5/36); B23B (5/38); B23B (51/00); B23B (51/0072)

USPC: D15/127-143

Description

- (1) FIG. 1 is a first assembled perspective view of a chuck set showing my new design;
- (2) FIG. 2 is a second assembled perspective view of FIG. 1;
- (3) FIG. 3 is a front view of FIG. 1;
- (4) FIG. 4 is a rear view of FIG. 1;
- (5) FIG. 5 is a left side view of FIG. 1;
- (6) FIG. 6 is a right side view of FIG. 1;
- (7) FIG. 7 is a top view of FIG. 1;
- (8) FIG. 8 is a bottom view of FIG. 1;
- (9) FIG. 9 is a third assembled perspective view of FIG. 1 in a using state;
- (10) FIG. 10 is a fourth assembled perspective view of FIG. 1 in the using state;
- (11) FIG. 11 is a perspective view of a first element of the chuck set of FIG. 1;
- (12) FIG. 12 is a front view of FIG. 11;

- (13) FIG. 13 is a rear view of FIG. 11;
- (14) FIG. 14 is a left side view of FIG. 11;
- (15) FIG. 15 is a right side view of FIG. 11;
- (16) FIG. 16 is a top view of FIG. 11;
- (17) FIG. 17 is a bottom view of FIG. 11;
- (18) FIG. 18 is a perspective view of a second element of the chuck set of FIG. 1;
- (19) FIG. 19 is a front view of FIG. 18;
- (20) FIG. 20 is a rear view of FIG. 18;
- (21) FIG. 21 is a left side view of FIG. 18;
- (22) FIG. 22 is a right side view of FIG. 18;
- (23) FIG. 23 is a top view of FIG. 18;
- (24) FIG. 24 is a bottom view of FIG. 18;
- (25) FIG. 25 is a first perspective view of a third element of the chuck set of FIG. 1;
- (26) FIG. 26 is a second perspective view of FIG. 25;
- (27) FIG. 27 is a front view of FIG. 25;
- (28) FIG. 28 is a rear view of FIG. 25;
- (29) FIG. 29 is a left side view of FIG. 25;
- (30) FIG. 30 is a right side view of FIG. 25;
- (31) FIG. 31 is a top view of FIG. 25;
- (32) FIG. 32 is a bottom view of FIG. 25; and,
- (33) FIG. 33 is a third perspective view of FIG. 25 in the using state.
- (34) The broken lines in FIGS. 1-8 and 11-32 show portions of the chuck set that form no part of the claimed design. The broken lines in FIGS. 9, 10 and 33 show portions of the chuck set and environment that form no part of the claimed design.

Claims

The ornamental design for a chuck set as shown and described.
