



US0D1092788S

(12) **United States Design Patent** (10) **Patent No.: US D1,092,788 S**
Wernberg et al. (45) **Date of Patent: ** Sep. 9, 2025**

- (54) **LADDER RAIL LOCK HANDLE**
- (71) Applicant: **Tricam Industries, Inc.**, Eden Prairie, MN (US)
- (72) Inventors: **Benjamin M. Wernberg**, Savage, MN (US); **Joseph P. Foley**, Mendota Heights, MN (US); **Benjamin P. Williams**, Chaska, MN (US)
- (73) Assignee: **Tricam Industries, LLC**, Eden Prairie, MN (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/936,459**
- (22) Filed: **Apr. 9, 2024**
- (51) **LOC (15) Cl.** **25-04**
- (52) **U.S. Cl.** **D25/68**
- (58) **Field of Classification Search**
USPC D25/62–69, 119–125; 182/93, 113, 194, 182/219, 228.6; 52/232, 241, 481.1, 831, 52/846; 33/483; 403/109.1
CPC B21D 39/063; E06C 7/083; E06C 7/187; E04F 11/108; E04F 11/163; E04F 11/104
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D306,136	S *	2/1990	Lund		D8/395
5,158,389	A *	10/1992	Osterwald		E06C 7/085
					29/523
D340,496	S *	10/1993	Brewer		D21/775
D340,497	S *	10/1993	Brewer		280/821
D402,046	S *	12/1998	Lal		D25/68
D420,149	S *	2/2000	Hersh		D25/119
D471,284	S *	3/2003	Heath		D25/38.1
6,622,340	B2 *	9/2003	Rosa		B05C 17/0245
					220/570

6,871,470	B1 *	3/2005	Stover		E04B 2/821
					403/109.1
D573,267	S *	7/2008	Brinton		D25/119
7,617,643	B2 *	11/2009	Pilz		E04B 2/76
					52/232
D606,211	S *	12/2009	Frobosilo		D25/121
D608,836	S *	1/2010	Kosir		D20/43
D620,618	S *	7/2010	Teffenhart, Jr.		D25/123
D620,619	S *	7/2010	Teffenhart, Jr.		E04C 3/06
					D25/123
D621,964	S *	8/2010	Zadeh		E04B 2/767
					D25/121
D644,339	S *	8/2011	Sutton		D25/121
8,056,303	B2 *	11/2011	Frobosilo		E04C 3/32
					52/852
8,087,205	B2 *	1/2012	Pilz		E04B 1/948
					52/232
D695,048	S *	12/2013	Rogers		D6/702
D709,628	S *	7/2014	Rice		D25/125
D709,629	S *	7/2014	Rice		D25/125

(Continued)

Primary Examiner — T Chase Nelson
Assistant Examiner — Sydney Margaret Parsley



(57) **CLAIM**

The ornamental design for the ladder rail lock handle as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a ladder rail lock handle showing our new design;
FIG. 2 is a left-side elevational view thereof;
FIG. 3 is right-side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines in the drawings depict portions of the ladder rail lock handle that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D800,347 S *	10/2017	Blick	D25/119	D968,266 S *	11/2022	Steininger	D12/51
D812,782 S *	3/2018	Dorman	D25/124	D988,120 S *	6/2023	Hudson	D8/380
D855,833 S *	8/2019	Foley	D25/68	D1,005,094 S *	11/2023	Cerasi	E04G 5/165
D860,476 S *	9/2019	Foley	D25/68				D25/68
D879,327 S *	3/2020	Bernhardsson	D25/68	D1,049,237 S *	10/2024	Groiss	D20/44
D881,359 S *	4/2020	Hunter	D25/119	D1,049,822 S *	11/2024	Xiang	D8/319
D902,694 S *	11/2020	Freeman	D8/349	D1,055,316 S *	12/2024	Jurg	D13/102
D908,919 S *	1/2021	Flusche	D25/38.1	D1,056,823 S *	1/2025	Truman	D13/102
D912,278 S *	3/2021	Raine	D25/119	D1,061,946 S *	2/2025	Raine	D25/119
D915,623 S *	4/2021	Foley	D25/68	D1,065,756 S *	3/2025	Mitchell	D34/35
D917,725 S *	4/2021	McWilliams	D25/68	D1,066,751 S *	3/2025	Teffenhardt, Jr.	D8/382
D918,025 S *	5/2021	Bulte	D8/394	D1,070,415 S *	4/2025	McGuinness	D6/580
D922,615 S *	6/2021	Springborn	D25/38.1	D1,075,051 S *	5/2025	Gilpin	D25/41.1
D931,499 S *	9/2021	Wagner	D25/123	D1,076,661 S *	5/2025	Nelson	D6/702
D944,076 S *	2/2022	Quatraro	D25/119	D1,077,627 S *	6/2025	Baldwin	D8/373
D947,413 S *	3/2022	Veilleux	D25/138	2002/0114659 A1 *	8/2002	Binna	F16L 3/243
D950,993 S *	5/2022	Beach	D6/702				403/65
D952,902 S *	5/2022	Isaacs	D25/38.1	2007/0193202 A1 *	8/2007	Rice	E04B 2/767
D955,001 S *	6/2022	Reid	D25/119				52/241
D963,237 S *	9/2022	Wong	D8/354	2009/0113846 A1 *	5/2009	Knauf	E04C 3/07
							52/846

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

