

(12) **United States Patent**
Hindi et al.

(10) **Patent No.:** **US 12,386,434 B2**
(45) **Date of Patent:** ***Aug. 12, 2025**

(54) **ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL**

(56) **References Cited**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)
(72) Inventors: **Musa M. Hindi**, Santa Clara, CA (US);
Rohit Dasari, San Francisco, CA (US);
Trungtin Tran, Sunnyvale, CA (US)

U.S. PATENT DOCUMENTS
8,473,485 B2 6/2013 Wong et al.
8,626,681 B1 1/2014 Jurca et al.
(Continued)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
This patent is subject to a terminal disclaimer.

FOREIGN PATENT DOCUMENTS
AU 2014100581 B4 9/2014
AU 2015203483 A1 7/2015
(Continued)

OTHER PUBLICATIONS

Amazon, Alexa, "Getting your news with Alexa flash briefing", Online available at: <https://www.youtube.com/watch?v=xui8rumrNaE>, Sep. 9, 2019, 2 pages.
(Continued)

(21) Appl. No.: **18/773,295**

(22) Filed: **Jul. 15, 2024**

(65) **Prior Publication Data**
US 2024/0370100 A1 Nov. 7, 2024

Primary Examiner — Michael Pervan
(74) *Attorney, Agent, or Firm* — DLA Piper LLP (US)

Related U.S. Application Data

(63) Continuation of application No. 18/130,346, filed on Apr. 3, 2023, now Pat. No. 12,061,752, which is a (Continued)

(57) **ABSTRACT**
Systems and processes for operating an intelligent automated assistant are provided. An example process includes initiating a virtual assistant session responsive to receiving user input. In accordance with initiating the virtual assistant session, the process includes determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied. In accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time, the process includes automatically deactivating the virtual assistant session prior to the first time. The first time is defined by a setting of the electronic device. In accordance with determining that the one or more criteria representing expressed user disinterest are not satisfied prior to the first time, the process includes automatically deactivating the virtual assistant session at the first time.


(51) **Int. Cl.**
G06F 3/0346 (2013.01)
G06F 3/01 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **G06F 3/0346** (2013.01); **G06F 3/013** (2013.01); **G06F 3/0414** (2013.01); **G06F 3/167** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC G06F 3/0346; G06F 3/013; G06F 3/0414; G06F 3/167; G10L 15/07; G10L 15/22; G10L 25/78

See application file for complete search history.

36 Claims, 19 Drawing Sheets



Related U.S. Application Data

continuation of application No. 17/836,907, filed on Jun. 9, 2022, now Pat. No. 11,630,525, which is a continuation of application No. 17/322,115, filed on May 17, 2021, now Pat. No. 11,360,577, which is a continuation of application No. 16/885,027, filed on May 27, 2020, now Pat. No. 11,009,970, which is a continuation of application No. 16/039,099, filed on Jul. 18, 2018, now Pat. No. 10,684,703.

- (60) Provisional application No. 62/679,332, filed on Jun. 1, 2018.

(51) **Int. Cl.**

G06F 3/041 (2006.01)

G06F 3/16 (2006.01)

G10L 15/07 (2013.01)

G10L 15/22 (2006.01)

G10L 25/78 (2013.01)

(52) **U.S. Cl.**

CPC **G10L 15/07** (2013.01); **G10L 15/22** (2013.01); **G10L 25/78** (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,630,841	B2	1/2014	Van Caldwell et al.	8,751,971	B2	6/2014	Fleizach et al.
8,635,073	B2	1/2014	Chang	8,760,537	B2	6/2014	Johnson et al.
8,638,363	B2	1/2014	King et al.	8,762,145	B2	6/2014	Ouchi et al.
8,639,516	B2	1/2014	Lindahl et al.	8,762,156	B2	6/2014	Chen
8,645,128	B1	2/2014	Agiomyrghiannakis	8,762,469	B2	6/2014	Lindahl
8,645,137	B2	2/2014	Bellegarda et al.	8,768,693	B2	7/2014	Somekh et al.
8,645,138	B1	2/2014	Weinstein et al.	8,768,702	B2	7/2014	Mason et al.
8,654,936	B1	2/2014	Eslambolchi et al.	8,775,154	B2	7/2014	Clinchant et al.
8,655,646	B2	2/2014	Lee et al.	8,775,177	B1	7/2014	Heigold et al.
8,655,901	B1	2/2014	Li et al.	8,775,341	B1	7/2014	Commons
8,660,843	B2	2/2014	Falcon et al.	8,775,931	B2	7/2014	Fux et al.
8,660,849	B2	2/2014	Gruber et al.	8,781,456	B2	7/2014	Prociw
8,660,924	B2	2/2014	Hoch et al.	8,781,841	B1	7/2014	Wang
8,660,970	B1	2/2014	Fiedorowicz	8,788,271	B2	7/2014	James et al.
8,661,112	B2	2/2014	Creamer et al.	8,793,301	B2	7/2014	Wegenkittl et al.
8,661,340	B2	2/2014	Goldsmith et al.	8,798,255	B2	8/2014	Lubowich et al.
8,670,979	B2	3/2014	Gruber et al.	8,798,995	B1	8/2014	Edara
8,675,084	B2	3/2014	Bolton et al.	8,799,000	B2	8/2014	Guzzoni et al.
8,676,273	B1	3/2014	Fujisaki	8,805,684	B1	8/2014	Aleksic et al.
8,676,583	B2	3/2014	Gupta et al.	8,805,690	B1	8/2014	Lebeau et al.
8,676,904	B2	3/2014	Lindahl	8,812,299	B1	8/2014	Su
8,677,377	B2	3/2014	Cheyser et al.	8,812,302	B2	8/2014	Xiao et al.
8,681,950	B2	3/2014	Vlack et al.	8,812,321	B2	8/2014	Gilbert et al.
8,682,667	B2	3/2014	Haughay	8,823,507	B1	9/2014	Touloumtzis
8,687,777	B1	4/2014	Lavian et al.	8,823,793	B2	9/2014	Clayton et al.
8,688,446	B2	4/2014	Yanagihara	8,825,474	B1	9/2014	Zhai et al.
8,688,453	B1	4/2014	Joshi et al.	8,831,947	B2	9/2014	Wasserblat et al.
8,689,135	B2	4/2014	Portele et al.	8,831,949	B1	9/2014	Smith et al.
8,694,322	B2	4/2014	Snitkovskiy et al.	8,838,457	B2	9/2014	Cerra et al.
8,695,074	B2	4/2014	Saraf et al.	8,843,369	B1	9/2014	Sharifi
8,696,364	B2	4/2014	Cohen	8,855,915	B2	10/2014	Furuhata et al.
8,706,472	B2	4/2014	Ramerth et al.	8,861,925	B1	10/2014	Ohme
8,706,474	B2	4/2014	Blume et al.	8,862,252	B2	10/2014	Rottler et al.
8,706,503	B2	4/2014	Cheyser et al.	8,868,111	B1	10/2014	Kahn et al.
8,707,195	B2	4/2014	Fleizach et al.	8,868,400	B2	10/2014	Susarla et al.
8,707,419	B2	4/2014	Kurapati et al.	8,868,409	B1	10/2014	Mengibar et al.
8,712,778	B1	4/2014	Thenthiruperai	8,868,431	B2	10/2014	Yamazaki et al.
8,713,119	B2	4/2014	Lindahl et al.	8,868,469	B2	10/2014	Xu et al.
8,713,418	B2	4/2014	King et al.	8,868,529	B2	10/2014	Lerenc
8,719,006	B2	5/2014	Bellegarda	8,880,405	B2	11/2014	Cerra et al.
8,719,014	B2	5/2014	Wagner	8,886,534	B2	11/2014	Nakano et al.
8,719,039	B1	5/2014	Sharifi	8,886,540	B2	11/2014	Cerra et al.
8,731,610	B2	5/2014	Appaji	8,886,541	B2	11/2014	Friedlander
8,731,912	B1	5/2014	Tickner et al.	8,892,446	B2	11/2014	Cheyser et al.
8,731,942	B2	5/2014	Cheyser et al.	8,893,023	B2	11/2014	Perry et al.
8,739,208	B2	5/2014	Davis et al.	8,897,822	B2	11/2014	Martin
8,744,852	B1	6/2014	Seymour et al.	8,898,064	B1	11/2014	Thomas et al.
				8,898,568	B2	11/2014	Bull et al.
				8,903,716	B2	12/2014	Chen et al.
				8,909,693	B2	12/2014	Frissora et al.
				8,918,321	B2	12/2014	Czahor
				8,922,485	B1	12/2014	Lloyd
				8,930,176	B2	1/2015	Li et al.
				8,930,191	B2	1/2015	Gruber et al.
				8,938,394	B1	1/2015	Faaborg et al.
				8,938,450	B2	1/2015	Spivack et al.
				8,938,688	B2	1/2015	Bradford et al.
				8,942,986	B2	1/2015	Cheyser et al.
				8,943,423	B2	1/2015	Merrill et al.
				8,954,440	B1	2/2015	Gattani et al.
				8,964,947	B1	2/2015	Noolu et al.
				8,965,770	B2	2/2015	Petrushin
				8,972,240	B2	3/2015	Brockett et al.
				8,972,432	B2	3/2015	Shaw et al.
				8,972,878	B2	3/2015	Mohler et al.
				8,976,063	B1	3/2015	Hawkins et al.
				8,976,108	B2	3/2015	Hawkins et al.
				8,977,255	B2	3/2015	Freeman et al.
				8,983,383	B1	3/2015	Haskin
				8,984,098	B1	3/2015	Tomkins et al.
				8,989,713	B2	3/2015	Doulton
				8,990,235	B2	3/2015	King et al.
				8,994,660	B2	3/2015	Neels et al.
				8,995,972	B1	3/2015	Cronin
				8,996,350	B1	3/2015	Dub et al.
				8,996,376	B2	3/2015	Fleizach et al.
				8,996,381	B2	3/2015	Mozar et al.
				8,996,550	B2	3/2015	Ko et al.
				8,996,639	B1	3/2015	Faaborg et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

9,002,714 B2	4/2015	Kim et al.	9,246,984 B2	1/2016	Zises
9,009,046 B1	4/2015	Stewart	9,247,377 B2	1/2016	Pai et al.
9,013,992 B2	4/2015	Perkins	9,247,525 B2	1/2016	Jacobs et al.
9,015,036 B2	4/2015	Zangvil et al.	9,250,703 B2	2/2016	Hernandez-Abrego et al.
9,020,804 B2	4/2015	Barbaiani et al.	9,251,713 B1	2/2016	Giovanniello et al.
9,026,425 B2	5/2015	Nikoulina et al.	9,251,787 B1	2/2016	Hart et al.
9,026,426 B2	5/2015	Wu et al.	9,255,812 B2	2/2016	Maeoka et al.
9,031,834 B2	5/2015	Coorman et al.	9,256,596 B2	2/2016	Nissan et al.
9,031,970 B1	5/2015	Das et al.	9,257,120 B1	2/2016	Guevara et al.
9,037,967 B1	5/2015	Al-Jefri et al.	9,258,604 B1	2/2016	Bilobrov et al.
9,043,208 B2	5/2015	Koch et al.	9,262,412 B2	2/2016	Yang et al.
9,043,210 B1	5/2015	Adcock et al.	9,262,612 B2	2/2016	Cheyner
9,043,211 B2	5/2015	Haiut et al.	9,263,058 B2	2/2016	Huang et al.
9,043,319 B1	5/2015	Burns et al.	9,274,598 B2	3/2016	Beymer et al.
9,046,932 B2	6/2015	Medlock et al.	9,280,535 B2	3/2016	Varma et al.
9,049,255 B2	6/2015	Macfarlane et al.	9,282,211 B2	3/2016	Osawa
9,049,295 B1	6/2015	Cooper et al.	9,286,727 B2	3/2016	Kim et al.
9,053,706 B2	6/2015	Jitkoff et al.	9,286,910 B1	3/2016	Li et al.
9,058,105 B2	6/2015	Drory et al.	9,292,487 B1	3/2016	Weber
9,058,332 B1	6/2015	Darby et al.	9,292,489 B1	3/2016	Sak et al.
9,058,811 B2	6/2015	Wang et al.	9,292,492 B2	3/2016	Sarikaya et al.
9,063,979 B2	6/2015	Chiu et al.	9,298,358 B1	3/2016	Wilden et al.
9,064,495 B1	6/2015	Torok et al.	9,299,344 B2	3/2016	Braho et al.
9,065,660 B2	6/2015	Ellis et al.	9,300,718 B2	3/2016	Khanna
9,070,247 B2	6/2015	Kuhn et al.	9,301,256 B2	3/2016	Mohan et al.
9,070,366 B1	6/2015	Mathias et al.	9,305,543 B2	4/2016	Fleizach et al.
9,071,701 B2	6/2015	Donaldson et al.	9,305,548 B2	4/2016	Kennewick et al.
9,075,435 B1	7/2015	Noble et al.	9,311,308 B2	4/2016	Sankarasubramaniam et al.
9,075,824 B2	7/2015	Gordo et al.	9,311,912 B1	4/2016	Swietlinski et al.
9,076,448 B2	7/2015	Bennett et al.	9,313,317 B1	4/2016	LeBeau et al.
9,076,450 B1	7/2015	Sadek et al.	9,318,108 B2	4/2016	Gruber et al.
9,081,411 B2	7/2015	Kalns et al.	9,325,809 B1	4/2016	Barros et al.
9,081,482 B1	7/2015	Zhai et al.	9,325,842 B1	4/2016	Siddiqi et al.
9,082,402 B2	7/2015	Yadgar et al.	9,330,659 B2	5/2016	Ju et al.
9,083,581 B1	7/2015	Addepalli et al.	9,330,668 B2	5/2016	Nanavati et al.
9,087,508 B1	7/2015	Dzik	9,330,720 B2	5/2016	Lee
9,092,433 B2	7/2015	Rodriguez	9,335,983 B2	5/2016	Breiner et al.
9,092,789 B2	7/2015	Anshul	9,338,057 B2	5/2016	Jangra et al.
9,094,576 B1	7/2015	Karakotsios	9,338,242 B1	5/2016	Suchland et al.
9,094,636 B1	7/2015	Sanders et al.	9,338,493 B2	5/2016	Van Os et al.
9,098,467 B1	8/2015	Blanksteen et al.	9,342,829 B2	5/2016	Zhou et al.
9,101,279 B2	8/2015	Ritchey et al.	9,342,930 B1	5/2016	Kraft et al.
9,110,635 B2	8/2015	Knox et al.	9,349,368 B1	5/2016	Lebeau et al.
9,112,984 B2	8/2015	Sejnoha et al.	9,355,472 B2	5/2016	Kocienda et al.
9,117,212 B2	8/2015	Sheets et al.	9,361,084 B1	6/2016	Costa
9,117,447 B2	8/2015	Gruber et al.	9,361,625 B2	6/2016	Parker et al.
9,122,697 B1	9/2015	Bono et al.	9,367,541 B1	6/2016	Servan et al.
9,123,338 B1	9/2015	Sanders et al.	9,368,114 B2	6/2016	Larson et al.
9,143,907 B1	9/2015	Caldwell et al.	9,377,865 B2	6/2016	Berenson et al.
9,159,319 B1	10/2015	Hoffmeister	9,377,871 B2	6/2016	Waddell et al.
9,164,983 B2	10/2015	Liu et al.	9,378,456 B2	6/2016	White et al.
9,171,541 B2	10/2015	Kennewick et al.	9,378,740 B1	6/2016	Rosen et al.
9,171,546 B1	10/2015	Pike	9,380,155 B1	6/2016	Reding et al.
9,172,747 B2	10/2015	Walters et al.	9,383,827 B1	7/2016	Faaborg et al.
9,183,845 B1	11/2015	Gopalakrishnan et al.	9,384,185 B2	7/2016	Medlock et al.
9,190,062 B2	11/2015	Haughay	9,390,726 B1	7/2016	Smus et al.
9,196,245 B2	11/2015	Larcheveque et al.	9,396,722 B2	7/2016	Chung et al.
9,197,848 B2	11/2015	Felkai et al.	9,400,779 B2	7/2016	Convertino et al.
9,201,955 B1	12/2015	Quintao et al.	9,401,140 B1	7/2016	Weber et al.
9,202,520 B1	12/2015	Tang	9,401,147 B2	7/2016	Jitkoff et al.
9,208,153 B1	12/2015	Zaveri et al.	9,405,741 B1	8/2016	Schaaf et al.
9,213,754 B1	12/2015	Zhan et al.	9,406,224 B1	8/2016	Sanders et al.
9,214,137 B2	12/2015	Bala et al.	9,406,299 B2	8/2016	Gollan et al.
9,218,122 B2	12/2015	Thoma et al.	9,408,182 B1	8/2016	Hurley et al.
9,218,809 B2	12/2015	Bellegard et al.	9,412,392 B2	8/2016	Lindahl
9,218,819 B1	12/2015	Stekkelpa et al.	9,418,650 B2	8/2016	Bharadwaj et al.
9,223,529 B1	12/2015	Khafizova	9,423,266 B2	8/2016	Clark et al.
9,223,537 B2	12/2015	Brown et al.	9,424,246 B2	8/2016	Spencer et al.
9,230,561 B2	1/2016	Ostermann et al.	9,424,840 B1	8/2016	Hart et al.
9,232,293 B1	1/2016	Hanson	9,431,021 B1	8/2016	Scalise et al.
9,236,047 B2	1/2016	Rasmussen	9,432,499 B2	8/2016	Hajdu et al.
9,240,022 B2	1/2016	Treyz et al.	9,436,918 B2	9/2016	Pantel et al.
9,241,073 B1	1/2016	Rensburg et al.	9,437,186 B1	9/2016	Liu et al.
9,245,151 B2	1/2016	LeBeau et al.	9,437,189 B2	9/2016	Epstein et al.
9,245,388 B2	1/2016	Poulos et al.	9,442,687 B2	9/2016	Park et al.
			9,443,527 B1	9/2016	Watanabe et al.
			9,445,230 B1	9/2016	Sipher et al.
			9,454,599 B2	9/2016	Golden et al.
			9,454,957 B1	9/2016	Mathias et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

9,460,713 B1	10/2016	Mengibar et al.	9,691,378 B1	6/2017	Meyers et al.
9,465,798 B2	10/2016	Lin	9,691,384 B1	6/2017	Wang et al.
9,465,833 B2	10/2016	Aravamudan et al.	9,696,963 B2	7/2017	Son et al.
9,465,864 B2	10/2016	Hu et al.	9,697,016 B2	7/2017	Jacob
9,466,027 B2	10/2016	Byrne et al.	9,697,822 B1	7/2017	Naik et al.
9,466,121 B2	10/2016	Yang et al.	9,697,827 B1	7/2017	Lilly et al.
9,466,294 B1	10/2016	Tunstall-Pedoe et al.	9,697,828 B1	7/2017	Prasad et al.
9,471,566 B1	10/2016	Zhang et al.	9,697,829 B1	7/2017	Tickner et al.
9,472,196 B1	10/2016	Wang et al.	9,698,999 B2	7/2017	Mutagi
9,483,388 B2	11/2016	Sankaranarasimhan et al.	9,711,148 B1	7/2017	Sharifi et al.
9,483,461 B2	11/2016	Fleizach et al.	9,715,875 B2	7/2017	Piernot et al.
9,483,529 B1	11/2016	Pasoi et al.	9,720,907 B2	8/2017	Bangalore et al.
9,484,021 B1	11/2016	Mairesse et al.	9,721,566 B2	8/2017	Newendorp et al.
9,485,286 B1	11/2016	Sellier et al.	9,721,570 B1	8/2017	Beal et al.
9,495,129 B2	11/2016	Fleizach et al.	9,723,130 B2	8/2017	Rand
9,501,741 B2	11/2016	Cheyre et al.	9,734,817 B1	8/2017	Putrycz
9,502,025 B2	11/2016	Kennewick et al.	9,734,839 B1	8/2017	Adams
9,508,028 B2	11/2016	Bannister et al.	9,741,343 B1	8/2017	Miles et al.
9,510,044 B1	11/2016	Pereira et al.	9,747,083 B1	8/2017	Roman et al.
9,514,470 B2	12/2016	Topatan et al.	9,747,093 B2	8/2017	Latino et al.
9,516,014 B2	12/2016	Zafiroglu et al.	9,754,591 B1	9/2017	Kumar et al.
9,519,453 B2	12/2016	Perkuhn et al.	9,755,605 B1	9/2017	Li et al.
9,524,355 B2	12/2016	Forbes et al.	9,760,566 B2	9/2017	Heck et al.
9,529,500 B1	12/2016	Gauci et al.	9,767,710 B2	9/2017	Lee et al.
9,531,803 B2	12/2016	Chen et al.	9,772,994 B2	9/2017	Karov et al.
9,531,823 B1	12/2016	Suchland et al.	9,786,271 B1	10/2017	Combs et al.
9,531,862 B1	12/2016	Vadodaria	9,792,907 B2	10/2017	Bocklet et al.
9,535,906 B2	1/2017	Lee et al.	9,798,719 B2	10/2017	Karov et al.
9,536,518 B2	1/2017	Itoh et al.	9,812,128 B2	11/2017	Mixter et al.
9,536,527 B1	1/2017	Carlson	9,813,882 B1	11/2017	Masterman
9,536,544 B2	1/2017	Osterman et al.	9,818,400 B2	11/2017	Paulik et al.
9,547,647 B2	1/2017	Badaskar	9,823,811 B2	11/2017	Brown et al.
9,548,050 B2	1/2017	Gruber et al.	9,823,828 B2	11/2017	Zambetti et al.
9,548,053 B1	1/2017	Basye et al.	9,824,379 B2	11/2017	Khandelwal et al.
9,548,979 B1	1/2017	Johnson et al.	9,824,691 B1	11/2017	Montero et al.
9,569,549 B1	2/2017	Jenkins et al.	9,824,692 B1	11/2017	Khoury et al.
9,571,645 B2	2/2017	Quast et al.	9,830,044 B2	11/2017	Brown et al.
9,571,995 B1	2/2017	Scheer et al.	9,830,449 B1	11/2017	Wagner
9,574,894 B1	2/2017	Karakotsios et al.	9,842,168 B2	12/2017	Heck et al.
9,575,964 B2	2/2017	Yadgar et al.	9,842,584 B1	12/2017	Hart et al.
9,576,196 B1	2/2017	Natarajan	9,846,685 B2	12/2017	Li
9,576,575 B2	2/2017	Heide	9,846,836 B2	12/2017	Gao et al.
9,578,173 B2	2/2017	Sanghavi et al.	9,858,925 B2	1/2018	Gruber et al.
9,584,946 B1	2/2017	Lyren et al.	9,858,927 B2	1/2018	Williams et al.
9,586,318 B2	3/2017	Djugash et al.	9,886,953 B2	2/2018	Lemay et al.
9,602,946 B2	3/2017	Karkkainen et al.	9,887,949 B2	2/2018	Shepherd et al.
9,606,986 B2	3/2017	Bellegarda	9,891,811 B2	2/2018	Federighi et al.
9,607,612 B2	3/2017	Deleeuw	9,892,732 B1	2/2018	Tian et al.
9,612,999 B2	4/2017	Prakah-Asante et al.	9,911,415 B2	3/2018	Vanblon et al.
9,619,200 B2	4/2017	Chakladar et al.	9,916,839 B1	3/2018	Scalise et al.
9,619,459 B2	4/2017	Hebert et al.	9,922,642 B2	3/2018	Pitschel et al.
9,620,113 B2	4/2017	Kennewick et al.	9,928,835 B1	3/2018	Tang
9,620,126 B2	4/2017	Chiba	9,934,777 B1	4/2018	Joseph et al.
9,626,695 B2	4/2017	Balasubramanian et al.	9,934,785 B1	4/2018	Hulaud
9,626,799 B2	4/2017	McArdle et al.	9,940,616 B1	4/2018	Morgan et al.
9,626,955 B2	4/2017	Fleizach et al.	9,946,862 B2	4/2018	Yun et al.
9,633,004 B2	4/2017	Giuli et al.	9,948,728 B2	4/2018	Linn et al.
9,633,191 B2	4/2017	Fleizach et al.	9,953,634 B1	4/2018	Pearce et al.
9,633,660 B2	4/2017	Haughay	9,959,129 B2	5/2018	Kannan et al.
9,633,674 B2	4/2017	Sinha	9,959,506 B1	5/2018	Karppanen
9,646,313 B2	5/2017	Kim et al.	9,959,867 B2	5/2018	Lindahl
9,648,107 B1	5/2017	Penilla et al.	9,966,065 B2	5/2018	Gruber et al.
9,652,453 B2	5/2017	Mathur et al.	9,966,068 B2	5/2018	Cash et al.
9,658,746 B2	5/2017	Cohn et al.	9,967,381 B1	5/2018	Kashimba et al.
9,659,002 B2	5/2017	Medlock et al.	9,971,495 B2	5/2018	Shetty et al.
9,659,298 B2	5/2017	Lynch et al.	9,972,304 B2	5/2018	Paulik et al.
9,665,567 B2	5/2017	Li et al.	9,972,318 B1	5/2018	Kelly et al.
9,665,662 B1	5/2017	Gautam et al.	9,983,785 B2	5/2018	Wong et al.
9,668,121 B2	5/2017	Naik et al.	9,984,686 B1	5/2018	Mutagi et al.
9,672,725 B2	6/2017	Dotan-Cohen et al.	9,986,419 B2	5/2018	Naik et al.
9,672,822 B2	6/2017	Brown et al.	9,990,129 B2	6/2018	Yang et al.
9,678,664 B2	6/2017	Zhai et al.	9,990,176 B1	6/2018	Gray
9,679,570 B1	6/2017	Edara	9,990,921 B2	6/2018	Vanblon et al.
9,690,542 B2	6/2017	Reddy et al.	9,990,926 B1	6/2018	Pearce
9,691,161 B1	6/2017	Yalniz et al.	9,996,626 B1	6/2018	Bailey et al.
			9,998,552 B1	6/2018	Ledet
			10,001,817 B2	6/2018	Zambetti et al.
			10,009,666 B1	6/2018	Van Scheltinga et al.
			10,013,416 B1	7/2018	Bhardwaj et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

10,013,654 B1	7/2018	Levy et al.	10,228,904 B2	3/2019	Raux
10,013,979 B1	7/2018	Roma et al.	10,229,109 B1	3/2019	Cherepanov et al.
10,019,436 B2	7/2018	Huang	10,229,356 B1	3/2019	Liu et al.
10,025,378 B2	7/2018	Venable et al.	10,229,680 B1	3/2019	Gillespie et al.
10,026,209 B1	7/2018	Dagley et al.	10,236,016 B1	3/2019	Li et al.
10,026,401 B1	7/2018	Mutagi et al.	10,237,711 B2	3/2019	Linn et al.
10,027,662 B1	7/2018	Mutagi et al.	10,241,644 B2	3/2019	Gruber et al.
10,032,451 B1	7/2018	Mamkina et al.	10,242,501 B1	3/2019	Pusch et al.
10,032,455 B2	7/2018	Newman et al.	10,248,308 B2	4/2019	Karunamuni et al.
10,037,758 B2	7/2018	Jing et al.	10,248,771 B1	4/2019	Ziraknejad et al.
10,043,516 B2	8/2018	Saddler et al.	10,249,300 B2	4/2019	Booker et al.
10,048,748 B2	8/2018	Sridharan et al.	10,249,305 B2	4/2019	Yu
10,049,161 B2	8/2018	Kaneko	10,255,922 B1	4/2019	Sharifi et al.
10,049,663 B2	8/2018	Orr et al.	10,257,314 B2	4/2019	Agrawal et al.
10,049,668 B2	8/2018	Huang et al.	10,261,672 B1	4/2019	Dolbakian et al.
10,055,390 B2	8/2018	Sharifi et al.	10,261,830 B2	4/2019	Gupta et al.
10,055,681 B2	8/2018	Brown et al.	10,269,345 B2	4/2019	Sanchez et al.
10,068,570 B2	9/2018	Dai et al.	10,271,093 B1	4/2019	Jobanputra et al.
10,074,360 B2	9/2018	Kim	10,275,513 B1	4/2019	Cowan et al.
10,074,371 B1	9/2018	Wang et al.	10,276,170 B2	4/2019	Gruber et al.
10,078,487 B2	9/2018	Gruber et al.	10,282,737 B2	5/2019	Clark et al.
10,083,213 B1	9/2018	Podgorny et al.	10,283,111 B1	5/2019	Mairesse et al.
10,083,688 B2	9/2018	Piernot et al.	10,289,205 B1	5/2019	Sumter et al.
10,083,690 B2	9/2018	Giuli et al.	10,291,066 B1	5/2019	Leabman et al.
10,088,972 B2	10/2018	Brown et al.	10,296,160 B2	5/2019	Shah et al.
10,089,072 B2	10/2018	Piersol et al.	10,297,253 B2	5/2019	Walker, II et al.
10,089,393 B2	10/2018	Agarwal et al.	10,303,715 B2	5/2019	Graham et al.
10,089,983 B1	10/2018	Gella et al.	10,303,772 B2	5/2019	Hosn et al.
10,096,319 B1	10/2018	Jin et al.	10,304,463 B2	5/2019	Mixter et al.
10,101,887 B2	10/2018	Bernstein et al.	10,311,482 B2	6/2019	Baldwin
10,102,359 B2	10/2018	Cheyner	10,311,871 B2	6/2019	Newendorp et al.
10,102,851 B1	10/2018	Kiss et al.	10,317,992 B2	6/2019	Prokofieva et al.
10,115,055 B2	10/2018	Weiss et al.	10,325,598 B2	6/2019	Basye et al.
10,127,901 B2	11/2018	Zhao et al.	10,331,312 B2	6/2019	Napolitano et al.
10,127,908 B1	11/2018	Deller et al.	10,332,509 B2	6/2019	Catanzaro et al.
10,127,926 B2	11/2018	James	10,332,513 B1	6/2019	D'Souza et al.
10,134,425 B1	11/2018	Johnson, Jr.	10,332,518 B2	6/2019	Garg et al.
10,135,965 B2	11/2018	Woolsey et al.	10,339,224 B2	7/2019	Fukuoka
10,140,845 B1	11/2018	Knas	10,339,714 B2	7/2019	Corso et al.
10,142,222 B1	11/2018	Zhang	10,339,721 B1	7/2019	Dascola et al.
10,146,923 B2	12/2018	Pitkanen et al.	10,339,925 B1	7/2019	Rastrow et al.
10,147,421 B2	12/2018	Liddell et al.	10,346,540 B2	7/2019	Karov et al.
10,147,441 B1	12/2018	Pogue et al.	10,346,541 B1	7/2019	Phillips et al.
10,149,156 B1	12/2018	Tiku et al.	10,346,753 B2	7/2019	Soon-Shiong et al.
10,158,728 B1	12/2018	Vanblon et al.	10,346,878 B1	7/2019	Ostermann et al.
10,162,512 B2	12/2018	Seo et al.	10,353,975 B2	7/2019	Oh et al.
10,162,817 B2	12/2018	Schlesinger et al.	10,354,168 B2	7/2019	Bluche
10,169,329 B2	1/2019	Futrell et al.	10,354,677 B2	7/2019	Mohamed et al.
10,170,123 B2	1/2019	Orr et al.	10,356,243 B2	7/2019	Sanghavi et al.
10,170,135 B1	1/2019	Pearce et al.	10,360,305 B2	7/2019	Larcheveque et al.
10,175,879 B2	1/2019	Missig et al.	10,360,716 B1	7/2019	Van Der Meulen et al.
10,176,167 B2	1/2019	Evermann	10,365,887 B1	7/2019	Mulherkar
10,176,802 B1	1/2019	Ladhak et al.	10,366,160 B2	7/2019	Castelli et al.
10,176,808 B1	1/2019	Lovitt et al.	10,366,692 B1	7/2019	Adams et al.
10,178,301 B1	1/2019	Welbourne et al.	10,372,814 B2	8/2019	Glozzo et al.
10,185,542 B2	1/2019	Carson et al.	10,372,881 B2	8/2019	Ingrassia, Jr. et al.
10,186,254 B2	1/2019	Williams et al.	10,373,381 B2	8/2019	Nuernberger et al.
10,186,266 B1	1/2019	Devaraj et al.	10,382,799 B1	8/2019	Walters et al.
10,191,627 B2	1/2019	Cieplinski et al.	10,387,461 B2	8/2019	Sharifi et al.
10,191,646 B2	1/2019	Zambetti et al.	10,389,876 B2	8/2019	Engelke et al.
10,191,718 B2	1/2019	Rhee et al.	10,402,066 B2	9/2019	Kawana
10,192,546 B1	1/2019	Piersol et al.	10,403,272 B1	9/2019	Fanty et al.
10,192,552 B2	1/2019	Raitio et al.	10,403,283 B1	9/2019	Schramm et al.
10,192,557 B2	1/2019	Lee et al.	10,409,454 B2	9/2019	Kagan et al.
10,193,840 B1	1/2019	Dar	10,410,637 B2	9/2019	Paulik et al.
10,198,877 B1	2/2019	Maltsev et al.	10,416,760 B2	9/2019	Burns et al.
10,199,051 B2	2/2019	Binder et al.	10,417,037 B2	9/2019	Gruber et al.
10,200,824 B2	2/2019	Gross et al.	10,417,344 B2	9/2019	Futrell et al.
10,204,627 B2	2/2019	Nitz et al.	10,417,554 B2	9/2019	Scheffler
10,210,860 B1	2/2019	Ward et al.	10,418,032 B1	9/2019	Mohajer et al.
10,216,351 B2	2/2019	Yang	10,431,210 B1	10/2019	Huang et al.
10,216,832 B2	2/2019	Bangalore et al.	10,437,928 B2	10/2019	Bhaya et al.
10,223,066 B2	3/2019	Martel et al.	10,446,142 B2	10/2019	Lim et al.
10,224,030 B1	3/2019	Kiss et al.	10,453,117 B1	10/2019	Reavely et al.
10,225,711 B2	3/2019	Parks et al.	10,469,665 B1	11/2019	Bell et al.
			10,474,961 B2	11/2019	Brigham et al.
			10,475,446 B2	11/2019	Gruber et al.
			10,482,875 B2	11/2019	Henry
			10,482,904 B1	11/2019	Hardie et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

10,490,195 B1	11/2019	Krishnamoorthy et al.	10,846,618 B2	11/2020	Ravi et al.
10,496,364 B2	12/2019	Yao	10,847,142 B2	11/2020	Newendorp et al.
10,496,705 B1	12/2019	Irani et al.	10,860,629 B1	12/2020	Gangadharalah et al.
10,497,250 B1	12/2019	Hayward et al.	10,861,483 B2	12/2020	Feinauer et al.
10,497,365 B2	12/2019	Gruber et al.	10,877,637 B1	12/2020	Antos et al.
10,497,366 B2	12/2019	Sapugay et al.	10,878,047 B1	12/2020	Mutagi et al.
10,499,146 B2	12/2019	Lang et al.	10,880,668 B1	12/2020	Robinson et al.
10,504,513 B1	12/2019	Gray et al.	10,885,277 B2	1/2021	Ravi et al.
10,504,518 B1	12/2019	Irani et al.	10,891,968 B2	1/2021	Chung et al.
10,512,750 B1	12/2019	Lewin et al.	10,892,996 B2	1/2021	Piersol
10,515,133 B1	12/2019	Sharifi	10,904,488 B1	1/2021	Weisz et al.
10,515,623 B1	12/2019	Grizzel	10,909,171 B2	2/2021	Graham et al.
10,521,946 B1	12/2019	Roche et al.	10,909,459 B2	2/2021	Tsatsin et al.
10,528,386 B2	1/2020	Yu	10,931,999 B1	2/2021	Jobanputra et al.
10,540,976 B2	1/2020	Van Os et al.	10,937,263 B1	3/2021	Tout et al.
10,558,893 B2	2/2020	Bluche	10,937,410 B1	3/2021	Rule
10,559,225 B1	2/2020	Tao et al.	10,942,702 B2	3/2021	Piersol et al.
10,559,299 B1	2/2020	Arel et al.	10,942,703 B2	3/2021	Martel et al.
10,566,007 B2	2/2020	Fawaz et al.	10,944,859 B2	3/2021	Weinstein et al.
10,568,032 B2	2/2020	Freeman et al.	10,957,310 B1	3/2021	Mohajer et al.
10,572,885 B1	2/2020	Guo et al.	10,957,311 B2	3/2021	Solomon et al.
10,579,401 B2	3/2020	Dawes	10,957,337 B2	3/2021	Chen et al.
10,580,409 B2	3/2020	Walker, II et al.	10,970,660 B1	4/2021	Harris et al.
10,582,355 B1	3/2020	Lebeau et al.	10,974,139 B2	4/2021	Feder et al.
10,585,957 B2	3/2020	Heck et al.	10,978,056 B1	4/2021	Challa et al.
10,586,369 B1	3/2020	Roche et al.	10,978,090 B2	4/2021	Binder et al.
10,599,449 B1	3/2020	Chatzipanagiotis et al.	10,983,971 B2	4/2021	Carvalho et al.
10,599,758 B1	3/2020	Yu et al.	11,009,970 B2	5/2021	Hindi et al.
10,628,483 B1	4/2020	Rao et al.	11,010,127 B2	5/2021	Orr et al.
10,629,186 B1	4/2020	Slifka	11,010,763 B1	5/2021	Fillinger
10,630,795 B2	4/2020	Aoki et al.	11,012,942 B2	5/2021	Freeman et al.
10,642,934 B2	5/2020	Heck et al.	11,017,766 B2	5/2021	Chao et al.
10,643,611 B2	5/2020	Lindahl	11,037,565 B2	6/2021	Kudurshian et al.
10,649,652 B2	5/2020	Sun	11,038,934 B1	6/2021	Hansen et al.
10,652,392 B1	5/2020	Eades	11,043,086 B1	6/2021	Daoura et al.
10,652,394 B2	5/2020	Van Os et al.	11,043,220 B1	6/2021	Hansen et al.
10,659,851 B2	5/2020	Lister et al.	11,048,473 B2	6/2021	Carson et al.
10,671,428 B2	6/2020	Zeitlin	11,061,543 B1	7/2021	Blatz et al.
10,679,007 B2	6/2020	Jia et al.	11,062,696 B2	7/2021	Tadpatrikar et al.
10,679,608 B2	6/2020	Mixter et al.	11,072,344 B2	7/2021	Provost et al.
10,684,099 B2	6/2020	Zaetterqvist	11,076,039 B2	7/2021	Weinstein et al.
10,684,703 B2	6/2020	Hindi et al.	11,080,336 B2	8/2021	Van Dusen
10,685,187 B2	6/2020	Badr et al.	11,086,858 B1	8/2021	Koukoumidis et al.
10,691,473 B2	6/2020	Karashchuk et al.	11,087,759 B2	8/2021	Lemay et al.
10,699,697 B2	6/2020	Qian et al.	11,093,306 B1	8/2021	Libin
10,706,841 B2	7/2020	Gruber et al.	11,094,311 B2	8/2021	Candelore et al.
10,706,848 B1	7/2020	Greene et al.	11,112,875 B1	9/2021	Zhou et al.
10,721,190 B2	7/2020	Zhao et al.	11,113,598 B2	9/2021	Socher et al.
10,732,708 B1	8/2020	Roche et al.	11,126,331 B2	9/2021	Lo et al.
10,743,107 B1	8/2020	Yoshioka et al.	11,126,400 B2	9/2021	Stasior et al.
10,747,498 B2	8/2020	Stasior et al.	11,132,172 B1	9/2021	Naik et al.
10,748,529 B1	8/2020	Milden	11,133,008 B2	9/2021	Piernot et al.
10,748,546 B2	8/2020	Kim et al.	11,151,899 B2	10/2021	Pitschel et al.
10,754,658 B2	8/2020	Tamiya	11,152,002 B2	10/2021	Walker et al.
10,755,032 B2	8/2020	Douglas et al.	11,169,660 B2	11/2021	Gupta et al.
10,757,499 B1	8/2020	Vautrin et al.	11,181,988 B1	11/2021	Bellegarda et al.
10,757,552 B2	8/2020	Gross et al.	11,183,193 B1	11/2021	Hansen et al.
10,769,385 B2	9/2020	Evermann	11,183,205 B1	11/2021	Ebenezer et al.
10,776,933 B2	9/2020	Faulkner	11,200,027 B2	12/2021	Aggarwal et al.
10,778,839 B1	9/2020	Newstadt et al.	11,204,787 B2	12/2021	Radebaugh et al.
10,783,151 B1	9/2020	Bushkin et al.	11,205,192 B1	12/2021	Rivera et al.
10,783,166 B2	9/2020	Hurley et al.	11,210,062 B1	12/2021	Heikinheimo et al.
10,783,883 B2	9/2020	Mixter et al.	11,210,477 B2	12/2021	Srinivasan et al.
10,789,945 B2	9/2020	Acero et al.	11,211,048 B2	12/2021	Kim et al.
10,791,176 B2	9/2020	Phipps et al.	11,211,058 B1	12/2021	Eakin et al.
10,791,215 B2	9/2020	Ly et al.	11,217,255 B2	1/2022	Kim et al.
10,795,944 B2	10/2020	Brown et al.	11,223,699 B1	1/2022	Niewczas
10,796,100 B2	10/2020	Bangalore et al.	11,235,248 B1	2/2022	Orrino et al.
10,803,255 B2	10/2020	Dubyak et al.	11,269,426 B2	3/2022	Jorasch et al.
10,811,013 B1	10/2020	Secker-Walker et al.	11,269,678 B2	3/2022	Gruber et al.
10,818,288 B2	10/2020	Garcia et al.	11,283,631 B2	3/2022	Yan et al.
10,831,494 B2	11/2020	Grocutt et al.	11,289,082 B1	3/2022	Lacy et al.
10,832,031 B2	11/2020	Kienzle et al.	11,301,766 B2	4/2022	Muramoto et al.
10,832,684 B2	11/2020	Sarikaya	11,302,310 B1	4/2022	Gandhe et al.
10,842,968 B1	11/2020	Kahn et al.	11,347,754 B1	5/2022	Ho et al.
			11,348,582 B2	5/2022	Lindahl
			11,361,863 B2	6/2022	Gass et al.
			11,373,645 B1	6/2022	Mathew et al.
			11,380,310 B2	7/2022	Acero et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

11,380,323	B2	7/2022	Shin et al.	2014/0025383	A1	1/2014	Dai et al.
11,388,291	B2	7/2022	Van Os et al.	2014/0026037	A1	1/2014	Garb et al.
11,418,461	B1	8/2022	Elfardy et al.	2014/0028029	A1	1/2014	Jochman
11,423,866	B2	8/2022	Park et al.	2014/0028477	A1	1/2014	Michalske
11,449,802	B2	9/2022	Maalouf et al.	2014/0028603	A1	1/2014	Xie et al.
11,481,552	B2	10/2022	Krause et al.	2014/0028735	A1	1/2014	Williams et al.
11,481,559	B1	10/2022	Asefi et al.	2014/0032453	A1	1/2014	Eustice et al.
11,487,932	B2	11/2022	Kramer	2014/0032678	A1	1/2014	Koukoumidis et al.
11,495,218	B2	11/2022	Newendorp et al.	2014/0032706	A1	1/2014	Kuscher et al.
11,507,183	B2	11/2022	Manjunath et al.	2014/0033071	A1	1/2014	Gruber et al.
11,508,380	B2	11/2022	Hu et al.	2014/0033215	A1	1/2014	Otomo et al.
11,537,352	B1	12/2022	Clements	2014/0035823	A1	2/2014	Khoe et al.
11,538,469	B2	12/2022	Acero et al.	2014/0035824	A1	2/2014	Bernstein et al.
11,580,990	B2	2/2023	Paulik et al.	2014/0037075	A1	2/2014	Bouzid et al.
11,669,788	B2	6/2023	Balasubramanian et al.	2014/0039888	A1	2/2014	Taubman et al.
11,671,920	B2	6/2023	Freeman et al.	2014/0039893	A1	2/2014	Weiner et al.
11,675,829	B2	6/2023	Graham et al.	2014/0039894	A1	2/2014	Shostak
11,704,552	B2	7/2023	Sim et al.	2014/0040228	A1	2/2014	Kritt et al.
11,755,275	B2	9/2023	Lovitt	2014/0040274	A1	2/2014	Aravamudan et al.
11,756,548	B1	9/2023	Perkins et al.	2014/0040748	A1	2/2014	Lemay et al.
11,756,574	B2	9/2023	Maddika et al.	2014/0040754	A1	2/2014	Donelli
11,768,880	B1	9/2023	Nemani et al.	2014/0040801	A1	2/2014	Patel et al.
11,769,497	B2	9/2023	Manjunath et al.	2014/0040905	A1	2/2014	Tsunoda et al.
11,783,805	B1	10/2023	Nadig et al.	2014/0040918	A1	2/2014	Li
11,784,893	B1	10/2023	Chang	2014/0040961	A1	2/2014	Green et al.
11,809,783	B2	11/2023	Piersol et al.	2014/0045547	A1	2/2014	Singamsetty et al.
11,818,111	B1	11/2023	Debolt	2014/0046922	A1	2/2014	Crook et al.
11,837,232	B2	12/2023	Manjunath et al.	2014/0046934	A1	2/2014	Zhou et al.
12,021,806	B1	6/2024	Lebrecht et al.	2014/0047001	A1	2/2014	Phillips et al.
2006/0247925	A1	11/2006	Haenel et al.	2014/0051399	A1	2/2014	Walker
2007/0075965	A1	4/2007	Huppi et al.	2014/0052451	A1	2/2014	Cheong et al.
2008/0189110	A1	8/2008	Freeman et al.	2014/0052680	A1	2/2014	Nitz et al.
2010/0079508	A1	4/2010	Hodge et al.	2014/0052791	A1	2/2014	Chakra et al.
2011/0161076	A1	6/2011	Davis et al.	2014/0053082	A1	2/2014	Park
2011/0295590	A1	12/2011	Lloyd et al.	2014/0053101	A1	2/2014	Buehler et al.
2012/0295708	A1	11/2012	Hernandez-Abrego et al.	2014/0053198	A1	2/2014	Sirpal et al.
2013/0051755	A1	2/2013	Brown et al.	2014/0053210	A1	2/2014	Cheong et al.
2013/0054945	A1	2/2013	Free et al.	2014/0056439	A1	2/2014	Kim
2013/0063256	A1	3/2013	Tartz et al.	2014/0057610	A1	2/2014	Olincy et al.
2013/0097709	A1	4/2013	Basavapatna et al.	2014/0058732	A1	2/2014	Labsky et al.
2013/0109412	A1	5/2013	Nguyen et al.	2014/0059030	A1	2/2014	Hakkani-Tur et al.
2013/0185074	A1	7/2013	Gruber et al.	2014/0059423	A1	2/2014	Gorga et al.
2013/0238326	A1	9/2013	Kim et al.	2014/0067361	A1	3/2014	Nikoulina et al.
2013/0304479	A1	11/2013	Teller et al.	2014/0067371	A1	3/2014	Liensberger
2013/0325844	A1	12/2013	Plaisant	2014/0067402	A1	3/2014	Kim
2013/0325967	A1	12/2013	Parks et al.	2014/0067649	A1	3/2014	Kannan et al.
2013/0342672	A1	12/2013	Gray et al.	2014/0067738	A1	3/2014	Kingsbury
2014/0001255	A1	1/2014	Anthoine	2014/0067740	A1	3/2014	Solari
2014/0002338	A1	1/2014	Raffa et al.	2014/0068751	A1	3/2014	Last
2014/0006012	A1	1/2014	Zhou et al.	2014/0071069	A1	3/2014	Anderson et al.
2014/0006025	A1	1/2014	Krishnan et al.	2014/0071241	A1	3/2014	Yang et al.
2014/0006027	A1	1/2014	Kim et al.	2014/0074454	A1	3/2014	Brown et al.
2014/0006028	A1	1/2014	Hu	2014/0074466	A1	3/2014	Sharifi et al.
2014/0006030	A1	1/2014	Fleizach et al.	2014/0074470	A1	3/2014	Jansche et al.
2014/0006153	A1	1/2014	Thangam et al.	2014/0074472	A1	3/2014	Lin et al.
2014/0006191	A1	1/2014	Shankar et al.	2014/0074482	A1	3/2014	Ohno
2014/0006483	A1	1/2014	Garmark et al.	2014/0074483	A1	3/2014	Van Os
2014/0006496	A1	1/2014	Dearman et al.	2014/0074589	A1	3/2014	Nielsen et al.
2014/0006562	A1	1/2014	Handa et al.	2014/0074815	A1	3/2014	Plimton
2014/0006944	A1	1/2014	Selig et al.	2014/0074846	A1	3/2014	Moss et al.
2014/0006947	A1	1/2014	Garmark et al.	2014/0075453	A1	3/2014	Bellessort et al.
2014/0006951	A1	1/2014	Hunter	2014/0078065	A1	3/2014	Akkok
2014/0006955	A1	1/2014	Greenzeiger et al.	2014/0079195	A1	3/2014	Srivastava et al.
2014/0008163	A1	1/2014	Mikonaho et al.	2014/0080410	A1	3/2014	Jung et al.
2014/0012574	A1	1/2014	Pasupalak et al.	2014/0080428	A1	3/2014	Rhoads et al.
2014/0012575	A1	1/2014	Ganong et al.	2014/0081619	A1	3/2014	Solntseva et al.
2014/0012580	A1	1/2014	Ganong, III et al.	2014/0081633	A1	3/2014	Badaskar
2014/0012586	A1	1/2014	Rubin et al.	2014/0081635	A1	3/2014	Yanagihara
2014/0012587	A1	1/2014	Park	2014/0081829	A1	3/2014	Milne
2014/0013336	A1	1/2014	Yang	2014/0081941	A1	3/2014	Bai et al.
2014/0019116	A1	1/2014	Lundberg et al.	2014/0082500	A1	3/2014	Wilensky et al.
2014/0019133	A1	1/2014	Bao et al.	2014/0082501	A1	3/2014	Bae et al.
2014/0019135	A1	1/2014	Talwar et al.	2014/0082545	A1	3/2014	Zhai et al.
2014/0019460	A1	1/2014	Sambrani et al.	2014/0082569	A1	3/2014	Borgman
2014/0019873	A1	1/2014	Gupta et al.	2014/0082715	A1	3/2014	Grajek et al.
				2014/0086458	A1	3/2014	Rogers
				2014/0087711	A1	3/2014	Geyer et al.
				2014/0088952	A1	3/2014	Fife et al.
				2014/0088961	A1	3/2014	Woodward et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0088964 A1	3/2014	Bellegarda	2014/0163954 A1	6/2014	Joshi et al.
2014/0088970 A1	3/2014	Kang	2014/0163962 A1	6/2014	Castelli et al.
2014/0088989 A1	3/2014	Krishnapuram et al.	2014/0163976 A1	6/2014	Park et al.
2014/0092007 A1	4/2014	Kim et al.	2014/0163977 A1	6/2014	Hoffmeister et al.
2014/0095171 A1	4/2014	Lynch et al.	2014/0163978 A1	6/2014	Basye et al.
2014/0095172 A1	4/2014	Cabaco et al.	2014/0163981 A1	6/2014	Cook et al.
2014/0095173 A1	4/2014	Lynch et al.	2014/0163995 A1	6/2014	Burns et al.
2014/0095432 A1	4/2014	Trumbull et al.	2014/0164305 A1	6/2014	Lynch et al.
2014/0095601 A1	4/2014	Abuelsaad et al.	2014/0164312 A1	6/2014	Lynch et al.
2014/0095965 A1	4/2014	Li	2014/0164476 A1	6/2014	Thomson
2014/0096077 A1	4/2014	Jacob et al.	2014/0164508 A1	6/2014	Lynch et al.
2014/0096209 A1	4/2014	Saraf et al.	2014/0164532 A1	6/2014	Lynch et al.
2014/0098247 A1	4/2014	Rao et al.	2014/0164533 A1	6/2014	Lynch et al.
2014/0100847 A1	4/2014	Ishii et al.	2014/0164953 A1	6/2014	Lynch et al.
2014/0101127 A1	4/2014	Simhon et al.	2014/0165006 A1	6/2014	Chaudhri et al.
2014/0104175 A1	4/2014	Ouyang et al.	2014/0165187 A1	6/2014	Daesung et al.
2014/0108010 A1	4/2014	Maltseff et al.	2014/0168344 A1	6/2014	Shoemake et al.
2014/0108017 A1	4/2014	Mason et al.	2014/0169795 A1	6/2014	Clough
2014/0108357 A1	4/2014	Procops et al.	2014/0171064 A1	6/2014	Das
2014/0108391 A1	4/2014	Volkert	2014/0172412 A1	6/2014	Viegas et al.
2014/0108792 A1	4/2014	Borzycki et al.	2014/0172878 A1	6/2014	Clark et al.
2014/0112556 A1	4/2014	Kalinli-Akbacak	2014/0173445 A1	6/2014	Grassiotto
2014/0114554 A1	4/2014	Lagassey	2014/0173460 A1	6/2014	Kim
2014/0115062 A1	4/2014	Liu et al.	2014/0176814 A1	6/2014	Ahn
2014/0115114 A1	4/2014	Garmark et al.	2014/0179295 A1	6/2014	Luebbers et al.
2014/0118155 A1	5/2014	Bowers et al.	2014/0180499 A1	6/2014	Cooper et al.
2014/0118624 A1	5/2014	Jang et al.	2014/0180689 A1	6/2014	Kim
2014/0120961 A1	5/2014	Buck	2014/0180697 A1	6/2014	Torok et al.
2014/0122057 A1	5/2014	Chelba et al.	2014/0181123 A1	6/2014	Blaise et al.
2014/0122059 A1	5/2014	Patel et al.	2014/0181703 A1	6/2014	Sullivan et al.
2014/0122085 A1	5/2014	Piety et al.	2014/0181715 A1	6/2014	Axelrod et al.
2014/0122086 A1	5/2014	Kapur et al.	2014/0181741 A1	6/2014	Apacible et al.
2014/0122136 A1	5/2014	Jayanthi	2014/0181865 A1	6/2014	Koganei
2014/0122153 A1	5/2014	Truitt	2014/0184542 A1	7/2014	Mao et al.
2014/0122589 A1	5/2014	Fyke et al.	2014/0188335 A1	7/2014	Madhok et al.
2014/0123022 A1	5/2014	Lee et al.	2014/0188460 A1	7/2014	Ouyang et al.
2014/0128021 A1	5/2014	Walker et al.	2014/0188477 A1	7/2014	Zhang
2014/0129006 A1	5/2014	Chen et al.	2014/0188478 A1	7/2014	Zhang
2014/0129226 A1	5/2014	Lee et al.	2014/0188485 A1	7/2014	Kim et al.
2014/0132935 A1	5/2014	Kim et al.	2014/0188835 A1	7/2014	Zhang et al.
2014/0134983 A1	5/2014	Jung et al.	2014/0195226 A1	7/2014	Yun et al.
2014/0135036 A1	5/2014	Bonanni et al.	2014/0195230 A1	7/2014	Han et al.
2014/0136013 A1	5/2014	Wolverton et al.	2014/0195233 A1	7/2014	Bapat et al.
2014/0136187 A1	5/2014	Wolverton et al.	2014/0195244 A1	7/2014	Cha et al.
2014/0136195 A1	5/2014	Abdossalami et al.	2014/0195251 A1	7/2014	Zeinstra et al.
2014/0136212 A1	5/2014	Kwon et al.	2014/0195252 A1	7/2014	Gruber et al.
2014/0136946 A1	5/2014	Matas	2014/0198048 A1	7/2014	Unruh et al.
2014/0136987 A1	5/2014	Rodriguez	2014/0200891 A1	7/2014	Larcheveque et al.
2014/0142922 A1	5/2014	Liang et al.	2014/0201655 A1	7/2014	Mahaffey et al.
2014/0142923 A1	5/2014	Jones et al.	2014/0203939 A1	7/2014	Harrington et al.
2014/0142934 A1	5/2014	Kim	2014/0205076 A1	7/2014	Kumar et al.
2014/0142935 A1	5/2014	Lindahl et al.	2014/0207439 A1	7/2014	Venkatapathy et al.
2014/0142953 A1	5/2014	Kim et al.	2014/0207446 A1	7/2014	Klein et al.
2014/0143550 A1	5/2014	Ganong, III et al.	2014/0207447 A1	7/2014	Jiang et al.
2014/0143721 A1	5/2014	Suzuki et al.	2014/0207466 A1	7/2014	Smadi
2014/0143784 A1	5/2014	Mistry et al.	2014/0207468 A1	7/2014	Bartnik
2014/0145914 A1	5/2014	Latta et al.	2014/0207582 A1	7/2014	Flinn et al.
2014/0146200 A1	5/2014	Scott et al.	2014/0211944 A1	7/2014	Hayward et al.
2014/0148209 A1	5/2014	Weng et al.	2014/0214429 A1	7/2014	Pantel
2014/0149118 A1	5/2014	Lee et al.	2014/0214537 A1	7/2014	Yoo et al.
2014/0152577 A1	6/2014	Yuen et al.	2014/0215367 A1	7/2014	Kim et al.
2014/0153709 A1	6/2014	Byrd et al.	2014/0215513 A1	7/2014	Ramer et al.
2014/0155031 A1	6/2014	Lee et al.	2014/0218372 A1	8/2014	Missig et al.
2014/0156262 A1	6/2014	Yuen et al.	2014/0222422 A1	8/2014	Sarikaya et al.
2014/0156268 A1	6/2014	Arizmendi et al.	2014/0222435 A1	8/2014	Li et al.
2014/0156269 A1	6/2014	Lee et al.	2014/0222436 A1	8/2014	Binder et al.
2014/0156279 A1	6/2014	Okamoto et al.	2014/0222678 A1	8/2014	Sheets et al.
2014/0156564 A1	6/2014	Knight et al.	2014/0222967 A1	8/2014	Harrang et al.
2014/0157319 A1	6/2014	Kimura et al.	2014/0223377 A1	8/2014	Shaw et al.
2014/0157422 A1	6/2014	Livshits et al.	2014/0223481 A1	8/2014	Fundament
2014/0160032 A1	6/2014	Che et al.	2014/0223586 A1	8/2014	Berger et al.
2014/0160157 A1	6/2014	Poulos et al.	2014/0226503 A1	8/2014	Cooper et al.
2014/0163751 A1	6/2014	Davis et al.	2014/0229158 A1	8/2014	Zweig et al.
2014/0163951 A1	6/2014	Nikoulina et al.	2014/0229184 A1	8/2014	Shires
2014/0163953 A1	6/2014	Parikh	2014/0229847 A1	8/2014	Park
			2014/0230055 A1	8/2014	Boehl
			2014/0232570 A1	8/2014	Skinder et al.
			2014/0232656 A1	8/2014	Pasquero et al.
			2014/0236595 A1	8/2014	Gray

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0236986 A1	8/2014	Guzman	2014/0282178 A1	9/2014	Borzello et al.
2014/0237042 A1	8/2014	Ahmed et al.	2014/0282201 A1	9/2014	Pasquero et al.
2014/0237366 A1	8/2014	Poulos et al.	2014/0282203 A1	9/2014	Pasquero et al.
2014/0244248 A1	8/2014	Arisoy et al.	2014/0282559 A1	9/2014	Verduzco et al.
2014/0244249 A1	8/2014	Mohamed et al.	2014/0282586 A1	9/2014	Shear et al.
2014/0244254 A1	8/2014	Ju et al.	2014/0282743 A1	9/2014	Howard et al.
2014/0244257 A1	8/2014	Colibro et al.	2014/0283111 A1	9/2014	Dolph et al.
2014/0244258 A1	8/2014	Song et al.	2014/0288990 A1	9/2014	Moore et al.
2014/0244263 A1	8/2014	Pontual et al.	2014/0289508 A1	9/2014	Wang
2014/0244266 A1	8/2014	Brown et al.	2014/0297267 A1	10/2014	Spencer et al.
2014/0244268 A1	8/2014	Abdelsamie et al.	2014/0297281 A1	10/2014	Togawa et al.
2014/0244270 A1	8/2014	Han et al.	2014/0297284 A1	10/2014	Gruber et al.
2014/0244271 A1	8/2014	Lindahl	2014/0297288 A1	10/2014	Yu et al.
2014/0244712 A1	8/2014	Walters et al.	2014/0297296 A1	10/2014	Koppens et al.
2014/0245140 A1	8/2014	Brown et al.	2014/0297348 A1	10/2014	Ellis
2014/0247383 A1	9/2014	Dave et al.	2014/0298200 A1	10/2014	Cierniak
2014/0247926 A1	9/2014	Gainsboro et al.	2014/0298395 A1	10/2014	Yang et al.
2014/0249812 A1	9/2014	Bou-Ghazale et al.	2014/0304086 A1	10/2014	Dasdan et al.
2014/0249816 A1	9/2014	Pickering et al.	2014/0304605 A1	10/2014	Ohmura et al.
2014/0249817 A1	9/2014	Hart et al.	2014/0309990 A1	10/2014	Gandrabor et al.
2014/0249820 A1	9/2014	Hsu et al.	2014/0309996 A1	10/2014	Zhang
2014/0249821 A1	9/2014	Kennewick et al.	2014/0310001 A1	10/2014	Kalns et al.
2014/0250046 A1	9/2014	Winn et al.	2014/0310002 A1	10/2014	Nitz et al.
2014/0253455 A1	9/2014	Mauro et al.	2014/0310348 A1	10/2014	Keskitalo et al.
2014/0257809 A1	9/2014	Goel et al.	2014/0310365 A1	10/2014	Sample et al.
2014/0257815 A1	9/2014	Zhao et al.	2014/0310595 A1	10/2014	Acharya et al.
2014/0257902 A1	9/2014	Moore et al.	2014/0313007 A1	10/2014	Harding
2014/0258324 A1	9/2014	Mauro et al.	2014/0315492 A1	10/2014	Woods
2014/0258357 A1	9/2014	Singh et al.	2014/0316585 A1	10/2014	Boesveld et al.
2014/0258857 A1	9/2014	Dykstra-Erickson et al.	2014/0316764 A1	10/2014	Ayan et al.
2014/0258905 A1	9/2014	Lee et al.	2014/0317030 A1	10/2014	Shen et al.
2014/0267022 A1	9/2014	Kim	2014/0317502 A1	10/2014	Brown et al.
2014/0267599 A1	9/2014	Drouin et al.	2014/0317578 A1	10/2014	Chaudhri
2014/0267933 A1	9/2014	Young	2014/0320398 A1	10/2014	Papstein
2014/0272821 A1	9/2014	Pitschel et al.	2014/0324429 A1	10/2014	Weilhammer et al.
2014/0273974 A1	9/2014	Varghese et al.	2014/0324884 A1	10/2014	Lindahl et al.
2014/0273979 A1	9/2014	Van Os et al.	2014/0330560 A1	11/2014	Venkatesha et al.
2014/0274005 A1	9/2014	Luna et al.	2014/0330569 A1	11/2014	Kolavennu et al.
2014/0274203 A1	9/2014	Ganong, III et al.	2014/0330951 A1	11/2014	Sukoff et al.
2014/0274211 A1	9/2014	Sejnoha et al.	2014/0335823 A1	11/2014	Heredia et al.
2014/0278051 A1	9/2014	McGavran et al.	2014/0337037 A1	11/2014	Chi
2014/0278343 A1	9/2014	Tran	2014/0337048 A1	11/2014	Brown et al.
2014/0278349 A1	9/2014	Grieves et al.	2014/0337266 A1	11/2014	Wolverton et al.
2014/0278379 A1	9/2014	Coccaro et al.	2014/0337370 A1	11/2014	Aravamudan et al.
2014/0278390 A1	9/2014	Kingsbury et al.	2014/0337371 A1	11/2014	Li
2014/0278391 A1	9/2014	Braho et al.	2014/0337438 A1	11/2014	Govande et al.
2014/0278394 A1	9/2014	Bastyr et al.	2014/0337621 A1	11/2014	Nakhimov
2014/0278406 A1	9/2014	Tsumura et al.	2014/0337751 A1	11/2014	Lim et al.
2014/0278413 A1	9/2014	Pitschel et al.	2014/0337814 A1	11/2014	Kalns et al.
2014/0278419 A1	9/2014	Bishop et al.	2014/0341217 A1	11/2014	Eisner et al.
2014/0278426 A1	9/2014	Jost et al.	2014/0342762 A1	11/2014	Hajdu et al.
2014/0278429 A1	9/2014	Ganong, III	2014/0343834 A1	11/2014	Demerchant et al.
2014/0278435 A1	9/2014	Ganong, III et al.	2014/0343943 A1	11/2014	Al-Telmissani
2014/0278436 A1	9/2014	Khanna et al.	2014/0343946 A1	11/2014	Torok et al.
2014/0278438 A1	9/2014	Hart et al.	2014/0343950 A1	11/2014	Simpson et al.
2014/0278443 A1	9/2014	Gunn et al.	2014/0344205 A1	11/2014	Luna et al.
2014/0278444 A1	9/2014	Larson et al.	2014/0344627 A1	11/2014	Schaub et al.
2014/0278513 A1	9/2014	Prakash et al.	2014/0344687 A1	11/2014	Durham et al.
2014/0279622 A1	9/2014	Lamoureux et al.	2014/0344727 A1	11/2014	Chaudhry
2014/0279739 A1	9/2014	Elkington et al.	2014/0347181 A1	11/2014	Luna et al.
2014/0279787 A1	9/2014	Cheng et al.	2014/0350847 A1	11/2014	Ichinokawa
2014/0280072 A1	9/2014	Coleman	2014/0350924 A1	11/2014	Zurek et al.
2014/0280107 A1	9/2014	Heymans et al.	2014/0350933 A1	11/2014	Bak et al.
2014/0280138 A1	9/2014	Li et al.	2014/0351268 A1	11/2014	Weskamp et al.
2014/0280292 A1	9/2014	Skinder	2014/0351741 A1	11/2014	Medlock et al.
2014/0280353 A1	9/2014	Delaney et al.	2014/0351760 A1	11/2014	Skory et al.
2014/0280450 A1	9/2014	Luna	2014/0358519 A1	12/2014	Mirkin et al.
2014/0280757 A1	9/2014	Tran	2014/0358521 A1	12/2014	Mikutel et al.
2014/0281944 A1	9/2014	Winer	2014/0358523 A1	12/2014	Sheth et al.
2014/0281983 A1	9/2014	Xian et al.	2014/0358549 A1	12/2014	O'Connor et al.
2014/0281997 A1	9/2014	Fleizach et al.	2014/0359456 A1	12/2014	Thiele et al.
2014/0282003 A1	9/2014	Gruber et al.	2014/0359637 A1	12/2014	Yan
2014/0282007 A1	9/2014	Fleizach	2014/0359709 A1	12/2014	Nassar et al.
2014/0282016 A1	9/2014	Hosier, Jr.	2014/0361973 A1	12/2014	Raux et al.
2014/0282045 A1	9/2014	Ayanam et al.	2014/0363074 A1	12/2014	Dolfing et al.
			2014/0364149 A1	12/2014	Marti et al.
			2014/0364171 A1	12/2014	Heiman et al.
			2014/0365209 A1	12/2014	Evermann
			2014/0365214 A1	12/2014	Bayley

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0365216	A1	12/2014	Gruber et al.	2015/0046537	A1	2/2015	Rakib
2014/0365218	A1	12/2014	Chang et al.	2015/0046828	A1	2/2015	Desai et al.
2014/0365226	A1	12/2014	Sinha	2015/0049884	A1	2/2015	Ye
2014/0365227	A1	12/2014	Cash et al.	2015/0050633	A1	2/2015	Christmas et al.
2014/0365407	A1	12/2014	Brown et al.	2015/0050923	A1	2/2015	Tu et al.
2014/0365505	A1	12/2014	Clark et al.	2015/0051754	A1	2/2015	Kwon et al.
2014/0365878	A1	12/2014	Dai et al.	2015/0051901	A1	2/2015	Stonehouse et al.
2014/0365880	A1	12/2014	Bellegarda	2015/0052128	A1	2/2015	Sharifi
2014/0365885	A1	12/2014	Carson et al.	2015/0053779	A1	2/2015	Adamek et al.
2014/0365895	A1	12/2014	Magahern et al.	2015/0053781	A1	2/2015	Nelson et al.
2014/0365912	A1	12/2014	Karunamuni et al.	2015/0055879	A1	2/2015	Yang
2014/0365922	A1	12/2014	Yang	2015/0058013	A1	2/2015	Pakhomov et al.
2014/0365945	A1	12/2014	Karunamuni et al.	2015/0058018	A1	2/2015	Georges et al.
2014/0370817	A1	12/2014	Luna	2015/0058720	A1	2/2015	Smadja et al.
2014/0370841	A1	12/2014	Roberts et al.	2015/0058785	A1	2/2015	Ookawara
2014/0372112	A1	12/2014	Xue et al.	2015/0062043	A1	3/2015	Kim et al.
2014/0372356	A1	12/2014	Bilal et al.	2015/0065149	A1	3/2015	Russell et al.
2014/0372468	A1	12/2014	Collins et al.	2015/0065200	A1	3/2015	Namgung et al.
2014/0372931	A1	12/2014	Zhai et al.	2015/0066473	A1	3/2015	Jeong et al.
2014/0375683	A1	12/2014	Salter et al.	2015/0066479	A1	3/2015	Pasupalak et al.
2014/0379326	A1	12/2014	Sarikaya et al.	2015/0066494	A1	3/2015	Salvador et al.
2014/0379334	A1	12/2014	Fry	2015/0066496	A1	3/2015	Deoras et al.
2014/0379338	A1	12/2014	Fry	2015/0066506	A1	3/2015	Romano et al.
2014/0379341	A1	12/2014	Seo et al.	2015/0066516	A1	3/2015	Nishikawa et al.
2014/0379798	A1	12/2014	Bunner et al.	2015/0066817	A1	3/2015	Slayton et al.
2014/0380214	A1	12/2014	Huang et al.	2015/0067485	A1	3/2015	Kim et al.
2014/0380285	A1	12/2014	Gabel et al.	2015/0067521	A1	3/2015	Heo et al.
2015/0001850	A1	1/2015	Jaw et al.	2015/0067819	A1	3/2015	Shribman et al.
2015/0003797	A1	1/2015	Schmidt	2015/0067822	A1	3/2015	Randall
2015/0004958	A1	1/2015	Wang et al.	2015/0068069	A1	3/2015	Tran et al.
2015/0005009	A1	1/2015	Tomkins et al.	2015/0070148	A1	3/2015	Cruz-Hernandez et al.
2015/0006147	A1	1/2015	Schmidt	2015/0070163	A1	3/2015	Bennett et al.
2015/0006148	A1	1/2015	Goldszmit et al.	2015/0071121	A1	3/2015	Patil et al.
2015/0006157	A1	1/2015	Silva et al.	2015/0073788	A1	3/2015	Sak et al.
2015/0006167	A1	1/2015	Kato et al.	2015/0073804	A1	3/2015	Senior et al.
2015/0006176	A1	1/2015	Pogue et al.	2015/0074524	A1	3/2015	Nicholson et al.
2015/0006178	A1	1/2015	Peng et al.	2015/0074615	A1	3/2015	Han et al.
2015/0006182	A1	1/2015	Schmidt	2015/0081295	A1	3/2015	Yun et al.
2015/0006184	A1	1/2015	Marti et al.	2015/0082180	A1	3/2015	Ames et al.
2015/0006199	A1	1/2015	Snider et al.	2015/0082229	A1	3/2015	Ouyang et al.
2015/0006564	A1	1/2015	Tomkins et al.	2015/0086174	A1	3/2015	Abecassis et al.
2015/0012260	A1	1/2015	Chakladar	2015/0088511	A1	3/2015	Bharadwaj et al.
2015/0012271	A1	1/2015	Peng et al.	2015/0088514	A1	3/2015	Typrin
2015/0012862	A1	1/2015	Ikeda et al.	2015/0088518	A1	3/2015	Kim et al.
2015/0019219	A1	1/2015	Tzirkel-Hancock et al.	2015/0088522	A1	3/2015	Hendrickson et al.
2015/0019220	A1	1/2015	Talhami et al.	2015/0088523	A1	3/2015	Schuster
2015/0019221	A1	1/2015	Lee et al.	2015/0088998	A1	3/2015	Isensee et al.
2015/0019445	A1	1/2015	Glass et al.	2015/0092520	A1	4/2015	Robison et al.
2015/0019944	A1	1/2015	Kalgi	2015/0094834	A1	4/2015	Vega et al.
2015/0019954	A1	1/2015	Dalal et al.	2015/0095026	A1	4/2015	Bisani et al.
2015/0019974	A1	1/2015	Doi et al.	2015/0095031	A1	4/2015	Conkie et al.
2015/0025405	A1	1/2015	Vairavan et al.	2015/0095159	A1	4/2015	Kennewick et al.
2015/0025890	A1	1/2015	Jagatheesan et al.	2015/0095268	A1	4/2015	Greenzeiger et al.
2015/0026620	A1	1/2015	Kwon et al.	2015/0095278	A1	4/2015	Flinn et al.
2015/0027178	A1	1/2015	Scalisi	2015/0095310	A1	4/2015	Beaurepaire
2015/0031416	A1	1/2015	Labowicz et al.	2015/0100144	A1	4/2015	Lee et al.
2015/0032443	A1	1/2015	Karov et al.	2015/0100313	A1	4/2015	Sharma
2015/0032457	A1	1/2015	Koo et al.	2015/0100316	A1	4/2015	Williams et al.
2015/0033130	A1	1/2015	Scheessele	2015/0100537	A1	4/2015	Grieves et al.
2015/0033219	A1	1/2015	Breiner et al.	2015/0100983	A1	4/2015	Pan
2015/0033275	A1	1/2015	Natani et al.	2015/0106061	A1	4/2015	Yang et al.
2015/0034855	A1	2/2015	Shen	2015/0106085	A1	4/2015	Lindahl
2015/0038161	A1	2/2015	Jakobson et al.	2015/0106093	A1	4/2015	Weeks et al.
2015/0039292	A1	2/2015	Suleman et al.	2015/0106096	A1	4/2015	Toopran et al.
2015/0039295	A1	2/2015	Soschen	2015/0106737	A1	4/2015	Montoy-Wilson et al.
2015/0039299	A1	2/2015	Weinstein et al.	2015/0109191	A1	4/2015	Johnson et al.
2015/0039305	A1	2/2015	Huang	2015/0112684	A1	4/2015	Scheffer et al.
2015/0039606	A1	2/2015	Salaka et al.	2015/0113407	A1	4/2015	Hoffert et al.
2015/0040012	A1	2/2015	Faaborg et al.	2015/0113435	A1	4/2015	Phillips
2015/0042640	A1	2/2015	Algreatly	2015/0113454	A1	4/2015	McLaughlin
2015/0045003	A1	2/2015	Vora et al.	2015/0120296	A1	4/2015	Stern et al.
2015/0045007	A1	2/2015	Cash	2015/0120641	A1	4/2015	Soon-Shiong et al.
2015/0045068	A1	2/2015	Soffer et al.	2015/0120723	A1	4/2015	Deshmukh et al.
2015/0046375	A1	2/2015	Mandel et al.	2015/0121216	A1	4/2015	Brown et al.
2015/0046434	A1	2/2015	Lim et al.	2015/0121227	A1	4/2015	Peng
				2015/0121305	A1	4/2015	Saund et al.
				2015/0123898	A1	5/2015	Kim et al.
				2015/0127336	A1	5/2015	Lei et al.
				2015/0127337	A1	5/2015	Heigold et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0127348 A1	5/2015	Follis	2015/0186892 A1	7/2015	Zhang et al.
2015/0127350 A1	5/2015	Agiomyrgiannakis	2015/0187355 A1	7/2015	Parkinson et al.
2015/0128058 A1	5/2015	Anajwala	2015/0187369 A1	7/2015	Dadu et al.
2015/0130716 A1	5/2015	Sridharan et al.	2015/0189362 A1	7/2015	Lee et al.
2015/0133049 A1	5/2015	Lee et al.	2015/0189425 A1	7/2015	Pang
2015/0133109 A1	5/2015	Freeman et al.	2015/0193005 A1	7/2015	Di et al.
2015/0134318 A1	5/2015	Cuthbert et al.	2015/0193018 A1	7/2015	Venable et al.
2015/0134322 A1	5/2015	Cuthbert et al.	2015/0193379 A1	7/2015	Mehta
2015/0134323 A1	5/2015	Cuthbert et al.	2015/0193391 A1	7/2015	Khvostichenko et al.
2015/0134334 A1	5/2015	Sachidanandam et al.	2015/0193392 A1	7/2015	Greenblatt et al.
2015/0135085 A1	5/2015	Shoham et al.	2015/0194152 A1	7/2015	Katuri et al.
2015/0135123 A1	5/2015	Carr et al.	2015/0194165 A1	7/2015	Faaborg et al.
2015/0140934 A1	5/2015	Abdurrahman et al.	2015/0194187 A1	7/2015	Cleven et al.
2015/0140990 A1	5/2015	Kim et al.	2015/0195379 A1	7/2015	Zhang et al.
2015/0141150 A1	5/2015	Zha	2015/0195606 A1	7/2015	McDevitt
2015/0142420 A1	5/2015	Sarkaya et al.	2015/0199077 A1	7/2015	Zuger et al.
2015/0142438 A1	5/2015	Dai et al.	2015/0199960 A1	7/2015	Huo et al.
2015/0142440 A1	5/2015	Parkinson et al.	2015/0199965 A1	7/2015	Leak et al.
2015/0142447 A1	5/2015	Kennewick et al.	2015/0199967 A1	7/2015	Reddy et al.
2015/0142851 A1	5/2015	Gupta et al.	2015/0200879 A1	7/2015	Wu et al.
2015/0143281 A1	5/2015	Mehta et al.	2015/0201064 A1	7/2015	Bells et al.
2015/0143419 A1	5/2015	Bhagwat et al.	2015/0201077 A1	7/2015	Konig et al.
2015/0148013 A1	5/2015	Baldwin et al.	2015/0205425 A1	7/2015	Kuscher et al.
2015/0149146 A1	5/2015	Abramovitz et al.	2015/0205568 A1	7/2015	Matsuoka
2015/0149177 A1	5/2015	Kalns et al.	2015/0205632 A1	7/2015	Gaster
2015/0149182 A1	5/2015	Kalns et al.	2015/0205858 A1	7/2015	Xie et al.
2015/0149354 A1	5/2015	McCoy	2015/0206529 A1	7/2015	Kwon et al.
2015/0149469 A1	5/2015	Xu et al.	2015/0208226 A1	7/2015	Kuusilinnä et al.
2015/0149899 A1	5/2015	Bernstein et al.	2015/0212791 A1	7/2015	Kumar et al.
2015/0149964 A1	5/2015	Bernstein et al.	2015/0213140 A1	7/2015	Volkert
2015/0154001 A1	6/2015	Knox et al.	2015/0213796 A1	7/2015	Waltermann et al.
2015/0154134 A1	6/2015	Beaumont et al.	2015/0215258 A1	7/2015	Nowakowski et al.
2015/0154185 A1	6/2015	Waibel	2015/0215350 A1	7/2015	Slayton et al.
2015/0154976 A1	6/2015	Mutagi	2015/0217870 A1	8/2015	McCullough et al.
2015/0160635 A1	6/2015	Schofield et al.	2015/0220264 A1	8/2015	Lewis et al.
2015/0160855 A1	6/2015	Bi	2015/0220507 A1	8/2015	Mohajer et al.
2015/0161108 A1	6/2015	Back	2015/0220715 A1	8/2015	Kim et al.
2015/0161291 A1	6/2015	Nadav et al.	2015/0220972 A1	8/2015	Subramanya et al.
2015/0161370 A1	6/2015	North et al.	2015/0221302 A1	8/2015	Han et al.
2015/0161521 A1	6/2015	Shah et al.	2015/0221304 A1	8/2015	Stewart
2015/0161989 A1	6/2015	Hsu et al.	2015/0221307 A1	8/2015	Shah et al.
2015/0161997 A1	6/2015	Wetsel et al.	2015/0222586 A1	8/2015	Ebersman et al.
2015/0162000 A1	6/2015	Di Censo et al.	2015/0224848 A1	8/2015	Eisenhour
2015/0162001 A1	6/2015	Kar et al.	2015/0227505 A1	8/2015	Morimoto
2015/0162006 A1	6/2015	Kummer	2015/0227633 A1	8/2015	Shapira
2015/0163558 A1	6/2015	Wheatley	2015/0228274 A1	8/2015	Leppanen et al.
2015/0169053 A1	6/2015	Bozarth et al.	2015/0228275 A1	8/2015	Watanabe et al.
2015/0169081 A1	6/2015	Neels et al.	2015/0228279 A1	8/2015	Biadys et al.
2015/0169195 A1	6/2015	Choi	2015/0228281 A1	8/2015	Raniere
2015/0169284 A1	6/2015	Quast et al.	2015/0228282 A1	8/2015	Evrard
2015/0169336 A1	6/2015	Harper et al.	2015/0228283 A1	8/2015	Ehsani et al.
2015/0169696 A1	6/2015	Krishnappa et al.	2015/0228292 A1	8/2015	Goldstein et al.
2015/0170073 A1	6/2015	Baker	2015/0230022 A1	8/2015	Sakai et al.
2015/0170657 A1	6/2015	Thompson et al.	2015/0230095 A1	8/2015	Smith et al.
2015/0170664 A1	6/2015	Doherty et al.	2015/0234556 A1	8/2015	Shaofeng et al.
2015/0172262 A1	6/2015	Ortiz, Jr. et al.	2015/0234636 A1	8/2015	Barnes, Jr.
2015/0172463 A1	6/2015	Quast et al.	2015/0234800 A1	8/2015	Patrick et al.
2015/0177945 A1	6/2015	Sengupta et al.	2015/0235434 A1	8/2015	Miller et al.
2015/0178388 A1	6/2015	Winnemoeller et al.	2015/0235540 A1	8/2015	Verna et al.
2015/0178785 A1	6/2015	Salonen	2015/0237301 A1	8/2015	Shi et al.
2015/0179168 A1	6/2015	Hakkani-Tur et al.	2015/0242088 A1	8/2015	Hasumi
2015/0179176 A1	6/2015	Ryu et al.	2015/0242091 A1	8/2015	Lu et al.
2015/0181285 A1	6/2015	Zhang et al.	2015/0242385 A1	8/2015	Bao et al.
2015/0185718 A1	7/2015	Tappan et al.	2015/0243278 A1	8/2015	Kibre et al.
2015/0185964 A1	7/2015	Stout	2015/0243279 A1	8/2015	Morse et al.
2015/0185993 A1	7/2015	Wheatley et al.	2015/0243283 A1	8/2015	Halash et al.
2015/0185996 A1	7/2015	Brown et al.	2015/0244665 A1	8/2015	Choi et al.
2015/0186012 A1	7/2015	Coleman et al.	2015/0245154 A1	8/2015	Dadu et al.
2015/0186110 A1	7/2015	Kannan	2015/0248494 A1	9/2015	Mital
2015/0186154 A1	7/2015	Brown et al.	2015/0248651 A1	9/2015	Akutagawa et al.
2015/0186155 A1	7/2015	Brown et al.	2015/0248886 A1	9/2015	Sarikaya et al.
2015/0186156 A1	7/2015	Brown et al.	2015/0249664 A1	9/2015	Talhami et al.
2015/0186351 A1	7/2015	Hicks et al.	2015/0249715 A1	9/2015	Helvik et al.
2015/0186538 A1	7/2015	Yan et al.	2015/0253146 A1	9/2015	Annasureddy et al.
2015/0186783 A1	7/2015	Byrne et al.	2015/0253885 A1	9/2015	Kagan et al.
			2015/0254057 A1	9/2015	Klein et al.
			2015/0254058 A1	9/2015	Klein et al.
			2015/0254333 A1	9/2015	Fife et al.
			2015/0255068 A1	9/2015	Kim et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0255071	A1	9/2015	Chiba	2015/0331728	A1	11/2015	Kim et al.
2015/0256873	A1	9/2015	Klein et al.	2015/0332667	A1	11/2015	Mason
2015/0261298	A1	9/2015	Li	2015/0334346	A1	11/2015	Cheatham, III et al.
2015/0261496	A1	9/2015	Faaborg et al.	2015/0339049	A1	11/2015	Kasemset et al.
2015/0261758	A1	9/2015	Sharp et al.	2015/0339391	A1	11/2015	Kang et al.
2015/0261850	A1	9/2015	Mittal	2015/0340033	A1	11/2015	Di Fabbri et al.
2015/0261944	A1	9/2015	Hosom et al.	2015/0340034	A1	11/2015	Schalkwyk et al.
2015/0262443	A1	9/2015	Chong	2015/0340040	A1	11/2015	Mun et al.
2015/0262458	A1	9/2015	Faaborg et al.	2015/0340042	A1	11/2015	Sejnoha et al.
2015/0262573	A1	9/2015	Brooks et al.	2015/0341717	A1	11/2015	Song et al.
2015/0262583	A1	9/2015	Kanda et al.	2015/0346845	A1	12/2015	Di Censo et al.
2015/0268719	A1	9/2015	Li	2015/0347086	A1	12/2015	Liedholm et al.
2015/0269139	A1	9/2015	McAteer et al.	2015/0347381	A1	12/2015	Bellegarda
2015/0269420	A1	9/2015	Kim et al.	2015/0347382	A1	12/2015	Dolfing et al.
2015/0269617	A1	9/2015	Mikurak	2015/0347383	A1	12/2015	Willmore et al.
2015/0269677	A1	9/2015	Milne	2015/0347385	A1	12/2015	Flor et al.
2015/0269943	A1	9/2015	VanBlon et al.	2015/0347393	A1	12/2015	Futrell et al.
2015/0277574	A1	10/2015	Jain et al.	2015/0347552	A1	12/2015	Habouzit et al.
2015/0278192	A1	10/2015	Bretter et al.	2015/0347733	A1	12/2015	Tsou et al.
2015/0278199	A1	10/2015	Hazen et al.	2015/0347985	A1	12/2015	Gross et al.
2015/0278348	A1	10/2015	Paruchuri et al.	2015/0348533	A1	12/2015	Saddler et al.
2015/0278370	A1	10/2015	Stratvert et al.	2015/0348547	A1	12/2015	Paulik et al.
2015/0278737	A1	10/2015	Huebscher et al.	2015/0348548	A1	12/2015	Piernot et al.
2015/0279354	A1	10/2015	Gruenstein et al.	2015/0348549	A1	12/2015	Giuli et al.
2015/0279358	A1	10/2015	Kingsbury et al.	2015/0348551	A1	12/2015	Gruber et al.
2015/0279360	A1	10/2015	Mengibar et al.	2015/0348554	A1	12/2015	Orr et al.
2015/0279366	A1	10/2015	Krestnikov et al.	2015/0348555	A1	12/2015	Sugita
2015/0281380	A1	10/2015	Wang et al.	2015/0348565	A1	12/2015	Rhoten et al.
2015/0281401	A1	10/2015	Le et al.	2015/0349934	A1	12/2015	Pollack et al.
2015/0286627	A1	10/2015	Chang et al.	2015/0350031	A1	12/2015	Burks et al.
2015/0286710	A1	10/2015	Chang et al.	2015/0350147	A1	12/2015	Shepherd et al.
2015/0286716	A1	10/2015	Snibbe et al.	2015/0350342	A1	12/2015	Thorpe et al.
2015/0286937	A1	10/2015	Hildebrand	2015/0350594	A1	12/2015	Mate et al.
2015/0287401	A1	10/2015	Lee et al.	2015/0350771	A1	12/2015	Konchitsky
2015/0287408	A1	10/2015	Svendsen et al.	2015/0352999	A1	12/2015	Bando et al.
2015/0287409	A1	10/2015	Jang	2015/0355879	A1	12/2015	Beckhardt et al.
2015/0287411	A1	10/2015	Kojima et al.	2015/0356410	A1	12/2015	Faith et al.
2015/0288629	A1	10/2015	Choi et al.	2015/0363587	A1	12/2015	Ahn et al.
2015/0293602	A1	10/2015	Kay et al.	2015/0364128	A1	12/2015	Zhao et al.
2015/0294086	A1	10/2015	Kare et al.	2015/0364140	A1	12/2015	Thorn
2015/0294377	A1	10/2015	Chow	2015/0365251	A1	12/2015	Kinoshita et al.
2015/0294516	A1	10/2015	Chiang	2015/0365448	A1	12/2015	Stifelman et al.
2015/0294670	A1	10/2015	Roblek et al.	2015/0370455	A1	12/2015	Van Os et al.
2015/0295915	A1	10/2015	Xiu	2015/0370531	A1	12/2015	Faaborg
2015/0296065	A1	10/2015	Narita et al.	2015/0370780	A1	12/2015	Wang et al.
2015/0300832	A1	10/2015	Moore et al.	2015/0370787	A1	12/2015	Akbac et al.
2015/0301796	A1	10/2015	Visser et al.	2015/0370884	A1	12/2015	Hurley et al.
2015/0302316	A1	10/2015	Buryak et al.	2015/0371215	A1	12/2015	Zhou et al.
2015/0302855	A1	10/2015	Kim et al.	2015/0371529	A1	12/2015	Dolecki
2015/0302856	A1	10/2015	Kim et al.	2015/0371639	A1	12/2015	Foerster et al.
2015/0302857	A1	10/2015	Yamada	2015/0371663	A1	12/2015	Gustafson et al.
2015/0302870	A1	10/2015	Burke et al.	2015/0371664	A1	12/2015	Bar-Or et al.
2015/0308470	A1	10/2015	Graham et al.	2015/0371665	A1	12/2015	Naik et al.
2015/0309691	A1	10/2015	Seo et al.	2015/0373183	A1	12/2015	Woolsey et al.
2015/0309997	A1	10/2015	Lee et al.	2015/0373428	A1	12/2015	Trollope et al.
2015/0310114	A1	10/2015	Ryger et al.	2015/0379118	A1	12/2015	Wickenkamp et al.
2015/0310852	A1	10/2015	Spizzo et al.	2015/0379414	A1	12/2015	Yeh et al.
2015/0310858	A1	10/2015	Li et al.	2015/0379423	A1	12/2015	Dirac et al.
2015/0310862	A1	10/2015	Dauphin et al.	2015/0379993	A1	12/2015	Subhojit et al.
2015/0310879	A1	10/2015	Buchanan et al.	2015/0381923	A1	12/2015	Wickenkamp et al.
2015/0310888	A1	10/2015	Chen	2015/0382047	A1	12/2015	Van Os et al.
2015/0312182	A1	10/2015	Langholz	2015/0382079	A1	12/2015	Lister et al.
2015/0312409	A1	10/2015	Czarnecki et al.	2015/0382147	A1	12/2015	Clark et al.
2015/0312523	A1	10/2015	Li et al.	2015/0382164	A1	12/2015	Chung et al.
2015/0314454	A1	11/2015	Breazeal et al.	2015/0382322	A1	12/2015	Migicovsky et al.
2015/0317069	A1	11/2015	Clements et al.	2016/0004499	A1	1/2016	Kim et al.
2015/0317310	A1	11/2015	Eiche et al.	2016/0004690	A1	1/2016	Bangalore et al.
2015/0319264	A1	11/2015	Allen et al.	2016/0005320	A1	1/2016	DeCharms et al.
2015/0319411	A1	11/2015	Kasimir et al.	2016/0006795	A1	1/2016	Yunten
2015/0324041	A1	11/2015	Varley et al.	2016/0012038	A1	1/2016	Edwards et al.
2015/0324334	A1	11/2015	Lee et al.	2016/0014476	A1	1/2016	Caliendo, Jr. et al.
2015/0324362	A1	11/2015	Glass et al.	2016/0018872	A1	1/2016	Tu et al.
2015/0325235	A1	11/2015	Levit et al.	2016/0018899	A1	1/2016	Tu et al.
2015/0331664	A1	11/2015	Osawa et al.	2016/0018900	A1	1/2016	Tu et al.
2015/0331711	A1	11/2015	Huang et al.	2016/0018959	A1	1/2016	Yamashita et al.
				2016/0019886	A1	1/2016	Hong
				2016/0019896	A1	1/2016	Guevara et al.
				2016/0021168	A1	1/2016	Chaudhri et al.
				2016/0021414	A1	1/2016	Padi et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0026242 A1	1/2016	Burns et al.	2016/0116980 A1	4/2016	George-Svahn et al.
2016/0026258 A1	1/2016	Ou et al.	2016/0117386 A1	4/2016	Ajmera et al.
2016/0027431 A1	1/2016	Kurzweil et al.	2016/0118048 A1	4/2016	Heide
2016/0027439 A1	1/2016	Sharifi	2016/0119338 A1	4/2016	Cheyen
2016/0028666 A1	1/2016	Li	2016/0125048 A1	5/2016	Hamada
2016/0028802 A1	1/2016	Balasingh et al.	2016/0125071 A1	5/2016	Gabbai
2016/0029316 A1	1/2016	Mohan et al.	2016/0132046 A1	5/2016	Beoughter et al.
2016/0034042 A1	2/2016	Joo	2016/0132290 A1	5/2016	Raux
2016/0034253 A1	2/2016	Bang et al.	2016/0132484 A1	5/2016	Nauze et al.
2016/0034447 A1	2/2016	Shin et al.	2016/0132488 A1	5/2016	Clark et al.
2016/0034811 A1	2/2016	Paulik et al.	2016/0133254 A1	5/2016	Vogel et al.
2016/0036750 A1	2/2016	Yuan et al.	2016/0139662 A1	5/2016	Dabhade
2016/0036953 A1	2/2016	Lee et al.	2016/0139720 A1	5/2016	Kritt et al.
2016/0041733 A1	2/2016	Qian et al.	2016/0140113 A1	5/2016	Shen
2016/0041809 A1	2/2016	Clayton et al.	2016/0140951 A1	5/2016	Agiomyrgiannakis et al.
2016/0042735 A1	2/2016	Vibbert et al.	2016/0140962 A1	5/2016	Sharifi
2016/0042748 A1	2/2016	Jain et al.	2016/0147725 A1	5/2016	Patten et al.
2016/0043905 A1	2/2016	Fiedler	2016/0147739 A1	5/2016	Lim et al.
2016/0048666 A1	2/2016	Dey et al.	2016/0148610 A1	5/2016	Kennewick, Jr. et al.
2016/0050254 A1	2/2016	Rao et al.	2016/0148612 A1	5/2016	Guo et al.
2016/0055422 A1	2/2016	Li	2016/0148613 A1	5/2016	Kwon et al.
2016/0057203 A1	2/2016	Gardenfors et al.	2016/0149966 A1	5/2016	Remash et al.
2016/0057475 A1	2/2016	Liu	2016/0150020 A1	5/2016	Farmer et al.
2016/0061623 A1	3/2016	Pahwa et al.	2016/0151668 A1	6/2016	Barnes et al.
2016/0062459 A1	3/2016	Publicover et al.	2016/0154624 A1	6/2016	Son et al.
2016/0062605 A1	3/2016	Agarwal et al.	2016/0154792 A1	6/2016	Sarikaya et al.
2016/0063094 A1	3/2016	Udupa et al.	2016/0154880 A1	6/2016	Hoarty
2016/0063095 A1	3/2016	Nassar et al.	2016/0155442 A1	6/2016	Kannan et al.
2016/0063998 A1	3/2016	Krishnamoorthy et al.	2016/0155443 A1	6/2016	Khan et al.
2016/0065155 A1	3/2016	Bharj et al.	2016/0156574 A1	6/2016	Hum et al.
2016/0065626 A1	3/2016	Jain et al.	2016/0156990 A1	6/2016	Miccoy et al.
2016/0066020 A1	3/2016	Mountain	2016/0162456 A1	6/2016	Munro et al.
2016/0066360 A1	3/2016	Vinegrad et al.	2016/0163311 A1	6/2016	Crook et al.
2016/0070581 A1	3/2016	Soon-Shiong	2016/0163312 A1	6/2016	Naik et al.
2016/0071510 A1	3/2016	Li et al.	2016/0165296 A1	6/2016	Hamon
2016/0071516 A1	3/2016	Lee et al.	2016/0169267 A1	6/2016	Pool
2016/0071517 A1	3/2016	Beaver et al.	2016/0170710 A1	6/2016	Kim et al.
2016/0071520 A1	3/2016	Hayakawa	2016/0170966 A1	6/2016	Kolo
2016/0071521 A1	3/2016	Haughay	2016/0171980 A1	6/2016	Liddell et al.
2016/0072940 A1	3/2016	Cronin	2016/0173578 A1	6/2016	Sharma et al.
2016/0077794 A1	3/2016	Kim et al.	2016/0173617 A1	6/2016	Allinson
2016/0078359 A1	3/2016	Csurka et al.	2016/0173929 A1	6/2016	Klappert
2016/0078860 A1	3/2016	Paulik et al.	2016/0173960 A1	6/2016	Snibbe et al.
2016/0080165 A1	3/2016	Ehsani et al.	2016/0179462 A1	6/2016	Bjorkengren
2016/0080475 A1	3/2016	Singh et al.	2016/0179464 A1	6/2016	Reddy et al.
2016/0085295 A1	3/2016	Shimiy et al.	2016/0179787 A1	6/2016	Deleuw
2016/0085827 A1	3/2016	Chadha et al.	2016/0180840 A1	6/2016	Siddiq et al.
2016/0086116 A1	3/2016	Rao et al.	2016/0180844 A1	6/2016	Vanblon et al.
2016/0086599 A1	3/2016	Kurata et al.	2016/0182410 A1	6/2016	Janakiraman et al.
2016/0088335 A1	3/2016	Zucchetto	2016/0182709 A1	6/2016	Kim et al.
2016/0091871 A1	3/2016	Marti et al.	2016/0188181 A1	6/2016	Smith
2016/0091967 A1	3/2016	Prokofieva et al.	2016/0188738 A1	6/2016	Gruber et al.
2016/0092046 A1	3/2016	Hong et al.	2016/0189198 A1	6/2016	Daniel et al.
2016/0092074 A1	3/2016	Raux et al.	2016/0189706 A1	6/2016	Zopf et al.
2016/0092434 A1	3/2016	Bellegarda	2016/0189715 A1	6/2016	Nishikawa
2016/0092447 A1	3/2016	Pathurudeen et al.	2016/0189717 A1	6/2016	Kannan et al.
2016/0092766 A1	3/2016	Sainath et al.	2016/0195924 A1	7/2016	Weber et al.
2016/0093291 A1	3/2016	Kim	2016/0196110 A1	7/2016	Yehoshua et al.
2016/0093298 A1	3/2016	Naik et al.	2016/0198319 A1	7/2016	Huang et al.
2016/0093301 A1	3/2016	Bellegarda et al.	2016/0202957 A1	7/2016	Siddall et al.
2016/0093304 A1	3/2016	Kim et al.	2016/0203002 A1	7/2016	Kannan et al.
2016/0094700 A1	3/2016	Lee et al.	2016/0203193 A1	7/2016	Kevin et al.
2016/0094889 A1	3/2016	Venkataraman et al.	2016/0210115 A1	7/2016	Lee
2016/0094979 A1	3/2016	Naik et al.	2016/0210551 A1	7/2016	Lee et al.
2016/0098991 A1	4/2016	Luo et al.	2016/0210981 A1	7/2016	Lee
2016/0098992 A1	4/2016	Renard et al.	2016/0212206 A1	7/2016	Wu et al.
2016/0098982 A1	4/2016	Palakovich et al.	2016/0212208 A1	7/2016	Kulkarni et al.
2016/0099984 A1	4/2016	Karagiannis et al.	2016/0212488 A1	7/2016	Os et al.
2016/0103830 A1	4/2016	Cheong et al.	2016/0217784 A1	7/2016	Gelfenbeyn et al.
2016/0104480 A1	4/2016	Sharifi	2016/0217794 A1	7/2016	Imoto et al.
2016/0104486 A1	4/2016	Penilla et al.	2016/0224540 A1	8/2016	Stewart et al.
2016/0105308 A1	4/2016	Dutt	2016/0224559 A1	8/2016	Hicks et al.
2016/0111091 A1	4/2016	Bakish	2016/0224774 A1	8/2016	Pender
2016/0112746 A1	4/2016	Zhang et al.	2016/0225372 A1	8/2016	Cheung et al.
2016/0112792 A1	4/2016	Lee et al.	2016/0226713 A1	8/2016	Pitschel et al.
			2016/0226956 A1	8/2016	Hong et al.
			2016/0227107 A1	8/2016	Beaumont
			2016/0227633 A1	8/2016	Sun et al.
			2016/0232500 A1	8/2016	Wang et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0234206	A1	8/2016	Tunnell et al.	2016/0321239	A1	11/2016	Iso-Sipila et al.
2016/0234553	A1	8/2016	Hampson et al.	2016/0321243	A1	11/2016	Walla et al.
2016/0239480	A1	8/2016	Larcheveque et al.	2016/0321261	A1	11/2016	Spasojevic et al.
2016/0239568	A1	8/2016	Packer et al.	2016/0321358	A1	11/2016	Kanani et al.
2016/0239645	A1	8/2016	Heo et al.	2016/0322043	A1	11/2016	Bellegarda
2016/0239848	A1	8/2016	Chang et al.	2016/0322044	A1	11/2016	Jung et al.
2016/0240187	A1	8/2016	Fleizach et al.	2016/0322045	A1	11/2016	Hatfield et al.
2016/0240189	A1	8/2016	Lee et al.	2016/0322048	A1	11/2016	Amano et al.
2016/0240192	A1	8/2016	Raghuvir	2016/0322050	A1	11/2016	Wang et al.
2016/0242148	A1	8/2016	Reed	2016/0322055	A1	11/2016	Sainath et al.
2016/0246776	A1	8/2016	Zhao et al.	2016/0328134	A1	11/2016	Xu
2016/0247061	A1	8/2016	Trask et al.	2016/0328147	A1	11/2016	Zhang et al.
2016/0247110	A1	8/2016	Sinha	2016/0328205	A1	11/2016	Agrawal et al.
2016/0249319	A1	8/2016	Dotan-Cohen et al.	2016/0328893	A1	11/2016	Cordova et al.
2016/0252972	A1	9/2016	Kim et al.	2016/0329060	A1	11/2016	Ito et al.
2016/0253312	A1	9/2016	Rhodes	2016/0334973	A1	11/2016	Reckhow et al.
2016/0253528	A1	9/2016	Gao et al.	2016/0335138	A1	11/2016	Surti et al.
2016/0255549	A1	9/2016	Lakhthar et al.	2016/0335139	A1	11/2016	Hurley et al.
2016/0259623	A1	9/2016	Sumner et al.	2016/0335532	A1	11/2016	Sanghavi et al.
2016/0259656	A1	9/2016	Sumner et al.	2016/0336006	A1	11/2016	Levit et al.
2016/0259779	A1	9/2016	Labsky et al.	2016/0336007	A1	11/2016	Hanazawa et al.
2016/0260130	A1	9/2016	Chand et al.	2016/0336010	A1	11/2016	Lindahl
2016/0260431	A1	9/2016	Newendorp et al.	2016/0336011	A1	11/2016	Koll et al.
2016/0260433	A1	9/2016	Sumner et al.	2016/0336024	A1	11/2016	Choi et al.
2016/0260434	A1	9/2016	Gelfenbeyn et al.	2016/0337299	A1	11/2016	Lane et al.
2016/0260436	A1	9/2016	Lemay et al.	2016/0337301	A1	11/2016	Rollins et al.
2016/0262442	A1	9/2016	Davila et al.	2016/0342317	A1	11/2016	Lim et al.
2016/0266653	A1	9/2016	Liu et al.	2016/0342685	A1	11/2016	Basu et al.
2016/0266871	A1	9/2016	Schmid et al.	2016/0342781	A1	11/2016	Jeon
2016/0267904	A1	9/2016	Biadisy et al.	2016/0342803	A1	11/2016	Goodridge et al.
2016/0269540	A1	9/2016	Butcher et al.	2016/0350070	A1	12/2016	Sung et al.
2016/0274938	A1	9/2016	Strinati et al.	2016/0350650	A1	12/2016	Leeman-Munk et al.
2016/0275941	A1	9/2016	Bellegarda et al.	2016/0350812	A1	12/2016	Priness et al.
2016/0275947	A1	9/2016	Li et al.	2016/0351190	A1	12/2016	Piernot et al.
2016/0282824	A1	9/2016	Smallwood et al.	2016/0352567	A1	12/2016	Robbins et al.
2016/0282956	A1	9/2016	Ouyang et al.	2016/0352924	A1	12/2016	Senarath et al.
2016/0283055	A1	9/2016	Haghighat et al.	2016/0357304	A1	12/2016	Hatori et al.
2016/0283185	A1	9/2016	McLaren et al.	2016/0357362	A1	12/2016	Gauci et al.
2016/0283455	A1	9/2016	Mardanbegi et al.	2016/0357507	A1	12/2016	Decker et al.
2016/0283463	A1	9/2016	Sumesh et al.	2016/0357509	A1	12/2016	Alsina et al.
2016/0284005	A1	9/2016	Daniel et al.	2016/0357728	A1	12/2016	Bellegarda et al.
2016/0284199	A1	9/2016	Dotan-Cohen et al.	2016/0357790	A1	12/2016	Elkington et al.
2016/0284340	A1	9/2016	Li et al.	2016/0357861	A1	12/2016	Carlhian et al.
2016/0284350	A1	9/2016	Yun et al.	2016/0357870	A1	12/2016	Hentschel et al.
2016/0285808	A1	9/2016	Franklin et al.	2016/0358180	A1	12/2016	Van Os et al.
2016/0286045	A1	9/2016	Shaltiel et al.	2016/0358598	A1	12/2016	Williams et al.
2016/0291831	A1	10/2016	Baek	2016/0358600	A1	12/2016	Nallasamy et al.
2016/0292603	A1	10/2016	Prajapati et al.	2016/0358603	A1	12/2016	Azam et al.
2016/0293157	A1	10/2016	Chen et al.	2016/0358605	A1	12/2016	Ganong et al.
2016/0293167	A1	10/2016	Chen et al.	2016/0358609	A1	12/2016	Connell et al.
2016/0293168	A1	10/2016	Chen	2016/0358619	A1	12/2016	Ramprashad et al.
2016/0294755	A1	10/2016	Prabhu	2016/0359771	A1	12/2016	Sridhar
2016/0294813	A1	10/2016	Zou	2016/0360039	A1	12/2016	Sanghavi et al.
2016/0299685	A1	10/2016	Zhai et al.	2016/0360336	A1	12/2016	Gross et al.
2016/0299882	A1	10/2016	Hegerty et al.	2016/0360382	A1	12/2016	Gross et al.
2016/0299883	A1	10/2016	Zhu et al.	2016/0364378	A1	12/2016	Futrell et al.
2016/0299977	A1	10/2016	Hreha	2016/0364382	A1	12/2016	Sarikaya
2016/0300571	A1	10/2016	Foerster et al.	2016/0365101	A1	12/2016	Foy et al.
2016/0301639	A1	10/2016	Liu et al.	2016/0371054	A1	12/2016	Beaumont et al.
2016/0306683	A1	10/2016	Standley et al.	2016/0371250	A1	12/2016	Rhodes
2016/0306800	A1	10/2016	Son et al.	2016/0372112	A1	12/2016	Miller et al.
2016/0307566	A1	10/2016	Bellegarda	2016/0372119	A1	12/2016	Sak et al.
2016/0308794	A1	10/2016	Kim et al.	2016/0373571	A1	12/2016	Woolsey et al.
2016/0308799	A1	10/2016	Schubert et al.	2016/0378080	A1	12/2016	Uppala et al.
2016/0309035	A1	10/2016	Li	2016/0378210	A1	12/2016	Shi
2016/0313906	A1	10/2016	Kilchenko et al.	2016/0378747	A1	12/2016	Orr et al.
2016/0313958	A1	10/2016	Guadarrama et al.	2016/0379091	A1	12/2016	Lin et al.
2016/0314341	A1	10/2016	Maranzana et al.	2016/0379105	A1	12/2016	Moore, Jr.
2016/0314788	A1	10/2016	Jitkoff et al.	2016/0379626	A1	12/2016	Deisher et al.
2016/0314789	A1	10/2016	Marcheret et al.	2016/0379632	A1	12/2016	Hoffmeister et al.
2016/0314792	A1	10/2016	Alvarez et al.	2016/0379633	A1	12/2016	Lehman et al.
2016/0315996	A1	10/2016	Ha et al.	2016/0379639	A1	12/2016	Weinstein et al.
2016/0316349	A1	10/2016	Lee et al.	2016/0379641	A1	12/2016	Liu et al.
2016/0317924	A1	11/2016	Tanaka et al.	2017/0000348	A1	1/2017	Karsten et al.
2016/0320838	A1	11/2016	Teller et al.	2017/0003931	A1	1/2017	Dvortsov et al.
				2017/0004209	A1	1/2017	Johl et al.
				2017/0004409	A1	1/2017	Chu et al.
				2017/0004824	A1	1/2017	Yoo et al.
				2017/0005818	A1	1/2017	Gould

(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0006329	A1	1/2017	Jang et al.	2017/0110117	A1	4/2017	Chakladar et al.
2017/0011091	A1	1/2017	Chehreghani	2017/0110125	A1	4/2017	Xu et al.
2017/0011279	A1	1/2017	Soldevila et al.	2017/0116177	A1	4/2017	Walia
2017/0011303	A1	1/2017	Annapureddy et al.	2017/0116982	A1	4/2017	Gelfenbeyn et al.
2017/0011742	A1	1/2017	Jing et al.	2017/0116985	A1	4/2017	Mathias et al.
2017/0013124	A1	1/2017	Havelka et al.	2017/0116987	A1	4/2017	Kang et al.
2017/0013331	A1	1/2017	Watanabe et al.	2017/0116989	A1	4/2017	Yadgar et al.
2017/0018271	A1	1/2017	Khan et al.	2017/0124190	A1	5/2017	Wang et al.
2017/0019987	A1	1/2017	Dragone et al.	2017/0124311	A1	5/2017	Li et al.
2017/0023963	A1	1/2017	Davis et al.	2017/0124531	A1	5/2017	McCormack
2017/0024398	A1	1/2017	Tomkins et al.	2017/0125016	A1	5/2017	Wang
2017/0025124	A1	1/2017	Mixter et al.	2017/0127124	A9	5/2017	Wilson et al.
2017/0026318	A1	1/2017	Daniel et al.	2017/0131778	A1	5/2017	Iyer
2017/0026509	A1	1/2017	Rand	2017/0132019	A1	5/2017	Karashchuk et al.
2017/0026705	A1	1/2017	Yeh et al.	2017/0132199	A1	5/2017	Vescovi et al.
2017/0027522	A1	2/2017	Van Hasselt et al.	2017/0133007	A1	5/2017	Drewes
2017/0031576	A1	2/2017	Saoji et al.	2017/0133009	A1	5/2017	Cho et al.
2017/0031711	A1	2/2017	Wu et al.	2017/0134807	A1	5/2017	Shaw et al.
2017/0032022	A1	2/2017	Srinivasan et al.	2017/0140041	A1	5/2017	Dotan-Cohen et al.
2017/0032440	A1	2/2017	Paton	2017/0140052	A1	5/2017	Bufe, III et al.
2017/0032783	A1	2/2017	Lord et al.	2017/0140644	A1	5/2017	Hwang et al.
2017/0032787	A1	2/2017	Dayal	2017/0140760	A1	5/2017	Sachdev
2017/0032791	A1	2/2017	Elson et al.	2017/0147722	A1	5/2017	Greenwood
2017/0034087	A1	2/2017	Borenstein et al.	2017/0147841	A1	5/2017	Stagg et al.
2017/0039283	A1	2/2017	Bennett et al.	2017/0148044	A1	5/2017	Fukuda et al.
2017/0039475	A1	2/2017	Cheyre et al.	2017/0148307	A1	5/2017	Yeom et al.
2017/0040002	A1	2/2017	Basson et al.	2017/0154033	A1	6/2017	Lee
2017/0041388	A1	2/2017	Tal et al.	2017/0154055	A1	6/2017	Dimson et al.
2017/0041858	A1	2/2017	Tong et al.	2017/0154176	A1	6/2017	Yun et al.
2017/0046025	A1	2/2017	Dascola et al.	2017/0154628	A1	6/2017	Mohajer et al.
2017/0046330	A1	2/2017	Si et al.	2017/0155940	A1	6/2017	Jin et al.
2017/0047063	A1	2/2017	Ohmura et al.	2017/0155965	A1	6/2017	Ward
2017/0052760	A1	2/2017	Johnson et al.	2017/0161018	A1	6/2017	Lemay et al.
2017/0053652	A1	2/2017	Choi et al.	2017/0161268	A1	6/2017	Badaskar
2017/0055895	A1	3/2017	Jardins et al.	2017/0161293	A1	6/2017	Ionescu et al.
2017/0060385	A1	3/2017	Goldsmith et al.	2017/0161393	A1	6/2017	Oh et al.
2017/0060853	A1	3/2017	Lee et al.	2017/0161439	A1	6/2017	Raduchel et al.
2017/0061423	A1	3/2017	Bryant et al.	2017/0161500	A1	6/2017	Yang
2017/0068423	A1	3/2017	Napolitano et al.	2017/0162191	A1	6/2017	Grost et al.
2017/0068513	A1	3/2017	Stasior et al.	2017/0162202	A1	6/2017	Anthony et al.
2017/0068550	A1	3/2017	Zeitlin	2017/0162203	A1	6/2017	Huang et al.
2017/0068670	A1	3/2017	Orr et al.	2017/0169506	A1	6/2017	Wishne et al.
2017/0069308	A1	3/2017	Aleksic et al.	2017/0169818	A1	6/2017	Vanblon et al.
2017/0069321	A1	3/2017	Toiyama	2017/0169819	A1	6/2017	Mese et al.
2017/0069327	A1	3/2017	Heigold et al.	2017/0171139	A1	6/2017	Marra et al.
2017/0075653	A1	3/2017	Dawidowsky et al.	2017/0171261	A1	6/2017	Smus
2017/0075879	A1	3/2017	Sakamoto et al.	2017/0171387	A1	6/2017	Vendrow
2017/0076518	A1	3/2017	Patterson et al.	2017/0177080	A1	6/2017	Deleeuw
2017/0076720	A1	3/2017	Gopalan et al.	2017/0177547	A1	6/2017	Ciereszko et al.
2017/0076721	A1	3/2017	Bargetzi et al.	2017/0178619	A1	6/2017	Naik et al.
2017/0078490	A1	3/2017	Kaminsky et al.	2017/0178620	A1	6/2017	Fleizach et al.
2017/0083179	A1	3/2017	Gruber et al.	2017/0178626	A1	6/2017	Gruber et al.
2017/0083285	A1	3/2017	Meyers et al.	2017/0178666	A1	6/2017	Yu
2017/0083504	A1	3/2017	Huang	2017/0180499	A1	6/2017	Gelfenbeyn et al.
2017/0083506	A1	3/2017	Liu et al.	2017/0185375	A1	6/2017	Martel et al.
2017/0084277	A1	3/2017	Sharifi	2017/0185581	A1	6/2017	Bojja et al.
2017/0085547	A1	3/2017	De Aguiar et al.	2017/0186429	A1	6/2017	Giuli et al.
2017/0085696	A1	3/2017	Abkairov	2017/0186432	A1	6/2017	Aleksic et al.
2017/0090428	A1	3/2017	Oohara	2017/0186446	A1	6/2017	Wosk et al.
2017/0090569	A1	3/2017	Levesque	2017/0187711	A1	6/2017	Joo et al.
2017/0090864	A1	3/2017	Jorgovanovic	2017/0193083	A1	7/2017	Bhatt et al.
2017/0091168	A1	3/2017	Bellegarda et al.	2017/0195493	A1	7/2017	Sudarsan et al.
2017/0091169	A1	3/2017	Bellegarda et al.	2017/0195495	A1	7/2017	Deora et al.
2017/0091612	A1	3/2017	Gruber et al.	2017/0195636	A1	7/2017	Child et al.
2017/0092259	A1	3/2017	Jeon	2017/0195856	A1	7/2017	Snyder et al.
2017/0092270	A1	3/2017	Newendorp et al.	2017/0199870	A1	7/2017	Zheng et al.
2017/0092278	A1	3/2017	Evermann et al.	2017/0199874	A1	7/2017	Patel et al.
2017/0093356	A1	3/2017	Cudak et al.	2017/0200066	A1	7/2017	Wang et al.
2017/0097743	A1	4/2017	Hameed et al.	2017/0201609	A1	7/2017	Salmenkaita et al.
2017/0102837	A1	4/2017	Toumpelis	2017/0201613	A1	7/2017	Engelke et al.
2017/0102915	A1	4/2017	Kuscher et al.	2017/0201846	A1	7/2017	Katayama et al.
2017/0103749	A1	4/2017	Zhao et al.	2017/0206002	A1	7/2017	Badger et al.
2017/0103752	A1	4/2017	Senior et al.	2017/0206797	A1	7/2017	Solomon et al.
2017/0105190	A1	4/2017	Logan et al.	2017/0206899	A1	7/2017	Bryant et al.
2017/0108236	A1	4/2017	Guan et al.	2017/0215052	A1	7/2017	Koum et al.
				2017/0220212	A1	8/2017	Yang et al.
				2017/0221486	A1	8/2017	Kurata et al.
				2017/0222961	A1	8/2017	Beach et al.
				2017/0223189	A1	8/2017	Meredith et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0227935	A1	8/2017	Su et al.	2017/0344931	A1	11/2017	Shenk et al.
2017/0228367	A1	8/2017	Pasupalak et al.	2017/0345411	A1	11/2017	Raitio et al.
2017/0228382	A1	8/2017	Haviv et al.	2017/0345420	A1	11/2017	Barnett, Jr.
2017/0229121	A1	8/2017	Taki et al.	2017/0345429	A1	11/2017	Hardee et al.
2017/0230429	A1	8/2017	Garmark et al.	2017/0346949	A1	11/2017	Sanghavi et al.
2017/0230497	A1	8/2017	Kim et al.	2017/0347180	A1	11/2017	Petrant
2017/0230709	A1	8/2017	Van Os et al.	2017/0347222	A1	11/2017	Kanter
2017/0235360	A1	8/2017	George-Svahn	2017/0351487	A1	12/2017	Avilés-Casco et al.
2017/0235361	A1	8/2017	Rigazio et al.	2017/0352346	A1	12/2017	Paulik et al.
2017/0235618	A1	8/2017	Lin et al.	2017/0352350	A1	12/2017	Booker et al.
2017/0235721	A1	8/2017	Almosallam et al.	2017/0357478	A1	12/2017	Piersol et al.
2017/0236512	A1	8/2017	Williams et al.	2017/0357529	A1	12/2017	Venkatraman et al.
2017/0236514	A1	8/2017	Nelson	2017/0357632	A1	12/2017	Pagallo et al.
2017/0236517	A1	8/2017	Yu et al.	2017/0357633	A1	12/2017	Wang et al.
2017/0238039	A1	8/2017	Sabbatini	2017/0357637	A1	12/2017	Nell et al.
2017/0242478	A1	8/2017	Ma	2017/0357640	A1	12/2017	Bellegarda et al.
2017/0242653	A1	8/2017	Lang et al.	2017/0357716	A1	12/2017	Bellegarda et al.
2017/0242657	A1	8/2017	Jarvis et al.	2017/0358300	A1	12/2017	Laurens et al.
2017/0242840	A1	8/2017	Lu et al.	2017/0358301	A1	12/2017	Raitio et al.
2017/0242920	A1	8/2017	Neland	2017/0358302	A1	12/2017	Orr et al.
2017/0243468	A1	8/2017	Dotan-Cohen et al.	2017/0358303	A1	12/2017	Walker, II et al.
2017/0243576	A1	8/2017	Millington et al.	2017/0358304	A1	12/2017	Castillo et al.
2017/0243583	A1	8/2017	Raichelgauz et al.	2017/0358305	A1	12/2017	Kudurshian et al.
2017/0243586	A1	8/2017	Civelli et al.	2017/0358317	A1	12/2017	James
2017/0243600	A1	8/2017	Teshima	2017/0359680	A1	12/2017	Ledvina et al.
2017/0249291	A1	8/2017	Patel	2017/0359707	A1	12/2017	Diaconu et al.
2017/0249309	A1	8/2017	Sarikaya	2017/0365251	A1	12/2017	Park et al.
2017/0256256	A1	9/2017	Wang et al.	2017/0366909	A1	12/2017	Mickelsen et al.
2017/0257723	A1	9/2017	Morishita et al.	2017/0366924	A1	12/2017	Thoen
2017/0262051	A1	9/2017	Tall et al.	2017/0371509	A1	12/2017	Jung et al.
2017/0262432	A1	9/2017	Sarkaya et al.	2017/0371865	A1	12/2017	Eck et al.
2017/0263247	A1	9/2017	Kang et al.	2017/0371866	A1	12/2017	Eck
2017/0263248	A1	9/2017	Gruber et al.	2017/0371885	A1	12/2017	Aggarwal et al.
2017/0263249	A1	9/2017	Akbacak et al.	2017/0372592	A1	12/2017	Neravati et al.
2017/0263254	A1	9/2017	Dewan et al.	2017/0372703	A1	12/2017	Sung et al.
2017/0264451	A1	9/2017	Yu et al.	2017/0372719	A1	12/2017	Li et al.
2017/0264711	A1	9/2017	Natarajan et al.	2017/0374093	A1	12/2017	Dhar et al.
2017/0270092	A1	9/2017	He et al.	2017/0374176	A1	12/2017	Agrawal et al.
2017/0270715	A1	9/2017	Lindsay et al.	2018/0004372	A1	1/2018	Zurek et al.
2017/0270822	A1	9/2017	Cohen	2018/0004396	A1	1/2018	Ying
2017/0270912	A1	9/2017	Levit et al.	2018/0005112	A1	1/2018	Iso-Sipila et al.
2017/0270919	A1	9/2017	Parthasarathi et al.	2018/0007060	A1	1/2018	Leblang et al.
2017/0273044	A1	9/2017	Alsina	2018/0007096	A1	1/2018	Levin et al.
2017/0277424	A1	9/2017	Witkowski et al.	2018/0007210	A1	1/2018	Todasco
2017/0277691	A1	9/2017	Agarwal	2018/0007538	A1	1/2018	Naik et al.
2017/0278513	A1	9/2017	Li et al.	2018/0012596	A1	1/2018	Piernot et al.
2017/0278514	A1	9/2017	Mathias et al.	2018/0018248	A1	1/2018	Bhargava et al.
2017/0279795	A1	9/2017	Redberg	2018/0018331	A1	1/2018	Kesamreddy
2017/0285915	A1	10/2017	Napolitano et al.	2018/0018590	A1	1/2018	Szeto et al.
2017/0286397	A1	10/2017	Gonzalez	2018/0018814	A1	1/2018	Patrik et al.
2017/0286407	A1	10/2017	Chochowski et al.	2018/0018959	A1	1/2018	Jardins et al.
2017/0287218	A1	10/2017	Nuemberger et al.	2018/0018973	A1	1/2018	Moreno et al.
2017/0287472	A1	10/2017	Ogawa et al.	2018/0020093	A1	1/2018	Bentitou et al.
2017/0289305	A1	10/2017	Liensberger et al.	2018/0024985	A1	1/2018	Asano
2017/0295446	A1	10/2017	Shivappa	2018/0025124	A1	1/2018	Mohr et al.
2017/0301348	A1	10/2017	Chen et al.	2018/0025287	A1	1/2018	Mathew et al.
2017/0301353	A1	10/2017	Mozer et al.	2018/0028918	A1	2/2018	Tang et al.
2017/0308552	A1	10/2017	Soni et al.	2018/0032884	A1	2/2018	Murugesan et al.
2017/0308589	A1	10/2017	Liu et al.	2018/0033431	A1	2/2018	Newendorp et al.
2017/0308609	A1	10/2017	Berkhin et al.	2018/0033435	A1	2/2018	Jacobs, II
2017/0311005	A1	10/2017	Lin	2018/0033436	A1	2/2018	Zhou
2017/0316775	A1	11/2017	Le et al.	2018/0034867	A1	2/2018	Zahn et al.
2017/0316779	A1	11/2017	Mohapatra et al.	2018/0034961	A1	2/2018	Engelke et al.
2017/0316782	A1	11/2017	Haughay	2018/0039239	A1	2/2018	Burchard
2017/0319123	A1	11/2017	Voss et al.	2018/0039990	A1	2/2018	Lindemann
2017/0323637	A1	11/2017	Naik	2018/0040020	A1	2/2018	Kurian et al.
2017/0329466	A1	11/2017	Krenkler et al.	2018/0041571	A1	2/2018	Rogers et al.
2017/0329490	A1	11/2017	Esinovskaya et al.	2018/0045963	A1	2/2018	Hoover et al.
2017/0329572	A1	11/2017	Shah et al.	2018/0046340	A1	2/2018	Mall
2017/0329630	A1	11/2017	Jann et al.	2018/0046851	A1	2/2018	Kienzle et al.
2017/0330567	A1	11/2017	Van Wissen et al.	2018/0047201	A1	2/2018	Filev et al.
2017/0336920	A1	11/2017	Chan et al.	2018/0047288	A1	2/2018	Cordell et al.
2017/0337035	A1	11/2017	Choudhary et al.	2018/0047391	A1	2/2018	Baik et al.
2017/0337478	A1	11/2017	Sarikaya et al.	2018/0047393	A1	2/2018	Tian et al.
2017/0337540	A1	11/2017	Buckman et al.	2018/0047406	A1	2/2018	Park
				2018/0052885	A1	2/2018	Gaskill et al.
				2018/0052909	A1	2/2018	Sharifi et al.
				2018/0054505	A1	2/2018	Hart et al.
				2018/0060032	A1	3/2018	Boesen

(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0060301 A1	3/2018	Li et al.	2018/0143967 A1	5/2018	Anbazhagan et al.
2018/0060312 A1	3/2018	Won	2018/0144465 A1	5/2018	Hsieh et al.
2018/0060555 A1	3/2018	Boesen	2018/0144590 A1	5/2018	Mixter et al.
2018/0061400 A1	3/2018	Carbune et al.	2018/0144615 A1	5/2018	Kinney et al.
2018/0061401 A1	3/2018	Sarkaya et al.	2018/0144746 A1	5/2018	Mishra et al.
2018/0061402 A1	3/2018	Devaraj et al.	2018/0144748 A1	5/2018	Leong
2018/0061403 A1	3/2018	Devaraj et al.	2018/0146089 A1	5/2018	Rauenbuehler et al.
2018/0062691 A1	3/2018	Barnett, Jr.	2018/0150744 A1	5/2018	Orr et al.
2018/0063276 A1	3/2018	Foged	2018/0152557 A1	5/2018	White et al.
2018/0063308 A1	3/2018	Crystal et al.	2018/0152558 A1	5/2018	Chan et al.
2018/0063324 A1	3/2018	Van Meter, II	2018/0152803 A1	5/2018	Seefeldt et al.
2018/0063624 A1	3/2018	Boesen	2018/0157372 A1	6/2018	Kurabayashi
2018/0067904 A1	3/2018	Li	2018/0157398 A1	6/2018	Kaehler et al.
2018/0067914 A1	3/2018	Chen et al.	2018/0157408 A1	6/2018	Yu et al.
2018/0067918 A1	3/2018	Bellegarda et al.	2018/0157992 A1	6/2018	Susskind et al.
2018/0067929 A1	3/2018	Ahn	2018/0158548 A1	6/2018	Taheri et al.
2018/0068074 A1	3/2018	Shen	2018/0158552 A1	6/2018	Liu et al.
2018/0068194 A1	3/2018	Matsuda	2018/0165278 A1	6/2018	He et al.
2018/0068660 A1	3/2018	Kawahara et al.	2018/0165801 A1	6/2018	Kim et al.
2018/0069743 A1	3/2018	Bakken et al.	2018/0165857 A1	6/2018	Lee et al.
2018/0069815 A1	3/2018	Fontana et al.	2018/0166076 A1	6/2018	Higuchi et al.
2018/0075659 A1	3/2018	Browy et al.	2018/0167884 A1	6/2018	Dawid et al.
2018/0075847 A1	3/2018	Lee et al.	2018/0173403 A1	6/2018	Carbune et al.
2018/0075849 A1	3/2018	Khoury et al.	2018/0173542 A1	6/2018	Chan et al.
2018/0077095 A1	3/2018	Deyle et al.	2018/0174406 A1	6/2018	Arashi et al.
2018/0077648 A1	3/2018	Nguyen	2018/0174576 A1	6/2018	Soltau et al.
2018/0081739 A1	3/2018	Gravenites et al.	2018/0174597 A1	6/2018	Lee et al.
2018/0081884 A1	3/2018	Tan	2018/0181370 A1	6/2018	Parkinson
2018/0081886 A1	3/2018	Tomkins et al.	2018/0182376 A1	6/2018	Gysel et al.
2018/0082692 A1	3/2018	Khoury et al.	2018/0188840 A1	7/2018	Tamura et al.
2018/0083898 A1	3/2018	Pham	2018/0188948 A1	7/2018	Ouyang et al.
2018/0088788 A1	3/2018	Cheung et al.	2018/0189267 A1	7/2018	Takiel
2018/0088902 A1	3/2018	Mese et al.	2018/0190263 A1	7/2018	Calef, III
2018/0088969 A1	3/2018	Vanblon et al.	2018/0190264 A1	7/2018	Mixter et al.
2018/0089166 A1	3/2018	Meyer et al.	2018/0190273 A1	7/2018	Karimli et al.
2018/0089588 A1	3/2018	Ravi et al.	2018/0190274 A1	7/2018	Kirazci et al.
2018/0090143 A1	3/2018	Saddler et al.	2018/0190279 A1	7/2018	Anderson et al.
2018/0091604 A1	3/2018	Yamashita et al.	2018/0191670 A1	7/2018	Suyama
2018/0091732 A1	3/2018	Wilson et al.	2018/0196683 A1	7/2018	Radebaugh et al.
2018/0091847 A1	3/2018	Wu et al.	2018/0205675 A1	7/2018	Koo et al.
2018/0096683 A1	4/2018	James et al.	2018/0205983 A1	7/2018	Lee et al.
2018/0096690 A1	4/2018	Mixter et al.	2018/0210874 A1	7/2018	Fuxman et al.
2018/0097812 A1	4/2018	Gillett et al.	2018/0211005 A1	7/2018	Allen
2018/0101599 A1	4/2018	Kenneth et al.	2018/0213448 A1	7/2018	Segal et al.
2018/0101925 A1	4/2018	Brinig et al.	2018/0214061 A1	8/2018	Knoth et al.
2018/0102914 A1	4/2018	Kawachi et al.	2018/0217810 A1	8/2018	Agrawal
2018/0103209 A1	4/2018	Fischler et al.	2018/0218735 A1	8/2018	Hunt et al.
2018/0107917 A1	4/2018	Hewavitharana et al.	2018/0221783 A1	8/2018	Gamero
2018/0107945 A1	4/2018	Gao et al.	2018/0224231 A1	8/2018	Weinberg
2018/0108346 A1	4/2018	Paulik et al.	2018/0225131 A1	8/2018	Tommy et al.
2018/0108351 A1	4/2018	Beckhardt et al.	2018/0225274 A1	8/2018	Tommy et al.
2018/0108356 A1	4/2018	Mizumoto et al.	2018/0232110 A1	8/2018	Cheung et al.
2018/0108357 A1	4/2018	Liu	2018/0232203 A1	8/2018	Gelfenbeyn et al.
2018/0109920 A1	4/2018	Aggarwal et al.	2018/0232608 A1	8/2018	Pradeep et al.
2018/0113673 A1	4/2018	Sheynblat	2018/0232688 A1	8/2018	Pike et al.
2018/0114198 A1	4/2018	Ghotbi et al.	2018/0233132 A1	8/2018	Herold et al.
2018/0114591 A1	4/2018	Pribanic et al.	2018/0233140 A1	8/2018	Koishida et al.
2018/0314362 A1	4/2018	Kim et al.	2018/0233142 A1	8/2018	Koishida et al.
2018/0121430 A1	5/2018	Kagoshima et al.	2018/0247065 A1	8/2018	Rhee et al.
2018/0121432 A1	5/2018	Parson et al.	2018/0253209 A1	9/2018	Jaygarl et al.
2018/0122376 A1	5/2018	Kojima	2018/0253652 A1	9/2018	Palzer et al.
2018/0122378 A1	5/2018	Mixter et al.	2018/0260680 A1	9/2018	Finkelstein et al.
2018/0124458 A1	5/2018	Knox	2018/0267952 A1	9/2018	Osborne et al.
2018/0126260 A1	5/2018	Chansoriya et al.	2018/0268023 A1	9/2018	Korpusik et al.
2018/0129492 A1	5/2018	Singh et al.	2018/0268106 A1	9/2018	Velaga
2018/0129967 A1	5/2018	Herreshoff	2018/0268337 A1	9/2018	Miller et al.
2018/0130470 A1	5/2018	Lemay et al.	2018/0270343 A1	9/2018	Rout et al.
2018/0130471 A1	5/2018	Trufinescu et al.	2018/0275839 A1	9/2018	Kocienda et al.
2018/0137097 A1	5/2018	Lim et al.	2018/0276197 A1	9/2018	Nell et al.
2018/0137404 A1	5/2018	Fauceglia et al.	2018/0277113 A1	9/2018	Hartung et al.
2018/0137856 A1	5/2018	Gilbert	2018/0278740 A1	9/2018	Choi et al.
2018/0137857 A1	5/2018	Zhou et al.	2018/0285056 A1	10/2018	Cutler et al.
2018/0137862 A1	5/2018	Park et al.	2018/0288104 A1	10/2018	Padilla et al.
2018/0137865 A1	5/2018	Ling	2018/0293086 A1	10/2018	Laird-McConnell et al.
2018/0143857 A1	5/2018	Anbazhagan et al.	2018/0293984 A1	10/2018	Lindahl
			2018/0293988 A1	10/2018	Huang et al.
			2018/0293989 A1	10/2018	De et al.
			2018/0299878 A1	10/2018	Cella et al.
			2018/0300317 A1	10/2018	Bradbury

(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0300400	A1	10/2018	Paulus	2018/0373398	A1	12/2018	Seixeiro et al.
2018/0300608	A1	10/2018	Sevrens et al.	2018/0373487	A1	12/2018	Gruber et al.
2018/0300952	A1	10/2018	Evans et al.	2018/0373493	A1	12/2018	Watson et al.
2018/0307216	A1	10/2018	Ypma et al.	2018/0373796	A1	12/2018	Rathod
2018/0307603	A1	10/2018	Che	2018/0374484	A1	12/2018	Huang et al.
2018/0308470	A1	10/2018	Park et al.	2019/0005024	A1	1/2019	Somech et al.
2018/0308477	A1	10/2018	Nagasaka	2019/0007228	A1	1/2019	Vuskovic et al.
2018/0308480	A1	10/2018	Jang et al.	2019/0012141	A1	1/2019	Piersol et al.
2018/0308485	A1	10/2018	Kudurshian et al.	2019/0012198	A1	1/2019	Ni et al.
2018/0308486	A1	10/2018	Saddler et al.	2019/0012445	A1	1/2019	Lesso et al.
2018/0308491	A1	10/2018	Oktem et al.	2019/0012449	A1	1/2019	Cheyser
2018/0314552	A1	11/2018	Kim et al.	2019/0012599	A1	1/2019	El Kaliouby et al.
2018/0314689	A1	11/2018	Wang et al.	2019/0013018	A1	1/2019	Rekstad
2018/0314981	A1	11/2018	Chen	2019/0013025	A1	1/2019	Alcorn et al.
2018/0315415	A1	11/2018	Mosley et al.	2019/0014450	A1	1/2019	Gruber et al.
2018/0315416	A1	11/2018	Berthelsen et al.	2019/0019077	A1	1/2019	Griffin et al.
2018/0322112	A1	11/2018	Bellegarda et al.	2019/0019508	A1	1/2019	Rochford et al.
2018/0322881	A1	11/2018	Min et al.	2019/0020482	A1	1/2019	Gupta et al.
2018/0324518	A1	11/2018	Dusan et al.	2019/0027135	A1	1/2019	Kim et al.
2018/0329508	A1	11/2018	Klein et al.	2019/0027152	A1	1/2019	Huang et al.
2018/0329512	A1	11/2018	Liao et al.	2019/0034040	A1	1/2019	Shah et al.
2018/0329677	A1	11/2018	Gruber et al.	2019/0034826	A1	1/2019	Ahmad et al.
2018/0329957	A1	11/2018	Frazzizingaro et al.	2019/0035385	A1	1/2019	Lawson et al.
2018/0329982	A1	11/2018	Patel et al.	2019/0035405	A1	1/2019	Haughay
2018/0329998	A1	11/2018	Thomson et al.	2019/0037258	A1	1/2019	Justin et al.
2018/0330714	A1	11/2018	Paulik et al.	2019/0042059	A1	2/2019	Baer
2018/0330721	A1	11/2018	Thomson et al.	2019/0042560	A1	2/2019	Kakirwar et al.
2018/0330722	A1	11/2018	Newendorp et al.	2019/0042561	A1	2/2019	Kakirwar et al.
2018/0330723	A1	11/2018	Acero et al.	2019/0042627	A1	2/2019	Ostio et al.
2018/0330729	A1	11/2018	Golipour et al.	2019/0043507	A1	2/2019	Huang et al.
2018/0330730	A1	11/2018	Garg et al.	2019/0044854	A1	2/2019	Yang et al.
2018/0330731	A1	11/2018	Zeitlin et al.	2019/0045040	A1	2/2019	Lee et al.
2018/0330733	A1	11/2018	Orr et al.	2019/0050450	A1	2/2019	Uszkoreit
2018/0330737	A1	11/2018	Paulik et al.	2019/0051306	A1	2/2019	Torama et al.
2018/0332118	A1	11/2018	Phipps et al.	2019/0051309	A1	2/2019	Kim et al.
2018/0332389	A1	11/2018	Ekkizogloy et al.	2019/0056840	A1	2/2019	Mamaril et al.
2018/0335903	A1	11/2018	Coffman et al.	2019/0057533	A1	2/2019	Habra
2018/0336006	A1	11/2018	Chakraborty et al.	2019/0057697	A1	2/2019	Giuli et al.
2018/0336049	A1	11/2018	Mukherjee et al.	2019/0065027	A1	2/2019	Hauenstein et al.
2018/0336184	A1	11/2018	Bellegarda et al.	2019/0065144	A1	2/2019	Sumner et al.
2018/0336197	A1	11/2018	Skilling et al.	2019/0065993	A1	2/2019	Srinivasan et al.
2018/0336275	A1	11/2018	Graham et al.	2019/0066674	A1	2/2019	Jaygarl et al.
2018/0336439	A1	11/2018	Kliger et al.	2019/0068810	A1	2/2019	Okamoto et al.
2018/0336449	A1	11/2018	Adan et al.	2019/0173996	A1	2/2019	Butcher et al.
2018/0336880	A1	11/2018	Arik et al.	2019/0073607	A1	3/2019	Jia et al.
2018/0336885	A1	11/2018	Mukherjee et al.	2019/0073998	A1	3/2019	Leblang et al.
2018/0336892	A1	11/2018	Kim et al.	2019/0074009	A1	3/2019	Kim et al.
2018/0336893	A1	11/2018	Robinson et al.	2019/0074015	A1	3/2019	Orr et al.
2018/0336894	A1	11/2018	Graham et al.	2019/0074016	A1	3/2019	Orr et al.
2018/0336904	A1	11/2018	Piercy et al.	2019/0079476	A1	3/2019	Funes
2018/0336905	A1	11/2018	Kim et al.	2019/0079662	A1	3/2019	Wan et al.
2018/0336911	A1	11/2018	Dahl et al.	2019/0079724	A1	3/2019	Feuz et al.
2018/0336920	A1	11/2018	Bastian et al.	2019/0080685	A1	3/2019	Johnson, Jr.
2018/0338191	A1	11/2018	Van Scheltinga et al.	2019/0080698	A1	3/2019	Miller
2018/0341643	A1	11/2018	Alders et al.	2019/0082044	A1	3/2019	Olivia et al.
2018/0342243	A1	11/2018	Vanblon et al.	2019/0087205	A1	3/2019	Guday
2018/0343557	A1	11/2018	Naik et al.	2019/0087412	A1	3/2019	Ibrahim et al.
2018/0349084	A1	12/2018	Nagasaka et al.	2019/0087455	A1	3/2019	He et al.
2018/0349346	A1	12/2018	Hatori et al.	2019/0090812	A1	3/2019	Martin et al.
2018/0349349	A1	12/2018	Bellegarda et al.	2019/0095050	A1	3/2019	Gruber et al.
2018/0349447	A1	12/2018	Maccartney et al.	2019/0095069	A1	3/2019	Proctor et al.
2018/0349472	A1	12/2018	Kohlschuetter et al.	2019/0095171	A1	3/2019	Carson et al.
2018/0349728	A1	12/2018	Wang et al.	2019/0095522	A1	3/2019	Galitsky
2018/0350345	A1	12/2018	Naik	2019/0095535	A1	3/2019	Miller et al.
2018/0350353	A1	12/2018	Gruber et al.	2019/0096134	A1	3/2019	Amacker et al.
2018/0357073	A1	12/2018	Johnson et al.	2019/0102145	A1	4/2019	Wilberding et al.
2018/0357308	A1	12/2018	Cheyser	2019/0102378	A1	4/2019	Piernot et al.
2018/0358015	A1	12/2018	Cash et al.	2019/0102381	A1	4/2019	Futrell et al.
2018/0358019	A1	12/2018	Mont-Reynaud	2019/0103103	A1	4/2019	Ni et al.
2018/0365091	A1	12/2018	Donaldson et al.	2019/0103112	A1	4/2019	Walker et al.
2018/0365653	A1	12/2018	Cleaver et al.	2019/0108834	A1	4/2019	Nelson et al.
2018/0366105	A1	12/2018	Kim	2019/0114320	A1	4/2019	Patwardhan et al.
2018/0366110	A1	12/2018	Hashem et al.	2019/0116264	A1	4/2019	Sanghavi et al.
2018/0366116	A1	12/2018	Nicholson et al.	2019/0122666	A1	4/2019	Raitio et al.
2018/0366118	A1	12/2018	Lovitt et al.	2019/0122692	A1	4/2019	Binder et al.
				2019/0124019	A1	4/2019	Leon et al.
				2019/0129499	A1	5/2019	Li
				2019/0129615	A1	5/2019	Sundar et al.
				2019/0129749	A1	5/2019	White et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2019/0130901 A1	5/2019	Kato et al.	2019/0265886 A1	8/2019	Moon et al.
2019/0132694 A1	5/2019	Hanes et al.	2019/0266246 A1	8/2019	Wang et al.
2019/0134501 A1	5/2019	Feder et al.	2019/0272318 A1	9/2019	Suzuki et al.
2019/0138268 A1	5/2019	Andersen et al.	2019/0272818 A1	9/2019	Fernandez et al.
2019/0138661 A1	5/2019	Paltanavicius et al.	2019/0272825 A1	9/2019	O'Malley et al.
2019/0138704 A1	5/2019	Shrivastava et al.	2019/0272831 A1	9/2019	Kajarekar
2019/0139058 A1	5/2019	Clark et al.	2019/0273963 A1	9/2019	Jobanputra et al.
2019/0139541 A1	5/2019	Andersen et al.	2019/0278841 A1	9/2019	Pusateri et al.
2019/0139563 A1	5/2019	Chen et al.	2019/0279618 A1	9/2019	Yadav et al.
2019/0141494 A1	5/2019	Gross et al.	2019/0279622 A1	9/2019	Liu et al.
2019/0146219 A1	5/2019	Rodriguez, II	2019/0281387 A1	9/2019	Woo et al.
2019/0147052 A1	5/2019	Lu et al.	2019/0287012 A1	9/2019	Asli et al.
2019/0147369 A1	5/2019	Gupta et al.	2019/0287522 A1	9/2019	Lambourne et al.
2019/0147869 A1	5/2019	Wang	2019/0290965 A1	9/2019	Oren
2019/0147880 A1	5/2019	Booker et al.	2019/0294769 A1	9/2019	Lesso
2019/0147883 A1	5/2019	Mellenthin et al.	2019/0294962 A1	9/2019	Vezer et al.
2019/0149972 A1	5/2019	Parks et al.	2019/0295529 A1	9/2019	Tomita
2019/0156830 A1	5/2019	Devaraj et al.	2019/0295540 A1	9/2019	Grima
2019/0158994 A1	5/2019	Gross et al.	2019/0295542 A1	9/2019	Huang et al.
2019/0163667 A1	5/2019	Feuz et al.	2019/0295544 A1	9/2019	Garcia et al.
2019/0164546 A1	5/2019	Piernot et al.	2019/0303442 A1	10/2019	Peitz et al.
2019/0172243 A1	6/2019	Mishra et al.	2019/0303504 A1	10/2019	Pasumarthy
2019/0172458 A1	6/2019	Mishra et al.	2019/0304438 A1	10/2019	Qian et al.
2019/0172465 A1	6/2019	Lee et al.	2019/0310765 A1	10/2019	Napolitano et al.
2019/0172467 A1	6/2019	Kim et al.	2019/0311031 A1	10/2019	Powell et al.
2019/0179607 A1	6/2019	Thangarathnam et al.	2019/0311708 A1	10/2019	Bengio et al.
2019/0179890 A1	6/2019	Evermann	2019/0311720 A1	10/2019	Pasko
2019/0180749 A1	6/2019	Carey et al.	2019/0318219 A1	10/2019	Arora et al.
2019/0180750 A1	6/2019	Renard et al.	2019/0318722 A1	10/2019	Bromand
2019/0180770 A1	6/2019	Kothari et al.	2019/0318724 A1	10/2019	Chao et al.
2019/0182176 A1	6/2019	Niewczas	2019/0318725 A1	10/2019	Le Roux et al.
2019/0187787 A1	6/2019	White et al.	2019/0318732 A1	10/2019	Huang et al.
2019/0187790 A1	6/2019	Woo et al.	2019/0318735 A1	10/2019	Chao et al.
2019/0188326 A1	6/2019	Daianu et al.	2019/0318739 A1	10/2019	Garg et al.
2019/0188328 A1	6/2019	Oyenan et al.	2019/0324533 A1	10/2019	Ikowitz et al.
2019/0189118 A1	6/2019	Piernot et al.	2019/0324780 A1	10/2019	Zhu et al.
2019/0189125 A1	6/2019	Van Os et al.	2019/0324925 A1	10/2019	Toyoda et al.
2019/0190898 A1	6/2019	Cui	2019/0325081 A1	10/2019	Liu et al.
2019/0197053 A1	6/2019	Graham et al.	2019/0325866 A1	10/2019	Bromand et al.
2019/0197119 A1	6/2019	Zhang et al.	2019/0333523 A1	10/2019	Kim et al.
2019/0199657 A1	6/2019	Fawcett et al.	2019/0335567 A1	10/2019	Boudreau et al.
2019/0206397 A1	7/2019	Zhou	2019/0339784 A1	11/2019	Lemay et al.
2019/0212815 A1	7/2019	Zhang et al.	2019/0340252 A1	11/2019	Huyghe
2019/0213498 A1	7/2019	Adjaoute	2019/0340419 A1	11/2019	Milman et al.
2019/0213601 A1	7/2019	Hackman et al.	2019/0341027 A1	11/2019	Vescovi et al.
2019/0213774 A1	7/2019	Jiao et al.	2019/0341056 A1	11/2019	Paulik et al.
2019/0213999 A1	7/2019	Gruppen et al.	2019/0347063 A1	11/2019	Liu et al.
2019/0214024 A1	7/2019	Gruber et al.	2019/0347525 A1	11/2019	Liem et al.
2019/0215343 A1	7/2019	Rykowski et al.	2019/0348022 A1	11/2019	Park et al.
2019/0220245 A1	7/2019	Martel et al.	2019/0349333 A1	11/2019	Pickover et al.
2019/0220246 A1	7/2019	Orr et al.	2019/0349622 A1	11/2019	Kim et al.
2019/0220247 A1	7/2019	Lemay et al.	2019/0354252 A1	11/2019	Badr
2019/0220704 A1	7/2019	Schulz-Trieglaff et al.	2019/0354256 A1	11/2019	Karunamuni et al.
2019/0220727 A1	7/2019	Dohrmann et al.	2019/0354548 A1	11/2019	Orr et al.
2019/0222684 A1	7/2019	Li et al.	2019/0354675 A1	11/2019	Gan et al.
2019/0224049 A1	7/2019	Creasy et al.	2019/0355346 A1	11/2019	Bellegarda
2019/0228179 A1	7/2019	Rakshit et al.	2019/0355384 A1	11/2019	Sereshki et al.
2019/0228581 A1	7/2019	Dascola et al.	2019/0361729 A1	11/2019	Gruber et al.
2019/0230215 A1	7/2019	Zhu et al.	2019/0361978 A1	11/2019	Ray et al.
2019/0230426 A1	7/2019	Chun	2019/0362252 A1	11/2019	Miller et al.
2019/0235887 A1	8/2019	Hemaraj et al.	2019/0362557 A1	11/2019	Lacey et al.
2019/0236130 A1	8/2019	Li et al.	2019/0369748 A1	12/2019	Hindi et al.
2019/0236459 A1	8/2019	Cheyre et al.	2019/0369842 A1	12/2019	Dolbakian et al.
2019/0237061 A1	8/2019	Rusak et al.	2019/0369868 A1	12/2019	Jin et al.
2019/0243902 A1	8/2019	Saeki et al.	2019/0370292 A1	12/2019	Irani et al.
2019/0244604 A1	8/2019	Masataki et al.	2019/0370323 A1	12/2019	Davidson et al.
2019/0244618 A1	8/2019	Newendorp et al.	2019/0370443 A1	12/2019	Lesso
2019/0244619 A1	8/2019	Kwon et al.	2019/0371315 A1	12/2019	Newendorp et al.
2019/0251167 A1	8/2019	Subbaraya et al.	2019/0371316 A1	12/2019	Weinstein et al.
2019/0251339 A1	8/2019	Hawker	2019/0371317 A1	12/2019	Irani et al.
2019/0251960 A1	8/2019	Maker et al.	2019/0371331 A1	12/2019	Schramm et al.
2019/0251972 A1	8/2019	Li	2019/0372902 A1	12/2019	Piersol
2019/0258852 A1	8/2019	Shimauchi et al.	2019/0373102 A1	12/2019	Weinstein et al.
2019/0259386 A1	8/2019	Kudurshian et al.	2019/0377425 A1	12/2019	Ryu et al.
2019/0260836 A1	8/2019	Zahl et al.	2019/0377955 A1	12/2019	Swaminathan et al.
			2019/0378493 A1	12/2019	Kim et al.
			2019/0385043 A1	12/2019	Choudhary et al.
			2019/0385418 A1	12/2019	Mixter et al.
			2019/0387352 A1	12/2019	Jot et al.

(56)

References Cited**U.S. PATENT DOCUMENTS**

2019/0391726	A1	12/2019	Iskandar et al.	2020/0160838	A1	5/2020	Lee
2019/0394547	A1	12/2019	Lemons et al.	2020/0168120	A1	5/2020	Bravo
2020/0005779	A1	1/2020	Liao et al.	2020/0168220	A1	5/2020	Magielse et al.
2020/0012718	A1	1/2020	Kung et al.	2020/0169637	A1	5/2020	Sanghavi et al.
2020/0019609	A1	1/2020	Yu et al.	2020/0175566	A1	6/2020	Bender et al.
2020/0020326	A1	1/2020	Srinivasan et al.	2020/0175961	A1	6/2020	Thomson et al.
2020/0027455	A1	1/2020	Sugiyama et al.	2020/0175975	A1	6/2020	Kong et al.
2020/0034421	A1	1/2020	Ferrucci et al.	2020/0176004	A1	6/2020	Kleijn et al.
2020/0035224	A1	1/2020	Ward et al.	2020/0176018	A1	6/2020	Feinauer et al.
2020/0042334	A1	2/2020	Radebaugh et al.	2020/0184057	A1	6/2020	Mukund
2020/0043467	A1	2/2020	Qian et al.	2020/0184964	A1	6/2020	Myers et al.
2020/0043471	A1	2/2020	Ma et al.	2020/0184966	A1	6/2020	Yavagal
2020/0043482	A1	2/2020	Gruber et al.	2020/0193997	A1	6/2020	Piernot et al.
2020/0043485	A1	2/2020	Tonetti et al.	2020/0194000	A1	6/2020	Xian et al.
2020/0043489	A1	2/2020	Bradley et al.	2020/0210142	A1	7/2020	Mu et al.
2020/0044485	A1	2/2020	Smith et al.	2020/0211546	A1	7/2020	Schairer et al.
2020/0045164	A1	2/2020	Kwatra et al.	2020/0211566	A1	7/2020	Kang et al.
2020/0051554	A1	2/2020	Kim et al.	2020/0218074	A1	7/2020	Hoover et al.
2020/0051565	A1	2/2020	Singh	2020/0218780	A1	7/2020	Jun et al.
2020/0051583	A1	2/2020	Wu et al.	2020/0218805	A1	7/2020	Liu et al.
2020/0053218	A1	2/2020	Gray	2020/0219501	A1	7/2020	Cartwright et al.
2020/0058299	A1	2/2020	Lee et al.	2020/0219517	A1	7/2020	Wang et al.
2020/0065601	A1	2/2020	Andreassen	2020/0220914	A1	7/2020	Carrigan et al.
2020/0066236	A1	2/2020	Giusti et al.	2020/0221155	A1	7/2020	Hansen et al.
2020/0073629	A1	3/2020	Lee et al.	2020/0226481	A1	7/2020	Sim et al.
2020/0074993	A1	3/2020	Lee et al.	2020/0226554	A1	7/2020	Luna
2020/0075018	A1	3/2020	Chen	2020/0226823	A1	7/2020	Stachniak et al.
2020/0075040	A1	3/2020	Provost et al.	2020/0227034	A1	7/2020	Summa et al.
2020/0076538	A1	3/2020	Soultan et al.	2020/0227044	A1	7/2020	Lindahl
2020/0076939	A1	3/2020	Lambourne et al.	2020/0228774	A1	7/2020	Kar et al.
2020/0081615	A1	3/2020	Yi et al.	2020/0243069	A1	7/2020	Amores et al.
2020/0082807	A1	3/2020	Kim et al.	2020/0243094	A1	7/2020	Thomson et al.
2020/0084572	A1	3/2020	Jadav et al.	2020/0249985	A1	8/2020	Zeitlin
2020/0090393	A1	3/2020	Shin et al.	2020/0251111	A1	8/2020	Temkin et al.
2020/0090653	A1	3/2020	Luo	2020/0252508	A1	8/2020	Gray
2020/0090658	A1	3/2020	Shin et al.	2020/0258508	A1	8/2020	Aggarwal et al.
2020/0091958	A1	3/2020	Curtis et al.	2020/0258512	A1	8/2020	Smith et al.
2020/0092625	A1	3/2020	Raffle	2020/0258513	A1	8/2020	Smith et al.
2020/0098346	A1	3/2020	Kemmerer et al.	2020/0259951	A1	8/2020	Arshad
2020/0098352	A1	3/2020	Feinstein et al.	2020/0264741	A1	8/2020	Kreiner et al.
2020/0098362	A1	3/2020	Piernot et al.	2020/0267222	A1	8/2020	Phipps et al.
2020/0098368	A1	3/2020	Lemay et al.	2020/0267427	A1	8/2020	Rogers et al.
2020/0103963	A1	4/2020	Kelly et al.	2020/0267503	A1	8/2020	Watkins et al.
2020/0104357	A1	4/2020	Bellegarda et al.	2020/0272485	A1	8/2020	Karashchuk et al.
2020/0104362	A1	4/2020	Yang et al.	2020/0273448	A1	8/2020	Min et al.
2020/0104369	A1	4/2020	Bellegarda	2020/0275216	A1	8/2020	McKinney et al.
2020/0104668	A1	4/2020	Sanghavi et al.	2020/0279556	A1	9/2020	Gruber et al.
2020/0105260	A1	4/2020	Piernot et al.	2020/0279576	A1	9/2020	Binder et al.
2020/0112454	A1	4/2020	Brown et al.	2020/0279627	A1	9/2020	Nida et al.
2020/0117717	A1	4/2020	Ramamurti et al.	2020/0285327	A1	9/2020	Hindi et al.
2020/0118566	A1	4/2020	Zhou	2020/0286472	A1	9/2020	Newendorp et al.
2020/0118568	A1	4/2020	Kudurshian et al.	2020/0286493	A1	9/2020	Orr et al.
2020/0125820	A1	4/2020	Kim et al.	2020/0294487	A1	9/2020	Donohoe et al.
2020/0126547	A1	4/2020	Truong et al.	2020/0294494	A1	9/2020	Suyama et al.
2020/0127988	A1	4/2020	Bradley et al.	2020/0294508	A1	9/2020	Kwasiborski et al.
2020/0134316	A1	4/2020	Krishnamurthy et al.	2020/0298394	A1	9/2020	Han et al.
2020/0135180	A1	4/2020	Mukherjee et al.	2020/0301950	A1	9/2020	Theo et al.
2020/0135209	A1	4/2020	Delfarah et al.	2020/0302112	A1	9/2020	Helmbro et al.
2020/0135212	A1	4/2020	Cho et al.	2020/0302356	A1	9/2020	Gruber et al.
2020/0135213	A1	4/2020	Kim et al.	2020/0302919	A1	9/2020	Greborio et al.
2020/0135226	A1	4/2020	Mittal et al.	2020/0302925	A1	9/2020	Shah et al.
2020/0137230	A1	4/2020	Spohrer	2020/0302930	A1	9/2020	Chen et al.
2020/0142505	A1	5/2020	Choi et al.	2020/0302932	A1	9/2020	Schramm et al.
2020/0142554	A1	5/2020	Lin et al.	2020/0304955	A1	9/2020	Gross et al.
2020/0143330	A1	5/2020	Perumalla et al.	2020/0304972	A1	9/2020	Gross et al.
2020/0143812	A1	5/2020	Walker, II et al.	2020/0305084	A1	9/2020	Freeman et al.
2020/0143819	A1	5/2020	Delcroix et al.	2020/0310513	A1	10/2020	Nicholson et al.
2020/0152186	A1	5/2020	Koh et al.	2020/0312315	A1	10/2020	Li et al.
2020/0152187	A1	5/2020	Kline et al.	2020/0312317	A1	10/2020	Kothari et al.
2020/0159579	A1	5/2020	Shear et al.	2020/0314191	A1	10/2020	Madhavan et al.
2020/0159609	A1	5/2020	Korotaev et al.	2020/0314565	A1	10/2020	Sigwanz et al.
2020/0159651	A1	5/2020	Myers	2020/0319850	A1	10/2020	Stasior et al.
2020/0159801	A1	5/2020	Sekine	2020/0320592	A1	10/2020	Soule et al.
2020/0159838	A1	5/2020	Kikin-Gil et al.	2020/0320988	A1	10/2020	Rastogi et al.
2020/0160179	A1	5/2020	Chien et al.	2020/0322571	A1	10/2020	Awai
				2020/0327895	A1	10/2020	Gruber et al.
				2020/0333875	A1	10/2020	Bansal et al.
				2020/0334068	A1	10/2020	Krishnamurthy et al.
				2020/0334492	A1	10/2020	Zheng et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2020/0334524	A1	10/2020	Sprague et al.	2021/0082400	A1	3/2021	Vishnoi et al.
2020/0335121	A1	10/2020	Mosseri et al.	2021/0082420	A1	3/2021	Kraljic et al.
2020/0335128	A1	10/2020	Sheeder et al.	2021/0089124	A1	3/2021	Manjunath et al.
2020/0341546	A1	10/2020	Yuan et al.	2021/0089724	A1	3/2021	Luong et al.
2020/0342082	A1	10/2020	Sapozhnykov et al.	2021/0090314	A1	3/2021	Hussen et al.
2020/0342182	A1	10/2020	Premkumar et al.	2021/0090575	A1	3/2021	Mahmood et al.
2020/0342849	A1	10/2020	Yu et al.	2021/0092128	A1	3/2021	Leblang
2020/0342858	A1	10/2020	Gupta et al.	2021/0097134	A1	4/2021	Livshits et al.
2020/0342862	A1	10/2020	Gao et al.	2021/0097315	A1	4/2021	Carruthers et al.
2020/0342863	A1	10/2020	Aggarwal et al.	2021/0097776	A1	4/2021	Faulkner et al.
2020/0348813	A1	11/2020	Sharifi et al.	2021/0097998	A1	4/2021	Kim et al.
2020/0349415	A1	11/2020	Raju	2021/0099317	A1	4/2021	Hilleli et al.
2020/0349966	A1	11/2020	Konzelmann et al.	2021/0104232	A1	4/2021	Lee et al.
2020/0356243	A1	11/2020	Meyer et al.	2021/0104236	A1	4/2021	Doggett et al.
2020/0356585	A1	11/2020	Tomkins et al.	2021/0105528	A1	4/2021	Van Os et al.
2020/0356589	A1	11/2020	Rekik et al.	2021/0110106	A1	4/2021	Vescovi et al.
2020/0356610	A1	11/2020	Coimbra et al.	2021/0110115	A1	4/2021	Moritz et al.
2020/0356634	A1	11/2020	Srinivasan et al.	2021/0110254	A1	4/2021	Duy et al.
2020/0357387	A1	11/2020	Prabhavalkar et al.	2021/0117214	A1	4/2021	Presant et al.
2020/0357391	A1	11/2020	Ghoshal et al.	2021/0117479	A1	4/2021	Liu et al.
2020/0357406	A1	11/2020	York et al.	2021/0124417	A1	4/2021	Ma
2020/0357409	A1	11/2020	Sun et al.	2021/0124597	A1	4/2021	Ramakrishnan et al.
2020/0364411	A1	11/2020	Evermann	2021/0125602	A1	4/2021	Hakata et al.
2020/0364858	A1	11/2020	Kaethner et al.	2021/0127031	A1	4/2021	Kanemoto
2020/0365134	A1	11/2020	Tu et al.	2021/0127220	A1	4/2021	Mathieu et al.
2020/0365155	A1	11/2020	Milden	2021/0134318	A1	5/2021	Harvey et al.
2020/0367006	A1	11/2020	Beckhardt	2021/0141839	A1	5/2021	Tang et al.
2020/0372633	A1	11/2020	Lee et al.	2021/0142782	A1	5/2021	Wolf et al.
2020/0372719	A1	11/2020	Andjelic et al.	2021/0143987	A1	5/2021	Xu et al.
2020/0372904	A1	11/2020	Vescovi et al.	2021/0144251	A1	5/2021	Chen
2020/0372905	A1	11/2020	Wang et al.	2021/0149629	A1	5/2021	Martel et al.
2020/0374243	A1	11/2020	Jina et al.	2021/0149996	A1	5/2021	Bellegarda
2020/0379610	A1	12/2020	Ford et al.	2021/0150151	A1	5/2021	Jiaming et al.
2020/0379640	A1	12/2020	Bellegarda et al.	2021/0151041	A1	5/2021	Gruber et al.
2020/0379726	A1	12/2020	Blatz et al.	2021/0151053	A1	5/2021	Takahashi et al.
2020/0379727	A1	12/2020	Blatz et al.	2021/0151070	A1	5/2021	Binder et al.
2020/0379728	A1	12/2020	Gada et al.	2021/0152684	A1	5/2021	Weinstein et al.
2020/0380053	A1	12/2020	Boukari	2021/0158814	A1	5/2021	Hussain et al.
2020/0380389	A1	12/2020	Eldeeb et al.	2021/0165826	A1	6/2021	Graham et al.
2020/0380956	A1	12/2020	Rossi et al.	2021/0173555	A1	6/2021	Raja et al.
2020/0380963	A1	12/2020	Chappidi et al.	2021/0174020	A1	6/2021	Sohn et al.
2020/0380966	A1	12/2020	Acerio et al.	2021/0174022	A1	6/2021	Ishikawa et al.
2020/0380973	A1	12/2020	Novitschenko et al.	2021/0174403	A1	6/2021	Bellini et al.
2020/0380974	A1	12/2020	Gallagher et al.	2021/0176521	A1	6/2021	Matthews
2020/0380980	A1	12/2020	Shum et al.	2021/0182324	A1	6/2021	Raju
2020/0380984	A1	12/2020	Venkatraman et al.	2021/0182716	A1	6/2021	Muramoto et al.
2020/0380985	A1	12/2020	Gada et al.	2021/0191603	A1	6/2021	Napolitano et al.
2020/0382568	A1	12/2020	Krochmal et al.	2021/0191968	A1	6/2021	Orr et al.
2020/0382616	A1	12/2020	Vaishampayan et al.	2021/0208752	A1	7/2021	Hwang
2020/0382635	A1	12/2020	Vora et al.	2021/0208841	A1	7/2021	Wilberding
2020/0394436	A1	12/2020	Rakshit et al.	2021/0209304	A1	7/2021	Yang et al.
2020/0411002	A1	12/2020	Lee et al.	2021/0210089	A1	7/2021	Ma et al.
2021/0006943	A1	1/2021	Gross et al.	2021/0210100	A1	7/2021	Wang et al.
2021/0011557	A1	1/2021	Lemay et al.	2021/0216134	A1	7/2021	Fukunaga et al.
2021/0012113	A1	1/2021	Petill et al.	2021/0216760	A1	7/2021	Dominic et al.
2021/0012775	A1	1/2021	Kang et al.	2021/0224032	A1	7/2021	Ryan et al.
2021/0012776	A1	1/2021	Peterson et al.	2021/0224474	A1	7/2021	Jerome et al.
2021/0026896	A1	1/2021	Easton et al.	2021/0233532	A1	7/2021	Aram et al.
2021/0027785	A1	1/2021	Kahan et al.	2021/0241099	A1	8/2021	Li et al.
2021/0035429	A1	2/2021	Daoura et al.	2021/0241468	A1	8/2021	Zhang
2021/0035556	A1	2/2021	Shen et al.	2021/0247959	A1	8/2021	Agarwal et al.
2021/0035567	A1	2/2021	Newendorp et al.	2021/0248804	A1	8/2021	Abdelaziz et al.
2021/0043190	A1	2/2021	Wang et al.	2021/0249009	A1	8/2021	Manjunath et al.
2021/0044870	A1	2/2021	Li et al.	2021/0256031	A1	8/2021	Krogh et al.
2021/0049237	A1	2/2021	Demme et al.	2021/0256980	A1	8/2021	George-Svahn et al.
2021/0065698	A1	3/2021	Topcu et al.	2021/0258554	A1	8/2021	Bruls et al.
2021/0067470	A1	3/2021	Freed et al.	2021/0258881	A1	8/2021	Freeman et al.
2021/0067631	A1	3/2021	Van Os et al.	2021/0264913	A1	8/2021	Schramm et al.
2021/0072953	A1	3/2021	Amarilio et al.	2021/0264916	A1	8/2021	Kim et al.
2021/0073254	A1	3/2021	Ghafourifar et al.	2021/0266725	A1	8/2021	Gray
2021/0073293	A1	3/2021	Fenton et al.	2021/0271333	A1	9/2021	Hindi et al.
2021/0073713	A1	3/2021	Balasubramanian et al.	2021/0273894	A1	9/2021	Tian et al.
2021/0074264	A1	3/2021	Liang et al.	2021/0278956	A1	9/2021	Dolbakian et al.
2021/0074295	A1	3/2021	Moreno et al.	2021/0279548	A1	9/2021	Adan et al.
2021/0081749	A1	3/2021	Claire	2021/0280180	A1	9/2021	Skobeltsyn et al.
				2021/0281965	A1	9/2021	Malik et al.
				2021/0287080	A1	9/2021	Moloney
				2021/0294569	A1	9/2021	Piersol et al.
				2021/0294571	A1	9/2021	Carson et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2021/0295602	A1	9/2021	Scapel et al.	2022/0093095	A1	3/2022	Dighe et al.
2021/0303116	A1	9/2021	Barlow	2022/0093098	A1	3/2022	Samal et al.
2021/0303342	A1	9/2021	Dunn et al.	2022/0093101	A1	3/2022	Krishnan et al.
2021/0303798	A1	9/2021	Duong et al.	2022/0093109	A1	3/2022	Orr et al.
2021/0304075	A1	9/2021	Duong et al.	2022/0093110	A1	3/2022	Kim et al.
2021/0306812	A1	9/2021	Gross et al.	2022/0094765	A1	3/2022	Niewczas
2021/0312138	A1	10/2021	Kaplan	2022/0100772	A1	3/2022	Raghura et al.
2021/0312917	A1	10/2021	Weksler et al.	2022/0100789	A1	3/2022	Kumar et al.
2021/0312930	A1	10/2021	Sugaya	2022/0103491	A1	3/2022	Yang et al.
2021/0312931	A1	10/2021	Paulik et al.	2022/0107780	A1	4/2022	Gruber et al.
2021/0313019	A1	10/2021	Pribanic et al.	2022/0108081	A1	4/2022	Dymetman et al.
2021/0314440	A1	10/2021	Matias et al.	2022/0114327	A1	4/2022	Faaborg et al.
2021/0318901	A1	10/2021	Gruber et al.	2022/0115016	A1	4/2022	Whalin
2021/0319178	A1	10/2021	Zhang	2022/0115020	A1	4/2022	Bradley et al.
2021/0327409	A1	10/2021	Naik	2022/0122615	A1	4/2022	Chen et al.
2021/0327410	A1	10/2021	Beaufays et al.	2022/0130126	A1	4/2022	Delgado et al.
2021/0334306	A1	10/2021	Bo et al.	2022/0139396	A1	5/2022	Gada et al.
2021/0334528	A1	10/2021	Bray et al.	2022/0148587	A1	5/2022	Drummie et al.
2021/0335342	A1	10/2021	Yuan et al.	2022/0155857	A1	5/2022	Lee et al.
2021/0342050	A1	11/2021	Wang	2022/0156041	A1	5/2022	Newendorp et al.
2021/0342212	A1	11/2021	Neumann	2022/0157310	A1	5/2022	Newendorp et al.
2021/0349605	A1	11/2021	Nonaka et al.	2022/0157315	A1	5/2022	Raux et al.
2021/0349608	A1	11/2021	Blatz et al.	2022/0157317	A1	5/2022	Burakov et al.
2021/0350799	A1	11/2021	Hansen et al.	2022/0180857	A1	6/2022	Aharoni et al.
2021/0350803	A1	11/2021	Hansen et al.	2022/0180866	A1	6/2022	Sharifi et al.
2021/0350810	A1	11/2021	Phipps et al.	2022/0180868	A1	6/2022	Sharifi et al.
2021/0352115	A1	11/2021	Hansen et al.	2022/0197491	A1	6/2022	Meyer et al.
2021/0357172	A1	11/2021	Sinesio et al.	2022/0198025	A1	6/2022	Gupta et al.
2021/0357179	A1	11/2021	Takeshita	2022/0206298	A1	6/2022	Goodman
2021/0358294	A1	11/2021	Parashar et al.	2022/0214743	A1	7/2022	Dascola et al.
2021/0365161	A1	11/2021	Ellis et al.	2022/0214775	A1	7/2022	Shah et al.
2021/0365174	A1	11/2021	Ellis et al.	2022/0215159	A1	7/2022	Qian et al.
2021/0365641	A1	11/2021	Zhang et al.	2022/0222437	A1	7/2022	Lauber
2021/0365863	A1	11/2021	Friske et al.	2022/0223154	A1	7/2022	Zhou et al.
2021/0366473	A1	11/2021	Maeng	2022/0229985	A1	7/2022	Bellegarda et al.
2021/0366475	A1	11/2021	Wilkosz et al.	2022/0230000	A1	7/2022	Jalaluddin et al.
2021/0366480	A1	11/2021	Lemay et al.	2022/0230653	A1	7/2022	Binder et al.
2021/0373851	A1	12/2021	Stasior et al.	2022/0253969	A1	8/2022	Kamenetskaya et al.
2021/0375275	A1	12/2021	Yoon et al.	2022/0254338	A1	8/2022	Gruber et al.
2021/0375290	A1	12/2021	Hu et al.	2022/0254339	A1	8/2022	Acero et al.
2021/0377381	A1	12/2021	Aggarwal et al.	2022/0254341	A1	8/2022	Naganna et al.
2021/0377702	A1	12/2021	Devaraj et al.	2022/0254347	A1	8/2022	Lindahl
2021/0390259	A1	12/2021	Hildick-Smith et al.	2022/0255885	A1	8/2022	Aharoni et al.
2021/0390955	A1	12/2021	Piernot et al.	2022/0261468	A1	8/2022	Lin et al.
2021/0393168	A1	12/2021	Santarelli et al.	2022/0261769	A1	8/2022	Vellanti
2021/0398187	A1	12/2021	Narayanan et al.	2022/0262354	A1	8/2022	Greborio et al.
2021/0402306	A1	12/2021	Huang	2022/0264262	A1	8/2022	Gruber et al.
2021/0406260	A1	12/2021	Sharifi et al.	2022/0277505	A1	9/2022	Baszucki et al.
2021/0407318	A1	12/2021	Pitschel et al.	2022/0284901	A1	9/2022	Novitschenko et al.
2021/0407502	A1	12/2021	Vescovi et al.	2022/0291792	A1	9/2022	Alston
2022/0004825	A1	1/2022	Xie et al.	2022/0291816	A1	9/2022	Fan et al.
2022/0013106	A1	1/2022	Deng et al.	2022/0292128	A1	9/2022	Sharifi et al.
2022/0019292	A1	1/2022	Lemay et al.	2022/0293124	A1	9/2022	Weinberg et al.
2022/0020367	A1	1/2022	Orkin et al.	2022/0293125	A1	9/2022	Maddika et al.
2022/0021631	A1	1/2022	Jina et al.	2022/0295170	A1	9/2022	Ito et al.
2022/0021978	A1	1/2022	Gui et al.	2022/0300094	A1	9/2022	Hindi et al.
2022/0028379	A1	1/2022	Carbune et al.	2022/0301549	A1	9/2022	Lee et al.
2022/0028387	A1	1/2022	Walker et al.	2022/0301566	A1	9/2022	Van Os et al.
2022/0030345	A1	1/2022	Gong et al.	2022/0308718	A1	9/2022	Klein et al.
2022/0035999	A1	2/2022	Pawelec	2022/0310056	A1	9/2022	Ramabhadran et al.
2022/0036270	A1	2/2022	Benyo et al.	2022/0318248	A1	10/2022	Liang et al.
2022/0040304	A1	2/2022	Kim et al.	2022/0329691	A1	10/2022	Chinthakunta et al.
2022/0043986	A1	2/2022	Nell et al.	2022/0343066	A1	10/2022	Kwong et al.
2022/0046310	A1	2/2022	Shin et al.	2022/0366889	A1	11/2022	Yerroju et al.
2022/0050661	A1	2/2022	Lange et al.	2022/0374109	A1	11/2022	Kramer et al.
2022/0050876	A1	2/2022	Kang et al.	2022/0374110	A1	11/2022	Ramaswamy et al.
2022/0067283	A1	3/2022	Bellegarda et al.	2022/0374209	A1	11/2022	Shek et al.
2022/0068274	A1	3/2022	D'Alessandro	2022/0374597	A1	11/2022	Bellegarda et al.
2022/0068278	A1	3/2022	York et al.	2022/0374727	A1	11/2022	Hansen et al.
2022/0083188	A1	3/2022	Lin	2022/0375466	A1	11/2022	Hergenrader et al.
2022/0083986	A1	3/2022	Duffy et al.	2022/0375553	A1	11/2022	Lasko et al.
2022/0084511	A1	3/2022	Nickson et al.	2022/0382843	A1	12/2022	Gong et al.
2022/0092262	A1	3/2022	Ni et al.	2022/0382994	A1	12/2022	Cox et al.
2022/0093088	A1	3/2022	Sridhar et al.	2022/0383044	A1	12/2022	Bellegarda
2022/0093093	A1	3/2022	Krishnan et al.	2022/0383864	A1	12/2022	Gruber et al.
				2022/0383872	A1	12/2022	Li et al.
				2022/0391585	A1	12/2022	Bellegarda et al.
				2022/0391603	A1	12/2022	Pham et al.
				2022/0392446	A1	12/2022	Webber et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2022/0405117 A1 12/2022 Gruber et al.
 2022/0406301 A1 12/2022 Barros et al.
 2022/0406309 A1 12/2022 Piernot et al.
 2022/0408173 A1 12/2022 Gong et al.
 2023/0013615 A1 1/2023 Sanghavi et al.
 2023/0017115 A1 1/2023 Sanghavi et al.
 2023/0018457 A1 1/2023 Zeitlin
 2023/0026764 A1 1/2023 Karashchuk et al.
 2023/0029028 A1 1/2023 Aitken et al.
 2023/0035643 A1 2/2023 Binder et al.
 2023/0035941 A1 2/2023 Herman et al.
 2023/0036059 A1 2/2023 Blatz et al.
 2023/0036798 A1 2/2023 Newendorp et al.
 2023/0040703 A1 2/2023 Lemay et al.
 2023/0042224 A1 2/2023 Patel et al.
 2023/0048256 A1 2/2023 Gui et al.
 2023/0051062 A1 2/2023 Hu et al.
 2023/0057442 A1 2/2023 Stasior et al.
 2023/0058929 A1 2/2023 Lasko et al.
 2023/0066552 A1 3/2023 Van Os et al.
 2023/0070209 A1 3/2023 Srinivasan et al.
 2023/0072481 A1 3/2023 Acero et al.
 2023/0076716 A1 3/2023 Dogrusoz et al.
 2023/0081605 A1 3/2023 O'Mara et al.
 2023/0087244 A1 3/2023 Akmal et al.
 2023/0094522 A1 3/2023 Stauber et al.
 2023/0098174 A1 3/2023 Simes et al.
 2023/0104583 A1 4/2023 Bekker et al.
 2023/0111509 A1 4/2023 Kim et al.
 2023/0112859 A1 4/2023 Vilhauer et al.
 2023/0134970 A1 5/2023 Rasipuram et al.
 2023/0179704 A1 6/2023 Chinthakunta et al.
 2023/0185397 A1 6/2023 Anzures et al.
 2023/0186921 A1 6/2023 Paulik et al.
 2023/0197063 A1 6/2023 Greborio et al.
 2023/0199147 A1 6/2023 Desserrey et al.
 2023/0215435 A1 7/2023 Manjunath et al.
 2023/0216963 A1 7/2023 Van Os et al.
 2023/0236676 A1 7/2023 Hindi et al.
 2023/0236717 A1 7/2023 Meyer et al.
 2023/0245657 A1 8/2023 Liang et al.
 2023/0251881 A1 8/2023 Radebaugh et al.
 2023/0253005 A1 8/2023 Binder et al.
 2023/0254448 A1 8/2023 Binder et al.
 2023/0259550 A1 8/2023 Graham et al.
 2023/0262605 A1 8/2023 Freeman et al.
 2023/0267422 A1 8/2023 Herman et al.
 2023/0290352 A1 9/2023 York et al.
 2023/0292027 A1 9/2023 Gong et al.
 2023/0298595 A1 9/2023 Orr et al.
 2023/0306968 A1 9/2023 Liang et al.
 2023/0325157 A1 10/2023 Hurley et al.
 2023/0335132 A1 10/2023 Garcia et al.
 2023/0344537 A1 10/2023 Ingebretsen et al.
 2023/0352007 A1 11/2023 Castellani et al.
 2023/0352014 A1 11/2023 Tennant et al.
 2023/0352016 A1 11/2023 Kudurshian et al.
 2023/0352022 A1 11/2023 Mildner
 2023/0359334 A1 11/2023 Chapman et al.
 2023/0359475 A1 11/2023 Karashchuk et al.
 2023/0367458 A1 11/2023 Burgess et al.
 2023/0367777 A1 11/2023 Burgess et al.
 2023/0367795 A1 11/2023 Burgess et al.
 2023/0368783 A1 11/2023 Marchi et al.
 2023/0368787 A1 11/2023 Sumner et al.
 2023/0368788 A1 11/2023 Ma et al.
 2023/0368791 A1 11/2023 Walker et al.
 2023/0368812 A1 11/2023 Marchi et al.
 2023/0376690 A1 11/2023 Bellegarda et al.
 2023/0386460 A1 11/2023 Fish et al.
 2023/0386462 A1 11/2023 Piernot et al.
 2023/0386464 A1 11/2023 Manjunath et al.
 2023/0386469 A1 11/2023 Horton et al.
 2023/0386478 A1 11/2023 Liu et al.
 2023/0388409 A1 11/2023 Weinstein et al.

2023/0393712 A1 12/2023 Fujita et al.
 2023/0393811 A1 12/2023 Piersol et al.
 2023/0393872 A1 12/2023 Ellis et al.
 2023/0394248 A1 12/2023 Bellegarda
 2023/0395067 A1 12/2023 Perkins et al.
 2023/0401795 A1 12/2023 Streja et al.
 2023/0401798 A1 12/2023 Bigham et al.
 2023/0409174 A1 12/2023 Liang et al.
 2023/0409179 A1 12/2023 Liang et al.
 2023/0409283 A1 12/2023 Gruber et al.
 2023/0410540 A1 12/2023 Dehghan et al.
 2023/0410798 A1 12/2023 Greborio et al.
 2023/0410805 A1 12/2023 Drummie et al.
 2023/0419967 A1 12/2023 Hornberger et al.
 2024/0029734 A1 1/2024 Lemay et al.
 2024/0054996 A1 2/2024 Vescovi et al.
 2024/0055017 A1 2/2024 Maddika et al.
 2024/0064370 A1 2/2024 Van Os et al.
 2024/0075944 A1 3/2024 Sahoo
 2024/0087566 A1 3/2024 Piernot et al.
 2024/0096321 A1 3/2024 Naik et al.
 2024/0111402 A1 4/2024 Blatz et al.
 2024/0118744 A1 4/2024 Vaughan et al.
 2024/0134506 A1 4/2024 Napolitano et al.
 2024/0146776 A1 5/2024 Hansen et al.
 2024/0177424 A1 5/2024 Herman et al.
 2024/0185856 A1 6/2024 Paek et al.
 2024/0201946 A1 6/2024 Stasior et al.
 2024/0211108 A1 6/2024 Ellis et al.
 2024/0220292 A1 7/2024 Ellis et al.
 2024/0221746 A1 7/2024 Webber et al.
 2024/0233752 A1 7/2024 Weinberg et al.
 2024/0244531 A1 7/2024 Freeman et al.
 2024/0248678 A1 7/2024 Krivoruchko et al.
 2024/0265914 A1 8/2024 Perkins et al.
 2024/0265936 A1 8/2024 Binder et al.
 2024/0267453 A1 8/2024 Aggarwal et al.

FOREIGN PATENT DOCUMENTS

AU 2015101171 A4 10/2015
 AU 2015312369 A1 3/2017
 AU 2017203668 A1 1/2018
 AU 2018100187 A4 3/2018
 AU 2017222436 A1 10/2018
 CH 709795 A1 12/2015
 CN 1855041 A 11/2006
 CN 103533143 A 1/2014
 CN 103533154 A 1/2014
 CN 103543902 A 1/2014
 CN 103546453 A 1/2014
 CN 103562863 A 2/2014
 CN 103582896 A 2/2014
 CN 103593054 A 2/2014
 CN 103595869 A 2/2014
 CN 103608859 A 2/2014
 CN 103620605 A 3/2014
 CN 103645876 A 3/2014
 CN 103677261 A 3/2014
 CN 103686723 A 3/2014
 CN 103714816 A 4/2014
 CN 103716454 A 4/2014
 CN 103718568 A 4/2014
 CN 103727948 A 4/2014
 CN 103730120 A 4/2014
 CN 103744761 A 4/2014
 CN 103748531 A 4/2014
 CN 103748609 A 4/2014
 CN 103760984 A 4/2014
 CN 103761104 A 4/2014
 CN 103765385 A 4/2014
 CN 103778527 A 5/2014
 CN 103780758 A 5/2014
 CN 103782253 A 5/2014
 CN 103792985 A 5/2014
 CN 103794212 A 5/2014
 CN 103795850 A 5/2014
 CN 103795866 A 5/2014
 CN 103809548 A 5/2014

(56)	References Cited			CN	104932826	A	9/2015
	FOREIGN PATENT DOCUMENTS			CN	104951077	A	9/2015
				CN	104951458	A	9/2015
				CN	104967748	A	10/2015
CN	103841268	A	6/2014	CN	104969289	A	10/2015
CN	103858083	A	6/2014	CN	104978963	A	10/2015
CN	103870168	A	6/2014	CN	105025051	A	11/2015
CN	103885663	A	6/2014	CN	105027197	A	11/2015
CN	103902373	A	7/2014	CN	105093526	A	11/2015
CN	103930945	A	7/2014	CN	105100356	A	11/2015
CN	103942932	A	7/2014	CN	105144037	A	12/2015
CN	103943107	A	7/2014	CN	105144136	A	12/2015
CN	103956169	A	7/2014	CN	105164678	A	12/2015
CN	103959751	A	7/2014	CN	105164719	A	12/2015
CN	203721183	U	7/2014	CN	105190607	A	12/2015
CN	103971680	A	8/2014	CN	105247511	A	1/2016
CN	104007832	A	8/2014	CN	105247551	A	1/2016
CN	104011731	A	8/2014	CN	105264524	A	1/2016
CN	102693729	B	9/2014	CN	105264903	A	1/2016
CN	104036774	A	9/2014	CN	105265005	A	1/2016
CN	104038621	A	9/2014	CN	105278681	A	1/2016
CN	104050153	A	9/2014	CN	105320251	A	2/2016
CN	104090652	A	10/2014	CN	105320726	A	2/2016
CN	104092829	A	10/2014	CN	105338425	A	2/2016
CN	104094580	A	10/2014	CN	105379234	A	3/2016
CN	104113471	A	10/2014	CN	105427122	A	3/2016
CN	104125322	A	10/2014	CN	105430186	A	3/2016
CN	104144377	A	11/2014	CN	105468137	A	4/2016
CN	104145304	A	11/2014	CN	105471705	A	4/2016
CN	104169837	A	11/2014	CN	105472587	A	4/2016
CN	104180815	A	12/2014	CN	105516441	A	4/2016
CN	104185868	A	12/2014	CN	105554217	A	5/2016
CN	104219785	A	12/2014	CN	105556592	A	5/2016
CN	104240701	A	12/2014	CN	105677765	A	6/2016
CN	104243699	A	12/2014	CN	105791920	A	7/2016
CN	104281259	A	1/2015	CN	105808200	A	7/2016
CN	104281390	A	1/2015	CN	105830048	A	8/2016
CN	104284257	A	1/2015	CN	105869641	A	8/2016
CN	104284486	A	1/2015	CN	105872222	A	8/2016
CN	104335205	A	2/2015	CN	105917311	A	8/2016
CN	104335207	A	2/2015	CN	106030699	A	10/2016
CN	104335234	A	2/2015	CN	106062734	A	10/2016
CN	104350454	A	2/2015	CN	106062790	A	10/2016
CN	104360990	A	2/2015	CN	106164909	A	11/2016
CN	104374399	A	2/2015	CN	106251889	A	12/2016
CN	104376250	A	2/2015	CN	106294558	A	1/2017
CN	104378723	A	2/2015	CN	106415412	A	2/2017
CN	104423594	A	3/2015	CN	106462383	A	2/2017
CN	104423625	A	3/2015	CN	106462617	A	2/2017
CN	104423780	A	3/2015	CN	106463114	A	2/2017
CN	104427104	A	3/2015	CN	106465074	A	2/2017
CN	104463552	A	3/2015	CN	106471570	A	3/2017
CN	104464733	A	3/2015	CN	106534469	A	3/2017
CN	104487929	A	4/2015	CN	106558310	A	4/2017
CN	104516522	A	4/2015	CN	106575195	A	4/2017
CN	104520849	A	4/2015	CN	106575501	A	4/2017
CN	104573472	A	4/2015	CN	106663224	A	5/2017
CN	104575493	A	4/2015	CN	106773742	A	5/2017
CN	104575501	A	4/2015	CN	106776581	A	5/2017
CN	104575504	A	4/2015	CN	107003738	A	8/2017
CN	104584010	A	4/2015	CN	107004412	A	8/2017
CN	104584096	A	4/2015	CN	107209883	A	9/2017
CN	104584601	A	4/2015	CN	107450800	A	12/2017
CN	104604274	A	5/2015	CN	107480161	A	12/2017
CN	104662600	A	5/2015	CN	107490971	A	12/2017
CN	104679472	A	6/2015	CN	107491285	A	12/2017
CN	104685898	A	6/2015	CN	107491295	A	12/2017
CN	104699746	A	6/2015	CN	107491468	A	12/2017
CN	104731441	A	6/2015	CN	107491469	A	12/2017
CN	104769584	A	7/2015	CN	107506037	A	12/2017
CN	104769670	A	7/2015	CN	107545262	A	1/2018
CN	104798012	A	7/2015	CN	107589841	A	1/2018
CN	104820488	A	8/2015	CN	107608998	A	1/2018
CN	104821167	A	8/2015	CN	107615378	A	1/2018
CN	104821934	A	8/2015	CN	107623616	A	1/2018
CN	104836909	A	8/2015	CN	107644053	A	1/2018
CN	104854583	A	8/2015	CN	107683470	A	2/2018
CN	104867492	A	8/2015	CN	107690620	A	2/2018
CN	104869342	A	8/2015	CN	107786730	A	3/2018

(56)	References Cited			EP	3107101	A1	12/2016
	FOREIGN PATENT DOCUMENTS			EP	3115905	A1	1/2017
				EP	3125097	A2	2/2017
				EP	3132442	A1	2/2017
CN	107852436	A	3/2018	EP	2672231	B1	5/2017
CN	107871500	A	4/2018	EP	3161612	A1	5/2017
CN	107889533	A	4/2018	EP	3200185	A1	8/2017
CN	107919123	A	4/2018	EP	3201770	A1	8/2017
CN	107924313	A	4/2018	EP	3224708	A1	10/2017
CN	107978313	A	5/2018	EP	3227771	A1	10/2017
CN	108027738	A	5/2018	EP	3246916	A1	11/2017
CN	108268187	A	7/2018	EP	3270658	A1	1/2018
CN	108604449	A	9/2018	EP	3300074	A1	3/2018
CN	108647681	A	10/2018	EP	3336805	A1	6/2018
CN	109155132	A	1/2019	EP	3155500	B1	7/2018
CN	109447234	A	3/2019	EP	2973380	B1	8/2018
CN	109657629	A	4/2019	EP	2983065	B1	8/2018
CN	109691074	A	4/2019	EP	3382530	A1	10/2018
CN	110135411	A	8/2019	EP	3389045	A1	10/2018
CN	110263144	A	9/2019	EP	3392876	A1	10/2018
CN	105164719	B	11/2019	EP	3401773	A1	11/2018
CN	110446000	A	11/2019	EP	3485392	A1	5/2019
CN	110531860	A	12/2019	EP	2973002	B1	6/2019
CN	110554761	A	12/2019	EP	3506151	A1	7/2019
CN	110598671	A	12/2019	EP	3550483	A1	10/2019
CN	110647274	A	1/2020	EP	3567584	A1	11/2019
CN	110825469	A	2/2020	EP	3588912	A1	1/2020
CN	110945840	A	3/2020	EP	3323058	B1	2/2020
CN	111124224	A	5/2020	EP	3321928	B1	4/2020
CN	107123417	B	6/2020	EP	3646205	A1	5/2020
CN	111316203	A	6/2020	EP	3674922	A1	7/2020
CN	111722716	A	9/2020	EP	3913475	A1	11/2021
CN	111934959	A	11/2020	EP	3971688	A1	3/2022
CN	112204507	A	1/2021	EP	4131256	A1	2/2023
DE	202016008226	U1	5/2017	EP	4281855	A1	11/2023
DK	179570	B1	2/2019	IN	201917007360	A	5/2019
DK	180129	B1	6/2020	JP	2014-2586	A	1/2014
EP	2680257	A1	1/2014	JP	2014-10688	A	1/2014
EP	2683147	A1	1/2014	JP	2014-500558	A	1/2014
EP	2683175	A1	1/2014	JP	2014-502445	A	1/2014
EP	2672231	A3	4/2014	JP	2014-26629	A	2/2014
EP	2717259	A2	4/2014	JP	2014-45449	A	3/2014
EP	2725577	A2	4/2014	JP	2014-507903	A	3/2014
EP	2733598	A2	5/2014	JP	2014-60600	A	4/2014
EP	2733896	A1	5/2014	JP	2014-72586	A	4/2014
EP	2741175	A2	6/2014	JP	2014-77969	A	5/2014
EP	2741190	A2	6/2014	JP	2014-89711	A	5/2014
EP	2743846	A2	6/2014	JP	2014-109889	A	6/2014
EP	2752847	A1	7/2014	JP	2014-513835	A	6/2014
EP	2760015	A1	7/2014	JP	2014-124332	A	7/2014
EP	2779160	A1	9/2014	JP	2014-126600	A	7/2014
EP	2781883	A2	9/2014	JP	2014-127754	A	7/2014
EP	2787683	A1	10/2014	JP	2014-140121	A	7/2014
EP	2801890	A1	11/2014	JP	2014-518409	A	7/2014
EP	2801972	A1	11/2014	JP	2014-142566	A	8/2014
EP	2801974	A2	11/2014	JP	2014-145842	A	8/2014
EP	2824564	A1	1/2015	JP	2014-146940	A	8/2014
EP	2849177	A1	3/2015	JP	2014-150323	A	8/2014
EP	2879402	A1	6/2015	JP	2014-157323	A	8/2014
EP	2881898	A1	6/2015	JP	2014-519648	A	8/2014
EP	2881939	A1	6/2015	JP	2014-182042	A	9/2014
EP	2891049	A1	7/2015	JP	2014-524627	A	9/2014
EP	2915021	A2	9/2015	JP	2014-191272	A	10/2014
EP	2930715	A1	10/2015	JP	2014-219614	A	11/2014
EP	2938022	A1	10/2015	JP	2014-222514	A	11/2014
EP	2940556	A1	11/2015	JP	2014-235582	A	12/2014
EP	2947859	A1	11/2015	JP	2015-1931	A	1/2015
EP	2950307	A1	12/2015	JP	2015-4928	A	1/2015
EP	2957986	A1	12/2015	JP	2015-8001	A	1/2015
EP	2973380	A2	1/2016	JP	2015-10979	A	1/2015
EP	2985984	A2	2/2016	JP	2015-12301	A	1/2015
EP	2988513	A1	2/2016	JP	2015-18365	A	1/2015
EP	2891049	A4	3/2016	JP	2015-501022	A	1/2015
EP	2996359	A1	3/2016	JP	2015-501034	A	1/2015
EP	3032532	A1	6/2016	JP	2015-504619	A	2/2015
EP	3035329	A1	6/2016	JP	2015-41845	A	3/2015
EP	3036594	A2	6/2016	JP	2015-52500	A	3/2015
EP	3038333	A1	6/2016	JP	2015-60423	A	3/2015
EP	3076267	A1	10/2016	JP	2015-81971	A	4/2015

(56)	References Cited			KR	10-2016-0065503	A	6/2016
	FOREIGN PATENT DOCUMENTS			KR	10-2016-0101079	A	8/2016
				KR	10-2016-0101198	A	8/2016
				KR	10-2016-0105847	A	9/2016
JP	2015-83938	A	4/2015	KR	10-2016-0121585	A	10/2016
JP	2015-87979	A	5/2015	KR	10-2016-0127165	A	11/2016
JP	2015-94848	A	5/2015	KR	10-2016-0140694	A	12/2016
JP	2015-514254	A	5/2015	KR	10-2016-0147854	A	12/2016
JP	2015-519675	A	7/2015	KR	10-2017-0004482	A	1/2017
JP	2015-520409	A	7/2015	KR	10-2017-0006592	A	1/2017
JP	2015-524974	A	8/2015	KR	10-2017-0036805	A	4/2017
JP	2015-526776	A	9/2015	KR	10-2017-0096774	A	8/2017
JP	2015-527683	A	9/2015	KR	10-2017-0104006	A	9/2017
JP	2015-528140	A	9/2015	KR	10-2017-0107058	A	9/2017
JP	2015-185023	A	10/2015	KR	10-1776673	B1	9/2017
JP	2015-528918	A	10/2015	KR	10-2018-0032632	A	3/2018
JP	2015-531909	A	11/2015	KR	10-2018-0034637	A	4/2018
JP	2016-504651	A	2/2016	KR	10-2018-0122837	A	11/2018
JP	2016-35614	A	3/2016	KR	10-2018-0133525	A	12/2018
JP	2016-508007	A	3/2016	KR	10-2018-0135877	A	12/2018
JP	2016-71247	A	5/2016	KR	10-1959328	B1	3/2019
JP	2016-119615	A	6/2016	KR	10-2020-0007926	A	1/2020
JP	2016-151928	A	8/2016	KR	10-2020-0105519	A	9/2020
JP	2016-524193	A	8/2016	RU	2012141604	A	4/2014
JP	2016-156845	A	9/2016	TW	201407184	A	2/2014
JP	2016-536648	A	11/2016	TW	201610982	A	3/2016
JP	2017-11608	A	1/2017	TW	201629750	A	8/2016
JP	2017-19331	A	1/2017	WO	2011/088053	A2	7/2011
JP	2017-516153	A	6/2017	WO	2012/092562	A1	7/2012
JP	2017-123187	A	7/2017	WO	2012/145227	A1	10/2012
JP	2017-211608	A	11/2017	WO	2012/167168	A2	12/2012
JP	2017-537361	A	12/2017	WO	2012/173902	A2	12/2012
JP	2018-14086	A	1/2018	WO	2013/048880	A1	4/2013
JP	6291147	B1	2/2018	WO	2013/057153	A1	4/2013
JP	2018-60550	A	4/2018	WO	2013/122310	A1	8/2013
JP	2018-64297	A	4/2018	WO	2013/173504	A1	11/2013
JP	2018-511095	A	4/2018	WO	2014/003138	A1	1/2014
JP	2018-101242	A	6/2018	WO	2014/004544	A2	1/2014
JP	2018-113035	A	7/2018	WO	2014/004584	A2	1/2014
JP	2018-523102	A	8/2018	WO	2014/008461	A1	1/2014
JP	2018-525653	A	9/2018	WO	2014/018580	A1	1/2014
JP	2018-525950	A	9/2018	WO	2014/021967	A1	2/2014
JP	2018-536889	A	12/2018	WO	2014/022148	A1	2/2014
JP	2019-204517	A	11/2019	WO	2014/028735	A2	2/2014
KR	10-2014-0007282	A	1/2014	WO	2014/028797	A1	2/2014
KR	10-2014-0024271	A	2/2014	WO	2014/031505	A1	2/2014
KR	10-2014-0025996	A	3/2014	WO	2014/032461	A1	3/2014
KR	10-2014-0031283	A	3/2014	WO	2014/040022	A2	3/2014
KR	10-2014-0033574	A	3/2014	WO	2014/046475	A1	3/2014
KR	10-2014-0042994	A	4/2014	WO	2014/047047	A1	3/2014
KR	10-2014-0048779	A	4/2014	WO	2014/048855	A1	4/2014
KR	10-2014-0055204	A	5/2014	WO	2014/066352	A1	5/2014
KR	10-2014-0059697	A	5/2014	WO	2014/070872	A2	5/2014
KR	10-2014-0068752	A	6/2014	WO	2014/073825	A1	5/2014
KR	10-2014-0071208	A	6/2014	WO	2014/078965	A1	5/2014
KR	10-2014-0088449	A	7/2014	WO	2014/093339	A1	6/2014
KR	10-2014-0093949	A	7/2014	WO	2014/093911	A2	6/2014
KR	10-2014-0106715	A	9/2014	WO	2014/096506	A1	6/2014
KR	10-2014-0107253	A	9/2014	WO	2014/124332	A2	8/2014
KR	10-2014-0147557	A	12/2014	WO	2014/137074	A1	9/2014
KR	10-2015-0006454	A	1/2015	WO	2014/138604	A1	9/2014
KR	10-2015-0013631	A	2/2015	WO	2014/143959	A2	9/2014
KR	10-2015-0025059	A	3/2015	WO	2014/144395	A2	9/2014
KR	10-1506510	B1	3/2015	WO	2014/144579	A1	9/2014
KR	10-2015-0038375	A	4/2015	WO	2014/144949	A2	9/2014
KR	10-2015-0039380	A	4/2015	WO	2014/149473	A1	9/2014
KR	10-2015-0041974	A	4/2015	WO	2014/151153	A2	9/2014
KR	10-2015-0043512	A	4/2015	WO	2014/124332	A3	10/2014
KR	10-1510013	B1	4/2015	WO	2014/159578	A1	10/2014
KR	10-2015-0062811	A	6/2015	WO	2014/159581	A1	10/2014
KR	10-2015-0095624	A	8/2015	WO	2014/162570	A1	10/2014
KR	10-1555742	B1	9/2015	WO	2014/169269	A1	10/2014
KR	10-2015-0113127	A	10/2015	WO	2014/173189	A1	10/2014
KR	10-2015-0131262	A	11/2015	WO	2014/144949	A3	11/2014
KR	10-2015-0138109	A	12/2015	WO	2014/190297	A1	11/2014
KR	10-2016-0004351	A	1/2016	WO	2013/173504	A8	12/2014
KR	10-2016-0010523	A	1/2016	WO	2014/193161	A1	12/2014
KR	10-2016-0040279	A	4/2016	WO	2014/197336	A1	12/2014
KR	10-2016-0055839	A	5/2016	WO	2014/197339	A1	12/2014

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO 2014/197635 A2 12/2014
 WO 2014/197730 A1 12/2014
 WO 2014/200728 A1 12/2014
 WO 2014/200731 A1 12/2014
 WO 2014/203495 A1 12/2014
 WO 2014/204659 A2 12/2014
 WO 2014/209264 A1 12/2014
 WO 2014/210392 A2 12/2014
 WO 2015/001850 A1 1/2015
 WO 2015/018440 A1 2/2015
 WO 2015/020942 A1 2/2015
 WO 2015/029379 A1 3/2015
 WO 2015/030796 A1 3/2015
 WO 2015/036817 A1 3/2015
 WO 2015/041882 A1 3/2015
 WO 2015/041892 A1 3/2015
 WO 2015/047932 A1 4/2015
 WO 2015/053485 A1 4/2015
 WO 2015/054141 A1 4/2015
 WO 2015/080530 A1 6/2015
 WO 2015/084659 A1 6/2015
 WO 2015/085542 A1 6/2015
 WO 2015/092943 A1 6/2015
 WO 2015/094169 A1 6/2015
 WO 2015/094369 A1 6/2015
 WO 2015/098306 A1 7/2015
 WO 2015/099939 A1 7/2015
 WO 2015/112625 A1 7/2015
 WO 2015/116151 A1 8/2015
 WO 2015/121449 A1 8/2015
 WO 2015/127404 A1 8/2015
 WO 2015/151133 A1 10/2015
 WO 2015/153310 A1 10/2015
 WO 2015/157013 A1 10/2015
 WO 2015/183368 A1 12/2015
 WO 2015/183401 A1 12/2015
 WO 2015/183547 A1 12/2015
 WO 2015/183699 A1 12/2015
 WO 2015/184186 A1 12/2015
 WO 2015/184387 A1 12/2015
 WO 2015/200207 A1 12/2015
 WO 2016/004074 A1 1/2016
 WO 2016/027933 A1 2/2016
 WO 2016/028946 A1 2/2016
 WO 2016/033257 A1 3/2016
 WO 2016/039992 A1 3/2016
 WO 2016/040721 A1 3/2016
 WO 2016/045192 A1 3/2016
 WO 2016/048789 A1 3/2016
 WO 2016/049439 A1 3/2016
 WO 2016/051519 A1 4/2016
 WO 2016/052164 A1 4/2016
 WO 2016/054230 A1 4/2016
 WO 2016/057268 A1 4/2016
 WO 2016/075081 A1 5/2016
 WO 2016/085775 A2 6/2016
 WO 2016/085776 A1 6/2016
 WO 2016/089029 A1 6/2016
 WO 2016/089638 A1 6/2016
 WO 2016/100139 A1 6/2016
 WO 2016/111881 A1 7/2016
 WO 2016/118344 A1 7/2016
 WO 2016/144840 A1 9/2016
 WO 2016/144982 A1 9/2016
 WO 2016/144983 A1 9/2016
 WO 2016/175354 A1 11/2016
 WO 2016/187149 A1 11/2016
 WO 2016/190950 A1 12/2016
 WO 2016/191737 A2 12/2016
 WO 2016/209444 A1 12/2016
 WO 2016/209924 A1 12/2016
 WO 2017/044160 A1 3/2017
 WO 2017/044257 A1 3/2017
 WO 2017/044260 A1 3/2017
 WO 2017/044629 A1 3/2017

WO 2017/053311 A1 3/2017
 WO 2017/058293 A1 4/2017
 WO 2017/059388 A1 4/2017
 WO 2017/071420 A1 5/2017
 WO 2017/078792 A1 5/2017
 WO 2017/142116 A1 8/2017
 WO 2017/160487 A1 9/2017
 WO 2017/200777 A1 11/2017
 WO 2017/203484 A1 11/2017
 WO 2017/210035 A1 12/2017
 WO 2017/213678 A1 12/2017
 WO 2017/213681 A1 12/2017
 WO 2017/213682 A1 12/2017
 WO 2017/213684 A1 12/2017
 WO 2017/218194 A1 12/2017
 WO 2018/009397 A1 1/2018
 WO 2018/014788 A1 1/2018
 WO 2018/017383 A1 1/2018
 WO 2018/034168 A1 2/2018
 WO 2018/044633 A1 3/2018
 WO 2018/055898 A1 3/2018
 WO 2018/057269 A1 3/2018
 WO 2018/067528 A1 4/2018
 WO 2018/075170 A1 4/2018
 WO 2018/081833 A1 5/2018
 WO 2018/090060 A1 5/2018
 WO 2018/093005 A1 5/2018
 WO 2018/094254 A1 5/2018
 WO 2018/176053 A1 9/2018
 WO 2018/208506 A1 11/2018
 WO 2018/209152 A1 11/2018
 WO 2018/213401 A1 11/2018
 WO 2018/213415 A1 11/2018
 WO 2018/213481 A1 11/2018
 WO 2018/217014 A1 11/2018
 WO 2018/231307 A1 12/2018
 WO 2019/067930 A1 4/2019
 WO 2019/078576 A1 4/2019
 WO 2019/079017 A1 4/2019
 WO 2019/143397 A1 7/2019
 WO 2019/147429 A1 8/2019
 WO 2019/190646 A2 10/2019
 WO 2019/212569 A1 11/2019
 WO 2019/231537 A1 12/2019
 WO 2019/231541 A1 12/2019
 WO 2019/236217 A1 12/2019
 WO 2020/010530 A1 1/2020
 WO 2020/022572 A1 1/2020
 WO 2020/040775 A1 2/2020
 WO 2020/047086 A1 3/2020
 WO 2020/068040 A1 4/2020
 WO 2020/096706 A1 5/2020
 WO 2020/109074 A1 6/2020
 WO 2020/134896 A1 7/2020
 WO 2020/208302 A1 10/2020
 WO 2020/214006 A1 10/2020
 WO 2020/222871 A1 11/2020
 WO 2021/054565 A1 3/2021
 WO 2021/061349 A1 4/2021
 WO 2021/062148 A1 4/2021
 WO 2021/076164 A1 4/2021
 WO 2021/188439 A1 9/2021
 WO 2021/252230 A1 12/2021
 WO 2022/047214 A2 3/2022
 WO 2022/093401 A1 5/2022
 WO 2022/182668 A1 9/2022
 WO 2022/232568 A1 11/2022
 WO 2023/239663 A1 12/2023

OTHER PUBLICATIONS

Bao et al., "Detecting Target Objects by Natural Language Instructions Using an RGB-D Camera", *Sensors* (Basel, Switzerland) 2016, 16(12), 2117, Dec. 13, 2016, 23 pages.
 Burghbacher et al., "Synthetic Word Gesture Generation for Stroke-Based Virtual Keyboards", *IEEE Transactions on Human-Machine Systems*, vol. 47, No. 2, Apr. 2017, 14 pages.

(56)

References Cited**OTHER PUBLICATIONS**

- Choi et al., "Evaluation of Frequency Warping Based Features and Spectro-Temporal Features for Speaker Recognition", *Speech Sounds and Phonetic Science*, Online Available at: <http://koreascience.or.kr/article/JAKO201510534323834.page>, vol. 7, No. 1, Mar. 31, 2015, pp. 3-10. (Official Copy only). {See communication under 37 CFR § 1.98(a) (3)}.
- DAXM, "How to update your Tesla with your phone app", Retrieved from the internet: <https://www.youtube.com/watch?v=8kgNGXycGKE>, Oct. 31, 2018, 8 pages.
- Ermolina et al., "Voice-Controlled Intelligent Personal Assistants in Health Care: International Delphi Study", *Journal of Medical Internet Research*, 2021, Online available at: doi: 10.2196/25312., Apr. 9, 2021, 20 pages.
- Francis, Christopher, "PTAB Broadest Reasonable Interpretation: 'in response to' Means 'subsequent to'", The B2 IP Report retrieved from: <http://web.archive.org/web/20220704055910/https://www.b2ipreport.com/claims-interpreted/ptab-broadest-reasonable-interpretation-in-response-to-means-subsequent-to/>, Jan. 27, 2017, 4 pages.
- Google Codelabs, "Extend Dynamic Shortcuts to Google Assistant with App Actions (Beta)" Available on: <https://web.archive.org/web/20220524223852/https://codelabs.developers.google.com/codelabs/appactions-dynamic-shortcuts>, May 24, 2022, 25 pages.
- Graus et al., "Analyzing and Predicting Task Reminders", *Conference on User Modeling Adaptation and Personalization*, 2016, 9 pages.
- Gu et al., "Alohomora: Motion-Based Hotword Detection in Head-Mounted Displays", *IEEE Internet of Things Journal*, vol. 7, No. 1, Jan. 2020, pp. 611-620.
- Guarese et al., "Cooking in the Dark: Exploring Spatial Audio as MR Assistive Technology for the Visually Impaired", 18th IFIP Conference on Human-Computer Interaction (Interact), Available online at: https://inria.hal.science/hal-04291191/file/520519_1_En_29_Chapter.pdf, Aug. 2021, 6 pages.
- Jun, Yu, "Research on 3D visual speech expression and emotional simulation", *China Excellence Master's Theses Full-text Database Information Technology Edition*, No. 3, Mar. 15, 2018, 78 pages (Official Copy only). {See communication under 37 CFR § 1.98(a) (3)}.
- Maharjan et al., "Alexa, What Should I Eat? A Personalized Virtual Nutrition Coach for Native American Diabetes Patients Using Amazon's Smart Speaker Technology", 2019 IEEE International Conference on E-health Networking, Application & Services (HealthCom), Online available at: <https://ieeexplore.ieee.org/document/9009613>, 2019, 6 pages.
- Matias, Yossi, "Easier access to web pages: Ask Google Assistant to read it aloud", Available online at: <https://blog.google/products/assistant/easier-access-web-pages-let-assistant-read-it-aloud/>, Mar. 4, 2020, 3 pages.
- Mehri et al., "Multi-Granularity Representations of Dialog", *Language Technologies Institute, Carnegie Mellon University*, arXiv:1908.09890v1, Aug. 26, 2019, 10 pages.
- Price et al., "Speaker Adaptation of Deep Neural Networks Using a Hierarchy of Output Layers", *SLT 2014*. Online Available at: *IEEE Explore*, 2014, pp. 153-158.
- White et al., "Task completion detection: A Study in the Context of Intelligent Systems", *Proceedings of the 42nd International ACM SIGIR Conference on Research and Development in Information Retrieval*, Jul. 21-25, 2019, pp. 405-414.
- Yeh et al., "Dialog Modeling in Audiobook Synthesis", Retrieved on Sep. 27, 2023, 6 pages.
- Zhou et al., "Using Paralinguistic Information to Disambiguate User Intentions for Distinguishing Phrase Structure and Sarcasm in Spoken Dialog Systems", *IEEE Spoken Language Technology Workshop (SLT)*, Jan. 19, 2021, pp. 1020-1027.
- Abdelaziz et al., "Speaker-Independent Speech-Driven Visual Speech Synthesis using Domain-Adapted Acoustic Models", May 15, 2019, 9 pages.
- "Accessibility on iOS", Apple Inc., online available at: <https://developer.apple.com/accessibility/ios/>, Retrieved on Jul. 26, 2021, 2 pages.
- "Alexa, Turn Up the Heat! Smartthings Samsung [online]", Online available at: <https://web.archive.org/web/20160329142041/https://blog.smartthings.com/news/smartthingsupdates/alexa-turn-up-the-heat/>, Mar. 3, 2016, 3 pages.
- Alsharif et al., "Long Short-Term Memory Neural Network for Keyboard Gesture Decoding", *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Brisbane, Australia, Sep. 2015, 5 pages.
- Anania, Peter, "Amazon Echo with Home Automation (Smartthings)", Online available at: <https://www.youtube.com/watch?v=LMW6aXmsWNE>, Dec. 20, 2015, 1 page.
- Apple Differential Privacy Team, "Learning with Privacy at Scale", *Apple Machine Learning Blog*, vol. 1, No. 8, Online available at: <https://machinelearning.apple.com/2017/12/06/learning-with-privacy-at-scale.html>, Dec. 2017, 9 pages.
- Apple, "Apple previews innovative accessibility features combining the power of hardware, software, and machine learning", Available online at: <https://www.apple.com/newsroom/2022/05/apple-previews-innovative-accessibility-features/>, May 17, 2022, 10 pages.
- Apple, "VoiceOver for OS X", Online available at: <https://www.apple.com/accessibility/voiceover/>, May 19, 2014, pp. 1-3.
- Applicant initiated interview summary received for U.S. Appl. No. 16/039,099, mailed on Jan. 15, 2020, 4 pages.
- "Ask Alexa—Things That Are Smart Wiki", Online available at: http://thingsthataresmart.wiki/index.php?title=Ask_Alexa&oldid=4283, Jun. 8, 2016, pp. 1-31.
- Automate Your Life, "How to Setup Google Home Routines—A Google Home Routines Walkthrough", Online Available at: <https://www.youtube.com/watch?v=pXokZHP9kZg>, Aug. 12, 2018, 1 page.
- Badshah et al., "Deep Features-based Speech Emotion Recognition for Smart Affective Services", *Multimedia Tools and Applications*, Oct. 31, 2017, pp. 5571-5589.
- Bell, Jason, "Machine Learning Hands-On for Developers and Technical Professionals", Wiley, 2014, 82 pages.
- Bellegarda, Jeromer, "Chapter 1: Spoken Language Understanding for Natural Interaction: The Siri Experience", *Natural Interaction with Robots, Knowbots and Smartphones*, 2014, pp. 3-14.
- Beointegration.com, "BeoLink Gateway—Programming Example", Online Available at: <https://www.youtube.com/watch?v=TXDaJFm5UH4>, Mar. 4, 2015, 3 pages.
- Bodapati et al., "Neural Word Decomposition Models for Abusive Language Detection", *Proceedings of the Third Workshop on Abusive Language Online*, Aug. 1, 2019, pp. 135-145.
- Brief Communication Regarding Oral Proceedings received for European Patent Application No. 19725242.2, mailed on Jan. 24, 2022, 1 page.
- Burgess, Brian, "Amazon Echo Tip: Enable the Wake-Up Sound", Online available at: <https://www.groovypost.com/howto/amazon-echo-tip-enable-wake-up-sound/>, Jun. 30, 2015, 4 pages.
- Buttner et al., "The Design Space of Augmented and Virtual Reality Applications for Assistive Environments in Manufacturing: A Visual Approach", In *Proceedings of the 10th International Conference on Pervasive Technologies Related to Assistive Environments (PETRA '17)*, Island of Rhodes, Greece, online available at: <https://dl.acm.org/doi/pdf/10.1145/3056540.3076193>, Jun. 21-23, 2017, pp. 433-440.
- "Cake", Online Available at: <https://web.archive.org/web/20170808091948/https://emojipedia.org/search/?q=cake>, Aug. 8, 2017, 5 pages.
- Cambria et al., "Jumping NLP curves: A Review of Natural Language Processing Research", *IEEE Computational Intelligence magazine*, 2014, vol. 9, May 2014, pp. 48-57.
- Castellini, Rick, "How to enable and use dictation with an iPhone or iPad", Online Available at: <https://www.youtube.com/watch?v=8w133yN6rTU>, Sep. 7, 2017, 3 pages.
- Certificate of Examination received for Australian Patent Application No. 2020102402, mailed on Feb. 8, 2021, 2 pages.
- Certificate of Examination received for Australian Patent Application No. 2021101390, mailed on Aug. 30, 2021, 2 pages.

(56)

References Cited**OTHER PUBLICATIONS**

- Certificate of Examination received for Australian Patent Application No. 2021107576, mailed on Feb. 23, 2022, 2 pages.
- Chang et al., "Monaural Multi-Talker Speech Recognition with Attention Mechanism and Gated Convolutional Networks", *Interspeech* 2018, Sep. 2-6, 2018, pp. 1586-1590.
- Chen et al., "A Convolutional Neural Network with Dynamic Correlation Pooling", 13th International Conference on Computational Intelligence and Security, IEEE, 2017, pp. 496-499.
- Chen et al., "Progressive Joint Modeling in Unsupervised Single-Channel Overlapped Speech Recognition", *IEEE/ACM Transactions on Audio, Speech, And Language Processing*, vol. 26, No. 1, Jan. 2018, pp. 184-196.
- Chen, Angela, "Amazon's Alexa now handles patient health information", Available online at: <<https://www.theverge.com/2019/4/4/18295260/amazon-hipaa-alexa-echo-patient-health-information-privacy-voice-assistant>>, Apr. 4, 2019, 2 pages.
- Chenghao, Yuan, "MacroDroid", Online available at: <https://www.ifanr.com/weizhizao/612531>, Jan. 25, 2016, 7 pages.
- Colt, Sam, "Here's One Way Apple's Smartwatch Could Be Better Than Anything Else", *Business Insider*, Aug. 21, 2014, pp. 1-4.
- Conneau et al., "Supervised Learning of Universal Sentence Representations from Natural Language Inference Data", *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, Copenhagen, Denmark, Sep. 7-11, 2017, pp. 670-680.
- "Context-Sensitive User Interface", Online available at: https://web.archive.org/web/20190407003349/https://en.wikipedia.org/wiki/Context-sensitive_user_interface, Apr. 7, 2019, 3 pages.
- Corrected Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Apr. 14, 2021, 2 pages.
- Corrected Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Jan. 14, 2021, 2 pages.
- Corrected Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Mar. 12, 2021, 2 pages.
- Creswell et al., "Generative Adversarial Networks", *IEEE Signal Processing Magazine*, Jan. 2018, pp. 53-65.
- Czech, Lucas, "A System for Recognizing Natural Spelling of English Words", Diploma Thesis, Karlsruhe Institute of Technology, May 7, 2014, 107 pages.
- Dai et al., "Transformer-XL: Attentive Language Models Beyond a Fixed-Length Context", Online available at: [arXiv:1901.02860v3](https://arxiv.org/abs/1901.02860v3), Jun. 2, 2019, 20 pages.
- Decision to Grant received for Danish Patent Application No. PA201870382, mailed on Feb. 25, 2021, 2 pages.
- Decision to Grant received for European Patent Application No. 19725242.2, mailed on Jun. 2, 2022, 3 pages.
- Decision to Grant received for European Patent Application No. 22171812.5, mailed on Oct. 6, 2023, 3 pages.
- Decision to Grant received for European Patent Application No. 22171813.3, mailed on Feb. 29, 2024, 3 pages.
- Deedeuvuu, "Amazon Echo Alarm Feature", Online available at: <https://www.youtube.com/watch?v=fjU8eRLk7c>, Feb. 16, 2015, 1 page.
- Delcroix et al., "Context Adaptive Deep Neural Networks for Fast Acoustic Model Adaptation", *ICASSP*, 2015, pp. 4535-4539.
- Delcroix et al., "Context Adaptive Neural Network for Rapid Adaptation of Deep CNN Based Acoustic Models", *Interspeech* 2016, Sep. 8-12, 2016, pp. 1573-1577.
- Derrick, Amanda, "How to Set Up Google Home for Multiple Users", *Lifewire*, online available at: <<https://www.lifewire.com/set-up-google-home-multiple-users-4685691>>, Jun. 8, 2020, 9 pages.
- Dighe et al., "Lattice-Based Improvements for Voice Triggering Using Graph Neural Networks", in 2020 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), Jan. 25, 2020, 5 pages.
- Dihelison, "How Can I Use Voice or Phrases as Triggers to MacroDroid?", *MacroDroid Forums*, Online Available at: <<https://www.tapataalk.com/groups/macrodroid/how-can-i-use-voice-or-phrases-as-triggers-to-macr-14845.html>>, May 9, 2018, 5 pages.
- Dwork et al., "The Algorithmic Foundations of Differential Privacy", *Foundations and Trends in Theoretical Computer Science*: vol. 9: No. 3-4, 211-407, 2014, 281 pages.
- Earthling 1984, "Samsung Galaxy Smart Stay Feature Explained", Available online at: <<https://www.youtube.com/watch?v=RpjBNtSjupl>>, May 29, 2013, 1 Page.
- Eder et al., "At the Lower End of Language—Exploring the Vulgar and Obscene Side of German", *Proceedings of the Third Workshop on Abusive Language Online*, Florence, Italy, Aug. 1, 2019, pp. 119-128.
- Examiner Initiated Interview Summary received for U.S. Appl. No. 17/322,115, mailed on Feb. 22, 2022, 2 pages.
- Extended European Search Report received for European Patent Application No. 22171812.5, mailed on Jul. 4, 2022, 8 pages.
- Extended European Search Report received for European Patent Application No. 22171813.3, mailed on Jul. 6, 2022, 10 pages.
- Extended European Search Report received for European Patent Application No. 24157846.7, mailed on May 21, 2024, 9 pages.
- Filipowicz, Luke, "How to use the QuickType keyboard in iOS 8", Online available at: <<https://www.imore.com/comment/568232>>, Oct. 11, 2014, pp. 1-17.
- Fitzpatrick, Aidan, "Introducing Camo 1.5: AR modes", Available Online at: <<https://reincubate.com/blog/camo-ar-modes-release/>>, Oct. 28, 2021, 8 pages.
- Gadget Hacks, "Tasker Too Complicated? Give MacroDroid a Try [How-To]", Online available at: <<https://www.youtube.com/watch?v=8YL9cWCykKc>>, May 27, 2016, 1 page.
- "Galaxy S7: How to Adjust Screen Timeout & Lock Screen Timeout", Online available at: <<https://www.youtube.com/watch?v=n6lWKUS2ww>>, Jun. 9, 2016, 1 page.
- Ganin et al., "Unsupervised Domain Adaptation by Backpropagation", in *Proceedings of the 32nd International Conference on Machine Learning*, vol. 37, Jul. 2015, 10 pages.
- Gatys et al., "Image Style Transfer Using Convolutional Neural Networks", *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2016, pp. 2414-2423.
- Geyer et al., "Differentially Private Federated Learning: A Client Level Perspective", *arXiv:1712.07557v2*, Mar. 2018, 7 pages.
- Ghauth et al., "Text Censoring System for Filtering Malicious Content Using Approximate String Matching and Bayesian Filtering", *Proc. 4th INNS Symposia Series on Computational Intelligence in Information Systems*, Bandar Seri Begawan, Brunei, 2015, pp. 149-158.
- Goodfellow et al., "Generative Adversarial Networks", *Proceedings of the Neural Information Processing Systems*, Dec. 2014, 9 pages.
- Google Developers, "Voice search in your app", Online available at: <<https://www.youtube.com/watch?v=PS1FbB5qWEI>>, Nov. 12, 2014, 1 page.
- Gu et al., "BadNets: Evaluating Backdooring Attacks on Deep Neural Networks", *IEEE Access*, vol. 7, Mar. 21, 2019, pp. 47230-47244.
- Guim, Mark, "How to Set a Person-Based Reminder with Cortana", Online available at: <<http://www.wpcentral.com/how-to-person-based-reminder-cortana>>, Apr. 26, 2014, 15 pages.
- Guo et al., "StateLens: A Reverse Engineering Solution for Making Existing Dynamic Touchscreens Accessible", In *Proceedings of the 32nd Annual Symposium on User Interface Software and Technology (UIST '19)*, New Orleans, LA, USA, online available at: <https://dl.acm.org/doi/pdf/10.1145/3332165.3347873>, Oct. 20-23, 2019, pp. 371-385.
- Guo et al., "Time-Delayed Bottleneck Highway Networks Using a DFT Feature for Keyword Spotting", *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, IEEE, 2018, 5 pages.
- Guo et al., "VizLens: A Robust and Interactive Screen Reader for Interfaces in the Real World", In *Proceedings of the 29th Annual Symposium on User Interface Software and Technology (UIST '16)*, Tokyo, Japan, online available at: <https://dl.acm.org/doi/pdf/10.1145/2984511.2984518>, Oct. 16-19, 2016, pp. 651-664.
- Gupta et al., "I-vector-based Speaker Adaptation of Deep Neural Networks for French Broadcast Audio Transcription", *ICASSP*, 2014, 2014, pp. 6334-6338.

(56)

References Cited

OTHER PUBLICATIONS

- Hanqing et al., "Deep Learning of Instruction Intention Understanding Using Stacked Denoising Autoencoder", Journal of Shanghai Jiaotong University, vol. 50, No. 7, Jul. 28, 2016, 6 pages.
- Haung et al., "A Study for Improving Device-Directed Speech Detection Toward Frictionless Human-Machine Interaction", in Proc. Interspeech, 2019, 5 pages.
- Hawkeye, "Hawkeye—A better user testing platform", Online Available at: https://www.youtube.com/watch?v=el0TW0g_76o, Oct. 16, 2019, 3 pages.
- Hawkeye, "Learn where people look in your products", Online Available at: <https://www.usehawkeye.com>, 2019, 6 pages.
- "Headset Button Controller v7.3 APK Full APP Download for Android, Blackberry, iPhone", Online available at: <http://fullappdownload.com/headset-button-controller-v7-3-apk/>, Jan. 27, 2014, 11 pages.
- Heller et al., "AudioScope: Smartphones as Directional Microphones in Mobile Audio Augmented Reality Systems", In Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15), Crossings, Seoul, Korea, online available at: <https://dl.acm.org/doi/pdf/10.1145/2702123.2702159>, Apr. 18-23, 2015, pp. 949-952.
- Henderson et al., "Efficient Natural Language Response Suggestion for Smart Reply", Available Online at: <https://static.googleusercontent.com/media/research.google.com/en//pubs/archive/1846e8a466c079eae7e90727e27caf5f98f10e0c.pdf>, 2017, 15 pages.
- Hershey et al., "Deep Clustering: Discriminative Embeddings for Segmentation and Separation", Proc. ICASSP, Mar. 2016, 6 pages.
- "Hey Google: How to Create a Shopping List with Your Google Assistant", Online available at: <https://www.youtube.com/watch?v=w9NCsElax1Y>, May 25, 2018, 1 page.
- Hinton et al., "Distilling the Knowledge in A Neural Network", arXiv preprint arXiv:1503.02531, Mar. 2, 2015, 9 pages.
- Hook et al., "Automatic speech-based emotion recognition using paralinguistics features", Bulletin of the Polish Academy of Sciences, Technical Sciences, vol. 67, No. 3, 2019, pp. 479-488.
- "How to adjust the order of control center buttons on iPhone iOS12 version after buying a mobile phone", Available online at: <https://jingyan.baidu.com/article/5bbb5alb5a9713eba1791b.html>, Jun. 14, 2019, 4 pages.
- "How To Enable Google Assistant on Galaxy S7 and Other Android Phones (No Root)", Online available at: <https://www.youtube.com/watch?v=HekIQbWykE>, Mar. 20, 2017, 1 page.
- "How to Use Ok Google Assistant Even Phone is Locked", Online available at: https://www.youtube.com/watch?v=9B_gP4j_SP8, Mar. 12, 2018, 1 page.
- id3.org, "id3v2.4.0-Frames", Online available at: <http://id3.org/id3v2.4.0-frames?action=print>, retrieved on Jan. 22, 2015. pp. 1-41.
- Idasallinen, "What's The 'Like' Meter Based on?", Online Available at: <https://community.spotify.com/t5/Content-Questions/What-s-the-like-meter-based-on/t5-p/1209974>, Sep. 22, 2015, 6 pages.
- Ikeda, Masaru, "beGlobal Seoul 2015 Startup Battle: Talkey", YouTube Publisher, Online Available at: <https://www.youtube.com/watch?v=4Wkp7sAAldg>, May 14, 2015, 1 page.
- Inews and Tech, "How to Use The QuickType Keyboard In IOS 8", Online available at: <http://www.inewsandtech.com/how-to-use-the-quicktype-keyboard-in-ios-8/>, Sep. 17, 2014, 6 pages.
- Intention to Grant received for Danish Patent Application No. PA201870382, mailed on Oct. 15, 2020, 2 pages.
- Intention to Grant received for European Patent Application No. 19725242.2, mailed on Feb. 21, 2022, 8 pages.
- Intention to Grant received for European Patent Application No. 22171812.5, mailed on Apr. 20, 2023, 9 pages.
- Intention to Grant received for European Patent Application No. 22171812.5, mailed on Dec. 9, 2022, 9 pages.
- Intention to Grant received for European Patent Application No. 22171812.5, mailed on Jun. 16, 2023, 9 pages.
- Intention to Grant received for European Patent Application No. 22171813.3, mailed on Sep. 19, 2023, 10 pages.
- "Interactive Voice", Online available at: <http://www.helloivee.com/company/>, retrieved on Feb. 10, 2014, 2 pages.
- International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2019/024968, mailed on Dec. 10, 2020, 9 pages.
- International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2019/024968, mailed on Jun. 21, 2019, 14 pages.
- "iPhone 6 Smart Guide Full Version for SoftBank", Gijutsu-Hyochron Co. Ltd., vol. 1, Dec. 1, 2014, 4 pages.
- Isik et al., "Single-Channel Multi-Speaker Separation using Deep Clustering", Interspeech 2016, Sep. 8-12, 2016, pp. 545-549.
- Jeon et al., "Voice Trigger Detection from LVCSR Hypothesis Lattices Using Bidirectional Lattice Recurrent Neural Networks", International Conference on Acoustics, Speech and Signal Processing (ICASSP), IEEE, Feb. 29, 2020, 5 pages.
- Jonsson et al., "Proximity-based Reminders Using Bluetooth", 2014 IEEE International Conference on Pervasive Computing and Communications Demonstrations, 2014, pp. 151-153.
- Kannan et al., "Smart Reply: Automated Response Suggestion for Email", Available Online at: <https://arxiv.org/pdf/1606.04870.pdf>, Jun. 15, 2016, 10 pages.
- Karn, Ujjwal, "An Intuitive Explanation of Convolutional Neural Networks", The Data Science Blog, Aug. 11, 2016, 23 pages.
- Kastrenakes, Jacob, "Siri's creators will unveil their new AI bot on Monday", The Verge, online available at: <https://web.archive.org/web/20160505090418/https://www.theverge.com/2016/5/4/11593564/viv-labs-unveiling-monday-new-ai-from-siri-creators>, May 4, 2016, 3 pages.
- Kickstarter, "Ivee Sleek: Wi-Fi Voice-Activated Assistant", Online available at: <https://www.kickstarter.com/projects/ivee/ivee-sleek-wi-fi-voice-activated-assistant>, retrieved on Feb. 10, 2014, pp. 1-13.
- King et al., "Robust Speech Recognition Via Anchor Word Representations", Interspeech 2017, Aug. 20-24, 2017, pp. 2471-2475.
- Kruger et al., "Virtual World Accessibility with the Perspective Viewer", Proceedings of ICEAPVI, Athens, Greece, Feb. 12-14, 2015, 6 pages.
- Kumar, Shiu, "Ubiquitous Smart Home System Using Android Application", International Journal of Computer Networks & Communications (IJNC), vol. 6, No. 1, Jan. 2014, pp. 33-43.
- Kumatani et al., "Direct Modeling of Raw Audio with DNNs For Wake Word Detection", in 2017 IEEE Automatic Speech Recognition and Understanding Workshop (ASRU), 2017, 6 pages.
- Li et al., "Deep neural network for short-text sentiment classification", International Conference on Database Systems for Advanced Applications, Springer, Cham, 2016, 8 pages.
- Lin, Luyuan, "An Assistive Handwashing System with Emotional Intelligence", Using Emotional Intelligence in Cognitive Intelligent Assistant Systems, 2014, 101 pages.
- "Link Your Voice to Your Devices with Voice Match, Google Assistant Help", Online available at: <https://support.google.com/assistant/answer/9071681?co=GENIE.Platform%3DAndroid&hl=en>, Retrieved on Jul. 1, 2020, 2 pages.
- Liou et al., "Autoencoder for Words", Neurocomputing, vol. 139, Sep. 2014, pp. 84-96.
- Liu et al., "Accurate Endpointing with Expected Pause Duration", Sep. 6-10, 2015, pp. 2912-2916.
- Loukides et al., "What Is the Internet of Things?", O'Reilly Media Inc., Online Available at: <https://www.oreilly.com/library/view/what-is-the/9781491975633/>, 2015, 31 pages.
- Luo et al., "Speaker-Independent Speech Separation with Deep Attractor Network", IEEE/ACM Transactions on Audio, Speech, and Language Processing, vol. 26, No. 4, Apr. 2018, pp. 787-796.
- Maas et al., "Combining Acoustic Embeddings and Decoding Features for End-Of-Utterance Detection in Real-Time Far-Field Speech Recognition Systems", in 2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), IEEE, 2018, 5 pages.
- Mallidi et al., "Device-Directed Utterance Detection", Proc. Interspeech, Aug. 7, 2018, 4 pages.

(56)

References Cited**OTHER PUBLICATIONS**

Marketing Land, "Amazon Echo: Play music", Online Available at: <<https://www.youtube.com/watch?v=A7V5NPbsXi4>>, Apr. 27, 2015, 3 pages.

"Meet Ivey, Your Wi-Fi Voice Activated Assistant", Available Online at: <<http://www.helloivee.com/>>, retrieved on Feb. 10, 2014, 8 pages.

"Method to Provide Remote Voice Navigation Capability on the Device", IP.com, Jul. 21, 2016, 4 pages.

Mhatre et al., "Donna Interactive Chat-bot acting as a Personal Assistant", International Journal of Computer Applications (0975-8887), vol. 140, No. 10, Apr. 2016, 6 pages.

Michalevsky et al., "Gyrophone: Recognizing Speech from Gyroscope Signals", Proceedings of the 23rd USENIX Security Symposium, Aug. 20-22, 2014, pp. 1053-1067.

"Microsoft Soundscape—A map delivered in 3D sound", Microsoft Research, online available at: <https://www.microsoft.com/en-us/research/product/soundscape/>, Retrieved on Jul. 26, 2021, 5 pages.

Miller, Chance, "Google Keyboard Updated with New Personalized Suggestions Feature", Online available at: <<http://9to5google.com/2014/03/19/google-keyboard-updated-with-new-personalized-suggestions-feature/>>, Mar. 19, 2014, 4 pages.

Mnih et al., "Human-Level Control Through Deep Reinforcement Learning", Nature, vol. 518, Feb. 26, 2015, pp. 529-533.

Modern Techies, "Braina-Artificial Personal Assistant for PC (like Cortana, Siri)!!!!", Online available at: <https://www.youtube.com/watch?v=_Co2P8ilqQ>, Feb. 24, 2017, 3 pages.

Muller et al., "A Taxonomy for Information Linking in Augmented Reality", AVR 2016, Part I, LNCS 9768, 2016, pp. 368-387.

Muller et al., "Control Theoretic Models of Pointing", ACM Transactions on Computer-Human Interaction, Aug. 2017, 36 pages.

Myers, Brad A., "Shortcutter for Palm", Available at: <<http://www.cs.cmu.edu/~pebbles/v5/shortcutter/palm/index.html>>, retrieved on Jun. 18, 2014, 10 pages.

Myrick et al., "How to Insert Emojis Using Your Voice with Google Assistant", Online available at: <<https://web.archive.org/web/20211107160722/https://www.androidcentral.com/how-insert-emojis-using-your-voice-google-assistant>>, Nov. 7, 2021, 11 pages.

Non-Final Office Action received for U.S. Appl. No. 17/322,115, mailed on Feb. 15, 2022, 9 pages.

Non-Final Office Action received for U.S. Appl. No. 16/039,099, mailed on Oct. 18, 2019, 8 pages.

Non-Final Office Action received for U.S. Appl. No. 17/836,907, mailed on Sep. 29, 2022, 10 pages.

Non-Final Office Action received for U.S. Appl. No. 18/130,346, mailed on Feb. 27, 2024, 14 pages.

Norouzian et al., "Exploring Attention Mechanism for Acoustic based Classification of Speech Utterances into System-Directed and Non-System-Directed", International Conference on Acoustics, Speech and Signal Processing (ICASSP), IEEE, Feb. 1, 2019, 5 pages.

Notice of Allowance received for Chinese Patent Application No. 201980006407.6, mailed on Jul. 11, 2022, 6 pages.

Notice of Allowance received for Korean Patent Application No. 10-2020-7016767, mailed on Aug. 25, 2020, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2023-7001906, mailed on Sep. 11, 2023, 7 pages.

Notice of Allowance received for Korean Patent Application No. 10-2023-7040624, mailed on Jun. 21, 2024, 10 pages.

Notice of Allowance received for U.S. Appl. No. 16/039,099, mailed on Mar. 13, 2020, 9 pages.

Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Feb. 17, 2021, 8 pages.

Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Nov. 6, 2020, 9 pages.

Notice of Allowance received for U.S. Appl. No. 17/322,115, mailed on Mar. 16, 2022, 9 pages.

Notice of Allowance received for U.S. Appl. No. 17/836,907, mailed on Nov. 23, 2022, 9 pages.

Notice of Allowance received for U.S. Appl. No. 18/130,346, mailed on Apr. 24, 2024, 9 pages.

Notice of Allowance received for U.S. Appl. No. 18/130,346, mailed on Oct. 25, 2023, 8 pages.

Notice of Hearing received for Indian Patent Application No. 202017041092, mailed on Sep. 12, 2023, 2 pages.

"Nuance Dragon Naturally Speaking", Version 13 End-User Workbook, Nuance Communications Inc., Sep. 2014, 125 pages.

Office Action received for Australian Patent Application No. 2020102402, mailed on Dec. 1, 2020, 7 pages.

Office Action received for Australian Patent Application No. 2021101390, mailed on Jun. 11, 2021, 4 pages.

Office Action received for Chinese Patent Application No. 201980006407.6, mailed on Aug. 26, 2021, 14 pages.

Office Action received for Chinese Patent Application No. 201980006407.6, mailed on Jan. 11, 2022, 10 pages.

Office Action received for Chinese Patent Application No. 201980006407.6, mailed on Mar. 3, 2021, 13 pages.

Office Action received for Chinese Patent Application No. 201980006407.6, mailed on May 26, 2022, 2 pages.

Office Action received for Chinese Patent Application No. 202210871664.X, mailed on Jan. 14, 2024, 18 pages.

Office Action received for Chinese Patent Application No. 202210871664.X, mailed on May 18, 2024, 11 pages.

Office Action received for Chinese Patent Application No. 202211175719.X, mailed on Jan. 10, 2024, 19 pages.

Office Action received for Danish Patent Application No. PA201870382, mailed on Feb. 6, 2019, 6 pages.

Office Action received for Danish Patent Application No. PA201870382, mailed on Jan. 29, 2020, 4 pages.

Office Action received for Danish Patent Application No. PA201870382, mailed on Jun. 25, 2020, 3 pages.

Office Action received for European Patent Application No. 19725242.2, mailed on Feb. 1, 2021, 8 pages.

Office Action received for European Patent Application No. 22171813.3, mailed on Dec. 13, 2022, 6 pages.

Office Action received for European Patent Application No. 22171813.3, mailed on May 31, 2023, 6 pages.

Office Action received for Indian Patent Application No. 202017041092, mailed on Dec. 2, 2021, 5 pages.

Office Action received for Korean Patent Application No. 10-2020-7031625, mailed on Dec. 30, 2021, 8 pages.

Office Action received for Korean Patent Application No. 10-2020-7031625, mailed on Jun. 21, 2022, 5 pages.

Office Action received for Korean Patent Application No. 10-2020-7031625, mailed on Oct. 17, 2022, 6 pages.

Office Action received for Korean Patent Application No. 10-2023-7001906, mailed on Jan. 30, 2023, 8 pages.

Office Action received for Korean Patent Application No. 10-2023-7001906, mailed on Jul. 18, 2023, 11 pages.

Office Action received for Korean Patent Application No. 10-2023-7040624, mailed on Dec. 18, 2023, 5 pages.

Pak, Gamerz, "Braina: Artificially Intelligent Assistant Software for Windows PC in (urdu / hindi)", Online available at: <https://www.youtube.com/watch?v=JH_rMjw8lqc>, Jul. 24, 2018, 3 pages.

Pavlopoulos et al., "ConvAI at SemEval-2019 Task 6: Offensive Language Identification and Categorization with Perspective and BERT", Proceedings of the 13th International Workshop on Semantic Evaluation (SemEval-2019), Jun. 6-7, 2019, pp. 571-576.

PC Mag, "How to Voice Train Your Google Home Smart Speaker", Online available at: <<https://in.pcmag.com/google-home/126520/how-to-voice-train-your-google-home-smart-speaker>>, Oct. 25, 2018, 12 pages.

Pennington et al., "GloVe: Global Vectors for Word Representation", Proceedings of the Conference on Empirical Methods Natural Language Processing (EMNLP), Doha, Qatar, Oct. 25-29, 2014, pp. 1532-1543.

Perlow, Jason, "Alexa Loop Mode with Playlist for Sleep Noise", Online Available at: <<https://www.youtube.com/watch?v=nSkSuXziJSg>>, Apr. 11, 2016, 3 pages.

Phillips, Chris, "Thumbprint Radio: A Uniquely Personal Station Inspired by All of Your Thumbs Up", Pandora News, Online Available at: <<https://blog.pandora.com/author/chris-phillips>>, Dec. 14, 2015, 7 pages.

(56)

References Cited**OTHER PUBLICATIONS**

Ping et al., "Deep Voice 3: Scaling Text to Speech with Convolutional Sequence Learning", Available online at: <https://arxiv.org/abs/1710.07654>, Feb. 22, 2018, 16 pages.

"Pose, Cambridge Dictionary Definition of Pose", Available online at: <https://dictionary.cambridge.org/dictionary/english/pose>, 4 pages.

Products for PALS—ALS Tech, "Skyle for iPad Pro eye gaze control real world review", Online Available at: <https://www.youtube.com/watch?v=3TxZtDJpFo>, Aug. 13, 2020, 4 pages.

Qian et al., "Single-channel Multi-talker Speech Recognition with Permutation Invariant Training", Speech Communication, Issue 104, 2018, pp. 1-11.

"Quick Type Keyboard on iOS 8 Makes Typing Easier", Online available at: <https://www.youtube.com/watch?v=0CldLR4fhVU>, Jun. 3, 2014, 3 pages.

Raux, Antoine, "High-Density Dialog Management the Topic Stack", Adventures in High Density, online available at: <https://medium.com/adventures-in-high-density/high-density-dialog-management-23efcf91db1e>, Aug. 1, 2018, 10 pages.

Ravi, Sujith, "Google AI Blog: On-device Machine Intelligence", Available Online at: <https://ai.googleblog.com/2017/02/on-device-machine-intelligence.html>, Feb. 9, 2017, 4 pages.

Result of Consultation received for European Patent Application No. 19725242.2, mailed on Jan. 18, 2022, 5 pages.

Ritchie, Rene, "QuickType keyboard in iOS 8: Explained", Online Available at: <https://www.imore.com/quicktype-keyboards-ios-8-explained>, Jun. 21, 2014, pp. 1-19.

Robbins, F. M., "Automatically place an Android Phone on Vibrate at Work", Available online at: <https://mikefrobbins.com/2016/07/21/automatically-place-an-android-phone-on-vibrate-at-work/>, Jul. 21, 2016, pp. 1-11.

Rodrigues et al., "Exploring Mixed Reality in Specialized Surgical Environments", In Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '17), Denver, CO, USA, online available at: <https://dl.acm.org/doi/pdf/10.1145/3027063.3053273>, May 6-11, 2017, pp. 2591-2598.

Ross et al., "Epidemiology as a Framework for Large-Scale Mobile Application Accessibility Assessment", In Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility (ASSETS '17), Baltimore, MD, USA, online available at: <https://dl.acm.org/doi/pdf/10.1145/3132525.3132547>, Oct. 29-Nov. 1, 2017, pp. 2-11.

Routines, "SmartThings Support", Online available at: <https://web.archive.org/web/20151207165701/https://support.smartthings.com/hc/en-us/articles/205380034-Routines>, 2015, 3 pages.

Rowland et al., "Designing Connected Products: UX for the Consumer Internet of Things", O'Reilly, May 2015, 452 pages.

Samsung Support, "Create a Quick Command in Bixby to Launch Custom Settings by at Your Command", Online Available at: <https://www.facebook.com/samsungsupport/videos/10154746303151213>, Nov. 13, 2017, 1 page.

Santos et al., "Fighting Offensive Language on Social Media with Unsupervised Text Style Transfer", Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (vol. 2: Short Papers), May 20, 2018, 6 pages.

Schenk et al., "GazeEverywhere: Enabling Gaze-only User Interaction on an Unmodified Desktop PC in Everyday Scenarios", In Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI'17). ACM, New York, NY, 30343044. Online Available at: <https://doi.org/10.1145/3025453.3025455>, May 6-11, 2017, 11 pages.

Search Report and Opinion received for Danish Patent Application No. PA201870382, mailed on Sep. 7, 2018, 9 pages.

Seehafer, Brent, "Activate Google Assistant on Galaxy S7 with Screen off", Online available at: <https://productforums.google.com/forum/#!topic/websearch/Ip3qIGBHLVI>, Mar. 8, 2017, 4 pages.

Selfridge et al., "Interact: Tightly coupling Multimodal Dialog with an Interactive Virtual Assistant", International Conference on Multimodal Interaction, ACM, Nov. 9, 2015, pp. 381-382.

Senior et al., "Improving DNN Speaker Independence With I-Vector Inputs", ICASSP, 2014, pp. 225-229.

Seroter et al., "SOA Patterns with BizTalk Server 2013 and Microsoft Azure", Packt Publishing, Jun. 2015, 454 pages.

Settle et al., "End-to-End Multi-Speaker Speech Recognition", Proc. ICASSP, Apr. 2018, 6 pages.

Shen et al., "Style Transfer from Non-Parallel Text by Cross-Alignment", 31st Conference on Neural Information Processing Systems (NIPS 2017), 2017, 12 pages.

Sigtia et al., "Efficient Voice Trigger Detection for Low Resource Hardware", in Proc. Interspeech 2018, Sep. 2-6, 2018, pp. 2092-2096.

Sigtia et al., "Multi-Task Learning for Voice Trigger Detection", in IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), 2020, Apr. 20, 2020, 5 pages.

Simonite, Tom, "Confronting Siri: Microsoft Launches Digital Assistant Cortana", 2014, 2 pages.

Siou, Serge, "How to Control Apple TV 3rd Generation Using Remote app", Online available at: <https://www.youtube.com/watch?v=PhyKfIZ0S9M>, May 12, 2014, 3 pages.

"SmartThings +Amazon Echo", Smartthings Samsung [online], online available at: <https://web.archive.org/web/20160509231428/https://blog.smartthings.com/featured/alexa-turn-on-my-smartthings/>, Aug. 21, 2015, 3 pages.

Smith, Jake, "Amazon Alexa Calling: How to Set it up and Use it on Your Echo", iGeneration, May 30, 2017, 5 pages.

Speicher et al., "What is Mixed Reality?", In Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19). ACM, Article 537, Glasgow, Scotland, UK, online available at: <https://dl.acm.org/doi/pdf/10.1145/3290605.3300767>, May 4-9, 2019, 15 pages.

Sperber et al., "Self-Attentional Models for Lattice Inputs", in Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics, Florence, Italy, Association for Computational Linguistics, Jun. 4, 2019, 13 pages.

Summons to Attend Oral Proceedings received for European Patent Application No. 19725242.2, mailed on Jul. 20, 2021, 12 pages.

Sundermeyer et al., "From Feedforward to Recurrent LSTM Neural Networks for Language Modeling", IEEE Transactions on Audio, Speech, and Language Processing, vol. 23, No. 3, Mar. 2015, pp. 517-529.

Supplemental Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Dec. 16, 2020, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 16/885,027, mailed on Mar. 31, 2021, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 17/322,115, mailed on Mar. 30, 2022, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 17/836,907, mailed on Dec. 14, 2022, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 17/836,907, mailed on Jan. 17, 2023, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 18/130,346, mailed on Jul. 3, 2024, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 18/130,346, mailed on Jul. 15, 2024, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 18/130,346, mailed on Jun. 17, 2024, 2 pages.

Supplemental Notice of Allowance received for U.S. Appl. No. 18/130,346, mailed on Nov. 22, 2023, 2 pages.

Sutskever et al., "Sequence to Sequence Learning with Neural Networks", Proceedings of the 27th International Conference on Neural Information Processing Systems, 2014, 9 pages.

Tamar et al., "Value Iteration Networks", Advances in Neural Information Processing Systems, vol. 29, 2016, 16 pages.

Tan et al., "Knowledge Transfer in Permutation Invariant Training For Single-channel Multi-talker Speech Recognition", ICASSP 2018, 2018, pp. 5714-5718.

Tech Target Contributor, "AI Accelerator", Available online at: <https://searchenterpriseai.techtarget.com/definition/AI-accelerator>, Apr. 2018, 3 pages.

Tech With Brett, "Everything the Google Nest Hub Can Do", Available online at: <https://www.youtube.com/watch?v=x3vdytgru2E>, Nov. 12, 2018, 13 pages.

(56)

References Cited**OTHER PUBLICATIONS**

- Tech With Brett, "Google Home Multiple Users Setup", Available online at: <https://www.youtube.com/watch?v=BQOAbRUeFRo&t=257s>, Jun. 29, 2017, 4 pages.
- Tkachenko, Sergey, "Chrome will automatically create Tab Groups", Available online at: <https://winaero.com/chrome-will-automatically-create-tab-groups/>, Sep. 18, 2020, 5 pages.
- Tkachenko, Sergey, "Enable Tab Groups Auto Create in Google Chrome", Available online at: <https://winaero.com/enable-tab-groups-auto-create-in-google-chrome/>, Nov. 30, 2020, 5 pages.
- "Use Macrodroid skillfully to automatically clock in with Ding Talk", Online available at: https://blog.csdn.net/qq_26614295/article/details/84304541, Nov. 20, 2018, 11 pages.
- Vaswani et al., "Attention Is All You Need", 31st Conference on Neural Information Processing Systems (NIPS 2017), 2017, pp. 1-11.
- Vazquez et al., "An Assisted Photography Framework to Help Visually Impaired Users Properly Aim a Camera", ACM Transactions on Computer-Human Interaction, vol. 21, No. 5, Article 25, Online available at: <https://dl.acm.org/doi/pdf/10.1145/2651380>, Nov. 2014, 29 pages.
- Velian Speaks Tech, "10 Google Assistant Tips!", Available online at: <https://www.youtube.com/watch?v=3RNWA3NK9fs>, Feb. 24, 2020, 3 pages.
- Villemure et al., "The Dragon Drive Innovation Showcase: Advancing the State-of-the-art in Automotive Assistants", 2018, 7 pages.
- Walker, Amy, "NHS Gives Amazon Free Use of Health Data Under Alexa Advice Deal", Available online at: <https://www.theguardian.com/society/2019/dec/08/nhs-gives-amazon-free-use-of-health-data-under-alexa-advice-deal>, 3 pages.
- Wang et al., "End-to-end Anchored Speech Recognition", Proc. ICASSP2019, May 12-17, 2019, 5 pages.
- Wang et al., "Tacotron: Towards End-to-End Speech Synthesis", Available online at: <https://arxiv.org/abs/1703.10135>, Apr. 6, 2017, 10 pages.
- Wang et al., "Training Deep Neural Networks with 8-bit Floating Point Numbers", 32nd Conference on Neural Information Processing Systems (NeurIPS 2018), 2018, 10 pages.
- Weng et al., "Deep Neural Networks for Single-Channel Multi-Talker Speech Recognition", IEEE/ACM Transactions on Audio, Speech, and Language Processing, vol. 23, No. 10, Oct. 2015, pp. 1670-1679.
- "What's on Spotify?", Music for everyone, Online Available at: <https://web.archive.org/web/20160428115328/https://www.spotify.com/us/>, Apr. 28, 2016, 6 pages.
- Wikipedia, "Home Automation", Online Available at: https://en.wikipedia.org/w/index.php?title=Home_automation&oldid=686569068, Oct. 19, 2015, 9 pages.
- Wikipedia, "Siri", Online Available at: <https://en.wikipedia.org/w/index.php?title=Siri&oldid=689697795>, Nov. 8, 2015, 13 pages.
- Wikipedia, "Virtual Assistant", Wikipedia, Online Available at: https://en.wikipedia.org/w/index.php?title=Virtual_assistant&oldid=679330666, Sep. 3, 2015, 4 pages.
- Win et al., "Myanmar Text to Speech System based on Tacotron-2", International Conference on Information and Communication Technology Convergence (ICTC), Oct. 21-23, 2020, pp. 578-583.
- "Working with the Dragon Bar", Nuance Communications Inc., Jun. 27, 2016, 2 pages.
- Wu et al., "Monophone-Based Background Modeling for Two-Stage On-device Wake Word Detection", in 2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), Apr. 2018, 5 pages.
- X.AI, "How it Works", Online available at: <https://web.archive.org/web/20160531201426/https://x.ai/how-it-works/>, May 31, 2016, 6 pages.
- Xu et al., "Policy Optimization of Dialogue Management in Spoken Dialogue System for Out-of-Domain Utterances", 2016 International Conference On Asian Language Processing (IALP), IEEE, Nov. 21, 2016, pp. 10-13.
- Xu et al., "Show, Attend and Tell: Neural Image Caption Generation with Visual Attention", Proceedings of the 32nd International Conference on Machine Learning, Lille, France, 2015, 10 pages.
- Yang, Astor, "Control Android TV via Mobile Phone APP RKRemoteControl", Online Available at: https://www.youtube.com/watch?v=zpmUeOX_xro, Mar. 31, 2015, 4 pages.
- Yates, Michael C., "How Can I Exit Google Assistant After I'm Finished with it", Online available at: <https://productforums.google.com/forum/#!msg/phone-by-google/faECnR2RJwA/gKNtOkQgAQAJ>, Jan. 11, 2016, 2 pages.
- Yeh, Jui-Feng, "Speech Act Identification Using Semantic Dependency Graphs with Probabilistic Context-free Grammars", ACM Transactions on Asian and Low-Resource Language Information Processing, vol. 15, No. 1, Dec. 2015, pp. 5.1-5.28.
- Yousef, Zulfikar A., "Braina (A.I) Artificial Intelligence Virtual Personal Assistant", Online available at: <https://www.youtube.com/watch?v=2h6xpB8bPSA>, Feb. 7, 2017, 3 pages.
- Yu et al., "Permutation Invariant Training of Deep Models For Speaker-Independent Multi-talker Speech Separation", Proc. ICASSP, 2017, 5 pages.
- Yu et al., "Recognizing Multi-talker Speech with Permutation Invariant Training", Interspeech 2017, Aug. 20-24, 2017, pp. 2456-2460.
- Zhang et al., "A Fiber-Optic Sensor for Acoustic Emission Detection in a High Voltage Cable System", Online Available at: <https://www.mdpi.com/1424-8220/16/12/2026>, Nov. 30, 2016, 11 pages.
- Zhang et al., "IEHouse: A Non-Intrusive Household Appliance State Recognition System", IEEE Smart World, Ubiquitous Intelligence & Computing, Advanced & Trusted Computing, 2017, 8 pages.
- Zhang et al., "Interaction Proxies for Runtime Repair and Enhancement of Mobile Application Accessibility", In Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17). ACM, Denver, CO, USA, online available at: <https://dl.acm.org/doi/pdf/10.1145/3025453.3025846>, May 6-11, 2017, pp. 6024-6037.
- Zhang et al., "Very Deep Convolutional Networks for End-To-End Speech Recognition", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), 2017, 5 pages.
- Zhang et al., "Voicemoji: Emoji Entry Using Voice for Visually Impaired People", CHI '21, May 8-13, 2021, 18 pages.
- Zhao et al., "Big Data Analysis and Application", Aviation Industry Press, Dec. 2015, pp. 236-241.
- Zhao et al., "CueSee: Exploring Visual Cues for People with Low Vision to Facilitate a Visual Search Task", In Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing. ACM, UbiComp '16, Heidelberg, Germany, online available at: <https://dl.acm.org/doi/pdf/10.1145/2971648.2971730>, Sep. 12-16, 2016, pp. 73-84.
- Zhao et al., "Enabling People with Visual Impairments to Navigate Virtual Reality with a Haptic and Auditory Cane Simulation", In Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18). ACM, Article 116, Montréal, QC, Canada, online available at: <https://dl.acm.org/doi/pdf/10.1145/3173574.3173690>, Apr. 21-26, 2018, 14 pages.
- Zhao et al., "SeeingVR: A Set of Tools to Make Virtual Reality More Accessible to People with Low Vision", In Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19). ACM, Article 111, Glasgow, Scotland, UK, online available at: <https://dl.acm.org/doi/pdf/10.1145/3290605.3300341>, May 4-9, 2019, 14 pages.
- Zhao et al., "Transferring Age and Gender Attributes for Dimensional Emotion Prediction from Big Speech Data Using Hierarchical Deep Learning", 2018 4th IEEE International Conference on Big Data Security on Cloud, 2018, pp. 20-24.
- Zheng et al., "Intent Detection and Semantic Parsing for Navigation Dialogue Language Processing", 2017 IEEE 20th International Conference on Intelligent Transportation Systems (ITSC), 2017, 6 pages.
- Zhong et al., "JustSpeak: Enabling Universal Voice Control on Android", W4A'14, Proceedings of the 11th Web for All Conference, No. 36, Apr. 7-9, 2014, 8 pages.

(56)

References Cited

OTHER PUBLICATIONS

Zhou et al., "Learning Dense Correspondence via 3D-guided Cycle Consistency", Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016, 10 pages.

Zmolikova et al., "Speaker-Aware Neural Network Based Beamformer for Speaker Extraction in Speech Mixtures", Interspeech 2017, Aug. 20-24, 2017, pp. 2655-2659.

Choi et al., "Evaluation of Frequency Warping Based Features and Spectro-Temporal Features for Speaker Recognition", Speech Sounds and Phonetic Science, Online Available at: <http://koreascience.or.kr/article/JAKO201510534323834.page>, vol. 7, No. 1, Mar. 31, 2015, pp. 3-10.

Jun, Yu, "Research on 3D visual speech expression and emotional simulation", China Excellence Master's Theses Full-text Database Information Technology Edition, No. 3, Mar. 15, 2018, 78 pages.

Notice of Allowance received for Chinese Patent Application No. 202211175719.X, mailed on Oct. 21, 2024, 4 pages (1 page of English Translation and 3 pages of Official Copy).

Office Action received for Chinese Patent Application No. 202211175719.X, mailed on Aug. 8, 2024, 8 pages (4 pages of English Translation and 4 pages of Official Copy).

Office Action received for European Patent Application No. 24157846.7, mailed on Apr. 16, 2025, 8 pages.

Office Action received for Indian Patent Application No. 202218023123, mailed on Oct. 24, 2024, 6 pages.

Office Action received for Indian Patent Application No. 202218023129, mailed on Jan. 13, 2025, 7 pages.

Office Action received for Korean Patent Application No. 10-2024-7031654, mailed on Feb. 24, 2025, 23 pages (11 pages of English Translation and 12 pages of Official Copy).

Notice of Hearing received for Indian Patent Application No. 202218023123, mailed on Jun. 13, 2025, 2 pages.

Office Action received for Korean Patent Application No. 10-2024-7031654, mailed on Jun. 16, 2025, 7 pages (3 pages of English Translation and 4 pages of Official Copy).




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4




FIG. 5A






FIG. 5B

**FIG. 6A**




FIG. 6B




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 8A







FIG. 8B





**FIG. 9**




FIG. 10A




FIG. 10B

1

ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL

This application is a continuation of U.S. patent application Ser. No. 18/130,346, entitled “ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL,” filed on Apr. 3, 2023, which is a continuation of U.S. patent application Ser. No. 17/836,907 entitled “ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL,” filed on Jun. 9, 2022 which is a continuation of U.S. patent application Ser. No. 17/322,115 entitled “ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL,” filed on May 17, 2021, which is a continuation of U.S. patent application Ser. No. 16/885,027, entitled “ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL,” filed on May 27, 2020, which is a continuation of U.S. patent application Ser. No. 16/039,099, entitled “ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL,” filed on Jul. 18, 2018, which claims priority to U.S. Patent Application No. 62/679,332, entitled “ATTENTION AWARE VIRTUAL ASSISTANT DISMISSAL,” filed on Jun. 1, 2018. The contents of each of these applications are hereby incorporated by reference in their entireties.

FIELD

This relates generally to intelligent automated assistants and, more specifically, to efficient dismissal of intelligent automated assistant sessions.

BACKGROUND

Intelligent automated assistants (or digital assistants) can provide a beneficial interface between human users and electronic devices. Such assistants can allow users to interact with devices or systems using natural language in spoken and/or text forms. For example, a user can provide a speech input containing a user request to a digital assistant operating on an electronic device. The digital assistant can interpret the user's intent from the speech input and operationalize the user's intent into tasks. The tasks can then be performed by executing one or more services of the electronic device, and a relevant output responsive to the user request can be returned to the user.

Operating a digital assistant requires electric power, which is a limited resource on handheld or portable devices that rely on batteries and on which digital assistants often run. Accordingly, it can be desirable to operate a digital assistant in an energy efficient manner.

SUMMARY

Example methods are disclosed herein. An example method includes, at an electronic device having one or more processors, initiating a virtual assistant session responsive to receiving user input. In accordance with initiating the virtual assistant session, the method includes determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied. In accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time, the method includes automatically deactivating the virtual assistant session prior to the first time. The first time is defined by a setting of the electronic device. In accordance with determining that the one or more criteria representing expressed

2

user disinterest are not satisfied prior to the first time, the method includes automatically deactivating the virtual assistant session at the first time.

Example non-transitory computer-readable media are disclosed herein. An example non-transitory computer-readable storage medium stores one or more programs. The one or more programs comprise instructions, which when executed by one or more processors of an electronic device, cause the electronic device to: initiate a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determine, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied; and in accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time, automatically deactivate the virtual assistant session prior to the first time, wherein the first time is defined by a setting of the electronic device; and in accordance with determining that the one or more criteria representing expressed user disinterest are not satisfied prior to the first time, automatically deactivate the virtual assistant session at the first time.

Example electronic devices are disclosed herein. An example electronic device comprises one or more processors; a memory; and one or more programs, where the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for: initiating a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied; and in accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time, automatically deactivating the virtual assistant session prior to the first time, wherein the first time is defined by a setting of the electronic device; and in accordance with determining that the one or more criteria representing expressed user disinterest are not satisfied prior to the first time, automatically deactivating the virtual assistant session at the first time.

An example electronic device comprises means for: initiating a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied; and in accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time, automatically deactivating the virtual assistant session prior to the first time, wherein the first time is defined by a setting of the electronic device; and in accordance with determining that the one or more criteria representing expressed user disinterest are not satisfied prior to the first time, automatically deactivating the virtual assistant session at the first time.

Example methods are disclosed herein. An example method includes, at an electronic device having one or more processors: initiating a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user engagement are satisfied; in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgoing deactivating the virtual

assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivating the virtual assistant session at the first time.

Example non-transitory computer-readable media are disclosed herein. An example non-transitory computer-readable storage medium stores one or more programs. The one or more programs comprise instructions, which when executed by one or more processors of an electronic device, cause the electronic device to: initiate a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determine, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user engagement are satisfied; in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgo deactivating the virtual assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivate the virtual assistant session at the first time.

Example electronic devices are disclosed herein. An example electronic device comprises one or more processors; a memory; and one or more programs, where the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for: initiating a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user engagement are satisfied; in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgoing deactivating the virtual assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivating the virtual assistant session at the first time.

An example electronic device comprises means for: initiating a virtual assistant session responsive to receiving user input; in accordance with initiating the virtual assistant session, determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user engagement are satisfied; in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgoing deactivating the virtual assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivating the virtual assistant session at the first time.

Determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied (and/or

whether one or more criteria representing expressed user engagement are satisfied) allows determination of whether a user is engaged with a virtual assistant session. Knowing whether a user is engaged allows intelligent decision making about whether to deactivate the virtual assistant session. For example, if the user is not engaged, a device can deactivate the virtual assistant session to save battery and processing power. As another example, if the user is engaged, the device can forgo deactivating the virtual assistant session so the user can continue interacting with the virtual assistant session (and so the virtual assistant session does not deactivate while the user is still interacting with it). In this manner, the user-device interface is made more efficient (e.g., by deactivating a virtual assistant session when a user is not engaged with it, by preventing deactivation of a virtual assistant session while the user is actively engaged with it, or by reducing user input to re-initiate an incorrectly deactivated virtual assistant session) which additionally, reduces power usage and improves battery life of the device by enabling the user to use the device more quickly and efficiently.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating a system and environment for implementing a digital assistant, according to various examples.

FIG. 2A is a block diagram illustrating a portable multifunction device implementing the client-side portion of a digital assistant, according to various examples.

FIG. 2B is a block diagram illustrating exemplary components for event handling, according to various examples.

FIG. 3 illustrates a portable multifunction device implementing the client-side portion of a digital assistant, according to various examples.

FIG. 4 is a block diagram of an exemplary multifunction device with a display and a touch-sensitive surface, according to various examples.

FIG. 5A illustrates an exemplary user interface for a menu of applications on a portable multifunction device, according to various examples.

FIG. 5B illustrates an exemplary user interface for a multifunction device with a touch-sensitive surface that is separate from the display, according to various examples.

FIG. 6A illustrates a personal electronic device, according to various examples.

FIG. 6B is a block diagram illustrating a personal electronic device, according to various examples.

FIG. 7A is a block diagram illustrating a digital assistant system or a server portion thereof, according to various examples.

FIG. 7B illustrates the functions of the digital assistant shown in FIG. 7A, according to various examples.

FIG. 7C illustrates a portion of an ontology, according to various examples.

FIGS. 8A-8D depict exemplary techniques for operating a digital assistant at an electronic device.

FIG. 9 illustrates a block diagram of a system configured to operate a digital assistant session according to various examples.

FIGS. 10A-10B illustrate a process for operating a digital assistant according to various examples.

DETAILED DESCRIPTION

In the following description of examples, reference is made to the accompanying drawings in which are shown by way of illustration specific examples that can be practiced.

It is to be understood that other examples can be used and structural changes can be made without departing from the scope of the various examples.

The present disclosure generally relates to determining whether to deactivate a virtual assistant session based on determining whether a user is engaged with the virtual assistant session. For example, if a user is not engaged with a virtual assistant session, the virtual assistant session may be automatically deactivated to conserve battery and processing power. If a user is engaged with the virtual assistant session, automatic deactivation of the virtual assistant may be forgone or delayed so the virtual assistant session does not deactivate while the user is engaged. In this manner, user experience operating virtual assistants is improved.

Although the following description uses terms “first,” “second,” etc. to describe various elements, these elements should not be limited by the terms. These terms are only used to distinguish one element from another. For example, a first input could be termed a second input, and, similarly, a second input could be termed a first input, without departing from the scope of the various described examples. The first input and the second input are both inputs and, in some cases, are separate and different inputs.

The terminology used in the description of the various described examples herein is for the purpose of describing particular examples only and is not intended to be limiting. As used in the description of the various described examples and the appended claims, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will also be understood that the term “and/or” as used herein refers to and encompasses any and all possible combinations of one or more of the associated listed items. It will be further understood that the terms “includes,” “including,” “comprises,” and/or “comprising,” when used in this specification, specify the presence of stated features, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, integers, steps, operations, elements, components, and/or groups thereof.

The term “if” may be construed to mean “when” or “upon” or “in response to determining” or “in response to detecting,” depending on the context. Similarly, the phrase “if it is determined” or “if [a stated condition or event] is detected” may be construed to mean “upon determining” or “in response to determining” or “upon detecting [the stated condition or event]” or “in response to detecting [the stated condition or event],” depending on the context.

1. System and Environment

FIG. 1 illustrates a block diagram of system 100 according to various examples. In some examples, system 100 implements a digital assistant. The terms “digital assistant,” “virtual assistant,” “intelligent automated assistant,” or “automatic digital assistant” refer to any information processing system that interprets natural language input in spoken and/or textual form to infer user intent, and performs actions based on the inferred user intent. For example, to act on an inferred user intent, the system performs one or more of the following: identifying a task flow with steps and parameters designed to accomplish the inferred user intent, inputting specific requirements from the inferred user intent into the task flow; executing the task flow by invoking programs, methods, services, APIs, or the like; and generating output responses to the user in an audible (e.g., speech) and/or visual form.

Specifically, a digital assistant is capable of accepting a user request at least partially in the form of a natural

language command, request, statement, narrative, and/or inquiry. Typically, the user request seeks either an informational answer or performance of a task by the digital assistant. A satisfactory response to the user request includes a provision of the requested informational answer, a performance of the requested task, or a combination of the two. For example, a user asks the digital assistant a question, such as “Where am I right now?” Based on the user’s current location, the digital assistant answers, “You are in Central Park near the west gate.” The user also requests the performance of a task, for example, “Please invite my friends to my girlfriend’s birthday party next week.” In response, the digital assistant can acknowledge the request by saying “Yes, right away,” and then send a suitable calendar invite on behalf of the user to each of the user’s friends listed in the user’s electronic address book. During performance of a requested task, the digital assistant sometimes interacts with the user in a continuous dialogue involving multiple exchanges of information over an extended period of time. There are numerous other ways of interacting with a digital assistant to request information or performance of various tasks. In addition to providing verbal responses and taking programmed actions, the digital assistant also provides responses in other visual or audio forms, e.g., as text, alerts, music, videos, animations, etc.

As shown in FIG. 1, in some examples, a digital assistant is implemented according to a client-server model. The digital assistant includes client-side portion 102 (hereafter “DA client 102”) executed on user device 104 and server-side portion 106 (hereafter “DA server 106”) executed on server system 108. DA client 102 communicates with DA server 106 through one or more networks 110. DA client 102 provides client-side functionalities such as user-facing input and output processing and communication with DA server 106. DA server 106 provides server-side functionalities for any number of DA clients 102 each residing on a respective user device 104.

In some examples, DA server 106 includes client-facing I/O interface 112, one or more processing modules 114, data and models 116, and I/O interface to external services 118. The client-facing I/O interface 112 facilitates the client-facing input and output processing for DA server 106. One or more processing modules 114 utilize data and models 116 to process speech input and determine the user’s intent based on natural language input. Further, one or more processing modules 114 perform task execution based on inferred user intent. In some examples, DA server 106 communicates with external services 120 through network(s) 110 for task completion or information acquisition. I/O interface to external services 118 facilitates such communications.

User device 104 can be any suitable electronic device. In some examples, user device 104 is a portable multifunctional device (e.g., device 200, described below with reference to FIG. 2A), a multifunctional device (e.g., device 400, described below with reference to FIG. 4), or a personal electronic device (e.g., device 600, described below with reference to FIG. 6A-B.) A portable multifunctional device is, for example, a mobile telephone that also contains other functions, such as PDA and/or music player functions. Specific examples of portable multifunction devices include the Apple Watch®, iPhone®, iPod Touch®, and iPad® devices from Apple Inc. of Cupertino, California. Other examples of portable multifunction devices include, without limitation, earphones/headphones, speakers, and laptop or tablet computers. Further, in some examples, user device 104 is a non-portable multifunctional device. In particular, user device 104 is a desktop computer, a game console, a

speaker, a television, or a television set-top box. In some examples, user device **104** includes a touch-sensitive surface (e.g., touch screen displays and/or touchpads). Further, user device **104** optionally includes one or more other physical user-interface devices, such as a physical keyboard, a mouse, and/or a joystick. Various examples of electronic devices, such as multifunctional devices, are described below in greater detail.

Examples of communication network(s) **110** include local area networks (LAN) and wide area networks (WAN), e.g., the Internet. Communication network(s) **110** is implemented using any known network protocol, including various wired or wireless protocols, such as, for example, Ethernet, Universal Serial Bus (USB), FIREWIRE, Global System for Mobile Communications (GSM), Enhanced Data GSM Environment (EDGE), code division multiple access (CDMA), time division multiple access (TDMA), Bluetooth, Wi-Fi, voice over Internet Protocol (VOIP), WiMAX, or any other suitable communication protocol.

Server system **108** is implemented on one or more standalone data processing apparatus or a distributed network of computers. In some examples, server system **108** also employs various virtual devices and/or services of third-party service providers (e.g., third-party cloud service providers) to provide the underlying computing resources and/or infrastructure resources of server system **108**.

In some examples, user device **104** communicates with DA server **106** via second user device **122**. Second user device **122** is similar or identical to user device **104**. For example, second user device **122** is similar to devices **200**, **400**, or **600** described below with reference to FIGS. **2A**, **4**, and **6A-B**. User device **104** is configured to communicatively couple to second user device **122** via a direct communication connection, such as Bluetooth, NFC, BTLE, or the like, or via a wired or wireless network, such as a local Wi-Fi network. In some examples, second user device **122** is configured to act as a proxy between user device **104** and DA server **106**. For example, DA client **102** of user device **104** is configured to transmit information (e.g., a user request received at user device **104**) to DA server **106** via second user device **122**. DA server **106** processes the information and returns relevant data (e.g., data content responsive to the user request) to user device **104** via second user device **122**.

In some examples, user device **104** is configured to communicate abbreviated requests for data to second user device **122** to reduce the amount of information transmitted from user device **104**. Second user device **122** is configured to determine supplemental information to add to the abbreviated request to generate a complete request to transmit to DA server **106**. This system architecture can advantageously allow user device **104** having limited communication capabilities and/or limited battery power (e.g., a watch or a similar compact electronic device) to access services provided by DA server **106** by using second user device **122**, having greater communication capabilities and/or battery power (e.g., a mobile phone, laptop computer, tablet computer, or the like), as a proxy to DA server **106**. While only two user devices **104** and **122** are shown in FIG. **1**, it should be appreciated that system **100**, in some examples, includes any number and type of user devices configured in this proxy configuration to communicate with DA server system **106**.

Although the digital assistant shown in FIG. **1** includes both a client-side portion (e.g., DA client **102**) and a server-side portion (e.g., DA server **106**), in some examples, the functions of a digital assistant are implemented as a standalone application installed on a user device. In addition,

the divisions of functionalities between the client and server portions of the digital assistant can vary in different implementations. For instance, in some examples, the DA client is a thin-client that provides only user-facing input and output processing functions, and delegates all other functionalities of the digital assistant to a backend server.

2. Electronic Devices

Attention is now directed toward embodiments of electronic devices for implementing the client-side portion of a digital assistant. FIG. **2A** is a block diagram illustrating portable multifunction device **200** with touch-sensitive display system **212** in accordance with some embodiments. Touch-sensitive display **212** is sometimes called a “touch screen” for convenience and is sometimes known as or called a “touch-sensitive display system.” Device **200** includes memory **202** (which optionally includes one or more computer-readable storage mediums), memory controller **222**, one or more processing units (CPUs) **220**, peripherals interface **218**, RF circuitry **208**, audio circuitry **210**, speaker **211**, microphone **213**, input/output (I/O) subsystem **206**, other input control devices **216**, and external port **224**. Device **200** optionally includes one or more optical sensors **264**. Device **200** optionally includes one or more contact intensity sensors **265** for detecting intensity of contacts on device **200** (e.g., a touch-sensitive surface such as touch-sensitive display system **212** of device **200**). Device **200** optionally includes one or more tactile output generators **267** for generating tactile outputs on device **200** (e.g., generating tactile outputs on a touch-sensitive surface such as touch-sensitive display system **212** of device **200** or touchpad **455** of device **400**). These components optionally communicate over one or more communication buses or signal lines **203**.

As used in the specification and claims, the term “intensity” of a contact on a touch-sensitive surface refers to the force or pressure (force per unit area) of a contact (e.g., a finger contact) on the touch-sensitive surface, or to a substitute (proxy) for the force or pressure of a contact on the touch-sensitive surface. The intensity of a contact has a range of values that includes at least four distinct values and more typically includes hundreds of distinct values (e.g., at least 256). Intensity of a contact is, optionally, determined (or measured) using various approaches and various sensors or combinations of sensors. For example, one or more force sensors underneath or adjacent to the touch-sensitive surface are, optionally, used to measure force at various points on the touch-sensitive surface. In some implementations, force measurements from multiple force sensors are combined (e.g., a weighted average) to determine an estimated force of a contact. Similarly, a pressure-sensitive tip of a stylus is, optionally, used to determine a pressure of the stylus on the touch-sensitive surface. Alternatively, the size of the contact area detected on the touch-sensitive surface and/or changes thereto, the capacitance of the touch-sensitive surface proximate to the contact and/or changes thereto, and/or the resistance of the touch-sensitive surface proximate to the contact and/or changes thereto are, optionally, used as a substitute for the force or pressure of the contact on the touch-sensitive surface. In some implementations, the substitute measurements for contact force or pressure are used directly to determine whether an intensity threshold has been exceeded (e.g., the intensity threshold is described in units corresponding to the substitute measurements). In some implementations, the substitute measurements for contact force or pressure are converted to an estimated force or pressure, and the estimated force or pressure is used to determine whether an intensity threshold has been exceeded.

(e.g., the intensity threshold is a pressure threshold measured in units of pressure). Using the intensity of a contact as an attribute of a user input allows for user access to additional device functionality that may otherwise not be accessible by the user on a reduced-size device with limited real estate for displaying affordances (e.g., on a touch-sensitive display) and/or receiving user input (e.g., via a touch-sensitive display, a touch-sensitive surface, or a physical/mechanical control such as a knob or a button).

As used in the specification and claims, the term “tactile output” refers to physical displacement of a device relative to a previous position of the device, physical displacement of a component (e.g., a touch-sensitive surface) of a device relative to another component (e.g., housing) of the device, or displacement of the component relative to a center of mass of the device that will be detected by a user with the user’s sense of touch. For example, in situations where the device or the component of the device is in contact with a surface of a user that is sensitive to touch (e.g., a finger, palm, or other part of a user’s hand), the tactile output generated by the physical displacement will be interpreted by the user as a tactile sensation corresponding to a perceived change in physical characteristics of the device or the component of the device. For example, movement of a touch-sensitive surface (e.g., a touch-sensitive display or trackpad) is, optionally, interpreted by the user as a “down click” or “up click” of a physical actuator button. In some cases, a user will feel a tactile sensation such as an “down click” or “up click” even when there is no movement of a physical actuator button associated with the touch-sensitive surface that is physically pressed (e.g., displaced) by the user’s movements. As another example, movement of the touch-sensitive surface is, optionally, interpreted or sensed by the user as “roughness” of the touch-sensitive surface, even when there is no change in smoothness of the touch-sensitive surface. While such interpretations of touch by a user will be subject to the individualized sensory perceptions of the user, there are many sensory perceptions of touch that are common to a large majority of users. Thus, when a tactile output is described as corresponding to a particular sensory perception of a user (e.g., an “up click,” a “down click,” “roughness”), unless otherwise stated, the generated tactile output corresponds to physical displacement of the device or a component thereof that will generate the described sensory perception for a typical (or average) user.

It should be appreciated that device **200** is only one example of a portable multifunction device, and that device **200** optionally has more or fewer components than shown, optionally combines two or more components, or optionally has a different configuration or arrangement of the components. The various components shown in FIG. **2A** are implemented in hardware, software, or a combination of both hardware and software, including one or more signal processing and/or application-specific integrated circuits.

Memory **202** includes one or more computer-readable storage mediums. The computer-readable storage mediums are, for example, tangible and non-transitory. Memory **202** includes high-speed random access memory and also includes non-volatile memory, such as one or more magnetic disk storage devices, flash memory devices, or other non-volatile solid-state memory devices. Memory controller **222** controls access to memory **202** by other components of device **200**.

In some examples, a non-transitory computer-readable storage medium of memory **202** is used to store instructions (e.g., for performing aspects of processes described below) for use by or in connection with an instruction execution

system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device and execute the instructions. In other examples, the instructions (e.g., for performing aspects of the processes described below) are stored on a non-transitory computer-readable storage medium (not shown) of the server system **108** or are divided between the non-transitory computer-readable storage medium of memory **202** and the non-transitory computer-readable storage medium of server system **108**.

Peripherals interface **218** is used to couple input and output peripherals of the device to CPU **220** and memory **202**. The one or more processors **220** run or execute various software programs and/or sets of instructions stored in memory **202** to perform various functions for device **200** and to process data. In some embodiments, peripherals interface **218**, CPU **220**, and memory controller **222** are implemented on a single chip, such as chip **204**. In some other embodiments, they are implemented on separate chips.

RF (radio frequency) circuitry **208** receives and sends RF signals, also called electromagnetic signals. RF circuitry **208** converts electrical signals to/from electromagnetic signals and communicates with communications networks and other communications devices via the electromagnetic signals. RF circuitry **208** optionally includes well-known circuitry for performing these functions, including but not limited to an antenna system, an RF transceiver, one or more amplifiers, a tuner, one or more oscillators, a digital signal processor, a CODEC chipset, a subscriber identity module (SIM) card, memory, and so forth. RF circuitry **208** optionally communicates with networks, such as the Internet, also referred to as the World Wide Web (WWW), an intranet and/or a wireless network, such as a cellular telephone network, a wireless local area network (LAN) and/or a metropolitan area network (MAN), and other devices by wireless communication. The RF circuitry **208** optionally includes well-known circuitry for detecting near field communication (NFC) fields, such as by a short-range communication radio. The wireless communication optionally uses any of a plurality of communications standards, protocols, and technologies, including but not limited to Global System for Mobile Communications (GSM), Enhanced Data GSM Environment (EDGE), high-speed downlink packet access (HSDPA), high-speed uplink packet access (HSUPA), Evolution, Data-Only (EV-DO), HSPA, HSPA+, Dual-Cell HSPA (DC-HSPDA), long term evolution (LTE), near field communication (NFC), wideband code division multiple access (W-CDMA), code division multiple access (CDMA), time division multiple access (TDMA), Bluetooth, Bluetooth Low Energy (BTLE), Wireless Fidelity (Wi-Fi) (e.g., IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, and/or IEEE 802.11ac), voice over Internet Protocol (VOIP), Wi-MAX, a protocol for e mail (e.g., Internet message access protocol (IMAP) and/or post office protocol (POP)), instant messaging (e.g., extensible messaging and presence protocol (XMPP), Session Initiation Protocol for Instant Messaging and Presence Leveraging Extensions (SIMPLE), Instant Messaging and Presence Service (IMPS)), and/or Short Message Service (SMS), or any other suitable communication protocol, including communication protocols not yet developed as of the filing date of this document.

Audio circuitry **210**, speaker **211**, and microphone **213** provide an audio interface between a user and device **200**. Audio circuitry **210** receives audio data from peripherals interface **218**, converts the audio data to an electrical signal, and transmits the electrical signal to speaker **211**. Speaker

11

211 converts the electrical signal to human-audible sound waves. Audio circuitry **210** also receives electrical signals converted by microphone **213** from sound waves. Audio circuitry **210** converts the electrical signal to audio data and transmits the audio data to peripherals interface **218** for processing. Audio data are retrieved from and/or transmitted to memory **202** and/or RF circuitry **208** by peripherals interface **218**. In some embodiments, audio circuitry **210** also includes a headset jack (e.g., **312**, FIG. 3). The headset jack provides an interface between audio circuitry **210** and removable audio input/output peripherals, such as output-only headphones or a headset with both output (e.g., a headphone for one or both ears) and input (e.g., a microphone).

I/O subsystem **206** couples input/output peripherals on device **200**, such as touch screen **212** and other input control devices **216**, to peripherals interface **218**. I/O subsystem **206** optionally includes display controller **256**, optical sensor controller **258**, intensity sensor controller **259**, haptic feedback controller **261**, and one or more input controllers **260** for other input or control devices. The one or more input controllers **260** receive/send electrical signals from/to other input control devices **216**. The other input control devices **216** optionally include physical buttons (e.g., push buttons, rocker buttons, etc.), dials, slider switches, joysticks, click wheels, and so forth. In some alternate embodiments, input controller(s) **260** are, optionally, coupled to any (or none) of the following: a keyboard, an infrared port, a USB port, and a pointer device such as a mouse. The one or more buttons (e.g., **308**, FIG. 3) optionally include an up/down button for volume control of speaker **211** and/or microphone **213**. The one or more buttons optionally include a push button (e.g., **306**, FIG. 3).

A quick press of the push button disengages a lock of touch screen **212** or begin a process that uses gestures on the touch screen to unlock the device, as described in U.S. patent application Ser. No. 11/322,549, "Unlocking a Device by Performing Gestures on an Unlock Image," filed Dec. 23, 2005, U.S. Pat. No. 7,657,849, which is hereby incorporated by reference in its entirety. A longer press of the push button (e.g., **306**) turns power to device **200** on or off. The user is able to customize a functionality of one or more of the buttons. Touch screen **212** is used to implement virtual or soft buttons and one or more soft keyboards.

Touch-sensitive display **212** provides an input interface and an output interface between the device and a user. Display controller **256** receives and/or sends electrical signals from/to touch screen **212**. Touch screen **212** displays visual output to the user. The visual output includes graphics, text, icons, video, and any combination thereof (collectively termed "graphics"). In some embodiments, some or all of the visual output correspond to user-interface objects.

Touch screen **212** has a touch-sensitive surface, sensor, or set of sensors that accepts input from the user based on haptic and/or tactile contact. Touch screen **212** and display controller **256** (along with any associated modules and/or sets of instructions in memory **202**) detect contact (and any movement or breaking of the contact) on touch screen **212** and convert the detected contact into interaction with user-interface objects (e.g., one or more soft keys, icons, web pages, or images) that are displayed on touch screen **212**. In an exemplary embodiment, a point of contact between touch screen **212** and the user corresponds to a finger of the user.

Touch screen **212** uses LCD (liquid crystal display) technology, LPD (light emitting polymer display) technology, or LED (light emitting diode) technology, although other display technologies may be used in other embodi-

12

ments. Touch screen **212** and display controller **256** detect contact and any movement or breaking thereof using any of a plurality of touch sensing technologies now known or later developed, including but not limited to capacitive, resistive, infrared, and surface acoustic wave technologies, as well as other proximity sensor arrays or other elements for determining one or more points of contact with touch screen **212**. In an exemplary embodiment, projected mutual capacitance sensing technology is used, such as that found in the iPhone® and iPod Touch® from Apple Inc. of Cupertino, California.

A touch-sensitive display in some embodiments of touch screen **212** is analogous to the multi-touch sensitive touchpads described in the following U.S. Pat. No. 6,323,846 (Westerman et al.), U.S. Pat. No. 6,570,557 (Westerman et al.), and/or U.S. Pat. No. 6,677,932 (Westerman), and/or U.S. Patent Publication 2002/0015024A1, each of which is hereby incorporated by reference in its entirety. However, touch screen **212** displays visual output from device **200**, whereas touch-sensitive touchpads do not provide visual output.

A touch-sensitive display in some embodiments of touch screen **212** is as described in the following applications: (1) U.S. patent application Ser. No. 11/381,313, "Multipoint Touch Surface Controller," filed May 2, 2006; (2) U.S. patent application Ser. No. 10/840,862, "Multipoint Touchscreen," filed May 6, 2004; (3) U.S. patent application Ser. No. 10/903,964, "Gestures For Touch Sensitive Input Devices," filed Jul. 30, 2004; (4) U.S. patent application Ser. No. 11/048,264, "Gestures For Touch Sensitive Input Devices," filed Jan. 31, 2005; (5) U.S. patent application Ser. No. 11/038,590, "Mode-Based Graphical User Interfaces For Touch Sensitive Input Devices," filed Jan. 18, 2005; (6) U.S. patent application Ser. No. 11/228,758, "Virtual Input Device Placement On A Touch Screen User Interface," filed Sep. 16, 2005; (7) U.S. patent application Ser. No. 11/228,700, "Operation Of A Computer With A Touch Screen Interface," filed Sep. 16, 2005; (8) U.S. patent application Ser. No. 11/228,737, "Activating Virtual Keys Of A Touch-Screen Virtual Keyboard," filed Sep. 16, 2005; and (9) U.S. patent application Ser. No. 11/367,749, "Multi-Functional Hand-Held Device," filed Mar. 3, 2006. All of these applications are incorporated by reference herein in their entirety.

Touch screen **212** has, for example, a video resolution in excess of 100 dpi. In some embodiments, the touch screen has a video resolution of approximately 160 dpi. The user makes contact with touch screen **212** using any suitable object or appendage, such as a stylus, a finger, and so forth. In some embodiments, the user interface is designed to work primarily with finger-based contacts and gestures, which can be less precise than stylus-based input due to the larger area of contact of a finger on the touch screen. In some embodiments, the device translates the rough finger-based input into a precise pointer/cursor position or command for performing the actions desired by the user.

In some embodiments, in addition to the touch screen, device **200** includes a touchpad (not shown) for activating or deactivating particular functions. In some embodiments, the touchpad is a touch-sensitive area of the device that, unlike the touch screen, does not display visual output. The touchpad is a touch-sensitive surface that is separate from touch screen **212** or an extension of the touch-sensitive surface formed by the touch screen.

Device **200** also includes power system **262** for powering the various components. Power system **262** includes a power management system, one or more power sources (e.g., battery, alternating current (AC)), a recharging system, a

power failure detection circuit, a power converter or inverter, a power status indicator (e.g., a light-emitting diode (LED)) and any other components associated with the generation, management and distribution of power in portable devices.

Device 200 also includes one or more optical sensors 264. FIG. 2A shows an optical sensor coupled to optical sensor controller 258 in I/O subsystem 206. Optical sensor 264 includes charge-coupled device (CCD) or complementary metal-oxide semiconductor (CMOS) phototransistors. Optical sensor 264 receives light from the environment, projected through one or more lenses, and converts the light to data representing an image. In conjunction with imaging module 243 (also called a camera module), optical sensor 264 captures still images or video. In some embodiments, an optical sensor is located on the back of device 200, opposite touch screen display 212 on the front of the device so that the touch screen display is used as a viewfinder for still and/or video image acquisition. In some embodiments, an optical sensor is located on the front of the device so that the user's image is obtained for video conferencing while the user views the other video conference participants on the touch screen display. In some embodiments, the position of optical sensor 264 can be changed by the user (e.g., by rotating the lens and the sensor in the device housing) so that a single optical sensor 264 is used along with the touch screen display for both video conferencing and still and/or video image acquisition.

Device 200 optionally also includes one or more contact intensity sensors 265. FIG. 2A shows a contact intensity sensor coupled to intensity sensor controller 259 in I/O subsystem 206. Contact intensity sensor 265 optionally includes one or more piezoresistive strain gauges, capacitive force sensors, electric force sensors, piezoelectric force sensors, optical force sensors, capacitive touch-sensitive surfaces, or other intensity sensors (e.g., sensors used to measure the force (or pressure) of a contact on a touch-sensitive surface). Contact intensity sensor 265 receives contact intensity information (e.g., pressure information or a proxy for pressure information) from the environment. In some embodiments, at least one contact intensity sensor is collocated with, or proximate to, a touch-sensitive surface (e.g., touch-sensitive display system 212). In some embodiments, at least one contact intensity sensor is located on the back of device 200, opposite touch screen display 212, which is located on the front of device 200.

Device 200 also includes one or more proximity sensors 266. FIG. 2A shows proximity sensor 266 coupled to peripherals interface 218. Alternately, proximity sensor 266 is coupled to input controller 260 in I/O subsystem 206. Proximity sensor 266 is performed as described in U.S. patent application Ser. No. 11/241,839, "Proximity Detector In Handheld Device"; Ser. No. 11/240,788, "Proximity Detector In Handheld Device"; Ser. No. 11/620,702, "Using Ambient Light Sensor To Augment Proximity Sensor Output"; Ser. No. 11/586,862, "Automated Response To And Sensing Of User Activity In Portable Devices"; and Ser. No. 11/638,251, "Methods And Systems For Automatic Configuration Of Peripherals," which are hereby incorporated by reference in their entirety. In some embodiments, the proximity sensor turns off and disables touch screen 212 when the multifunction device is placed near the user's ear (e.g., when the user is making a phone call).

Device 200 optionally also includes one or more tactile output generators 267. FIG. 2A shows a tactile output generator coupled to haptic feedback controller 261 in I/O subsystem 206. Tactile output generator 267 optionally

includes one or more electroacoustic devices such as speakers or other audio components and/or electromechanical devices that convert energy into linear motion such as a motor, solenoid, electroactive polymer, piezoelectric actuator, electrostatic actuator, or other tactile output generating component (e.g., a component that converts electrical signals into tactile outputs on the device). Contact intensity sensor 265 receives tactile feedback generation instructions from haptic feedback module 233 and generates tactile outputs on device 200 that are capable of being sensed by a user of device 200. In some embodiments, at least one tactile output generator is collocated with, or proximate to, a touch-sensitive surface (e.g., touch-sensitive display system 212) and, optionally, generates a tactile output by moving the touch-sensitive surface vertically (e.g., in/out of a surface of device 200) or laterally (e.g., back and forth in the same plane as a surface of device 200). In some embodiments, at least one tactile output generator sensor is located on the back of device 200, opposite touch screen display 212, which is located on the front of device 200.

Device 200 also includes one or more accelerometers 268. FIG. 2A shows accelerometer 268 coupled to peripherals interface 218. Alternately, accelerometer 268 is coupled to an input controller 260 in I/O subsystem 206. Accelerometer 268 performs, for example, as described in U.S. Patent Publication No. 20050190059, "Acceleration-based Theft Detection System for Portable Electronic Devices," and U.S. Patent Publication No. 20060017692, "Methods And Apparatuses For Operating A Portable Device Based On An Accelerometer," both of which are incorporated by reference herein in their entirety. In some embodiments, information is displayed on the touch screen display in a portrait view or a landscape view based on an analysis of data received from the one or more accelerometers. Device 200 optionally includes, in addition to accelerometer(s) 268, a magnetometer (not shown) and a GPS (or GLONASS or other global navigation system) receiver (not shown) for obtaining information concerning the location and orientation (e.g., portrait or landscape) of device 200.

In some embodiments, the software components stored in memory 202 include operating system 226, communication module (or set of instructions) 228, contact/motion module (or set of instructions) 230, graphics module (or set of instructions) 232, text input module (or set of instructions) 234, Global Positioning System (GPS) module (or set of instructions) 235, Digital Assistant Client Module 229, and applications (or sets of instructions) 236. Further, memory 202 stores data and models, such as user data and models 231. Furthermore, in some embodiments, memory 202 (FIG. 2A) or 470 (FIG. 4) stores device/global internal state 257, as shown in FIGS. 2A and 4. Device/global internal state 257 includes one or more of: active application state, indicating which applications, if any, are currently active; display state, indicating what applications, views or other information occupy various regions of touch screen display 212; sensor state, including information obtained from the device's various sensors and input control devices 216; and location information concerning the device's location and/or attitude.

Operating system 226 (e.g., Darwin, RTXC, LINUX, UNIX, OS X, IOS, WINDOWS, or an embedded operating system such as VxWorks) includes various software components and/or drivers for controlling and managing general system tasks (e.g., memory management, storage device control, power management, etc.) and facilitates communication between various hardware and software components.

Communication module 228 facilitates communication with other devices over one or more external ports 224 and

also includes various software components for handling data received by RF circuitry **208** and/or external port **224**. External port **224** (e.g., Universal Serial Bus (USB), FIRE-WIRE, etc.) is adapted for coupling directly to other devices or indirectly over a network (e.g., the Internet, wireless LAN, etc.). In some embodiments, the external port is a multi-pin (e.g., 30-pin) connector that is the same as, or similar to and/or compatible with, the 30-pin connector used on iPod® (trademark of Apple Inc.) devices.

Contact/motion module **230** optionally detects contact with touch screen **212** (in conjunction with display controller **256**) and other touch-sensitive devices (e.g., a touchpad or physical click wheel). Contact/motion module **230** includes various software components for performing various operations related to detection of contact, such as determining if contact has occurred (e.g., detecting a finger-down event), determining an intensity of the contact (e.g., the force or pressure of the contact or a substitute for the force or pressure of the contact), determining if there is movement of the contact and tracking the movement across the touch-sensitive surface (e.g., detecting one or more finger-dragging events), and determining if the contact has ceased (e.g., detecting a finger-up event or a break in contact). Contact/motion module **230** receives contact data from the touch-sensitive surface. Determining movement of the point of contact, which is represented by a series of contact data, optionally includes determining speed (magnitude), velocity (magnitude and direction), and/or an acceleration (a change in magnitude and/or direction) of the point of contact. These operations are, optionally, applied to single contacts (e.g., one finger contacts) or to multiple simultaneous contacts (e.g., “multitouch”/multiple finger contacts). In some embodiments, contact/motion module **230** and display controller **256** detect contact on a touchpad.

In some embodiments, contact/motion module **230** uses a set of one or more intensity thresholds to determine whether an operation has been performed by a user (e.g., to determine whether a user has “clicked” on an icon). In some embodiments, at least a subset of the intensity thresholds are determined in accordance with software parameters (e.g., the intensity thresholds are not determined by the activation thresholds of particular physical actuators and can be adjusted without changing the physical hardware of device **200**). For example, a mouse “click” threshold of a trackpad or touch screen display can be set to any of a large range of predefined threshold values without changing the trackpad or touch screen display hardware. Additionally, in some implementations, a user of the device is provided with software settings for adjusting one or more of the set of intensity thresholds (e.g., by adjusting individual intensity thresholds and/or by adjusting a plurality of intensity thresholds at once with a system-level click “intensity” parameter).

Contact/motion module **230** optionally detects a gesture input by a user. Different gestures on the touch-sensitive surface have different contact patterns (e.g., different motions, timings, and/or intensities of detected contacts). Thus, a gesture is, optionally, detected by detecting a particular contact pattern. For example, detecting a finger tap gesture includes detecting a finger-down event followed by detecting a finger-up (liftoff) event at the same position (or substantially the same position) as the finger-down event (e.g., at the position of an icon). As another example, detecting a finger swipe gesture on the touch-sensitive surface includes detecting a finger-down event followed by detecting one or more finger-dragging events, and subsequently followed by detecting a finger-up (liftoff) event.

Graphics module **232** includes various known software components for rendering and displaying graphics on touch screen **212** or other display, including components for changing the visual impact (e.g., brightness, transparency, saturation, contrast, or other visual property) of graphics that are displayed. As used herein, the term “graphics” includes any object that can be displayed to a user, including, without limitation, text, web pages, icons (such as user-interface objects including soft keys), digital images, videos, animations, and the like.

In some embodiments, graphics module **232** stores data representing graphics to be used. Each graphic is, optionally, assigned a corresponding code. Graphics module **232** receives, from applications etc., one or more codes specifying graphics to be displayed along with, if necessary, coordinate data and other graphic property data, and then generates screen image data to output to display controller **256**.

Haptic feedback module **233** includes various software components for generating instructions used by tactile output generator(s) **267** to produce tactile outputs at one or more locations on device **200** in response to user interactions with device **200**.

Text input module **234**, which is, in some examples, a component of graphics module **232**, provides soft keyboards for entering text in various applications (e.g., contacts module **237**, email client module **240**, IM module **241**, browser module **247**, and any other application that needs text input).

GPS module **235** determines the location of the device and provides this information for use in various applications (e.g., to telephone module **238** for use in location-based dialing; to camera module **243** as picture/video metadata; and to applications that provide location-based services such as weather widgets, local yellow page widgets, and map/navigation widgets).

Digital assistant client module **229** includes various client-side digital assistant instructions to provide the client-side functionalities of the digital assistant. For example, digital assistant client module **229** is capable of accepting voice input (e.g., speech input), text input, touch input, and/or gestural input through various user interfaces (e.g., microphone **213**, accelerometer(s) **268**, touch-sensitive display system **212**, optical sensor(s) **264**, other input control devices **216**, etc.) of portable multifunction device **200**. Digital assistant client module **229** is also capable of providing output in audio (e.g., speech output), visual, and/or tactile forms through various output interfaces (e.g., speaker **211**, touch-sensitive display system **212**, tactile output generator(s) **267**, etc.) of portable multifunction device **200**. For example, output is provided as voice, sound, alerts, text messages, menus, graphics, videos, animations, vibrations, and/or combinations of two or more of the above. During operation, digital assistant client module **229** communicates with DA server **106** using RF circuitry **208**.

User data and models **231** include various data associated with the user (e.g., user-specific vocabulary data, user preference data, user-specified name pronunciations, data from the user’s electronic address book, to-do lists, shopping lists, etc.) to provide the client-side functionalities of the digital assistant. Further, user data and models **231** include various models (e.g., speech recognition models, statistical language models, natural language processing models, ontology, task flow models, service models, etc.) for processing user input and determining user intent.

In some examples, digital assistant client module **229** utilizes the various sensors, subsystems, and peripheral devices of portable multifunction device **200** to gather

additional information from the surrounding environment of the portable multifunction device 200 to establish a context associated with a user, the current user interaction, and/or the current user input. In some examples, digital assistant client module 229 provides the contextual information or a subset thereof with the user input to DA server 106 to help infer the user's intent. In some examples, the digital assistant also uses the contextual information to determine how to prepare and deliver outputs to the user. Contextual information is referred to as context data.

In some examples, the contextual information that accompanies the user input includes sensor information, e.g., lighting, ambient noise, ambient temperature, images or videos of the surrounding environment, etc. In some examples, the contextual information can also include the physical state of the device, e.g., device orientation, device location, device temperature, power level, speed, acceleration, motion patterns, cellular signals strength, etc. In some examples, information related to the software state of DA server 106, e.g., running processes, installed programs, past and present network activities, background services, error logs, resources usage, etc., and of portable multifunction device 200 is provided to DA server 106 as contextual information associated with a user input.

In some examples, the digital assistant client module 229 selectively provides information (e.g., user data 231) stored on the portable multifunction device 200 in response to requests from DA server 106. In some examples, digital assistant client module 229 also elicits additional input from the user via a natural language dialogue or other user interfaces upon request by DA server 106. Digital assistant client module 229 passes the additional input to DA server 106 to help DA server 106 in intent deduction and/or fulfillment of the user's intent expressed in the user request.

A more detailed description of a digital assistant is described below with reference to FIGS. 7A-C. It should be recognized that digital assistant client module 229 can include any number of the sub-modules of digital assistant module 726 described below.

Applications 236 include the following modules (or sets of instructions), or a subset or superset thereof:

Contacts module 237 (sometimes called an address book or contact list);

Telephone module 238;

Video conference module 239;

E-mail client module 240;

Instant messaging (IM) module 241;

Workout support module 242;

Camera module 243 for still and/or video images;

Image management module 244;

Video player module;

Music player module;

Browser module 247;

Calendar module 248;

Widget modules 249, which includes, in some examples, one or more of: weather widget 249-1, stocks widget 249-2, calculator widget 249-3, alarm clock widget 249-4, dictionary widget 249-5, and other widgets obtained by the user, as well as user-created widgets 249-6;

Widget creator module 250 for making user-created widgets 249-6;

Search module 251;

Video and music player module 252, which merges video player module and music player module;

Notes module 253;

Map module 254; and/or

Online video module 255.

Examples of other applications 236 that are stored in memory 202 include other word processing applications, other image editing applications, drawing applications, presentation applications, JAVA-enabled applications, encryption, digital rights management, voice recognition, and voice replication.

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, contacts module 237 are used to manage an address book or contact list (e.g., stored in application internal state 292 of contacts module 237 in memory 202 or memory 470), including: adding name(s) to the address book; deleting name(s) from the address book; associating telephone number(s), e-mail address(es), physical address(es) or other information with a name; associating an image with a name; categorizing and sorting names; providing telephone numbers or e-mail addresses to initiate and/or facilitate communications by telephone module 238, video conference module 239, e-mail client module 240, or IM module 241; and so forth.

In conjunction with RF circuitry 208, audio circuitry 210, speaker 211, microphone 213, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, telephone module 238 are used to enter a sequence of characters corresponding to a telephone number, access one or more telephone numbers in contacts module 237, modify a telephone number that has been entered, dial a respective telephone number, conduct a conversation, and disconnect or hang up when the conversation is completed. As noted above, the wireless communication uses any of a plurality of communications standards, protocols, and technologies.

In conjunction with RF circuitry 208, audio circuitry 210, speaker 211, microphone 213, touch screen 212, display controller 256, optical sensor 264, optical sensor controller 258, contact/motion module 230, graphics module 232, text input module 234, contacts module 237, and telephone module 238, video conference module 239 includes executable instructions to initiate, conduct, and terminate a video conference between a user and one or more other participants in accordance with user instructions.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, e-mail client module 240 includes executable instructions to create, send, receive, and manage e-mail in response to user instructions. In conjunction with image management module 244, e-mail client module 240 makes it very easy to create and send e-mails with still or video images taken with camera module 243.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, the instant messaging module 241 includes executable instructions to enter a sequence of characters corresponding to an instant message, to modify previously entered characters, to transmit a respective instant message (for example, using a Short Message Service (SMS) or Multimedia Message Service (MMS) protocol for telephony-based instant messages or using XMPP, SIMPLE, or IMPS for Internet-based instant messages), to receive instant messages, and to view received instant messages. In some embodiments, transmitted and/or received instant messages include graphics, photos, audio files, video files and/or other attachments as are supported in an MMS and/or an Enhanced Messaging Service (EMS). As used herein, "instant messaging" refers to both telephony-

based messages (e.g., messages sent using SMS or MMS) and Internet-based messages (e.g., messages sent using XMPP, SIMPLE, or IMPS).

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, GPS module 235, map module 254, and music player module, workout support module 242 includes executable instructions to create workouts (e.g., with time, distance, and/or calorie burning goals); communicate with workout sensors (sports devices); receive workout sensor data; calibrate sensors used to monitor a workout; select and play music for a workout; and display, store, and transmit workout data.

In conjunction with touch screen 212, display controller 256, optical sensor(s) 264, optical sensor controller 258, contact/motion module 230, graphics module 232, and image management module 244, camera module 243 includes executable instructions to capture still images or video (including a video stream) and store them into memory 202, modify characteristics of a still image or video, or delete a still image or video from memory 202.

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, and camera module 243, image management module 244 includes executable instructions to arrange, modify (e.g., edit), or otherwise manipulate, label, delete, present (e.g., in a digital slide show or album), and store still and/or video images.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, browser module 247 includes executable instructions to browse the Internet in accordance with user instructions, including searching, linking to, receiving, and displaying web pages or portions thereof, as well as attachments and other files linked to web pages.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, e-mail client module 240, and browser module 247, calendar module 248 includes executable instructions to create, display, modify, and store calendars and data associated with calendars (e.g., calendar entries, to-do lists, etc.) in accordance with user instructions.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, and browser module 247, widget modules 249 are mini-applications that can be downloaded and used by a user (e.g., weather widget 249-1, stocks widget 249-2, calculator widget 249-3, alarm clock widget 249-4, and dictionary widget 249-5) or created by the user (e.g., user-created widget 249-6). In some embodiments, a widget includes an HTML (Hypertext Markup Language) file, a CSS (Cascading Style Sheets) file, and a JavaScript file. In some embodiments, a widget includes an XML (Extensible Markup Language) file and a JavaScript file (e.g., Yahoo! Widgets).

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, and browser module 247, the widget creator module 250 are used by a user to create widgets (e.g., turning a user-specified portion of a web page into a widget).

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, search module 251 includes executable instructions to search for text, music, sound, image, video, and/or other files in memory 202 that match one or

more search criteria (e.g., one or more user-specified search terms) in accordance with user instructions.

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, audio circuitry 210, speaker 211, RF circuitry 208, and browser module 247, video and music player module 252 includes executable instructions that allow the user to download and play back recorded music and other sound files stored in one or more file formats, such as MP3 or AAC files, and executable instructions to display, present, or otherwise play back videos (e.g., on touch screen 212 or on an external, connected display via external port 224). In some embodiments, device 200 optionally includes the functionality of an MP3 player, such as an iPod (trademark of Apple Inc.).

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, notes module 253 includes executable instructions to create and manage notes, to-do lists, and the like in accordance with user instructions.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, GPS module 235, and browser module 247, map module 254 are used to receive, display, modify, and store maps and data associated with maps (e.g., driving directions, data on stores and other points of interest at or near a particular location, and other location-based data) in accordance with user instructions.

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, audio circuitry 210, speaker 211, RF circuitry 208, text input module 234, e-mail client module 240, and browser module 247, online video module 255 includes instructions that allow the user to access, browse, receive (e.g., by streaming and/or download), play back (e.g., on the touch screen or on an external, connected display via external port 224), send an e-mail with a link to a particular online video, and otherwise manage online videos in one or more file formats, such as H.264. In some embodiments, instant messaging module 241, rather than e-mail client module 240, is used to send a link to a particular online video. Additional description of the online video application can be found in U.S. Provisional Patent Application No. 60/936,562, "Portable Multifunction Device, Method, and Graphical User Interface for Playing Online Videos," filed Jun. 20, 2007, and U.S. patent application Ser. No. 11/968,067, "Portable Multifunction Device, Method, and Graphical User Interface for Playing Online Videos," filed Dec. 31, 2007, the contents of which are hereby incorporated by reference in their entirety.

Each of the above-identified modules and applications corresponds to a set of executable instructions for performing one or more functions described above and the methods described in this application (e.g., the computer-implemented methods and other information processing methods described herein). These modules (e.g., sets of instructions) need not be implemented as separate software programs, procedures, or modules, and thus various subsets of these modules can be combined or otherwise rearranged in various embodiments. For example, video player module can be combined with music player module into a single module (e.g., video and music player module 252, FIG. 2A). In some embodiments, memory 202 stores a subset of the modules and data structures identified above. Furthermore, memory 202 stores additional modules and data structures not described above.

In some embodiments, device 200 is a device where operation of a predefined set of functions on the device is performed exclusively through a touch screen and/or a

touchpad. By using a touch screen and/or a touchpad as the primary input control device for operation of device **200**, the number of physical input control devices (such as push buttons, dials, and the like) on device **200** is reduced.

The predefined set of functions that are performed exclusively through a touch screen and/or a touchpad optionally include navigation between user interfaces. In some embodiments, the touchpad, when touched by the user, navigates device **200** to a main, home, or root menu from any user interface that is displayed on device **200**. In such embodiments, a “menu button” is implemented using a touchpad. In some other embodiments, the menu button is a physical push button or other physical input control device instead of a touchpad.

FIG. **2B** is a block diagram illustrating exemplary components for event handling in accordance with some embodiments. In some embodiments, memory **202** (FIG. **2A**) or **470** (FIG. **4**) includes event sorter **270** (e.g., in operating system **226**) and a respective application **236-1** (e.g., any of the aforementioned applications **237-251**, **255**, **480-490**).

Event sorter **270** receives event information and determines the application **236-1** and application view **291** of application **236-1** to which to deliver the event information. Event sorter **270** includes event monitor **271** and event dispatcher module **274**. In some embodiments, application **236-1** includes application internal state **292**, which indicates the current application view(s) displayed on touch-sensitive display **212** when the application is active or executing. In some embodiments, device/global internal state **257** is used by event sorter **270** to determine which application(s) is (are) currently active, and application internal state **292** is used by event sorter **270** to determine application views **291** to which to deliver event information.

In some embodiments, application internal state **292** includes additional information, such as one or more of: resume information to be used when application **236-1** resumes execution, user interface state information that indicates information being displayed or that is ready for display by application **236-1**, a state queue for enabling the user to go back to a prior state or view of application **236-1**, and a redo/undo queue of previous actions taken by the user.

Event monitor **271** receives event information from peripherals interface **218**. Event information includes information about a sub-event (e.g., a user touch on touch-sensitive display **212**, as part of a multi-touch gesture). Peripherals interface **218** transmits information it receives from I/O subsystem **206** or a sensor, such as proximity sensor **266**, accelerometer(s) **268**, and/or microphone **213** (through audio circuitry **210**). Information that peripherals interface **218** receives from I/O subsystem **206** includes information from touch-sensitive display **212** or a touch-sensitive surface.

In some embodiments, event monitor **271** sends requests to the peripherals interface **218** at predetermined intervals. In response, peripherals interface **218** transmits event information. In other embodiments, peripherals interface **218** transmits event information only when there is a significant event (e.g., receiving an input above a predetermined noise threshold and/or for more than a predetermined duration).

In some embodiments, event sorter **270** also includes a hit view determination module **272** and/or an active event recognizer determination module **273**.

Hit view determination module **272** provides software procedures for determining where a sub-event has taken place within one or more views when touch-sensitive dis-

play **212** displays more than one view. Views are made up of controls and other elements that a user can see on the display.

Another aspect of the user interface associated with an application is a set of views, sometimes herein called application views or user interface windows, in which information is displayed and touch-based gestures occur. The application views (of a respective application) in which a touch is detected correspond to programmatic levels within a programmatic or view hierarchy of the application. For example, the lowest level view in which a touch is detected is called the hit view, and the set of events that are recognized as proper inputs is determined based, at least in part, on the hit view of the initial touch that begins a touch-based gesture.

Hit view determination module **272** receives information related to sub events of a touch-based gesture. When an application has multiple views organized in a hierarchy, hit view determination module **272** identifies a hit view as the lowest view in the hierarchy which should handle the sub-event. In most circumstances, the hit view is the lowest level view in which an initiating sub-event occurs (e.g., the first sub-event in the sequence of sub-events that form an event or potential event). Once the hit view is identified by the hit view determination module **272**, the hit view typically receives all sub-events related to the same touch or input source for which it was identified as the hit view.

Active event recognizer determination module **273** determines which view or views within a view hierarchy should receive a particular sequence of sub-events. In some embodiments, active event recognizer determination module **273** determines that only the hit view should receive a particular sequence of sub-events. In other embodiments, active event recognizer determination module **273** determines that all views that include the physical location of a sub-event are actively involved views, and therefore determines that all actively involved views should receive a particular sequence of sub-events. In other embodiments, even if touch sub-events were entirely confined to the area associated with one particular view, views higher in the hierarchy would still remain as actively involved views.

Event dispatcher module **274** dispatches the event information to an event recognizer (e.g., event recognizer **280**). In embodiments including active event recognizer determination module **273**, event dispatcher module **274** delivers the event information to an event recognizer determined by active event recognizer determination module **273**. In some embodiments, event dispatcher module **274** stores in an event queue the event information, which is retrieved by a respective event receiver **282**.

In some embodiments, operating system **226** includes event sorter **270**. Alternatively, application **236-1** includes event sorter **270**. In yet other embodiments, event sorter **270** is a stand-alone module, or a part of another module stored in memory **202**, such as contact/motion module **230**.

In some embodiments, application **236-1** includes a plurality of event handlers **290** and one or more application views **291**, each of which includes instructions for handling touch events that occur within a respective view of the application’s user interface. Each application view **291** of the application **236-1** includes one or more event recognizers **280**. Typically, a respective application view **291** includes a plurality of event recognizers **280**. In other embodiments, one or more of event recognizers **280** are part of a separate module, such as a user interface kit (not shown) or a higher level object from which application **236-1** inherits methods and other properties. In some embodi-

ments, a respective event handler **290** includes one or more of: data updater **276**, object updater **277**, GUI updater **278**, and/or event data **279** received from event sorter **270**. Event handler **290** utilizes or calls data updater **276**, object updater **277**, or GUI updater **278** to update the application internal state **292**. Alternatively, one or more of the application views **291** include one or more respective event handlers **290**. Also, in some embodiments, one or more of data updater **276**, object updater **277**, and GUI updater **278** are included in a respective application view **291**.

A respective event recognizer **280** receives event information (e.g., event data **279**) from event sorter **270** and identifies an event from the event information. Event recognizer **280** includes event receiver **282** and event comparator **284**. In some embodiments, event recognizer **280** also includes at least a subset of: metadata **283**, and event delivery instructions **288** (which include sub-event delivery instructions).

Event receiver **282** receives event information from event sorter **270**. The event information includes information about a sub-event, for example, a touch or a touch movement. Depending on the sub-event, the event information also includes additional information, such as location of the sub-event. When the sub-event concerns motion of a touch, the event information also includes speed and direction of the sub-event. In some embodiments, events include rotation of the device from one orientation to another (e.g., from a portrait orientation to a landscape orientation, or vice versa), and the event information includes corresponding information about the current orientation (also called device attitude) of the device.

Event comparator **284** compares the event information to predefined event or sub-event definitions and, based on the comparison, determines an event or sub event, or determines or updates the state of an event or sub-event. In some embodiments, event comparator **284** includes event definitions **286**. Event definitions **286** contain definitions of events (e.g., predefined sequences of sub-events), for example, event **1** (**287-1**), event **2** (**287-2**), and others. In some embodiments, sub-events in an event (**287**) include, for example, touch begin, touch end, touch movement, touch cancellation, and multiple touching. In one example, the definition for event **1** (**287-1**) is a double tap on a displayed object. The double tap, for example, comprises a first touch (touch begin) on the displayed object for a predetermined phase, a first liftoff (touch end) for a predetermined phase, a second touch (touch begin) on the displayed object for a predetermined phase, and a second liftoff (touch end) for a predetermined phase. In another example, the definition for event **2** (**287-2**) is a dragging on a displayed object. The dragging, for example, comprises a touch (or contact) on the displayed object for a predetermined phase, a movement of the touch across touch-sensitive display **212**, and liftoff of the touch (touch end). In some embodiments, the event also includes information for one or more associated event handlers **290**.

In some embodiments, event definition **287** includes a definition of an event for a respective user-interface object. In some embodiments, event comparator **284** performs a hit test to determine which user-interface object is associated with a sub-event. For example, in an application view in which three user-interface objects are displayed on touch-sensitive display **212**, when a touch is detected on touch-sensitive display **212**, event comparator **284** performs a hit test to determine which of the three user-interface objects is associated with the touch (sub-event). If each displayed object is associated with a respective event handler **290**, the

event comparator uses the result of the hit test to determine which event handler **290** should be activated. For example, event comparator **284** selects an event handler associated with the sub-event and the object triggering the hit test.

In some embodiments, the definition for a respective event (**287**) also includes delayed actions that delay delivery of the event information until after it has been determined whether the sequence of sub-events does or does not correspond to the event recognizer's event type.

When a respective event recognizer **280** determines that the series of sub-events do not match any of the events in event definitions **286**, the respective event recognizer **280** enters an event impossible, event failed, or event ended state, after which it disregards subsequent sub-events of the touch-based gesture. In this situation, other event recognizers, if any, that remain active for the hit view continue to track and process sub-events of an ongoing touch-based gesture.

In some embodiments, a respective event recognizer **280** includes metadata **283** with configurable properties, flags, and/or lists that indicate how the event delivery system should perform sub-event delivery to actively involved event recognizers. In some embodiments, metadata **283** includes configurable properties, flags, and/or lists that indicate how event recognizers interact, or are enabled to interact, with one another. In some embodiments, metadata **283** includes configurable properties, flags, and/or lists that indicate whether sub-events are delivered to varying levels in the view or programmatic hierarchy.

In some embodiments, a respective event recognizer **280** activates event handler **290** associated with an event when one or more particular sub-events of an event are recognized. In some embodiments, a respective event recognizer **280** delivers event information associated with the event to event handler **290**. Activating an event handler **290** is distinct from sending (and deferred sending) sub-events to a respective hit view. In some embodiments, event recognizer **280** throws a flag associated with the recognized event, and event handler **290** associated with the flag catches the flag and performs a predefined process.

In some embodiments, event delivery instructions **288** include sub-event delivery instructions that deliver event information about a sub-event without activating an event handler. Instead, the sub-event delivery instructions deliver event information to event handlers associated with the series of sub-events or to actively involved views. Event handlers associated with the series of sub-events or with actively involved views receive the event information and perform a predetermined process.

In some embodiments, data updater **276** creates and updates data used in application **236-1**. For example, data updater **276** updates the telephone number used in contacts module **237**, or stores a video file used in video player module. In some embodiments, object updater **277** creates and updates objects used in application **236-1**. For example, object updater **277** creates a new user-interface object or updates the position of a user-interface object. GUI updater **278** updates the GUI. For example, GUI updater **278** prepares display information and sends it to graphics module **232** for display on a touch-sensitive display.

In some embodiments, event handler(s) **290** includes or has access to data updater **276**, object updater **277**, and GUI updater **278**. In some embodiments, data updater **276**, object updater **277**, and GUI updater **278** are included in a single module of a respective application **236-1** or application view **291**. In other embodiments, they are included in two or more software modules.

It shall be understood that the foregoing discussion regarding event handling of user touches on touch-sensitive displays also applies to other forms of user inputs to operate multifunction devices **200** with input devices, not all of which are initiated on touch screens. For example, mouse movement and mouse button presses, optionally coordinated with single or multiple keyboard presses or holds; contact movements such as taps, drags, scrolls, etc. on touchpads; pen stylus inputs; movement of the device; oral instructions; detected eye movements; biometric inputs; and/or any combination thereof are optionally utilized as inputs corresponding to sub-events which define an event to be recognized.

FIG. **3** illustrates a portable multifunction device **200** having a touch screen **212** in accordance with some embodiments. The touch screen optionally displays one or more graphics within user interface (UI) **300**. In this embodiment, as well as others described below, a user is enabled to select one or more of the graphics by making a gesture on the graphics, for example, with one or more fingers **302** (not drawn to scale in the figure) or one or more styluses **303** (not drawn to scale in the figure). In some embodiments, selection of one or more graphics occurs when the user breaks contact with the one or more graphics. In some embodiments, the gesture optionally includes one or more taps, one or more swipes (from left to right, right to left, upward and/or downward), and/or a rolling of a finger (from right to left, left to right, upward and/or downward) that has made contact with device **200**. In some implementations or circumstances, inadvertent contact with a graphic does not select the graphic. For example, a swipe gesture that sweeps over an application icon optionally does not select the corresponding application when the gesture corresponding to selection is a tap.

Device **200** also includes one or more physical buttons, such as “home” or menu button **304**. As described previously, menu button **304** is used to navigate to any application **236** in a set of applications that is executed on device **200**. Alternatively, in some embodiments, the menu button is implemented as a soft key in a GUI displayed on touch screen **212**.

In one embodiment, device **200** includes touch screen **212**, menu button **304**, push button **306** for powering the device on/off and locking the device, volume adjustment button(s) **308**, subscriber identity module (SIM) card slot **310**, headset jack **312**, and docking/charging external port **224**. Push button **306** is, optionally, used to turn the power on/off on the device by depressing the button and holding the button in the depressed state for a predefined time interval; to lock the device by depressing the button and releasing the button before the predefined time interval has elapsed; and/or to unlock the device or initiate an unlock process. In an alternative embodiment, device **200** also accepts verbal input for activation or deactivation of some functions through microphone **213**. Device **200** also, optionally, includes one or more contact intensity sensors **265** for detecting intensity of contacts on touch screen **212** and/or one or more tactile output generators **267** for generating tactile outputs for a user of device **200**.

FIG. **4** is a block diagram of an exemplary multifunction device with a display and a touch-sensitive surface in accordance with some embodiments. Device **400** need not be portable. In some embodiments, device **400** is a laptop computer, a desktop computer, a tablet computer, a multimedia player device, a navigation device, an educational device (such as a child’s learning toy), a gaming system, or a control device (e.g., a home or industrial controller). Device **400** typically includes one or more processing units

(CPUs) **410**, one or more network or other communications interfaces **460**, memory **470**, and one or more communication buses **420** for interconnecting these components. Communication buses **420** optionally include circuitry (sometimes called a chipset) that interconnects and controls communications between system components. Device **400** includes input/output (I/O) interface **430** comprising display **440**, which is typically a touch screen display. I/O interface **430** also optionally includes a keyboard and/or mouse (or other pointing device) **450** and touchpad **455**, tactile output generator **457** for generating tactile outputs on device **400** (e.g., similar to tactile output generator(s) **267** described above with reference to FIG. **2A**), sensors **459** (e.g., optical, acceleration, proximity, touch-sensitive, and/or contact intensity sensors similar to contact intensity sensor(s) **265** described above with reference to FIG. **2A**). Memory **470** includes high-speed random access memory, such as DRAM, SRAM, DDR RAM, or other random access solid state memory devices; and optionally includes non-volatile memory, such as one or more magnetic disk storage devices, optical disk storage devices, flash memory devices, or other non-volatile solid state storage devices. Memory **470** optionally includes one or more storage devices remotely located from CPU(s) **410**. In some embodiments, memory **470** stores programs, modules, and data structures analogous to the programs, modules, and data structures stored in memory **202** of portable multifunction device **200** (FIG. **2A**), or a subset thereof. Furthermore, memory **470** optionally stores additional programs, modules, and data structures not present in memory **202** of portable multifunction device **200**. For example, memory **470** of device **400** optionally stores drawing module **480**, presentation module **482**, word processing module **484**, website creation module **486**, disk authoring module **488**, and/or spreadsheet module **490**, while memory **202** of portable multifunction device **200** (FIG. **2A**) optionally does not store these modules.

Each of the above-identified elements in FIG. **4** is, in some examples, stored in one or more of the previously mentioned memory devices. Each of the above-identified modules corresponds to a set of instructions for performing a function described above. The above-identified modules or programs (e.g., sets of instructions) need not be implemented as separate software programs, procedures, or modules, and thus various subsets of these modules are combined or otherwise rearranged in various embodiments. In some embodiments, memory **470** stores a subset of the modules and data structures identified above. Furthermore, memory **470** stores additional modules and data structures not described above.

Attention is now directed towards embodiments of user interfaces that can be implemented on, for example, portable multifunction device **200**.

FIG. **5A** illustrates an exemplary user interface for a menu of applications on portable multifunction device **200** in accordance with some embodiments. Similar user interfaces are implemented on device **400**. In some embodiments, user interface **500** includes the following elements, or a subset or superset thereof:

- Signal strength indicator(s) **502** for wireless communication(s), such as cellular and Wi-Fi signals;
- Time **504**;
- Bluetooth indicator **505**;
- Battery status indicator **506**;
- Tray **508** with icons for frequently used applications, such as:

Icon **516** for telephone module **238**, labeled “Phone,” which optionally includes an indicator **514** of the number of missed calls or voicemail messages;

Icon **518** for e-mail client module **240**, labeled “Mail,” which optionally includes an indicator **510** of the number of unread e-mails;

Icon **520** for browser module **247**, labeled “Browser;” and

Icon **522** for video and music player module **252**, also referred to as iPod (trademark of Apple Inc.) module **252**, labeled “iPod;” and

Icons for other applications, such as:

Icon **524** for IM module **241**, labeled “Messages;”

Icon **526** for calendar module **248**, labeled “Calendar;”

Icon **528** for image management module **244**, labeled “Photos;”

Icon **530** for camera module **243**, labeled “Camera;”

Icon **532** for online video module **255**, labeled “Online Video;”

Icon **534** for stocks widget **249-2**, labeled “Stocks;”

Icon **536** for map module **254**, labeled “Maps;”

Icon **538** for weather widget **249-1**, labeled “Weather;”

Icon **540** for alarm clock widget **249-4**, labeled “Clock;”

Icon **542** for workout support module **242**, labeled “Workout Support;”

Icon **544** for notes module **253**, labeled “Notes;” and

Icon **546** for a settings application or module, labeled “Settings,” which provides access to settings for device **200** and its various applications **236**.

It should be noted that the icon labels illustrated in FIG. 5A are merely exemplary. For example, icon **522** for video and music player module **252** is optionally labeled “Music” or “Music Player.” Other labels are, optionally, used for various application icons. In some embodiments, a label for a respective application icon includes a name of an application corresponding to the respective application icon. In some embodiments, a label for a particular application icon is distinct from a name of an application corresponding to the particular application icon.

FIG. 5B illustrates an exemplary user interface on a device (e.g., device **400**, FIG. 4) with a touch-sensitive surface **551** (e.g., a tablet or touchpad **455**, FIG. 4) that is separate from the display **550** (e.g., touch screen display **212**). Device **400** also, optionally, includes one or more contact intensity sensors (e.g., one or more of sensors **457**) for detecting intensity of contacts on touch-sensitive surface **551** and/or one or more tactile output generators **459** for generating tactile outputs for a user of device **400**.

Although some of the examples which follow will be given with reference to inputs on touch screen display **212** (where the touch-sensitive surface and the display are combined), in some embodiments, the device detects inputs on a touch-sensitive surface that is separate from the display, as shown in FIG. 5B. In some embodiments, the touch-sensitive surface (e.g., **551** in FIG. 5B) has a primary axis (e.g., **552** in FIG. 5B) that corresponds to a primary axis (e.g., **553** in FIG. 5B) on the display (e.g., **550**). In accordance with these embodiments, the device detects contacts (e.g., **560** and **562** in FIG. 5B) with the touch-sensitive surface **551** at locations that correspond to respective locations on the display (e.g., in FIG. 5B, contact **560** corresponds to **568** and contact **562** corresponds to **570**). In this way, user inputs (e.g., contacts **560** and **562**, and movements thereof) detected by the device on the touch-sensitive surface (e.g., **551** in FIG. 5B) are used by the device to manipulate the user interface on the display (e.g., **550** in FIG. 5B) of the

multifunction device when the touch-sensitive surface is separate from the display. It should be understood that similar methods are, optionally, used for other user interfaces described herein.

Additionally, while the following examples are given primarily with reference to finger inputs (e.g., finger contacts, finger tap gestures, finger swipe gestures), it should be understood that, in some embodiments, one or more of the finger inputs are replaced with input from another input device (e.g., a mouse-based input or stylus input). For example, a swipe gesture is, optionally, replaced with a mouse click (e.g., instead of a contact) followed by movement of the cursor along the path of the swipe (e.g., instead of movement of the contact). As another example, a tap gesture is, optionally, replaced with a mouse click while the cursor is located over the location of the tap gesture (e.g., instead of detection of the contact followed by ceasing to detect the contact). Similarly, when multiple user inputs are simultaneously detected, it should be understood that multiple computer mice are, optionally, used simultaneously, or a mouse and finger contacts are, optionally, used simultaneously.

FIG. 6A illustrates exemplary personal electronic device **600**. Device **600** includes body **602**. In some embodiments, device **600** includes some or all of the features described with respect to devices **200** and **400** (e.g., FIGS. 2A-4). In some embodiments, device **600** has touch-sensitive display screen **604**, hereafter touch screen **604**. Alternatively, or in addition to touch screen **604**, device **600** has a display and a touch-sensitive surface. As with devices **200** and **400**, in some embodiments, touch screen **604** (or the touch-sensitive surface) has one or more intensity sensors for detecting intensity of contacts (e.g., touches) being applied. The one or more intensity sensors of touch screen **604** (or the touch-sensitive surface) provide output data that represents the intensity of touches. The user interface of device **600** responds to touches based on their intensity, meaning that touches of different intensities can invoke different user interface operations on device **600**.

Techniques for detecting and processing touch intensity are found, for example, in related applications: International Patent Application Serial No. PCT/US2013/040061, titled “Device, Method, and Graphical User Interface for Displaying User Interface Objects Corresponding to an Application,” filed May 8, 2013, and International Patent Application Serial No. PCT/US2013/069483, titled “Device, Method, and Graphical User Interface for Transitioning Between Touch Input to Display Output Relationships,” filed Nov. 11, 2013, each of which is hereby incorporated by reference in their entirety.

In some embodiments, device **600** has one or more input mechanisms **606** and **608**. Input mechanisms **606** and **608**, if included, are physical. Examples of physical input mechanisms include push buttons and rotatable mechanisms. In some embodiments, device **600** has one or more attachment mechanisms. Such attachment mechanisms, if included, can permit attachment of device **600** with, for example, hats, eyewear, earrings, necklaces, shirts, jackets, bracelets, watch straps, chains, trousers, belts, shoes, purses, backpacks, and so forth. These attachment mechanisms permit device **600** to be worn by a user.

FIG. 6B depicts exemplary personal electronic device **600**. In some embodiments, device **600** includes some or all of the components described with respect to FIGS. 2A, 2B, and 4. Device **600** has bus **612** that operatively couples I/O section **614** with one or more computer processors **616** and memory **618**. I/O section **614** is connected to display **604**,

which can have touch-sensitive component **622** and, optionally, touch-intensity sensitive component **624**. In addition, I/O section **614** is connected with communication unit **630** for receiving application and operating system data, using Wi-Fi, Bluetooth, near field communication (NFC), cellular, and/or other wireless communication techniques. Device **600** includes input mechanisms **606** and/or **608**. Input mechanism **606** is a rotatable input device or a depressible and rotatable input device, for example. Input mechanism **608** is a button, in some examples.

Input mechanism **608** is a microphone, in some examples. Personal electronic device **600** includes, for example, various sensors, such as GPS sensor **632**, accelerometer **634**, directional sensor **640** (e.g., compass), gyroscope **636**, motion sensor **638**, and/or a combination thereof, all of which are operatively connected to I/O section **614**.

Memory **618** of personal electronic device **600** is a non-transitory computer-readable storage medium, for storing computer-executable instructions, which, when executed by one or more computer processors **616**, for example, cause the computer processors to perform the techniques and processes described below. The computer-executable instructions, for example, are also stored and/or transported within any non-transitory computer-readable storage medium for use by or in connection with an instruction execution system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device and execute the instructions. Personal electronic device **600** is not limited to the components and configuration of FIG. **6B**, but can include other or additional components in multiple configurations.

As used here, the term “affordance” refers to a user-interactive graphical user interface object that is, for example, displayed on the display screen of devices **200**, **400**, **600**, and/or **800** (FIGS. **2A**, **4**, **6A-B**, and **8A-D**). For example, an image (e.g., icon), a button, and text (e.g., hyperlink) each constitutes an affordance.

As used herein, the term “focus selector” refers to an input element that indicates a current part of a user interface with which a user is interacting. In some implementations that include a cursor or other location marker, the cursor acts as a “focus selector” so that when an input (e.g., a press input) is detected on a touch-sensitive surface (e.g., touchpad **455** in FIG. **4** or touch-sensitive surface **551** in FIG. **5B**) while the cursor is over a particular user interface element (e.g., a button, window, slider or other user interface element), the particular user interface element is adjusted in accordance with the detected input. In some implementations that include a touch screen display (e.g., touch-sensitive display system **212** in FIG. **2A** or touch screen **212** in FIG. **5A**) that enables direct interaction with user interface elements on the touch screen display, a detected contact on the touch screen acts as a “focus selector” so that when an input (e.g., a press input by the contact) is detected on the touch screen display at a location of a particular user interface element (e.g., a button, window, slider, or other user interface element), the particular user interface element is adjusted in accordance with the detected input. In some implementations, focus is moved from one region of a user interface to another region of the user interface without corresponding movement of a cursor or movement of a contact on a touch screen display (e.g., by using a tab key or arrow keys to move focus from one button to another button); in these implementations, the focus selector moves in accordance with movement of focus regard to the specific form taken by the focus selector, the

focus selector is generally the user interface element (or contact on a touch screen display) that is controlled by the user so as to communicate the user’s intended interaction with the user interface (e.g., by indicating, to the device, the element of the user interface with which the user is intending to interact). For example, the location of a focus selector (e.g., a cursor, a contact, or a selection box) over a respective button while a press input is detected on the touch-sensitive surface (e.g., a touchpad or touch screen) will indicate that the user is intending to activate the respective button (as opposed to other user interface elements shown on a display of the device).

As used in the specification and claims, the term “characteristic intensity” of a contact refers to a characteristic of the contact based on one or more intensities of the contact. In some embodiments, the characteristic intensity is based on multiple intensity samples. The characteristic intensity is, optionally, based on a predefined number of intensity samples, or a set of intensity samples collected during a predetermined time period (e.g., 0.05, 0.1, 0.2, 0.5, 1, 2, 5, 10 seconds) relative to a predefined event (e.g., after detecting the contact, prior to detecting liftoff of the contact, before or after detecting a start of movement of the contact, prior to detecting an end of the contact, before or after detecting an increase in intensity of the contact, and/or before or after detecting a decrease in intensity of the contact). A characteristic intensity of a contact is, optionally based on one or more of: a maximum value of the intensities of the contact, a mean value of the intensities of the contact, an average value of the intensities of the contact, a top 10 percentile value of the intensities of the contact, a value at the half maximum of the intensities of the contact, a value at the 90 percent maximum of the intensities of the contact, or the like. In some embodiments, the duration of the contact is used in determining the characteristic intensity (e.g., when the characteristic intensity is an average of the intensity of the contact over time). In some embodiments, the characteristic intensity is compared to a set of one or more intensity thresholds to determine whether an operation has been performed by a user. For example, the set of one or more intensity thresholds includes a first intensity threshold and a second intensity threshold. In this example, a contact with a characteristic intensity that does not exceed the first threshold results in a first operation, a contact with a characteristic intensity that exceeds the first intensity threshold and does not exceed the second intensity threshold results in a second operation, and a contact with a characteristic intensity that exceeds the second threshold results in a third operation. In some embodiments, a comparison between the characteristic intensity and one or more thresholds is used to determine whether or not to perform one or more operations (e.g., whether to perform a respective operation or forgo performing the respective operation) rather than being used to determine whether to perform a first operation or a second operation.

In some embodiments, a portion of a gesture is identified for purposes of determining a characteristic intensity. For example, a touch-sensitive surface receives a continuous swipe contact transitioning from a start location and reaching an end location, at which point the intensity of the contact increases. In this example, the characteristic intensity of the contact at the end location is based on only a portion of the continuous swipe contact, and not the entire swipe contact (e.g., only the portion of the swipe contact at the end location). In some embodiments, a smoothing algorithm is applied to the intensities of the swipe contact prior to determining the characteristic intensity of the contact. For

example, the smoothing algorithm optionally includes one or more of: an unweighted sliding-average smoothing algorithm, a triangular smoothing algorithm, a median filter smoothing algorithm, and/or an exponential smoothing algorithm. In some circumstances, these smoothing algorithms eliminate narrow spikes or dips in the intensities of the swipe contact for purposes of determining a characteristic intensity.

The intensity of a contact on the touch-sensitive surface is characterized relative to one or more intensity thresholds, such as a contact-detection intensity threshold, a light press intensity threshold, a deep press intensity threshold, and/or one or more other intensity thresholds. In some embodiments, the light press intensity threshold corresponds to an intensity at which the device will perform operations typically associated with clicking a button of a physical mouse or a trackpad. In some embodiments, the deep press intensity threshold corresponds to an intensity at which the device will perform operations that are different from operations typically associated with clicking a button of a physical mouse or a trackpad. In some embodiments, when a contact is detected with a characteristic intensity below the light press intensity threshold (e.g., and above a nominal contact-detection intensity threshold below which the contact is no longer detected), the device will move a focus selector in accordance with movement of the contact on the touch-sensitive surface without performing an operation associated with the light press intensity threshold or the deep press intensity threshold. Generally, unless otherwise stated, these intensity thresholds are consistent between different sets of user interface figures.

An increase of characteristic intensity of the contact from an intensity below the light press intensity threshold to an intensity between the light press intensity threshold and the deep press intensity threshold is sometimes referred to as a “light press” input. An increase of characteristic intensity of the contact from an intensity below the deep press intensity threshold to an intensity above the deep press intensity threshold is sometimes referred to as a “deep press” input. An increase of characteristic intensity of the contact from an intensity below the contact-detection intensity threshold to an intensity between the contact-detection intensity threshold and the light press intensity threshold is sometimes referred to as detecting the contact on the touch-surface. A decrease of characteristic intensity of the contact from an intensity above the contact-detection intensity threshold to an intensity below the contact-detection intensity threshold is sometimes referred to as detecting liftoff of the contact from the touch-surface. In some embodiments, the contact-detection intensity threshold is zero. In some embodiments, the contact-detection intensity threshold is greater than zero.

In some embodiments described herein, one or more operations are performed in response to detecting a gesture that includes a respective press input or in response to detecting the respective press input performed with a respective contact (or a plurality of contacts), where the respective press input is detected based at least in part on detecting an increase in intensity of the contact (or plurality of contacts) above a press-input intensity threshold. In some embodiments, the respective operation is performed in response to detecting the increase in intensity of the respective contact above the press-input intensity threshold (e.g., a “down stroke” of the respective press input). In some embodiments, the press input includes an increase in intensity of the respective contact above the press-input intensity threshold and a subsequent decrease in intensity of the contact below the press-input intensity threshold, and the respective opera-

tion is performed in response to detecting the subsequent decrease in intensity of the respective contact below the press-input threshold (e.g., an “up stroke” of the respective press input).

In some embodiments, the device employs intensity hysteresis to avoid accidental inputs sometimes termed “jitter,” where the device defines or selects a hysteresis intensity threshold with a predefined relationship to the press-input intensity threshold (e.g., the hysteresis intensity threshold is X intensity units lower than the press-input intensity threshold or the hysteresis intensity threshold is 75%, 90%, or some reasonable proportion of the press-input intensity threshold). Thus, in some embodiments, the press input includes an increase in intensity of the respective contact above the press-input intensity threshold and a subsequent decrease in intensity of the contact below the hysteresis intensity threshold that corresponds to the press-input intensity threshold, and the respective operation is performed in response to detecting the subsequent decrease in intensity of the respective contact below the hysteresis intensity threshold (e.g., an “up stroke” of the respective press input). Similarly, in some embodiments, the press input is detected only when the device detects an increase in intensity of the contact from an intensity at or below the hysteresis intensity threshold to an intensity at or above the press-input intensity threshold and, optionally, a subsequent decrease in intensity of the contact to an intensity at or below the hysteresis intensity, and the respective operation is performed in response to detecting the press input (e.g., the increase in intensity of the contact or the decrease in intensity of the contact, depending on the circumstances).

For ease of explanation, the descriptions of operations performed in response to a press input associated with a press-input intensity threshold or in response to a gesture including the press input are, optionally, triggered in response to detecting either: an increase in intensity of a contact above the press-input intensity threshold, an increase in intensity of a contact from an intensity below the hysteresis intensity threshold to an intensity above the press-input intensity threshold, a decrease in intensity of the contact below the press-input intensity threshold, and/or a decrease in intensity of the contact below the hysteresis intensity threshold corresponding to the press-input intensity threshold. Additionally, in examples where an operation is described as being performed in response to detecting a decrease in intensity of a contact below the press-input intensity threshold, the operation is, optionally, performed in response to detecting a decrease in intensity of the contact below a hysteresis intensity threshold corresponding to, and lower than, the press-input intensity threshold.

3. Digital Assistant System

FIG. 7A illustrates a block diagram of digital assistant system 700 in accordance with various examples. In some examples, digital assistant system 700 is implemented on a standalone computer system. In some examples, digital assistant system 700 is distributed across multiple computers. In some examples, some of the modules and functions of the digital assistant are divided into a server portion and a client portion, where the client portion resides on one or more user devices (e.g., devices 104, 122, 200, 400, 600, or 800) and communicates with the server portion (e.g., server system 108) through one or more networks, e.g., as shown in FIG. 1. In some examples, digital assistant system 700 is an implementation of server system 108 (and/or DA server 106) shown in FIG. 1. It should be noted that digital assistant system 700 is only one example of a digital assistant system, and that digital assistant system 700 can have more or fewer

components than shown, can combine two or more components, or can have a different configuration or arrangement of the components. The various components shown in FIG. 7A are implemented in hardware, software instructions for execution by one or more processors, firmware, including one or more signal processing and/or application specific integrated circuits, or a combination thereof.

Digital assistant system **700** includes memory **702**, one or more processors **704**, input/output (I/O) interface **706**, and network communications interface **708**. These components can communicate with one another over one or more communication buses or signal lines **710**.

In some examples, memory **702** includes a non-transitory computer-readable medium, such as high-speed random access memory and/or a non-volatile computer-readable storage medium (e.g., one or more magnetic disk storage devices, flash memory devices, or other non-volatile solid-state memory devices).

In some examples, I/O interface **706** couples input/output devices **716** of digital assistant system **700**, such as displays, keyboards, touch screens, and microphones, to user interface module **722**. I/O interface **706**, in conjunction with user interface module **722**, receives user inputs (e.g., voice input, keyboard inputs, touch inputs, etc.) and processes them accordingly. In some examples, e.g., when the digital assistant is implemented on a standalone user device, digital assistant system **700** includes any of the components and I/O communication interfaces described with respect to devices **200**, **400**, **600**, or **800** in FIGS. 2A, 4, 6A-B, and 8A-D respectively. In some examples, digital assistant system **700** represents the server portion of a digital assistant implementation, and can interact with the user through a client-side portion residing on a user device (e.g., devices **104**, **200**, **400**, **600**, or **800**).

In some examples, the network communications interface **708** includes wired communication port(s) **712** and/or wireless transmission and reception circuitry **714**. The wired communication port(s) receives and send communication signals via one or more wired interfaces, e.g., Ethernet, Universal Serial Bus (USB), FIREWIRE, etc. The wireless circuitry **714** receives and sends RF signals and/or optical signals from/to communications networks and other communications devices. The wireless communications use any of a plurality of communications standards, protocols, and technologies, such as GSM, EDGE, CDMA, TDMA, Bluetooth, Wi-Fi, VOIP, Wi-MAX, or any other suitable communication protocol. Network communications interface **708** enables communication between digital assistant system **700** with networks, such as the Internet, an intranet, and/or a wireless network, such as a cellular telephone network, a wireless local area network (LAN), and/or a metropolitan area network (MAN), and other devices.

In some examples, memory **702**, or the computer-readable storage media of memory **702**, stores programs, modules, instructions, and data structures including all or a subset of: operating system **718**, communications module **720**, user interface module **722**, one or more applications **724**, and digital assistant module **726**. In particular, memory **702**, or the computer-readable storage media of memory **702**, stores instructions for performing the processes described below. One or more processors **704** execute these programs, modules, and instructions, and reads/writes from/to the data structures.

Operating system **718** (e.g., Darwin, RTXC, LINUX, UNIX, iOS, OS X, WINDOWS, or an embedded operating system such as VxWorks) includes various software components and/or drivers for controlling and managing general

system tasks (e.g., memory management, storage device control, power management, etc.) and facilitates communications between various hardware, firmware, and software components.

Communications module **720** facilitates communications between digital assistant system **700** with other devices over network communications interface **708**. For example, communications module **720** communicates with RF circuitry **208** of electronic devices such as devices **200**, **400**, and **600** shown in FIGS. 2A, 4, 6A-B, respectively. Communications module **720** also includes various components for handling data received by wireless circuitry **714** and/or wired communications port **712**.

User interface module **722** receives commands and/or inputs from a user via I/O interface **706** (e.g., from a keyboard, touch screen, pointing device, controller, and/or microphone), and generate user interface objects on a display. User interface module **722** also prepares and delivers outputs (e.g., speech, sound, animation, text, icons, vibrations, haptic feedback, light, etc.) to the user via the I/O interface **706** (e.g., through displays, audio channels, speakers, touch-pads, etc.).

Applications **724** include programs and/or modules that are configured to be executed by one or more processors **704**. For example, if the digital assistant system is implemented on a standalone user device, applications **724** include user applications, such as games, a calendar application, a navigation application, or an email application. If digital assistant system **700** is implemented on a server, applications **724** include resource management applications, diagnostic applications, or scheduling applications, for example.

Memory **702** also stores digital assistant module **726** (or the server portion of a digital assistant). In some examples, digital assistant module **726** includes the following sub-modules, or a subset or superset thereof: input/output processing module **728**, speech-to-text (STT) processing module **730**, natural language processing module **732**, dialogue flow processing module **734**, task flow processing module **736**, service processing module **738**, and speech synthesis processing module **740**. Each of these modules has access to one or more of the following systems or data and models of the digital assistant module **726**, or a subset or superset thereof: ontology **760**, vocabulary index **744**, user data **748**, task flow models **754**, service models **756**, and ASR systems **758**.

In some examples, using the processing modules, data, and models implemented in digital assistant module **726**, the digital assistant can perform at least some of the following: converting speech input into text; identifying a user's intent expressed in a natural language input received from the user; actively eliciting and obtaining information needed to fully infer the user's intent (e.g., by disambiguating words, games, intentions, etc.); determining the task flow for fulfilling the inferred intent; and executing the task flow to fulfill the inferred intent.

In some examples, as shown in FIG. 7B, I/O processing module **728** interacts with the user through I/O devices **716** in FIG. 7A or with a user device (e.g., devices **104**, **200**, **400**, or **600**) through network communications interface **708** in FIG. 7A to obtain user input (e.g., a speech input) and to provide responses (e.g., as speech outputs) to the user input. I/O processing module **728** optionally obtains contextual information associated with the user input from the user device, along with or shortly after the receipt of the user input. The contextual information includes user-specific data, vocabulary, and/or preferences relevant to the user

input. In some examples, the contextual information also includes software and hardware states of the user device at the time the user request is received, and/or information related to the surrounding environment of the user at the time that the user request was received. In some examples, I/O processing module 728 also sends follow-up questions to, and receive answers from, the user regarding the user request. When a user request is received by I/O processing module 728 and the user request includes speech input, I/O processing module 728 forwards the speech input to STT processing module 730 (or speech recognizer) for speech-to-text conversions.

STT processing module 730 includes one or more ASR systems 758. The one or more ASR systems 758 can process the speech input that is received through I/O processing module 728 to produce a recognition result. Each ASR system 758 includes a front-end speech pre-processor. The front-end speech pre-processor extracts representative features from the speech input. For example, the front-end speech pre-processor performs a Fourier transform on the speech input to extract spectral features that characterize the speech input as a sequence of representative multi-dimensional vectors. Further, each ASR system 758 includes one or more speech recognition models (e.g., acoustic models and/or language models) and implements one or more speech recognition engines. Examples of speech recognition models include Hidden Markov Models, Gaussian-Mixture Models, Deep Neural Network Models, n-gram language models, and other statistical models. Examples of speech recognition engines include the dynamic time warping based engines and weighted finite-state transducers (WFST) based engines. The one or more speech recognition models and the one or more speech recognition engines are used to process the extracted representative features of the front-end speech pre-processor to produce intermediate recognitions results (e.g., phonemes, phonemic strings, and sub-words), and ultimately, text recognition results (e.g., words, word strings, or sequence of tokens). In some examples, the speech input is processed at least partially by a third-party service or on the user's device (e.g., device 104, 200, 400, 600, or 800) to produce the recognition result. Once STT processing module 730 produces recognition results containing a text string (e.g., words, or sequence of words, or sequence of tokens), the recognition result is passed to natural language processing module 732 for intent deduction. In some examples, STT processing module 730 produces multiple candidate text representations of the speech input. Each candidate text representation is a sequence of words or tokens corresponding to the speech input. In some examples, each candidate text representation is associated with a speech recognition confidence score. Based on the speech recognition confidence scores, STT processing module 730 ranks the candidate text representations and provides the n-best (e.g., n highest ranked) candidate text representation(s) to natural language processing module 732 for intent deduction, where n is a predetermined integer greater than zero. For example, in one example, only the highest ranked (n=1) candidate text representation is passed to natural language processing module 732 for intent deduction. In another example, the five highest ranked (n=5) candidate text representations are passed to natural language processing module 732 for intent deduction.

More details on the speech-to-text processing are described in U.S. Utility application Ser. No. 13/236,942 for "Consolidating Speech Recognition Results," filed on Sep. 20, 2011, the entire disclosure of which is incorporated herein by reference.

In some examples, STT processing module 730 includes and/or accesses a vocabulary of recognizable words via phonetic alphabet conversion module 731. Each vocabulary word is associated with one or more candidate pronunciations of the word represented in a speech recognition phonetic alphabet. In particular, the vocabulary of recognizable words includes a word that is associated with a plurality of candidate pronunciations. For example, the vocabulary includes the word "tomato" that is associated with the candidate pronunciations of /tə'meɪroʊ/ and /tə'matoʊ/. Further, vocabulary words are associated with custom candidate pronunciations that are based on previous speech inputs from the user. Such custom candidate pronunciations are stored in STT processing module 730 and are associated with a particular user via the user's profile on the device. In some examples, the candidate pronunciations for words are determined based on the spelling of the word and one or more linguistic and/or phonetic rules. In some examples, the candidate pronunciations are manually generated, e.g., based on known canonical pronunciations.

In some examples, the candidate pronunciations are ranked based on the commonness of the candidate pronunciation. For example, the candidate pronunciation /tə'meɪroʊ/ is ranked higher than /tə'matoʊ/ because the former is a more commonly used pronunciation (e.g., among all users, for users in a particular geographical region, or for any other appropriate subset of users). In some examples, candidate pronunciations are ranked based on whether the candidate pronunciation is a custom candidate pronunciation associated with the user. For example, custom candidate pronunciations are ranked higher than canonical candidate pronunciations. This can be useful for recognizing proper nouns having a unique pronunciation that deviates from canonical pronunciation. In some examples, candidate pronunciations are associated with one or more speech characteristics, such as geographic origin, nationality, or ethnicity. For example, the candidate pronunciation /tə'matoʊ/ is associated with the United States, whereas the candidate pronunciation /tə'meɪroʊ/ is associated with Great Britain. Further, the rank of the candidate pronunciation is based on one or more characteristics (e.g., geographic origin, nationality, ethnicity, etc.) of the user stored in the user's profile on the device. For example, it can be determined from the user's profile that the user is associated with the United States. Based on the user being associated with the United States, the candidate pronunciation /tə'meɪroʊ/ (associated with the United States) is ranked higher than the candidate pronunciation /tə'matoʊ/ (associated with Great Britain). In some examples, one of the ranked candidate pronunciations is selected as a predicted pronunciation (e.g., the most likely pronunciation).

When a speech input is received, STT processing module 730 is used to determine the phonemes corresponding to the speech input (e.g., using an acoustic model), and then attempt to determine words that match the phonemes (e.g., using a language model). For example, if STT processing module 730 first identifies the sequence of phonemes /tə'meɪroʊ/ corresponding to a portion of the speech input, it can then determine, based on vocabulary index 744, that this sequence corresponds to the word "tomato."

In some examples, STT processing module 730 uses approximate matching techniques to determine words in an utterance. Thus, for example, the STT processing module 730 determines that the sequence of phonemes /tə'meɪroʊ/ corresponds to the word "tomato," even if that particular sequence of phonemes is not one of the candidate sequence of phonemes for that word.

Natural language processing module 732 (“natural language processor”) of the digital assistant takes the n-best candidate text representation(s) (“word sequence(s)” or “token sequence(s)”) generated by STT processing module 730, and attempts to associate each of the candidate text representations with one or more “actionable intents” recognized by the digital assistant. An “actionable intent” (or “user intent”) represents a task that can be performed by the digital assistant, and can have an associated task flow implemented in task flow models 754. The associated task flow is a series of programmed actions and steps that the digital assistant takes in order to perform the task. The scope of a digital assistant’s capabilities is dependent on the number and variety of task flows that have been implemented and stored in task flow models 754, or in other words, on the number and variety of “actionable intents” that the digital assistant recognizes. The effectiveness of the digital assistant, however, also depends on the assistant’s ability to infer the correct “actionable intent(s)” from the user request expressed in natural language.

In some examples, in addition to the sequence of words or tokens obtained from STT processing module 730, natural language processing module 732 also receives contextual information associated with the user request, e.g., from I/O processing module 728. The natural language processing module 732 optionally uses the contextual information to clarify, supplement, and/or further define the information contained in the candidate text representations received from STT processing module 730. The contextual information includes, for example, user preferences, hardware, and/or software states of the user device, sensor information collected before, during, or shortly after the user request, prior interactions (e.g., dialogue) between the digital assistant and the user, and the like. As described herein, contextual information is, in some examples, dynamic, and changes with time, location, content of the dialogue, and other factors.

In some examples, the natural language processing is based on, e.g., ontology 760. Ontology 760 is a hierarchical structure containing many nodes, each node representing either an “actionable intent” or a “property” relevant to one or more of the “actionable intents” or other “properties.” As noted above, an “actionable intent” represents a task that the digital assistant is capable of performing, i.e., it is “actionable” or can be acted on. A “property” represents a parameter associated with an actionable intent or a sub-aspect of another property. A linkage between an actionable intent node and a property node in ontology 760 defines how a parameter represented by the property node pertains to the task represented by the actionable intent node.

In some examples, ontology 760 is made up of actionable intent nodes and property nodes. Within ontology 760, each actionable intent node is linked to one or more property nodes either directly or through one or more intermediate property nodes. Similarly, each property node is linked to one or more actionable intent nodes either directly or through one or more intermediate property nodes. For example, as shown in FIG. 7C, ontology 760 includes a “restaurant reservation” node (i.e., an actionable intent node). Property nodes “restaurant,” “date/time” (for the reservation), and “party size” are each directly linked to the actionable intent node (i.e., the “restaurant reservation” node).

In addition, property nodes “cuisine,” “price range,” “phone number,” and “location” are sub-nodes of the property node “restaurant,” and are each linked to the “restaurant reservation” node (i.e., the actionable intent node) through

the intermediate property node “restaurant.” For another example, as shown in FIG. 7C, ontology 760 also includes a “set reminder” node (i.e., another actionable intent node). Property nodes “date/time” (for setting the reminder) and “subject” (for the reminder) are each linked to the “set reminder” node. Since the property “date/time” is relevant to both the task of making a restaurant reservation and the task of setting a reminder, the property node “date/time” is linked to both the “restaurant reservation” node and the “set reminder” node in ontology 760.

An actionable intent node, along with its linked property nodes, is described as a “domain.” In the present discussion, each domain is associated with a respective actionable intent, and refers to the group of nodes (and the relationships there between) associated with the particular actionable intent. For example, ontology 760 shown in FIG. 7C includes an example of restaurant reservation domain 762 and an example of reminder domain 764 within ontology 760. The restaurant reservation domain includes the actionable intent node “restaurant reservation,” property nodes “restaurant,” “date/time,” and “party size,” and sub-property nodes “cuisine,” “price range,” “phone number,” and “location.” Reminder domain 764 includes the actionable intent node “set reminder,” and property nodes “subject” and “date/time.” In some examples, ontology 760 is made up of many domains. Each domain shares one or more property nodes with one or more other domains. For example, the “date/time” property node is associated with many different domains (e.g., a scheduling domain, a travel reservation domain, a movie ticket domain, etc.), in addition to restaurant reservation domain 762 and reminder domain 764.

While FIG. 7C illustrates two example domains within ontology 760, other domains include, for example, “find a movie,” “initiate a phone call,” “find directions,” “schedule a meeting,” “send a message,” and “provide an answer to a question,” “read a list,” “providing navigation instructions,” “provide instructions for a task” and so on. A “send a message” domain is associated with a “send a message” actionable intent node, and further includes property nodes such as “recipient(s),” “message type,” and “message body.” The property node “recipient” is further defined, for example, by the sub-property nodes such as “recipient name” and “message address.”

In some examples, ontology 760 includes all the domains (and hence actionable intents) that the digital assistant is capable of understanding and acting upon. In some examples, ontology 760 is modified, such as by adding or removing entire domains or nodes, or by modifying relationships between the nodes within the ontology 760.

In some examples, nodes associated with multiple related actionable intents are clustered under a “super domain” in ontology 760. For example, a “travel” super-domain includes a cluster of property nodes and actionable intent nodes related to travel. The actionable intent nodes related to travel includes “airline reservation,” “hotel reservation,” “car rental,” “get directions,” “find points of interest,” and so on. The actionable intent nodes under the same super domain (e.g., the “travel” super domain) have many property nodes in common. For example, the actionable intent nodes for “airline reservation,” “hotel reservation,” “car rental,” “get directions,” and “find points of interest” share one or more of the property nodes “start location,” “destination,” “departure date/time,” “arrival date/time,” and “party size.”

In some examples, each node in ontology 760 is associated with a set of words and/or phrases that are relevant to the property or actionable intent represented by the node.

The respective set of words and/or phrases associated with each node are the so-called “vocabulary” associated with the node. The respective set of words and/or phrases associated with each node are stored in vocabulary index **744** in association with the property or actionable intent represented by the node. For example, returning to FIG. 7B, the vocabulary associated with the node for the property of “restaurant” includes words such as “food,” “drinks,” “cuisine,” “hungry,” “eat,” “pizza,” “fast food,” “meal,” and so on. For another example, the vocabulary associated with the node for the actionable intent of “initiate a phone call” includes words and phrases such as “call,” “phone,” “dial,” “ring,” “call this number,” “make a call to,” and so on. The vocabulary index **744** optionally includes words and phrases in different languages.

Natural language processing module **732** receives the candidate text representations (e.g., text string(s) or token sequence(s)) from STT processing module **730**, and for each candidate representation, determines what nodes are implicated by the words in the candidate text representation. In some examples, if a word or phrase in the candidate text representation is found to be associated with one or more nodes in ontology **760** (via vocabulary index **744**), the word or phrase “triggers” or “activates” those nodes. Based on the quantity and/or relative importance of the activated nodes, natural language processing module **732** selects one of the actionable intents as the task that the user intended the digital assistant to perform. In some examples, the domain that has the most “triggered” nodes is selected. In some examples, the domain having the highest confidence value (e.g., based on the relative importance of its various triggered nodes) is selected. In some examples, the domain is selected based on a combination of the number and the importance of the triggered nodes. In some examples, additional factors are considered in selecting the node as well, such as whether the digital assistant has previously correctly interpreted a similar request from a user.

User data **748** includes user-specific information, such as user-specific vocabulary, user preferences, user address, user’s default and secondary languages, user’s contact list, and other short-term or long-term information for each user. In some examples, natural language processing module **732** uses the user-specific information to supplement the information contained in the user input to further define the user intent. For example, for a user request “invite my friends to my birthday party,” natural language processing module **732** is able to access user data **748** to determine who the “friends” are and when and where the “birthday party” would be held, rather than requiring the user to provide such information explicitly in his/her request.

It should be recognized that in some examples, natural language processing module **732** is implemented using one or more machine learning mechanisms (e.g., neural networks). In particular, the one or more machine learning mechanisms are configured to receive a candidate text representation and contextual information associated with the candidate text representation. Based on the candidate text representation and the associated contextual information, the one or more machine learning mechanisms are configured to determine intent confidence scores over a set of candidate actionable intents. Natural language processing module **732** can select one or more candidate actionable intents from the set of candidate actionable intents based on the determined intent confidence scores. In some examples, an ontology (e.g., ontology **760**) is also used to select the one or more candidate actionable intents from the set of candidate actionable intents.

Other details of searching an ontology based on a token string are described in U.S. Utility application Ser. No. 12/341,743 for “Method and Apparatus for Searching Using An Active Ontology,” filed Dec. 22, 2008, the entire disclosure of which is incorporated herein by reference.

In some examples, once natural language processing module **732** identifies an actionable intent (or domain) based on the user request, natural language processing module **732** generates a structured query to represent the identified actionable intent. In some examples, the structured query includes parameters for one or more nodes within the domain for the actionable intent, and at least some of the parameters are populated with the specific information and requirements specified in the user request. For example, the user says “Make me a dinner reservation at a sushi place at 7.” In this case, natural language processing module **732** is able to correctly identify the actionable intent to be “restaurant reservation” based on the user input. According to the ontology, a structured query for a “restaurant reservation” domain includes parameters such as {Cuisine}, {Time}, {Date}, {Party Size}, and the like. In some examples, based on the speech input and the text derived from the speech input using STT processing module **730**, natural language processing module **732** generates a partial structured query for the restaurant reservation domain, where the partial structured query includes the parameters {Cuisine=“Sushi”} and {Time=“7 pm”}. However, in this example, the user’s utterance contains insufficient information to complete the structured query associated with the domain. Therefore, other necessary parameters such as {Party Size} and {Date} are not specified in the structured query based on the information currently available. In some examples, natural language processing module **732** populates some parameters of the structured query with received contextual information. For example, in some examples, if the user requested a sushi restaurant “near me,” natural language processing module **732** populates a {location} parameter in the structured query with GPS coordinates from the user device.

In some examples, natural language processing module **732** identifies multiple candidate actionable intents for each candidate text representation received from STT processing module **730**. Further, in some examples, a respective structured query (partial or complete) is generated for each identified candidate actionable intent. Natural language processing module **732** determines an intent confidence score for each candidate actionable intent and ranks the candidate actionable intents based on the intent confidence scores. In some examples, natural language processing module **732** passes the generated structured query (or queries), including any completed parameters, to task flow processing module **736** (“task flow processor”). In some examples, the structured query (or queries) for the m-best (e.g., m highest ranked) candidate actionable intents are provided to task flow processing module **736**, where m is a predetermined integer greater than zero. In some examples, the structured query (or queries) for the m-best candidate actionable intents are provided to task flow processing module **736** with the corresponding candidate text representation(s).

Other details of inferring a user intent based on multiple candidate actionable intents determined from multiple candidate text representations of a speech input are described in U.S. Utility application Ser. No. 14/298,725 for “System and Method for Inferring User Intent From Speech Inputs,” filed Jun. 6, 2014, the entire disclosure of which is incorporated herein by reference.

Task flow processing module **736** is configured to receive the structured query (or queries) from natural language

processing module 732, complete the structured query, if necessary, and perform the actions required to “complete” the user’s ultimate request. In some examples, the various procedures necessary to complete these tasks are provided in task flow models 754. In some examples, task flow models 754 include procedures for obtaining additional information from the user and task flows for performing actions associated with the actionable intent.

As described above, in order to complete a structured query, task flow processing module 736 needs to initiate additional dialogue with the user in order to obtain additional information, and/or disambiguate potentially ambiguous utterances. When such interactions are necessary, task flow processing module 736 invokes dialogue flow processing module 734 to engage in a dialogue with the user. In some examples, dialogue flow processing module 734 determines how (and/or when) to ask the user for the additional information and receives and processes the user responses. The questions are provided to and answers are received from the users through I/O processing module 728. In some examples, dialogue flow processing module 734 presents dialogue output to the user via audio and/or visual output, and receives input from the user via spoken or physical (e.g., clicking) responses. Continuing with the example above, when task flow processing module 736 invokes dialogue flow processing module 734 to determine the “party size” and “date” information for the structured query associated with the domain “restaurant reservation,” dialogue flow processing module 734 generates questions such as “For how many people?” and “On which day?” to pass to the user. Once answers are received from the user, dialogue flow processing module 734 then populates the structured query with the missing information, or pass the information to task flow processing module 736 to complete the missing information from the structured query.

Once task flow processing module 736 has completed the structured query for an actionable intent, task flow processing module 736 proceeds to perform the ultimate task associated with the actionable intent. Accordingly, task flow processing module 736 executes the steps and instructions in the task flow model according to the specific parameters contained in the structured query. For example, the task flow model for the actionable intent of “restaurant reservation” includes steps and instructions for contacting a restaurant and actually requesting a reservation for a particular party size at a particular time. For example, using a structured query such as: {restaurant reservation, restaurant=ABC Café, date=3/12/2012, time=7 pm, party size=5}, task flow processing module 736 performs the steps of: (1) logging onto a server of the ABC Café or a restaurant reservation system such as OPENTABLE®, (2) entering the date, time, and party size information in a form on the website, (3) submitting the form, and (4) making a calendar entry for the reservation in the user’s calendar.

In some examples, task flow processing module 736 employs the assistance of service processing module 738 (“service processing module”) to complete a task requested in the user input or to provide an informational answer requested in the user input. For example, service processing module 738 acts on behalf of task flow processing module 736 to make a phone call, set a calendar entry, invoke a map search, invoke or interact with other user applications installed on the user device, and invoke or interact with third-party services (e.g., a restaurant reservation portal, a social networking website, a banking portal, etc.). In some examples, the protocols and application programming interfaces (API) required by each service are specified by a

respective service model among service models 756. Service processing module 738 accesses the appropriate service model for a service and generates requests for the service in accordance with the protocols and APIs required by the service according to the service model.

For example, if a restaurant has enabled an online reservation service, the restaurant submits a service model specifying the necessary parameters for making a reservation and the APIs for communicating the values of the necessary parameter to the online reservation service. When requested by task flow processing module 736, service processing module 738 establishes a network connection with the online reservation service using the web address stored in the service model, and sends the necessary parameters of the reservation (e.g., time, date, party size) to the online reservation interface in a format according to the API of the online reservation service.

In some examples, natural language processing module 732, dialogue flow processing module 734, and task flow processing module 736 are used collectively and iteratively to infer and define the user’s intent, obtain information to further clarify and refine the user intent, and finally generate a response (i.e., an output to the user, or the completion of a task) to fulfill the user’s intent. The generated response is a dialogue response to the speech input that at least partially fulfills the user’s intent. Further, in some examples, the generated response is output as a speech output. In these examples, the generated response is sent to speech synthesis processing module 740 (e.g., speech synthesizer) where it can be processed to synthesize the dialogue response in speech form. In yet other examples, the generated response is data content relevant to satisfying a user request in the speech input.

In examples where task flow processing module 736 receives multiple structured queries from natural language processing module 732, task flow processing module 736 initially processes the first structured query of the received structured queries to attempt to complete the first structured query and/or execute one or more tasks or actions represented by the first structured query. In some examples, the first structured query corresponds to the highest ranked actionable intent. In other examples, the first structured query is selected from the received structured queries based on a combination of the corresponding speech recognition confidence scores and the corresponding intent confidence scores. In some examples, if task flow processing module 736 encounters an error during processing of the first structured query (e.g., due to an inability to determine a necessary parameter), the task flow processing module 736 can proceed to select and process a second structured query of the received structured queries that corresponds to a lower ranked actionable intent. The second structured query is selected, for example, based on the speech recognition confidence score of the corresponding candidate text representation, the intent confidence score of the corresponding candidate actionable intent, a missing necessary parameter in the first structured query, or any combination thereof.

Speech synthesis processing module 740 is configured to synthesize speech outputs for presentation to the user. Speech synthesis processing module 740 synthesizes speech outputs based on text provided by the digital assistant. For example, the generated dialogue response is in the form of a text string. Speech synthesis processing module 740 converts the text string to an audible speech output. Speech synthesis processing module 740 uses any appropriate speech synthesis technique in order to generate speech outputs from text, including, but not limited to, concatenation

tive synthesis, unit selection synthesis, diphone synthesis, domain-specific synthesis, formant synthesis, articulatory synthesis, hidden Markov model (HMM) based synthesis, and sinewave synthesis. In some examples, speech synthesis processing module 740 is configured to synthesize individual words based on phonemic strings corresponding to the words. For example, a phonemic string is associated with a word in the generated dialogue response. The phonemic string is stored in metadata associated with the word. Speech synthesis processing module 740 is configured to directly process the phonemic string in the metadata to synthesize the word in speech form.

In some examples, instead of (or in addition to) using speech synthesis processing module 740, speech synthesis is performed on a remote device (e.g., the server system 108), and the synthesized speech is sent to the user device for output to the user. For example, this can occur in some implementations where outputs for a digital assistant are generated at a server system. And because server systems generally have more processing power or resources than a user device, it is possible to obtain higher quality speech outputs than would be practical with client-side synthesis.

Additional details on digital assistants can be found in the U.S. Utility application Ser. No. 12/987,982, entitled "Intelligent Automated Assistant," filed Jan. 10, 2011, and U.S. Utility application Ser. No. 13/251,088, entitled "Generating and Processing Task Items That Represent Tasks to Perform," filed Sep. 30, 2011, the entire disclosures of which are incorporated herein by reference.

4. Exemplary Techniques for Operating a Virtual Assistant

FIGS. 8A-8D depict exemplary techniques for operating a virtual assistant at an electronic device 800. Device 800 is, for example, similar or the same as device 200 or 400, described above. In some examples, device 800 includes the modules and functions of a digital assistant described above in FIGS. 7A-7C. In some examples, device 800 includes the components and functions of system 900 (FIG. 9), described below.

As described below, in some examples, depending on how a virtual assistant session is initiated, different default behaviors for deactivating the virtual assistant session are employed. For example, if user input received via a button of the electronic device initiates the virtual assistant session, it may be likely that the user is holding the device and thus wishes to interact with the virtual assistant session for an extended duration. Accordingly, as shown in FIG. 8A, the default behavior for such manner of initiation is not to deactivate the virtual assistant session (e.g., until a display screen of the electronic device is powered off). As another example, if user input at an external electronic device (e.g., a wired or wireless headset) initiates the virtual assistant session, it may be likely that the user initiates the virtual assistant session for a quick request (e.g., to check the weather, to check stock prices, etc.). Accordingly, as shown in FIG. 8C, the default behavior for such manner of initiation is to deactivate the virtual assistant session shortly after the request is completed (e.g., after the virtual assistant provides a response).

However, in some examples, the default behavior associated with each manner of initiating a virtual assistant may be undesirable. For example, if the default behavior is not to deactivate the virtual assistant session, and the user is not engaged with the virtual assistant session, it can be undesirable to continue execution of the virtual assistant session (e.g., because executing the virtual assistant session consumes battery power and/or because the user is not interested in interacting with the virtual assistant session). As

another example, if the default behavior is to deactivate a virtual assistant session shortly after request completion, and a user is still engaged with the virtual assistant session after request completion, it can be undesirable to deactivate the virtual assistant session (e.g., because the user is still reading a presented result and/or wishes to issue another request to the virtual assistant session).

Accordingly, in some examples, it may be desirable to override a default behavior for deactivating a virtual assistant session based on whether the user is engaged with the virtual assistant session. For example, if the default behavior is not to deactivate the virtual assistant session (e.g., until a display screen of the electronic device is powered off), it is determined whether the user is not engaged with the virtual assistant session. As shown in FIG. 8B, if the user is not engaged, the default behavior is overridden, and the virtual assistant deactivates (e.g., before the time a display is powered off). As another example, if the default behavior is to deactivate the virtual assistant session shortly after request completion, it is determined whether the user is engaged with the virtual assistant session after request completion. As shown in FIG. 8D, if the user is engaged, the default behavior of deactivating the virtual assistant session shortly after request completion is overridden, and the virtual assistant session continues to execute.

FIG. 8A depicts an exemplary timeline of operating a virtual assistant session on device 800 according to a default behavior of not deactivating the virtual assistant session until a time defined by a device setting (e.g., a time a display is powered off). As discussed, in some examples, the default behavior may be undesirable, resulting in a virtual assistant continuing to execute despite a user not being engaged with it.

As shown, at time T1, device 800 initiates a virtual assistant session responsive to receiving user input corresponding to one or more predetermined types. For example, user 802 interacts with a button (e.g., a physical or a virtual button) on device 800 to cause device 800 to initiate a virtual assistant session. In some examples, initiating a virtual assistant session includes providing audio output. In some examples, initiating a virtual assistant session includes displaying a user interface associated with the virtual assistant session (e.g., in the foreground of a user interface displayed on display 804). In some examples, initiating a virtual assistant session includes powering on processor circuitry configured to operate a virtual assistant. In some examples, initiating a virtual assistant includes initiating one or more programs or modules (e.g., digital assistant module 726).

In some examples, device 800 determines a type of the user input for initiating the virtual assistant session. For example, device 800 determines whether the type of the user input is a first type or a second type. In some examples, the first type of user input includes gesture input (e.g., a swipe) received via a touch sensitive display of an electronic device, input received via a physical button (e.g., a "home" button) of the electronic device, and/or via a virtual button (e.g., a button displayed on a display) of the electronic device. In some examples, the second type of user input includes input received from an external electronic device (e.g., input from wired or wireless headsets), voice input (e.g., voice input for initiating a virtual assistant such as "Hey Siri"), and/or motion input (e.g., a motion of an electronic device that initiates a virtual assistant).

In some examples, each type of the user input is associated with different default behaviors for deactivating the virtual assistant session. For example, device 800 infers from the first type of input that the user wishes to interact

with the virtual assistant session for an extended duration. Accordingly, if device **800** determines that the type of user input is the first type, the default behavior is not to deactivate the virtual assistant session (e.g., until a time a display of the electronic device is powered off (e.g., not displaying)). As another example, device **800** infers from the second type of input that the user does not wish to interact with the virtual assistant session for an extended duration. Accordingly, if device **800** determines that the type of user input is the second type, the default behavior is to deactivate the virtual assistant session a predetermined duration (e.g., a short duration) after the completion of the user request.

In the present example of FIG. **8A**, the input for initiating the virtual assistant session is the first type of input (e.g., a swipe or virtual button). Accordingly, as shown, the default behavior is not to deactivate the virtual assistant session (e.g., until a time defined by a device setting).

After initiating the virtual assistant session, at time **T2**, user **802** provides input to the virtual assistant session (e.g., “Set a timer for ten minutes”). The virtual assistant of device **800** receives the input and performs a task based on the input (e.g., according to the techniques discussed above with respect to FIGS. **7A-C**). For example, the virtual assistant session performs the task of setting a timer and presents the result “Setting the timer for 10 minutes” (e.g., on display **804**).

In some examples, a result presented during the virtual assistant session is a final result (e.g., “Setting the timer for 10 minutes”). However, in some examples, some results presented during the virtual assistant session are not final results. For example, if the virtual assistant session is engaged in a multi-turn interaction (e.g., an interaction where input is provided to the virtual assistant and the virtual assistant responds by eliciting further input), the result eliciting further input is not a final result. For example, if the user provides the input “send a message,” and the virtual assistant session responds by outputting “send a message to who?”, “send a message to who?” is not a final result. Accordingly, in some examples, a final result is a presented result for which no further user response is expected and/or for which no further result is expected to be presented by the virtual assistant.

Device **800** presents a final result for the virtual assistant session at a time (e.g., at time **T3** in FIG. **8A**). For example, if the virtual assistant provides audio output of the final result (e.g., the virtual assistant performs text-to-speech of “Setting the timer for 10 minutes”) the final result time is when the virtual assistant finishes providing the audio output (e.g., finishes audio output of “10 minutes”). In some examples, a virtual assistant session displays the final result (e.g., displays “Setting the timer for 10 minutes” on display **804**). Accordingly, in some examples, the final result time is when the final result is displayed. In some examples, the final result time is a predetermined duration (e.g., 0.5 seconds, 1 second, 2 seconds, etc.) after the time the final result is displayed.

In the present example, after device **800** presents the final result, user **802** is no longer engaged with the virtual assistant session. For example, as shown, user **802** at time **T4** is not looking at device **800** and has dropped device **800** to be near his side. However, because user **802** initiated the virtual assistant session using the first type of input (e.g., a button press), device **800** operates according to the default behavior of not deactivating the virtual assistant session until a time defined by a device setting (e.g., a screen lock time). As shown, this may undesirably result in a virtual

assistant continuing to execute (e.g., between times **T4** and **T5**) even though a user is not engaged with it.

In some examples, the device setting is a user configurable setting associated with a screen lock time or a screen dimming time. For example, a user specifies a screen lock time and/or a screen dimming time of 30 seconds, 1, 2, 3, 4, or 5 minutes. A screen lock time of 2 minutes specifies, for instance, that the device powers off a display screen after 2 minutes of not detecting user input at the device (e.g., tactile input, motion input, audio input, gaze input, and/or detection of a user’s face, etc.). In some examples, the device setting specifies to not automatically power off the screen and/or to not automatically dim the screen. In such examples, a virtual assistant session operating according to a default behavior of not deactivating the virtual assistant session would not deactivate (e.g., until the electronic device runs out of battery).

In some examples, the device setting is a user configurable setting associated with the virtual assistant. For example, a device setting specifies to automatically deactivate the virtual assistant session a predetermined duration (e.g., 30 seconds, 1 minute, 2 minutes) after the time at which the virtual assistant session was initiated. As another example, a device setting specifies to automatically deactivate the virtual assistant session a predetermined duration after the time at which a final result for the virtual assistant session is presented.

In some examples, device **800** automatically deactivates the virtual assistant session at the time defined by the device setting (e.g., at time **T5** in FIG. **8A**). For example, a screen lock setting specifies to power off display **804** five minutes after not detecting user input. When display **804** powers off at time **T5**, device **800** deactivates the virtual assistant session at time **T5**. As another example, a screen dimming setting specifies to dim display **804** five minutes after not detecting user input. When display **804** dims, device **800** deactivates the virtual assistant session. In some examples, automatically deactivating the virtual assistant session includes deactivating the virtual assistant session without receiving explicit user input to deactivate the virtual assistant session. Explicit user input to deactivate a virtual assistant session includes, for instance, a touch or a press of a physical or a virtual button, a swipe gesture on a display, and/or audio and/or textual input (e.g., explicit audio and/or textual input for deactivating a virtual assistant session such as “Shut off,” “Go away,” “turn off,” and the like).

In some examples, deactivating a virtual assistant session includes ceasing the display of a user interface associated with the virtual assistant session (e.g., the display of a virtual assistant user interface is replaced with the display of a home screen user interface or a user interface associated with another application). In some examples, deactivating a virtual assistant session includes powering off a display. In some examples, deactivating a virtual assistant session includes powering off processor circuitry (e.g., circuitry of a main processor) configured to operate a virtual assistant. In some examples, deactivating a virtual assistant includes deactivating one or more programs or modules (e.g., digital assistant module **726**).

As demonstrated by FIG. **8A**, the default behavior of not deactivating a virtual assistant session until a time defined by a device setting may be undesirable. In particular, there is a period (e.g., between **T4** and **T5**) during which the virtual assistant continues to execute (e.g., a virtual assistant user interface is displayed in the foreground of the user interface), despite the user not being engaged with the virtual assistant session. This may be a significant battery

power and processing power drain for the device (e.g., especially if the screen lock time is long or the device setting specifies to not power off the screen). Accordingly, in some examples, it may be desirable to override a default behavior by automatically deactivating the virtual assistant when (or shortly after) it is determined that the user is not engaged with the virtual assistant session.

FIG. 8B illustrates an exemplary timeline for automatically deactivating a virtual assistant session. In FIG. 8B, a default behavior of not deactivating a virtual assistant session (e.g., until a screen lock time) is overridden. In particular, as discussed below, a device determines that the user is disinterested in (e.g., not engaged with) the virtual assistant session, and the device deactivates the virtual assistant session prior to the time associated with the device setting (e.g., the screen lock time).

In FIG. 8B, at time T1, user 802 initiates a virtual assistant session by providing user input (e.g., by interacting with a button of device 800). In response, device 800 initiates a virtual assistant session. For example, device 800 displays a virtual assistant user interface on display 804.

In some examples, device 800 determines a type of the user input. In the present example, because the user input was received via a button of device 800, device 800 determines that the type of the user input is the first type. Accordingly, the default behavior is to not deactivate the virtual assistant session until a time defined by a device setting (recall that in some examples, different types of input are respectively associated with different default behaviors).

At time T2, user 802 provides input requesting a task (e.g., “Set a timer for 10 minutes”) to the virtual assistant session. Device 800 determines a task based on the input, performs the task, and presents a final result for the virtual assistant session at time T3. For example, device 800 presents the audio output “Setting the timer for 10 minutes” at time T3.

In some examples, after a time at which a final result for the virtual assistant session is presented, device 800 determines whether the user is disinterested in the virtual assistant session. For example, device 800 determines whether the user is disinterested in the virtual assistant session a predetermined duration (e.g., 1, 2, 3, 4, 5, 6 seconds) after a time at which a final result for the virtual assistant session is presented. In some examples, device 800 determines whether the user is disinterested in the virtual assistant session as soon as the final result is presented. In some examples, device 800 determines whether the user is disinterested in the virtual assistant session as soon as the virtual assistant session is initiated.

In some examples, device 800 determines whether the user is disinterested in the virtual assistant session in accordance with determining that the type of the user input for initiating the virtual assistant session is the first type. For example, as discussed, the first type of input is associated with the default behavior of not deactivating the virtual assistant session. Accordingly, device 800 determines whether the user is disinterested with the virtual assistant session to determine whether to override the default behavior (e.g., by automatically deactivating the virtual assistant session before a screen lock time).

In some examples, determining whether the user is disinterested in the virtual assistant session includes, determining based on data obtained using one or more sensors of an electronic device, whether one or more criteria representing expressed user disinterest are satisfied. In some examples, determining whether the user is disinterested in the virtual assistant session includes determining a probability of dis-

interest in the virtual assistant session. For example, if one or more criteria representing expressed user disinterest are satisfied, a probability of disinterest in the virtual assistant session is increased. If one or more criteria representing expressed user disinterest are not satisfied, the probability of disinterest in the virtual assistant session is decreased. In some examples, the user is determined to be disinterested in the virtual assistant session if the probability of disinterest is greater than a predetermined threshold and/or if one or more criteria representing expressed user disinterest are satisfied.

Exemplary criteria representing expressed user disinterest are discussed below.

An exemplary criterion includes a direction of a user gaze. For example, device 800 includes one or more front and/or rear facing cameras. Device 800 analyzes data collected by the one or more cameras to determine a direction of a user gaze. If device 800 determines that the direction of the user gaze is directed to the device, a criterion representing expressed user disinterest is not satisfied. If device 800 determines that the direction of the user gaze is not directed to the device, a criterion representing expressed user disinterest is satisfied. In some examples, if device 800 cannot determine a user gaze direction from camera data, the data is not considered in determining whether a user is disinterested in the virtual assistant session. In some examples, if device 800 cannot determine a user gaze direction from camera data (e.g., a user’s face and/or gaze is not detected by one or more cameras), the data is considered to indicate that the user gaze is not directed to the device.

An exemplary criterion includes a duration for which a user gaze is determined not to be directed to the device. For example, device 800 collects data from one or more cameras and determines whether a user gaze is directed to the electronic device for a predetermined duration (e.g., 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, etc. seconds). If device 800 determines that the user gaze is not directed to the device during the predetermined duration (e.g., camera data indicates that a user gaze is not directed to the device for any portion of the predetermined duration), a criterion representing expressed user disinterest is satisfied. In some examples, if device 800 determines that the user gaze is directed to the electronic device during the predetermined duration (e.g., camera data indicates that a user gaze is directed to the device for at least a portion of the predetermined duration), a criterion representing expressed user disinterest is not satisfied.

In some examples, determining whether a user gaze is directed to the electronic device for a predetermined duration includes collecting one or more samples of the user gaze during the predetermined duration. For example, during an exemplary predetermined duration of 6 seconds, device 800 collects four samples of camera data. By way of example, a first sample is collected at 0 seconds (e.g., a predetermined duration after which a final result is presented), a second sample is collected at 2 seconds, a third sample is collected at 4 seconds, and a fourth sample is collected at 6 seconds. In some examples, if each of the samples of camera data indicates that a user gaze is not directed to the device, a criterion representing expressed user disinterest is satisfied. In some examples, if at least one of the samples of camera data indicates that a user gaze is directed to the device, a criterion representing expressed user disinterest is not satisfied. In some examples, if only the first sample indicates that a user gaze is directed to the device, a criterion representing expressed user disinterest is satisfied.

An exemplary criterion includes a determination that user gaze towards the electronic device has discontinued. In some examples, determining that user gaze towards the

electronic device has discontinued includes determining that the user gaze is directed to the device at a first time, and then determining that the user gaze is no longer directed to the device (e.g., for a predetermination duration) at a second time after the first time. In some examples, if device 800 determines that user gaze towards the electronic device has discontinued, a criterion representing expressed user disinterest is satisfied. In some examples, if device 800 does not determine that user gaze towards the electronic device has discontinued, a criterion representing expressed user disinterest is not satisfied.

An exemplary criterion includes whether a user face (or a portion thereof) is detected. For example, device 800 includes one or more cameras and device 800 analyzes data collected from the one or more cameras to determine whether a user face is detected (e.g., a particular user's face, a human face not particular to any user). In some examples, if device 800 does not detect a user face, a criterion representing expressed user disinterest is satisfied. In some examples, if device 800 detects a user face, a criterion representing expressed user disinterest is not satisfied.

An exemplary criterion includes a duration for which a user face is not detected. In some examples, determining a duration for which a user face is not detected is performed analogously to the above described techniques for determining a duration for which a user gaze is not directed to an electronic device.

An exemplary criterion includes that a user face is no longer detected by the electronic device. In some examples, determining that the user face is no longer detected by the electronic device is performed analogously to the above described techniques for determining that user gaze towards the electronic device has discontinued.

In some examples, a user chooses how he or she would like to deactivate the virtual assistant session based on face detection and/or gaze detection. For example, device 800 includes a user configurable setting that specifies either (1) to deactivate the virtual assistant session when a direction of a gaze is determined to not be directed to the device (e.g., for a predetermined duration) (e.g., even if a face is detected) or (2) to deactivate the virtual assistant session when a face is not detected (e.g., for a predetermined duration).

An exemplary criterion includes a lowering of the electronic device. For example, device 800 includes one or more sensors configured to detect motion of the electronic device (e.g., accelerometer(s), gyroscope(s), magnetometer(s), etc.). Device 800 analyzes data collected using the one or more sensors to determine a lowering of the device (e.g., a lowering of a device from near a user's face to near the user's waist, a lowering motion placing the device on a table, etc.). If device 800 determines the lowering, a criterion representing expressed user disinterest is satisfied. If device 800 does not determine a lowering, a criterion representing expressed user disinterest is not satisfied.

An exemplary criterion includes an orientation of the electronic device. For example, device 800 includes one or more sensors configured to detect an orientation of the device (e.g., gyroscopes(s), camera(s), proximity sensors(s), light sensor(s), etc.). Device 800 analyzes data collected using the one or more sensors to determine whether the electronic device is facing down (e.g., horizontal and a display facing down). If device 800 determines it is facing down, a criterion representing expressed user disinterest is satisfied. If device 800 determines it is not facing down, a criterion representing expressed user disinterest is not satisfied.

An exemplary criterion includes whether an electronic device is in an enclosed space. Exemplary enclosed spaces include a pocket, a bag, a drawer, a purse, etc. For example, device 800 includes one or more sensors configured to determine whether the electronic device is in an enclosed space (e.g., camera(s), light sensors(s), microphone(s), proximity sensor(s), etc.). Device 800 analyzes data collected from the one or more sensors to determine whether it is in an enclosed space. Any technique, currently known or later developed, for determining whether an electronic device is in an enclosed space may be employed. For example, device 800 uses proximity sensor data indicating the presence of an object very close to the device (e.g., touching the device, less than 2 cm away from the device, etc.) in conjunction with light sensor data indicating a low level of light to determine that the device is in an enclosed space. If device 800 determines that it is in an enclosed space, a criterion representing expressed user disinterest is satisfied. If device 800 determines that it is not in an enclosed space, a criterion representing expressed user disinterest is not satisfied.

An exemplary criterion includes whether a display of an electronic device is covered (e.g., by a user hand). For example, device 800 includes one or more sensors configured to determine whether a display of the device is covered (e.g., camera(s), light sensors(s), microphone(s), proximity sensor(s), etc.). Device 800 analyzes data collected from the one or more sensors to determine whether its display is covered. For example, device 800 uses front-facing light sensor data indicating that a low level of light (or no light) is detected and/or front facing proximity sensor data indicating that an object is touching the display of the device to determine that the display is covered. If device 800 determines that its display is covered, a criterion representing expressed user disinterest is satisfied. If device 800 determines that its display is not covered, a criterion representing expressed user disinterest is not satisfied.

In some examples, device 800 determines whether the user is disinterested in the virtual assistant session for a first predetermined duration (e.g., 15 seconds, 30 seconds, 45 seconds, 1 minute, etc.). For example, device 800 determines whether the user is disinterested in the virtual assistant session for a first predetermined duration after the time at which a final result for the virtual assistant session is presented (e.g., time T3). In some examples, if device 800 determines that the user is disinterested in the virtual assistant session during the first predetermined duration, device 800 automatically deactivates the virtual assistant session (e.g., when user disinterest is determined). In some examples, if device 800 does not determine that the user is disinterested in the virtual assistant session during the first predetermined duration (e.g., none of the above criteria representing expressed user disinterest is determined to be satisfied), device 800 forgoes automatically deactivating the virtual assistant session (e.g., until the time defined by a device setting) and device 800 ceases determining whether the user is disinterested in the virtual assistant session (e.g., ceases sampling camera data).

Accordingly, in some examples, if device 800 does not determine user disinterest in a virtual assistant session during the first predetermined duration, device 800 resorts to a default behavior of not automatically deactivating the virtual assistant session (e.g., until the time defined by a device setting). This may provide the advantage of saving battery power and processing power otherwise consumed by determining whether the user is disinterested in the virtual assistant session (e.g., for longer than the first predetermined duration). This may also improve device usability by con-

tinuing execution of a virtual assistant session when the user is engaged with it (e.g., because if user disinterest is not determined during the first predetermined duration, the user may likely be engaged with the virtual assistant session).

In some examples, determining that a user is engaged with the virtual assistant session prevents automatic deactivation of the virtual assistant session (e.g., until a time defined by a device setting). For example, if device **800** determines that the user is engaged with the virtual assistant session during the first predetermined duration (and before time **T4** at which the virtual assistant deactivates due to determining user disinterest), device **800** resorts to the default behavior of not automatically deactivating the virtual assistant session.

In some examples, if device **800** determines that the user is engaged with the virtual assistant session during the first predetermined duration, device **800** continues to determine whether the user is disinterested in the virtual assistant session for a second predetermined duration (e.g., 15 seconds, 30 seconds, 45 seconds, etc.). For example, device **800** determines whether the user is disinterested in the virtual assistant session (e.g., according to the examples discussed above) for a second predetermined duration starting from a time at which user engagement was determined.

In some examples, determining whether the user is engaged with the virtual assistant session includes, determining based on data obtained using one or more sensors of an electronic device, whether one or more criteria representing expressed user engagement are satisfied. In some examples, determining whether the user is engaged with the virtual assistant session includes determining a probability of engagement with the virtual assistant session. For example, if one or more criteria representing expressed user engagement are satisfied, a probability of engagement with the virtual assistant session is increased. If one or more criteria representing expressed user engagement are not satisfied, the probability of engagement with the virtual assistant session is decreased. In some examples, the user is determined to be engaged with the virtual assistant session if the probability of engagement is greater than a predetermined threshold and/or if one or more criteria representing expressed user engagement are satisfied.

Exemplary criteria representing expressed user engagement are discussed below.

An exemplary criterion includes a direction of a user gaze. For example, analogous to the above discussed techniques, device **800** determines a direction of a user gaze. If device **800** determines that the direction of the user gaze is directed to the device (e.g., for a predetermined duration), a criterion representing expressed user engagement is satisfied. If device **800** determines that the direction of the user gaze is not directed to the device, a criterion representing expressed user engagement is not satisfied.

An exemplary criterion includes whether a user face (or a portion thereof) is detected. For example, analogous to the above discussed techniques, device **800** analyzes obtained camera data to determine whether a user's face is detected. If device **800** detects a user face, a criterion representing expressed user engagement is satisfied. If device **800** does not detect a user face, a criterion representing expressed user engagement is not satisfied.

An exemplary criterion includes whether a touch on the electronic device is detected. For example, device **800** determines whether a touch is detected on a touch sensitive display and/or on a touch sensitive button of the device. If device **800** detects a user touch, a criterion representing expressed user engagement is satisfied. If device **800** does

not detect a user touch, a criterion representing expressed user engagement is not satisfied.

An exemplary criterion includes a raising of an electronic device (e.g., a raising motion lifting an electronic device to eye level). For example, device **800** determines whether data obtained using one or more motion sensors indicate a raising of the device. If the data indicate a raising, a criterion representing expressed user engagement is satisfied. If the data does not indicate a raising, a criterion representing expressed user engagement is not satisfied.

In the example depicted in FIG. **8B**, device **800** determines that user **802** is disinterested in the virtual assistant session. For example, device **800** determines that user **802**'s gaze is not directed to device **800**. Further, device **800** does not detect any indication that the user is engaged with the virtual assistant session, for instance.

In some examples, in accordance with determining that the user is disinterested in a virtual assistant session (e.g., prior to time **T5** defined by a device setting), device **800** automatically deactivates the virtual assistant session at time **T4** (e.g., prior to time **T5**). For example, at time **T4**, a home screen user interface replaces a virtual assistant user interface. In some examples, operating and displaying a home screen user interface requires less battery and processing power than operating a virtual assistant (e.g., displaying a virtual assistant user interface). Accordingly, as shown in FIG. **8B**, battery and processing power are conserved by not operating the virtual assistant session between deactivation time and the deactivation time defined by the device setting (e.g., between **T4** and **T5**).

In some examples, in accordance with determining that the user is disinterested in a virtual assistant session (e.g., prior to a time defined by a device setting), device **800** displays an affordance indicating that the virtual assistant session will be deactivated. For example, device **800** displays an affordance on display **804** for a predetermined duration (e.g., 1, 2, 3, 4, 5, 6, etc. seconds). During the predetermined duration, if a user interacts with the affordance (e.g., touches it and/or clicks it with a mouse cursor), deactivation of the virtual assistant session is forgone. For example, device **800** resorts to a default behavior of not deactivating the virtual assistant session (e.g., until time **T5** defined by a device setting). If a user does not interact with the affordance, device **800** automatically deactivates the virtual assistant session at the end of the predetermined duration. Accordingly, in some examples, a displayed affordance provides a visual indication that deactivation is imminent and a user interacts with the affordance to prevent deactivation.

In some examples, in accordance with not determining that the user is disinterested in the virtual assistant session, device **800** automatically deactivates the virtual assistant session at the time defined by the device setting (e.g., at time **T5**).

In some examples, the context of an electronic device affects whether and/or how a virtual assistant session is deactivated. For example, if a navigation application was executing when the virtual assistant was initiated, it may be undesirable for a virtual assistant user interface to replace a user interface associated with the navigation application for an extended duration. This may be because the user wishes to see navigation instructions while driving. Accordingly, in some examples, if the navigation application was executing when the virtual assistant session was initiated, the virtual assistant session automatically deactivates a short duration after a final result is presented.

Exemplary device contexts and how the device contexts affect virtual assistant deactivation are discussed below.

As discussed, an exemplary device context includes an application context. For example, device **800** determines whether a predetermined application is executing on device **800** when the virtual assistant session is initiated. If the predetermined application is executing, a virtual assistant session is automatically deactivated a short duration (e.g., 1, 2, 3, 4, 5, or 6 seconds) after a final result is presented. If the predetermined application is not executing, in some examples, the device determines whether to deactivate the virtual assistant session according to any of the techniques discussed herein. In some examples, the predetermined application is an application configured to provide navigation services (e.g., a maps application).

An exemplary device context includes whether the device is paired to an external electronic device. For example, device **800** determines whether it is paired to an external electronic device through a wired or wireless communication medium (e.g., Bluetooth®, Wi-Fi, etc.). If device **800** is paired to an external electronic device, a virtual assistant session is automatically deactivated a short duration (e.g., 1, 2, 3, 4, 5, or 6 seconds) after a final result is presented. In some examples, an electronic device being paired to an external electronic device (e.g., a Bluetooth® enabled vehicle console) indicates that the user is in a vehicle, and may not wish to be disturbed by an initiated virtual assistant session. Accordingly, in some examples, if device **800** is paired to an external electronic device, device **800** automatically deactivates the virtual assistant session shortly after a final result is presented.

An exemplary device context includes a device mode and/or setting. For example, device **800** determines whether it is in a “do not disturb mode” (e.g., a device mode where audio and/or haptic output notifying a user about incoming communications is limited). If device **800** is in the “do not disturb” mode, device **800** automatically deactivates a virtual assistant session a short duration (e.g., 1, 2, 3, 4, 5, or 6 seconds) after a final result is presented.

As another example, device **800** determines whether it is in a “low power mode” (e.g., a mode configured to save battery power). In some examples, device **800** enters a low power mode (e.g., by user request) if the battery level of device **800** falls below a predefined level (e.g., below 20%, 10%, 5%, etc.). If device **800** determines that it is in a low power mode, device **800** automatically deactivates a virtual assistant session a short duration (e.g., 1, 2, 3, 4, 5, or 6 seconds) after a final result is presented. In this manner, if battery level is low, device **800** automatically deactivates an initiated virtual assistant session shortly after request completion to save battery power.

It is to be understood that the above described contexts are merely exemplary, and in some examples, other device contexts are considered in determining whether and/or how to deactivate a virtual assistant sessions. For example, device **800** may consider its location, a current time, its speed of movement, its device type (e.g., phone, watch, speaker, vehicle console, etc.), whether it was locked (e.g., via a passcode) when the virtual assistant session was initiated, whether it was outputting audio when the virtual assistant session was initiated, a domain of a result presented by the virtual assistant session, and/or a type of an external electronic device paired with it in determining whether and/or how to deactivate a virtual assistant session.

In some examples, device **800** determines whether one or more of the above described contexts satisfy a predetermined condition (e.g., a predetermined location, a predeter-

mined time, a predetermined device type, a predetermined domain, etc.). If the context satisfies the predetermined condition, the virtual assistant session operates according to a first default behavior (e.g., automatically deactivating a short duration (e.g., 1, 2, 3, 4, 5, or 6 seconds) after a final result is presented). In some examples, device **800** determines whether to override the first default behavior according to the techniques discussed herein. If the context does not satisfy the predetermined condition, the virtual assistant session operates according to a second default behavior (e.g., not automatically deactivating until a time defined by a device setting). In some examples, device **800** determines whether to override the second default behavior according to the techniques discussed herein.

FIG. **8C** depicts an exemplary timeline of operating a virtual assistant session according to a default behavior of automatically deactivating a virtual assistant session a predetermined duration (e.g., a short duration) after a time at which a final result is presented. As discussed, deactivating the virtual assistant session according to the predetermined duration may be undesirable if the user is still engaging with the virtual assistant session.

In FIG. **8C**, at time **T1** user **802** initiates a virtual assistant session by providing input via an external electronic device (e.g., a press of a button on wireless headset **806**). Device **800** determines that the input is a second type of input, and operates the virtual assistant session according to a default behavior of automatically deactivating a virtual assistant session a predetermined duration after a time at which a final result is presented.

At time **T2**, user **802** provides a request to the virtual assistant session (e.g., “What’s the news today?”). The virtual assistant performs a task based on the user request and presents a final result at time **T3**. For example, the virtual assistant session provides audio output “Here’s some news” and displays one or more news articles (e.g., on display **804**) at time **T3**.

User **802** is engaged with the virtual assistant session after the final result is presented. For example, as shown, a direction of user **802**’s gaze is directed to device **800** (e.g., because user **802** is reading news articles). However, due to the default behavior, device **800** automatically deactivates the virtual assistant session at time **T4**. Time **T4** is predetermined duration (e.g., 3, 4, 5, 6, etc. seconds) after time **T3** associated with the presentation of the final result. For example, device **800** replaces a virtual assistant user interface (containing news articles) with a home screen user interface at time **T4**.

As shown, such default behavior may be undesirable, as the virtual assistant session deactivates despite the user being engaged with the virtual assistant session. Accordingly, in some examples, it can be desirable to forgo automatically deactivating the virtual assistant session.

FIG. **8D** illustrates an exemplary timeline for forgoing automatically deactivating a virtual assistant session. In FIG. **8D**, a default behavior of automatically deactivating a virtual assistant session a predetermined duration after a final result is presented is overridden based on determining that the user is engaged with the virtual assistant session.

In FIG. **8D**, at time **T1**, user **802** initiates a virtual assistant session by providing input via an external electronic device (e.g., a press of a button on wireless headset **806**). The input is the second type of input. Accordingly, the default behavior is to deactivate the virtual assistant session a predetermined duration after which a final result is presented (e.g., at time **T4**).

55

At time T2, user **802** provides a request to the virtual assistant session (e.g., “What’s the news today?”). The virtual assistant performs a task based on the user request and presents a final result at time T3. For example, the virtual assistant session provides audio output “Here’s some news” and displays one or more news articles. As discussed below, device **800** then determines whether the user is engaged with the virtual assistant session to determine whether to override the default behavior of automatically deactivating the virtual assistant session shortly after request completion.

In some examples, device **800** determines whether the user is engaged with the virtual assistant session as soon as a final result is presented. In some examples, device **800** determines whether the user is engaged with the virtual assistant session a predetermined duration (e.g., 1, 2, 3, 4, 5, 6 seconds) after a time when a final result is presented.

In some examples, device **800** determines whether the user is engaged with the virtual assistant session in accordance with determining that the type of the user input for initiating the virtual assistant session is the second type. For example, as discussed, the second type of input is associated with the default behavior of automatically deactivating the virtual assistant session shortly after request completion. Accordingly, device **800** determines whether the user is engaged with the virtual assistant session to determine whether to override the default behavior (e.g., by forgoing automatically deactivating the virtual assistant session shortly after request completion).

In the present example, device **800** determines that user **802** is engaged with the virtual assistant session (e.g., prior to time T4 at which the virtual assistant session would automatically deactivate).

Determining whether a user is engaged with the virtual assistant session is performed according to any of the above discussed techniques. For example, device **800** determines that the user is engaged with the virtual assistant session if one or more criteria representing expressed user engagement are satisfied. For example, as shown in FIG. 8D, device **800** determines that user **802** is engaged with the virtual assistant session because user **802**’s gaze is directed to device **800** (e.g., because user **802** is reading news articles).

In some examples, in accordance with determining that a user is engaged with a virtual assistant session (e.g., prior to time T4), device **800** forgoes automatically deactivating the virtual assistant session at time T4. For example, as shown, a virtual assistant user interface remains displayed on display **804** at time T4. In this manner, device usability is improved by forgoing automatically deactivating a virtual assistant session when a user is engaged with it.

In some examples, in accordance with forgoing automatically deactivating the virtual assistant session at time T4, device **800** determines whether a user is disinterested in the virtual assistant session (e.g., according to any of the above discussed techniques). For example, if after time T4, user **802** becomes disinterested in the virtual assistant session (e.g., user **802** looks away from device **800**), device **800** automatically deactivates the virtual assistant session when the user disinterest is detected (e.g., when or shortly after user **802** looks away).

In some examples, in accordance with forgoing automatically deactivating the virtual assistant session at time T4, device **800** forgoes automatically deactivating the virtual assistant session (e.g., until a time defined by a device setting).

In some examples, in accordance with not determining that a user is engaged with the virtual assistant session prior

56

to time T4, device **800** automatically deactivates the virtual assistant session at time T4. For example, if device **800** determines that none of the above described criteria representing expressed user engagement is satisfied prior to time T4, device **800** automatically deactivates the virtual assistant session at time T4.

FIG. 9 illustrates a block diagram of a system configured to operate a virtual assistant session according to various examples. In some examples, system **900** is implemented on a standalone computer system (e.g., any of devices **104**, **106**, **200**, **400**, **600**, or **800**). In some examples, system **900** is distributed across multiple devices. For example, some of the components and functions of system **900** are divided into a server portion and a client portion, where the client portion resides on one or more user devices (e.g., devices **104**, **106**, **200**, **400**, **600**, or **800**) and communicates with the server portion (e.g., server system **108**) through one or more networks, e.g., as shown in FIG. 1.

The respective functions of each of the blocks of FIG. 9 discussed below are, optionally implemented by hardware, software, or a combination of hardware and software to carry out the principles of the examples described herein. Further, it should be noted that system **900** is only one example of a system for deactivating a virtual assistant session and system **900** can have more or fewer components than shown, can combine two or more components, or can have a different configuration or arrangement of the components. Further, although the below discussion describes functions being performed at a single component of system **900**, it is to be understood that such functions can be performed at other components of system **900** and that such functions can be performed at more than one component of system **900**.

System **900** includes input unit **902**, virtual assistant unit **918**, user engagement unit **920**, settings unit **922**, type determining unit **924**, and context unit **926**. In some examples, the components of system **900** include instructions for automatically deactivating a virtual assistant session and for foregoing automatically deactivating a virtual assistant session described in FIGS. 8B and 8D above. In some examples, the components of system **900** include instructions for performing the operations of process **1000** (FIGS. 10A-B), described below.

Input unit **902** includes various input devices, such as one or more cameras **904**, one or more accelerometers **906**, one or more microphones **908**, one or more gyroscopes **910**, one or more light sensors **912**, one or more proximity sensors **914**, and/or one or more touch sensors **916** (e.g., a touch sensitive button, a touch sensitive display screen, etc.). The depicted input devices are merely exemplary, and many other types of input devices can be included in input unit **902**.

Inputs respectively collected by the various input devices are provided to, for instance, user engagement unit **920** and virtual assistant unit **918**. As discussed below, based on input from input unit **902**, user engagement unit **920** and/or virtual assistant unit **918** determine whether to deactivate a virtual assistant session according to the techniques discussed herein.

Virtual assistant unit **918** is configured to operate a virtual assistant session according to any of the techniques discussed herein. For example, virtual assistant unit **918** provides the functionalities discussed above with respect to FIGS. 7A-C. In some examples, virtual assistant unit **918** initiates a virtual assistant session responsive to receiving user input. In some examples, virtual assistant unit **918** automatically deactivates a virtual assistant session (e.g.,

based on a determination from user engagement unit 920 to automatically deactivate a virtual assistant session).

User engagement unit 920 determines whether a user is engaged with a virtual assistant session according to any of the techniques discussed herein. For example, user engagement unit 920 determines whether one or more criteria representing expressed user engagement are satisfied and determines whether one or more criteria representing expressed user disinterest are satisfied. In some examples, user engagement unit 920 determines to automatically deactivate a virtual assistant session (e.g., at a time) according to any of the examples discussed herein. In some examples, user engagement unit 920 determines to forgo automatically deactivating a virtual assistant session (e.g., at a time) according to any of the examples discussed herein.

In some examples, user engagement unit 920 includes a neural network and/or is implemented using any suitable machine learning technique. For example, based on inputs respectively provided by input unit 902, settings unit 922, type determining unit 924, and/or context unit 926, a machine learning model determines whether and/or when to deactivate a virtual assistant session according to the examples herein. In some examples, the machine learning model is trained (e.g., over time) to determine whether and/or when to deactivate a virtual assistant session based on the respective inputs.

Settings unit 922 is configured to operate an electronic device according to device settings. For example, settings unit 922 is configured to accept user input specifying a device setting (e.g., a screen lock time) and to operate an electronic device according to the device setting. In some examples, settings unit 922 provides one or more device settings to user engagement unit 920 and user engagement unit 920 considers the one or more device settings in determining whether and/or when to deactivate a virtual assistant session according to the techniques discussed herein.

Type determining unit 924 is configured to determine a type of user input for initiating a virtual assistant session. For example, type determining unit 924 determines whether user input is a first type or a second type according to the examples herein. In some examples, type determining unit 924 provides a determined user input type to user engagement unit 920. User engagement unit 920 determines whether and/or when to deactivate the virtual assistant session based on the determined user input type according to the examples herein.

Context unit 926 is configured to determine a context of the electronic device according to the examples herein. For example, context unit 926 determines whether a predetermined application is executing when a virtual assistant is initiated. In some examples, context unit 926 provides one or more determined contexts to user engagement unit 920. User engagement unit 920 determines whether and/or when to deactivate the virtual assistant session based on the one or more determined contexts according to the examples herein.

FIGS. 10A-10B illustrate process 1000 for operating a digital assistant according to various examples. Process 1000 is performed, for example, using one or more electronic devices implementing a digital assistant (e.g., device 800). In some examples, process 1000 is performed using a client-server system (e.g., system 100), and the blocks of process 1000 are divided up in any manner between the server (e.g., DA server 106) and a client device. In other examples, the blocks of process 1000 are divided up

between the server and multiple client devices (e.g., a mobile phone and a smart watch). Thus, while portions of process 1000 are described herein as being performed by particular devices of a client-server system, it will be appreciated that process 1000 is not so limited. In other examples, process 1000 is performed using only a client device (e.g., user device 104) or only multiple client devices. In process 1000, some blocks are, optionally, combined, the order of some blocks is, optionally, changed, and some blocks are, optionally, omitted. In some examples, additional steps may be performed in combination with process 1000.

As described below, process 1000 includes initiating a virtual assistant session responsive to receiving user input (e.g., a button press or audio input such as "Hey Siri"). In some examples, as discussed, a type of the user input is determined and different strategies for deactivating the virtual assistant session are employed depending on the determined input type. For example, in accordance with determining that the input is a first type (e.g., a button press), it is determined whether one or more criteria representing expressed user disinterest are satisfied (e.g., whether a user gaze is not directed to an electronic device). In accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time defined by a setting of an electronic device (e.g., prior to a time specified by a screen lock setting), the virtual assistant session is automatically deactivated prior to the first time. In accordance with determining that the one or more criteria representing expressed user disinterest are not satisfied prior to the first time, the virtual assistant session is automatically deactivated at the first time (e.g., when a display screen powers off).

In some examples, in accordance with determining that the input is a second type (e.g., an audio input such as "Hey Siri"), it is determined whether one or more criteria representing expressed user engagement are satisfied (e.g., whether a user gaze is directed to the device). In accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a second time a predetermined duration after a third time at which a final result for the virtual session is presented (e.g., prior to when the virtual assistant session would automatically deactivate), deactivation of the virtual assistant session at the second time is forgone. In accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the second time, the virtual assistant session is deactivated at the second time.

Determining, based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user disinterest are satisfied (and/or whether one or more criteria representing expressed user engagement are satisfied) allows determination of whether a user is engaged with a virtual assistant session. Knowing whether a user is engaged allows intelligent decision making about whether to deactivate the virtual assistant session. For example, if the user is not engaged, a device can deactivate the virtual assistant session to save battery and processing power. As another example, if the user is engaged, the device can forgo deactivating the virtual assistant session so the user can continue interacting with the virtual assistant session (and so the virtual assistant session does not deactivate while the user is still interacting with it). In this manner, the user-device interface is made more efficient (e.g., by deactivating a virtual assistant session when a user is not engaged with it, by preventing deactivation of a virtual assistant session while the user is actively engaged with it, or by reducing user input to re-initiate an incorrectly deactivated

virtual assistant session) which additionally, reduces power usage and improves battery life of the device by enabling the user to use the device more quickly and efficiently.

At block **1002** a virtual assistant session is initiated (e.g., by virtual assistant unit **918**) responsive to receiving user input (e.g., from input unit **902**). For example, as shown in FIG. **8B**, a virtual assistant user interface including “How can I help you?” is displayed on display **804**.

In some examples, initiating the virtual assistant session includes providing audio output. In some examples, initiating the virtual assistant session includes displaying a user interface associated with the virtual assistant session (e.g., on display **804**).

At block **1004**, a type of the user input is determined (e.g., by unit **924**). As discussed, in some examples, different types of user input are associated with different default behaviors for deactivating the virtual assistant session which may be overridden. Accordingly, determining the type of the user input allows correct determination of a default behavior for deactivating the virtual assistant session, which in turn, allows correct determination of the strategy used to override the default behavior. In this manner, a virtual assistant session may be deactivated when a user is not engaged with it and may not be deactivated when the user is engaged with it, making the user-device interface more efficient as discussed above.

At block **1006**, in accordance with initiating the virtual assistant session, it is determined, based on data obtained using one or more sensors of the electronic device (e.g., data from input unit **902**), whether one or more criteria representing expressed user disinterest are satisfied (e.g., by unit **920**).

In some examples, determining whether the one or more criteria representing expressed user disinterest are satisfied is performed in accordance with determining that the type of the user input is a first type (block **1004** FIRST TYPE). In some examples, the first type of user input includes input received via a physical button on the electronic device or via a virtual button on the electronic device.

In some examples, a first final result for the virtual assistant session is presented at a second time and determining whether the one or more criteria representing expressed user disinterest are satisfied is performed after the second time. For example, determining whether the one or more criteria representing expressed user disinterest is performed after time **T3** in FIG. **8B**.

Determining whether the one or more criteria representing expressed user disinterest are satisfied after the second time allows user disinterest to be determined at an appropriate time. For example, the user is likely interested in the virtual assistant session before the second time (e.g., when the virtual assistant session is presenting a result), so it may be unnecessary to determine whether the user is disinterested in the virtual assistant session before the second time. In this manner, consumption of battery and processing power to determine user disinterest at inappropriate times is prevented.

The below described techniques for determining whether one or more criteria representing expressed user disinterest are satisfied may allow for accurate determination that a user is disinterested in a virtual assistant session. In this manner, an electronic device can accurately determine to deactivate a virtual assistant session when a user is disinterested in it.

In some examples, the one or more criteria representing expressed user disinterest are satisfied in accordance with

determining that a direction of a user gaze is not directed to the electronic device (e.g., by unit **920**), as shown in block **1008**.

In some examples, the one or more criteria representing expressed user disinterest are satisfied in accordance with determining a lowering of the electronic device (e.g., by unit **920**), as shown in block **1010**.

In some examples, the one or more criteria representing expressed user disinterest are satisfied in accordance with determining that the electronic device is facing down (e.g., by unit **920**), as shown in block **1012**.

In some examples, the one or more criteria representing expressed user disinterest are satisfied in accordance with determining that the electronic device is in an enclosed space (e.g., by unit **920**), as shown in block **1014**.

In some examples, the one or more criteria representing expressed user disinterest are determined to be satisfied if one or more of the respective determinations of blocks **1008**, **1010**, **1012**, and **1014** are made.

At block **1016**, in accordance with determining that the one or more criteria representing expressed user disinterest are satisfied prior to a first time (e.g., time **T5** in FIG. **8B**), the virtual assistant session is automatically deactivated prior to the first time (e.g., by unit **918** at time **T4** in FIG. **8B**).

In some examples, the first time is defined by a setting of the electronic device. In some examples, the setting of the electronic device is a user configurable setting associated with a screen lock time or a screen dimming time.

In some examples, deactivating the virtual assistant session includes ceasing the display of the user interface associated with the virtual assistant session. For example as shown in FIG. **8B**, a virtual assistant user interface displaying a result is replaced with a home screen user interface.

In some examples, automatically deactivating the virtual assistant session prior to the first time is performed at a fifth time (e.g., time **T4** in FIG. **8B**), and automatically deactivating the virtual assistant session at the fifth time is performed further in accordance with not detecting a touch on a screen or on a button of the electronic device between a third time associated with a second presentation of a second final result for the virtual assistant session and the fifth time (e.g., between times **T3** and **T4** in FIG. **8B**). In some examples, this advantageously prevents deactivation of a virtual assistant session if the user is determined to be engaged with the virtual assistant session (e.g., a user touch likely indicates engagement with the virtual assistant session).

At block **1018**, in accordance with determining that the one or more criteria representing expressed user disinterest are not satisfied prior to the first time (e.g., by unit **920**), the virtual assistant session is automatically deactivated at the first time (e.g., time **T5** in FIG. **8B**).

In some examples, it is determined (e.g., by unit **926**) whether a predetermined application (e.g., a maps application) is executing when the user input was received, as shown in block **1020**.

In some examples, in accordance with a determination that the predetermined application is executing when the user input was received, the virtual assistant session is deactivated a predetermined duration after a fourth time associated with a third presentation of a third final result for the virtual assistant session, as shown in block **1022**.

In some examples, it can be undesirable for a virtual assistant user interface to disrupt the display of a user interface associated with certain applications (e.g., especially in examples where display of a virtual assistant user

61

interface replaces display of a user interface associated with the application). For example, if the application is configured to provide navigation services (e.g., a maps application), it can be undesirable to replace such application's user interface with a virtual assistant user interface for an extended duration (e.g., because a user wishes to see navigation directions while driving, biking, running, etc.). Accordingly, deactivating a virtual assistant session in this manner improves user experience by allowing a device to quickly return to a desired application's user interface. User experience is further improved because the initiated virtual assistant can perform a user requested task and the effect of the initiated virtual assistant on displayed application user interfaces is minimized.

Returning to FIG. 10A, at block 1024, in accordance with initiating the virtual assistant session, it is determined (e.g., by unit 920), based on data obtained using one or more sensors of the electronic device, whether one or more criteria representing expressed user engagement are satisfied.

In some examples, determining whether the one or more criteria representing expressed user engagement are satisfied is performed in accordance with determining that the type of the user input is a second type (block 1004 SECOND TYPE). In some examples, the second type of user input includes input received from an external electronic device (e.g., headset 806) or audio input.

The below described techniques for determining whether one or more criteria representing expressed user engagement are satisfied may allow for accurate determination that a user is engaged with a virtual assistant session. In this manner, an electronic device can accurately determine to forgo deactivating the virtual assistant session when a user is engaged with it.

In some examples, the one or more criteria representing expressed user engagement are satisfied in accordance with determining that a direction of a user gaze is directed to the electronic device (e.g., by unit 920), as shown in block 1026.

In some examples, the one or more criteria representing expressed user engagement are satisfied in accordance with detecting a touch on a button or on a screen of the electronic device (e.g., by unit 920), as shown in block 1028.

In some examples, the one or more criteria representing expressed user engagement are satisfied in accordance with determining a raising of the electronic device (e.g., by unit 920), as shown in block 1030.

In some examples, the one or more criteria representing expressed user engagement are determined to be satisfied if one or more of the respective determinations of blocks 1026, 1028, and 1030 are made.

At block 1032, in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time (e.g., time T4 in FIG. 8D), deactivating the virtual assistant at the first time is forgone. The first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented (e.g., time T3 in FIG. 8D). For example, as shown in FIG. 8D, at time T4, a virtual assistant user interface displaying a result remains displayed.

At block 1034, in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, the virtual assistant session is deactivated at the first time (e.g., by unit 918). In some examples, deactivating the virtual assistant session includes ceasing the display of the user interface associated with the virtual assistant session.

62

In some examples, it is determined (e.g., by unit 926) whether a predetermined application is executing when the user input was received, as shown in block 1036.

In some examples, in accordance with a determination that the predetermined application is executing when the user input was received, the virtual assistant session is deactivated (e.g., by unit 918) a second predetermined duration after the second time, as shown in block 1038.

The operations described above with reference to FIGS. 10A-10B are optionally implemented by components depicted in FIGS. 1-4, 6A-6B, 7A-7C, 8A-8D, and 9. For example, the operations of process 1000 may be implemented by, inter alia, virtual assistant unit 918 and user engagement unit 920. It would be clear to a person having ordinary skill in the art how other processes are implemented based on the components depicted in FIGS. 1-4, 6A-6B, and 7A-7C, 8A-8D, and 9.

In accordance with some implementations, a computer-readable storage medium (e.g., a non-transitory computer readable storage medium) is provided, the computer-readable storage medium storing one or more programs for execution by one or more processors of an electronic device, the one or more programs including instructions for performing any of the methods or processes described herein.

In accordance with some implementations, an electronic device (e.g., a portable electronic device) is provided that comprises means for performing any of the methods or processes described herein.

In accordance with some implementations, an electronic device (e.g., a portable electronic device) is provided that comprises a processing unit configured to perform any of the methods or processes described herein.

In accordance with some implementations, an electronic device (e.g., a portable electronic device) is provided that comprises one or more processors and memory storing one or more programs for execution by the one or more processors, the one or more programs including instructions for performing any of the methods or processes described herein.

The foregoing description, for purpose of explanation, has been described with reference to specific embodiments. However, the illustrative discussions above are not intended to be exhaustive or to limit the invention to the precise forms disclosed. Many modifications and variations are possible in view of the above teachings. The embodiments were chosen and described in order to best explain the principles of the techniques and their practical applications. Others skilled in the art are thereby enabled to best utilize the techniques and various embodiments with various modifications as are suited to the particular use contemplated.

Although the disclosure and examples have been fully described with reference to the accompanying drawings, it is to be noted that various changes and modifications will become apparent to those skilled in the art. Such changes and modifications are to be understood as being included within the scope of the disclosure and examples as defined by the claims.

As described above, one aspect of the present technology is the gathering and use of data available from various sources to improve decision making about whether and/or when to deactivate a virtual assistant session. The present disclosure contemplates that in some instances, this gathered data may include personal information data that uniquely identifies or can be used to contact or locate a specific person. Such personal information data can include demographic data, location-based data, telephone numbers, email addresses, twitter IDs, home addresses, data or records

63

relating to a user's health or level of fitness (e.g., vital signs measurements, medication information, exercise information), date of birth, or any other identifying or personal information.

The present disclosure recognizes that the use of such personal information data, in the present technology, can be used to the benefit of users. For example, the personal information data can be used to determine that a user is engaged with a virtual assistant session (e.g., through detection of the user's face). Accordingly, use of such personal information enables accurate determination of whether to deactivate a virtual assistant session based on determined user engagement. Further, other uses for personal information data that benefit the user are also contemplated by the present disclosure. For instance, health and fitness data may be used to provide insights into a user's general wellness, or may be used as positive feedback to individuals using technology to pursue wellness goals.

The present disclosure contemplates that the entities responsible for the collection, analysis, disclosure, transfer, storage, or other use of such personal information data will comply with well-established privacy policies and/or privacy practices. In particular, such entities should implement and consistently use privacy policies and practices that are generally recognized as meeting or exceeding industry or governmental requirements for maintaining personal information data private and secure. Such policies should be easily accessible by users, and should be updated as the collection and/or use of data changes. Personal information from users should be collected for legitimate and reasonable uses of the entity and not shared or sold outside of those legitimate uses. Further, such collection/sharing should occur after receiving the informed consent of the users. Additionally, such entities should consider taking any needed steps for safeguarding and securing access to such personal information data and ensuring that others with access to the personal information data adhere to their privacy policies and procedures. Further, such entities can subject themselves to evaluation by third parties to certify their adherence to widely accepted privacy policies and practices. In addition, policies and practices should be adapted for the particular types of personal information data being collected and/or accessed and adapted to applicable laws and standards, including jurisdiction-specific considerations. For instance, in the US, collection of or access to certain health data may be governed by federal and/or state laws, such as the Health Insurance Portability and Accountability Act (HIPAA); whereas health data in other countries may be subject to other regulations and policies and should be handled accordingly. Hence different privacy practices should be maintained for different personal data types in each country.

Despite the foregoing, the present disclosure also contemplates embodiments in which users selectively block the use of, or access to, personal information data. That is, the present disclosure contemplates that hardware and/or software elements can be provided to prevent or block access to such personal information data. For example, in the case of collecting and storing the user's facial characteristics, the present technology can be configured to allow users to select to "opt in" or "opt out" of participation in the collection of personal information data during registration for services or anytime thereafter. In another example, users can select not to provide data representing facial characteristics to an electronic device. In yet another example, users can select to limit the length of time data representing facial characteristics is maintained or entirely prohibit the collection and

64

usage of data representing facial characteristics. In addition to providing "opt in" and "opt out" options, the present disclosure contemplates providing notifications relating to the access or use of personal information. For instance, a user may be notified upon downloading an app that their personal information data will be accessed and then reminded again just before personal information data is accessed by the app.

Moreover, it is the intent of the present disclosure that personal information data should be managed and handled in a way to minimize risks of unintentional or unauthorized access or use. Risk can be minimized by limiting the collection of data and deleting data once it is no longer needed. In addition, and when applicable, including in certain health related applications, data de-identification can be used to protect a user's privacy. De-identification may be facilitated, when appropriate, by removing specific identifiers (e.g., date of birth, etc.), controlling the amount or specificity of data stored (e.g., collecting location data at a city level rather than at an address level), controlling how data is stored (e.g., aggregating data across users), and/or other methods.

Therefore, although the present disclosure broadly covers use of personal information data to implement one or more various disclosed embodiments, the present disclosure also contemplates that the various embodiments can also be implemented without the need for accessing such personal information data. That is, the various embodiments of the present technology are not rendered inoperable due to the lack of all or a portion of such personal information data. For example, it can be determined whether a user is engaged with a virtual assistant session based on non-personal information data or a bare minimum amount of personal information, such as the content being requested by the device associated with a user, other non-personal information such as an orientation and/or a raising or lowering of the device, or publicly available information.

What is claimed is:

1. A non-transitory computer-readable storage medium storing one or more programs, the one or more programs comprising instructions, which when executed by one or more processors of an electronic device that includes a camera, cause the electronic device to:

initiate a virtual assistant session responsive to receiving user input;

in accordance with initiating the virtual assistant session, determine whether one or more criteria representing expressed user engagement are satisfied, wherein determining that the one or more criteria representing expressed user engagement are satisfied includes: obtaining data from the camera; and determining, based on the data obtained from the camera, that a user face is detected;

in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgo deactivating the virtual assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and

in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivate the virtual assistant session at the first time.

2. The non-transitory computer-readable storage medium of claim 1, wherein the one or more programs further

65

comprise instructions, which when executed by the one or more processors, cause the electronic device to:

present the final result for the virtual assistant session, wherein the data is obtained from the camera a second predetermined duration after the final result is presented.

3. The non-transitory computer-readable storage medium of claim 1, wherein the one or more programs further comprise instructions, which when executed by the one or more processors, cause the electronic device to:

present the final result for the virtual assistant session, wherein the data is obtained from the camera in response to the final result being presented.

4. The non-transitory computer-readable storage medium of claim 1, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes determining, based on the data obtained from the camera, that a user gaze is directed to the electronic device.

5. The non-transitory computer-readable storage medium of claim 1, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes detecting a touch on a button or on a screen of the electronic device.

6. The non-transitory computer-readable storage medium of claim 1, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes determining a raising motion of the electronic device.

7. The non-transitory computer-readable storage medium of claim 1, wherein initiating the virtual assistant session includes displaying a user interface associated with the virtual assistant session.

8. The non-transitory computer-readable storage medium of claim 7, wherein deactivating the virtual assistant session includes ceasing the display of the user interface associated with the virtual assistant session.

9. The non-transitory computer-readable storage medium of claim 1, wherein the one or more programs further comprise instructions, which when executed by the one or more processors, cause the electronic device to:

after forgoing deactivating the virtual assistant session at the first time:

determine whether one or more criteria representing expressed user disinterest are satisfied; and

in accordance with a determination that the one or more criteria representing expressed user disinterest are satisfied, deactivate the virtual assistant session.

10. The non-transitory computer-readable storage medium of claim 9, wherein determining that the one or more criteria representing expressed user disinterest are satisfied includes:

obtaining second data from the camera; and

determining, based on the second data obtained from the camera, that a user gaze is not directed to the electronic device.

11. The non-transitory computer-readable storage medium of claim 9, wherein determining that the one or more criteria representing expressed user disinterest are satisfied includes:

obtaining second data from the camera; and

determining, based on the second data obtained from the camera, that a second user face is not detected.

12. The non-transitory computer-readable storage medium of claim 1, wherein the one or more programs further comprise instructions, which when executed by the one or more processors, cause the electronic device to:

66

after forgoing deactivating the virtual assistant session at the first time, continue continuing to forgo deactivating the virtual assistant session until a time defined by a setting of the electronic device.

13. An electronic device, comprising:

a camera;

one or more processors;

a memory; and

one or more programs, wherein the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for:

initiating a virtual assistant session responsive to receiving user input;

in accordance with initiating the virtual assistant session, determining whether one or more criteria representing expressed user engagement are satisfied, wherein determining that the one or more criteria representing expressed user engagement are satisfied includes:

obtaining data from the camera; and

determining, based on the data obtained from the camera, that a user face is detected;

in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgoing deactivating the virtual assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and

in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivating the virtual assistant session at the first time.

14. The electronic device of claim 13, wherein the one or more programs further include instructions for:

presenting the final result for the virtual assistant session, wherein the data is obtained from the camera a second predetermined duration after the final result is presented.

15. The electronic device of claim 13, wherein the one or more programs further include instructions for:

presenting the final result for the virtual assistant session, wherein the data is obtained from the camera in response to the final result being presented.

16. The electronic device of claim 13, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes determining, based on the data obtained from the camera, that a user gaze is directed to the electronic device.

17. The electronic device of claim 13, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes detecting a touch on a button or on a screen of the electronic device.

18. The electronic device of claim 13, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes determining a raising motion of the electronic device.

19. The electronic device of claim 13, wherein initiating the virtual assistant session includes displaying a user interface associated with the virtual assistant session.

20. The electronic device of claim 19, wherein deactivating the virtual assistant session includes ceasing the display of the user interface associated with the virtual assistant session.

21. The electronic device of claim 13, wherein the one or more programs further include instructions for:

67

after forgoing deactivating the virtual assistant session at the first time:

determining whether one or more criteria representing expressed user disinterest are satisfied; and

in accordance with a determination that the one or more criteria representing expressed user disinterest are satisfied, deactivating the virtual assistant session.

22. The electronic device of claim 21, wherein determining that the one or more criteria representing expressed user disinterest are satisfied includes:

obtaining second data from the camera; and

determining, based on the second data obtained from the camera, that a user gaze is not directed to the electronic device.

23. The electronic device of claim 21, wherein determining that the one or more criteria representing expressed user disinterest are satisfied includes:

obtaining second data from the camera; and

determining, based on the second data obtained from the camera, that a second user face is not detected.

24. The electronic device of claim 13, wherein the one or more programs further include instructions for:

after forgoing deactivating the virtual assistant session at the first time, continuing to forgo deactivating the virtual assistant session until a time defined by a setting of the electronic device.

25. A method, comprising:

at an electronic device with a camera:

initiating a virtual assistant session responsive to receiving user input;

in accordance with initiating the virtual assistant session, determining whether one or more criteria representing expressed user engagement are satisfied, wherein determining that the one or more criteria representing expressed user engagement are satisfied includes:

obtaining data from the camera; and

determining, based on the data obtained from the camera, that a user face is detected;

in accordance with determining that the one or more criteria representing expressed user engagement are satisfied prior to a first time, forgoing deactivating the virtual assistant session at the first time, wherein the first time is a predetermined duration after a second time at which a final result for the virtual assistant session is presented; and

in accordance with determining that the one or more criteria representing expressed user engagement are not satisfied prior to the first time, deactivating the virtual assistant session at the first time.

68

26. The method of claim 25, further comprising:

presenting the final result for the virtual assistant session, wherein the data is obtained from the camera a second predetermined duration after the final result is presented.

27. The method of claim 25, further comprising:

presenting the final result for the virtual assistant session, wherein the data is obtained from the camera in response to the final result being presented.

28. The method of claim 25, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes determining, based on the data obtained from the camera, that a user gaze is directed to the electronic device.

29. The method of claim 25, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes detecting a touch on a button or on a screen of the electronic device.

30. The method of claim 25, wherein determining that the one or more criteria representing expressed user engagement are satisfied further includes determining a raising motion of the electronic device.

31. The method of claim 25, wherein initiating the virtual assistant session includes displaying a user interface associated with the virtual assistant session.

32. The method of claim 31, wherein deactivating the virtual assistant session includes ceasing the display of the user interface associated with the virtual assistant session.

33. The method of claim 25, further comprising:

after forgoing deactivating the virtual assistant session at the first time:

determining whether one or more criteria representing expressed user disinterest are satisfied; and

in accordance with a determination that the one or more criteria representing expressed user disinterest are satisfied, deactivating the virtual assistant session.

34. The method of claim 33, wherein determining that the one or more criteria representing expressed user disinterest are satisfied includes:

obtaining second data from the camera; and

determining, based on the second data obtained from the camera, that a user gaze is not directed to the electronic device.

35. The method of claim 33, wherein determining that the one or more criteria representing expressed user disinterest are satisfied includes:

obtaining second data from the camera; and

determining, based on the second data obtained from the camera, that a second user face is not detected.

36. The method of claim 25, further comprising:

after forgoing deactivating the virtual assistant session at the first time, continuing to forgo deactivating the virtual assistant session until a time defined by a setting of the electronic device.

* * * * *