



US 20250281807A1

(19) **United States**

(12) **Patent Application Publication**
Roberts et al.

(10) **Pub. No.: US 2025/0281807 A1**

(43) **Pub. Date: Sep. 11, 2025**

(54) **PORTABLE GOLF CLUB STAND DEVICE**

Publication Classification

(71) Applicants: **Patrick Roberts**, Conroe, TX (US);
Bradley Roberts, Conroe, TX (US);
Debbie Roberts, Conroe, TX (US)

(51) **Int. Cl.**
A63B 55/10 (2006.01)

(52) **U.S. Cl.**
CPC **A63B 55/10** (2013.01); **A63B 2209/08**
(2013.01); **A63B 2209/10** (2013.01)

(72) Inventors: **Patrick Roberts**, Conroe, TX (US);
Bradley Roberts, Conroe, TX (US);
Debbie Roberts, Conroe, TX (US)

(57) **ABSTRACT**


(21) Appl. No.: **19/050,347**

(22) Filed: **Feb. 11, 2025**

Related U.S. Application Data

(60) Provisional application No. 63/562,733, filed on Mar. 8, 2024.

A portable golf club stand device is provided. The device is comprised of a vertical member, a horizontal shaft attached to the vertical member, and a secondary vertical shaft attached to the horizontal member to create a place to rest a golf club in a generally vertical manner such that the grip of the club does not touch a ground surface when not in use. The device can be easily transported and installed in the ground wherever needed during a round of golf.






FIG. 1




FIG. 2




FIG. 3

PORTABLE GOLF CLUB STAND DEVICE**CROSS-REFERENCE TO RELATED APPLICATION**

[0001] The present application claims priority to, and the benefit of, U.S. Provisional Application No. 63/562,733, which was filed on Mar. 8, 2024, and is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

[0002] The present invention relates generally to the field of golf. More specifically, the present invention relates to a portable golf club stand device. The device is comprised of a vertical member, the first end of which is pointed, and a second end which allows for the attachment of at least one horizontal member and at least one secondary vertical member. The user can place the pointed end of the vertical member into the ground and then rest various golf clubs against the device such that the club grips remain free of water, dirt, or other debris. Accordingly, the present disclosure makes specific reference thereto. Nonetheless, it is to be appreciated that aspects of the present invention are also equally applicable to other like applications, devices, and methods of manufacture.

BACKGROUND

[0003] When approaching the putting green, golfers will often carry several clubs with them to ensure they are fully equipped for the final stages of the hole. Typically, they will select a club that is best suited for reaching the green, such as an iron or a wedge, along with a putter. Because golf carts are not permitted in the immediate vicinity of the green to protect the course, golfers must manage their equipment carefully during this stage of a hole. More specifically, this often involves setting one club down on the ground while they use the other. However, this can pose a problem, especially in damp course conditions, wherein ground moisture can transfer to the club grips, potentially affecting the golfer's grip and the club's performance during subsequent usage.

[0004] Therefore, there exists a long-felt need in the art for a device that keeps golf club grips clean and dry during use such that their function is not impeded by course conditions. In addition, there exists a long-felt need in the art for a portable golf club stand device. More specifically, there exists a long-felt need in the art for a portable golf club stand device that keeps golf club grips clean and dry during use such that their function is not impeded by course conditions by supporting the clubs in a vertical manner above the course ground surface. When the clubs are not in use.

[0005] The subject matter disclosed and claimed herein, in one embodiment thereof, comprises a portable golf club stand device. The device is comprised of a vertical shaft having a first end which is suited to be placed in the ground manually, and a second end comprised of supports. More specifically, the supports are attached horizontally to the second end of the vertical shaft and provide an area to secure a golf club within a vertical manner.

[0006] In this manner, the portable golf club stand device of the present invention accomplishes all the foregoing objectives and provides a device that keeps golf club grips clean. More specifically, the device ensures golf club grips remain dry during use such that their function is not impeded

by course conditions. To do so, the device allows a club to be stored in a vertical manner wherein the grip does not rest on a ground surface.

SUMMARY

[0007] The following presents a simplified summary to provide a basic understanding of some aspects of the disclosed innovation. This summary is not an extensive overview, and it is not intended to identify key/critical elements or to delineate the scope thereof. Its sole purpose is to present some general concepts in a simplified form as a prelude to the more detailed description that is presented later.

[0008] The subject matter disclosed and claimed herein, in one embodiment thereof, comprises a portable golf club stand device comprised of a vertical shaft, the first end of which is pointed to be placed in the ground and a second end, which is attached to horizontal and secondary vertical members that allow for the support of one or more golf clubs in a vertical position. The device is designed to have the first end of the vertical member placed into the ground in a generally vertical position, and golf clubs rested on/within the horizontal and secondary vertical members.

[0009] More specifically, the body of the device is comprised of a vertical member, which has a pointed first end to allow the device to be placed into the ground surface. When placed into the ground surface, the body is preferably vertical relative to the ground. The second end of the vertical member is comprised of a series of horizontal and secondary vertical members that are connected in a general goalpost configuration, but the angle between the horizontal and secondary vertical member can be an angle between 0 and 180 degrees.

[0010] In one embodiment, the second end of the vertical member is comprised of a connector, that connector allowing the second end of the vertical member to attach to each horizontal member. The connector can be any type of configuration known in the art to connect tubular pieces such as, but not limited to a screw, bolt, hook and loop, or magnets. This fastener could also allow for the storage of other golf equipment during use such as, but not limited to, gloves, ball markers, towels, or the like.

[0011] The present invention is also comprised of a method for using the device. First, a device is provided comprised of the vertical member, one or more horizontal members, and one or more secondary vertical members attached to the vertical member. Then, the pointed end of the vertical member is placed into the ground in a generally vertical position. Finally, golf clubs can be rested upon the horizontal member.

[0012] Accordingly, the portable golf club stand device of the present invention is particularly advantageous as it provides a device that prevents dirt and debris from accumulating on a golf club. More specifically, the device allows the user to transport multiple clubs to a location and support them in a manner as to prevent debris from accumulating on the clubs. Furthermore, the device can be used for a variety of clubs and can be used to support other golf equipment. In this manner, the portable golf club stand device provides a solution to keeping dirt and moisture from coming into contact with a golf club grip.

[0013] To the accomplishment of the foregoing and related ends, certain illustrative aspects of the disclosed innovation are described herein in connection with the following

description and the annexed drawings. These aspects are indicative, however, of but a few of the various ways in which the principles disclosed herein can be employed and are intended to include all such aspects and their equivalents. Other advantages and novel features will become apparent from the following detailed description when considered in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0014] The description refers to provided drawings in which similar reference characters refer to similar parts throughout the different views, and in which:

[0015] FIG. 1 illustrates a perspective view of one potential embodiment of a portable golf club stand device of the present invention in accordance with the disclosed architecture;

[0016] FIG. 2 illustrates a perspective view of one potential embodiment of a portable golf club stand device of the present invention while two golf clubs are resting against the device in accordance with the disclosed architecture; and

[0017] FIG. 3 illustrates a flowchart of a method of using one potential embodiment of a portable golf club stand device of the present invention in accordance with the disclosed architecture.

DETAILED DESCRIPTION

[0018] The innovation is now described with reference to the drawings, wherein like reference numerals are used to refer to like elements throughout. In the following description, for purposes of explanation, numerous specific details are set forth to provide a thorough understanding thereof. It may be evident, however, that the innovation can be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form to facilitate a description thereof. Various embodiments are discussed hereinafter. It should be noted that the figures are described only to facilitate the description of the embodiments. They are not intended as an exhaustive description of the invention and do not limit the scope of the invention. Additionally, an illustrated embodiment need not have all the aspects or advantages shown. Thus, in other embodiments, any of the features described herein from different embodiments may be combined.

[0019] As noted above, there exists a long-felt need in the art for a device that keeps golf club grips clean and dry during use such that their function is not impeded by course conditions. In addition, there exists a long-felt need in the art for a portable golf club stand device. More specifically, there exists a long-felt need in the art for a portable golf club stand device that keeps golf club grips clean and dry during use such that their function is not impeded by course conditions by supporting the clubs in a vertical manner above the course ground surface. When the clubs are not in use.

[0020] The present invention, in one exemplary embodiment, is comprised of a portable golf club stand device. The device is comprised of a vertical member, one or more horizontal members, that are connected to the vertical member with a fastener, and one or more secondary vertical members which are fixedly connected to the horizontal member. The device is designed to be placed into the ground in a generally vertical position to allow the user to support

one or more clubs without having to lay the club on the ground. The fastener may be used to store additional golf equipment.

[0021] More specifically the device is comprised of a vertical member, one or more horizontal members, and one or more secondary vertical members preferably made from metal, but can be of any material that provides enough rigidity to support the device and multiple clubs. Each member is preferably solid but may be hollow tubing of any profile.

[0022] In another embodiment, the device is comprised of a vertical member, one or more horizontal members, that are fixedly connected to the vertical member with a fastener, and one or more secondary vertical members which are fixedly connected to the horizontal member.

[0023] During use, the pointed end of the vertical shaft is placed into the ground, in a generally vertical position, the depth of insertion is to be deep enough to support the device and any clubs. Then, at least one club is rested against the horizontal members, while the user takes a shot. The user can then either switch clubs on the device or pick up the device entirely when finished.

[0024] Accordingly, the portable golf club stand device of the present invention is particularly advantageous as it provides a device that prevents dirt and debris from accumulating on a golf club. More specifically, the device allows the user to transport multiple clubs to a location and support them in a manner as to prevent debris from accumulating on the clubs. Furthermore, the device can be used for a variety of clubs and can be used to support other golf equipment. In this manner, the portable golf club stand device provides a solution to keeping dirt and moisture from coming into contact with a golf club grip.

[0025] Referring initially to the drawings, FIG. 1 illustrates a perspective view of one potential embodiment of a portable golf club stand device 100 of the present invention in accordance with the disclosed architecture. The device 100 is comprised of a body 110 comprised of a vertical member 120, at least one horizontal member 130, and at least one secondary vertical member 132. The vertical member 120 is comprised of a pointed first end 122 that allows the member 120 to be secured into a ground surface in a generally vertical position. The second end 124 of the vertical member 120 is comprised of at least one horizontal member 130 and/or at least one secondary member 132 that may receive a golf club 10 in a vertical position.

[0026] In one embodiment, the horizontal member 130 is fixedly attached to the second end 124. In a different embodiment, the horizontal member 130 is removably attached to the second end 124 via at least one connector 140 of any style such as, but not limited to, a snap connector, a magnetic connector, etc. The connector 140 (or any other part of the device 100) may also be comprised of at least one fastener 150, such as, but not limited to, a hook surface, a loop surface, a magnet, etc., that may receive golf-related items such as, but not limited to, golf gloves, golf tees, golf balls, golf ball markers, etc.

[0027] At least one secondary vertical member 120 may fixedly or removably attach to the horizontal member 130. A vertical axis of the vertical member 120 preferably forms a 90-degree angle relative to a horizontal axis of the horizontal member 130, but may form any angle between 1 and 179 degrees relative to a horizontal axis of the horizontal member 130. This allows both members 130, 132 to secure

a grip 12 of a golf club 10 within the device 100 in a generally vertical position, wherein the grip 12 and/or shaft of the club 10 rests on the horizontal member 130 and may be caught from falling onto a ground surface to the left and right sides by the secondary vertical members 132.

[0028] The present invention is also comprised of a method of using 200 the device 100, as seen in FIG. 2. First, a device 100 is provided comprised of a vertical member 120, at least one horizontal member 130, at least one secondary vertical member 132 attached to the horizontal member 130, a connector 140, and a fastener 150. [Step 202]. Then, a user can place the first end of the vertical member 120 into a ground surface such that a vertical axis of the vertical member 120 is generally perpendicular (such as, but not limited to, 90 degrees) to a horizontal axis of the ground surface as the user approaches the putting green or other area of a golf course [Step 204]. Next, a user can take at least one golf club 10 and lean it against the horizontal member 130 such that the grip 12 of the club 10 is between a first and second secondary vertical member 132 of the device 100 when said club is not in use, such that the grip 12 cannot become wet or dirtied by the ground surface [Step 206].

[0029] Certain terms are used throughout the following description and claims to refer to particular features or components. As one skilled in the art will appreciate, different persons may refer to the same feature or component by different names. This document does not intend to distinguish between components or features that differ in name but not structure or function. As used herein “portable golf club stand device” and “device” are interchangeable and refer to the portable golf club stand device 100 of the present invention.

[0030] Notwithstanding the foregoing, the portable golf club stand device 100 of the present invention and its various components can be of any suitable size and configuration as is known in the art without affecting the overall concept of the invention, provided that they accomplish the above-stated objectives. One of ordinary skill in the art will appreciate that the size, configuration, and material of the portable golf club stand device 100 as shown in the FIGS. are for illustrative purposes only, and that many other sizes and shapes of the portable golf club stand device 100 are well within the scope of the present disclosure. Although the dimensions of the portable golf club stand device 100 are important design parameters for user convenience, the portable golf club stand device 100 may be of any size, shape, and/or configuration that ensures optimal performance during use and/or that suits the user’s needs and/or preferences.

[0031] Various modifications and additions can be made to the exemplary embodiments discussed without departing from the scope of the present invention. While the embodiments described above refer to particular features, the scope of this invention also includes embodiments having different combinations of features and embodiments that do not include all the described features. Accordingly, the scope of the present invention is intended to embrace all such alternatives, modifications, and variations as fall within the scope of the claims, together with all equivalents thereof.

[0032] What has been described above includes examples of the claimed subject matter. It is, of course, not possible to describe every conceivable combination of components or methodologies for purposes of describing the claimed subject matter, but one of ordinary skill in the art may recognize

that many further combinations and permutations of the claimed subject matter are possible. Accordingly, the claimed subject matter is intended to embrace all such alterations, modifications, and variations that fall within the spirit and scope of the appended claims. Furthermore, to the extent that the term “includes” is used in either the detailed description or the claims, such term is intended to be inclusive in a manner similar to the term “comprising” as “comprising” is interpreted when employed as a transitional word in a claim.

What is claimed is:

1. A portable golf club stand device comprising:
 - a vertical member comprised of a pointed first end; and
 - a second end comprised of a horizontal member and a secondary vertical member.
2. The portable golf club stand device of claim 1, wherein the vertical member fixedly attaches to the horizontal member.
3. The portable golf club stand device of claim 2, wherein a vertical axis of the vertical member forms a 90-degree angle with a horizontal axis of the horizontal member.
4. The portable golf club stand device of claim 1 further comprised of a fastener.
5. The portable golf club stand device of claim 1, wherein the fastener is comprised of a hook surface, a loop surface, or a magnet.
6. A portable golf club stand device comprising:
 - a vertical member comprised of a pointed first end;
 - a second end comprised of a horizontal member and a secondary vertical member; and
 - a connector.
7. The portable golf club stand device of claim 6, wherein the horizontal member attaches to the connector.
8. The portable golf club stand device of claim 6, wherein the vertical member attaches to the connector.
9. The portable golf club stand device of claim 6, wherein the vertical member attaches to the connector.
10. The portable golf club stand device of claim 6 further comprised of a fastener.
11. The portable golf club stand device of claim 6, wherein the fastener is positioned on the connector.
12. The portable golf club stand device of claim 6, wherein the fastener is comprised of a hook surface, a loop surface, or a magnet.
13. The portable golf club stand device of claim 6, wherein the connector is comprised of a snap connector.
14. The portable golf club stand device of claim 6, wherein the connector is comprised of a magnetic connector.
15. A method of using a portable golf club stand device, the method comprising the following steps:
 - providing a portable golf club stand device comprised of
 - a vertical member, a horizontal member, a first secondary vertical member attached to the horizontal member,
 - a second secondary vertical member attached to a horizontal member, a connector, and a fastener;
 - placing a first end of the vertical member into a ground surface; and
 - leaning a golf club against the horizontal member such that a grip of the golf club is positioned between the first secondary vertical member and the second secondary vertical member.
16. The method of using a portable golf club stand device of claim 15, wherein the fastener is positioned on the connector.

17. The method of using a portable golf club stand device of claim **15**, wherein the vertical member is attached to the connector.

18. The method of using a portable golf club stand device of claim **15**, wherein the horizontal member is attached to the connector.

19. The method of using a portable golf club stand device of claim **15**, wherein the fastener is comprised of a magnet.

20. The method of using a portable golf club stand device of claim **15**, wherein the fastener is comprised of a hook surface or a loop surface.

* * * * *