

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250285133

Kind Code

A1

Publication Date

September 11, 2025

Inventor(s)

Zizza; Scott et al.

SYSTEMS, APPARATUS AND METHODS FOR UTILIZING TITO VOUCHERS TO TRACK AND REWARD UNCARDED CASINO PATRONS

Abstract

The present invention provides systems, apparatus, and methods that enable a casino to track an uncarded player over multiple sessions and provide rewards based on cumulative play. Game play information for each game play session of a player may be communicated to at least one of a casino management system and a promotional system. At least one of the casino management system and the promotional system may initiate communication of a reward for a player at predetermined thresholds of game play. Reward indicia for the reward may be printed on a voucher printed at the gaming machine. A unique voucher number may be assigned to the voucher, which enables player and game play tracking. The voucher May be generated each time the player qualifies for a reward. The reward can be provided via a QR code on the voucher which drives the player to a website or mobile app.

Inventors: Zizza; Scott (Las Vegas, NV), Henderson; Mark (Boulder City, NV), Shakya; Kabir (Las Vegas, NV)

Applicant: TransAct Technologies Incorporated (Hamden, CT)

Family ID: 94820622

Appl. No.: 19/020129

Filed: January 14, 2025

Related U.S. Application Data

us-provisional-application US 63562785 20240308

Publication Classification

Int. Cl.: G06Q30/0207 (20230101)

U.S. Cl.:

CPC G06Q30/0209 (20130101);

Background/Summary

[0001] This application claims the benefit of commonly owned U.S. provisional patent application No. 63/562,785 filed on Mar. 8, 2024, which is incorporated herein and made a part hereof by reference.

BACKGROUND OF THE INVENTION

[0002] The present invention relates to the field of casino game play. More specifically, the present invention relates to systems, apparatus, and methods for tracking uncarded casino patrons and rewarding such patrons based on the tracking.

[0003] In the casino gaming industry, most casino operations employ some method of cashless gaming for gaming transactions. One such method is referred to as TITO (ticket in-ticket out), also referred to as vouchering. With TITO, a voucher is issued to the player at the gaming machine at the conclusion of play with a barcode or other indicia indicating an amount won during the game play session. The voucher can be redeemed for cash or inserted into another gaming machine for continued game play.

[0004] Another form of cashless gaming is through the use of player cards that are issued to players upon registration. The cards are inserted into the gaming machine during play and work much the same way as a TITO voucher, providing a record of winnings. However, player cards also enable the casino to track a player's game play over multiple sessions, including game play at multiple machines during one visit and over multiple visits to the casino. This also enables the casino to provide rewards to players after reaching certain thresholds of game play. When registering for a player's card, the player must provide personal identifying information, which the casino can then use to provide targeted rewards under the rewards program. Such advantages are not provided when a player is uncarded.

[0005] Casinos are also starting to enable the use of virtual player's cards using, for example, a mobile phone application that enables a smartphone to act as the player card.

[0006] Most casino operations employ multiple methods of cashless transactions for gaming transactions and, often, those methods include TITO. There are nearly 1.1 million slot machines in operation throughout the world and the vast majority (~80%) employ some form of cashless gaming using a form of TITO vouchering.

[0007] Casino operators go through great lengths to know their patrons (also referred to herein as "players"). Doing so helps casino operators tailor marketing for rewards (goods and services) more specifically for each player. The belief is that providing such rewards increases player patronage and loyalty. Thus, casinos encourage patrons to "sign up" or register for player cards by enticing them with incentives (e.g., rewards for game play, membership in a Player's Club with associated perks, and the like). However, despite the incentives, many patrons never register for a player's card or join the casino's Player's Club. The reasons for this may vary from player to player and casino to casino but there are some common themes. For example, some players simply want to remain (mostly) anonymous while others feel that the incentives are not strong enough to entice them to give up personal information. In other cases, it could simply be because the player finds the process of signing up inconvenient.

[0008] The challenge for casino operators is to find new and creative ways to reach the group of

their patrons who remain “uncarded”.

[0009] It would be advantageous to incentivize uncarded casino patrons to register for a player's card and/or to join a player's club, or to otherwise provide personal identifying information to the casino. It would also be advantageous to enable tracking of uncarded players' game play over multiple gaming sessions that utilize the same TITO voucher, in order to provide rewards and to incentivize further game play.

[0010] The systems, apparatus, and methods of the present invention provide the foregoing and other advantages.

SUMMARY OF THE INVENTION

[0011] The present invention relates to systems, apparatus, and methods for tracking uncarded casino patrons and rewarding such patrons based on the tracking, in order to incentivize such patrons to register for a casino card and/or join a casino player's club.

[0012] In an example embodiment of the present invention, a player identification and tracking system for identifying, tracking and rewarding uncarded players (patrons) utilizing ticket vouchers is provided. Such a system may comprise at least one electronic gaming machine comprising a TITO printer, a casino management system in communication with the electronic gaming machine, and a promotional system in communication with the casino management system. The electronic gaming machine may communicate game play information for each game play session of a player to at least one of the casino management system and the promotional system. A reward for the player may be generated by one of the casino management system and the promotional system at predetermined thresholds of game play. Reward indicia for the reward may be embodied in a voucher printed at the electronic gaming machine, with a unique voucher number assigned to the voucher.

[0013] The voucher may be generated each time the player qualifies for the reward.

[0014] The unique voucher number may comprise a session fingerprint for a current or just completed game play session.

[0015] The electronic gaming machine may further comprise one or more slot machine interface boards (SMIB), enabling communication with at least one of the casino management system and the promotional system.

[0016] The unique voucher number may be communicated to at least one of the casino management system and the promotional system. For example, the unique voucher number may be made available to at least one of the casino management system and the promotional system when the player at least one of adds additional game play credits to the electronic gaming machine, ends the game play session by cashing out the game play credits, ends the game play session by playing the game play credits to zero on the electronic gaming machine, initiates a further game play session via the electronic gaming machine or a further electronic gaming machine, and the like.

[0017] The game play information may comprise game play session attributes. The game play session attributes may be communicated to at least one of the casino management system and the promotional system in association with the unique voucher number. The game play session attributes may comprise one or more of electronic gaming machine identifier, electronic gaming machine serial number, internal session identifier, timestamp, session start and end times, session duration, location, amount won, amount lost, game identifier, number of games or sessions played, amount wagered, time played per game or session, and the like.

[0018] The session fingerprint may comprise at least a portion of the game play session attributes.

[0019] The printed voucher may comprise a QR code. The session fingerprint and a URL may be encoded into the QR code. The session fingerprint may act as a proxy for the player and the player's personal identification information for use by at least one of the casino management system and the promotional system for identifying the player.

[0020] At least one of the reward indicia or the QR code associated with the reward may be scannable into a player's digital wallet for storage and later use.

[0021] In one example embodiment, scanning of the QR code by a player's mobile electronic device renders a website identified by the URL, the website being adapted to extract the session information from the session fingerprint. Based on the session information, the website generates the award for redemption by the player.

[0022] A website host for the website may comprise one of the casino management system and the promotional system. The website host may generate a second fingerprint and a unique identifier based on the extracted session data for storage in the form of a cookie. The cookie may be linked to the player's mobile electronic device. The cookie may act as a proxy for the player's personal identification information, enabling further game play sessions to be linked to and associated with the cookie.

[0023] The reward may be redeemable upon one of the player providing personal identification information to at least one of the casino management system and the promotional system, and/or the player registering for a casino player card.

[0024] In a further example embodiment, scanning of the QR code by a player's mobile electronic device renders a mobile app identified by the URL for downloading onto the player's mobile electronic device. The mobile app, once downloaded, may generate a unique identifier based on extracted session data that acts a proxy for the player's personal identification information, enabling further game play sessions to be linked to and associated with the downloaded mobile app.

[0025] Subsequent to the downloading of the mobile app, further session information may be automatically communicated to one of the casino management system and the promotional system. Further rewards may be provided to the player based on the further session information.

[0026] The reward indicia for the rewards and the further rewards may be automatically communicated to and stored in the player's digital wallet.

[0027] The reward may be redeemable upon one of the player providing personal identification information to at least one of the casino management system and the promotional system, and the player registering for a casino player card.

[0028] The QR code or associated reward indicia may be scanned at a redemption location to obtain the reward.

[0029] The game play information may be accumulated over multiple game play sessions and/or multiple electronic gaming machines via use of the voucher.

[0030] The voucher may be printed at least one of periodically during the game play session based on the predetermined thresholds and at an end of the game play session. The predetermined thresholds may be based on one or more of time of play, amount won, amount lost, game play sessions played, aggregate wagers, type or number of games played, and the like.

[0031] The reward may be redeemable on presentation of the voucher at a redemption location. The redemption location may comprise one or more of the casino gaming machine, a restaurant, a hotel, a cash dispenser, an online store, a rental car agency, a retail establishment, a gift shop, a website, and the like.

[0032] The reward may comprise one or more of physical gifts from online stores or brick and mortar stores, game play credits for redemption in a casino gaming machine, and discount coupons for meals, hotel stays, travel, events, experiences, or the like.

[0033] At least one of the casino management system and the promotional system may collect the game play information from multiple game play sessions of the player over time. The collected game play information may be analyzed to at least one of: provide targeted rewards to the player, provide player incentives for further game play, and encourage the player to register for a casino player card. For example, the session information from multiple game play sessions and players may be analyzed.

[0034] The present invention also encompasses methods for identifying, tracking and rewarding uncarded players utilizing ticket vouchers. In one example embodiment, the method may comprise providing at least one electronic gaming machine comprising a TITO printer, and enabling

communications between the electronic gaming machine, a casino management system, and a promotional system. Game play information for each game play session of a player may be communicated to at least one of the casino management system and the promotional system. At least one of the casino management system and the promotional system may initiate communication of a reward for a player at predetermined thresholds of game play. Reward indicia for the reward may be printed on a voucher printed at the electronic gaming machine. A unique voucher number may be assigned to the voucher.

[0035] The methods may also include elements and features of the system embodiments discussed above.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0036] The present invention will hereinafter be described in conjunction with the appended drawing figures, wherein like reference numerals denote like elements, and:

[0037] FIG. 1 shows a block diagram of an example embodiment of a system for carrying out the present invention;

[0038] FIG. 2 shows a flow diagram of an example embodiment of the present invention;

[0039] FIG. 3 shows an example embodiment of a TITO voucher used in accordance with the present invention;

[0040] FIG. 4 shows an example embodiment of a reward coupon used in accordance with the present invention;

[0041] FIG. 5 shows a further example embodiment of a TITO voucher used in accordance with the present invention;

[0042] FIG. 6 shows a flow diagram of a further example embodiment of the present invention;

[0043] FIG. 7 shows a further example embodiment of a reward coupon used in accordance with the present invention;

[0044] FIG. 8 shows a flow diagram of a further example embodiment of the present invention; and

[0045] FIG. 9 shows a flow diagram of a further example embodiment of the present invention.

DETAILED DESCRIPTION

[0046] The ensuing detailed description provides exemplary embodiments only, and is not intended to limit the scope, applicability, or configuration of the invention. Rather, the ensuing detailed description of the exemplary embodiments will provide those skilled in the art with an enabling description for implementing an embodiment of the invention. It should be understood that various changes may be made in the function and arrangement of elements without departing from the spirit and scope of the invention as set forth in the appended claims.

[0047] The present invention relates to systems, apparatus, and methods for tracking uncarded casino patrons and rewarding such patrons based on the tracking, in order to incentivize such patrons to register for a casino card and/or join a casino player's club.

[0048] The following is nomenclature that will be used throughout the description and drawings of the present invention: [0049] TITO: abbreviation for Ticket In-Ticket Out, also referred to as voucher, TITO ticket, TITO voucher, or vouchering. [0050] Voucher: A ticket or other paper slip with a unique identifier printed on it used as a fungible intermediary for cash. [0051] Game play: the act or activity of playing a casino game such as a slot machine or table game. [0052] Patron: (also referred to herein as a player or user) A customer of the casino who typically engages in game play. [0053] Carded: (also known as a carded player/patron). A patron who is identifiable typically by means of a physical or virtual card. [0054] Uncarded: (also known as an uncarded player/patron). A player who is NOT identifiable and the casino has no means or method of identifying the player—an anonymous player. [0055] SAS: abbreviation for Slot Account System, a

proprietary serial communications protocol for gaming machines or slot machines. [0056] Serial: A method of sending data byte by byte or sometimes, colloquially meaning RS232 which is a specific type of serial communication protocol using -15v to +15v to transmit data. [0057] Cashless: The process by which gaming transactions take place without the use of a currency or “cash” using a voucher or card in its place. [0058] TITO Printer: A printer that prints a TITO voucher. [0059] PID: Personal Identification Information (name, address, phone number social security number, and the like). [0060] EGM: Electronic Gaming Device or slot machine. [0061] Redemption: The process by which a voucher or TITO ticket is exchanged for currency. [0062] Bill Acceptor: A device that accepts paper currency (bills) and TITO vouchers for redemption. [0063] Player's Club: A colloquial term used to mean the entity or group that players/patrons belong to when they become carded or share their personal demographic information with casinos. [0064] Session: The time period that a player or patron spends at a gaming machine while bought in or having credits on the gaming machine. [0065] Credits or Game Play Credits: The financial unit EGM's use to track player funds while in session. [0066] Buy in adding credits: The act of the player/patron adding funds/credits to the gaming machine. [0067] Cash out (a.k.a. cashing out): The act of a player removing any remaining money from the gaming machine. [0068] Voucher number: A unique number typically printed in barcode format that associates that physical voucher and ID with money. [0069] SMIB: abbreviation for Slot Machine Interface Board. A specialized electronic circuit board used to communicate with the EGM over SAS. [0070] Query string: the part of the URL that contains variables or other dynamic information for processing by the web server. Typically in the format: ? name=value&, where ? denotes the start of the sequence and the & joins multiple variables together. [0071] Digital Wallet: A specialized place of storage on a digital device, typically a smartphone, where a user can store sensitive (typically financial) information that is subsequently encrypted via asymmetric encryption. [0072] Cookie: a means, typically a file, stored on a user's device by a webserver that contains pertinent information about the session or user. [0073] Event relay: a method, usually a computer software service, which can be used to relay data on premise (across a firewall or security) to computer services running in a cloud environment. [0074] Mobile tenant & session DB: a database which holds information about the session and the mobile device that initiated the session. A tenant is a logical owner of data residing on the DD. This can be a reference to mobile device or B2B user such as a casino. [0075] Realtime event grid/firebase: A real time event grid is MS Azure's implementation of an event fabric (a way to interconnect computer services). Firebase is Google's version of an event fabric. [0076] EC/Epicentral: a promotional rewards system provided by TransAct Technologies, Inc. Redis/DB: Redis is an in memory database or datastore. [0077] REST (representational state transfer): a paradigm of constraints/architecture for publishing or exposing Remote API's for a computer service (application program interface) via a network—typically HTTP (hypertext transfer protocol) over TCP/IP over a computer network (such as the internet). [0078] REST call: the act of computer client invoking a published REST API. [0079] The present invention proposes solutions that will help casino operators gain insight and reward their uncarded patrons. The proposed solutions leverage the ubiquitous existence of TITO and TITO printers within casino floor operations. It is well known that, in general, the TITO printers are only in use during “cash out”, typically at the end of a player's session. In most cases, in the middle of a player's session, the TITO printer remains idle. Accordingly, the TITO printer process remains an ideal and underutilized method for communicating with players during a session. [0080] When a player cashes out or prints their TITO voucher at the end of their game play session, a unique voucher number is generated (or was previously generated and cached). This unique number is made available via the SAS and thus to any third party interfaces connected to the EGM's SAS port. This provides third party SMIBs a method to “see” the player's voucher number. The present invention leverages this information, utilizing this voucher number as session

fingerprint which can be processed and stored for purposes of analytics.

[0081] The casino management system, a promotional system for providing rewards, or a third party system, can communicate with the EGM using a corresponding SMIB. Multiple SMIBs can be physically installed in a gaming machine. For example, the casino may install an SMIB into the gaming machine to enable communications between the EGM and the casino management system. In addition, a third party (such as a third party provider of a promotional rewards system (e.g., the Epicentral system provided by TransAct Technologies, Inc., assignee of the present invention) may also install a dedicated SMIB in the EGM, enabling communications with the third party system. SMIBs enable communications via SAS (or other serial communication protocols).

[0082] When a player adds credits or buys in (via a TITO voucher) the voucher number is again made available via SAS to any third party SMIB that is connected. With the present invention, it is possible for a third-party solution to infer additional session data or game play attributes about any player (e.g., via the SMIB connected to the EGM's SAS port). This information can be siphoned off the EGM's SAS interface for processing and storing in conjunction with the voucher number if the player cashes out as described above.

[0083] With the present invention, combining session attributes along with the voucher number allows a third-party solution to identify and reward a patron, in session, if the player uses that same voucher to “buy in” or add credits at another casino game or in other sessions at any time in the future. Following this pattern an operator can follow and reward a player indefinitely over multiple gaming sessions until the chain is broken—i.e. the player plays off their credits, or never cashes out or buys in using a previously known TITO voucher.

[0084] FIG. 1 is a block diagram of an example embodiment of a system **10** for implementing the process flows shown in FIGS. 2, 6, 8, and 9 discussed below. A casino management system **12** with a user interface **14** is connected to a network **16** (which may comprise one or more of a VPN, a LAN, a WAN, an EPN, a SAN, the Internet, or the like). A server **18** and database **20** are also connected to the network **16** for facilitating communications over the network between the casino management system **12** and other components of the system **10**. A promotional system **22** with user interface **24** is also connected to the network **16** for receiving game play information from the casino management system **12** and providing player rewards as discussed in detail below. The promotional system **22** may access database **20** and/or a further database separate from that of the casino management system **12**.

[0085] It should be appreciated that the server **18** and database **20** in FIG. 1 may take many forms and be comprised of various hardware elements and/or software modules. Separate servers **18** and databases **20** may be provided for each of the casino management system **12** and the promotional system **22**. For example, the casino management system **12** and the promotional system **22** may each be comprised of a dedicated server and database integral to or in communication with the corresponding system.

[0086] Multiple EGMs **26** are connected to the network **16**. Each EGM **26** may be comprised of typical game display and controls **28**, a TITO reader **30** for reading an inserted voucher, a TITO printer **32** for printing a TITO voucher, a bill acceptor **38**, and one or more SMIBs **34**.

[0087] The EGMs **26** are connected to the network **16** and in communication with the casino management system **12** and the promotional system **22** as described above. The system also includes a kiosk **36** with a bill acceptor **38** for accepting cash from a player and a TITO printer **32** for printing a voucher for the corresponding cash amount. The kiosk **36** may also include a TITO reader **30** for reading a TITO voucher for redemption as well as a cash dispenser **40** for dispensing cash in accordance with the redeemed voucher. Personal player devices such as a smartphone **42** and/or PC/Tablet/Laptop **44** may also be connected to the network **16**, enabling communication with a rewards website or mobile app as discussed in detail below upon scanning of a barcode or a QR code on a voucher. Casino personnel may also utilize smartphones **42** and or a PC/tablet/laptop **44** on the casino floor to provide promotional rewards to players at specific EGMs **26** and/or to

communicate with the casino management system **12** or promotional system **22**. The system **10** may also include a data center **46** and/or a hyperscaler **48** (such as Azure, AWS, or the like) enabling a player to interact with a cloud-based service and reach various websites **50**, for example for reward redemption purposes.

[0088] FIG. 2 shows a flow diagram of an example embodiment of the present invention. In session #1, the player **1** initiates game play at the casino by inserting cash into the bill acceptor of the EGM **26** (Bill In). Alternatively, game play can be initiated by any form of cashless payment (e.g., AFT, EFT, credit card, TITO voucher, payment via electronic smartphone wallet **47**, or the like). At the conclusion of the gaming session, the player **1** cashes out (**51**), at which stage the EGM **26** registers a cash out event (**52**) and prints a TITO voucher **33** from the TITO printer **32**. The TITO voucher **33** can then be redeemed by the player **1** or used by the player **1** in further game play sessions whether at the same EGM **26** or different EGMs **26**. The EGM **26** notifies the SMIB **34** of the cash out event (**52**) and provides the voucher ID and associated session data. The SMIB **34** then provides (**53**) the voucher ID and associated session data to a promotional system **22** (such as a rewards program system) which then stores (**54**) the voucher ID and associated session data in a database **20b**.

[0089] If the player **1** chooses to start a new gaming session (session #2) using the same TITO voucher **33**, the EGM **26** will recognize that a voucher has been inserted and indicate this event (**56**) to the SMIB **34** and provide the voucher ID. This voucher ID will be passed on (**57**) from the SMIB **34** to the promotional system **22**, where the voucher ID can be used to look up prior session information (**58**). This information can be used by the promotional system **22** to reward the player **1** at the appropriate juncture (at certain thresholds or at the conclusion of the session). The reward information can be communicated (**59, 60**) from the promotional system **22** back to the SMIB **34**, which in turn can initiate printing (**61**) of reward indicia on a voucher **33** at the EGM **26**.

[0090] FIG. 3 shows an example of a TITO voucher **33** used in accordance with the embodiment of FIG. 2 described above. As shown in FIG. 3, the voucher **33** may be a standard TITO voucher, also referred to as a “cashout voucher”. The reward indicia may comprise a monetary amount **37** indicated on the voucher **33**. For example, the monetary amount **37** may comprise the player's winnings plus an award amount, or the award amount alone. Alternatively, the reward indicia may be embodied in the barcode **55** or in another format, such as a separate image or text printed on the voucher **33**. The unique voucher number **39** assigned to the voucher may comprise the voucher validation number as shown in FIG. 3. The unique voucher number **39** may comprise a session fingerprint for a current or a just completed game play session.

[0091] The unique voucher number **39** may be made available to at least one of the casino management system **12** and the promotional system **22** when the player at least one of adds additional game play credits to the electronic gaming machine **26**, ends the game play session by cashing out the game play credits, ends the game play session by playing the game play credits to zero on the electronic gaming machine **26**, initiates a further game play session via the electronic gaming machine **26** or a further electronic gaming machine, and the like. The voucher **33** may be generated each time the player **1** qualifies for a reward.

[0092] Rather than providing reward indicia on a standard TITO voucher **33**, the reward may also be presented in the form of a coupon **41** as shown in FIG. 4. The coupon **41** may be printed at the EGM **26** at the conclusion of game play or at any predefined threshold of game play.

[0093] The reward may be redeemable on presentation of the voucher **33** or coupon **41** at a redemption location. The redemption location may comprise one or more of the casino gaming machine **26**, a restaurant, a hotel, a cash dispenser **40**, an online store (e.g., via public website **50**), a rental car agency, a retail establishment, a gift shop, a website **50**, and the like. The reward may comprise one or more of physical gifts from online stores or brick and mortar stores, game play credits for redemption in a casino gaming machine **26**, and discount coupons for meals, hotel stays, travel, events, experiences, or the like.

[0094] In a further example embodiment of the present invention, for uncarded players it is possible to produce a printed slip or voucher **33** via the TITO printer **32** that would encode unique game play session attributes of that player's session. These unique elements include but are not limited to the EGM identifier, an internal session identifier, timestamp, session start and end times, session duration, location, EGM serial number, amount won, amount lost, game identifier, number of games or sessions played, amount wagered, time played per game or session, and the like. This information (or a portion thereof), when collated, can represent a fingerprint of that player's session. The game play session attributes can be encoded into the barcode **55** on the voucher **33**, or encoded into a QR code printed on the voucher, as discussed in detail below.

[0095] For example, as shown in FIG. 5, a voucher/ticket/slip **33'** can be dispensed via the TITO Printer **32** with a unique fingerprint and a URL encoded into a QR code **45**. This printed voucher **33'** can then be scanned and interpreted by any smartphone **42** or device with a camera capable of reading QR codes **45**. Upon scanning of the QR code **45** by the player's smartphone **42**, the player **1** is then directed to a website **50** with the fingerprint information (one or more of the game play session attributes) embedded within the URL via query string attributes. The website **50** may be a public website or a website hosted by the casino (via the casino management system **12**) or by the promotional system **22**.

[0096] It should be appreciated that a voucher **33**, **33'** can be printed when the player **1** cashes out, at periodic periods during a game play session, or when the credits on the EGM **26** equal a set minimum, thus ensuring a voucher **33**, **33'** is printed even for a non-winning game play session. In this way, both winning and losing players can be tracked.

[0097] With the session information encoded within the URL, that information can be extracted for storage and processing by the website **50**. However, it is important to note that the session information does not contain any PID information. The only information it will contain is non personal identifying information about the session—a fingerprint.

[0098] When the player **1** arrives at the website **50** and the session data is extracted, a second fingerprint and unique ID is generated for storage in the form of a cookie. This allows the printed and previously encoded session data to be linked with the cookie and the player's smartphone **42**. This solution does require the allowance of cookies. The newly added cookie will then act as a proxy for the player's PID or other identifying information and upon subsequent visits future sessions can be associated with that cookie's data—i.e. fingerprint and unique ID.

[0099] The website **50** can then present the player **1** with an award or awards based on the game play information. Such rewards may comprise physical gifts that can be claimed from various stores (either online stores or physical locations, inside or outside of the casino). The rewards may also comprise credits for further game play, discounts on meals or hotel stays at or near the casino, and the like. In order to claim the rewards, the player **1** may be required to provide personal identification information and/or demographic information (for example, this may include signing up for a player's card or player's club membership).

[0100] The second option is for the casino management system **12** to provide in-session pointing (e.g., printing of a voucher with the QR code periodically during the session) that the player **1** can scan and save rewards into the player's anonymous digital wallet **47** via the website **50**—embedded into the cookie along with the fingerprint, at any time. This further detethers the player **1** from the EGM **26** and allows them to scan the rewards at some time post session so as not to interrupt game play.

[0101] FIG. 6 shows a flow diagram of such an example embodiment of the present invention. FIG. 6 assumes a session is started with an uncarded player session when a player **1** starts playing an EGM **26** at casino 5. However, the same flow can be used to obtain data on a carded player.

[0102] A player **1** begins play by buying in at the EGM **26**, whether by using cash or by the insertion of a TITO voucher **33**, **33'** obtained from the casino cage or kiosk **36**, or from a prior game session. First, game play occurs, initiating a session (**64**). The start time and other attributes

of the session are recorded by the casino management system **12** (e.g., in session database **20a**). The session information is also communicated (**65**) to the promotional system **22** and stored in a database **20b**. At some stage (whether during game play or at the end of a session), the promotional system **22** triggers the printing (**66**) of a voucher **33'** with an encoded fingerprint (e.g., a QR code **45**), which is printed at the EGM **26** and communicates to the player **1** that he or she is eligible for additional rewards, with instructions to scan the accompanying QR code **45** to participate.

[0103] When the QR code **45** is scanned (**67**), the player **1** is taken to a pre-defined website (e.g., website **50**, website **23** of the casino management system **12**, or other website as described above) that will validate the fingerprint via the URL query parameters and if valid will ask for player information. The player **1** can provide that information at this time or “opt-out”, but to collect certain rewards the player **1** will need to eventually provide some personal information. A cookie or other embedded data containing a “device identifying” fingerprint will be installed (**68**) on the users' devices. This happens regardless of whether the player **1** provides their personal information at this time. The cookie and or embedded fingerprint (via local storage on the user device (e.g., smartphone **42**, tablet computer **44**, or other internet enabled device) acts as a proxy for identifiable information.

[0104] The fingerprint is simultaneously stored (**69**) with the casino management system **12** and the promotional system **22** so that the device/user information can be looked up, collated, and aggregated upon further visits. The fingerprint/device/user information is now associated with game play on the active EGM **26** until the session is ended.

[0105] The player **1** continues to play (**70**) until he or she ends the current game play session, by, for example, cashing out or letting the credit meter fall below a threshold. The casino management system **12** and promotional system **22** will detect this and record this information. Events and session data are recorded (**71**) up until the session is detected as “ended”, at which time the promotional system may deliver a printed award (**72**) (e.g., in the form of a voucher or coupon as discussed above).

[0106] The flow process described above can be configured to repeat as many times as possible until the player **1** achieves the desired threshold of play as configured by casino/system **12**. Session information may also be carried over to a different EGM **26** using the TITO voucher **33, 33'** from the prior EGM **26**, and the systems **12, 22** will aggregate the prior game play information with the current game play information. This can be repeated across multiple EGMs **26** as long as the TITO voucher **33, 33'** from the immediately prior EGM **26** is inserted into another EGM **26**.

[0107] Once the player **1** achieves or crosses the play threshold the casino **5** sets forth for a particular intended reward, an award coupon is delivered to the player **1**. FIG. 7 shows an example embodiment of such a reward coupon **41'**. This coupon **41'** could also include a QR code **45** (with encoded fingerprint) directing them to the same (or other) website **50** where the player **1** can choose their reward and or be required to provide their identifying user information to claim the reward. The coupon **41'** could also just represent the reward itself as a free meal, free play, discount hotel stay, or the like, redeemable by the physical coupon alone.

[0108] In a further example embodiment of the present invention, a downloadable mobile app **49** for a smartphone **42** is provided. As discussed above, a voucher/ticket/slip **33'** may be dispensed via the TITO Printer **32** with a unique fingerprint and a URL encoded into a standard QR code **45**. This printed voucher **33'** can then be scanned and interpreted by any smartphone **42** or device with a camera capable of reading QR codes **45**. Upon scanning by the player's smartphone **42**, the player **1** is then directed to a website **50** with the fingerprint information embedded within the URL via query string attributes.

[0109] With the session information encoded within the URL, that information can be extracted for storage and processing by the web site. As above, it is important to note that the session information does not contain any PID information. The only information it will contain is non personal identifying information about the session—a fingerprint—and information about the mobile

app, which is used by the smartphone's OS to identify an app that is needed and prompt the player to download it. When scanned by the player's smartphone **42** the player will be prompted to download a mobile app **49** (unless already installed).

[0110] If the mobile app **49** isn't already installed on the player's smartphone **42** the player **1** will be prompted to download the app **49** upon scanning the QR code **45**. If the player **1** chooses to install the mobile app **49**, the mobile app **49** upon installation will create a unique ID and a digital fingerprint that uniquely identifies that installation and acts as a proxy for the player **1** and their PID. This ID will be used to anonymously link the player **1** and their smartphone **42** to the fingerprint generated and printed by the TITO printer **32** during their sessions. This will allow the casino **5** to reward these players **1** for their game play despite them still being “uncarded” and remaining anonymous, as no PID is required to be shared with the casino **5** unless the player **1** chooses to do so.

[0111] Once the app **49** is installed the player **1** merely must scan any of the printed media (e.g., voucher **33'** or coupons **41, 41'**) generated in-session. This allows the casino **5** two methods of reaching the player **1**. The first, is, as described earlier, to scan a printed slip/ticket in-session to allow the player **1** to track and receive credit for any play thereafter during that session.

[0112] The second option is for the casino **5** to provide in-session pointing that the player **1** can scan and save into the player's digital wallet **47**. This further detethers the player **1** from the EGM **26** and allows them to scan the rewards at some time post session so as not to interrupt game play.

[0113] Likewise, if the player **1** already has the mobile app **49**, upon scanning of the QR code **45**, the mobile app **49** will log and associate the app's unique ID/fingerprint with the session fingerprint or store the printed promotion in the player's digital wallet **47**.

[0114] FIGS. **8** and **9** show flow diagrams of such an example embodiment of the present invention. In FIGS. **8** and **9**, it is assumed the player **1** has installed the mobile app **49** on his or her smartphone **42**. Doing so creates a digital fingerprint unique for that smartphone **42** which will allow the device to be linked to any game play described herein.

[0115] As with the FIG. **6** embodiment described above, a player **1** begins a game play session (**64**) play by buying in at the EGM **26** (using cash) or the insertion of a TITO voucher obtained from the casino cage or kiosk **36** or prior game session. First, game play occurs initiating a session (**65**). The start time and other attributes of the session are recorded by the casino management system **12**. The session information is also communicated to the promotional system **22** and stored in a database **20b**. At some stage (whether during game play or at the end of a session), the promotional system **22** triggers (**66**) the printing of a voucher **33'** with an encoded fingerprint (e.g., embodied in a QR code **45**), which is printed at the EGM **26** and communicates to the player **1** that he or she is eligible for additional rewards, with instructions to scan the accompanying QR code **45** to participate.

[0116] Rather than being directed to a website as with the FIG. **6** embodiment, in the embodiment described in FIGS. **8** and **9**, when the player **1** scans (**67**) the QR code **45** a rewards app **49** (e.g., the Epic Player app provided by the Assignee of the present invention) is launched on the player's smartphone **42** (or other Internet enabled device) via the mobile REST API **75**. The app **49** decodes and stores the fingerprint and associates the smartphone **42** and player **1** with the game play on that EGM **26**.

[0117] The app **49** will then communicate with the casino management system **12** backend as well as the promotional system **22** hosting the app **49**, associating the device/phone/user with game play until the session is ended. The player **1** continues to play until he or she ends the current game play session, by, for example, cashing out or letting the credit meter fall below a threshold. The casino management system **12** and promotional system **22** will detect this and record this information. Events and session data are recorded (**71**) up until the session is detected as “ended”.

[0118] The process above can be configured to repeat as many times as possible until the player **1** achieves the desired threshold of play configured by casino/system. Session information may also

be carried over to a different EGM 26 using the TITO voucher 33, 33' from the prior EGM 26, and the systems 12, 22 will aggregate the prior game play information with the current game play information. This can be repeated across multiple EGMs 26 as long as the TITO voucher from the immediately prior EGM 26 is inserted into another EGM 26.

[0119] Once the player 1 achieves or crosses the play threshold the casino 5 sets forth for a particular intended reward, an award is delivered (72, 73) to the player 1. The award can come in the form of a physical promotional coupon/voucher 41, 41' printed at the EGM 26 (as shown in FIG. 8). The printed award can then be scanned (74) into the digital wallet 47. Alternatively, the reward can be delivered digitally (73) directly to the player's smartphone 42 directly through the app 49 (as shown in FIG. 9).

[0120] As with the FIG. 6 embodiment, the physical coupon 41' could also include a QR code 45 (with encoded fingerprint) directing the player 1 to a website where the player 1 can choose their reward and or be required to provide their identifying user information to claim the reward. The coupon 41, 41' could also just present the reward itself as a free meal, free play, discount hotel stay, or the like, redeemable by the physical coupon alone.

[0121] In all embodiments, the casino then has the ability to use this anonymous data for its analytics and in order to better target players 1 with offers on return visit to the site or in game incentives via the TITO printer 32. This is done to provide rewards to encourage these anonymous players to provide demographic information and additional patronage.

[0122] Rewards can be generated based on various thresholds for one or more of dollar amounts (won or lost), time played per session, number of sessions played, aggregate wagers, type or number of games played, or the like. Rewards can be provided to the player at the end of a session or after multiple sessions. Rewards can also be generated in-session (e.g., by printing a voucher during game play with indicia indicating the reward). Redemption of a reward may be tied to the player registering with the casino in some fashion, for example by providing their personal information to register for a player's card or to sign up for a casino rewards account (whether via a dedicated website or smartphone application).

[0123] In summary, the present invention enables a casino operator to track an uncarded player over multiple sessions and reward them based on their cumulative play. The reward can be provided via a promotional voucher which drives them to a website or mobile app. The rewards may be conditional on the player registering for a card with the casino and/or joining the casino player's club, or otherwise providing their personal identifying information. Thus, the present invention allows a casino to derive an uncarded player's "true value" more accurately and to incentivize uncarded players to register with the casino and become a carded player. The systems, apparatus, and methods of the claimed invention allow for tracking uncarded players and rewarding them across multiple sessions and modalities (physical voucher, digitally). It's important to note that although the primary focus of the present invention is uncarded players, this same technology can be applied to reward carded players.

[0124] It should now be appreciated that the present invention provides advantageous methods and apparatus for tracking and rewarding uncarded casino patrons and encouraging uncarded patrons to become carded players.

[0125] Although the invention has been described in connection with various illustrated embodiments, numerous modifications and adaptations may be made thereto without departing from the spirit and scope of the invention as set forth in the claims.

Claims

1. A player identification and tracking system for identifying, tracking and rewarding uncarded players utilizing ticket vouchers, comprising: at least one electronic gaming machine comprising a TITO printer; a casino management system in communication with the electronic gaming machine;

a promotional system in communication with the casino management system; wherein: the electronic gaming machine communicates game play information for each game play session of a player to at least one of the casino management system and the promotional system; a reward for the player is generated by one of the casino management system and the promotional system at predetermined thresholds of game play; reward indicia for the reward is embodied in a voucher printed at the electronic gaming machine; and a unique voucher number is assigned to the voucher.

2. The player identification and tracking system in accordance with claim 1, wherein the voucher is generated each time the player qualifies for the reward.
3. The player identification and tracking system in accordance with claim 1, wherein the unique voucher number comprises a session fingerprint for a current or just completed game play session.
4. The player identification and tracking system in accordance with claim 3, wherein: the electronic gaming machine further comprises one or more slot machine interface boards (SMIB), enabling communication with at least one of the casino management system and the promotional system; and the unique voucher number is communicated to at least one of the casino management system and the promotional system.
5. The player identification and tracking system in accordance with claim 3, wherein the unique voucher number is made available to at least one of the casino management system and the promotional system when the player at least one of adds additional game play credits to the electronic gaming machine, ends the game play session by cashing out the game play credits, ends the game play session by playing the game play credits to zero on the electronic gaming machine, and initiates a further game play session via the electronic gaming machine or a further electronic gaming machine.
6. The player identification and tracking system in accordance with claim 3, wherein: the game play information comprises game play session attributes; and the game play session attributes are communicated to at least one of the casino management system and the promotional system in association with the unique voucher number.
7. The player identification and tracking system in accordance with claim 6, wherein the game play session attributes comprise one or more of electronic gaming machine identifier, electronic gaming machine serial number, internal session identifier, timestamp, session start and end times, session duration, location, amount won, amount lost, game identifier, number of games or sessions played, amount wagered, and time played per game or session.
8. The player identification and tracking system in accordance with claim 6, wherein the session fingerprint comprises at least a portion of the game play session attributes.
9. The player identification and tracking system in accordance with claim 8, wherein: the printed voucher comprises a QR code; the session fingerprint and a URL are encoded into the QR code; and the session fingerprint acts as a proxy for the player and the player's personal identification information for use by at least one of the casino management system and the promotional system for identifying the player.
10. The player identification and tracking system in accordance with claim 9, wherein at least one of the reward indicia or the QR code associated with the reward is scannable into a player's digital wallet for storage and later use.
11. The player identification and tracking system in accordance with claim 9, wherein: scanning of the QR code by a player's mobile electronic device renders a website identified by the URL, the website being adapted to extract the session information from the session fingerprint; and based on the session information, the website generates the award for redemption by the player.
12. The player identification and tracking system in accordance with claim 11, wherein: a website host for the website comprises one of the casino management system and the promotional system; and the website host generates a second fingerprint and a unique identifier based on the extracted session data for storage in the form of a cookie; the cookie is linked to the player's mobile electronic device; the cookie acts a proxy for the player's personal identification information,

enabling further game play sessions to be linked to and associated with the cookie.

13. The player identification and tracking system in accordance with claim 11, wherein the reward is redeemable upon one of: the player providing personal identification information to at least one of the casino management system and the promotional system; and the player registering for a casino player card.

14. The player identification and tracking system in accordance with claim 9, wherein: scanning of the QR code by a player's mobile electronic device renders a mobile app identified by the URL for downloading onto the player's mobile electronic device; and the mobile app, once downloaded, generates a unique identifier based on extracted session data that acts a proxy for the player's personal identification information, enabling further game play sessions to be linked to and associated with the downloaded mobile app.

15. The player identification and tracking system in accordance with claim 14, wherein: subsequent to the downloading of the mobile app, further session information is automatically communicated to one of the casino management system and the promotional system; and further rewards are provided to the player based on the further session information.

16. The player identification and tracking system in accordance with claim 15, wherein the reward indicia for the rewards and the further rewards are automatically communicated to and stored in a player's digital wallet.

17. The player identification and tracking system in accordance with claim 14, wherein the reward is redeemable upon one of: the player providing personal identification information to at least one of the casino management system and the promotional system; and the player registering for a casino player card.

18. The player identification and tracking system in accordance with claim 9, wherein the QR code or associated reward indicia is scanned at a redemption location to obtain the reward.

19. The player identification and tracking system in accordance with claim 1, wherein the game play information is accumulated over multiple game play sessions and/or multiple electronic gaming machines via use of the voucher.

20. The player identification and tracking system in accordance with claim 1, wherein: the voucher is printed at least one of periodically during the game play session based on the predetermined thresholds and at an end of the game play session; and the predetermined thresholds are based on one or more of time of play, amount won, amount lost, game play sessions played, aggregate wagers, and type or number of games played.

21. The player identification and tracking system in accordance with claim 1, wherein: the reward is redeemable on presentation of the voucher at a redemption location; and the redemption location comprises one or more of the casino gaming machine, a restaurant, a hotel, a cash dispenser, an online store, a rental car agency, a retail establishment, a gift shop, and a website.

22. The player identification and tracking system in accordance with claim 21, wherein the reward comprises one or more of physical gifts from online stores or brick and mortar stores, game play credits for redemption in a casino gaming machine, and discount coupons for meals, hotel stays, travel, events, or experiences.

23. The player identification and tracking system in accordance with claim 1, wherein: at least one of the casino management system and the promotional system collects the game play information from multiple game play sessions of the player over time; the collected game play information is analyzed to at least one of: provide targeted rewards to the player; provide player incentives for further game play; and encourage the player to register for a casino player card.

24. The player identification and tracking system in accordance with claim 23, wherein the session information from multiple game play sessions and players is analyzed.

25. A method for identifying, tracking and rewarding uncarded players utilizing ticket vouchers, comprising: providing at least one electronic gaming machine comprising a TITO printer; enabling communications between the electronic gaming machine, a casino management system, and a

promotional system; communicating game play information for each game play session of a player to at least one of the casino management system and the promotional system; initiating communication of a reward for the player from at least one of the casino management system and the promotional system at predetermined thresholds of game play; printing reward indicia for the reward on a voucher printed at the electronic gaming machine; and assigning a unique voucher number to the voucher.
