

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250284851

Kind Code

A1

Publication Date

September 11, 2025

Inventor(s)

Moschella; Joseph

BROWSER EXTENSION RECOGNITION SYSTEM

Abstract

A browser extension recognition system and methods are provided for flagging specified words when they are typed into a web-browser application. A warning dialog box is displayed when a typed word or phrase is determined to match a word or phrase in a saved list of the words to be blocked. The warning dialog box indicates that the word or phrase matches a blocked word or phrase and prompts an end-user to continue or stop typing the block word or phrase. Settings are configured to enable the end-user to add new words and phrases to the list of words and remove existing words and phrases from the list of words. A desired group of words and/or phrases to be blocked can be imported from an external file, and an external file containing a listing of all the words and phrases comprising the list of words can be exported.

Inventors: Moschella; Joseph (Los Angeles, CA)

Applicant: Moschella; Joseph (Los Angeles, CA)

Family ID: 1000008626714

Appl. No.: 19/218122

Filed: May 23, 2025

Related U.S. Application Data

parent US continuation 17680071 20220224 PENDING child US 19218122

us-provisional-application US 63153608 20210225

Publication Classification

Int. Cl.: G06F21/62 (20130101); G06F3/04817 (20220101); G06F40/166 (20200101);
G06F40/289 (20200101)

U.S. Cl.:

Background/Summary

PRIORITY [0001] This application claims the benefit of and priority to U.S. patent application Ser. No. 17/680,071 filed Feb. 24, 2022 and U.S. Provisional Application, entitled “Browser Extension Recognition System,” filed on Feb. 25, 2021 and having application Ser. No. 63/153,608, the entirety of said application being incorporated herein by reference.

FIELD

[0002] Embodiments of the present disclosure generally relate to the field of web browser programming. More specifically, embodiments of the disclosure relate to a browser extension recognition system and methods for flagging specified words when they are typed into the browser.

BACKGROUND

[0003] Browser extensions generally are packages of software code that can be installed into a web browser to add new features to the browser. For example, a browser extension can extend existing functionality, modify a visual theme, and the like. A browser extension may be a zipped bundle of files that includes webpages and may use all the application programming interfaces (APIs) that the browser provides to webpages. Browser extensions may include hypertext mark-up language (HTML), cascading style sheets (CSS), JavaScript, images, and other types of files and web-related computer languages and code that facilitates creating new and unique browser configurations.

[0004] Embodiments disclosed in the disclosure provide a browser extension recognition system for flagging specified words when they are typed into a browser application.

SUMMARY

[0005] A browser extension recognition system and methods are provided for flagging specified words when they are typed into a web-browser application. A warning dialog box is displayed when a typed word or phrase is determined to match a word or phrase in a saved list of the words to be blocked. The warning dialog box indicates that the word or phrase matches a blocked word or phrase and prompts an end-user to continue or stop typing the block word or phrase. The browser extension recognition system includes settings configured to enable the end-user to add new words and phrases to the list of words and remove existing words and phrases from the list of words. A desired group of words and/or phrases to be blocked can be imported from an external file, and an external file containing a listing of all the words and phrases comprising the list of words can be exported.

[0006] In an exemplary embodiment, a browser extension recognition system for enabling end-users to manage a list of words to be blocked from being typed in the browser application comprising: a browser action for installation as a part of the browser application; and a list of words for being blocked in the browser application.

[0007] In another exemplary embodiment, a browser action icon is associated with the browser action and displayed in the browser application. In another exemplary embodiment, a recognition system dialog box is configured to be displayed when the browser action icon is selected. In another exemplary embodiment, the recognition system dialog box includes content specified by the browser extension recognition system and instructions contained in one or more background elements that provide functionality for operation of the browser extension recognition system.

[0008] In another exemplary embodiment, the recognition system dialog box includes controls configured to enable the end-users to manage the list of words. In another exemplary embodiment, the controls facilitate adding new words and phrases to the list of words and removing existing words and phrases from the list of words. In another exemplary embodiment, the controls include a

protection switch configured to switch the browser extension recognition system between an Off state and an On state. In another exemplary embodiment, the controls include a Settings button that is configured to be selected so as to display a settings dialog box.

[0009] In another exemplary embodiment, the settings dialog box includes controls configured to enable the end-users to control the operation of the browser extension recognition system. In another exemplary embodiment, the settings dialog box includes a list of all words and phrases to be blocked in the browser application. In another exemplary embodiment, the settings dialog box facilitates adding new words and phrases to the list of words and removing existing words and phrases from the list of words. In another exemplary embodiment, the settings dialog box is configured to enable the end-user to import an external file that contains a desired group of words and/or phrases to be blocked in the browser application. In another exemplary embodiment, the settings dialog box is configured to enable the end-user to create an external file that contains a listing of all the words and phrases comprising the list of words.

[0010] In another exemplary embodiment, a warning dialog box is displayed when a word or phrase being typed is determined to match a word or phrase in the list of words. In another exemplary embodiment, the display of the warning dialog box prevents the word or phrase from being completely typed into the browser application. In another exemplary embodiment, the warning dialog box includes a warning indicating that the typed word or phrase matches a blocked word or phrase and prompts the end-user to either continue or stop typing the block word or phrase.

[0011] In an exemplary embodiment, a method for blocking words from being typed in a browser application comprises: installing a browser action as a part of the browser application; selecting a browser action icon to display a recognition system dialog box; managing a list of blocked words and phrases; and responding to a warning dialog box when the blocked words and phrases are detected.

[0012] In another exemplary embodiment, managing includes adding new words and phrases to the list of blocked words and phrases and removing existing words and phrases from the list of blocked words and phrases. In another exemplary embodiment, managing includes importing an external file that contains the list of blocked words and phrases to be blocked in the browser application. In another exemplary embodiment, managing includes creating an external file that contains a listing of all the words and phrases comprising the list of blocked words and phrases.

[0013] These and other features of the concepts provided herein may be better understood with reference to the drawings, description, and appended claims.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0014] The drawings refer to embodiments of the present disclosure in which:

[0015] FIG. 1 illustrates a screenshot of an exemplary embodiment of a Recognition System dialog box displayed in a browser application;

[0016] FIG. 2 illustrates a screenshot of an exemplary embodiment of a Settings dialog box displayed in a browser application;

[0017] FIG. 3 illustrates a screenshot of an exemplary embodiment of a Warning dialog box displayed in a browser application;

[0018] FIG. 4 illustrates a screenshot of an exemplary embodiment of a Warning dialog box displayed in a web-based mail application;

[0019] FIG. 5 illustrates a screenshot of an exemplary embodiment of a Warning dialog box displayed in a web-based mail application; and

[0020] FIG. 6 is a block diagram illustrating an exemplary data processing system that may be used with embodiments of a browser extension recognition system according to the present disclosure.

[0021] While the present disclosure is subject to various modifications and alternative forms, specific embodiments thereof have been shown by way of example in the drawings and will herein be described in detail. The present disclosure should be understood to not be limited to the particular forms disclosed, but on the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the present disclosure.

DETAILED DESCRIPTION

[0022] In the following description, numerous specific details are set forth in order to provide a thorough understanding of the present disclosure. It will be apparent, however, to one of ordinary skill in the art that the browser extension recognition system and methods disclosed herein may be practiced without these specific details. In other instances, specific numeric references such as “first window,” may be made. However, the specific numeric reference should not be interpreted as a literal sequential order but rather interpreted that the “first window” is different than a “second window.” Thus, the specific details set forth are merely exemplary. The specific details may be varied from and still be contemplated to be within the spirit and scope of the present disclosure. The term “coupled” is defined as meaning connected either directly to the component or indirectly to the component through another component. Further, as used herein, the terms “about,” “approximately,” or “substantially” for any numerical values or ranges indicate a suitable dimensional tolerance that allows the part or collection of components to function for its intended purpose as described herein.

[0023] Browser extensions can be installed into a web browser to add new features to the browser, such as extending existing functionality, modifying a visual theme, and the like. Browser extensions may include hypertext mark-up language (HTML), cascading style sheets (CSS), JavaScript, images, and other types of files and web-related computer languages and code that facilitates creating new and unique browser configurations. Embodiments presented herein provide a browser extension recognition system for flagging specified words when they are typed into a browser application.

[0024] FIG. 1 illustrates a screenshot **100** of an exemplary embodiment of a Recognition System dialog box **104** that may be displayed in a browser application **108**. In the illustrated embodiment, the browser application **108** may be a Google Chrome browser application. In some embodiments, the browser extension recognition system disclosed herein may be implemented as a browser action that may be installed as a part of the browser application **108**. As such, a browser action icon **112** may be displayed in the main toolbar, to the right of the address bar, as shown in FIG. 1. In some embodiments, the browser action icon **112** may be displayed in any of various other suitable locations of the browser application **108**. Further, the browser action may be associated with a tooltip and a badge, as desired. Further, the browser extension recognition system may be associated with one or more background elements that are configured to provide functionality for the operation of the recognition system.

[0025] In the embodiment illustrated in FIG. 1, when an end-user selects the browser action icon **112**, such as by clicking with a mouse, the Recognition System dialog box **104** is displayed. The Recognition System dialog box **104** may be populated with content as specified by the browser extension recognition system as well as instructions contained in the one or more background elements.

[0026] In general, the recognition system dialog box **104** enables end-users to manage a list of words that are to be blocked from being typed in the browser application **108**. In the embodiment illustrated in FIG. 1, the Recognition System dialog box **104** includes a New Word text box **116**, an Add button **120**, a Saved Words list **124**, and a Delete button **128** associated with each word in the Saved Words list **124**. The New Word text box **116** is configured to allow the end-user to type one or more new words to be blocked from being typed in the browser application **108**. The Add button **120** enables the end-user to include the words typed in the New Word text box **116** to the Saved Words list **124**. As will be appreciated, the Saved Words list **124** includes a listing of the 5 most

recently added words and phrases to be blocked in the browser application **108**. A Delete button **128** is associated with each word or phrase in the Saved Words list **124**. The end-user may remove any unwanted word or phrase from the Saved Words list **124** by selecting the Delete button **128** associated with the unwanted word or phrase.

[0027] With continuing reference to FIG. **1**, the Recognition System dialog box **104** further includes a Protection switch **132** and a Settings button **136**. The Protection switch **132** is configured to enable the end-user to switch the browser extension recognition system between an Off state and an On state. While in the On state, the browser extension recognition system actively compares any word or phrase being typed into the browser application **108** with the words and phrases included in the Saved Words list **124**. If the browser extension recognition system determines that the word or phrase being typed will match a word or phrase in the Saved Words list **124**, the browser extension recognition system prevents the word or phrase from being completely typed into the browser application **108**. When the end-user uses the Protection switch **132** to put the browser extension recognition system into the Off state, the browser extension recognition system ceases determining whether typed words or phrases match the contents of the Saved Words list **124**. Thus, while the browser extension recognition system is in the Off state, the end-user may type words and phrases that are included in the Saved Words list **124** without being blocked.

[0028] The Settings button **136** is configured to enable the end-user to access various settings that control the operation of the browser extension recognition system. As shown in a screenshot **140**, illustrated in FIG. **2**, a Settings dialog box **144** may be displayed upon selecting the Settings button **136** of FIG. **1**, such as by way of clicking with a mouse. In the embodiment illustrated in FIG. **2**, the Settings dialog box **144** includes a Saved Words list **148** and a Delete button **152** associated with each word or phrase included in the Saved Words list **148**. The Saved Words list **148** includes all the words and phrases to be blocked in the browser application **108**. Further, the Settings dialog box **144** includes a Search box **156** configured to enable the end-user to type a word or phrase to find on the Saved Words list **148**. Any unwanted word or phrase may be removed from the Saved Words list **148** by selected the Delete button **152** associated with the unwanted word or phrase in the Saved Words list **148**.

[0029] As will be appreciated, while the Saved Words list **124** of FIG. **1** includes the 5 words or phrases most recently added to the Saved Words list **124**, the Saved Words list **148** of FIG. **2** includes all words and phrases that are to be blocked in the browser application **108**. Further, it should be understood that while the Recognition System dialog box **104** facilitates entering individual words and phrases to be blocked, such as by typing in the New Word text box **116**, the Settings dialog box **144** includes an Import button **160** that enables entering groups of words and phrases to be blocked. For example, the end-user may select the Import button **160** and then locate an external file that contains a desired group of words and/or phrases to be blocked in the browser application **108**. In the illustrated embodiment of FIG. **2**, the Settings dialog box **144** is configured to receive a comma-separated values (CSV) file. As such, it is contemplated that any number of words and/or phrases may be grouped into a single CSV file by way of any spreadsheet program, without limitation.

[0030] Moreover, the Settings dialog box **144** includes an Export button **164** that enables the end-user to create a CSV file that contains a list of the words and phrases comprising the Saved Words list **148**. It is contemplated that during operating the browser extension recognition system, a growing number of words and phrases will be added to the Saved Words list **148** over time. As such, the end-user may periodically use the Export button **164** to create a backup file that includes the current words and phrases included on the Saved Words list **148**. Therefore, if a future situation arises wherein the Saved Words list **148** needs to be restored, the end-user may simply select the Import button **160** to load the words and phrased comprising the backup file.

[0031] FIG. **3** illustrates a screenshot **168** of an exemplary embodiment of a Warning dialog box **172** displayed in a browser application **108**. As mentioned hereinabove, when the browser

extension recognition system determines that a word or phrase being typed matches a word or phrase in the Saved Words list **148**, the browser extension recognition system prevents the word or phrase from being completely typed into the browser application **108**. In the example illustrated in FIG. **3**, blocked words **176** (e.g., a phrase) have been partially typed into a Search Engine box **180**. Before the blocked words **176** could be completely typed, however, the browser extension recognition system locked the browser application **108** and displayed the Warning dialog box **172**. As shown in FIG. **3**, the Warning dialog box **172** includes a warning **184** indicating that the end-user typed a word or phrase included in the Saved Words list **148** and prompting the end-user to either continue typing the block words **176** or to stop typing the blocked words **176**. To this end, the Warning dialog box **172** includes a Yes button **188** and a No button **192**. Selecting the Yes button **188** enables the end-user to continue typing the blocked words **176** whereas selecting the No button **192** removes the block words **176** from the Search Engine box **180**.

[0032] It should be understood the browser extension recognition system is not limited to blocking words typed into the Search Engine box **180**, as shown in FIG. **3**. Rather, the browser extension recognition system may be configured to block listed words and phrases from being typed in web-based applications that may be operated by way of the browser application **108**. For example, FIG. **4** illustrates a screenshot **194** of an exemplary embodiment of a Warning dialog box **172** being displayed in response to blocked words **200** having been typed into a Subject box **204** of a New Message Window **208** in a web-based mail application **212** operating within the browser application **108**. As discussed with respect to FIG. **3**, the Warning dialog box **172** shown in FIG. **4** includes a warning **184** indicating that the end-user typed a word or phrase included in the Saved Words list **148** and prompts the end-user to either continue typing the block words **176** or to stop typing the blocked words **176**. To this end, the Warning dialog box **172** includes a Yes button **188** and a No button **192**. The end-user may select a Yes button **188** to continue typing the blocked words **200** or select a No button **192** to remove the block words **200** from the Subject box **204** of the New Message Window **208**. In another example, FIG. **5** illustrates a screenshot **196** of the Warning dialog box **172** being displayed in response to a blocked phrase **216** having been typed into a Body field **218** of the New Message Window **208**. As such, it should be understood that the browser extension recognition system blocks listed words and phrases typed anywhere within the browser application **108**.

[0033] FIG. **6** is a block diagram illustrating an exemplary data processing system **220** that may be used in conjunction with the browser extension recognition system to perform any of the processes or methods described herein. System **220** may represent a desktop, a tablet, a server, a mobile phone, a personal digital assistant (PDA), a personal communicator, a network router or hub, a wireless access point (AP) or repeater, a set-top box, or a combination thereof.

[0034] In an embodiment, illustrated in FIG. **6**, system **220** includes a processor **224** and a peripheral interface **228**, also referred to herein as a chipset, to couple various components to the processor **224**, including a memory **232** and devices **236-248** via a bus or an interconnect. Processor **224** may represent a single processor or multiple processors with a single processor core or multiple processor cores included therein. Processor **224** may represent one or more general-purpose processors such as a microprocessor, a central processing unit (CPU), or the like. More particularly, processor **224** may be a complex instruction set computing (CISC) microprocessor, reduced instruction set computing (RISC) microprocessor, very long instruction word (VLIW) microprocessor, or processor implementing other instruction sets, or processors implementing a combination of instruction sets. Processor **224** may also be one or more special-purpose processors such as an application specific integrated circuit (ASIC), a field programmable gate array (FPGA), a digital signal processor (DSP), a network processor, a graphics processor, a network processor, a communications processor, a cryptographic processor, a co-processor, an embedded processor, or any other type of logic capable of processing instructions. Processor **224** is configured to execute instructions for performing the operations and steps discussed herein.

[0035] Peripheral interface **228** may include a memory control hub (MCH) and an input output control hub (ICH). Peripheral interface **228** may include a memory controller (not shown) that communicates with a memory **232**. The peripheral interface **228** may also include a graphics interface that communicates with graphics subsystem **234**, which may include a display controller and/or a display device. The peripheral interface **228** may communicate with the graphics device **234** by way of an accelerated graphics port (AGP), a peripheral component interconnect (PCI) express bus, or any other type of interconnects.

[0036] An MCH is sometimes referred to as a Northbridge, and an ICH is sometimes referred to as a Southbridge. As used herein, the terms MCH, ICH, Northbridge and Southbridge are intended to be interpreted broadly to cover various chips that perform functions including passing interrupt signals toward a processor. In some embodiments, the MCH may be integrated with the processor **224**. In such a configuration, the peripheral interface **228** operates as an interface chip performing some functions of the MCH and ICH. Furthermore, a graphics accelerator may be integrated within the MCH or the processor **224**.

[0037] Memory **232** may include one or more volatile storage (or memory) devices, such as random access memory (RAM), dynamic RAM (DRAM), synchronous DRAM (SDRAM), static RAM (SRAM), or other types of storage devices. Memory **232** may store information including sequences of instructions that are executed by the processor **224**, or any other device. For example, executable code and/or data of a variety of operating systems, device drivers, firmware (e.g., input output basic system or BIOS), and/or applications can be loaded in memory **232** and executed by the processor **224**. An operating system can be any kind of operating systems, such as, for example, Windows® operating system from Microsoft®, Mac OS®/iOS® from Apple, Android® from Google®, Linux®, Unix®, or other real-time or embedded operating systems such as Vx Works.

[0038] Peripheral interface **228** may provide an interface to IO devices, such as the devices **236-248**, including wireless transceiver(s) **236**, input device(s) **240**, audio IO device(s) **244**, and other IO devices **248**. Wireless transceiver **236** may be a WiFi transceiver, an infrared transceiver, a Bluetooth transceiver, a WiMax transceiver, a wireless cellular telephony transceiver, a satellite transceiver (e.g., a global positioning system (GPS) transceiver) or a combination thereof. Input device(s) **240** may include a mouse, a touch pad, a touch sensitive screen (which may be integrated with display device **234**), a pointer device such as a stylus, and/or a keyboard (e.g., physical keyboard or a virtual keyboard displayed as part of a touch sensitive screen). For example, the input device **240** may include a touch screen controller coupled with a touch screen. The touch screen and touch screen controller can, for example, detect contact and movement or break thereof using any of a plurality of touch sensitivity technologies, including but not limited to capacitive, resistive, infrared, and surface acoustic wave technologies, as well as other proximity sensor arrays or other elements for determining one or more points of contact with the touch screen.

[0039] Audio IO **244** may include a speaker and/or a microphone to facilitate voice-enabled functions, such as voice recognition, voice replication, digital recording, and/or telephony functions. Other optional devices **248** may include a storage device (e.g., a hard drive, a flash memory device), universal serial bus (USB) port(s), parallel port(s), serial port(s), a printer, a network interface, a bus bridge (e.g., a PCI-PCI bridge), sensor(s) (e.g., a motion sensor, a light sensor, a proximity sensor, etc.), or a combination thereof. Optional devices **248** may further include an imaging processing subsystem (e.g., a camera), which may include an optical sensor, such as a charged coupled device (CCD) or a complementary metal-oxide semiconductor (CMOS) optical sensor, utilized to facilitate camera functions, such as recording photographs and video clips.

[0040] Note that while FIG. **6** illustrates various components of a data processing system, it is not intended to represent any particular architecture or manner of interconnecting the components; as such details are not germane to embodiments of the present disclosure. It should also be appreciated that network computers, handheld computers, mobile phones, and other data processing

systems, which have fewer components or perhaps more components, may also be used with embodiments of the invention disclosed hereinabove.

[0041] Some portions of the preceding detailed descriptions have been presented in terms of algorithms and symbolic representations of operations on data bits within a computer memory. These algorithmic descriptions and representations are the ways used by those skilled in the data processing arts to convey the substance of their work most effectively to others skilled in the art. An algorithm is here, and generally, conceived to be a self-consistent sequence of operations leading to a desired result. The operations are those requiring physical manipulations of physical quantities.

[0042] It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities. Unless specifically stated otherwise as apparent from the above discussion, it should be appreciated that throughout the description, discussions utilizing terms such as those set forth in the claims below, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system's memories or registers or other such information storage, transmission or display devices.

[0043] The techniques shown in the figures can be implemented using code and data stored and executed on one or more electronic devices. Such electronic devices store and communicate (internally and/or with other electronic devices over a network) code and data using computer-readable media, such as non-transitory computer-readable storage media (e.g., magnetic disks; optical disks; random access memory; read only memory; flash memory devices; phase-change memory) and transitory computer-readable transmission media (e.g., electrical, optical, acoustical or other form of propagated signals-such as carrier waves, infrared signals, digital signals).

[0044] The processes or methods depicted in the preceding figures may be performed by processing logic that comprises hardware (e.g., circuitry, dedicated logic, etc.), firmware, software (e.g., embodied on a non-transitory computer readable medium), or a combination of both. Although the processes or methods are described above in terms of some sequential operations, it should be appreciated that some of the operations described may be performed in a different order. Moreover, some operations may be performed in parallel rather than sequentially.

[0045] While the browser extension recognition system and methods have been described in terms of particular variations and illustrative figures, those of ordinary skill in the art will recognize that the browser extension recognition system is not limited to the variations or figures described. In addition, where methods and steps described above indicate certain events occurring in certain order, those of ordinary skill in the art will recognize that the ordering of certain steps may be modified and that such modifications are in accordance with the variations of the browser extension recognition system. Additionally, certain of the steps may be performed concurrently in a parallel process when possible, as well as performed sequentially as described above. To the extent there are variations of the browser extension recognition system, which are within the spirit of the disclosure or equivalent to the browser extension recognition system found in the claims, it is the intent that this patent will cover those variations as well. Therefore, the present disclosure is to be understood as not limited by the specific embodiments described herein, but only by scope of the appended claims.

Claims

1. A browser extension recognition system for blocking words from being typed in a browser application, the system comprising: a browser action for installation as a part of the browser application; and a list of words for being blocked in the browser application.

2. The system of claim 1, wherein a browser action icon is associated with the browser action and displayed in the browser application.
 3. The system of claim 2, wherein a recognition system dialog box is configured to be displayed when the browser action icon is selected.
 4. The system of claim 3, wherein the recognition system dialog box includes content specified by the browser extension recognition system and instructions contained in one or more background elements that provide functionality for operation of the browser extension recognition system.
 5. The system of claim 3, wherein the recognition system dialog box includes controls configured to enable the end-users to manage the list of words.
 6. The system of claim 5, wherein the controls facilitate adding new words and phrases to the list of words and removing existing words and phrases from the list of words.
 7. The system of claim 5, wherein the controls include a protection switch configured to switch the browser extension recognition system between an Off state and an On state.
 8. The system of claim 5, wherein the controls include a Settings button that is configured to be selected so as to display a settings dialog box.
 9. The system of claim 8, wherein the settings dialog box includes controls configured to enable the end-users to control the operation of the browser extension recognition system.
 10. The system of claim 9, wherein the settings dialog box includes a list of all words and phrases to be blocked in the browser application.
 11. The system of claim 10, wherein the settings dialog box facilitates adding new words and phrases to the list of words and removing existing words and phrases from the list of words.
 12. The system of claim 10, wherein the settings dialog box is configured to enable the end-user to import an external file that contains a desired group of words and/or phrases to be blocked in the browser application.
 13. The system of claim 10, wherein the settings dialog box is configured to enable the end-user to create an external file that contains a listing of all the words and phrases comprising the list of words.
 14. The system of claim 1, wherein a warning dialog box is displayed when a word or phrase being typed is determined to match a word or phrase in the list of words.
 15. The system of claim 14, wherein the display of the warning dialog box prevents the word or phrase from being completely typed into the browser application.
 16. The system of claim 14, wherein the warning dialog box includes a warning indicating that the typed word or phrase matches a blocked word or phrase and prompts the end-user to either continue or stop typing the block word or phrase.
 17. A method for blocking words from being typed in a browser application, comprising: installing a browser action as a part of the browser application; selecting a browser action icon to display a recognition system dialog box; managing a list of blocked words and phrases; and responding to a warning dialog box when the blocked words and phrases are detected.
 18. The method of claim 17, wherein managing includes adding new words and phrases to the list of blocked words and phrases and removing existing words and phrases from the list of blocked words and phrases.
 19. The method of claim 17, wherein managing includes importing an external file that contains the list of blocked words and phrases to be blocked in the browser application.
 20. The method of claim 17, wherein managing includes creating an external file that contains a listing of all the words and phrases comprising the list of blocked words and phrases.
-