



US012398164B2

(12) **United States Patent**
Ji

(10) **Patent No.:** **US 12,398,164 B2**

(45) **Date of Patent:** **Aug. 26, 2025**

(54) **ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **UNIVERSAL DISPLAY CORPORATION**, Ewing, NJ (US)

CN 103068950 A * 4/2013
CN 105968142 9/2016

(Continued)

(72) Inventor: **Zhiqiang Ji**, Chalfont, PA (US)

OTHER PUBLICATIONS

(73) Assignee: **UNIVERSAL DISPLAY CORPORATION**, Ewing, NJ (US)

Adachi, Chihaya et al., "Organic Electroluminescent Device Having a Hole Conductor as an Emitting Layer," Appl. Phys. Lett., 55(15): 1489-1491 (1989).

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 879 days.

Primary Examiner — Tae H Yoon

(74) Attorney, Agent, or Firm — DUANE MORRIS LLP

(21) Appl. No.: **17/528,451**

(22) Filed: **Nov. 17, 2021**

(65) **Prior Publication Data**

US 2022/0251125 A1 Aug. 11, 2022

Related U.S. Application Data

(60) Provisional application No. 63/144,260, filed on Feb. 1, 2021.

(51) **Int. Cl.**
C07F 15/00 (2006.01)
H01L 51/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **C07F 15/0033** (2013.01); **C07F 15/0006** (2013.01); **C07F 15/002** (2013.01);
(Continued)

(58) **Field of Classification Search**
None
See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS


4,769,292 A 9/1988 Tang et al.
5,061,569 A 10/1991 VanSlyke et al.
(Continued)

(57) **ABSTRACT**


A compound including a bidentate ligand L_A that includes a moiety of Formula I,



is described. In Formula I, ligand L_A is coordinated to a metal M by two bonds, and (i) both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring; or (ii) one of the two bonds is with Formula I, and the other bond is with Formula II



(Continued)



which is attached to one of rings A, B, C, or D. In addition, each of ring A, ring B, ring C, ring D, and, if present, ring E is a 5-membered or 6-membered ring; each R^A , R^B , R^C , R^D , and R^E is a hydrogen or one of a variety of substituents.

20 Claims, 2 Drawing Sheets

(51) Int. Cl.

H10K 85/30 (2023.01)
H10K 85/40 (2023.01)
H10K 85/60 (2023.01)
H10K 50/11 (2023.01)
H10K 101/10 (2023.01)
H10K 101/30 (2023.01)
H10K 101/40 (2023.01)

(52) U.S. Cl.

CPC **C07F 15/006** (2013.01); **H10K 85/322** (2023.02); **H10K 85/342** (2023.02); **H10K 85/40** (2023.02); **H10K 85/622** (2023.02); **H10K 85/624** (2023.02); **H10K 85/626** (2023.02); **H10K 85/654** (2023.02); **H10K 85/6572** (2023.02); **H10K 85/6574** (2023.02); **H10K 85/6576** (2023.02); **H10K 85/658** (2023.02); **H10K 50/11** (2023.02); **H10K 2101/10** (2023.02); **H10K 2101/30** (2023.02); **H10K 2101/40** (2023.02)

(56)

References Cited

U.S. PATENT DOCUMENTS

5,247,190	A	9/1993	Friend et al.
5,703,436	A	12/1997	Forrest et al.
5,707,745	A	1/1998	Forrest et al.
5,834,893	A	11/1998	Bulovic et al.
5,844,363	A	12/1998	Gu et al.
6,013,982	A	1/2000	Thompson et al.
6,087,196	A	7/2000	Sturm et al.
6,091,195	A	7/2000	Forrest et al.
6,097,147	A	8/2000	Baldo et al.
6,294,398	B1	9/2001	Kim et al.
6,303,238	B1	10/2001	Thompson et al.
6,337,102	B1	1/2002	Forrest et al.
6,468,819	B1	10/2002	Kim et al.
6,528,187	B1	3/2003	Okada
6,687,266	B1	2/2004	Ma et al.
6,835,469	B2	12/2004	Kwong et al.
6,921,915	B2	7/2005	Takeguchi et al.
7,087,321	B2	8/2006	Kwong et al.
7,090,928	B2	8/2006	Thompson et al.
7,154,114	B2	12/2006	Brooks et al.
7,250,226	B2	7/2007	Tokito et al.
7,279,704	B2	10/2007	Walters et al.
7,332,232	B2	2/2008	Ma et al.
7,338,722	B2	3/2008	Thompson et al.
7,393,599	B2	7/2008	Thompson et al.
7,396,598	B2	7/2008	Takeuchi et al.
7,431,968	B1	10/2008	Shtein et al.
7,445,855	B2	11/2008	Mackenzie et al.
7,534,505	B2	5/2009	Lin et al.
2002/0034656	A1	3/2002	Thompson et al.
2002/0134984	A1	9/2002	Igarashi
2002/0158242	A1	10/2002	Son et al.
2003/0138657	A1	7/2003	Li et al.
2003/0152802	A1	8/2003	Tsuboyama et al.
2003/0162053	A1	8/2003	Marks et al.
2003/0175553	A1	9/2003	Thompson et al.
2003/0230980	A1	12/2003	Forrest et al.
2004/0036077	A1	2/2004	Ise
2004/0137267	A1	7/2004	Igarashi et al.
2004/0137268	A1	7/2004	Igarashi et al.

2004/0174116	A1	9/2004	Lu et al.
2005/0025993	A1	2/2005	Thompson et al.
2005/0112407	A1	5/2005	Ogasawara et al.
2005/0238919	A1	10/2005	Ogasawara
2005/0244673	A1	11/2005	Satoh et al.
2005/0260441	A1	11/2005	Thompson et al.
2005/0260449	A1	11/2005	Walters et al.
2006/0008670	A1	1/2006	Lin et al.
2006/0202194	A1	9/2006	Jeong et al.
2006/0240279	A1	10/2006	Adamovich et al.
2006/0251923	A1	11/2006	Lin et al.
2006/0263635	A1	11/2006	Ise
2006/0280965	A1	12/2006	Kwong et al.
2007/0190359	A1	8/2007	Knowles et al.
2007/0278938	A1	12/2007	Yabunouchi et al.
2008/0015355	A1	1/2008	Schafer et al.
2008/0018221	A1	1/2008	Egen et al.
2008/0106190	A1	5/2008	Yabunouchi et al.
2008/0124572	A1	5/2008	Mizuki et al.
2008/0220265	A1	9/2008	Xia et al.
2008/0297033	A1	12/2008	Knowles et al.
2009/0008605	A1	1/2009	Kawamura et al.
2009/0009065	A1	1/2009	Nishimura et al.
2009/0017330	A1	1/2009	Iwakuma et al.
2009/0030202	A1	1/2009	Iwakuma et al.
2009/0039776	A1	2/2009	Yamada et al.
2009/0045730	A1	2/2009	Nishimura et al.
2009/0045731	A1	2/2009	Nishimura et al.
2009/0101870	A1	4/2009	Prakash et al.
2009/0108737	A1	4/2009	Kwong et al.
2009/0115316	A1	5/2009	Zheng et al.
2009/0165846	A1	7/2009	Johannes et al.
2009/0167162	A1	7/2009	Lin et al.
2009/0179554	A1	7/2009	Kuma et al.
2017/0301870	A1*	10/2017	Zeng H10K 85/615

FOREIGN PATENT DOCUMENTS

CN	113480576	10/2021
EP	0650955	5/1995
EP	1725079	11/2006
EP	2034538	3/2009
JP	200511610	1/2005
JP	2007123392	5/2007
JP	2007254297	10/2007
JP	2008074939	4/2008
WO	01/39234	5/2001
WO	02/02714	1/2002
WO	02015654	2/2002
WO	03040257	5/2003
WO	03060956	7/2003
WO	2004093207	10/2004
WO	2004107822	12/2004
WO	2005014551	2/2005
WO	2005019373	3/2005
WO	2005030900	4/2005
WO	2005089025	9/2005
WO	2005123873	12/2005
WO	2006009024	1/2006
WO	2006056418	6/2006
WO	2006072002	7/2006
WO	2006082742	8/2006
WO	2006098120	9/2006
WO	2006100298	9/2006
WO	2006103874	10/2006
WO	2006114966	11/2006
WO	2006132173	12/2006
WO	2007002683	1/2007
WO	2007004380	1/2007
WO	2007063754	6/2007
WO	2007063796	6/2007
WO	2008056746	5/2008
WO	2008101842	8/2008
WO	2008132085	11/2008
WO	2009000673	12/2008
WO	2009003898	1/2009
WO	2009008311	1/2009
WO	2009018009	2/2009
WO	2009021126	2/2009

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2009050290	4/2009
WO	2009062578	5/2009
WO	2009063833	5/2009
WO	2009066778	5/2009
WO	2009066779	5/2009
WO	2009086028	7/2009
WO	2009100991	8/2009
WO	WO 2020/013448 A1 *	1/2020
WO	2020036375	2/2020

OTHER PUBLICATIONS

Adachi, Chihaya et al., "Nearly 100% Internal Phosphorescence Efficiency in an Organic Light Emitting Device," *J. Appl. Phys.*, 90(10): 5048-5051 (2001).

Adachi, Chihaya et al., "High-Efficiency Red Electrophosphorescence Devices," *Appl. Phys. Lett.*, 78(11):1622-1624 (2001).

Aonuma, Masaki et al., "Material Design of Hole Transport Materials Capable of Thick-Film Formation in Organic Light Emitting Diodes," *Appl. Phys. Lett.*, 90, Apr. 30, 2007, 183503-1-183503-3.

Baldo et al., Highly Efficient Phosphorescent Emission from Organic Electroluminescent Devices, *Nature*, vol. 395, 151-154, (1998).

Baldo et al., Very high-efficiency green organic light-emitting devices based on electrophosphorescence, *Appl. Phys. Lett.*, vol. 75, No. 1, 4-6 (1999).

Gao, Zhiqiang et al., "Bright-Blue Electroluminescence From a Silyl-Substituted ter-(phenylene-vinylene) derivative," *Appl. Phys. Lett.*, 74(6): 865-867 (1999).

Guo, Tzung-Fang et al., "Highly Efficient Electrophosphorescent Polymer Light-Emitting Devices," *Organic Electronics*, 1: 15-20 (2000).

Hamada, Yuji et al., "High Luminance in Organic Electroluminescent Devices with Bis(10-hydroxybenzo[h]quinolinato) beryllium as an Emitter," *Chem. Lett.*, 905-906 (1993).

Holmes, R.J. et al., "Blue Organic Electrophosphorescence Using Exothermic Host-Guest Energy Transfer," *Appl. Phys. Lett.*, 82(15):2422-2424 (2003).

Hu, Nan-Xing et al., "Novel High Tg Hole-Transport Molecules Based on Indolo[3,2-b]carbazoles for Organic Light-Emitting Devices," *Synthetic Metals*, 111-112:421-424 (2000).

Huang, Jinsong et al., "Highly Efficient Red-Emission Polymer Phosphorescent Light-Emitting Diodes Based on Two Novel Tris(1-phenylisoquinolinato-C2,N)iridium(III) Derivatives," *Adv. Mater.*, 19:739-743 (2007).

Huang, Wei-Sheng et al., "Highly Phosphorescent Bis-Cyclometalated Iridium Complexes Containing Benzoimidazole-Based Ligands," *Chem. Mater.*, 16(12):2480-2488 (2004).

Hung, L.S. et al., "Anode Modification in Organic Light-Emitting Diodes by Low-Frequency Plasma Polymerization of CHF₃," *Appl. Phys. Lett.*, 78(5):673-675 (2001).

Ikai, Masamichi et al., "Highly Efficient Phosphorescence From Organic Light-Emitting Devices with an Exciton-Block Layer," *Appl. Phys. Lett.*, 79(2):156-158 (2001).

Ikeda, Hisao et al., "P-185 Low-Drive-Voltage OLEDs with a Buffer Layer Having Molybdenum Oxide," *SID Symposium Digest*, 37:923-926 (2006).

Inada, Hiroshi and Shirota, Yasuhiko, "1,3,5-Tris[4-(diphenylamino)phenyl]benzene and its Methylsubstituted Derivatives as a Novel Class of Amorphous Molecular Materials," *J. Mater. Chem.*, 3(3):319-320 (1993).

Kanno, Hiroshi et al., "Highly Efficient and Stable Red Phosphorescent Organic Light-Emitting Device Using bis[2-(2-benzothiazoyl)phenolato]zinc(II) as host material," *Appl. Phys. Lett.*, 90:123509-1-123509-3 (2007).

Kido, Junji et al., 1,2,4-Triazole Derivative as an Electron Transport Layer in Organic Electroluminescent Devices, *Jpn. J. Appl. Phys.*, 32:L917-L920 (1993).

Kuwabara, Yoshiyuki et al., "Thermally Stable Multilayered Organic Electroluminescent Devices Using Novel Starburst Molecules, 4,4',4"-

Tri(N-carbazolyl)triphenylamine (TCTA) and 4,4',4"-Tris(3-methylphenylphenyl-amino)triphenylamine (m-MTDATA), as Hole-Transport Materials," *Adv. Mater.*, 6(9):677-679 (1994).

Kwong, Raymond C. et al., "High Operational Stability of Electrophosphorescent Devices," *Appl. Phys. Lett.*, 81(1) 162-164 (2002).

Lamansky, Sergey et al., "Synthesis and Characterization of Phosphorescent Cyclometalated Iridium Complexes," *Inorg. Chem.*, 40(7):1704-1711 (2001).

Lee, Chang-Lyoul et al., "Polymer Phosphorescent Light-Emitting Devices Doped with Tris(2-phenylpyridine) Iridium as a Triplet Emitter," *Appl. Phys. Lett.*, 77(15):2280-2282 (2000).

Lo, Shih-Chun et al., "Blue Phosphorescence from Iridium(III) Complexes at Room Temperature," *Chem. Mater.*, 18(21):5119-5129 (2006).

Ma, Yuguang et al., "Triplet Luminescent Dinuclear-Gold(I) Complex-Based Light-Emitting Diodes with Low Turn-On voltage," *Appl. Phys. Lett.*, 74(10):1361-1363 (1999).

Mi, Bao-Xiu et al., "Thermally Stable Hole-Transporting Material for Organic Light-Emitting Diode an Isoindole Derivative," *Chem. Mater.*, 15(16):3148-3151 (2003).

Nishida, Jun-ichi et al., "Preparation, Characterization, and Electroluminescence Characteristics of α -Diimine-type Platinum(II) Complexes with Perfluorinated Phenyl Groups as Ligands," *Chem. Lett.*, 34(4): 592-593 (2005).

Niu, Yu-Hua et al., "Highly Efficient Electrophosphorescent Devices with Saturated Red Emission from a Neutral Osmium Complex," *Chem. Mater.*, 17(13):3532-3536 (2005).

Noda, Tetsuya and Shirota, Yasuhiko, "5,5'-Bis(dimesitylboryl)-2,2'-bithiophene and 5,5'-Bis(dimesitylboryl)-2,2',5',2'-terthiophene as a Novel Family of Electron-Transporting Amorphous Molecular Materials," *J. Am. Chem. Soc.*, 120 (37):9714-9715 (1998).

Okumoto, Kenji et al., "Green Fluorescent Organic Light-Emitting Device with External Quantum Efficiency of Nearly 10%," *Appl. Phys. Lett.*, 89:063504-1-063504-3 (2006).

Palilis, Leonidas C., "High Efficiency Molecular Organic Light-Emitting Diodes Based on Silole Derivatives and Their Exciplexes," *Organic Electronics*, 4:113-121 (2003).

Paulose, Betty Marie Jennifer S. et al., "First Examples of Alkenyl Pyridines as Organic Ligands for Phosphorescent Iridium Complexes," *Adv. Mater.*, 16(22):2003-2007 (2004).

Ranjan, Sudhir et al., "Realizing Green Phosphorescent Light-Emitting Materials from Rhenium(I) Pyrazolato Diimine Complexes," *Inorg. Chem.*, 42(4):1248-1255 (2003).

Sakamoto, Youichi et al., "Synthesis, Characterization, and Electron-Transport Property of Perfluorinated Phenylene Dendrimers," *J. Am. Chem. Soc.*, 122(8):1832-1833 (2000).

Salbeck, J. et al., "Low Molecular Organic Glasses for Blue Electroluminescence," *Synthetic Metals*, 91: 209-215 (1997).

Shirota, Yasuhiko et al., "Starburst Molecules Based on pi-Electron Systems as Materials for Organic Electroluminescent Devices," *Journal of Luminescence*, 72-74:985-991 (1997).

Sotoyama, Wataru et al., "Efficient Organic Light-Emitting Diodes with Phosphorescent Platinum Complexes Containing N[^]C[^]N- Coordinating Tridentate Ligand," *Appl. Phys. Lett.*, 86:153505-1-153505-3 (2005).

Sun, Yiru and Forrest, Stephen R., "High-Efficiency White Organic Light Emitting Devices with Three Separate Phosphorescent Emission Layers," *Appl. Phys. Lett.*, 91:263503-1-263503-3 (2007).

T. Östergård et al., "Langmuir-Blodgett Light-Emitting Diodes of Poly(3-Hexylthiophene) Electro-Optical Characteristics Related to Structure," *Synthetic Metals*, 88:171-177 (1997).

Takizawa, Shin-ya et al., "Phosphorescent Iridium Complexes Based on 2-Phenylimidazo[1,2- α]pyridine Ligands Tuning of Emission Color toward the Blue Region and Application to Polymer Light-Emitting Devices," *Inorg. Chem.*, 46(10):4308-4319 (2007).

Tang, C.W. and VanSlyke, S.A., "Organic Electroluminescent Diodes," *Appl. Phys. Lett.*, 51(12):913-915 (1987).

Tung, Yung-Liang et al., "Organic Light-Emitting Diodes Based on Charge-Neutral Ru II Phosphorescent Emitters," *Adv. Mater.*, 17(8):1059-1064 (2005).

Van Slyke, S. A. et al., "Organic Electroluminescent Devices with Improved Stability," *Appl. Phys. Lett.*, 69(15):2160-2162 (1996).

(56)

References Cited

OTHER PUBLICATIONS

Wang, Y. et al., "Highly Efficient Electroluminescent Materials Based on Fluorinated Organometallic Iridium Compounds," Appl. Phys. Lett., 79(4):449-451 (2001).

Wong, Keith Man-Chung et al., A Novel Class of Phosphorescent Gold(III) Alkynyl-Based Organic Light-Emitting Devices with Tunable Colour, Chem. Commun., 2906-2908 (2005).

Wong, Wai-Yeung, "Multifunctional Iridium Complexes Based on Carbazole Modules as Highly Efficient Electrophosphors," Angew. Chem. Int. Ed., 45:7800-7803 (2006).

* cited by examiner




FIGURE 1




FIGURE 2

1

ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Application No. 63/144,260, filed on Feb. 1, 2021, the entire contents of which are incorporated herein by reference.

FIELD

The present disclosure generally relates to organometallic compounds and formulations and their various uses including as emitters in devices such as organic light emitting diodes and related electronic devices.

BACKGROUND


Opto-electronic devices that make use of organic materials are becoming increasingly desirable for various reasons. Many of the materials used to make such devices are relatively inexpensive, so organic opto-electronic devices have the potential for cost advantages over inorganic devices. In addition, the inherent properties of organic materials, such as their flexibility, may make them well suited for particular applications such as fabrication on a flexible substrate. Examples of organic opto-electronic devices include organic light emitting diodes/devices (OLEDs), organic phototransistors, organic photovoltaic cells, and organic photodetectors. For OLEDs, the organic materials may have performance advantages over conventional materials.

OLEDs make use of thin organic films that emit light when voltage is applied across the device. OLEDs are becoming an increasingly interesting technology for use in applications such as flat panel displays, illumination, and backlighting.

One application for phosphorescent emissive molecules is a full color display. Industry standards for such a display call for pixels adapted to emit particular colors, referred to as “saturated” colors. In particular, these standards call for saturated red, green, and blue pixels. Alternatively, the OLED can be designed to emit white light. In conventional liquid crystal displays emission from a white backlight is filtered using absorption filters to produce red, green and blue emission. The same technique can also be used with OLEDs. The white OLED can be either a single emissive layer (EML) device or a stack structure. Color may be measured using CIE coordinates, which are well known to the art.

SUMMARY

In one aspect, the present disclosure provides a compound comprising a bidentate ligand L_A comprising a moiety of Formula I,




2

In the moiety of Formula I:

the ligand L_A is coordinated to a metal M by two bonds, wherein either:

- (i) both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring; or
- (ii) one of the two bonds is with Formula I, and the other bond is with Formula II



which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D, with a proviso that R^A and R^B are not joined to form a 5-membered ring if ring E is pyridine and attached to ring A or ring B, and if the N atom of the pyridine is coordinated to M;

each of ring A, ring B, ring C, ring D, and, if present, ring E is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

each of R^A , R^B , R^C , R^D , and, if present, R^E independently represents mono to the maximum allowable substitutions, or no substitution;

each R^A , R^B , R^C , R^D , and, if present, R^E is independently a hydrogen or a substituent selected from the group consisting of the general substituents as defined herein;

any two adjacent R^A , R^B , R^C , R^D , or, if present, R^E can be joined or fused together to form a ring;

the metal M is Ir, Pt, Pd, or Os, and can be coordinated to other ligands; and

the ligand L_A can be joined with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

In another aspect, the present disclosure provides a formulation of the compound of the present disclosure.

In yet another aspect, the present disclosure provides an OLED having an organic layer comprising the compound of the present disclosure.

In yet another aspect, the present disclosure provides a consumer product comprising an OLED with an organic layer comprising the compound of the present disclosure.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows an organic light emitting device.

FIG. 2 shows an inverted organic light emitting device that does not have a separate electron transport layer.

DETAILED DESCRIPTION

A. Terminology

Unless otherwise specified, the below terms used herein are defined as follows:

As used herein, the term “organic” includes polymeric materials as well as small molecule organic materials that may be used to fabricate organic opto-electronic devices. “Small molecule” refers to any organic material that is not a polymer, and “small molecules” may actually be quite large. Small molecules may include repeat units in some circumstances. For example, using a long chain alkyl group as a substituent does not remove a molecule from the “small molecule” class. Small molecules may also be incorporated into polymers, for example as a pendent group on a polymer

backbone or as a part of the backbone. Small molecules may also serve as the core moiety of a dendrimer, which consists of a series of chemical shells built on the core moiety. The core moiety of a dendrimer may be a fluorescent or phosphorescent small molecule emitter. A dendrimer may be a "small molecule," and it is believed that all dendrimers currently used in the field of OLEDs are small molecules.

As used herein, "top" means furthest away from the substrate, while "bottom" means closest to the substrate. Where a first layer is described as "disposed over" a second layer, the first layer is disposed further away from substrate. There may be other layers between the first and second layer, unless it is specified that the first layer is "in contact with" the second layer. For example, a cathode may be described as "disposed over" an anode, even though there are various organic layers in between.

As used herein, "solution processable" means capable of being dissolved, dispersed, or transported in and/or deposited from a liquid medium, either in solution or suspension form.

A ligand may be referred to as "photoactive" when it is believed that the ligand directly contributes to the photoactive properties of an emissive material. A ligand may be referred to as "ancillary" when it is believed that the ligand does not contribute to the photoactive properties of an emissive material, although an ancillary ligand may alter the properties of a photoactive ligand.

As used herein, and as would be generally understood by one skilled in the art, a first "Highest Occupied Molecular Orbital" (HOMO) or "Lowest Unoccupied Molecular Orbital" (LUMO) energy level is "greater than" or "higher than" a second HOMO or LUMO energy level if the first energy level is closer to the vacuum energy level.

Since ionization potentials (IP) are measured as a negative energy relative to a vacuum level, a higher HOMO energy level corresponds to an IP having a smaller absolute value (an IP that is less negative). Similarly, a higher LUMO energy level corresponds to an electron affinity (EA) having a smaller absolute value (an EA that is less negative). On a conventional energy level diagram, with the vacuum level at the top, the LUMO energy level of a material is higher than the HOMO energy level of the same material. A "higher" HOMO or LUMO energy level appears closer to the top of such a diagram than a "lower" HOMO or LUMO energy level.

As used herein, and as would be generally understood by one skilled in the art, a first work function is "greater than" or "higher than" a second work function if the first work function has a higher absolute value. Because work functions are generally measured as negative numbers relative to vacuum level, this means that a "higher" work function is more negative. On a conventional energy level diagram, with the vacuum level at the top, a "higher" work function is illustrated as further away from the vacuum level in the downward direction. Thus, the definitions of HOMO and LUMO energy levels follow a different convention than work functions.

The terms "halo," "halogen," and "halide" are used interchangeably and refer to fluorine, chlorine, bromine, and iodine.

The term "acyl" refers to a substituted carbonyl radical ($\text{C}(\text{O})-\text{R}_s$).

The term "ester" refers to a substituted oxycarbonyl ($-\text{O}-\text{C}(\text{O})-\text{R}_s$ or $-\text{C}(\text{O})-\text{O}-\text{R}_s$) radical.

The term "ether" refers to an $-\text{OR}_s$ radical.

The terms "sulfanyl" or "thio-ether" are used interchangeably and refer to a $-\text{SR}_s$ radical.

The term "selenyl" refers to a $-\text{SeR}_s$ radical.

The term "sulfinyl" refers to a $-\text{S}(\text{O})-\text{R}_s$ radical.

The term "sulfonyl" refers to a $-\text{SO}_2-\text{R}_s$ radical.

The term "phosphino" refers to a $-\text{P}(\text{R}_s)_3$ radical, wherein each R_s can be same or different.

The term "silyl" refers to a $-\text{Si}(\text{R}_s)_3$ radical, wherein each R_s can be same or different.

The term "germyl" refers to a $-\text{Ge}(\text{R}_s)_3$ radical, wherein each R_s can be same or different.

The term "boryl" refers to a $-\text{B}(\text{R}_s)_2$ radical or its Lewis adduct $-\text{B}(\text{R}_s)_3$ radical, wherein R_s can be same or different.

In each of the above, R_s can be hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, and combination thereof. Preferred R_s is selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combination thereof.

The term "alkyl" refers to and includes both straight and branched chain alkyl radicals. Preferred alkyl groups are those containing from one to fifteen carbon atoms and includes methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 2,2-dimethylpropyl, and the like. Additionally, the alkyl group may be optionally substituted.

The term "cycloalkyl" refers to and includes monocyclic, polycyclic, and spiro alkyl radicals. Preferred cycloalkyl groups are those containing 3 to 12 ring carbon atoms and includes cyclopropyl, cyclopentyl, cyclohexyl, bicyclo [3.1.1]heptyl, spiro[4.5]decyl, spiro[5.5]undecyl, adamantyl, and the like. Additionally, the cycloalkyl group may be optionally substituted.

The terms "heteroalkyl" or "heterocycloalkyl" refer to an alkyl or a cycloalkyl radical, respectively, having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si and Se, preferably, O, S or N. Additionally, the heteroalkyl or heterocycloalkyl group may be optionally substituted.

The term "alkenyl" refers to and includes both straight and branched chain alkene radicals. Alkenyl groups are essentially alkyl groups that include at least one carbon-carbon double bond in the alkyl chain. Cycloalkenyl groups are essentially cycloalkyl groups that include at least one carbon-carbon double bond in the cycloalkyl ring. The term "heteroalkenyl" as used herein refers to an alkenyl radical having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, and Se, preferably, O, S, or N. Preferred alkenyl, cycloalkenyl, or heteroalkenyl groups are those containing two to fifteen carbon atoms. Additionally, the alkenyl, cycloalkenyl, or heteroalkenyl group may be optionally substituted.

The term "alkynyl" refers to and includes both straight and branched chain alkyne radicals. Alkynyl groups are essentially alkyl groups that include at least one carbon-carbon triple bond in the alkyl chain. Preferred alkynyl groups are those containing two to fifteen carbon atoms. Additionally, the alkynyl group may be optionally substituted.

The terms "aralkyl" or "arylalkyl" are used interchangeably and refer to an alkyl group that is substituted with an aryl group. Additionally, the aralkyl group may be optionally substituted.

The term "heterocyclic group" refers to and includes aromatic and non-aromatic cyclic radicals containing at least

5

one heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, and Se, preferably, O, S, or N. Hetero-aromatic cyclic radicals may be used interchangeably with heteroaryl. Preferred hetero-non-aromatic cyclic groups are those containing 3 to 7 ring atoms which includes at least one hetero atom, and includes cyclic amines such as morpholino, piperidino, pyrrolidino, and the like, and cyclic ethers/thio-ethers, such as tetrahydrofuran, tetrahydropyran, tetrahydrothiophene, and the like. Additionally, the heterocyclic group may be optionally substituted.

The term "aryl" refers to and includes both single-ring aromatic hydrocarbyl groups and polycyclic aromatic ring systems. The polycyclic rings may have two or more rings in which two carbons are common to two adjoining rings (the rings are "fused") wherein at least one of the rings is an aromatic hydrocarbyl group, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. Preferred aryl groups are those containing six to thirty carbon atoms, preferably six to twenty carbon atoms, more preferably six to twelve carbon atoms. Especially preferred is an aryl group having six carbons, ten carbons or twelve carbons. Suitable aryl groups include phenyl, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene, preferably phenyl, biphenyl, triphenyl, triphenylene, fluorene, and naphthalene. Additionally, the aryl group may be optionally substituted.

The term "heteroaryl" refers to and includes both single-ring aromatic groups and polycyclic aromatic ring systems that include at least one heteroatom. The heteroatoms include, but are not limited to O, S, N, P, B, Si, and Se. In many instances, O, S, or N are the preferred heteroatoms. Hetero-single ring aromatic systems are preferably single rings with 5 or 6 ring atoms, and the ring can have from one to six heteroatoms. The hetero-polycyclic ring systems can have two or more rings in which two atoms are common to two adjoining rings (the rings are "fused") wherein at least one of the rings is a heteroaryl, e.g., the other rings can be cycloalkyls, cycloalkenyls, aryl, heterocycles, and/or heteroaryls. The hetero-polycyclic aromatic ring systems can have from one to six heteroatoms per ring of the polycyclic aromatic ring system. Preferred heteroaryl groups are those containing three to thirty carbon atoms, preferably three to twenty carbon atoms, more preferably three to twelve carbon atoms. Suitable heteroaryl groups include dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuopyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine, preferably dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, triazine, benzimidazole, 1,2-azaborine, 1,3-azaborine, 1,4-azaborine, borazine, and aza-analogs thereof. Additionally, the heteroaryl group may be optionally substituted.

Of the aryl and heteroaryl groups listed above, the groups of triphenylene, naphthalene, anthracene, dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, pyrazine, pyrimidine, triazine, and

6

benzimidazole, and the respective aza-analogs of each thereof are of particular interest.

The terms alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aralkyl, heterocyclic group, aryl, and heteroaryl, as used herein, are independently unsubstituted, or independently substituted, with one or more general substituents.

In many instances, the general substituents are selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, selenyl, boryl, and combinations thereof.

In some instances, the preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, boryl, and combinations thereof.

In some instances, the more preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, alkoxy, aryloxy, amino, silyl, boryl, aryl, heteroaryl, sulfanyl, and combinations thereof.

In yet other instances, the most preferred general substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof.

The terms "substituted" and "substitution" refer to a substituent other than H that is bonded to the relevant position, e.g., a carbon or nitrogen. For example, when R¹ represents mono-substitution, then one R¹ must be other than H (i.e., a substitution). Similarly, when R¹ represents di-substitution, then two of R¹ must be other than H. Similarly, when R¹ represents zero or no substitution, R¹, for example, can be a hydrogen for available valencies of ring atoms, as in carbon atoms for benzene and the nitrogen atom in pyrrole, or simply represents nothing for ring atoms with fully filled valencies, e.g., the nitrogen atom in pyridine. The maximum number of substitutions possible in a ring structure will depend on the total number of available valencies in the ring atoms.

As used herein, "combinations thereof" indicates that one or more members of the applicable list are combined to form a known or chemically stable arrangement that one of ordinary skill in the art can envision from the applicable list. For example, an alkyl and deuterium can be combined to form a partial or fully deuterated alkyl group; a halogen and alkyl can be combined to form a halogenated alkyl substituent; and a halogen, alkyl, and aryl can be combined to form a halogenated arylalkyl. In one instance, the term substitution includes a combination of two to four of the listed groups. In another instance, the term substitution includes a combination of two to three groups. In yet another instance, the term substitution includes a combination of two groups. Preferred combinations of substituent groups are those that contain up to fifty atoms that are not hydrogen or deuterium, or those which include up to forty atoms that are not hydrogen or deuterium, or those that include up to thirty atoms that are not hydrogen or deuterium. In many instances, a preferred combination of substituent groups will include up to twenty atoms that are not hydrogen or deuterium.

The "aza" designation in the fragments described herein, i.e. aza-dibenzofuran, aza-dibenzothiophene, etc. means that one or more of the C—H groups in the respective aromatic ring can be replaced by a nitrogen atom, for example, and without any limitation, azatriphenylene encompasses both

7

dibenzo[f,h]quinoxaline and dibenzo[f,h]quinoline. One of ordinary skill in the art can readily envision other nitrogen analogs of the aza-derivatives described above, and all such analogs are intended to be encompassed by the terms as set forth herein.


As used herein, “deuterium” refers to an isotope of hydrogen. Deuterated compounds can be readily prepared using methods known in the art. For example, U.S. Pat. No. 8,557,400, Patent Pub. No. WO 2006/095951, and U.S. Pat. Application Pub. No. US 2011/0037057, which are hereby incorporated by reference in their entireties, describe the making of deuterium-substituted organometallic complexes. Further reference is made to Ming Yan, et al., *Tetrahedron* 2015, 71, 1425-30 and Atzrodt et al., *Angew. Chem. Int. Ed. (Reviews)* 2007, 46, 7744-65, which are incorporated by reference in their entireties, describe the deuteration of the methylene hydrogens in benzyl amines and efficient pathways to replace aromatic ring hydrogens with deuterium, respectively.

It is to be understood that when a molecular fragment is described as being a substituent or otherwise attached to another moiety, its name may be written as if it were a fragment (e.g. phenyl, phenylene, naphthyl, dibenzofuryl) or as if it were the whole molecule (e.g. benzene, naphthalene, dibenzofuran). As used herein, these different ways of designating a substituent or attached fragment are considered to be equivalent.

In some instance, a pair of adjacent substituents can be optionally joined or fused into a ring. The preferred ring is a five, six, or seven-membered carbocyclic or heterocyclic ring, includes both instances where the portion of the ring formed by the pair of substituents is saturated and where the portion of the ring formed by the pair of substituents is unsaturated. As used herein, “adjacent” means that the two substituents involved can be on the same ring next to each other, or on two neighboring rings having the two closest available substitutable positions, such as 2, 2' positions in a biphenyl, or 1, 8 position in a naphthalene, as long as they can form a stable fused ring system.

B. The Compounds of the Present Disclosure

In one aspect, the present disclosure provides a compound comprising a bidentate ligand L_A comprising a moiety of Formula I,




In the moiety of Formula I:

the ligand L_A is coordinated to a metal M by two bonds, wherein either:

- (i) both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring; or
- (ii) one of the two bonds is with Formula I, and the other bond is with Formula II

8



which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D, with a proviso that R^A and R^B are not joined to form a 5-membered ring if ring E is pyridine and attached to ring A or ring B, and if the N atom of the pyridine is coordinated to M;

each of ring A, ring B, ring C, ring D, and, if present, ring E is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

each of R^A , R^B , R^C , R^D , and, if present, R^E independently represents mono to the maximum allowable substitutions, or no substitution;

each R^A , R^B , R^C , R^D , and, if present, R^E is independently a hydrogen or a substituent selected from the group consisting of the general substituents as defined herein; any two adjacent R^A , R^B , R^C , R^D , or, if present, R^E can be joined or fused together to form a ring;

the metal M is Ir, Pt, Pd, or Os, and can be coordinated to other ligands; and

the ligand L_A can be joined with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

These novel organometallic compounds include a bowl-shaped ligand or a ligand containing a bowl-shaped moiety for use as emissive dopants in organic electroluminescence devices. The bowl-shaped moiety can effectively reduce strong dopant-dopant and dopant-host interaction, which is expected to improve the sublimation property and increase the photoluminescence quantum efficiency.

In some embodiments, each R^A , R^B , R^C , R^D , and, if present, R^E is independently a hydrogen or a substituent selected from the group consisting of the Preferred General Substituents as defined herein. In some embodiments, each R^A , R^B , R^C , R^D , and, if present, R^E is independently a hydrogen or a substituent selected from the group consisting of the More Preferred General Substituents as defined herein. In some embodiments, each R^A , R^B , R^C , R^D , and, if present, R^E is independently a hydrogen or a substituent selected from the group consisting of the Most Preferred General Substituents as defined herein.

In some embodiments, each of ring A, ring B, ring C, and ring D is a 6-membered carbocyclic or heterocyclic ring. In some embodiments, one of ring A, ring B, ring C, or ring D is a 5-membered carbocyclic or heterocyclic ring, and the remaining ones of ring A, ring B, ring C, and ring D are 6-membered carbocyclic or heterocyclic rings. In some embodiments, each of ring A, ring B, ring C, or ring D is independently selected from the group consisting of phenyl, pyridine, pyrimidine, pyridazine, pyrazine, triazine, imidazole, imidazole derived carbene, pyrazole, pyrrole, oxazole, furan, thiophene, and thiazole.

In some embodiments when both bonds coordinated to the metal are from Formula I, at least one of ring A, ring B, ring C, or ring D is a five-membered ring. In some embodiments when both bonds coordinated to the metal are from Formula I, at least one deuterium or fluorine atom is directly attached to a ring atom of ring A, ring B, ring C, or ring D. In some embodiments when both bonds coordinated to the metal are from Formula I, at least two adjacent R^A , R^B , R^C , or R^D are joined to form a ring.

9

In some embodiments, no two of R^A , R^B , R^C , and R^D are joined or fused together to form a ring. In some embodiments, R^A and R^B are not joined to form a 5-membered ring.

In some embodiments, (ii) one of the two bonds is with Formula I, and the other bond is with Formula II, which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D. In some embodiments, one bond is from ring E, and the other bond is from ring A or ring B. In some embodiments, one bond is from ring E, and the other bond is from ring C or ring D. In some embodiments, one bond is from ring E, and the other bond is from ring A or ring B, and R^A and R^B are not joined to form a 5-membered ring if ring E is pyridine and the N atom of the pyridine is coordinated to the metal.

In some embodiments, ring E is selected from the group consisting of phenyl, pyridine, pyrimidine, pyridazine, pyrazine, triazine, imidazole, imidazole derived carbene, pyrazole, pyrrole, oxazole, furan, thiophene, and thiazole. In some embodiments, ring E is pyridine and ring E is coordinated to the metal M by the N of ring E.

In some embodiments, when ring E is pyridine, and attached to ring A or ring B, and ring E is coordinated to the metal M by the N of the pyridine, then R^A and R^B are not joined to form a 5-membered ring.


In some embodiments, ring E is pyridine and ring E is coordinated to the metal M by a C of ring E. In some embodiments, ring E is bonded to ring C or ring D by the dashed line.

In some embodiments including ring E, ring E is bonded to ring A or ring B by the dashed line.

In some embodiments, two of R^E are joined or fused together to form a ring. In some embodiments, no two of R^E are joined or fused together to form a ring.


In some embodiments, ligand L_A is coordinated to metal M by one neutral N atom and one monoanionic C atom. In some embodiments, ligand L_A is coordinated to metal M by one carbene carbon and one monoanionic C atom.

In some embodiments, ligand L_A is selected from the group consisting of the structures in LIST 1 defined as follows:




10

-continued




11

-continued









**12**

-continued











13

-continued




14

-continued




15

-continued



16

-continued



where:

moiety E and R^E are as defined above for Formula II;
 each of X¹ to X¹⁸ is selected from CR and N;
 each of Y and Y' is independently selected from the group consisting of O, S, Se, NR', BR', CR'R'', SiR'R'', and GeR'R''; and
 each R, R', and R'' is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

In some embodiments, (i) both bonds between the metal and L_A are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring.

In some embodiments, ligand L_A is coordinated to metal M via ring A and via Ring B. In some embodiments, ligand L_A is coordinated to metal M via ring A and via Ring D. In some embodiments, ligand L_A is coordinated to metal M via ring C and via Ring D.

17

In some embodiments, ligand L_A is coordinated to ring A, ring B, ring C, ring D, or ring E by one or two direct bonds. In some embodiments, ligand L_A is coordinated to ring A, ring B, ring C, ring D, or ring E by one or two substituents.


In some embodiments, ligand L_A is coordinated to ring A by a direct bond. In some embodiments, ligand L_A is coordinated to ring B by a direct bond. In some embodiments, ligand L_A is coordinated to ring C by a direct bond. In some embodiments, ligand L_A is coordinated to ring D by a direct bond. In some embodiments, ligand L_A is coordinated to ring E by a direct bond.

In some embodiments, ligand L_A is coordinated to ring A by a substituent. In some embodiments, ligand L_A is coordinated to ring B by a substituent. In some embodiments, ligand L_A is coordinated to ring C by a substituent.

In some embodiments, ligand L_A is coordinated to ring D by a substituent. In some embodiments, ligand L_A is coordinated to ring E by a substituent.

In some embodiments of option (i), ligand L_A is coordinated to metal M by one neutral N atom and one monoanionic C atom. In some embodiments of option (i), ligand L_A is coordinated to metal M by one carbene carbon and one monoanionic C atom.

In some embodiments, ligand L_A is selected from the group consisting of:



where:


each of X^1 to X^{16} is selected from CR and N;
 wherein each K^4 is independently a direct bond, O, or S;
 wherein Y is selected from the group consisting of O, S, Se, NR', BR', CR'R'', SiR'R'', and GeR'R''; and
 each of R, R', and R'' is independently a hydrogen or a substituent selected from the group consisting of the General Substituents as defined herein.

In some embodiments, ligand L_A is selected from L_{A1-m} , wherein i is an integer from 1 to 360, m is an integer from 1 to 20, and L_{A1-m} , wherein i' is an integer from 361 to 390, and m' is an integer from 21 to 36, wherein, each L_{A1-m} has the structure defined in the following LIST 2:


for m = 1, L_{A1-1} to L_{A360-1}
 have the structure

18


-continued




for m = 2, L_{A1-2} to L_{A360-2}
 have the structure




for m = 3, L_{A1-3} to L_{A360-3}
 have the structure



for m = 4, L_{A1-4} to L_{A360-4}
 have the structure



for m = 5, L_{A1-5} to L_{A360-5}
 have the structure




65


19

-continued


for $m = 6$, L_{A1-6} to L_{A360-6}
have the structure




for $m = 7$, L_{A1-7} to L_{A360-7}
have the structure



for $m = 8$, L_{A1-8} to L_{A360-8}
have the structure



for $m = 9$, L_{A1-9} to L_{A360-9}
have the structure



for $m = 10$, L_{A1-10} to $L_{A360-10}$
have the structure

20

-continued

5

10

15

20

25

30

35

40


45

50


55

60


65




for $m = 11$, L_{A1-11} to $L_{A360-11}$
have the structure




for $m = 12$, L_{A1-12} to $L_{A360-12}$
have the structure



for $m = 13$, L_{A1-13} to $L_{A360-13}$
have the structure






for $m = 14$, L_{A1-14} to $L_{A360-14}$
have the structure



21


-continued

for m = 15, L_{A1-15} to L_{A360-15}
have the structurefor m = 16, L_{A1-16} to L_{A360-16}
have the structurefor m = 17, L_{A1-17} to L_{A360-17}
have the structurefor m = 18, L_{A1-18} to L_{A360-18}**22**

-continued

have the structure

5




10

for m = 19, L_{A1-19} to L_{A360-19}
have the structure

15

20




25

for m = 20, L_{A1-20} to L_{A360-20}
have the structure

30

35



40

wherein, for each L_{Ai-m}, R and G are defined in the following
LIST 3:

L _{Ai-m}	R	G	L _{Ai-m}	R	G	L _{Ai-m}	R	G	L _{Ai-m}	R	G
L _{A1-m}	R ¹	G ¹	L _{A2-m}	R ¹	G ²	L _{A3-m}	R ¹	G ³	L _{A4-m}	R ¹	G ⁴
L _{A5-m}	R ²	G ¹	L _{A6-m}	R ²	G ²	L _{A7-m}	R ²	G ³	L _{A8-m}	R ²	G ⁴
L _{A9-m}	R ³	G ¹	L _{A10-m}	R ³	G ²	L _{A11-m}	R ³	G ³	L _{A12-m}	R ³	G ⁴
L _{A13-m}	R ⁴	G ¹	L _{A14-m}	R ⁴	G ²	L _{A15-m}	R ⁴	G ³	L _{A16-m}	R ⁴	G ⁴
L _{A17-m}	R ⁵	G ¹	L _{A18-m}	R ⁵	G ²	L _{A19-m}	R ⁵	G ³	L _{A20-m}	R ⁵	G ⁴
L _{A21-m}	R ⁶	G ¹	L _{A22-m}	R ⁶	G ²	L _{A23-m}	R ⁶	G ³	L _{A24-m}	R ⁶	G ⁴
L _{A25-m}	R ⁷	G ¹	L _{A26-m}	R ⁷	G ²	L _{A27-m}	R ⁷	G ³	L _{A28-m}	R ⁷	G ⁴
L _{A29-m}	R ⁸	G ¹	L _{A30-m}	R ⁸	G ²	L _{A31-m}	R ⁸	G ³	L _{A32-m}	R ⁸	G ⁴
L _{A33-m}	R ⁹	G ¹	L _{A34-m}	R ⁹	G ²	L _{A35-m}	R ⁹	G ³	L _{A36-m}	R ⁹	G ⁴
L _{A37-m}	R ¹⁰	G ¹	L _{A38-m}	R ¹⁰	G ²	L _{A39-m}	R ¹⁰	G ³	L _{A40-m}	R ¹⁰	G ⁴
L _{A41-m}	R ¹¹	G ¹	L _{A42-m}	R ¹¹	G ²	L _{A43-m}	R ¹¹	G ³	L _{A44-m}	R ¹¹	G ⁴
L _{A45-m}	R ¹²	G ¹	L _{A46-m}	R ¹²	G ²	L _{A47-m}	R ¹²	G ³	L _{A48-m}	R ¹²	G ⁴
L _{A49-m}	R ¹³	G ¹	L _{A50-m}	R ¹³	G ²	L _{A51-m}	R ¹³	G ³	L _{A52-m}	R ¹³	G ⁴
L _{A53-m}	R ¹⁴	G ¹	L _{A54-m}	R ¹⁴	G ²	L _{A55-m}	R ¹⁴	G ³	L _{A56-m}	R ¹⁴	G ⁴
L _{A57-m}	R ¹⁵	G ¹	L _{A58-m}	R ¹⁵	G ²	L _{A59-m}	R ¹⁵	G ³	L _{A60-m}	R ¹⁵	G ⁴
L _{A61-m}	R ¹⁶	G ¹	L _{A62-m}	R ¹⁶	G ²	L _{A63-m}	R ¹⁶	G ³	L _{A64-m}	R ¹⁶	G ⁴
L _{A65-m}	R ¹⁷	G ¹	L _{A66-m}	R ¹⁷	G ²	L _{A67-m}	R ¹⁷	G ³	L _{A68-m}	R ¹⁷	G ⁴
L _{A69-m}	R ¹⁸	G ¹	L _{A70-m}	R ¹⁸	G ²	L _{A71-m}	R ¹⁸	G ³	L _{A72-m}	R ¹⁸	G ⁴
L _{A73-m}	R ¹⁹	G ¹	L _{A74-m}	R ¹⁹	G ²	L _{A75-m}	R ¹⁹	G ³	L _{A76-m}	R ¹⁹	G ⁴
L _{A77-m}	R ²⁰	G ¹	L _{A78-m}	R ²⁰	G ²	L _{A79-m}	R ²⁰	G ³	L _{A80-m}	R ²⁰	G ⁴
L _{A81-m}	R ²¹	G ¹	L _{A82-m}	R ²¹	G ²	L _{A83-m}	R ²¹	G ³	L _{A84-m}	R ²¹	G ⁴
L _{A85-m}	R ²²	G ¹	L _{A86-m}	R ²²	G ²	L _{A87-m}	R ²²	G ³	L _{A88-m}	R ²²	G ⁴
L _{A89-m}	R ²³	G ¹	L _{A90-m}	R ²³	G ²	L _{A91-m}	R ²³	G ³	L _{A92-m}	R ²³	G ⁴
L _{A93-m}	R ²⁴	G ¹	L _{A94-m}	R ²⁴	G ²	L _{A95-m}	R ²⁴	G ³	L _{A96-m}	R ²⁴	G ⁴
L _{A97-m}	R ²⁵	G ¹	L _{A98-m}	R ²⁵	G ²	L _{A99-m}	R ²⁵	G ³	L _{A100-m}	R ²⁵	G ⁴

-continued

L_{Ai-m}	R	G	L_{Ai-m}	R	G	L_{Ai-m}	R	G	L_{Ai-m}	R	G
L_{A101-m}	R ²⁶	G ¹	L_{A102-m}	R ²⁶	G ²	L_{A103-m}	R ²⁶	G ³	L_{A104-m}	R ²⁶	G ⁴
L_{A105-m}	R ²⁷	G ¹	L_{A106-m}	R ²⁷	G ²	L_{A107-m}	R ²⁷	G ³	L_{A108-m}	R ²⁷	G ⁴
L_{A109-m}	R ²⁸	G ¹	L_{A110-m}	R ²⁸	G ²	L_{A111-m}	R ²⁸	G ³	L_{A112-m}	R ²⁸	G ⁴
L_{A113-m}	R ²⁹	G ¹	L_{A114-m}	R ²⁹	G ²	L_{A115-m}	R ²⁹	G ³	L_{A116-m}	R ²⁹	G ⁴
L_{A117-m}	R ³⁰	G ¹	L_{A118-m}	R ³⁰	G ²	L_{A119-m}	R ³⁰	G ³	L_{A120-m}	R ³⁰	G ⁴
L_{A121-m}	R ¹	G ⁵	L_{A122-m}	R ¹	G ⁶	L_{A123-m}	R ¹	G ⁷	L_{A124-m}	R ¹	G ⁸
L_{A125-m}	R ²	G ⁵	L_{A126-m}	R ²	G ⁶	L_{A127-m}	R ²	G ⁷	L_{A128-m}	R ²	G ⁸
L_{A129-m}	R ³	G ⁵	L_{A130-m}	R ³	G ⁶	L_{A131-m}	R ³	G ⁷	L_{A132-m}	R ³	G ⁸
L_{A133-m}	R ⁴	G ⁵	L_{A134-m}	R ⁴	G ⁶	L_{A135-m}	R ⁴	G ⁷	L_{A136-m}	R ⁴	G ⁸
L_{A137-m}	R ⁵	G ⁵	L_{A138-m}	R ⁵	G ⁶	L_{A139-m}	R ⁵	G ⁷	L_{A140-m}	R ⁵	G ⁸
L_{A141-m}	R ⁶	G ⁵	L_{A142-m}	R ⁶	G ⁶	L_{A143-m}	R ⁶	G ⁷	L_{A144-m}	R ⁶	G ⁸
L_{A145-m}	R ⁷	G ⁵	L_{A146-m}	R ⁷	G ⁶	L_{A147-m}	R ⁷	G ⁷	L_{A148-m}	R ⁷	G ⁸
L_{A149-m}	R ⁸	G ⁵	L_{A150-m}	R ⁸	G ⁶	L_{A151-m}	R ⁸	G ⁷	L_{A152-m}	R ⁸	G ⁸
L_{A153-m}	R ⁹	G ⁵	L_{A154-m}	R ⁹	G ⁶	L_{A155-m}	R ⁹	G ⁷	L_{A156-m}	R ⁹	G ⁸
L_{A157-m}	R ¹⁰	G ⁵	L_{A158-m}	R ¹⁰	G ⁶	L_{A159-m}	R ¹⁰	G ⁷	L_{A160-m}	R ¹⁰	G ⁸
L_{A161-m}	R ¹¹	G ⁵	L_{A162-m}	R ¹¹	G ⁶	L_{A163-m}	R ¹¹	G ⁷	L_{A164-m}	R ¹¹	G ⁸
L_{A165-m}	R ¹²	G ⁵	L_{A166-m}	R ¹²	G ⁶	L_{A167-m}	R ¹²	G ⁷	L_{A168-m}	R ¹²	G ⁸
L_{A169-m}	R ¹³	G ⁵	L_{A170-m}	R ¹³	G ⁶	L_{A171-m}	R ¹³	G ⁷	L_{A172-m}	R ¹³	G ⁸
L_{A173-m}	R ¹⁴	G ⁵	L_{A174-m}	R ¹⁴	G ⁶	L_{A175-m}	R ¹⁴	G ⁷	L_{A176-m}	R ¹⁴	G ⁸
L_{A177-m}	R ¹⁵	G ⁵	L_{A178-m}	R ¹⁵	G ⁶	L_{A179-m}	R ¹⁵	G ⁷	L_{A180-m}	R ¹⁵	G ⁸
L_{A181-m}	R ¹⁶	G ⁵	L_{A182-m}	R ¹⁶	G ⁶	L_{A183-m}	R ¹⁶	G ⁷	L_{A184-m}	R ¹⁶	G ⁸
L_{A185-m}	R ¹⁷	G ⁵	L_{A186-m}	R ¹⁷	G ⁶	L_{A187-m}	R ¹⁷	G ⁷	L_{A188-m}	R ¹⁷	G ⁸
L_{A189-m}	R ¹⁸	G ⁵	L_{A190-m}	R ¹⁸	G ⁶	L_{A191-m}	R ¹⁸	G ⁷	L_{A192-m}	R ¹⁸	G ⁸
L_{A193-m}	R ¹⁹	G ⁵	L_{A194-m}	R ¹⁹	G ⁶	L_{A195-m}	R ¹⁹	G ⁷	L_{A196-m}	R ¹⁹	G ⁸
L_{A197-m}	R ²⁰	G ⁵	L_{A198-m}	R ²⁰	G ⁶	L_{A199-m}	R ²⁰	G ⁷	L_{A200-m}	R ²⁰	G ⁸
L_{A201-m}	R ²¹	G ⁵	L_{A202-m}	R ²¹	G ⁶	L_{A203-m}	R ²¹	G ⁷	L_{A204-m}	R ²¹	G ⁸
L_{A205-m}	R ²²	G ⁵	L_{A206-m}	R ²²	G ⁶	L_{A207-m}	R ²²	G ⁷	L_{A208-m}	R ²²	G ⁸
L_{A209-m}	R ²³	G ⁵	L_{A210-m}	R ²³	G ⁶	L_{A211-m}	R ²³	G ⁷	L_{A212-m}	R ²³	G ⁸
L_{A213-m}	R ²⁴	G ⁵	L_{A214-m}	R ²⁴	G ⁶	L_{A215-m}	R ²⁴	G ⁷	L_{A216-m}	R ²⁴	G ⁸
L_{A217-m}	R ²⁵	G ⁵	L_{A218-m}	R ²⁵	G ⁶	L_{A219-m}	R ²⁵	G ⁷	L_{A220-m}	R ²⁵	G ⁸
L_{A221-m}	R ²⁶	G ⁵	L_{A222-m}	R ²⁶	G ⁶	L_{A223-m}	R ²⁶	G ⁷	L_{A224-m}	R ²⁶	G ⁸
L_{A225-m}	R ²⁷	G ⁵	L_{A226-m}	R ²⁷	G ⁶	L_{A227-m}	R ²⁷	G ⁷	L_{A228-m}	R ²⁷	G ⁸
L_{A229-m}	R ²⁸	G ⁵	L_{A230-m}	R ²⁸	G ⁶	L_{A231-m}	R ²⁸	G ⁷	L_{A232-m}	R ²⁸	G ⁸
L_{A233-m}	R ²⁹	G ⁵	L_{A234-m}	R ²⁹	G ⁶	L_{A235-m}	R ²⁹	G ⁷	L_{A236-m}	R ²⁹	G ⁸
L_{A237-m}	R ³⁰	G ⁵	L_{A238-m}	R ³⁰	G ⁶	L_{A239-m}	R ³⁰	G ⁷	L_{A240-m}	R ³⁰	G ⁸
L_{A241-m}	R ¹	G ⁹	L_{A242-m}	R ¹	G ¹⁰	L_{A243-m}	R ¹	G ¹¹	L_{A244-m}	R ¹	G ¹²
L_{A245-m}	R ²	G ⁹	L_{A246-m}	R ²	G ¹⁰	L_{A247-m}	R ²	G ¹¹	L_{A248-m}	R ²	G ¹²
L_{A249-m}	R ³	G ⁹	L_{A250-m}	R ³	G ¹⁰	L_{A251-m}	R ³	G ¹¹	L_{A252-m}	R ³	G ¹²
L_{A253-m}	R ⁴	G ⁹	L_{A254-m}	R ⁴	G ¹⁰	L_{A255-m}	R ⁴	G ¹¹	L_{A256-m}	R ⁴	G ¹²
L_{A257-m}	R ⁵	G ⁹	L_{A258-m}	R ⁵	G ¹⁰	L_{A259-m}	R ⁵	G ¹¹	L_{A260-m}	R ⁵	G ¹²
L_{A261-m}	R ⁶	G ⁹	L_{A262-m}	R ⁶	G ¹⁰	L_{A263-m}	R ⁶	G ¹¹	L_{A264-m}	R ⁶	G ¹²
L_{A265-m}	R ⁷	G ⁹	L_{A266-m}	R ⁷	G ¹⁰	L_{A267-m}	R ⁷	G ¹¹	L_{A268-m}	R ⁷	G ¹²
L_{A269-m}	R ⁸	G ⁹	L_{A270-m}	R ⁸	G ¹⁰	L_{A271-m}	R ⁸	G ¹¹	L_{A272-m}	R ⁸	G ¹²
L_{A273-m}	R ⁹	G ⁹	L_{A274-m}	R ⁹	G ¹⁰	L_{A275-m}	R ⁹	G ¹¹	L_{A276-m}	R ⁹	G ¹²
L_{A277-m}	R ¹⁰	G ⁹	L_{A278-m}	R ¹⁰	G ¹⁰	L_{A279-m}	R ¹⁰	G ¹¹	L_{A280-m}	R ¹⁰	G ¹²
L_{A281-m}	R ¹¹	G ⁹	L_{A282-m}	R ¹¹	G ¹⁰	L_{A283-m}	R ¹¹	G ¹¹	L_{A284-m}	R ¹¹	G ¹²
L_{A285-m}	R ¹²	G ⁹	L_{A286-m}	R ¹²	G ¹⁰	L_{A287-m}	R ¹²	G ¹¹	L_{A288-m}	R ¹²	G ¹²
L_{A289-m}	R ¹³	G ⁹	L_{A290-m}	R ¹³	G ¹⁰	L_{A291-m}	R ¹³	G ¹¹	L_{A292-m}	R ¹³	G ¹²
L_{A293-m}	R ¹⁴	G ⁹	L_{A294-m}	R ¹⁴	G ¹⁰	L_{A295-m}	R ¹⁴	G ¹¹	L_{A296-m}	R ¹⁴	G ¹²
L_{A297-m}	R ¹⁵	G ⁹	L_{A298-m}	R ¹⁵	G ¹⁰	L_{A299-m}	R ¹⁵	G ¹¹	L_{A300-m}	R ¹⁵	G ¹²
L_{A301-m}	R ¹⁶	G ⁹	L_{A302-m}	R ¹⁶	G ¹⁰	L_{A303-m}	R ¹⁶	G ¹¹	L_{A304-m}	R ¹⁶	G ¹²
L_{A305-m}	R ¹⁷	G ⁹	L_{A306-m}	R ¹⁷	G ¹⁰	L_{A307-m}	R ¹⁷	G ¹¹	L_{A308-m}	R ¹⁷	G ¹²
L_{A309-m}	R ¹⁸	G ⁹	L_{A310-m}	R ¹⁸	G ¹⁰	L_{A311-m}	R ¹⁸	G ¹¹	L_{A312-m}	R ¹⁸	G ¹²
L_{A313-m}	R ¹⁹	G ⁹	L_{A314-m}	R ¹⁹	G ¹⁰	L_{A315-m}	R ¹⁹	G ¹¹	L_{A316-m}	R ¹⁹	G ¹²
L_{A317-m}	R ²⁰	G ⁹	L_{A318-m}	R ²⁰	G ¹⁰	L_{A319-m}	R ²⁰	G ¹¹	L_{A320-m}	R ²⁰	G ¹²
L_{A321-m}	R ²¹	G ⁹	L_{A322-m}	R ²¹	G ¹⁰	L_{A323-m}	R ²¹	G ¹¹	L_{A324-m}	R ²¹	G ¹²
L_{A325-m}	R ²²	G ⁹	L_{A326-m}	R ²²	G ¹⁰	L_{A327-m}	R ²²	G ¹¹	L_{A328-m}	R ²²	G ¹²
L_{A329-m}	R ²³	G ⁹	L_{A330-m}	R ²³	G ¹⁰	L_{A331-m}	R ²³	G ¹¹	L_{A332-m}	R ²³	G ¹²
L_{A333-m}	R ²⁴	G ⁹	L_{A334-m}	R ²⁴	G ¹⁰	L_{A335-m}	R ²⁴	G ¹¹	L_{A336-m}	R ²⁴	G ¹²
L_{A337-m}	R ²⁵	G ⁹	L_{A338-m}	R ²⁵	G ¹⁰	L_{A339-m}	R ²⁵	G ¹¹	L_{A340-m}	R ²⁵	G ¹²
L_{A341-m}	R ²⁶	G ⁹	L_{A342-m}	R ²⁶	G ¹⁰	L_{A343-m}	R ²⁶	G ¹¹	L_{A344-m}	R ²⁶	G ¹²
L_{A345-m}	R ²⁷	G ⁹	L_{A346-m}	R ²⁷	G ¹⁰	L_{A347-m}	R ²⁷	G ¹¹	L_{A348-m}	R ²⁷	G ¹²
L_{A349-m}	R ²⁸	G ⁹	L_{A350-m}	R ²⁸	G ¹⁰	L_{A351-m}	R ²⁸	G ¹¹	L_{A352-m}	R ²⁸	G ¹²
L_{A353-m}	R ²⁹	G ⁹	L_{A354-m}	R ²⁹	G ¹⁰	L_{A355-m}	R ²⁹	G ¹¹	L_{A356-m}	R ²⁹	G ¹²
L_{A357-m}	R ³⁰	G ⁹	L_{A358-m}	R ³⁰	G ¹⁰	L_{A359-m}	R ³⁰	G ¹¹	L_{A360-m}	R ³⁰	G ¹²

wherein, each $L_{Ai'-m'}$ has the structure defined by the following LIST 4:


60

for $m' = 21$, $L_{A361-21}$ to
 $L_{A390-21}$ have the structure


65

25


-continued




for $m' = 22$, $L_{A361-22}$ to $L_{A390-22}$
have the structure




for $m' = 23$, $L_{A361-23}$ to
 $L_{A390-23}$ have the structure



for $m' = 24$, $L_{A361-24}$ to
 $L_{A390-24}$ have the structure



for $m' = 25$, $L_{A361-25}$ to
 $L_{A390-25}$ have the structure




for $m' = 26$, $L_{A361-26}$ to $L_{A390-26}$
have the structure

26

-continued

5




10

15

for $m' = 27$, $L_{A361-27}$ to
 $L_{A390-27}$ have the structure

20




25

30

for $m' = 28$, $L_{A361-28}$ to
 $L_{A390-28}$ have the structure


35



40

for $m' = 29$, $L_{A361-29}$ to
 $L_{A390-29}$ have the structure

45




50

for $m' = 30$, $L_{A361-30}$ to $L_{A390-30}$
have the structure

55

60




65


27

-continued


for $m' = 31$, $L_{A361-31}$ to
 $L_{A390-31}$ have the structure



for $m' = 32$, $L_{A361-32}$ to
 $L_{A390-32}$ have the structure



for $m' = 33$, $L_{A361-33}$ to
 $L_{A390-33}$ have the structure




for $m' = 34$, $L_{A361-34}$ to $L_{A390-34}$
 have the structure

28

-continued

5




10

15

for $m' = 35$, $L_{A361-35}$ to
 $L_{A390-35}$ have the structure

20




25

30

for $m' = 36$, $L_{A361-36}$ to
 $L_{A390-36}$ have the structure

35



40

45


wherein, for each $L_{Ai'-m'}$, R is defined as follows:

50


$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R
$L_{A361-m'}$	R^1	$L_{A362-m'}$	R^2	$L_{A363-m'}$	R^3	$L_{A364-m'}$	R^4	$L_{A365-m'}$	R^5	$L_{A366-m'}$	R^6
$L_{A367-m'}$	R^7	$L_{A368-m'}$	R^8	$L_{A369-m'}$	R^9	$L_{A370-m'}$	R^{10}	$L_{A371-m'}$	R^{12}	$L_{A372-m'}$	R^{12}
$L_{A373-m'}$	R^{13}	$L_{A374-m'}$	R^{14}	$L_{A375-m'}$	R^{15}	$L_{A376-m'}$	R^{16}	$L_{A377-m'}$	R^{19}	$L_{A378-m'}$	R^{18}
$L_{A379-m'}$	R^{19}	$L_{A380-m'}$	R^{20}	$L_{A381-m'}$	R^{21}	$L_{A382-m'}$	R^{22}	$L_{A383-m'}$	R^{26}	$L_{A384-m'}$	R^{24}
$L_{A385-m'}$	R^{25}	$L_{A386-m'}$	R^{26}	$L_{A387-m'}$	R^{27}	$L_{A388-m'}$	R^{28}	$L_{A389-m'}$	R^{29}	$L_{A390-m'}$	R^{30}

65

wherein R^1 to R^{30} have the following structures:



29**30**

-continued







31








-continued



and

wherein G^1 to G^{12} have the following structures:**32**

-continued

 R^{29}

5

 R^{30}

10

15

20

 G^1

25

30

 G^2

35

40

 G^3

45

50

 G^4

55


60

65

 G^5 G^6 G^7 G^8 G^9 G^{10} G^{11}

33

-continued




In some embodiments, the compound has a formula of $M(L_A)_p(L_B)_q(L_C)_r$, wherein L_B and L_C are each a bidentate ligand; and wherein p is 1, 2, or 3; q is 0, 1, or 2; r is 0, 1, or 2; and $p+q+r$ is the oxidation state of the metal M .

In some embodiments, the compound has a formula selected from the group consisting of $Ir(L_A)_3$, $Ir(L_A)(L_B)_2$, $Ir(L_A)_2(L_B)$, $Ir(L_A)_2(L_C)$, and $Ir(L_A)(L_B)(L_C)$; and wherein L_A , L_B , and L_C are different from each other.

In some embodiments, the compound has a formula of $Pt(L_A)(L_B)$; and wherein L_A and L_B can be same or different. In some such embodiments, L_A and L_B are connected to form a tetradentate ligand.

In some embodiments, L_B and L_C are each independently selected from the group consisting of LIST 5 as follows:



34

-continued

G¹²

5

10

15

20

25

30

35

40


45

50

55


60

65



35

-continued



where:

T is selected from the group consisting of B, Al, Ga, and In;

each of Y¹ to Y¹³ is independently selected from the group consisting of carbon and nitrogen;

Y¹ is selected from the group consisting of BR_e, NR_e, PR_e, O, S, Se, C=O, S=O, SO₂, CR_eR_f, SiR_eR_f, and GeR_eR_f;

R_e and R_f can be fused or joined to form a ring;


each R_a, R_b, R_c, and R_d independently represent zero, mono, or up to the maximum allowed number of substitutions to its associated ring;

each of R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, R_d, R_e and R_f is independently a hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germly, boryl, selenyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; the general substituents defined herein; and

36







any two adjacent R_a, R_b, R_c, R_d, R_e and R_f can be fused or joined to form a ring or form a multidentate ligand.

In some embodiments, L_B and L_C are each independently selected from the group consisting of LIST 6 as follows:




37

-continued

**38**


-continued

5




10

15



20


25



30


35

40



45

50




55

60


65

39

-continued


**40**

-continued




41

-continued



42

-continued



wherein:

R_a' , R_b' , and R_c' each independently represents zero, mono, or up to the maximum allowed number of substitutions to its associated ring;

each of R_{a1} , R_{b1} , R_{c1} , R_a , R_b , R_c , R_N , R_a' , R_b' , and R_c' is independently hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, selenyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and

two adjacent R_a' , R_b' , and R_c' can be fused or joined to form a ring or form a multidentate ligand.

In some embodiments, the compound can be selected from the group consisting of $\text{Ir}(L_A)_3$, $\text{Ir}(L_A)(L_{Bk})_2$, $\text{Ir}(L_A)_2(L_{Bk})$, $\text{Ir}(L_A)_2(L_{Cj-I})$, $\text{Ir}(L_A)_2(L_{Cj-II})$, $\text{Ir}(L_A)(L_{Bk})(L_{Cj-I})$, and $\text{Ir}(L_A)(L_{Bk})(L_{Cj-II})$, wherein L_A is selected from the structures defined herein; each L_{Bk} is defined herein; and each of L_{Cj-I} and L_{Cj-II} is defined herein.

In some embodiments, when the compound has formula $\text{Ir}(L_{Ai-m})_3$ or $\text{Ir}(L_{Ai'-m})_3$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; and the compound is selected from the group consisting of $\text{Ir}(L_{A1-1})_3$ to $\text{Ir}(L_{A360-20})_3$ of $\text{Ir}(L_{A361-21})_3$ to $\text{Ir}(L_{A390-36})_3$;

when the compound has formula $\text{Ir}(L_{Ai-m})(L_{Bk})_2$ or $\text{Ir}(L_{Ai'-m})(L_{Bk})_2$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; k is an integer from 1 to 324; and the compound is selected from the group consisting of $\text{Ir}(L_{A1-1})(L_{B1})_2$ to $\text{Ir}(L_{A360-20})(L_{B324})_2$ or $\text{Ir}(L_{A361-21})(L_{B1})_2$ to $\text{Ir}(L_{A390-36})(L_{B324})_2$;

when the compound has formula $\text{Ir}(L_{Ai-m})_2(L_{Bk})$ or $\text{Ir}(L_{Ai'-m})_2(L_{Bk})$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; k is an integer from 1 to 324; and





43

the compound is selected from the group consisting of $\text{Ir}(\text{L}_{A1-1})_2(\text{L}_{B1})$ to $\text{Ir}(\text{L}_{A360-20})_2(\text{L}_{B324})$ or $\text{Ir}(\text{L}_{A361-21})_2(\text{L}_{B1})$ to $\text{Ir}(\text{L}_{A390-36})_2(\text{L}_{B324})$;

when the compound has formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-I})$ or $\text{Ir}(\text{L}_{Ai'-m})_2(\text{L}_{Cj-II})$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; j is an integer from 1 to 1416; and the compound is selected from the group consisting of $\text{Ir}(\text{L}_{A1-1})_2(\text{L}_{C1-I})$ to $\text{Ir}(\text{L}_{A360-20})_2(\text{L}_{C1416-I})$ or $\text{Ir}(\text{L}_{A360-21})_2(\text{L}_{C1-I})$ to $\text{Ir}(\text{L}_{A390-36})_2(\text{L}_{C1416-I})$; and







when the compound has formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-II})$ or $\text{Ir}(\text{L}_{Ai'-m})_2(\text{L}_{Cj-II})$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; j is an integer from 1 to 1416; and the compound is selected from the group consisting of $\text{Ir}(\text{L}_{A1-1})_2(\text{L}_{C1-II})$ to $\text{Ir}(\text{L}_{A360-20})_2(\text{L}_{C1416-II})$ or $\text{Ir}(\text{L}_{A360-21})_2(\text{L}_{C1-II})$ to $\text{Ir}(\text{L}_{A390-36})_2(\text{L}_{C1416-II})$;

wherein, each L_{Bk} has the structure defined by the following LIST 7:









44

-continued



45

-continued

L_{B11}

5

10

L_{B12}

15

20

L_{B13}

25

30

L_{B14}

35

40

L_{B15}

45

50







L_{B16} 55

60

65






46

-continued







L_{B17}L_{B18}L_{B19}L_{B20}L_{B21}L_{B22}

47

-continued

**48**

-continued

L_{B23}

5

10

L_{B24}

15

20

L_{B25}

25

30

35

L_{B26}

40

45

L_{B27}

50

55







60

65







L_{B28}L_{B29}L_{B30}L_{B31}L_{B32}L_{B33}

49

-continued

**50**

-continued

L_{B34}

5

10

L_{B35}

15

20

L_{B36}

25

30

L_{B37}

35

40

L_{B38}

45

50

L_{B39}

55







60

65

L_{B40}L_{B41}L_{B42}L_{B43}L_{B44}L_{B45}

51

-continued



LB46

5

10

LB47

15

20

LB48

25

30

LB49 35

40

45

LB50

50

55







LB51

60

65

52

-continued



LB52

LB53

LB54







LB55

LB56

LB57

53

-continued



LB58

5

10

LB59

15

20

LB60

25

30

LB61

35

40

LB62

45

50

L_{B63}







55

60

65

54

-continued



LB64






LB65

L_{B66}L_{B67}L_{B68}






LB69

55

-continued

**56**

-continued

L_{B70}

5

10

L_{B71}

15

20

L_{B72}

25

30

35

L_{B73}

40

45

L_{B74}

50

55






60

65







L_{B75}L_{B76}L_{B77}L_{B78}L_{B79}

57

-continued

**58**

-continued



L-B80

5

10

15

L-B81

20

25

L-B82

30

35

L-B83

40

45

50

L-B84

55

60

65

L-B85

L-B86

L-B87







L-B88

L-B89







L-B90

59

-continued

**60**

-continued



LB91

5

10

LB92

15

20

LB93

25

30

LB94

35

40

LB95

45

50

LB96

55

60

65

LB97

LB98

LB99






LB100

LB101

LB102

61

-continued



LB103

5

10

LB104

15

20

LB105

25

30

LB106

35

40

45

LB107

50






55

60

65

62

-continued



LB108

LB109






LB110

LB111

LB112

63

-continued



LB113

5

10

LB114 15

20

25

LB115

30

35

40

LB116

45

50

LB117






55

60

65

64

-continued



LB118

LB119





LB120

LB121

LB122

65

-continued



LB123

5

10

15

LB124

20

25

LB125

30

35

40

LB126

45

50


55

60


65

66


LB127




LB128



LB129







LB130







67

-continued



68

-continued



L_{B131}

5

10

15

L_{B132}

20

25

30

L_{B133}

35

40

45

L_{B134}

50

55

60

65

L_{B135}






L_{B136}

L_{B137}






L_{B138}

69

-continued

**70**

-continued



LB139

5

10

LB140

15

20

25

LB141

30

35

LB142

40

45

50

LB143

55

60

65

LB144

LB145






LB146

LB147





LB148

71

-continued

**72**

-continued



LB149

LB154

5

10

LB150

LB155

15

20

25

LB151

LB156

30

35

LB152

40

45

LB153

LB157





55

60





65

73

-continued

**74**

-continued



LB158

5

10

15

LB159

20

25

LB160

30

35

40

LB161

45

50

55

60

65

LB162





LB163

LB164





LB165

75

-continued

**76**

-continued



LB166

5

10

LB167

15

20

25

LB168

30

35

LB169

40

45

50

55

60

65

LB170





LB171

LB172





LB173

77

-continued

**78**

-continued



LB174

5

10

15

LB175

20

25

LB176

30

35

40

LB177

45

50

55

60

65

LB178





LB179

LB180






LB181

79

-continued

**80**

-continued

L_{B182}

5

10

15

L_{B183}

20

25

30

L_{B184}

35

40

L_{B185}

50

55






60

65






L_{B186}L_{B187}L_{B188}L_{B189}L_{B190}

81

-continued

**82**

-continued

L_{B191}

5

10

15

L_{B192}

20

25

30

L_{B193}

35

40

L_{B194}

45

50

L_{B195}

55






60

65





L_{B196}L_{B197}L_{B198}L_{B199}L_{B200}

83

-continued

**84**

-continued

L_{B201}

5

10

L_{B202}

15

20

L_{B203} 25

30

35

L_{B204}

40

45

L_{B205} 50

55





60

65





L_{B206}L_{B207}L_{B208}L_{B209}

85

-continued

**86**

-continued

L_{B210}

5

10

15

L_{B211}

20

25

30

L_{B212}

35

40

45

L_{B213}

50

55





60

65

L_{B214}L_{B215}L_{B216}L_{B217}

87

-continued



LB218

5

10

LB219

15

20

25

LB220

30

35

LB221

40

45

50





55

60

65

88

-continued



LB222





LB223

LB224





LB225

89

-continued

**90**

-continued

L_{B226}

5

10

15

L_{B227}

20

25

30

L_{B228}

35

40

45

L_{B229}

50

55






60

65





L_{B230}L_{B231}L_{B232}L_{B233}

91

-continued

**92**

-continued

L_{B234}

5

10

L_{B235}

15

20

25

L_{B236}

30

35

40

L_{B237}

45

50

L_{B238}

55





60

65

L_{B239}L_{B240}L_{B241}L_{B242}

93

-continued

**94**L_{B243}

5

10

15

L_{B244}

20

25

30

L_{B245}

35

40

45





L_{B246}

50

55





60

65





L_{B247}L_{B248}L_{B249}L_{B250}

95

-continued

**96**

-continued

L_{B251}

5

10

15

L_{B252}

20

25

30

L_{B253}

35

40

45

L_{B254}

50

55





60

65





L_{B255}L_{B256}L_{B257}L_{B258}

97

-continued

**98**

-continued

L_{B259}

5

10

15

L_{B260}

20

25

30

L_{B261}

35

40

L_{B262}

45

50

55




60

65

L_{B263}L_{B264}L_{B265}L_{B266}

99

-continued

**100**

-continued

L_{B267}

5

10

15

L_{B268}

20

25

30

L_{B269}

35

40






45

50

55






60

65





L_{B270}L_{B271}L_{B272}L_{B273}L_{B274}

101

-continued

**102**

-continued

L_{B275}

5

10

L_{B276}

15

20

25

L_{B277}

30

35

L_{B278}

45

50

L_{B279}

55





60

65

L_{B280}L_{B281}L_{B282}L_{B283}

103

-continued

 L_{B284}

5

10

 L_{B285} 15

20

25

 L_{B286}

30

35

40

 L_{B287}

45

50


55

60

65





104

-continued





 L_{B288} L_{B289} L_{B290} L_{B291}

105

-continued

**106**

-continued

 L_{B292}

5

10

15

 L_{B293}

20

25

 L_{B294}

30

35

40

45

 L_{B295}

50

55





60

65

 L_{B296} L_{B297} L_{B298} L_{B299}





107

-continued



108

-continued

 L_{B300}

5

10

15

 L_{B301}

20

25

30

L_{B302}

35

40

L_{B303}

45

50

55





60

65





 L_{B304} L_{B305}L_{B306}L_{B307}

109

-continued

**110**

-continued



LB308

5

10

LB309

20

25

LB310

30

35

40

LB311

45

50

55

60

65

LB312





LB313

LB314

LB315

111

-continued

**112**

-continued

L_{B316}

5

10

15

L_{B317}

20

25

30

L_{B318}

35

40

45





L_{B319}

50

55

60


65

L_{B320}L_{B321}L_{B322}L_{B323}

and

113

-continued




114

and

 L_{B324} each L_{Cj-II} has a structure based on formula

5


10



wherein for each L_{Cj} in L_{Cj-I} and L_{Cj-II} , R^{201} and R^{202} are
 15 each independently defined by the following LIST 8:

wherein each L_{Cj-1} has a structure based on formula

20



25

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1}	R^{D1}	R^{D1}	L_{C193}	R^{D1}	R^{D3}	L_{C385}	R^{D17}	R^{D40}	L_{C577}	R^{D143}	R^{D120}
L_{C2}	R^{D2}	R^{D2}	L_{C194}	R^{D1}	R^{D4}	L_{C386}	R^{D17}	R^{D41}	L_{C578}	R^{D143}	R^{D133}
L_{C3}	R^{D3}	R^{D3}	L_{C195}	R^{D1}	R^{D5}	L_{C387}	R^{D17}	R^{D42}	L_{C579}	R^{D143}	R^{D134}
L_{C4}	R^{D4}	R^{D4}	L_{C196}	R^{D1}	R^{D9}	L_{C388}	R^{D17}	R^{D43}	L_{C580}	R^{D143}	R^{D135}
L_{C5}	R^{D5}	R^{D5}	L_{C197}	R^{D1}	R^{D10}	L_{C389}	R^{D17}	R^{D48}	L_{C581}	R^{D143}	R^{D136}
L_{C6}	R^{D6}	R^{D6}	L_{C198}	R^{D1}	R^{D17}	L_{C390}	R^{D17}	R^{D49}	L_{C582}	R^{D143}	R^{D144}
L_{C7}	R^{D7}	R^{D7}	L_{C199}	R^{D1}	R^{D18}	L_{C391}	R^{D17}	R^{D50}	L_{C583}	R^{D143}	R^{D145}
L_{C8}	R^{D8}	R^{D8}	L_{C200}	R^{D1}	R^{D20}	L_{C392}	R^{D17}	R^{D54}	L_{C584}	R^{D143}	R^{D146}
L_{C9}	R^{D9}	R^{D9}	L_{C201}	R^{D1}	R^{D22}	L_{C393}	R^{D17}	R^{D55}	L_{C585}	R^{D143}	R^{D147}
L_{C10}	R^{D10}	R^{D10}	L_{C202}	R^{D1}	R^{D37}	L_{C394}	R^{D17}	R^{D58}	L_{C586}	R^{D143}	R^{D149}
L_{C11}	R^{D11}	R^{D11}	L_{C203}	R^{D1}	R^{D40}	L_{C395}	R^{D17}	R^{D59}	L_{C587}	R^{D143}	R^{D151}
L_{C12}	R^{D12}	R^{D12}	L_{C204}	R^{D1}	R^{D41}	L_{C396}	R^{D17}	R^{D78}	L_{C588}	R^{D143}	R^{D154}
L_{C13}	R^{D13}	R^{D13}	L_{C205}	R^{D1}	R^{D42}	L_{C397}	R^{D17}	R^{D79}	L_{C589}	R^{D143}	R^{D155}
L_{C14}	R^{D14}	R^{D14}	L_{C206}	R^{D1}	R^{D43}	L_{C398}	R^{D17}	R^{D81}	L_{C590}	R^{D143}	R^{D161}
L_{C15}	R^{D15}	R^{D15}	L_{C207}	R^{D1}	R^{D48}	L_{C399}	R^{D17}	R^{D87}	L_{C591}	R^{D143}	R^{D175}
L_{C16}	R^{D16}	R^{D16}	L_{C208}	R^{D1}	R^{D49}	L_{C400}	R^{D17}	R^{D88}	L_{C592}	R^{D144}	R^{D3}
L_{C17}	R^{D17}	R^{D17}	L_{C209}	R^{D1}	R^{D50}	L_{C401}	R^{D17}	R^{D89}	L_{C593}	R^{D144}	R^{D5}
L_{C18}	R^{D18}	R^{D18}	L_{C210}	R^{D1}	R^{D54}	L_{C402}	R^{D17}	R^{D93}	L_{C594}	R^{D144}	R^{D17}
L_{C19}	R^{D19}	R^{D19}	L_{C211}	R^{D1}	R^{D55}	L_{C403}	R^{D17}	R^{D116}	L_{C595}	R^{D144}	R^{D18}
L_{C20}	R^{D20}	R^{D20}	L_{C212}	R^{D1}	R^{D58}	L_{C404}	R^{D17}	R^{D117}	L_{C596}	R^{D144}	R^{D20}
L_{C21}	R^{D21}	R^{D21}	L_{C213}	R^{D1}	R^{D59}	L_{C405}	R^{D17}	R^{D118}	L_{C597}	R^{D144}	R^{D22}
L_{C22}	R^{D22}	R^{D22}	L_{C214}	R^{D1}	R^{D78}	L_{C406}	R^{D17}	R^{D119}	L_{C598}	R^{D144}	R^{D37}
L_{C23}	R^{D23}	R^{D23}	L_{C215}	R^{D1}	R^{D79}	L_{C407}	R^{D17}	R^{D120}	L_{C599}	R^{D144}	R^{D40}
L_{C24}	R^{D24}	R^{D24}	L_{C216}	R^{D1}	R^{D81}	L_{C408}	R^{D17}	R^{D133}	L_{C600}	R^{D144}	R^{D41}
L_{C25}	R^{D25}	R^{D25}	L_{C217}	R^{D1}	R^{D87}	L_{C409}	R^{D17}	R^{D134}	L_{C601}	R^{D144}	R^{D42}
L_{C26}	R^{D26}	R^{D26}	L_{C218}	R^{D1}	R^{D88}	L_{C410}	R^{D17}	R^{D135}	L_{C602}	R^{D144}	R^{D43}
L_{C27}	R^{D27}	R^{D27}	L_{C219}	R^{D1}	R^{D89}	L_{C411}	R^{D17}	R^{D136}	L_{C603}	R^{D144}	R^{D48}
L_{C28}	R^{D28}	R^{D28}	L_{C220}	R^{D1}	R^{D93}	L_{C412}	R^{D17}	R^{D143}	L_{C604}	R^{D144}	R^{D49}
L_{C29}	R^{D29}	R^{D29}	L_{C221}	R^{D1}	R^{D116}	L_{C413}	R^{D17}	R^{D144}	L_{C605}	R^{D144}	R^{D54}
L_{C30}	R^{D30}	R^{D30}	L_{C222}	R^{D1}	R^{D117}	L_{C414}	R^{D17}	R^{D145}	L_{C606}	R^{D144}	R^{D58}
L_{C31}	R^{D31}	R^{D31}	L_{C223}	R^{D1}	R^{D118}	L_{C415}	R^{D17}	R^{D146}	L_{C607}	R^{D144}	R^{D59}
L_{C32}	R^{D32}	R^{D32}	L_{C224}	R^{D1}	R^{D119}	L_{C416}	R^{D17}	R^{D147}	L_{C608}	R^{D144}	R^{D78}
L_{C33}	R^{D33}	R^{D33}	L_{C225}	R^{D1}	R^{D120}	L_{C417}	R^{D17}	R^{D149}	L_{C609}	R^{D144}	R^{D79}
L_{C34}	R^{D34}	R^{D34}	L_{C226}	R^{D1}	R^{D133}	L_{C418}	R^{D17}	R^{D151}	L_{C610}	R^{D144}	R^{D81}
L_{C35}	R^{D35}	R^{D35}	L_{C227}	R^{D1}	R^{D134}	L_{C419}	R^{D17}	R^{D154}	L_{C611}	R^{D144}	R^{D87}
L_{C36}	R^{D36}	R^{D36}	L_{C228}	R^{D1}	R^{D135}	L_{C420}	R^{D17}	R^{D155}	L_{C612}	R^{D144}	R^{D88}
L_{C37}	R^{D37}	R^{D37}	L_{C229}	R^{D1}	R^{D136}	L_{C421}	R^{D17}	R^{D161}	L_{C613}	R^{D144}	R^{D89}
L_{C38}	R^{D38}	R^{D38}	L_{C230}	R^{D1}	R^{D143}	L_{C422}	R^{D17}	R^{D175}	L_{C614}	R^{D144}	R^{D93}
L_{C39}	R^{D39}	R^{D39}	L_{C231}	R^{D1}	R^{D144}	L_{C423}	R^{D50}	R^{D3}	L_{C615}	R^{D144}	R^{D116}
L_{C40}	R^{D40}	R^{D40}	L_{C232}	R^{D1}	R^{D145}	L_{C424}	R^{D50}	R^{D5}	L_{C616}	R^{D144}	R^{D117}
L_{C41}	R^{D41}	R^{D41}	L_{C233}	R^{D1}	R^{D146}	L_{C425}	R^{D50}	R^{D18}	L_{C617}	R^{D144}	R^{D118}
L_{C42}	R^{D42}	R^{D42}	L_{C234}	R^{D1}	R^{D147}	L_{C426}	R^{D50}	R^{D20}	L_{C618}	R^{D144}	R^{D119}
L_{C43}	R^{D43}	R^{D43}	L_{C235}	R^{D1}	R^{D149}	L_{C427}	R^{D50}	R^{D22}	L_{C619}	R^{D144}	R^{D120}
L_{C44}	R^{D44}	R^{D44}	L_{C236}	R^{D1}	R^{D151}	L_{C428}	R^{D50}	R^{D37}	L_{C620}	R^{D144}	R^{D133}

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C45}	R^{D45}	R^{D45}	L_{C237}	R^{D1}	R^{D154}	L_{C429}	R^{D50}	R^{D40}	L_{C621}	R^{D144}	R^{D134}
L_{C46}	R^{D46}	R^{D46}	L_{C238}	R^{D1}	R^{D155}	L_{C430}	R^{D50}	R^{D41}	L_{C622}	R^{D144}	R^{D135}
L_{C47}	R^{D47}	R^{D47}	L_{C239}	R^{D1}	R^{D161}	L_{C431}	R^{D50}	R^{D42}	L_{C623}	R^{D144}	R^{D136}
L_{C48}	R^{D48}	R^{D48}	L_{C240}	R^{D1}	R^{D175}	L_{C432}	R^{D50}	R^{D43}	L_{C624}	R^{D144}	R^{D145}
L_{C49}	R^{D49}	R^{D49}	L_{C241}	R^{D4}	R^{D3}	L_{C433}	R^{D50}	R^{D48}	L_{C625}	R^{D144}	R^{D146}
L_{C50}	R^{D50}	R^{D50}	L_{C242}	R^{D4}	R^{D5}	L_{C434}	R^{D50}	R^{D49}	L_{C626}	R^{D144}	R^{D147}
L_{C51}	R^{D51}	R^{D51}	L_{C243}	R^{D4}	R^{D9}	L_{C435}	R^{D50}	R^{D54}	L_{C627}	R^{D144}	R^{D149}
L_{C52}	R^{D52}	R^{D52}	L_{C244}	R^{D4}	R^{D10}	L_{C436}	R^{D50}	R^{D55}	L_{C628}	R^{D144}	R^{D151}
L_{C53}	R^{D55}	R^{D55}	L_{C245}	R^{D4}	R^{D17}	L_{C437}	R^{D50}	R^{D58}	L_{C629}	R^{D144}	R^{D154}
L_{C54}	R^{D54}	R^{D54}	L_{C246}	R^{D4}	R^{D18}	L_{C438}	R^{D50}	R^{D59}	L_{C630}	R^{D144}	R^{D155}
L_{C55}	R^{D55}	R^{D55}	L_{C247}	R^{D4}	R^{D20}	L_{C439}	R^{D50}	R^{D78}	L_{C631}	R^{D144}	R^{D161}
L_{C56}	R^{D56}	R^{D56}	L_{C248}	R^{D4}	R^{D22}	L_{C440}	R^{D50}	R^{D79}	L_{C632}	R^{D144}	R^{D175}
L_{C57}	R^{D57}	R^{D57}	L_{C249}	R^{D4}	R^{D37}	L_{C441}	R^{D50}	R^{D81}	L_{C633}	R^{D145}	R^{D3}
L_{C58}	R^{D58}	R^{D58}	L_{C250}	R^{D4}	R^{D40}	L_{C442}	R^{D50}	R^{D87}	L_{C634}	R^{D145}	R^{D5}
L_{C59}	R^{D59}	R^{D59}	L_{C251}	R^{D4}	R^{D41}	L_{C443}	R^{D50}	R^{D88}	L_{C635}	R^{D145}	R^{D17}
L_{C60}	R^{D60}	R^{D60}	L_{C252}	R^{D4}	R^{D42}	L_{C444}	R^{D50}	R^{D89}	L_{C636}	R^{D145}	R^{D18}
L_{C61}	R^{D61}	R^{D61}	L_{C253}	R^{D4}	R^{D43}	L_{C445}	R^{D50}	R^{D93}	L_{C637}	R^{D145}	R^{D20}
L_{C62}	R^{D62}	R^{D62}	L_{C254}	R^{D4}	R^{D48}	L_{C446}	R^{D50}	R^{D116}	L_{C638}	R^{D145}	R^{D22}
L_{C63}	R^{D63}	R^{D63}	L_{C255}	R^{D4}	R^{D49}	L_{C447}	R^{D50}	R^{D117}	L_{C639}	R^{D145}	R^{D37}
L_{C64}	R^{D64}	R^{D64}	L_{C256}	R^{D4}	R^{D50}	L_{C448}	R^{D50}	R^{D118}	L_{C640}	R^{D145}	R^{D40}
L_{C65}	R^{D65}	R^{D65}	L_{C257}	R^{D4}	R^{D54}	L_{C449}	R^{D50}	R^{D119}	L_{C641}	R^{D145}	R^{D41}
L_{C66}	R^{D66}	R^{D66}	L_{C258}	R^{D4}	R^{D55}	L_{C450}	R^{D50}	R^{D120}	L_{C642}	R^{D145}	R^{D42}
L_{C67}	R^{D67}	R^{D67}	L_{C259}	R^{D4}	R^{D58}	L_{C451}	R^{D50}	R^{D133}	L_{C643}	R^{D145}	R^{D43}
L_{C68}	R^{D68}	R^{D68}	L_{C260}	R^{D4}	R^{D59}	L_{C452}	R^{D50}	R^{D134}	L_{C644}	R^{D145}	R^{D48}
L_{C69}	R^{D69}	R^{D69}	L_{C261}	R^{D4}	R^{D78}	L_{C453}	R^{D50}	R^{D135}	L_{C645}	R^{D145}	R^{D49}
L_{C70}	R^{D70}	R^{D70}	L_{C262}	R^{D4}	R^{D79}	L_{C454}	R^{D50}	R^{D136}	L_{C646}	R^{D145}	R^{D54}
L_{C71}	R^{D71}	R^{D71}	L_{C263}	R^{D4}	R^{D81}	L_{C455}	R^{D50}	R^{D143}	L_{C647}	R^{D145}	R^{D58}
L_{C72}	R^{D72}	R^{D72}	L_{C264}	R^{D4}	R^{D87}	L_{C456}	R^{D50}	R^{D144}	L_{C648}	R^{D145}	R^{D59}
L_{C73}	R^{D73}	R^{D73}	L_{C265}	R^{D4}	R^{D88}	L_{C457}	R^{D50}	R^{D145}	L_{C649}	R^{D145}	R^{D78}
L_{C74}	R^{D74}	R^{D74}	L_{C266}	R^{D4}	R^{D89}	L_{C458}	R^{D50}	R^{D146}	L_{C650}	R^{D145}	R^{D79}
L_{C75}	R^{D75}	R^{D75}	L_{C267}	R^{D4}	R^{D93}	L_{C459}	R^{D50}	R^{D147}	L_{C651}	R^{D145}	R^{D81}
L_{C76}	R^{D76}	R^{D76}	L_{C268}	R^{D4}	R^{D116}	L_{C460}	R^{D50}	R^{D149}	L_{C652}	R^{D145}	R^{D87}
L_{C77}	R^{D77}	R^{D77}	L_{C269}	R^{D4}	R^{D117}	L_{C461}	R^{D50}	R^{D151}	L_{C653}	R^{D145}	R^{D88}
L_{C78}	R^{D78}	R^{D78}	L_{C270}	R^{D4}	R^{D118}	L_{C462}	R^{D50}	R^{D154}	L_{C654}	R^{D145}	R^{D89}
L_{C79}	R^{D79}	R^{D79}	L_{C271}	R^{D4}	R^{D119}	L_{C463}	R^{D50}	R^{D155}	L_{C655}	R^{D145}	R^{D93}
L_{C80}	R^{D80}	R^{D80}	L_{C272}	R^{D4}	R^{D120}	L_{C464}	R^{D50}	R^{D161}	L_{C656}	R^{D145}	R^{D116}
L_{C81}	R^{D81}	R^{D81}	L_{C273}	R^{D4}	R^{D133}	L_{C465}	R^{D50}	R^{D175}	L_{C657}	R^{D145}	R^{D117}
L_{C82}	R^{D82}	R^{D82}	L_{C274}	R^{D4}	R^{D134}	L_{C466}	R^{D55}	R^{D3}	L_{C658}	R^{D145}	R^{D118}
L_{C83}	R^{D83}	R^{D83}	L_{C275}	R^{D4}	R^{D135}	L_{C467}	R^{D55}	R^{D5}	L_{C659}	R^{D145}	R^{D119}
L_{C84}	R^{D84}	R^{D84}	L_{C276}	R^{D4}	R^{D136}	L_{C468}	R^{D55}	R^{D18}	L_{C660}	R^{D145}	R^{D120}
L_{C85}	R^{D85}	R^{D85}	L_{C277}	R^{D4}	R^{D143}	L_{C469}	R^{D55}	R^{D20}	L_{C661}	R^{D145}	R^{D133}
L_{C86}	R^{D86}	R^{D86}	L_{C278}	R^{D4}	R^{D144}	L_{C470}	R^{D55}	R^{D22}	L_{C662}	R^{D145}	R^{D134}
L_{C87}	R^{D87}	R^{D87}	L_{C279}	R^{D4}	R^{D145}	L_{C471}	R^{D55}	R^{D37}	L_{C663}	R^{D145}	R^{D135}
L_{C88}	R^{D88}	R^{D88}	L_{C280}	R^{D4}	R^{D146}	L_{C472}	R^{D55}	R^{D40}	L_{C664}	R^{D145}	R^{D136}
L_{C89}	R^{D89}	R^{D89}	L_{C281}	R^{D4}	R^{D147}	L_{C473}	R^{D55}	R^{D41}	L_{C665}	R^{D145}	R^{D146}
L_{C90}	R^{D90}	R^{D90}	L_{C282}	R^{D4}	R^{D149}	L_{C474}	R^{D55}	R^{D42}	L_{C666}	R^{D145}	R^{D147}
L_{C91}	R^{D91}	R^{D91}	L_{C283}	R^{D4}	R^{D151}	L_{C475}	R^{D55}	R^{D43}	L_{C667}	R^{D145}	R^{D149}
L_{C92}	R^{D92}	R^{D92}	L_{C284}	R^{D4}	R^{D154}	L_{C476}	R^{D55}	R^{D48}	L_{C668}	R^{D145}	R^{D151}
L_{C93}	R^{D93}	R^{D93}	L_{C285}	R^{D4}	R^{D155}	L_{C477}	R^{D55}	R^{D49}	L_{C669}	R^{D145}	R^{D154}
L_{C94}	R^{D94}	R^{D94}	L_{C286}	R^{D4}	R^{D161}	L_{C478}	R^{D55}	R^{D54}	L_{C670}	R^{D145}	R^{D155}
L_{C95}	R^{D95}	R^{D95}	L_{C287}	R^{D4}	R^{D175}	L_{C479}	R^{D55}	R^{D58}	L_{C671}	R^{D145}	R^{D161}
L_{C96}	R^{D96}	R^{D96}	L_{C288}	R^{D9}	R^{D3}	L_{C480}	R^{D55}	R^{D59}	L_{C672}	R^{D145}	R^{D175}
L_{C97}	R^{D97}	R^{D97}	L_{C289}	R^{D9}	R^{D5}	L_{C481}	R^{D55}	R^{D78}	L_{C673}	R^{D146}	R^{D3}
L_{C98}	R^{D98}	R^{D98}	L_{C290}	R^{D9}	R^{D10}	L_{C482}	R^{D55}	R^{D79}	L_{C674}	R^{D146}	R^{D5}
L_{C99}	R^{D99}	R^{D99}	L_{C291}	R^{D9}	R^{D17}	L_{C483}	R^{D55}	R^{D81}	L_{C675}	R^{D146}	R^{D17}
L_{C100}	R^{D100}	R^{D100}	L_{C292}	R^{D9}	R^{D18}	L_{C484}	R^{D55}	R^{D87}	L_{C676}	R^{D146}	R^{D18}
L_{C101}	R^{D101}	R^{D101}	L_{C293}	R^{D9}	R^{D20}	L_{C485}	R^{D55}	R^{D88}	L_{C677}	R^{D146}	R^{D20}
L_{C102}	R^{D102}	R^{D102}	L_{C294}	R^{D9}	R^{D22}	L_{C486}	R^{D55}	R^{D89}	L_{C678}	R^{D146}	R^{D22}
L_{C103}	R^{D103}	R^{D103}	L_{C295}	R^{D9}	R^{D37}	L_{C487}	R^{D55}	R^{D93}	L_{C679}	R^{D146}	R^{D37}
L_{C104}	R^{D104}	R^{D104}	L_{C296}	R^{D9}	R^{D40}	L_{C488}	R^{D55}	R^{D116}	L_{C680}	R^{D146}	R^{D40}
L_{C105}	R^{D105}	R^{D105}	L_{C297}	R^{D9}	R^{D41}	L_{C489}	R^{D55}	R^{D117}	L_{C681}	R^{D146}	R^{D41}
L_{C106}	R^{D106}	R^{D106}	L_{C298}	R^{D9}	R^{D42}	L_{C490}	R^{D55}	R^{D118}	L_{C682}	R^{D146}	R^{D42}
L_{C107}	R^{D107}	R^{D107}	L_{C299}	R^{D9}	R^{D43}	L_{C491}	R^{D55}	R^{D119}	L_{C683}	R^{D146}	R^{D43}
L_{C108}	R^{D108}	R^{D108}	L_{C300}	R^{D9}	R^{D48}	L_{C492}	R^{D55}	R^{D120}	L_{C684}	R^{D146}	R^{D48}
L_{C109}	R^{D109}	R^{D109}	L_{C301}	R^{D9}	R^{D49}	L_{C493}	R^{D55}	R^{D133}	L_{C685}	R^{D146}	R^{D49}
L_{C110}	R^{D110}	R^{D110}	L_{C302}	R^{D9}	R^{D50}	L_{C494}	R^{D55}	R^{D134}	L_{C686}	R^{D146}	R^{D54}
L_{C111}	R^{D111}	R^{D111}	L_{C303}	R^{D9}	R^{D54}	L_{C495}	R^{D55}	R^{D135}	L_{C687}	R^{D146}	R^{D58}
L_{C112}	R^{D112}	R^{D112}	L_{C304}	R^{D9}	R^{D55}	L_{C496}	R^{D55}	R^{D136}	L_{C688}	R^{D146}	R^{D59}
L_{C113}	R^{D113}	R^{D113}	L_{C305}	R^{D9}	R^{D58}	L_{C497}	R^{D55}	R^{D143}	L_{C689}	R^{D146}	R^{D78}
L_{C114}	R^{D114}	R^{D114}	L_{C306}	R^{D9}	R^{D59}	L_{C498}	R^{D55}	R^{D144}	L_{C690}	R^{D146}	R^{D79}
L_{C115}	R^{D115}	R^{D115}	L_{C307}	R^{D9}	R^{D78}	L_{C499}	R^{D55}	R^{D145}	L_{C691}	R^{D146}	R^{D81}
L_{C116}	R^{D116}	R^{D116}	L_{C308}	R^{D9}	R^{D79}	L_{C500}	R^{D55}	R^{D146}	L_{C692}	R^{D146}	R^{D87}
L_{C117}	R^{D117}	R^{D117}	L_{C309}	R^{D9}	R^{D81}	L_{C501}	R^{D55}	R^{D14			

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C122}	R^{D122}	R^{D122}	L_{C314}	R^{D9}	R^{D116}	L_{C506}	R^{D55}	R^{D161}	L_{C698}	R^{D146}	R^{D119}
L_{C123}	R^{D123}	R^{D123}	L_{C315}	R^{D9}	R^{D117}	L_{C507}	R^{D55}	R^{D175}	L_{C699}	R^{D146}	R^{D120}
L_{C124}	R^{D124}	R^{D124}	L_{C316}	R^{D9}	R^{D118}	L_{C508}	R^{D116}	R^{D3}	L_{C700}	R^{D146}	R^{D133}
L_{C125}	R^{D125}	R^{D125}	L_{C317}	R^{D9}	R^{D119}	L_{C509}	R^{D116}	R^{D5}	L_{C701}	R^{D146}	R^{D134}
L_{C126}	R^{D126}	R^{D126}	L_{C318}	R^{D9}	R^{D120}	L_{C510}	R^{D116}	R^{D17}	L_{C702}	R^{D146}	R^{D135}
L_{C127}	R^{D127}	R^{D127}	L_{C319}	R^{D9}	R^{D133}	L_{C511}	R^{D116}	R^{D18}	L_{C703}	R^{D146}	R^{D136}
L_{C128}	R^{D128}	R^{D128}	L_{C320}	R^{D9}	R^{D134}	L_{C512}	R^{D116}	R^{D20}	L_{C704}	R^{D146}	R^{D146}
L_{C129}	R^{D129}	R^{D129}	L_{C321}	R^{D9}	R^{D135}	L_{C513}	R^{D116}	R^{D22}	L_{C705}	R^{D146}	R^{D147}
L_{C130}	R^{D130}	R^{D130}	L_{C322}	R^{D9}	R^{D136}	L_{C514}	R^{D116}	R^{D37}	L_{C706}	R^{D146}	R^{D149}
L_{C131}	R^{D131}	R^{D131}	L_{C323}	R^{D9}	R^{D143}	L_{C515}	R^{D116}	R^{D40}	L_{C707}	R^{D146}	R^{D151}
L_{C132}	R^{D132}	R^{D132}	L_{C324}	R^{D9}	R^{D144}	L_{C516}	R^{D116}	R^{D41}	L_{C708}	R^{D146}	R^{D154}
L_{C133}	R^{D133}	R^{D133}	L_{C325}	R^{D9}	R^{D145}	L_{C517}	R^{D116}	R^{D42}	L_{C709}	R^{D146}	R^{D155}
L_{C134}	R^{D134}	R^{D134}	L_{C326}	R^{D9}	R^{D146}	L_{C518}	R^{D116}	R^{D43}	L_{C710}	R^{D146}	R^{D161}
L_{C135}	R^{D135}	R^{D135}	L_{C327}	R^{D9}	R^{D147}	L_{C519}	R^{D116}	R^{D48}	L_{C711}	R^{D146}	R^{D175}
L_{C136}	R^{D136}	R^{D136}	L_{C328}	R^{D9}	R^{D149}	L_{C520}	R^{D116}	R^{D49}	L_{C712}	R^{D133}	R^{D3}
L_{C137}	R^{D137}	R^{D137}	L_{C329}	R^{D9}	R^{D151}	L_{C521}	R^{D116}	R^{D54}	L_{C713}	R^{D133}	R^{D5}
L_{C138}	R^{D138}	R^{D138}	L_{C330}	R^{D9}	R^{D154}	L_{C522}	R^{D116}	R^{D58}	L_{C714}	R^{D133}	R^{D3}
L_{C139}	R^{D139}	R^{D139}	L_{C331}	R^{D9}	R^{D155}	L_{C523}	R^{D116}	R^{D59}	L_{C715}	R^{D133}	R^{D18}
L_{C140}	R^{D140}	R^{D140}	L_{C332}	R^{D9}	R^{D161}	L_{C524}	R^{D116}	R^{D78}	L_{C716}	R^{D133}	R^{D20}
L_{C141}	R^{D141}	R^{D141}	L_{C333}	R^{D9}	R^{D175}	L_{C525}	R^{D116}	R^{D79}	L_{C717}	R^{D133}	R^{D22}
L_{C142}	R^{D142}	R^{D142}	L_{C334}	R^{D10}	R^{D3}	L_{C526}	R^{D116}	R^{D81}	L_{C718}	R^{D133}	R^{D37}
L_{C143}	R^{D143}	R^{D143}	L_{C335}	R^{D10}	R^{D5}	L_{C527}	R^{D116}	R^{D87}	L_{C719}	R^{D133}	R^{D40}
L_{C144}	R^{D144}	R^{D144}	L_{C336}	R^{D10}	R^{D17}	L_{C528}	R^{D116}	R^{D88}	L_{C720}	R^{D133}	R^{D41}
L_{C145}	R^{D145}	R^{D145}	L_{C337}	R^{D10}	R^{D18}	L_{C529}	R^{D116}	R^{D89}	L_{C721}	R^{D133}	R^{D42}
L_{C146}	R^{D146}	R^{D146}	L_{C338}	R^{D10}	R^{D20}	L_{C530}	R^{D116}	R^{D95}	L_{C722}	R^{D133}	R^{D43}
L_{C147}	R^{D147}	R^{D147}	L_{C339}	R^{D10}	R^{D22}	L_{C531}	R^{D116}	R^{D117}	L_{C723}	R^{D133}	R^{D48}
L_{C148}	R^{D148}	R^{D148}	L_{C340}	R^{D10}	R^{D37}	L_{C532}	R^{D116}	R^{D118}	L_{C724}	R^{D133}	R^{D49}
L_{C149}	R^{D149}	R^{D149}	L_{C341}	R^{D10}	R^{D40}	L_{C533}	R^{D116}	R^{D119}	L_{C725}	R^{D133}	R^{D54}
L_{C150}	R^{D150}	R^{D150}	L_{C342}	R^{D10}	R^{D41}	L_{C534}	R^{D116}	R^{D120}	L_{C726}	R^{D133}	R^{D58}
L_{C151}	R^{D151}	R^{D151}	L_{C343}	R^{D10}	R^{D42}	L_{C535}	R^{D116}	R^{D133}	L_{C727}	R^{D133}	R^{D59}
L_{C152}	R^{D152}	R^{D152}	L_{C344}	R^{D10}	R^{D43}	L_{C536}	R^{D116}	R^{D134}	L_{C728}	R^{D133}	R^{D78}
L_{C153}	R^{D153}	R^{D153}	L_{C345}	R^{D10}	R^{D48}	L_{C537}	R^{D116}	R^{D135}	L_{C729}	R^{D133}	R^{D79}
L_{C154}	R^{D154}	R^{D154}	L_{C346}	R^{D10}	R^{D49}	L_{C538}	R^{D116}	R^{D136}	L_{C730}	R^{D133}	R^{D81}
L_{C155}	R^{D155}	R^{D155}	L_{C347}	R^{D10}	R^{D50}	L_{C539}	R^{D116}	R^{D143}	L_{C731}	R^{D133}	R^{D87}
L_{C156}	R^{D156}	R^{D156}	L_{C348}	R^{D10}	R^{D54}	L_{C540}	R^{D116}	R^{D144}	L_{C732}	R^{D133}	R^{D88}
L_{C157}	R^{D157}	R^{D157}	L_{C349}	R^{D10}	R^{D55}	L_{C541}	R^{D116}	R^{D145}	L_{C733}	R^{D133}	R^{D89}
L_{C158}	R^{D158}	R^{D158}	L_{C350}	R^{D10}	R^{D58}	L_{C542}	R^{D116}	R^{D146}	L_{C734}	R^{D133}	R^{D93}
L_{C159}	R^{D159}	R^{D159}	L_{C351}	R^{D10}	R^{D59}	L_{C543}	R^{D116}	R^{D147}	L_{C735}	R^{D133}	R^{D117}
L_{C160}	R^{D160}	R^{D160}	L_{C352}	R^{D10}	R^{D78}	L_{C544}	R^{D116}	R^{D149}	L_{C736}	R^{D133}	R^{D118}
L_{C161}	R^{D161}	R^{D161}	L_{C353}	R^{D10}	R^{D79}	L_{C545}	R^{D116}	R^{D151}	L_{C737}	R^{D133}	R^{D119}
L_{C162}	R^{D162}	R^{D162}	L_{C354}	R^{D10}	R^{D81}	L_{C546}	R^{D116}	R^{D154}	L_{C738}	R^{D133}	R^{D120}
L_{C163}	R^{D163}	R^{D163}	L_{C355}	R^{D10}	R^{D87}	L_{C547}	R^{D116}	R^{D155}	L_{C739}	R^{D133}	R^{D133}
L_{C164}	R^{D164}	R^{D164}	L_{C356}	R^{D10}	R^{D88}	L_{C548}	R^{D116}	R^{D161}	L_{C740}	R^{D133}	R^{D134}
L_{C165}	R^{D165}	R^{D165}	L_{C357}	R^{D10}	R^{D89}	L_{C549}	R^{D116}	R^{D175}	L_{C741}	R^{D133}	R^{D135}
L_{C166}	R^{D166}	R^{D166}	L_{C358}	R^{D10}	R^{D93}	L_{C550}	R^{D143}	R^{D3}	L_{C742}	R^{D133}	R^{D136}
L_{C167}	R^{D167}	R^{D167}	L_{C359}	R^{D10}	R^{D116}	L_{C551}	R^{D143}	R^{D5}	L_{C743}	R^{D133}	R^{D146}
L_{C168}	R^{D168}	R^{D168}	L_{C360}	R^{D10}	R^{D117}	L_{C552}	R^{D143}	R^{D17}	L_{C744}	R^{D133}	R^{D147}
L_{C169}	R^{D169}	R^{D169}	L_{C361}	R^{D10}	R^{D118}	L_{C553}	R^{D143}	R^{D18}	L_{C745}	R^{D133}	R^{D149}
L_{C170}	R^{D170}	R^{D170}	L_{C362}	R^{D10}	R^{D119}	L_{C554}	R^{D143}	R^{D20}	L_{C746}	R^{D133}	R^{D151}
L_{C171}	R^{D171}	R^{D171}	L_{C363}	R^{D10}	R^{D120}	L_{C555}	R^{D143}	R^{D22}	L_{C747}	R^{D133}	R^{D154}
L_{C172}	R^{D172}	R^{D172}	L_{C364}	R^{D10}	R^{D133}	L_{C556}	R^{D143}	R^{D37}	L_{C748}	R^{D133}	R^{D155}
L_{C173}	R^{D173}	R^{D173}	L_{C365}	R^{D10}	R^{D134}	L_{C557}	R^{D143}	R^{D40}	L_{C749}	R^{D133}	R^{D161}
L_{C174}	R^{D174}	R^{D174}	L_{C366}	R^{D10}	R^{D135}	L_{C558}	R^{D143}	R^{D41}	L_{C750}	R^{D133}	R^{D175}
L_{C175}	R^{D175}	R^{D175}	L_{C367}	R^{D10}	R^{D136}	L_{C559}	R^{D143}	R^{D42}	L_{C751}	R^{D175}	R^{D3}
L_{C176}	R^{D176}	R^{D176}	L_{C368}	R^{D10}	R^{D143}	L_{C560}	R^{D143}	R^{D43}	L_{C752}	R^{D175}	R^{D5}
L_{C177}	R^{D177}	R^{D177}	L_{C369}	R^{D10}	R^{D144}	L_{C561}	R^{D143}	R^{D48}	L_{C753}	R^{D175}	R^{D18}
L_{C178}	R^{D178}	R^{D178}	L_{C370}	R^{D10}	R^{D145}	L_{C562}	R^{D143}	R^{D49}	L_{C754}	R^{D175}	R^{D20}
L_{C179}	R^{D179}	R^{D179}	L_{C371}	R^{D10}	R^{D146}	L_{C563}	R^{D143}	R^{D54}	L_{C755}	R^{D175}	R^{D22}
L_{C180}	R^{D180}	R^{D180}	L_{C372}	R^{D10}	R^{D147}	L_{C564}	R^{D143}	R^{D58}	L_{C756}	R^{D175}	R^{D37}
L_{C181}	R^{D181}	R^{D181}	L_{C373}	R^{D10}	R^{D149}	L_{C565}	R^{D143}	R^{D59}	L_{C757}	R^{D175}	R^{D40}
L_{C182}	R^{D182}	R^{D182}	L_{C374}	R^{D10}	R^{D151}	L_{C566}	R^{D143}	R^{D78}	L_{C758}	R^{D175}	R^{D41}
L_{C183}	R^{D183}	R^{D183}	L_{C375}	R^{D10}	R^{D154}	L_{C567}	R^{D143}	R^{D79}	L_{C759}	R^{D175}	R^{D42}
L_{C184}	R^{D184}	R^{D184}	L_{C376}	R^{D10}	R^{D155}	L_{C568}	R^{D143}	R^{D81}	L_{C760}	R^{D175}	R^{D43}
L_{C185}	R^{D185}	R^{D185}	L_{C377}	R^{D10}	R^{D161}	L_{C569}	R^{D143}	R^{D87}	L_{C761}	R^{D175}	R^{D48}
L_{C186}	R^{D186}	R^{D186}	L_{C378}	R^{D10}	R^{D175}	L_{C570}	R^{D143}	R^{D88}	L_{C762}	R^{D175}	R^{D49}
L_{C187}	R^{D187}	R^{D187}	L_{C379}	R^{D17}	R^{D3}	L_{C571}	R^{D143}	R^{D89}	L_{C763}	R^{D175}	R^{D54}
L_{C188}	R^{D188}	R^{D188}	L_{C380}	R^{D17}	R^{D5}	L_{C572}	R^{D143}	R^{D93}	L_{C764}	R^{D175}	R^{D58}
L_{C189}	R^{D189}	R^{D189}	L_{C381}	R^{D17}	R^{D18}	L_{C573}	R^{D143}	R^{D116}	L_{C765}	R^{D175}	R^{D59}
L_{C190}	R^{D190}	R^{D190}	L_{C382}	R^{D17}	R^{D20}	L_{C574}	R^{D143}	R^{D117}	L_{C766}	R^{D175}	R^{D78}
L_{C191}	R^{D191}	R^{D191}	L_{C383}	R^{D17}	R^{D22}	L_{C575}	R^{D143}	R^{D118}	L_{C767}	R^{D175}	R^{D79}
L_{C192}	R^{D192}	R^{D192}	L_{C384}	R^{D17}	R^{D37}	L_{C576}	R^{D143}	R^{D119}	L_{C768}	R^{D175}	$R^{D81}</$

L_G	R^{201}	R^{202}	L_G	R^{201}	R^{202}	L_G	R^{201}	R^{202}	L_G	R^{201}	R^{202}
L_{C775}	R^{D199}	R^{D199}	L_{C883}	R^{D1}	R^{D199}	L_{C991}	R^{D4}	R^{D199}	L_{C1099}	R^{D9}	R^{D199}
L_{C776}	R^{D200}	R^{D200}	L_{C884}	R^{D1}	R^{D200}	L_{C992}	R^{D4}	R^{D200}	L_{C1100}	R^{D9}	R^{D200}
L_{C777}	R^{D201}	R^{D201}	L_{C885}	R^{D1}	R^{D201}	L_{C993}	R^{D4}	R^{D201}	L_{C1101}	R^{D9}	R^{D201}
L_{C778}	R^{D202}	R^{D202}	L_{C886}	R^{D1}	R^{D202}	L_{C994}	R^{D4}	R^{D202}	L_{C1102}	R^{D9}	R^{D202}
L_{C779}	R^{D203}	R^{D203}	L_{C887}	R^{D1}	R^{D203}	L_{C995}	R^{D4}	R^{D203}	L_{C1103}	R^{D9}	R^{D203}
L_{C780}	R^{D204}	R^{D204}	L_{C888}	R^{D1}	R^{D204}	L_{C996}	R^{D4}	R^{D204}	L_{C1104}	R^{D9}	R^{D204}
L_{C781}	R^{D205}	R^{D205}	L_{C889}	R^{D1}	R^{D205}	L_{C997}	R^{D4}	R^{D205}	L_{C1105}	R^{D9}	R^{D205}
L_{C782}	R^{D206}	R^{D206}	L_{C890}	R^{D1}	R^{D206}	L_{C998}	R^{D4}	R^{D206}	L_{C1106}	R^{D9}	R^{D206}
L_{C783}	R^{D207}	R^{D207}	L_{C891}	R^{D1}	R^{D207}	L_{C999}	R^{D4}	R^{D207}	L_{C1107}	R^{D9}	R^{D207}
L_{C784}	R^{D208}	R^{D208}	L_{C892}	R^{D1}	R^{D208}	L_{C1000}	R^{D4}	R^{D208}	L_{C1108}	R^{D9}	R^{D208}
L_{C785}	R^{D209}	R^{D209}	L_{C893}	R^{D1}	R^{D209}	L_{C1001}	R^{D4}	R^{D209}	L_{C1109}	R^{D9}	R^{D209}
L_{C786}	R^{D210}	R^{D210}	L_{C894}	R^{D1}	R^{D210}	L_{C1002}	R^{D4}	R^{D210}	L_{C1110}	R^{D9}	R^{D210}
L_{C787}	R^{D211}	R^{D211}	L_{C895}	R^{D1}	R^{D211}	L_{C1003}	R^{D4}	R^{D211}	L_{C1111}	R^{D9}	R^{D211}
L_{C788}	R^{D212}	R^{D212}	L_{C896}	R^{D1}	R^{D212}	L_{C1004}	R^{D4}	R^{D212}	L_{C1112}	R^{D9}	R^{D212}
L_{C789}	R^{D213}	R^{D213}	L_{C897}	R^{D1}	R^{D213}	L_{C1005}	R^{D4}	R^{D213}	L_{C1113}	R^{D9}	R^{D213}
L_{C790}	R^{D214}	R^{D214}	L_{C898}	R^{D1}	R^{D214}	L_{C1006}	R^{D4}	R^{D214}	L_{C1114}	R^{D9}	R^{D214}
L_{C791}	R^{D215}	R^{D215}	L_{C899}	R^{D1}	R^{D215}	L_{C1007}	R^{D4}	R^{D215}	L_{C1115}	R^{D9}	R^{D215}
L_{C792}	R^{D216}	R^{D216}	L_{C900}	R^{D1}	R^{D216}	L_{C1008}	R^{D4}	R^{D216}	L_{C1116}	R^{D9}	R^{D216}
L_{C793}	R^{D217}	R^{D217}	L_{C901}	R^{D1}	R^{D217}	L_{C1009}	R^{D4}	R^{D217}	L_{C1117}	R^{D9}	R^{D217}
L_{C794}	R^{D218}	R^{D218}	L_{C902}	R^{D1}	R^{D218}	L_{C1010}	R^{D4}	R^{D218}	L_{C1118}	R^{D9}	R^{D218}
L_{C795}	R^{D219}	R^{D219}	L_{C903}	R^{D1}	R^{D219}	L_{C1011}	R^{D4}	R^{D219}	L_{C1119}	R^{D9}	R^{D219}
L_{C796}	R^{D220}	R^{D220}	L_{C904}	R^{D1}	R^{D220}	L_{C1012}	R^{D4}	R^{D220}	L_{C1120}	R^{D9}	R^{D220}
L_{C797}	R^{D221}	R^{D221}	L_{C905}	R^{D1}	R^{D221}	L_{C1013}	R^{D4}	R^{D221}	L_{C1121}	R^{D9}	R^{D221}
L_{C798}	R^{D222}	R^{D222}	L_{C906}	R^{D1}	R^{D222}	L_{C1					

L_Q	R^{201}	R^{202}	L_Q	R^{201}	R^{202}	L_Q	R^{201}	R^{202}	L_Q	R^{201}	R^{202}
L_{C852}	R^{D17}	R^{D222}	L_{C960}	R^{D50}	R^{D222}	L_{C1068}	R^{D145}	R^{D222}	L_{C1176}	R^{D168}	R^{D222}
L_{C853}	R^{D17}	R^{D223}	L_{C961}	R^{D50}	R^{D223}	L_{C1069}	R^{D145}	R^{D223}	L_{C1177}	R^{D168}	R^{D223}
L_{C854}	R^{D17}	R^{D224}	L_{C962}	R^{D50}	R^{D224}	L_{C1070}	R^{D145}	R^{D224}	L_{C1178}	R^{D168}	R^{D224}
L_{C855}	R^{D17}	R^{D225}	L_{C963}	R^{D50}	R^{D225}	L_{C1071}	R^{D145}	R^{D225}	L_{C1179}	R^{D168}	R^{D225}
L_{C856}	R^{D17}	R^{D226}	L_{C964}	R^{D50}	R^{D226}	L_{C1072}	R^{D145}	R^{D226}	L_{C1180}	R^{D168}	R^{D226}
L_{C857}	R^{D17}	R^{D227}	L_{C965}	R^{D50}	R^{D227}	L_{C1073}	R^{D145}	R^{D227}	L_{C1181}	R^{D168}	R^{D227}
L_{C858}	R^{D17}	R^{D228}	L_{C966}	R^{D50}	R^{D228}	L_{C1074}	R^{D145}	R^{D228}	L_{C1182}	R^{D168}	R^{D228}
L_{C859}	R^{D17}	R^{D229}	L_{C967}	R^{D50}	R^{D229}	L_{C1075}	R^{D145}	R^{D229}	L_{C1183}	R^{D168}	R^{D229}
L_{C860}	R^{D17}	R^{D230}	L_{C968}	R^{D50}	R^{D230}	L_{C1076}	R^{D145}	R^{D230}	L_{C1184}	R^{D168}	R^{D230}
L_{C861}	R^{D17}	R^{D231}	L_{C969}	R^{D50}	R^{D231}	L_{C1077}	R^{D145}	R^{D231}	L_{C1185}	R^{D168}	R^{D231}
L_{C862}	R^{D17}	R^{D232}	L_{C970}	R^{D50}	R^{D232}	L_{C1078}	R^{D145}	R^{D232}	L_{C1186}	R^{D168}	R^{D232}
L_{C863}	R^{D17}	R^{D233}	L_{C971}	R^{D50}	R^{D233}	L_{C1079}	R^{D145}	R^{D233}	L_{C1187}	R^{D168}	R^{D233}
L_{C864}	R^{D17}	R^{D234}	L_{C972}	R^{D50}	R^{D234}	L_{C1080}	R^{D145}	R^{D234}	L_{C1188}	R^{D168}	R^{D234}
L_{C865}	R^{D17}	R^{D235}	L_{C973}	R^{D50}	R^{D235}	L_{C1081}	R^{D145}	R^{D235}	L_{C1189}	R^{D168}	R^{D235}
L_{C866}	R^{D17}	R^{D236}	L_{C974}	R^{D50}	R^{D236}	L_{C1082}	R^{D145}	R^{D236}	L_{C1190}	R^{D168}	R^{D236}
L_{C867}	R^{D17}	R^{D237}	L_{C975}	R^{D50}	R^{D237}	L_{C1083}	R^{D145}	R^{D237}	L_{C1191}	R^{D168}	R^{D237}
L_{C868}	R^{D17}	R^{D238}	L_{C976}	R^{D50}	R^{D238}	L_{C1084}	R^{D145}	R^{D238}	L_{C1192}	R^{D168}	R^{D238}
L_{C869}	R^{D17}	R^{D239}	L_{C977}	R^{D50}	R^{D239}	L_{C1085}	R^{D145}	R^{D239}	L_{C1193}	R^{D168}	R^{D239}
L_{C870}	R^{D17}	R^{D240}	L_{C978}	R^{D50}	R^{D240}	L_{C1086}	R^{D145}	R^{D240}	L_{C1194}	R^{D168}	R^{D240}
L_{C871}	R^{D17}	R^{D241}	L_{C979}	R^{D50}	R^{D241}	L_{C1087}	R^{D145}	R^{D241}	L_{C1195}	R^{D168}	R^{D241}
L_{C872}	R^{D17}	R^{D242}	L_{C980}	R^{D50}	R^{D242}	L_{C1088}	R^{D145}	R^{D242}	L_{C1196}	R^{D168}	R^{D242}
L_{C873}	R^{D17}	R^{D243}	L_{C981}	R^{D50}	R^{D243}	L_{C1089}	R^{D145}	R^{D243}	L_{C1197}	R^{D168}	R^{D243}
L_{C874}	R^{D17}	R^{D244}	L_{C982}	R^{D50}	R^{D244}	L_{C1090}	R^{D145}	R^{D244}	L_{C1198}	R^{D168}	R^{D

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1253}	R^{D10}	R^{D245}	L_{C1307}	R^{D55}	R^{D245}	L_{C1361}	R^{D37}	R^{D245}	L_{C1415}	R^{D143}	R^{D245}
L_{C1254}	R^{D10}	R^{D246}	L_{C1308}	R^{D55}	R^{D246}	L_{C1362}	R^{D37}	R^{D246}	L_{C1416}	R^{D143}	R^{D246}

wherein R^{D1} to R^{D246} have the structures in the following
LIST 9:

10

 $\mathbb{R}^{D1}$ R^{D2} 15 $\mathbb{R}^{D3}$ R^{D4} 20 $\mathbb{R}^{D5}$ $\mathbb{R}^{D6}$ R^{D7} 30 $\mathbb{R}^{D8}$ $\mathbb{R}^{D9}$ $\mathbb{R}^{D10}$ R^{D12} 50 $\mathbb{R}^{D13}$ $\mathbb{R}^{D14}$

60

 $\mathbb{R}^{D16}$














65

-continued

 R^{D17} R^{D18} R^{D19} $\mathbb{R}^{D20}$ $\mathbb{R}^{D21}$ $\mathbb{R}^{D22}$ $\mathbb{R}^{D23}$ R^{D24} $\mathbb{R}^{D25}$ R^{D26} R^{D27} $\mathbb{R}^{D28}$ R^{D29}














125

-continued




126

-continued




127

-continued




128

-continued



129

-continued

 R^{D83}

5

 R^{D84}

10

 R^{D85}

15

 R^{D86}

20

 R^{D87}

25

 R^{D88}

30

 R^{D89}

35

 R^{D90}

40

 R^{D91}

45

 R^{D92}

50

 R^{D93}

55


 R^{D94}

60

65











130

-continued








 R^{D95} R^{D96} R^{D97} R^{D98} R^{D99} R^{D100} R^{D101} R^{D102} R^{D103} R^{D104} R^{D105} R^{D106}

131

-continued

**132**

-continued

 R^{D107}

5

 R^{D108}

10

 R^{D109}

15

 R^{D110}

20

25

 R^{D111}

30

 R^{D112}

35

 R^{D113}

40

 R^{D114}

45

 R^{D115}

50

 R^{D116}

55

 R^{D117}


60

65


 R^{D118} R^{D119} R^{D120} R^{D121} R^{D122} R^{D123} R^{D124} R^{D125} R^{D126}

133

-continued















**134**

-continued
















135

-continued

**136**

-continued

 R^{D151}

5

 R^{D152}

10

 R^{D153} R^{D154}

15

 R^{D155}

20

 R^{D156}

25

 R^{D157}

30

 R^{D158}

35

 R^{D159}

40

 R^{D160}

45

 R^{D161}

50

 R^{D162}

55

 R^{D163}

60













 R^{D164}

65






 R^{D165} R^{D166} R^{D167} R^{D168} R^{D169} R^{D170} R^{D171} R^{D172} R^{D173} R^{D174} R^{D175} R^{D176} R^{D177}

137

-continued

**138**

-continued

 R^{D178}

5

 R^{D179}

10

 R^{D180}

15

 R^{D181}

20

 R^{D182}

25

 R^{D183}

30

 R^{D184}

35

 R^{D185}

40

 R^{D186}

45

 R^{D187}

50

 R^{D188}

55

 R^{D189}


60

65


 R^{D190} R^{D191} R^{D192} R^{D193} R^{D194} R^{D195} R^{D196} R^{D197} R^{D198} R^{D199} R^{D200}

139

-continued


**140**

-continued



141

-continued

 R^{D220}

5

 R^{D221} R^{D222} 10 R^{D223} 15 R^{D224} 20 R^{D225} 25


30

 R^{D226} 35 R^{D227} 40 R^{D228} 45 R^{D229} 50 R^{D230} 55 R^{D231} 60

65







142

-continued


 R^{D232} R^{D233} R^{D234} R^{D235} R^{D236} R^{D237} R^{D238} R^{D239} R^{D240}

143






-continued



In some embodiments, the compound has the formula $\text{Ir}(\text{L}_{Ai-m})(\text{L}_{Bk})_2$, $\text{Ir}(\text{L}_{Ai-m})(\text{L}_{Bk})_2$, $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Bk})$ or $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Bk})$, wherein the compound is selected from the group consisting of only those compounds having one of the structures in the following LIST 10 for the L_{Bk} ligand:

**144**

-continued

 R^{D241}

5

 R^{D242}

10

 R^{D243}

20

 R^{D244}

30

 R^{D245}

35

 R^{D246}

40

45

50

 L_{B1}

55





60

65





 L_{B2} L_{B18} L_{B28} L_{B38} L_{B108}

145

-continued

**146**

-continued



LB118

5

10

15

LB122

20

25

LB126

30

35

40

LB128

45

50

55

60

65

LB130





LB132

LB134





LB136

147

-continued

**148**

-continued



LB138

5

10

LB140

15

20

25

LB142

30

35

LB144

40

45

50

55

60

65

LB156





LB158

LB160





LB162

149

-continued

**150**

-continued



LB204

5

10

LB206

20

25

LB214

35

40

LB216

50

55

60

65

LB218





LB220

LB222





LB231

151

-continued

**152**

-continued



LB233

5

10

15

LB235

20

25

30

LB237

35

40

LB240

45

50

55

60

65

LB242





LB244

LB246





LB248

153

-continued

**154**

-continued



LB250

5

10

15

LB252

20

25

30

LB254

35

40

45

LB256

50

55

60

65

LB258





LB260

LB262





LB164

155

-continued

**156**

-continued



LB124

5

10

LB168

20

25

LB172

30

35

40

LB175

45

50

55

60

65

LB264


LB265

LB266


LB267

157

-continued







In some embodiments, when the compound has the formula $\text{Ir}(\text{L}_{Ai-m})(\text{L}_{Bk})_2$, $\text{Ir}(\text{L}_{Ai-m})(\text{L}_{Bk})_2$, $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Bk})$, or $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Bk})$, the compound is selected from the group consisting of only those compounds having one of the following structures for the L_{Bk} ligand:





158

159

-continued

**160**

-continued



LB108

5

10

15

LB118

20

25

LB122

30

35

40

LB126

45

50

55

60

65

LB128





LB132

LB136





LB138

161

-continued

**162**

-continued

L_{B142}

5

10

15

L_{B156}

20

25

30

L_{B162}

35

40

45

L_{B204}

50

55





60

65





L_{B206}L_{B214}L_{B216}L_{B218}

163

-continued

**164**

-continued

L_{B220}

5

10

15

L_{B231}

20

25

L_{B233}

30

35

40

L_{B237}

45

50

55


60

65

L_{B264}L_{B265}L_{B266}L_{B267}

165

-continued



In some embodiments, the compound has the formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-I})$, $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-II})$, or $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-III})$, and the compound is selected from the group consisting of only those compounds having L_{Cj-I} or L_{Cj-II} ligand whose corresponding R^{201} and R^{202} are defined to be one the following structures:

 L_{B268}

5

10

15

 L_{B269}

20

25

30

35

 L_{B270}

40

45


50

55

60












 R^{D1} 65**166**

-continued

 R^{D3} R^{D4} R^{D5} R^{D9} R^{D10} R^{D17} R^{D18} R^{D20} R^{D22} R^{D37} R^{D40} R^{D41} R^{D42} R^{D43} R^{D48}

167

-continued

**168**

-continued

 R^{D49}

5

 R^{D50}

10

 R^{D54}

15

 R^{D55}

20

 R^{D58}

25

 R^{D59}

30

 R^{D78}

35

 R^{D79}

40

 R^{D81}

45

 R^{D87}

50










 R^{D88}

55

 R^{D89}














60

65











 R^{D93} R^{D116} R^{D117} R^{D118} R^{D119} R^{D120} R^{D133} R^{D134} R^{D135}

169

-continued

**170**

-continued

 R^{D136}

5

 R^{D143}

10

 R^{D144}

15

 R^{D145}

20

 R^{D146} R^{D147}

25

 R^{D149} R^{D151}

30

 R^{D154}

35

 R^{D155}

40

 R^{D161}

45

 R^{D175}

50

 R^{D190}

55

 R^{D193}

60




 R^{D200}

65


 R^{D201} R^{D206} R^{D210} R^{D214} R^{D215} R^{D216} R^{D218} R^{D219} R^{D220} R^{D227}

171

-continued



In some embodiments, the compound has the formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-I})$, $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-II})$, or $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-III})$, and the compound is selected from the group consisting of only those compounds having L_{Cj-I} or L_{Cj-II} ligand whose corresponding R²⁰¹ and R²⁰² are defined to be one of the following structures:

**172**

-continued

R^{D237}

5

R^{D241}

10

15

R^{D242}

20

25

R^{D245}

30

R^{D246}

35

40

45

R^{D1}











50

R^{D3}R^{D4}R^{D5}R^{D9}

60













R^{D17}

65

R^{D22}R^{D43}R^{D50}R^{D78}R^{D116}R^{D118}R^{D133}R^{D134}R^{D135}R^{D136}

173

-continued

**174**

-continued

 R^{D143}

5

 R^{D144}

10

 R^{D145} R^{D146}

15

 R^{D149}

20

 R^{D151}

25

 R^{D154}

30

 R^{D155}

35

 R^{D190}

40

 R^{D193}

45

 R^{D200}

50

 R^{D214}



55

 R^{D218}








60

 R^{D220}

65










 R^{D241} R^{D245} 

In some embodiments, the compound has the formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-I})$ or $\text{Ir}(\text{L}_{Ai'-m'})_2(\text{L}_{Cj-I})$, and the compound is selected from the group consisting of only those compounds having one of the following structures for the L_{Cj-I} ligand:

 L_{C1-I}  L_{C4-I}  L_{C9-I}  L_{C10-I}  L_{C17-I}  L_{C55-I}  L_{C116-I} 

177


-continued

**178**

-continued

LC1093-I


5



LC769-I

LC823-I

10




LC1201-I

15

LC1039-I


20



LC796-I

LC1147-I

25




LC1228-I

30

LC1012-I


35



LC803-I

LC1120-I

40



LC776-I

LC850-I

45

In some embodiments, the compound is selected from the group consisting of the structures in the following LIST 11:

50


LC1066-I

55

LC1174-I




60

65







179

-continued





**180**

-continued






181

-continued


**182**

-continued




183

-continued






**184**

-continued







185

-continued



186

-continued







55

60



65

187


-continued

**188**

-continued




In some embodiments, the compound has a structure of Formula II,




189

-continued

Formula III



Formula IV



wherein:

 M^1 is Pd or Pt;

rings F and G are each independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

 Z^1 and Z^2 are each independently C or N; K^1 , K^2 , K^3 , and K^4 are each independently selected from the group consisting of a direct bond, O, and S; at least two of K^1 , K^2 , K^3 , and K^4 are direct bonds; L^1 , L^2 , and L^3 are each independently selected from the group consisting of a single bond, absent a bond, O, S, SO, SO_2 , $C=O$, $C=CR''$, $C=NR''$, $CR'R''$, $SiR'R''$, BR' , and NR' , wherein at least one of L^1 and L^2 is present; X^3 and X^4 are each independently C or N; R^F and R^G each independently represent mono, up to the maximum allowed number of substitutions, or no substitutions;each R' , R'' , R^F , and R^G is independently a hydrogen or a substituent selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof; andany two adjacent R' , R'' , R^A , R^B , R^C , R^D , R^E , R^F , and R^G can be joined or fused together to form a ring.In some embodiments, no more than one of L^1 , L^2 , and L^3 is absent a bond.





In some embodiments, ring E and ring F are both 6-membered aromatic rings. In some embodiments, ring F is a 5-membered or 6-membered heteroaromatic ring.

In some embodiments, L^1 is O or $CR'R''$.In some embodiments, Z^2 is N and Z^1 is C. In some embodiments, Z^2 is C and Z^1 is N.In some embodiments, L^2 is a direct bond. In some embodiments, L^2 is NR' .

190





In some embodiments, K^1 , K^2 , K^3 , and K^4 are all direct bonds. In some embodiments, one of K^1 , K^2 , K^3 , and K^4 is O. In some embodiments, one of K^3 and K^4 is O.In some embodiments, each of X^3 , X^4 , and X^5 is C.

In some embodiments, the compound is selected from the group consisting of LIST 12 as follows:







191

-continued






**192**

-continued







193

-continued




**194**

-continued



195

-continued



wherein:

R^x and R^y are each independently selected from the group consisting of alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, aryl, heteroaryl, and combinations thereof;

R^H represents zero, mono, or up to the maximum allowed number of substitutions to its associated ring;

R^H for each occurrence is independently a hydrogen or a substituent selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof.

In some embodiments, the compound is selected from the group consisting of the structures in the following LIST 13:

196

5

10

15

20

25





30

35

40





45

50



197

-continued

**198**

-continued

5

10

15

20

25

30

35

40





45

50

55





60

65




199

-continued

**200**

-continued

5




10

15

20


25



30

35


40



45

50

55







60



65

201

-continued

**202**

-continued



In some embodiments, the compound having a bidentate ligand L_A of Formula I described herein can be at least 30% deuterated, at least 40% deuterated, at least 50% deuterated, at least 60% deuterated, at least 70% deuterated, at least 80% deuterated, at least 90% deuterated, at least 95% deuterated, at least 99% deuterated, or 100% deuterated. As used herein, percent deuteriation has its ordinary meaning and includes the percent of possible hydrogen atoms (e.g., positions that are hydrogen, deuterium, or halogen) that are replaced by deuterium atoms.

C. The OLEDs and the Devices of the Present Disclosure

In another aspect, the present disclosure also provides an OLED device comprising a first organic layer that contains a compound as disclosed in the above compounds section of the present disclosure.

In some embodiments, the OLED comprises an anode, a cathode, and a first organic layer disposed between the anode and the cathode. The first organic layer can comprise a compound comprising a bidentate ligand L_A comprising a moiety of Formula I as described herein.

In some embodiments, the organic layer may be an emissive layer and the compound as described herein may be an emissive dopant or a non-emissive dopant.


In some embodiments, the organic layer may further comprise a host, wherein the host comprises a triphenylene containing benzo-fused thiophene or benzo-fused furan, wherein any substituent in the host is an unfused substituent independently selected from the group consisting of C_nH_{2n+1} , OC_nH_{2n+1} , OAr_1 , $N(C_nH_{2n+1})_2$, $N(Ar_1)(Ar_2)$, $CH=CH-C_nH_{2n+1}$, $C\equiv CC_nH_{2n+1}$, Ar_1 , Ar_1-Ar_2 , $C_nH_{2n}-Ar_1$, or no substitution, wherein n is from 1 to 10; and wherein Ar_1 and

203

Ar₂ are independently selected from the group consisting of benzene, biphenyl, naphthalene, triphenylene, carbazole, and heteroaromatic analogs thereof.


In some embodiments, the organic layer may further comprise a host, wherein host comprises at least one chemical group selected from the group consisting of triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, 5,2-benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, 5,9-dioxo-13b-boranaphtho[3,2,1-de]anthracene, triazine, aza-triphenylene, aza-carbazole, aza-indolocarbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, aza-5,2-benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, and aza-(5,9-dioxo-13b-boranaphtho[3,2,1-de]anthracene).

In some embodiments, the host may be selected from the HOST Group consisting of:




204

-continued




205

-continued






**206**

-continued







207

-continued


**208**

-continued



209

-continued



and combinations thereof.

In some embodiments, the organic layer may further comprise a host, wherein the host comprises a metal complex.

In some embodiments, the compound as described herein may be a sensitizer; wherein the device may further comprise an acceptor; and wherein the acceptor may be selected from the group consisting of fluorescent emitter, delayed fluorescence emitter, and combination thereof.

In yet another aspect, the OLED of the present disclosure may also comprise an emissive region containing a compound as disclosed in the above compounds section of the present disclosure.

In some embodiments, the emissive region can comprise a compound comprising a bidentate ligand L_A comprising a moiety of Formula I as described herein.

In some embodiments, at least one of the anode, the cathode, or a new layer disposed over the organic emissive layer functions as an enhancement layer. The enhancement layer comprises a plasmonic material exhibiting surface plasmon resonance that non-radiatively couples to the emitter material and transfers excited state energy from the emitter material to non-radiative mode of surface plasmon polariton. The enhancement layer is provided no more than a threshold distance away from the organic emissive layer, wherein the emitter material has a total non-radiative decay rate constant and a total radiative decay rate constant due to the presence of the enhancement layer and the threshold distance is where the total non-radiative decay rate constant is equal to the total radiative decay rate constant. In some

210

embodiments, the OLED further comprises an outcoupling layer. In some embodiments, the outcoupling layer is disposed over the enhancement layer on the opposite side of the organic emissive layer. In some embodiments, the outcoupling layer is disposed on opposite side of the emissive layer from the enhancement layer but still outcouples energy from the surface plasmon mode of the enhancement layer. The outcoupling layer scatters the energy from the surface plasmon polaritons. In some embodiments this energy is scattered as photons to free space. In other embodiments, the energy is scattered from the surface plasmon mode into other modes of the device such as but not limited to the organic waveguide mode, the substrate mode, or another waveguiding mode. If energy is scattered to the non-free space mode of the OLED other outcoupling schemes could be incorporated to extract that energy to free space. In some embodiments, one or more intervening layer can be disposed between the enhancement layer and the outcoupling layer. The examples for intervening layer(s) can be dielectric materials, including organic, inorganic, perovskites, oxides, and may include stacks and/or mixtures of these materials.

The enhancement layer modifies the effective properties of the medium in which the emitter material resides resulting in any or all of the following: a decreased rate of emission, a modification of emission line-shape, a change in emission intensity with angle, a change in the stability of the emitter material, a change in the efficiency of the OLED, and reduced efficiency roll-off of the OLED device. Placement of the enhancement layer on the cathode side, anode side, or on both sides results in OLED devices which take advantage of any of the above-mentioned effects. In addition to the specific functional layers mentioned herein and illustrated in the various OLED examples shown in the figures, the OLEDs according to the present disclosure may include any of the other functional layers often found in OLEDs.

The enhancement layer can be comprised of plasmonic materials, optically active metamaterials, or hyperbolic metamaterials. As used herein, a plasmonic material is a material in which the real part of the dielectric constant crosses zero in the visible or ultraviolet region of the electromagnetic spectrum. In some embodiments, the plasmonic material includes at least one metal. In such embodiments the metal may include at least one of Ag, Al, Au, Ir, Pt, Ni, Cu, W, Ta, Fe, Cr, Mg, Ga, Rh, Ti, Ru, Pd, In, Bi, Ca alloys or mixtures of these materials, and stacks of these materials. In general, a metamaterial is a medium composed of different materials where the medium as a whole acts differently than the sum of its material parts. In particular, we define optically active metamaterials as materials which have both negative permittivity and negative permeability. Hyperbolic metamaterials, on the other hand, are anisotropic media in which the permittivity or permeability are of different sign for different spatial directions. Optically active metamaterials and hyperbolic metamaterials are strictly distinguished from many other photonic structures such as Distributed Bragg Reflectors ("DBRs") in that the medium should appear uniform in the direction of propagation on the length scale of the wavelength of light. Using terminology that one skilled in the art can understand: the dielectric constant of the metamaterials in the direction of propagation can be described with the effective medium approximation. Plasmonic materials and metamaterials provide methods for controlling the propagation of light that can enhance OLED performance in a number of ways.

In some embodiments, the enhancement layer is provided as a planar layer. In other embodiments, the enhancement layer has wavelength-sized features that are arranged peri-

odically, quasi-periodically, or randomly, or sub-wavelength-sized features that are arranged periodically, quasi-periodically, or randomly. In some embodiments, the wavelength-sized features and the sub-wavelength-sized features have sharp edges.

In some embodiments, the outcoupling layer has wavelength-sized features that are arranged periodically, quasi-periodically, or randomly, or sub-wavelength-sized features that are arranged periodically, quasi-periodically, or randomly. In some embodiments, the outcoupling layer may be composed of a plurality of nanoparticles and in other embodiments the outcoupling layer is composed of a plurality of nanoparticles disposed over a material. In these embodiments the outcoupling may be tunable by at least one of varying a size of the plurality of nanoparticles, varying a shape of the plurality of nanoparticles, changing a material of the plurality of nanoparticles, adjusting a thickness of the material, changing the refractive index of the material or an additional layer disposed on the plurality of nanoparticles, varying a thickness of the enhancement layer, and/or varying the material of the enhancement layer. The plurality of nanoparticles of the device may be formed from at least one of metal, dielectric material, semiconductor materials, an alloy of metal, a mixture of dielectric materials, a stack or layering of one or more materials, and/or a core of one type of material and that is coated with a shell of a different type of material. In some embodiments, the outcoupling layer is composed of at least metal nanoparticles wherein the metal is selected from the group consisting of Ag, Al, Au, Ir, Pt, Ni, Cu, W, Ta, Fe, Cr, Mg, Ga, Rh, Ti, Ru, Pd, In, Bi, Ca, alloys or mixtures of these materials, and stacks of these materials. The plurality of nanoparticles may have additional layer disposed over them. In some embodiments, the polarization of the emission can be tuned using the outcoupling layer. Varying the dimensionality and periodicity of the outcoupling layer can select a type of polarization that is preferentially outcoupled to air. In some embodiments the outcoupling layer also acts as an electrode of the device.

In yet another aspect, the present disclosure also provides a consumer product comprising an organic light-emitting device (OLED) having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer may comprise a compound as disclosed in the above compounds section of the present disclosure.

In some embodiments, the consumer product comprises an OLED having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer can comprise a compound comprising a bidentate ligand L_A comprising a moiety of Formula I as described herein.

In some embodiments, the consumer product can be one of a flat panel display, a computer monitor, a medical monitor, a television, a billboard, a light for interior or exterior illumination and/or signaling, a heads-up display, a fully or partially transparent display, a flexible display, a laser printer, a telephone, a cell phone, tablet, a phablet, a personal digital assistant (PDA), a wearable device, a laptop computer, a digital camera, a camcorder, a viewfinder, a micro-display that is less than 2 inches diagonal, a 3-D display, a virtual reality or augmented reality display, a vehicle, a video wall comprising multiple displays tiled together, a theater or stadium screen, a light therapy device, and a sign.

Generally, an OLED comprises at least one organic layer disposed between and electrically connected to an anode and a cathode. When a current is applied, the anode injects holes and the cathode injects electrons into the organic layer(s).

The injected holes and electrons each migrate toward the oppositely charged electrode. When an electron and hole localize on the same molecule, an "exciton," which is a localized electron-hole pair having an excited energy state, is formed. Light is emitted when the exciton relaxes via a photoemissive mechanism. In some cases, the exciton may be localized on an excimer or an exciplex. Non-radiative mechanisms, such as thermal relaxation, may also occur, but are generally considered undesirable.

Several OLED materials and configurations are described in U.S. Pat. Nos. 5,844,363, 6,303,238, and 5,707,745, which are incorporated herein by reference in their entirety.

The initial OLEDs used emissive molecules that emitted light from their singlet states ("fluorescence") as disclosed, for example, in U.S. Pat. No. 4,769,292, which is incorporated by reference in its entirety. Fluorescent emission generally occurs in a time frame of less than 10 nanoseconds.

More recently, OLEDs having emissive materials that emit light from triplet states ("phosphorescence") have been demonstrated. Baldo et al., "Highly Efficient Phosphorescent Emission from Organic Electroluminescent Devices," *Nature*, vol. 395, 151-154, 1998; ("Baldo-I") and Baldo et al., "Very high-efficiency green organic light-emitting devices based on electrophosphorescence," *Appl. Phys. Lett.*, vol. 75, No. 3, 4-6 (1999) ("Baldo-II"), are incorporated by reference in their entireties. Phosphorescence is described in more detail in U.S. Pat. No. 7,279,704 at cols. 5-6, which are incorporated by reference.

FIG. 1 shows an organic light emitting device **100**. The figures are not necessarily drawn to scale. Device **100** may include a substrate **110**, an anode **115**, a hole injection layer **120**, a hole transport layer **125**, an electron blocking layer **130**, an emissive layer **135**, a hole blocking layer **140**, an electron transport layer **145**, an electron injection layer **150**, a protective layer **155**, a cathode **160**, and a barrier layer **170**. Cathode **160** is a compound cathode having a first conductive layer **162** and a second conductive layer **164**. Device **100** may be fabricated by depositing the layers described, in order. The properties and functions of these various layers, as well as example materials, are described in more detail in U.S. Pat. No. 7,279,704 at cols. 6-10, which are incorporated by reference.

More examples for each of these layers are available. For example, a flexible and transparent substrate-anode combination is disclosed in U.S. Pat. No. 5,844,363, which is incorporated by reference in its entirety. An example of a p-doped hole transport layer is m-MTDATA doped with F_4 -TCNQ at a molar ratio of 50:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. Examples of emissive and host materials are disclosed in U.S. Pat. No. 6,303,238 to Thompson et al., which is incorporated by reference in its entirety. An example of an n-doped electron transport layer is BPhen doped with Li at a molar ratio of 1:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. U.S. Pat. Nos. 5,703,436 and 5,707,745, which are incorporated by reference in their entireties, disclose examples of cathodes including compound cathodes having a thin layer of metal such as Mg:Ag with an overlying transparent, electrically-conductive, sputter-deposited ITO layer. The theory and use of blocking layers is described in more detail in U.S. Pat. No. 6,097,147 and U.S. Patent Application Publication No. 2003/0230980, which are incorporated by reference in their entireties. Examples of injection layers are provided in U.S. Patent Application Publication No. 2004/0174116, which is

213

incorporated by reference in its entirety. A description of protective layers may be found in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety.

FIG. 2 shows an inverted OLED 200. The device includes a substrate 210, a cathode 215, an emissive layer 220, a hole transport layer 225, and an anode 230. Device 200 may be fabricated by depositing the layers described, in order. Because the most common OLED configuration has a cathode disposed over the anode, and device 200 has cathode 215 disposed under anode 230, device 200 may be referred to as an "inverted" OLED. Materials similar to those described with respect to device 100 may be used in the corresponding layers of device 200. FIG. 2 provides one example of how some layers may be omitted from the structure of device 100.

The simple layered structure illustrated in FIGS. 1 and 2 is provided by way of non-limiting example, and it is understood that embodiments of the present disclosure may be used in connection with a wide variety of other structures. The specific materials and structures described are exemplary in nature, and other materials and structures may be used. Functional OLEDs may be achieved by combining the various layers described in different ways, or layers may be omitted entirely, based on design, performance, and cost factors. Other layers not specifically described may also be included. Materials other than those specifically described may be used. Although many of the examples provided herein describe various layers as comprising a single material, it is understood that combinations of materials, such as a mixture of host and dopant, or more generally a mixture, may be used. Also, the layers may have various sublayers. The names given to the various layers herein are not intended to be strictly limiting. For example, in device 200, hole transport layer 225 transports holes and injects holes into emissive layer 220, and may be described as a hole transport layer or a hole injection layer. In one embodiment, an OLED may be described as having an "organic layer" disposed between a cathode and an anode. This organic layer may comprise a single layer, or may further comprise multiple layers of different organic materials as described, for example, with respect to FIGS. 1 and 2.

Structures and materials not specifically described may also be used, such as OLEDs comprised of polymeric materials (PLEDs) such as disclosed in U.S. Pat. No. 5,247,190 to Friend et al., which is incorporated by reference in its entirety. By way of further example, OLEDs having a single organic layer may be used. OLEDs may be stacked, for example as described in U.S. Pat. No. 5,707,745 to Forrest et al, which is incorporated by reference in its entirety. The OLED structure may deviate from the simple layered structure illustrated in FIGS. 1 and 2. For example, the substrate may include an angled reflective surface to improve out-coupling, such as a mesa structure as described in U.S. Pat. No. 6,091,195 to Forrest et al., and/or a pit structure as described in U.S. Pat. No. 5,834,893 to Bulovic et al., which are incorporated by reference in their entireties.

Unless otherwise specified, any of the layers of the various embodiments may be deposited by any suitable method. For the organic layers, preferred methods include thermal evaporation, ink-jet, such as described in U.S. Pat. Nos. 6,013,982 and 6,087,196, which are incorporated by reference in their entireties, organic vapor phase deposition (OVPD), such as described in U.S. Pat. No. 6,337,102 to Forrest et al., which is incorporated by reference in its entirety, and deposition by organic vapor jet printing (OVJP), such as described in U.S. Pat. No. 7,431,968, which

214

is incorporated by reference in its entirety. Other suitable deposition methods include spin coating and other solution based processes. Solution based processes are preferably carried out in nitrogen or an inert atmosphere. For the other layers, preferred methods include thermal evaporation. Preferred patterning methods include deposition through a mask, cold welding such as described in U.S. Pat. Nos. 6,294,398 and 6,468,819, which are incorporated by reference in their entireties, and patterning associated with some of the deposition methods such as ink-jet and organic vapor jet printing (OVJP). Other methods may also be used. The materials to be deposited may be modified to make them compatible with a particular deposition method. For example, substituents such as alkyl and aryl groups, branched or unbranched, and preferably containing at least 3 carbons, may be used in small molecules to enhance their ability to undergo solution processing. Substituents having 20 carbons or more may be used, and 3-20 carbons are a preferred range. Materials with asymmetric structures may have better solution processability than those having symmetric structures, because asymmetric materials may have a lower tendency to recrystallize. Dendrimer substituents may be used to enhance the ability of small molecules to undergo solution processing.

Devices fabricated in accordance with embodiments of the present disclosure may further optionally comprise a barrier layer. One purpose of the barrier layer is to protect the electrodes and organic layers from damaging exposure to harmful species in the environment including moisture, vapor and/or gases, etc. The barrier layer may be deposited over, under or next to a substrate, an electrode, or over any other parts of a device including an edge. The barrier layer may comprise a single layer, or multiple layers. The barrier layer may be formed by various known chemical vapor deposition techniques and may include compositions having a single phase as well as compositions having multiple phases. Any suitable material or combination of materials may be used for the barrier layer. The barrier layer may incorporate an inorganic or an organic compound or both. The preferred barrier layer comprises a mixture of a polymeric material and a non-polymeric material as described in U.S. Pat. No. 7,968,146, PCT Pat. Application Nos. PCT/US2007/023098 and PCT/US2009/042829, which are herein incorporated by reference in their entireties. To be considered a "mixture", the aforesaid polymeric and non-polymeric materials comprising the barrier layer should be deposited under the same reaction conditions and/or at the same time. The weight ratio of polymeric to non-polymeric material may be in the range of 95:5 to 5:95. The polymeric material and the non-polymeric material may be created from the same precursor material. In one example, the mixture of a polymeric material and a non-polymeric material consists essentially of polymeric silicon and inorganic silicon.

Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of electronic component modules (or units) that can be incorporated into a variety of electronic products or intermediate components. Examples of such electronic products or intermediate components include display screens, lighting devices such as discrete light source devices or lighting panels, etc. that can be utilized by the end-user product manufacturers. Such electronic component modules can optionally include the driving electronics and/or power source(s). Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of consumer products that have one or more of

the electronic component modules (or units) incorporated therein. A consumer product comprising an OLED that includes the compound of the present disclosure in the organic layer in the OLED is disclosed. Such consumer products would include any kind of products that include one or more light source(s) and/or one or more of some type of visual displays. Some examples of such consumer products include flat panel displays, curved displays, computer monitors, medical monitors, televisions, billboards, lights for interior or exterior illumination and/or signaling, heads-up displays, fully or partially transparent displays, flexible displays, rollable displays, foldable displays, stretchable displays, laser printers, telephones, mobile phones, tablets, phablets, personal digital assistants (PDAs), wearable devices, laptop computers, digital cameras, camcorders, viewfinders, micro-displays (displays that are less than 2 inches diagonal), 3-D displays, virtual reality or augmented reality displays, vehicles, video walls comprising multiple displays tiled together, theater or stadium screen, a light therapy device, and a sign. Various control mechanisms may be used to control devices fabricated in accordance with the present disclosure, including passive matrix and active matrix. Many of the devices are intended for use in a temperature range comfortable to humans, such as 18 degrees C. to 30 degrees C., and more preferably at room temperature (20-25° C.), but could be used outside this temperature range, for example, from -40 degree C. to +80° C.

More details on OLEDs, and the definitions described above, can be found in U.S. Pat. No. 7,279,704, which is incorporated herein by reference in its entirety.

The materials and structures described herein may have applications in devices other than OLEDs. For example, other optoelectronic devices such as organic solar cells and organic photodetectors may employ the materials and structures. More generally, organic devices, such as organic transistors, may employ the materials and structures.

In some embodiments, the OLED has one or more characteristics selected from the group consisting of being flexible, being rollable, being foldable, being stretchable, and being curved. In some embodiments, the OLED is transparent or semi-transparent. In some embodiments, the OLED further comprises a layer comprising carbon nanotubes.

In some embodiments, the OLED further comprises a layer comprising a delayed fluorescent emitter. In some embodiments, the OLED comprises a RGB pixel arrangement or white plus color filter pixel arrangement. In some embodiments, the OLED is a mobile device, a hand held device, or a wearable device. In some embodiments, the OLED is a display panel having less than 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a display panel having at least 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a lighting panel.

In some embodiments, the compound can be an emissive dopant. In some embodiments, the compound can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence; see, e.g., U.S. application Ser. No. 15/700,352, which is hereby incorporated by reference in its entirety), triplet-triplet annihilation, or combinations of these processes. In some embodiments, the emissive dopant can be a racemic mixture, or can be enriched in one enantiomer. In some embodiments, the compound can be homoleptic (each ligand is the same). In some embodiments, the compound can be heteroleptic (at least one ligand

is different from others). When there are more than one ligand coordinated to a metal, the ligands can all be the same in some embodiments. In some other embodiments, at least one ligand is different from the other ligands. In some embodiments, every ligand can be different from each other. This is also true in embodiments where a ligand being coordinated to a metal can be linked with other ligands being coordinated to that metal to form a tridentate, tetradentate, pentadentate, or hexadentate ligands. Thus, where the coordinating ligands are being linked together, all of the ligands can be the same in some embodiments, and at least one of the ligands being linked can be different from the other ligand(s) in some other embodiments.

In some embodiments, the compound can be used as a phosphorescent sensitizer in an OLED where one or multiple layers in the OLED contains an acceptor in the form of one or more fluorescent and/or delayed fluorescence emitters. In some embodiments, the compound can be used as one component of an exciplex to be used as a sensitizer. As a phosphorescent sensitizer, the compound must be capable of energy transfer to the acceptor and the acceptor will emit the energy or further transfer energy to a final emitter. The acceptor concentrations can range from 0.001% to 100%. The acceptor could be in either the same layer as the phosphorescent sensitizer or in one or more different layers. In some embodiments, the acceptor is a TADF emitter. In some embodiments, the acceptor is a fluorescent emitter. In some embodiments, the emission can arise from any or all of the sensitizer, acceptor, and final emitter.

According to another aspect, a formulation comprising the compound described herein is also disclosed.

The OLED disclosed herein can be incorporated into one or more of a consumer product, an electronic component module, and a lighting panel. The organic layer can be an emissive layer and the compound can be an emissive dopant in some embodiments, while the compound can be a non-emissive dopant in other embodiments.

In yet another aspect of the present disclosure, a formulation that comprises the novel compound disclosed herein is described. The formulation can include one or more components selected from the group consisting of a solvent, a host, a hole injection material, hole transport material, electron blocking material, hole blocking material, and an electron transport material, disclosed herein.

The present disclosure encompasses any chemical structure comprising the novel compound of the present disclosure, or a monovalent or polyvalent variant thereof. In other words, the inventive compound, or a monovalent or polyvalent variant thereof, can be a part of a larger chemical structure. Such chemical structure can be selected from the group consisting of a monomer, a polymer, a macromolecule, and a supramolecule (also known as supermolecule). As used herein, a "monovalent variant of a compound" refers to a moiety that is identical to the compound except that one hydrogen has been removed and replaced with a bond to the rest of the chemical structure. As used herein, a "polyvalent variant of a compound" refers to a moiety that is identical to the compound except that more than one hydrogen has been removed and replaced with a bond or bonds to the rest of the chemical structure. In the instance of a supramolecule, the inventive compound can also be incorporated into the supramolecule complex without covalent bonds.

D. Combination of the Compounds of the Present Disclosure with Other Materials

The materials described herein as useful for a particular layer in an organic light emitting device may be used in


217

combination with a wide variety of other materials present in the device. For example, emissive dopants disclosed herein may be used in conjunction with a wide variety of hosts, transport layers, blocking layers, injection layers, electrodes and other layers that may be present. The materials described or referred to below are non-limiting examples of materials that may be useful in combination with the compounds disclosed herein, and one of skill in the art can readily consult the literature to identify other materials that may be useful in combination.

a) Conductivity Dopants:


A charge transport layer can be doped with conductivity dopants to substantially alter its density of charge carriers, which will in turn alter its conductivity. The conductivity is increased by generating charge carriers in the matrix material, and depending on the type of dopant, a change in the Fermi level of the semiconductor may also be achieved. Hole-transporting layer can be doped by p-type conductivity dopants and n-type conductivity dopants are used in the electron-transporting layer.

Non-limiting examples of the conductivity dopants that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP01617493, EP01968131, EP2020694, EP2684932, US20050139810, US20070160905, US20090167167, US2010288362, WO06081780, WO2009003455, WO2009008277, WO2009011327, WO2014009310, US2007252140, US2015060804, US20150123047, and US2012146012.





218

-continued



219


-continued



b) HIL/HTL:


A hole injecting/transporting material to be used in the present disclosure is not particularly limited, and any compound may be used as long as the compound is typically used as a hole injecting/transporting material. Examples of the material include, but are not limited to: a phthalocyanine or porphyrin derivative; an aromatic amine derivative; an indolocarbazole derivative; a polymer containing fluorohydrocarbon; a polymer with conductivity dopants; a conducting polymer, such as PEDOT/PSS; a self-assembly monomer derived from compounds such as phosphonic acid and silane derivatives; a metal oxide derivative, such as MoO_3 ; a p-type semiconducting organic compound, such as 1,4,5,8,9,12-Hexaazatriphenylenehexacarbonitrile; a metal complex, and a cross-linkable compounds.

Examples of aromatic amine derivatives used in HIL or HTL include, but not limit to the following general structures:




220

-continued




Each of Ar^1 to Ar^9 is selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuopyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each Ar may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

In one aspect, Ar^1 to Ar^9 is independently selected from the group consisting of:



221

-continued



wherein k is an integer from 1 to 20; X^{101} to X^{108} is C (including CH) or N; Z^{101} is NAr^1 , O, or S; Ar^1 has the same group defined above.

Examples of metal complexes used in HIL or HTL include, but are not limited to the following general formula:





wherein Met is a metal, which can have an atomic weight greater than 40; $(Y^{101}-Y^{102})$ is a bidentate ligand, Y^1 and Y^{102} are independently selected from C, N, O, P, and S; L^{101} is an ancillary ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and $k'+k''$ is the maximum number of ligands that may be attached to the metal.

In one aspect, $(Y^{101}-Y^{102})$ is a 2-phenylpyridine derivative. In another aspect, $(Y^{101}-Y^{102})$ is a carbene ligand. In another aspect, Met is selected from Ir, Pt, Os, and Zn. In a further aspect, the metal complex has a smallest oxidation potential in solution vs. Fe^*/Fe couple less than about 0.6 V.

Non-limiting examples of the HIL and HTL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN102702075,

222

DE102012005215, EP01624500, EP01698613, EP01806334, EP01930964, EP01972613, EP01997799, EP02011790, EP02055700, EP02055701, EP1725079, EP2085382, EP2660300, EP650955, JP07-073529, JP2005112765, JP2007091719, JP2008021687, JP2014-009196, KR20110088898, KR20130077473, TW201139402, U.S. Ser. No. 06/517,957, US20020158242, US20030162053, US20050123751, US20060182993, US20060240279, US20070145888, US20070181874, US20070278938, US20080014464, US20080091025, US20080106190, US20080124572, US20080145707, US20080220265, US20080233434, US20080303417, US2008107919, US20090115320, US20090167161, US2009066235, US2011007385, US20110163302, US2011240968, US2011278551, US2012205642, US2013241401, US20140117329, US2014183517, U.S. Pat. Nos. 5,061,569, 5,639,914, WO05075451, WO07125714, WO08023550, WO08023759, WO2009145016, WO2010061824, WO2011075644, WO2012177006, WO2013018530, WO2013039073, WO2013087142, WO2013118812, WO2013120577, WO2013157367, WO2013175747, WO2014002873, WO2014015935, WO2014015937, WO2014030872, WO2014030921, WO2014034791, WO2014104514, WO2014157018.







223

224

5

10

-continued




225

An electron blocking layer (EBL) may be used to reduce the number of electrons and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies, and/or longer lifetime, as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than the emitter closest to the EBL interface. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than one or more of the hosts closest to the EBL interface. In one aspect, the compound used in EBL contains the same molecule or the same functional groups used as one of the hosts described below.

d) Hosts:


The light emitting layer of the organic EL device of the present disclosure preferably contains at least a metal complex as light emitting material, and may contain a host material using the metal complex as a dopant material. Examples of the host material are not particularly limited, and any metal complexes or organic compounds may be used as long as the triplet energy of the host is larger than that of the dopant. Any host material may be used with any dopant so long as the triplet criteria is satisfied.

Examples of Metal Complexes Used as Host are Preferred to have the Following General Formula:



wherein Met is a metal; $(Y^{103}-Y^{104})$ is a bidentate ligand, Y^{103} and Y^{104} are independently selected from C, N, O, P, and S; L^{101} is an another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and $k'+k''$ is the maximum number of ligands that may be attached to the metal.

In One Aspect, the Metal Complexes are:



wherein $(\text{O}-\text{N})$ is a bidentate ligand, having metal coordinated to atoms O and N.


In another aspect, Met is selected from Ir and Pt. In a further aspect, $(Y^{103}-Y^{104})$ is a carbene ligand.

In one aspect, the host compound contains at least one of the following groups selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolidopyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline,


226

line, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuopyridine, furodipyrindine, benzothienopyridine, thienodipyrindine, benzoselenophenopyridine, and selenophenodipyrindine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each option within each group may be unsubstituted or may be substituted by a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

In one aspect, the host compound contains at least one of the following groups in the molecule:





227



228

wherein R^{101} is selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfinyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, and when it is aryl or heteroaryl, it has the similar definition as Ar's mentioned above. k is an integer from 0 to 20 or 1 to 20. X^{101} to X^{108} are independently selected from C (including CH) or N. Z^{101} and Z^{102} are independently selected from NR^{101} , O, or S.

Non-limiting examples of the host materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: EP2034538, EP2034538A, EP2757608, JP2007254297, KR20100079458, KR20120088644, KR20120129733, KR20130115564, TW201329200, US20030175553, US20050238919, US20060280965, US20090017330, US20090030202, US20090167162, US20090302743, US20090309488, US20100012931, US20100084966, US20100187984, US2010187984, US2012075273, US2012126221, US2013009543, US2013105787, US2013175519, US2014001446, US20140183503, US20140225088, US2014034914, U.S. Pat. No. 7,154,114, WO2001039234, WO2004093207, WO2005014551, WO2005089025, WO2006072002, WO2006114966, WO2007063754, WO2008056746, WO2009003898, WO2009021126, WO2009063833, WO2009066778, WO2009066779, WO2009086028, WO2010056066, WO2010107244, WO2011081423, WO2011081431, WO2011086863, WO2012128298, WO2012133644, WO2012133649, WO2013024872, WO2013035275, WO2013081315, WO2013191404, WO2014142472, US20170263869, US20160163995, U.S. Pat. No. 9,466,803,











229

230

5

10

-continued




231

e) Additional Emitters:

One or more additional emitter dopants may be used in conjunction with the compound of the present disclosure. Examples of the additional emitter dopants are not particularly limited, and any compounds may be used as long as the compounds are typically used as emitter materials. Examples of suitable emitter materials include, but are not limited to, compounds which can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence), triplet-triplet annihilation, or combinations of these processes.


Non-limiting examples of the emitter materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103694277, CN1696137, EB01238981, EP01239526, EP01961743, EP1239526, EP1244155, EP1642951, EP1647554, EP1841834, EP1841834B, EP2062907, EP2730583, JP2012074444, JP2013110263, JP4478555, KR1020090133652, KR20120032054, KR20130043460, TW201332980, U.S. Ser. No. 06/699,599, U.S. Ser. No. 06/916,554, US20010019782, US20020034656, US20030068526, US20030072964, US20030138657, US20050123788, US20050244673, US2005123791, US2005260449, US20060008670, US20060065890, US20060127696, US20060134459, US20060134462, US20060202194, US20060251923, US20070034863, US20070087321, US20070103060, US20070111026, US20070190359, US20070231600, US2007034863, US2007104979, US2007104980, US2007138437, US2007224450, US2007278936, US20080020237, US20080233410, US20080261076, US20080297033, US200805851, US2008161567, US2008210930, US20090039776, US20090108737, US20090115322, US20090179555, US2009085476, US2009104472, US20100090591, US20100148663, US20100244004, US20100295032, US2010102716, US2010105902, US2010244004, US2010270916, US20110057559, US20110108822, US20110204333, US2011215710, US2011227049, US2011285275, US2012292601, US20130146848, US2013033172, US2013165653, US2013181190, US2013334521, US20140246656, US2014103305, U.S. Pat. Nos. 6,303,238, 6,413,656, 6,653,654, 6,670,645, 6,687,266, 6,835,469, 6,921,915, 7,279,704, 7,332,232, 7,378,162, 7,534,505, 7,675,228, 7,728,137, 7,740,957, 7,759,489, 7,951,947, 8,067,099, 8,592,586, 8,871,361, WO06081973, WO06121811, WO07018067, WO07108362, WO07115970, WO07115981, WO08035571, WO2002015645, WO2003040257, WO2005019373, WO2006056418, WO2008054584, WO2008078800, WO2008096609, WO2008101842, WO2009000673, WO2009050281, WO2009100991, WO2010028151, WO2010054731, WO2010086089, WO2010118029, WO2011044988, WO2011051404, WO2011107491, WO2012020327, WO2012163471, WO2013094620, WO2013107487, WO2013174471, WO2014007565, WO2014008982, WO2014023377, WO2014024131, WO2014031977, WO2014038456, WO2014112450.

232




233

-continued


**234**

-continued




235

-continued


**236**

-continued




237

-continued





**238**

-continued








239

-continued


**240**

-continued




241

-continued





**242**

-continued







243

-continued


**244**

-continued




245

-continued




246

-continued




247

-continued






**248**

-continued







249

-continued






**250**

-continued









251

-continued


**252**

-continued



253

-continued




f) HBL:

A hole blocking layer (HBL) may be used to reduce the number of holes and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies and/or longer lifetime as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and/or higher triplet energy than the emitter closest to the HBL interface. In some embodiments, the HBL material has a lower HOMO (further from the vacuum level) and/or higher triplet energy than one or more of the hosts closest to the HBL interface.

In one aspect, compound used in HBL contains the same molecule or the same functional groups used as host described above.

In another aspect, compound used in HBL contains at least one of the following groups in the molecule:

254




wherein k is an integer from 1 to 20; L^{101} is another ligand, k' is an integer from 1 to 3.

g) ETL:


Electron transport layer (ETL) may include a material capable of transporting electrons. Electron transport layer may be intrinsic (undoped), or doped. Doping may be used to enhance conductivity. Examples of the ETL material are not particularly limited, and any metal complexes or organic compounds may be used as long as they are typically used to transport electrons.

In one aspect, compound used in ETL contains at least one of the following groups in the molecule:




255

-continued



wherein R^{101} is selected from the group consisting of hydrogen, deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acids, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof, when it is aryl or heteroaryl, it has the similar definition as Ar's mentioned above. Ar^1 to Ar^3 has the similar definition as Ar's mentioned above. k is an integer from 1 to 20. X^{101} to X^{108} is selected from C (including CH) or N.


In another aspect, the metal complexes used in ETL contains, but not limit to the following general formula:



wherein (O—N) or (N—N) is a bidentate ligand, having metal coordinated to atoms O, N or N, N; L^{101} is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal.





Non-limiting examples of the ETL materials that may be used in an OLED in combination with materials disclosed herein are exemplified below together with references that disclose those materials: CN103508940, EP01602648, EP01734038, EP01956007, JP2004-022334, JP2005149918, JP2005-268199, KR0117693, KR20130108183, US20040036077, US20070104977, US2007018155, US20090101870, US20090115316, US20090140637, US20090179554, US2009218940, US2010108990, US2011156017, US2011210320, US2012193612, US2012214993, US2014014925, US2014014927, US20140284580, U.S. Pat. Nos. 6,656,612, 8,415,031, WO2003060956, WO2007111263, WO2009148269, WO2010067894, WO2010072300, WO2011074770, WO2011105373, WO2013079217, WO2013145667, WO2013180376, WO2014104499, WO2014104535,

256








257

-continued


**258**

-continued



259

-continued

**260**

-continued

5

10

15

20

25

30

35

40


45

50

55


60

65




261

-continued


**262**

-continued




263

-continued

**264**

-continued



h) Charge Generation Layer (CGL)

In tandem or stacked OLEDs, the CGL plays an essential role in the performance, which is composed of an n-doped layer and a p-doped layer for injection of electrons and holes, respectively. Electrons and holes are supplied from the CGL and electrodes. The consumed electrons and holes in the CGL are refilled by the electrons and holes injected from the cathode and anode, respectively; then, the bipolar currents reach a steady state gradually. Typical CGL materials include n and p conductivity dopants used in the transport layers.


In any above-mentioned compounds used in each layer of the OLED device, the hydrogen atoms can be partially or fully deuterated. The minimum amount of hydrogen of the compound being deuterated is selected from the group consisting of 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 99%, and 100%. Thus, any specifically listed substituent, such as, without limitation, methyl, phenyl, pyridyl, etc. may be undeuterated, partially deuterated, and fully deuterated versions thereof. Similarly, classes of substituents such as, without limitation, alkyl, aryl, cycloalkyl, heteroaryl, etc. also may be undeuterated, partially deuterated, and fully deuterated versions thereof.

It is understood that the various embodiments described herein are by way of example only and are not intended to limit the scope of the invention. For example, many of the materials and structures described herein may be substituted with other materials and structures without deviating from the spirit of the invention. The present invention as claimed may therefore include variations from the particular examples and preferred embodiments described herein, as


265

will be apparent to one of skill in the art. It is understood that various theories as to why the invention works are not intended to be limiting.

E. Experimental Section




2,4,5-Trichloropyridine (15.9 g, 87.0 mmol), (3,5-dimethylphenyl)boronic acid (13.1 g, 87.0 mmol) and potassium carbonate (36.1 g, 261 mmol) were dissolved in DME (300 mL) and water (90 mL) and sparged with nitrogen for 10 min. Tetrakis(triphenylphosphine)palladium(0) (4.03 g, 3.49 mmol) was added and the reaction mixture was stirred at 100° C. for 2.5 hours. The reaction mixture was diluted with water (250 mL) and EtOAc (500 mL), the phases separated and the aqueous extracted with EtOAc (600 mL). The combined organics were washed with brine (200 mL), dried over MgSO₄, filtered and concentrated in vacuo to give a pale orange solid. This was purified on the CombiFlash (silica gel, dichloromethane (DCM)/isohexane) to give 4,5-dichloro-2-(3,5-dimethylphenyl)pyridine (1) (12.0 g, 40.8 mmol, 47% yield, 86% purity) as a white solid.




4,5-Dichloro-2-(3,5-dimethylphenyl)pyridine (1) (12.0 g, 40.8 mmol) was suspended in dry acetonitrile (280 mL) under nitrogen, TMSBr (26 mL, 200 mmol) was added dropwise over 2 min and the reaction mixture was stirred at 75° C. for 18 hours. Further TMSBr (16 mL, 120 mmol) was added and the reaction mixture was stirred at 75° C. for 48 hours. Further TMSBr (16 mL, 120 mmol) was added and the reaction mixture stirred at 75° C. for 6 hours. Further TMSBr (16 mL, 120 mmol) was added and the reaction

266


mixture stirred at 75° C. for 72 hours. The reaction mixture was cooled to room temperature, quenched with sat. NaHCO₃(aq) (600 mL) and extracted with EtOAc (3×600 mL). The combined organics were washed with brine (400 mL), dried over MgSO₄, filtered and concentrated in vacuo to give a white solid. This was suspended in hexane (75 mL) and stirred at room temperature (RT) for 18 hours, the solids were collected by filtration, rinsed with isohexane (30 mL) and dried in vacuo to give 4-bromo-5-chloro-2-(3,5-dimethylphenyl)pyridine (2) (5.90 g, 19.5 mmol, 48% yield, >98% purity) as a white solid.




Neopentylzinc(II) iodide (3) (0.4 M in THF, 100 mL, 40.0 mmol) was added to a N₂-sparged solution of 2-(4-bromophenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (9.5 g, 34 mmol), lithium chloride (2.50 g, 59.0 mmol) and XPhosPd(crotlyl)Cl (0.56 g, 0.83 mmol) in dry THF (100 mL) under N₂. The reaction was stirred at 60° C. (internal temperature) for 1 hour. The reaction mixture was cooled and partitioned with sat. NH₄Cl(aq) (100 mL) and TBME (100 mL). The organics were separated and the aqueous extracted with TBME (100 mL). The organics were bulked, dried (MgSO₄), filtered and the solvent removed in vacuo. The residue was dissolved in MeOH (60 mL), sonicated and stirred for 30 min. The resulting solid was collected by filtration, washed with MeOH (10 mL) and dried to constant weight to give 4,4,5,5-tetramethyl-2-(4-neopentylphenyl)-1,3,2-dioxaborolane (3) (8.60 g, 30.7 mmol, 92% yield, 98% purity) as a tan solid.



267




A flask was charged with 4-bromo-5-chloro-2-(3,5-dimethylphenyl)pyridine (2) (11.9 g, 40.1 mmol), 4,4,5,5-tetramethyl-2-(4-neopentylphenyl)-1,3,2-dioxaborolane (4) (12.1 g, 44.1 mmol), $\text{Pd}(\text{PPh}_3)_4$ (2.3 g, 2.0 mmol), potassium carbonate (16.6 g, 120 mmol), anhydrous 1,4-dioxane (160 mL) and water (40 mL). The mixture was sparged with N_2 for 20 min, then stirred at 75°C . for 24 hours. After cooling, the reaction mixture was partitioned between EtOAc (150 mL) and water (250 mL). The aqueous was separated and the organic phase was washed with brine (250 mL), dried over MgSO_4 , filtered and the solvent removed in vacuo. The residue was loaded onto silica and purified by flash column chromatography (silica gel, 0-50% DCM/heptane) to afford 5-chloro-2-(3,5-dimethylphenyl)-4-(4-neopentylphenyl)pyridine (5) (7.82 g, 21.3 mmol, 53% yield, 99% purity) as a white solid.




1-Bromo-8-chloronaphthalene (14.4 g, 59.7 mmol), $\text{B}_2(\text{pin})_2$ (37.9 g, 149 mmol) and potassium acetate (35.2 g, 358 mmol) were suspended in dry DMF (200 mL) under nitrogen and sparged with nitrogen for 25 min. $\text{Pd}(\text{dppf})\text{Cl}_2 \cdot \text{CH}_2\text{Cl}_2$ (4.86 g, 5.97 mmol) was added and the reaction mixture was stirred at 80°C . for 16 hours. The reaction mixture was cooled to RT and diluted with water (200 mL) and EtOAc (300 mL). The resulting emulsion was filtered through Celite and rinsed through with EtOAc (2×100 mL). The phases were separated and the aqueous extracted with EtOAc (100 mL). The combined organics were washed with brine (3×200 mL), dried over MgSO_4 , filtered and concentrated in vacuo to give a dark brown oily solid. The residue was preabsorbed on silica and purified by flash column chromatography (silica gel, 0-15% EtOAc/isohexane) to give a cream solid.

268




A solution of 5-chloro-2-(3,5-dimethylphenyl)-4-(4-neopentylphenyl)pyridine (5) (6.22 g, 17.1 mmol), 2-(8-chloronaphthalen-1-yl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (6) (7.40 g, 25.6 mmol), XPhos (0.450 g, 0.945 mmol) and potassium carbonate (7.10 g, 51.4 mmol) in dioxane (120 mL) and water (30 mL) was sparged with N_2 for 15 min. $\text{Pd}(\text{crotyl})(\text{XPhos})\text{Cl}$ (0.600 g, 0.891 mmol) was added, the mixture was sparged with N_2 for 5 min and then stirred at 80°C . (block temperature) for 3 h. The reaction was cooled to RT and partitioned between EtOAc (100 mL) and H_2O (50 mL). The two layers were separated, and the aqueous phase was extracted with EtOAc (2×50 mL). The combined organics were washed with brine (75 mL), dried over MgSO_4 and concentrated. The residue was loaded onto silica (15 g) and purified by flash column chromatography (silica gel, 0-20% DCM/isohexane) to afford 5-(8-chloronaphthalen-1-yl)-2-(3,5-dimethylphenyl)-4-(4-neopentylphenyl)pyridine (7) (7.10 g, 14.05 mmol, 82% yield, 97% purity) as a pale yellow foam.




269

-continued




A suspension of 5-(8-chloronaphthalen-1-yl)-2-(3,5-dimethylphenyl)-4-(4-neopentyl phenyl)pyridine (7) (6.65 g, 13.6 mmol), pivalic acid (0.700 g, 6.85 mmol), tricyclohexylphosphonium tetrafluoroborate (4.00 g, 10.9 mmol) and caesium carbonate (25 g, 77 mmol) in 1,4-dioxane (130 mL) was sparged with N₂ for 10 min. Pd(OAc)₂ (1.20 g, 5.35 mmol) was added and the mixture heated to 85° C. for 3 hours. The temperature was increased to 100° C. and the reaction stirred for another 6 hours. The mixture was then cooled to RT and diluted with H₂O (100 mL) and EtOAc (200 mL). The two layers were separated, and the organic phase was washed with brine (2×150 mL), dried over MgSO₄ and concentrated. The residue was loaded onto silica (20 g) and purified by flash column chromatography (silica gel, 0-20% TBME/[1:1 isohexane/toluene]) to afford the product 6-(3,5-dimethylphenyl)-2-neopentylbenzo[3,4]naphtho[1',8':5,6,7]cyclohepta[1,2-c]pyridine (8) (6.1 g) as a bright yellow powder. The residue was recrystallised from 1:1 EtOH/TBME (300 mL) to give 6-(3,5-dimethylphenyl)-2-neopentylbenzo[3,4]naphtho[1',8':5,6,7]cyclohepta[1,2-c]pyridine (8) (1.61 g, 3.50 mmol, 26% yield, 98.6% purity) brown solid.



270

-continued



To a solution were added iridium(III) chloride hydrate (0.982 g, 2.65 mmol, 1.0 equiv), 3-(3,5-dimethylphenyl)-7-neopentylbenzo[3,4]naphtho[1',8':5,6,7]cyclohepta[1,2-c]pyridine (1.923 g, 4.24 mmol, 1.6 equiv). The mixture was sparged with nitrogen for 10 minutes and the vial sealed with a Teflon cap. The reaction mixture was heated at 125° C. for 22 hours, cooled to RT then transferred to a 250 mL round-bottom flask equipped with a reflux condenser. Tetrahydrofuran (50 mL) was added and the solution sparged with nitrogen for 5 minutes. 3,7-Diethylnonane-4,6-dione (1.688 g, 7.95 mmol, 3.0 equiv) and powdered potassium carbonate (1.465 g, 10.60 mmol, 4.0 equiv) were added with continuous sparging. The flask was heated at 40° C. for 18 hours. The reaction mixture was cooled to RT, partially concentrated under reduced pressure and the residue diluted with methanol (100 mL) and water (30 mL). The solid was filtered and washed with methanol (30 mL). The solid was dissolved in dichloromethane (200 mL), dried over anhydrous sodium sulfate and filtered. The filtrate was adsorbed onto Celite and purified on an Interchim automated chromatography system (220 g, 60μ silica gel cartridge), eluting with 20-45% dichloromethane in hexanes to give product (2.13 g, 76% yield).

Device Examples

All example devices were fabricated by high vacuum (<10⁻⁷ Torr) thermal evaporation. The anode electrode was 1,200 Å of indium tin oxide (ITO). The cathode consisted of 10 Å of Liq (8-hydroxyquinoline lithium) followed by 1,000 Å of Al. All devices were encapsulated with a glass lid sealed with an epoxy resin in a nitrogen glove box (<1 ppm of H₂O and O₂) immediately after fabrication, and a moisture getter was incorporated inside the package. The organic stack of the device examples consisted of sequentially, from


271

the ITO surface, 100 Å of LG101 (purchased from LG Chem) as the hole injection layer (HIL); 400 Å of HTM as a hole transporting layer (HTL); 50 Å of EBM as an electron blocking layer (EBL); 400 Å of an emissive layer (EML) containing RH and 18% RH2 as red host and 3% of emitter, and 350 Å of Liq (8-hydroxyquinolinelithium) doped with 35% of ETM as the electron transporting layer (ETL). Table 1 shows the thickness of the device layers and materials.


TABLE 1

Device layer materials and thicknesses		
Layer	Material	Thickness [Å]
Anode	ITO	1,200
HIL	LG101	100
HTL	HTM	400
EBL	EBM	50
EML	RH1: RH2 18%: Red emitter 3%	400
ETL	Liq: ETM 35%	350
EIL	Liq	10
Cathode	Al	1,000


The chemical structures of the device materials are shown below:

**272**


-continued




EBM



ETM




RH1



RH2

273



Upon fabrication, the devices have been EL and JVL tested. For this purpose, the sample was energized by the 2 channel Keysight B2902A SMU at a current density of 10 mA/cm² and measured by the Photo Research PR735 Spectroradiometer. Radiance (W/str/cm²) from 380 nm to 1080 nm, and total integrated photon count were collected. The device is then placed under a large area silicon photodiode for the JVL sweep. The integrated photon count of the device at 10 mA/cm² is used to convert the photodiode current to photon count. The voltage is swept from 0 to a voltage equating to 200 mA/cm². The EQE of the device is calculated using the total integrated photon count. LT₉₅ is time for the luminescence decaying to 95% initial amount measured at 80 mA/cm² current density. All results are summarized in Table 2.

TABLE 2


Device	Red emitter	λ max [nm]	FWHM [nm]	At 10 mA/cm ²			LT ₉₅ [hr] (80 mA/cm ²)
				Voltage [V]	EQE [%]	LE[cd/A]	
Device 1	Inventive example 1	588	64	3.5	23.2	54.3	53

As shown in table 1, an efficient organic electroluminescence device (OLED) using the inventive example as the emissive dopant that generates red light was fabricated. Device 1 gives high efficiency (23.2% of EQE), low voltage (3.5 V) operated at 10 mA/cm², and good device lifetime (LT₉₅ of 53 h) measured at constant current density of 80 mA/cm². The results show that the inventive materials can be used as emissive dopants in the application of OLEDs.

What is claimed is:

1. A compound comprising a bidentate ligand L_A comprising a moiety of Formula I,


274



wherein:

the ligand L_A is coordinated to a metal M by two bonds, wherein either:

- both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring; or
- one of the two bonds is with Formula I, and the other bond is with Formula II



which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D, with a proviso that R^A and R^B are not joined to form a 5-membered ring if ring E is pyridine and attached to ring A or ring B, and if the N atom of the pyridine is coordinated to M;

each of ring A, ring B, ring C, ring D, and, if present, ring E is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

each of R^A, R^B, R^C, R^D, and, if present, R^E independently represents mono to the maximum allowable substitutions, or no substitution;

each R^A, R^B, R^C, R^D, and, if present, R^E is independently a hydrogen or a substituent selected from the group

consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

any two adjacent R^A, R^B, R^C, R^D, or, if present, R^E can be joined or fused together to form a ring;

the metal M is Ir, Pt, Pd, or Os, and can be coordinated to other ligands; and

the ligand L_A can be joined with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

2. The compound of claim 1, wherein each R^A, R^B, R^C, R^D, and, if present, R^E is independently a hydrogen or a

275


substituent selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof.

3. The compound of claim 1, wherein each of ring A, ring B, ring C, and ring D is a 6-membered carbocyclic or heterocyclic ring; or one of ring A, ring B, ring C, or ring D is a 5-membered carbocyclic or heterocyclic ring, and the remaining ones of ring A, ring B, ring C, and ring D are 6-membered carbocyclic or heterocyclic rings.

4. The compound of claim 1, wherein (ii) one of the two bonds is with Formula I, and the other bond is with Formula II, which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D.


5. The compound of claim 4, wherein ring E is pyridine and ring E is coordinated to the metal M by the N of ring E; or ring E is pyridine and ring E is coordinated to the metal M by a C of ring E; or ring E is bonded to ring C or ring D by the dashed line; or ring E is bonded to ring A or ring B by the dashed line.

6. The compound of claim 4, wherein ligand L_A is selected from the group consisting of:







276

-continued







277

-continued


**278**

-continued




279

-continued

**280**





-continued

5
10
15
20
25
30
35
40
45
50
55
60
65










281

-continued

**282**

-continued



5

10

15

20

25

30

35

40

45

50





55

60





65

283

-continued

**284**

-continued



5

10

15

20

25

30

35

40

45

50


55

60


65

285

-continued

**286**

-continued



where:

each of X¹ to X¹⁸ is selected from CR and N;

each of Y and Y' is independently selected from the group consisting of O, S, Se, NR', BR', CR'R'', SiR'R'', and GeR'R''; and


each R, R', and R'' is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germlyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

7. The compound of claim 1, wherein (i) both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring.

8. The compound of claim 1, wherein ligand L_A is coordinated to metal M via ring A and via Ring B; or ligand L_A is coordinated to metal M via ring A and via Ring D; or ligand L_A is coordinated to metal M via ring C and via Ring D; or ligand L_A is coordinated to metal M by one neutral N atom and one monoanionic C atom; or ligand L_A is coordinated to metal M by one carbene carbon and one monoanionic C atom.

287

9. The compound of claim 7, wherein the ligand L_A is selected from the group consisting of:




wherein each of X^1 to X^{16} is selected from CR and N;
wherein each K^4 is independently a direct bond, O, or S;
wherein Y is selected from the group consisting of O, S,
Se, NR', BR', CR'R'', SiR'R'', and GeR'R''; and

each of R, R', and R'' is independently a hydrogen or a
substituent selected from the group consisting of deu-
terium, halogen, alkyl, cycloalkyl, heteroalkyl, hetero-
cycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl,
germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl,
alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether,
ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfo-
nyl, phosphino, and combinations thereof.

10. The compound of claim 1, wherein the ligand L_A is
selected from L_{Ai-m} , wherein i is an integer from 1 to 360,
m is an integer from 1 to 20, and $L_{Ai'-m'}$, wherein i' is an
integer from 361 to 390, and m' is an integer from 21 to 36,
wherein, for m=1 to 20, each L_{Ai-m} has the structure of:


for m = 1, L_{A1-1} to L_{A360-1}
have the structure




for m = 2, L_{A1-2} to L_{A360-2}
have the structure

288


-continued




for m = 3, L_{A1-3} to L_{A360-3}
have the structure




for m = 4, L_{A1-4} to L_{A360-4}
have the structure



for m = 5, L_{A1-5} to L_{A360-5}
have the structure




for m = 6, L_{A1-6} to L_{A360-6}
have the structure




for m = 7, L_{A1-7} to L_{A360-7}
have the structure

289


-continued




for $m = 8$, L_{A1-8} to L_{A360-8}
have the structure



for $m = 9$, L_{A1-9} to L_{A360-9}
have the structure



for $m = 10$, L_{A1-10} to $L_{A360-10}$
have the structure




for $m = 11$, L_{A1-11} to $L_{A360-11}$
have the structure

290

-continued

5




10

15

for $m = 12$, L_{A1-12} to $L_{A360-12}$
have the structure

20




25

30

for $m = 13$, L_{A1-13} to $L_{A360-13}$
have the structure


35



40

for $m = 14$, L_{A1-14} to $L_{A360-14}$
have the structure

45




50

for $m = 15$, L_{A1-15} to $L_{A360-15}$
have the structure

55

60




65


291

-continued


for $m = 16$, L_{A1-16} to $L_{A360-16}$
have the structure



for $m = 17$, L_{A142} to $L_{A360-17}$
have the structure




for $m = 18$, L_{A1-18} to $L_{A360-18}$
have the structure




292

-continued

for $m = 19$, L_{A1-19} to $L_{A360-19}$
have the structure



for $m = 20$, L_{A1-20} to $L_{A360-20}$
have the structure



wherein, for each L_{Ai-m} , R and G are defined as follows:


L_{Ai-m}	R	G	L_{Ai-m}	R	G	L_{Ai-m}	R	G	L_{Ai-m}	R	G
L_{A1-m}	R ¹	G ¹	L_{A2-m}	R ¹	G ²	L_{A3-m}	R ¹	G ³	L_{A4-m}	R ¹	G ⁴
L_{A5-m}	R ²	G ¹	L_{A6-m}	R ²	G ²	L_{A7-m}	R ²	G ³	L_{A8-m}	R ²	G ⁴
L_{A9-m}	R ³	G ¹	L_{A10-m}	R ³	G ²	L_{A11-m}	R ³	G ³	L_{A12-m}	R ³	G ⁴
L_{A13-m}	R ⁴	G ¹	L_{A14-m}	R ⁴	G ²	L_{A15-m}	R ⁴	G ³	L_{A16-m}	R ⁴	G ⁴
L_{A17-m}	R ⁵	G ¹	L_{A18-m}	R ⁵	G ²	L_{A19-m}	R ⁵	G ³	L_{A20-m}	R ⁵	G ⁴
L_{A21-m}	R ⁶	G ¹	L_{A22-m}	R ⁶	G ²	L_{A23-m}	R ⁶	G ³	L_{A24-m}	R ⁶	G ⁴
L_{A25-m}	R ⁷	G ¹	L_{A26-m}	R ⁷	G ²	L_{A27-m}	R ⁷	G ³	L_{A28-m}	R ⁷	G ⁴
L_{A29-m}	R ⁸	G ¹	L_{A30-m}	R ⁸	G ²	L_{A31-m}	R ⁸	G ³	L_{A32-m}	R ⁸	G ⁴
L_{A33-m}	R ⁹	G ¹	L_{A34-m}	R ⁹	G ²	L_{A35-m}	R ⁹	G ³	L_{A36-m}	R ⁹	G ⁴
L_{A37-m}	R ¹⁰	G ¹	L_{A38-m}	R ¹⁰	G ²	L_{A39-m}	R ¹⁰	G ³	L_{A40-m}	R ¹⁰	G ⁴
L_{A41-m}	R ¹¹	G ¹	L_{A42-m}	R ¹¹	G ²	L_{A43-m}	R ¹¹	G ³	L_{A44-m}	R ¹¹	G ⁴
L_{A45-m}	R ¹²	G ¹	L_{A46-m}	R ¹²	G ²	L_{A47-m}	R ¹²	G ³	L_{A48-m}	R ¹²	G ⁴
L_{A49-m}	R ¹³	G ¹	L_{A50-m}	R ¹³	G ²	L_{A51-m}	R ¹³	G ³	L_{A52-m}	R ¹³	G ⁴
L_{A53-m}	R ¹⁴	G ¹	L_{A54-m}	R ¹⁴	G ²	L_{A55-m}	R ¹⁴	G ³	L_{A56-m}	R ¹⁴	G ⁴
L_{A57-m}	R ¹⁵	G ¹	L_{A58-m}	R ¹⁵	G ²	L_{A59-m}	R ¹⁵	G ³	L_{A60-m}	R ¹⁵	G ⁴
L_{A61-m}	R ¹⁶	G ¹	L_{A62-m}	R ¹⁶	G ²	L_{A63-m}	R ¹⁶	G ³	L_{A64-m}	R ¹⁶	G ⁴
L_{A65-m}	R ¹⁷	G ¹	L_{A66-m}	R ¹⁷	G ²	L_{A67-m}	R ¹⁷	G ³	L_{A68-m}	R ¹⁷	G ⁴
L_{A69-m}	R ¹⁸	G ¹	L_{A70-m}	R ¹⁸	G ²	L_{A71-m}	R ¹⁸	G ³	L_{A72-m}	R ¹⁸	G ⁴
L_{A73-m}	R ¹⁹	G ¹	L_{A74-m}	R ¹⁹	G ²	L_{A75-m}	R ¹⁹	G ³	L_{A76-m}	R ¹⁹	G ⁴
L_{A77-m}	R ²⁰	G ¹	L_{A78-m}	R ²⁰	G ²	L_{A79-m}	R ²⁰	G ³	L_{A80-m}	R ²⁰	G ⁴
L_{A81-m}	R ²¹	G ¹	L_{A82-m}	R ²¹	G ²	L_{A83-m}	R ²¹	G ³	L_{A84-m}	R ²¹	G ⁴
L_{A85-m}	R ²²	G ¹	L_{A86-m}	R ²²	G ²	L_{A87-m}	R ²²	G ³	L_{A88-m}	R ²²	G ⁴
L_{A89-m}	R ²³	G ¹	L_{A90-m}	R ²³	G ²	L_{A91-m}	R ²³	G ³	L_{A92-m}	R ²³	G ⁴
L_{A93-m}	R ²⁴	G ¹	L_{A94-m}	R ²⁴	G ²	L_{A95-m}	R ²⁴	G ³	L_{A96-m}	R ²⁴	G ⁴
L_{A97-m}	R ²⁵	G ¹	L_{A98-m}	R ²⁵	G ²	L_{A99-m}	R ²⁵	G ³	L_{A100-m}	R ²⁵	G ⁴
L_{A101-m}	R ²⁶	G ¹	L_{A102-m}	R ²⁶	G ²	L_{A103-m}	R ²⁶	G ³	L_{A104-m}	R ²⁶	G ⁴
L_{A105-m}	R ²⁷	G ¹	L_{A106-m}	R ²⁷	G ²	L_{A107-m}	R ²⁷	G ³	L_{A108-m}	R ²⁷	G ⁴
L_{A109-m}	R ²⁸	G ¹	L_{A110-m}	R ²⁸	G ²	L_{A111-m}	R ²⁸	G ³	L_{A112-m}	R ²⁸	G ⁴
L_{A113-m}	R ²⁹	G ¹	L_{A114-m}	R ²⁹	G ²	L_{A115-m}	R ²⁹	G ³	L_{A116-m}	R ²⁹	G ⁴

-continued

L_{Ai-m}	R	G	L_{Ai-m}	R	G	L_{Ai-m}	R	G	L_{Ai-m}	R	G
L_{A117-m}	R ³⁰	G ¹	L_{A118-m}	R ³⁰	G ²	L_{A119-m}	R ³⁰	G ³	L_{A120-m}	R ³⁰	G ⁴
L_{A121-m}	R ¹	G ⁵	L_{A122-m}	R ¹	G ⁶	L_{A123-m}	R ¹	G ⁷	L_{A124-m}	R ¹	G ⁸
L_{A125-m}	R ²	G ⁵	L_{A126-m}	R ²	G ⁶	L_{A127-m}	R ²	G ⁷	L_{A128-m}	R ²	G ⁸
L_{A129-m}	R ³	G ⁵	L_{A130-m}	R ³	G ⁶	L_{A131-m}	R ³	G ⁷	L_{A132-m}	R ³	G ⁸
L_{A133-m}	R ⁴	G ⁵	L_{A134-m}	R ⁴	G ⁶	L_{A135-m}	R ⁴	G ⁷	L_{A136-m}	R ⁴	G ⁸
L_{A137-m}	R ⁵	G ⁵	L_{A138-m}	R ⁵	G ⁶	L_{A139-m}	R ⁵	G ⁷	L_{A140-m}	R ⁵	G ⁸
L_{A141-m}	R ⁶	G ⁵	L_{A142-m}	R ⁶	G ⁶	L_{A143-m}	R ⁶	G ⁷	L_{A144-m}	R ⁶	G ⁸
L_{A145-m}	R ⁷	G ⁵	L_{A146-m}	R ⁷	G ⁶	L_{A147-m}	R ⁷	G ⁷	L_{A148-m}	R ⁷	G ⁸
L_{A149-m}	R ⁸	G ⁵	L_{A150-m}	R ⁸	G ⁶	L_{A151-m}	R ⁸	G ⁷	L_{A152-m}	R ⁸	G ⁸
L_{A153-m}	R ⁹	G ⁵	L_{A154-m}	R ⁹	G ⁶	L_{A155-m}	R ⁹	G ⁷	L_{A156-m}	R ⁹	G ⁸
L_{A157-m}	R ¹⁰	G ⁵	L_{A158-m}	R ¹⁰	G ⁶	L_{A159-m}	R ¹⁰	G ⁷	L_{A160-m}	R ¹⁰	G ⁸
L_{A161-m}	R ¹¹	G ⁵	L_{A162-m}	R ¹¹	G ⁶	L_{A163-m}	R ¹¹	G ⁷	L_{A164-m}	R ¹¹	G ⁸
L_{A165-m}	R ¹²	G ⁵	L_{A166-m}	R ¹²	G ⁶	L_{A167-m}	R ¹²	G ⁷	L_{A168-m}	R ¹²	G ⁸
L_{A169-m}	R ¹³	G ⁵	L_{A170-m}	R ¹³	G ⁶	L_{A171-m}	R ¹³	G ⁷	L_{A172-m}	R ¹³	G ⁸
L_{A173-m}	R ¹⁴	G ⁵	L_{A174-m}	R ¹⁴	G ⁶	L_{A175-m}	R ¹⁴	G ⁷	L_{A176-m}	R ¹⁴	G ⁸
L_{A177-m}	R ¹⁵	G ⁵	L_{A178-m}	R ¹⁵	G ⁶	L_{A179-m}	R ¹⁵	G ⁷	L_{A180-m}	R ¹⁵	G ⁸
L_{A181-m}	R ¹⁶	G ⁵	L_{A182-m}	R ¹⁶	G ⁶	L_{A183-m}	R ¹⁶	G ⁷	L_{A184-m}	R ¹⁶	G ⁸
L_{A185-m}	R ¹⁷	G ⁵	L_{A186-m}	R ¹⁷	G ⁶	L_{A187-m}	R ¹⁷	G ⁷	L_{A188-m}	R ¹⁷	G ⁸
L_{A189-m}	R ¹⁸	G ⁵	L_{A190-m}	R ¹⁸	G ⁶	L_{A191-m}	R ¹⁸	G ⁷	L_{A192-m}	R ¹⁸	G ⁸
L_{A193-m}	R ¹⁹	G ⁵	L_{A194-m}	R ¹⁹	G ⁶	L_{A195-m}	R ¹⁹	G ⁷	L_{A196-m}	R ¹⁹	G ⁸
L_{A197-m}	R ²⁰	G ⁵	L_{A198-m}	R ²⁰	G ⁶	L_{A199-m}	R ²⁰	G ⁷	L_{A200-m}	R ²⁰	G ⁸
L_{A201-m}	R ²¹	G ⁵	L_{A202-m}	R ²¹	G ⁶	L_{A203-m}	R ²¹	G ⁷	L_{A204-m}	R ²¹	G ⁸
L_{A205-m}	R ²²	G ⁵	L_{A206-m}	R ²²	G ⁶	L_{A207-m}	R ²²	G ⁷	L_{A208-m}	R ²²	G ⁸
L_{A209-m}	R ²³	G ⁵	L_{A210-m}	R ²³	G ⁶	L_{A211-m}	R ²³	G ⁷	L_{A212-m}	R ²³	G ⁸
L_{A213-m}	R ²⁴	G ⁵	L_{A214-m}	R ²⁴	G ⁶	L_{A215-m}	R ²⁴	G ⁷	L_{A216-m}	R ²⁴	G ⁸
L_{A217-m}	R ²⁵	G ⁵	L_{A218-m}	R ²⁵	G ⁶	L_{A219-m}	R ²⁵	G ⁷	L_{A220-m}	R ²⁵	G ⁸
L_{A221-m}	R ²⁶	G ⁵	L_{A222-m}	R ²⁶	G ⁶	L_{A223-m}	R ²⁶	G ⁷	L_{A224-m}	R ²⁶	G ⁸
L_{A225-m}	R ²⁷	G ⁵	L_{A226-m}	R ²⁷	G ⁶	L_{A227-m}	R ²⁷	G ⁷	L_{A228-m}	R ²⁷	G ⁸
L_{A229-m}	R ²⁸	G ⁵	L_{A230-m}	R ²⁸	G ⁶	L_{A231-m}	R ²⁸	G ⁷	L_{A232-m}	R ²⁸	G ⁸
L_{A233-m}	R ²⁹	G ⁵	L_{A234-m}	R ²⁹	G ⁶	L_{A235-m}	R ²⁹	G ⁷	L_{A236-m}	R ²⁹	G ⁸
L_{A237-m}	R ³⁰	G ⁵	L_{A238-m}	R ³⁰	G ⁶	L_{A239-m}	R ³⁰	G ⁷	L_{A240-m}	R ³⁰	G ⁸
L_{A241-m}	R ¹	G ⁹	L_{A242-m}	R ¹	G ¹⁰	L_{A243-m}	R ¹	G ¹¹	L_{A244-m}	R ¹	G ¹²
L_{A245-m}	R ²	G ⁹	L_{A246-m}	R ²	G ¹⁰	L_{A247-m}	R ²	G ¹¹	L_{A248-m}	R ²	G ¹²
L_{A249-m}	R ³	G ⁹	L_{A250-m}	R ³	G ¹⁰	L_{A251-m}	R ³	G ¹¹	L_{A252-m}	R ³	G ¹²
L_{A253-m}	R ⁴	G ⁹	L_{A254-m}	R ⁴	G ¹⁰	L_{A255-m}	R ⁴	G ¹¹	L_{A256-m}	R ⁴	G ¹²
L_{A257-m}	R ⁵	G ⁹	L_{A258-m}	R ⁵	G ¹⁰	L_{A259-m}	R ⁵	G ¹¹	L_{A260-m}	R ⁵	G ¹²
L_{A261-m}	R ⁶	G ⁹	L_{A262-m}	R ⁶	G ¹⁰	L_{A263-m}	R ⁶	G ¹¹	L_{A264-m}	R ⁶	G ¹²
L_{A265-m}	R ⁷	G ⁹	L_{A266-m}	R ⁷	G ¹⁰	L_{A267-m}	R ⁷	G ¹¹	L_{A268-m}	R ⁷	G ¹²
L_{A269-m}	R ⁸	G ⁹	L_{A270-m}	R ⁸	G ¹⁰	L_{A271-m}	R ⁸	G ¹¹	L_{A272-m}	R ⁸	G ¹²
L_{A273-m}	R ⁹	G ⁹	L_{A274-m}	R ⁹	G ¹⁰	L_{A275-m}	R ⁹	G ¹¹	L_{A276-m}	R ⁹	G ¹²
L_{A277-m}	R ¹⁰	G ⁹	L_{A278-m}	R ¹⁰	G ¹⁰	L_{A279-m}	R ¹⁰	G ¹¹	L_{A280-m}	R ¹⁰	G ¹²
L_{A281-m}	R ¹¹	G ⁹	L_{A282-m}	R ¹¹	G ¹⁰	L_{A283-m}	R ¹¹	G ¹¹	L_{A284-m}	R ¹¹	G ¹²
L_{A285-m}	R ¹²	G ⁹	L_{A286-m}	R ¹²	G ¹⁰	L_{A287-m}	R ¹²	G ¹¹	L_{A288-m}	R ¹²	G ¹²
L_{A289-m}	R ¹³	G ⁹	L_{A290-m}	R ¹³	G ¹⁰	L_{A291-m}	R ¹³	G ¹¹	L_{A292-m}	R ¹³	G ¹²
L_{A293-m}	R ¹⁴	G ⁹	L_{A294-m}	R ¹⁴	G ¹⁰	L_{A295-m}	R ¹⁴	G ¹¹	L_{A296-m}	R ¹⁴	G ¹²
L_{A297-m}	R ¹⁵	G ⁹	L_{A298-m}	R ¹⁵	G ¹⁰	L_{A299-m}	R ¹⁵	G ¹¹	L_{A300-m}	R ¹⁵	G ¹²
L_{A301-m}	R ¹⁶	G ⁹	L_{A302-m}	R ¹⁶	G ¹⁰	L_{A303-m}	R ¹⁶	G ¹¹	L_{A304-m}	R ¹⁶	G ¹²
L_{A305-m}	R ¹⁷	G ⁹	L_{A306-m}	R ¹⁷	G ¹⁰	L_{A307-m}	R ¹⁷	G ¹¹	L_{A308-m}	R ¹⁷	G ¹²
L_{A309-m}	R ¹⁸	G ⁹	L_{A310-m}	R ¹⁸	G ¹⁰	L_{A311-m}	R ¹⁸	G ¹¹	L_{A312-m}	R ¹⁸	G ¹²
L_{A313-m}	R ¹⁹	G ⁹	L_{A314-m}	R ¹⁹	G ¹⁰	L_{A315-m}	R ¹⁹	G ¹¹	L_{A316-m}	R ¹⁹	G ¹²
L_{A317-m}	R ²⁰	G ⁹	L_{A318-m}	R ²⁰	G ¹⁰	L_{A319-m}	R ²⁰	G ¹¹	L_{A320-m}	R ²⁰	G ¹²
L_{A321-m}	R ²¹	G ⁹	L_{A322-m}	R ²¹	G ¹⁰	L_{A323-m}	R ²¹	G ¹¹	L_{A324-m}	R ²¹	G ¹²
L_{A325-m}	R ²²	G ⁹	L_{A326-m}	R ²²	G ¹⁰	L_{A327-m}	R ²²	G ¹¹	L_{A328-m}	R ²²	G ¹²
L_{A329-m}	R ²³	G ⁹	L_{A330-m}	R ²³	G ¹⁰	L_{A331-m}	R ²³	G ¹¹	L_{A332-m}	R ²³	G ¹²
L_{A333-m}	R ²⁴	G ⁹	L_{A334-m}	R ²⁴	G ¹⁰	L_{A335-m}	R ²⁴	G ¹¹	L_{A336-m}	R ²⁴	G ¹²
L_{A337-m}	R ²⁵	G ⁹	L_{A338-m}	R ²⁵	G ¹⁰	L_{A339-m}	R ²⁵	G ¹¹	L_{A340-m}	R ²⁵	G ¹²
L_{A341-m}	R ²⁶	G ⁹	L_{A342-m}	R ²⁶	G ¹⁰	L_{A343-m}	R ²⁶	G ¹¹	L_{A344-m}	R ²⁶	G ¹²
L_{A345-m}	R ²⁷	G ⁹	L_{A346-m}	R ²⁷	G ¹⁰	L_{A347-m}	R ²⁷	G ¹¹	L_{A348-m}	R ²⁷	G ¹²
L_{A349-m}	R ²⁸	G ⁹	L_{A350-m}	R ²⁸	G ¹⁰	L_{A351-m}	R ²⁸	G ¹¹	L_{A352-m}	R ²⁸	G ¹²
L_{A353-m}	R ²⁹	G ⁹	L_{A354-m}	R ²⁹	G ¹⁰	L_{A355-m}	R ²⁹	G ¹¹	L_{A356-m}	R ²⁹	G ¹²
L_{A357-m}	R ³⁰	G ⁹	L_{A358-m}	R ³⁰	G ¹⁰	L_{A359-m}	R ³⁰	G ¹¹	L_{A360-m}	R ³⁰	G ¹²

wherein, each $L_{Ai'-m'}$ has the structure defined as follows:

for $m' = 21$, $L_{A361-21}$ to
 $L_{A390-21}$ have the structure



-continued

55


60

65


295

-continued


for $m' = 22$, $L_{A361-22}$ to $L_{A390-22}$
have the structure




for $m' = 23$, $L_{A361-23}$ to
 $L_{A390-23}$ have the structure



for $m' = 24$, $L_{A361-24}$ to
 $L_{A390-24}$ have the structure



for $m' = 25$, $L_{A361-25}$ to
 $L_{A390-25}$ have the structure




for $m' = 26$, $L_{A361-26}$ to $L_{A390-26}$
have the structure

296

-continued


5



10

for $m' = 27$, $L_{A361-27}$ to
 $L_{A390-27}$ have the structure

15




20

25

for $m' = 28$, $L_{A361-28}$ to
 $L_{A390-28}$ have the structure

30




35

40

for $m' = 29$, $L_{A361-29}$ to
 $L_{A390-29}$ have the structure


45



50

for $m' = 30$, $L_{A361-30}$ to $L_{A390-30}$
have the structure

55






60

65



for $m' = 31$, $L_{A361-31}$ to

297

-continued



 $L_{A390-31}$ have the structurefor $m' = 32$, $L_{A361-32}$ to $L_{A390-32}$ have the structurefor $m' = 33$, $L_{A361-33}$ to $L_{A390-33}$ have the structurefor $m' = 34$, $L_{A361-34}$ to $L_{A390-34}$ have the structure**298**

-continued

for $m' = 35$, $L_{A361-35}$ to $L_{A390-35}$ have the structurefor $m' = 36$, $L_{A361-36}$ to $L_{A390-36}$ have the structurewherein, for each $L_{Ai'-m'}$, R is defined as follows:


$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R	$L_{Ai'-m'}$	R
$L_{A361-m'}$	R^1	$L_{A362-m'}$	R^2	$L_{A363-m'}$	R^3	$L_{A364-m'}$	R^4	$L_{A365-m'}$	R^5	$L_{A366-m'}$	R^6
$L_{A367-m'}$	R^7	$L_{A368-m'}$	R^8	$L_{A369-m'}$	R^9	$L_{A370-m'}$	R^{10}	$L_{A371-m'}$	R^{12}	$L_{A372-m'}$	R^{12}
$L_{A373-m'}$	R^{13}	$L_{A374-m'}$	R^{14}	$L_{A375-m'}$	R^{15}	$L_{A376-m'}$	R^{16}	$L_{A377-m'}$	R^{19}	$L_{A378-m'}$	R^{18}
$L_{A379-m'}$	R^{19}	$L_{A380-m'}$	R^{20}	$L_{A381-m'}$	R^{21}	$L_{A382-m'}$	R^{22}	$L_{A383-m'}$	R^{26}	$L_{A384-m'}$	R^{24}
$L_{A385-m'}$	R^{25}	$L_{A386-m'}$	R^{26}	$L_{A387-m'}$	R^{27}	$L_{A388-m'}$	R^{28}	$L_{A389-m'}$	R^{29}	$L_{A390-m'}$	R^{30}

-continued


wherein R^1 to R^{30} have the following structures:

299

-continued

**300**


-continued



65 and

wherein G¹ to G¹² have the following structures:

301



302

-continued

G¹

5

10

G²

15

20

G³

25

30

G⁴

35

40

G⁵


45

50

G⁶

55

60


G⁷G⁸G⁹G¹⁰G¹¹G¹²

11. The compound of claim 1, wherein the compound has
 a formula of $M(L_A)_p(L_B)_q(L_C)_r$, wherein L_B and L_C are each
 a bidentate ligand; and wherein p is 1, 2, or 3; q is 0, 1, or
 2; r is 0, 1, or 2; and p+q+r is the oxidation state of the metal
 M.

303


12. The compound of claim 11, wherein the compound has a formula selected from the group consisting of $\text{Ir}(\text{L}_A)_3$, $\text{Ir}(\text{L}_A)(\text{L}_B)_2$, $\text{Ir}(\text{L}_A)_2(\text{L}_B)$, $\text{Ir}(\text{L}_A)_2(\text{L}_C)$, and $\text{Ir}(\text{L}_A)(\text{L}_B)(\text{L}_C)$; and wherein L_A , L_B , and L_C are different from each other; or a formula of $\text{Pt}(\text{L}_A)(\text{L}_B)$; and wherein L_A and L_B can be same or different.

13. The compound of claim 12, wherein L_B and L_C are each independently selected from the group consisting of:








304

-continued





305

-continued

**306**

-continued



where:

T is selected from the group consisting of B, Al, Ga, and In;

each of Y¹ to Y¹³ is independently selected from the group consisting of carbon and nitrogen;

Y' is selected from the group consisting of BR_e, NR_e, PR_e, O, S, Se, C=O, S=O, SO₂, CR_eR_f, SiR_eR_f, and GeR_eR_f;

R_e and R_f can be fused or joined to form a ring;

each R_a, R_b, R_c, and R_d independently represent zero, mono, or up to the maximum allowed number of substitutions to its associated ring;

each of R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, R_d, R_e and R_f is independently a hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, selenyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; the general substituents defined herein; and any two adjacent R_a, R_b, R_c, R_d, R_e and R_f can be fused or joined to form a ring or form a multidentate ligand.

14. The compound of claim 10, wherein when the compound has formula Ir(L_{Ai-m})₃ or Ir(L_{Ai'-m'})₃, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; and the compound is selected from the group consisting of Ir(L_{A1-1})₃ to Ir(L_{A360-20})₃ of Ir(L_{A361-21})₃ to Ir(L_{A390-36})₃;

when the compound has formula Ir(L_{Ai-m})(L_{Bk})₂ or Ir(L_{Ai'-m'})(L_{Bk})₂, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; k is an integer from 1 to 324; and the compound is selected from the group consisting of Ir(L_{A1-1})(L_{B1})₂ to Ir(L_{A360-20})(L_{B324})₂ or Ir(L_{A361-21})(L_{B1})₂ to Ir(L_{A390-36})(L_{B324})₂;

when the compound has formula Ir(L_{Ai-m})₂(L_{Bk}) or Ir(L_{Ai'-m'})₂(L_{Bk}), i is an integer from 1 to 360; m is an integer

307

from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; k is an integer from 1 to 324;

and the compound is selected from the group consisting of $\text{Ir}(\text{L}_{A1-1})_2(\text{L}_{B1})$ to $\text{Ir}(\text{L}_{A360-20})_2(\text{L}_{B324})$ or $\text{Ir}(\text{L}_{A361-21})_2(\text{L}_{B1})$ to $\text{Ir}(\text{L}_{A390-36})_2(\text{L}_{B324})$;


when the compound has formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-I})$ or $\text{Ir}(\text{L}_{Ai'-m'})_2(\text{L}_{Cj-I})$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; j is an integer from 1 to 1416;

and the compound is selected from the group consisting of $\text{Ir}(\text{L}_{A1-1})_2(\text{L}_{C1-I})$ to $\text{Ir}(\text{L}_{A360-20})(\text{L}_{C1416-I})$ or $\text{Ir}(\text{L}_{A360-21})_2(\text{L}_{C1-I})$ to $\text{Ir}(\text{L}_{A390-36})(\text{L}_{C1416-I})$; and

when the compound has formula $\text{Ir}(\text{L}_{Ai-m})_2(\text{L}_{Cj-II})$ or $\text{Ir}(\text{L}_{Ai'-m'})_2(\text{L}_{Cj-II})$, i is an integer from 1 to 360; m is an integer from 1 to 20; i' is an integer from 361 to 390; m' is an integer from 21 to 36; j is an integer from 1 to 1416;







and the compound is selected from the group consisting of $\text{Ir}(\text{L}_{A1-1})_2(\text{L}_{C1-II})$ to $\text{Ir}(\text{L}_{A360-20})(\text{L}_{C1416-II})$ or $\text{Ir}(\text{L}_{A360-21})_2(\text{L}_{C1-II})$ to $\text{Ir}(\text{L}_{A390-36})(\text{L}_{C1416-II})$;

wherein each L_{Bk} has the structure defined as follows:









308

-continued



309

-continued

 L_{B11}

5

10

 L_{B12}

15

20

 L_{B13}

25

30

 L_{B14}

35

40

 L_{B15}

45

50







 L_{B16} 55

60

65






310

-continued







 L_{B17} L_{B18} L_{B19} L_{B20} L_{B21} L_{B22}

311

-continued

**312**

-continued

L_{B23}

5

10

L_{B24}

15

20

L_{B25}

25

30

35

L_{B26}

40

45

L_{B27}

50

55


60

65

L_{B28}L_{B29}L_{B30}L_{B31}L_{B32}L_{B33}


313

-continued

L_{B34}


5

10

L_{B35}


15

20

L_{B36}


25

30

L_{B37}


35

40

L_{B38}

45

50

L_{B39}







55

60

65







314

-continued

L_{B40}L_{B41}L_{B42}L_{B43}L_{B44}L_{B45}

315

-continued

L_{B46}

5

10

L_{B47}

15

20

 L_{B48}

25

30

L_{B49}

35

40

 L_{B50}

45

50







55
L_{B51}

60

65







316

-continued







 L_{B52} L_{B53} L_{B54} L_{B55} L_{B56} L_{B57}

317

-continued

**318**

-continued

L_{B58}

5

10

L_{B59}

15

20

L_{B60}

25

30

L_{B61}

35

40

L_{B62}

45

50

L_{B63}

55






60

65






L_{B64}L_{B65}L_{B66}L_{B67}L_{B68}L_{B69}

319

-continued

**320**

-continued

L_{B70}

5

10

L_{B71}

15

20

L_{B72}

25

30

35

L_{B73}

40

45

L_{B74}

50

55






60

65







L_{B75}L_{B76}L_{B77}L_{B78}L_{B79}

321

-continued

**322**

-continued

L_{B80}

5

10

L_{B81}

15

20

25

L_{B82}

30

35

L_{B83}

40

45

50

L_{B84}

55







60

65

L_{B85}L_{B86}L_{B87}L_{B88}L_{B89}L_{B90}

323

-continued

*L*_{B91}

5

10

*L*_{B92}

15

20

*L*_{B93}

25

30

*L*_{B94}

35

40

*L*_{B95}

45

50

*L*_{B96}







55

60

65






324

-continued

*L*_{B97}*L*_{B98}*L*_{B99}*L*_{B100}*L*_{B101}*L*_{B102}

325

-continued



LB103

5

10

LB104

15

20

LB105

25

30

LB106

35

40

45

LB107

50






55

60

65

326

-continued



LB108

LB109






LB110

LB111






LB112

327

-continued

**328**

-continued



LB113

5

10

LB114 15

20

25

LB115

30

35

40

LB116

45

50

LB117 55

60

65

LB118

LB119





LB120

LB121





LB122

329

-continued

**330**

-continued



LB123

5

10

15

LB124

20

25

LB125

30

35

40

45

LB126

50

55

60

65

LB127





LB128

LB129





LB130

331

-continued

**332**

-continued

L_{B131}

5

10

15

L_{B132}

20

25

30

L_{B133}

35

40

45

L_{B134}

50

55


60

65

L_{B135}L_{B136}L_{B137}L_{B138}

333

-continued



LB139

5

10

LB140 15

20

25

LB141

30

35

LB142

40

45

50

LB143


55

60

65

334

-continued



LB144

LB145






LB146

LB147





LB148

335

-continued

**336**

-continued



LB149

5

10

LB150

15

20

25

LB151

30

35

LB152

40

45

LB153

50

55

60

65

LB154





LB155

LB156

LB157

337

-continued

 L_{B158}

5

10

15

L_B159

20

25

L_{B160} 30

30

35

40

 L_{B161}

45

50





55

60

65





338

-continued





L_{B162}L_{B163}L_{B164} L_{B165}

339

-continued

**340**

-continued



LB166

5

10

LB167

15

20

25

LB168

30

35

LB169

40

45

50

55

60

65

LB170





LB171

LB172





LB173

341

-continued

**342**

-continued



LB174

5

10

15

LB175

20

25

LB176

30

35

40

LB177

45

50

55

60

65

LB178





LB179

LB180





LB181

343

-continued

**344**

-continued

L_{B182}

5

10

15

L_{B183}

20

25

L_{B184}

30

35

40

L_{B185}

45

50

55






60

65






L_{B186}L_{B187}L_{B188}L_{B189}

345

-continued

**346**

-continued

L_{B190}

5

10

L_{B191}

15

20

25

L_{B192}

30

35

40

L_{B193}

45

50

L_{B194}

55






60

65





L_{B195}L_{B196}L_{B197}L_{B198}L_{B199}

347

-continued

**348**

-continued

L_{B200}

5

10

15

L_{B201}

20

25

L_{B202}

30

35

40

L_{B203}

45

50

L_{B204}

55





60

65

L_{B205}L_{B206}L_{B207}L_{B208}

349

-continued

L_{B209}

5

10

15

 L_{B210}

20

25

30

 L_{B211}

35

40

L_{B212}

45

50





55

60

65





350

-continued

 L_{B213} L_{B214} L_{B215} L_{B216}

351

-continued

**352**L_{B217}

5

10

15

L_{B218}

20

25

L_{B219}

30

35

40

L_{B220}





45

50

55


60

65

L_{B221}L_{B222}L_{B223}L_{B224}

353

-continued

L_{B225}

5

10

15

L_{B226}

20

25

30

L_{B227} 35

40

45




L_{B228}

50





55

60

65





**354**

-continued





L_{B229}L_{B230}L_{B231}L_{B232}

355

-continued

**356**

-continued

L_{B233}

5

10

15

L_{B234}

20

25

L_{B235}

30

35

40

L_{B236}

45

50

55





60

65





L_{B237}L_{B238}L_{B239}L_{B240}

357

-continued

**358**

-continued

L_{B241}

5

10

15

L_{B242}

20

25

30

L_{B243}

35

40

45

L_{B244}

50

55





60

65





L_{B245}L_{B246}L_{B247}L_{B248}

359

-continued

**360**

-continued

L_{B249}

5

10

15

L_{B250}

20

25

30

L_{B251}

35

40

45

L_{B252}

50

55





60

65





L_{B253}L_{B254}L_{B255}L_{B256}

361

-continued

**362**

-continued

L_{B257}

5

10

15

L_{B258}

20

25

30

L_{B259}

35

40

45

L_{B260}

50

55





60

65

L_{B261}L_{B262}L_{B263}L_{B264}

363

-continued

**364**

-continued

L_{B265}

5

10

15

L_{B266}

20

25

30

L_{B267}

35

40

45





L_{B268}

50

55






60

65





L_{B269}L_{B270}L_{B271}L_{B272}

365

-continued

**366**

-continued

L_{B273}

5

10

L_{B274}

15

20

L_{B275}

25

30

35

L_{B276}

40

45

L_{B277}

50

55





60

65





L_{B278}L_{B279}L_{B280}L_{B281}

367

-continued

**368**

-continued

L_{B282}

5

10

15

L_{B283}

20

25

30

L_{B284}

35

40

L_{B285}

45

50

55


60

65


L_{B286}L_{B287}L_{B288}L_{B289}

369


-continued

L_{B290}


5

L_{B291}

15

L_{B292}

30

L_{B293}

45

50





55

60

65





370

-continued





L_{B294}L_{B295}L_{B296}L_{B297}

371

-continued

**372**

-continued

L_{B298}

5

10

15

L_{B299}

20

25

L_{B300}

35

40

45

L_{B301}

50

55


60

65

L_{B302}L_{B303}L_{B304}L_{B305}

373

-continued

**374**

-continued

L_{B306}

5

10

15

L_{B307}

20

25

30

L_{B308}

35

40

L_{B309}


45

50

55





60

65





L_{B310}L_{B311}L_{B312}L_{B313}

375

-continued

**376**

-continued



LB314

5

10

15

LB315

20

25

30

LB316

35

40

45

LB317

50

55

60

65

LB318




LB319

LB320

LB321

377

-continued



and

378wherein each L_{Cj-I} has a structure based on formula L_{B322}

5

10

and

each L_{Cj-II} has a structure based on formula L_{B323}

20



25

wherein for each L_{Cj} in L_{Cj-I} and L_{Cj-II} , R^{201} and R^{202} are each independently defined as follows: L_{B324}

30

35

40



L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1}	R^{D1}	R^{D1}	L_{C193}	R^{D1}	R^{D3}	L_{C385}	R^{D17}	R^{D40}	L_{C577}	R^{D143}	R^{D120}
L_{C2}	R^{D2}	R^{D2}	L_{C194}	R^{D1}	R^{D4}	L_{C386}	R^{D17}	R^{D41}	L_{C578}	R^{D143}	R^{D133}
L_{C3}	R^{D3}	R^{D3}	L_{C195}	R^{D1}	R^{D5}	L_{C387}	R^{D17}	R^{D42}	L_{C579}	R^{D143}	R^{D134}
L_{C4}	R^{D4}	R^{D4}	L_{C196}	R^{D1}	R^{D9}	L_{C388}	R^{D17}	R^{D43}	L_{C580}	R^{D143}	R^{D135}
L_{C5}	R^{D5}	R^{D5}	L_{C197}	R^{D1}	R^{D10}	L_{C389}	R^{D17}	R^{D48}	L_{C581}	R^{D143}	R^{D136}
L_{C6}	R^{D6}	R^{D6}	L_{C198}	R^{D1}	R^{D17}	L_{C390}	R^{D17}	R^{D49}	L_{C582}	R^{D143}	R^{D144}
L_{C7}	R^{D7}	R^{D7}	L_{C199}	R^{D1}	R^{D18}	L_{C391}	R^{D17}	R^{D50}	L_{C583}	R^{D143}	R^{D145}
L_{C8}	R^{D8}	R^{D8}	L_{C200}	R^{D1}	R^{D20}	L_{C392}	R^{D17}	R^{D54}	L_{C584}	R^{D143}	R^{D146}
L_{C9}	R^{D9}	R^{D9}	L_{C201}	R^{D1}	R^{D22}	L_{C393}	R^{D17}	R^{D55}	L_{C585}	R^{D143}	R^{D147}
L_{C10}	R^{D10}	R^{D10}	L_{C202}	R^{D1}	R^{D37}	L_{C394}	R^{D17}	R^{D58}	L_{C586}	R^{D143}	R^{D149}
L_{C11}	R^{D11}	R^{D11}	L_{C203}	R^{D1}	R^{D40}	L_{C395}	R^{D17}	R^{D59}	L_{C587}	R^{D143}	R^{D151}
L_{C12}	R^{D12}	R^{D12}	L_{C204}	R^{D1}	R^{D41}	L_{C396}	R^{D17}	R^{D78}	L_{C588}	R^{D143}	R^{D154}
L_{C13}	R^{D13}	R^{D13}	L_{C205}	R^{D1}	R^{D42}	L_{C397}	R^{D17}	R^{D79}	L_{C589}	R^{D143}	R^{D155}
L_{C14}	R^{D14}	R^{D14}	L_{C206}	R^{D1}	R^{D43}	L_{C398}	R^{D17}	R^{D81}	L_{C590}	R^{D143}	R^{D161}
L_{C15}	R^{D15}	R^{D15}	L_{C207}	R^{D1}	R^{D48}	L_{C399}	R^{D17}	R^{D87}	L_{C591}	R^{D143}	R^{D175}
L_{C16}	R^{D16}	R^{D16}	L_{C208}	R^{D1}	R^{D49}	L_{C400}	R^{D17}	R^{D88}	L_{C592}	R^{D144}	R^{D3}
L_{C17}	R^{D17}	R^{D17}	L_{C209}	R^{D1}	R^{D50}	L_{C401}	R^{D17}	R^{D89}	L_{C593}	R^{D144}	R^{D5}
L_{C18}	R^{D18}	R^{D18}	L_{C210}	R^{D1}	R^{D54}	L_{C402}	R^{D17}	R^{D95}	L_{C594}	R^{D144}	R^{D17}
L_{C19}	R^{D19}	R^{D19}	L_{C211}	R^{D1}	R^{D55}	L_{C403}	R^{D17}	R^{D116}	L_{C595}	R^{D144}	R^{D18}
L_{C20}	R^{D20}	R^{D20}	L_{C212}	R^{D1}	R^{D58}	L_{C404}	R^{D17}	R^{D117}	L_{C596}	R^{D144}	R^{D20}
L_{C21}	R^{D21}	R^{D21}	L_{C213}	R^{D1}	R^{D59}	L_{C405}	R^{D17}	R^{D118}	L_{C597}	R^{D144}	R^{D22}
L_{C22}	R^{D22}	R^{D22}	L_{C214}	R^{D1}	R^{D78}	L_{C406}	R^{D17}	R^{D119}	L_{C598}	R^{D144}	R^{D37}
L_{C23}	R^{D23}	R^{D23}	L_{C215}	R^{D1}	R^{D79}	L_{C407}	R^{D17}	R^{D120}	L_{C599}	R^{D144}	R^{D40}
L_{C24}	R^{D24}	R^{D24}	L_{C216}	R^{D1}	R^{D81}	L_{C408}	R^{D17}	R^{D133}	L_{C600}	R^{D144}	R^{D41}

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C25}	R^{D25}	R^{D25}	L_{C217}	R^{D1}	R^{D87}	L_{C409}	R^{D17}	R^{D134}	L_{C601}	R^{D144}	R^{D42}
L_{C26}	R^{D26}	R^{D26}	L_{C218}	R^{D1}	R^{D88}	L_{C410}	R^{D17}	R^{D135}	L_{C602}	R^{D144}	R^{D43}
L_{C27}	R^{D27}	R^{D27}	L_{C219}	R^{D1}	R^{D89}	L_{C411}	R^{D17}	R^{D136}	L_{C603}	R^{D144}	R^{D48}
L_{C28}	R^{D28}	R^{D28}	L_{C220}	R^{D1}	R^{D93}	L_{C412}	R^{D17}	R^{D143}	L_{C604}	R^{D144}	R^{D49}
L_{C29}	R^{D29}	R^{D29}	L_{C221}	R^{D1}	R^{D116}	L_{C413}	R^{D17}	R^{D144}	L_{C605}	R^{D144}	R^{D54}
L_{C30}	R^{D30}	R^{D30}	L_{C222}	R^{D1}	R^{D117}	L_{C414}	R^{D17}	R^{D145}	L_{C606}	R^{D144}	R^{D58}
L_{C31}	R^{D31}	R^{D31}	L_{C223}	R^{D1}	R^{D118}	L_{C415}	R^{D17}	R^{D146}	L_{C607}	R^{D144}	R^{D59}
L_{C32}	R^{D32}	R^{D32}	L_{C224}	R^{D1}	R^{D119}	L_{C416}	R^{D17}	R^{D147}	L_{C608}	R^{D144}	R^{D78}
L_{C33}	R^{D33}	R^{D33}	L_{C225}	R^{D1}	R^{D120}	L_{C417}	R^{D17}	R^{D149}	L_{C609}	R^{D144}	R^{D79}
L_{C34}	R^{D34}	R^{D34}	L_{C226}	R^{D1}	R^{D133}	L_{C418}	R^{D17}	R^{D151}	L_{C610}	R^{D144}	R^{D81}
L_{C35}	R^{D35}	R^{D35}	L_{C227}	R^{D1}	R^{D134}	L_{C419}	R^{D17}	R^{D154}	L_{C611}	R^{D144}	R^{D87}
L_{C36}	R^{D36}	R^{D36}	L_{C228}	R^{D1}	R^{D135}	L_{C420}	R^{D17}	R^{D155}	L_{C612}	R^{D144}	R^{D88}
L_{C37}	R^{D37}	R^{D37}	L_{C229}	R^{D1}	R^{D136}	L_{C421}	R^{D17}	R^{D161}	L_{C613}	R^{D144}	R^{D89}
L_{C38}	R^{D38}	R^{D38}	L_{C230}	R^{D1}	R^{D143}	L_{C422}	R^{D17}	R^{D175}	L_{C614}	R^{D144}	R^{D93}
L_{C39}	R^{D39}	R^{D39}	L_{C231}	R^{D1}	R^{D144}	L_{C423}	R^{D50}	R^{D3}	L_{C615}	R^{D144}	R^{D116}
L_{C40}	R^{D40}	R^{D40}	L_{C232}	R^{D1}	R^{D145}	L_{C424}	R^{D50}	R^{D5}	L_{C616}	R^{D144}	R^{D117}
L_{C41}	R^{D41}	R^{D41}	L_{C233}	R^{D1}	R^{D146}	L_{C425}	R^{D50}	R^{D18}	L_{C617}	R^{D144}	R^{D118}
L_{C42}	R^{D42}	R^{D42}	L_{C234}	R^{D1}	R^{D147}	L_{C426}	R^{D50}	R^{D20}	L_{C618}	R^{D144}	R^{D119}
L_{C43}	R^{D43}	R^{D43}	L_{C235}	R^{D1}	R^{D149}	L_{C427}	R^{D50}	R^{D22}	L_{C619}	R^{D144}	R^{D120}
L_{C44}	R^{D44}	R^{D44}	L_{C236}	R^{D1}	R^{D151}	L_{C428}	R^{D50}	R^{D37}	L_{C620}	R^{D144}	R^{D133}
L_{C45}	R^{D45}	R^{D45}	L_{C237}	R^{D1}	R^{D154}	L_{C429}	R^{D50}	R^{D40}	L_{C621}	R^{D144}	R^{D134}
L_{C46}	R^{D46}	R^{D46}	L_{C238}	R^{D1}	R^{D155}	L_{C430}	R^{D50}	R^{D41}	L_{C622}	R^{D144}	R^{D135}
L_{C47}	R^{D47}	R^{D47}	L_{C239}	R^{D1}	R^{D161}	L_{C431}	R^{D50}	R^{D42}	L_{C623}	R^{D144}	R^{D136}
L_{C48}	R^{D48}	R^{D48}	L_{C240}	R^{D1}	R^{D175}	L_{C432}	R^{D50}	R^{D43}	L_{C624}	R^{D144}	R^{D145}
L_{C49}	R^{D49}	R^{D49}	L_{C241}	R^{D4}	R^{D3}	L_{C433}	R^{D50}	R^{D48}	L_{C625}	R^{D144}	R^{D146}
L_{C50}	R^{D50}	R^{D50}	L_{C242}	R^{D4}	R^{D5}	L_{C434}	R^{D50}	R^{D49}	L_{C626}	R^{D144}	R^{D147}
L_{C51}	R^{D51}	R^{D51}	L_{C243}	R^{D4}	R^{D9}	L_{C435}	R^{D50}	R^{D54}	L_{C627}	R^{D144}	R^{D149}
L_{C52}	R^{D52}	R^{D52}	L_{C244}	R^{D4}	R^{D10}	L_{C436}	R^{D50}	R^{D55}	L_{C628}	R^{D144}	R^{D151}
L_{C53}	R^{D55}	R^{D55}	L_{C245}	R^{D4}	R^{D17}	L_{C437}	R^{D50}	R^{D55}	L_{C629}	R^{D144}	R^{D154}
L_{C54}	R^{D54}	R^{D54}	L_{C246}	R^{D4}	R^{D18}	L_{C438}	R^{D50}	R^{D59}	L_{C630}	R^{D144}	R^{D155}
L_{C55}	R^{D55}	R^{D55}	L_{C247}	R^{D4}	R^{D20}	L_{C439}	R^{D50}	R^{D78}	L_{C631}	R^{D144}	R^{D161}
L_{C56}	R^{D56}	R^{D56}	L_{C248}	R^{D4}	R^{D22}	L_{C440}	R^{D50}	R^{D79}	L_{C632}	R^{D144}	R^{D175}
L_{C57}	R^{D57}	R^{D57}	L_{C249}	R^{D4}	R^{D37}	L_{C441}	R^{D50}	R^{D81}	L_{C633}	R^{D145}	R^{D3}
L_{C58}	R^{D58}	R^{D58}	L_{C250}	R^{D4}	R^{D40}	L_{C442}	R^{D50}	R^{D87}	L_{C634}	R^{D145}	R^{D5}
L_{C59}	R^{D59}	R^{D59}	L_{C251}	R^{D4}	R^{D41}	L_{C443}	R^{D50}	R^{D88}	L_{C635}	R^{D145}	R^{D17}
L_{C60}	R^{D60}	R^{D60}	L_{C252}	R^{D4}	R^{D42}	L_{C444}	R^{D50}	R^{D89}	L_{C636}	R^{D145}	R^{D18}
L_{C61}	R^{D61}	R^{D61}	L_{C253}	R^{D4}	R^{D43}	L_{C445}	R^{D50}	R^{D93}	L_{C637}	R^{D145}	R^{D20}
L_{C62}	R^{D62}	R^{D62}	L_{C254}	R^{D4}	R^{D48}	L_{C446}	R^{D50}	R^{D116}	L_{C638}	R^{D145}	R^{D22}
L_{C63}	R^{D63}	R^{D63}	L_{C255}	R^{D4}	R^{D49}	L_{C447}	R^{D50}	R^{D117}	L_{C639}	R^{D145}	R^{D37}
L_{C64}	R^{D64}	R^{D64}	L_{C256}	R^{D4}	R^{D50}	L_{C448}	R^{D50}	R^{D118}	L_{C640}	R^{D145}	R^{D40}
L_{C65}	R^{D65}	R^{D65}	L_{C257}	R^{D4}	R^{D54}	L_{C449}	R^{D50}	R^{D119}	L_{C641}	R^{D145}	R^{D41}
L_{C66}	R^{D66}	R^{D66}	L_{C258}	R^{D4}	R^{D55}	L_{C450}	R^{D50}	R^{D120}	L_{C642}	R^{D145}	R^{D42}
L_{C67}	R^{D67}	R^{D67}	L_{C259}	R^{D4}	R^{D55}	L_{C451}	R^{D50}	R^{D133}	L_{C643}	R^{D145}	R^{D43}
L_{C68}	R^{D68}	R^{D68}	L_{C260}	R^{D4}	R^{D59}	L_{C452}	R^{D50}	R^{D134}	L_{C644}	R^{D145}	R^{D48}
L_{C69}	R^{D69}	R^{D69}	L_{C261}	R^{D4}	R^{D78}	L_{C453}	R^{D50}	R^{D135}	L_{C645}	R^{D145}	R^{D49}
L_{C70}	R^{D70}	R^{D70}	L_{C262}	R^{D4}	R^{D79}	L_{C454}	R^{D50}	R^{D136}	L_{C646}	R^{D145}	R^{D54}
L_{C71}	R^{D71}	R^{D71}	L_{C263}	R^{D4}	R^{D81}	L_{C455}	R^{D50}	R^{D143}	L_{C647}	R^{D145}	R^{D55}
L_{C72}	R^{D72}	R^{D72}	L_{C264}	R^{D4}	R^{D87}	L_{C456}	R^{D50}	R^{D144}	L_{C648}	R^{D145}	R^{D59}
L_{C73}	R^{D73}	R^{D73}	L_{C265}	R^{D4}	R^{D88}	L_{C457}	R^{D50}	R^{D145}	L_{C649}	R^{D145}	R^{D78}
L_{C74}	R^{D74}	R^{D74}	L_{C266}	R^{D4}	R^{D89}	L_{C458}	R^{D50}	R^{D146}	L_{C650}	R^{D145}	R^{D79}
L_{C75}	R^{D75}	R^{D75}	L_{C267}	R^{D4}	R^{D93}	L_{C459}	R^{D50}	R^{D147}	L_{C651}	R^{D145}	R^{D81}
L_{C76}	R^{D76}	R^{D76}	L_{C268}	R^{D4}	R^{D116}	L_{C460}	R^{D50}	R^{D149}	L_{C652}	R^{D145}	R^{D87}
L_{C77}	R^{D77}	R^{D77}	L_{C269}	R^{D4}	R^{D117}	L_{C461}	R^{D50}	R^{D151}	L_{C653}	R^{D145}	R^{D88}
L_{C78}	R^{D78}	R^{D78}	L_{C270}	R^{D4}	R^{D118}	L_{C462}	R^{D50}	R^{D154}	L_{C654}	R^{D145}	R^{D89}
L_{C79}	R^{D79}	R^{D79}	L_{C271}	R^{D4}	R^{D119}	L_{C463}	R^{D50}	R^{D155}	L_{C655}	R^{D145}	R^{D93}
L_{C80}	R^{D80}	R^{D80}	L_{C272}	R^{D4}	R^{D120}	L_{C464}	R^{D50}	R^{D161}	L_{C656}	R^{D145}	R^{D116}
L_{C81}	R^{D81}	R^{D81}	L_{C273}	R^{D4}	R^{D133}	L_{C465}	R^{D50}	R^{D175}	L_{C657}	R^{D145}	R^{D117}
L_{C82}	R^{D82}	R^{D82}	L_{C274}	R^{D4}	R^{D134}	L_{C466}	R^{D55}	R^{D3}	L_{C658}	R^{D145}	R^{D118}
L_{C83}	R^{D83}	R^{D83}	L_{C275}	R^{D4}	R^{D135}	L_{C467}	R^{D55}	R^{D5}	L_{C659}	R^{D145}	R^{D119}
L_{C84}	R^{D84}	R^{D84}	L_{C276}	R^{D4}	R^{D136}	L_{C468}	R^{D55}	R^{D18}	L_{C660}	R^{D145}	R^{D120}
L_{C85}	R^{D85}	R^{D85}	L_{C277}	R^{D4}	R^{D143}	L_{C469}	R^{D55}	R^{D20}	L_{C661}	R^{D145}	R^{D133}
L_{C86}	R^{D86}	R^{D86}	L_{C278}	R^{D4}	R^{D144}	L_{C470}	R^{D55}	R^{D22}	L_{C662}	R^{D145}	R^{D134}
L_{C87}	R^{D87}	R^{D87}	L_{C279}	R^{D4}	R^{D145}	L_{C471}	R^{D55}	R^{D37}	L_{C663}	R^{D145}	R^{D135}
L_{C88}	R^{D88}	R^{D88}	L_{C280}	R^{D4}	R^{D146}	L_{C472}	R^{D55}	R^{D40}	L_{C664}	R^{D145}	R^{D136}
L_{C89}	R^{D89}	R^{D89}	L_{C281}	R^{D4}	R^{D147}	L_{C473}	R^{D55}	R^{D41}	L_{C665}	R^{D145}	R^{D146}
L_{C90}	R^{D90}	R^{D90}	L_{C282}	R^{D4}	R^{D149}	L_{C474}	R^{D55}	R^{D42}	L_{C666}	R^{D145}	R^{D147}
L_{C91}	R^{D91}	R^{D91}	L_{C283}	R^{D4}	R^{D151}	L_{C475}	R^{D55}	R^{D43}	L_{C667}	R^{D145}	R^{D149}
L_{C92}	R^{D92}	R^{D92}	L_{C284}	R^{D4}	R^{D154}	L_{C476}	R^{D55}	R^{D48}	L_{C668}	R^{D145}	R^{D151}
L_{C93}	R^{D93}	R^{D93}	L_{C285}	R^{D4}	R^{D155}	L_{C477}	R^{D55}	R^{D49}	L_{C669}	R^{D145}	R^{D154}
L_{C94}	R^{D94}	R^{D94}	L_{C286}	R^{D4}	R^{D161}	L_{C478}	R^{D55}	R^{D54}	L_{C670}	R^{D145}	R^{D155}
L_{C95}	R^{D95}	R^{D95}	L_{C287}	R^{D4}	R^{D175}	L_{C479}	R^{D55}	R^{D55}	L_{C671}	R^{D145}	R^{D161}
L_{C96}	R^{D96}	R^{D96}	L_{C288}	R^{D9}	R^{D3}	L_{C480}	R^{D55}	R^{D59}	L_{C672}	R^{D145}	R^{D175}
L_{C97}	R^{D97}	R^{D97}	L_{C289}	R^{D9}	R^{D5}	L_{C481}	R^{D55}	R^{D78}	L_{C673}	R^{D146} </	

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C102}	R^{D102}	R^{D102}	L_{C294}	R^{D9}	R^{D22}	L_{C486}	R^{D55}	R^{D89}	L_{C678}	R^{D146}	R^{D22}
L_{C103}	R^{D103}	R^{D103}	L_{C295}	R^{D9}	R^{D37}	L_{C487}	R^{D55}	R^{D93}	L_{C679}	R^{D146}	R^{D37}
L_{C104}	R^{D104}	R^{D104}	L_{C296}	R^{D9}	R^{D40}	L_{C488}	R^{D55}	R^{D116}	L_{C680}	R^{D146}	R^{D40}
L_{C105}	R^{D105}	R^{D105}	L_{C297}	R^{D9}	R^{D41}	L_{C489}	R^{D55}	R^{D117}	L_{C681}	R^{D146}	R^{D41}
L_{C106}	R^{D106}	R^{D106}	L_{C298}	R^{D9}	R^{D42}	L_{C490}	R^{D55}	R^{D118}	L_{C682}	R^{D146}	R^{D42}
L_{C107}	R^{D107}	R^{D107}	L_{C299}	R^{D9}	R^{D43}	L_{C491}	R^{D55}	R^{D119}	L_{C683}	R^{D146}	R^{D43}
L_{C108}	R^{D108}	R^{D108}	L_{C300}	R^{D9}	R^{D48}	L_{C492}	R^{D55}	R^{D120}	L_{C684}	R^{D146}	R^{D48}
L_{C109}	R^{D109}	R^{D109}	L_{C301}	R^{D9}	R^{D49}	L_{C493}	R^{D55}	R^{D133}	L_{C685}	R^{D146}	R^{D49}
L_{C110}	R^{D110}	R^{D110}	L_{C302}	R^{D9}	R^{D50}	L_{C494}	R^{D55}	R^{D134}	L_{C686}	R^{D146}	R^{D54}
L_{C111}	R^{D111}	R^{D111}	L_{C303}	R^{D9}	R^{D54}	L_{C495}	R^{D55}	R^{D135}	L_{C687}	R^{D146}	R^{D58}
L_{C112}	R^{D112}	R^{D112}	L_{C304}	R^{D9}	R^{D55}	L_{C496}	R^{D55}	R^{D136}	L_{C688}	R^{D146}	R^{D59}
L_{C113}	R^{D113}	R^{D113}	L_{C305}	R^{D9}	R^{D55}	L_{C497}	R^{D55}	R^{D143}	L_{C689}	R^{D146}	R^{D78}
L_{C114}	R^{D114}	R^{D114}	L_{C306}	R^{D9}	R^{D59}	L_{C498}	R^{D55}	R^{D144}	L_{C690}	R^{D146}	R^{D79}
L_{C115}	R^{D115}	R^{D115}	L_{C307}	R^{D9}	R^{D78}	L_{C499}	R^{D55}	R^{D145}	L_{C691}	R^{D146}	R^{D81}
L_{C116}	R^{D116}	R^{D116}	L_{C308}	R^{D9}	R^{D79}	L_{C500}	R^{D55}	R^{D146}	L_{C692}	R^{D146}	R^{D87}
L_{C117}	R^{D117}	R^{D117}	L_{C309}	R^{D9}	R^{D81}	L_{C501}	R^{D55}	R^{D147}	L_{C693}	R^{D146}	R^{D88}
L_{C118}	R^{D118}	R^{D118}	L_{C310}	R^{D9}	R^{D87}	L_{C502}	R^{D55}	R^{D149}	L_{C694}	R^{D146}	R^{D89}
L_{C119}	R^{D119}	R^{D119}	L_{C311}	R^{D9}	R^{D88}	L_{C503}	R^{D55}	R^{D151}	L_{C695}	R^{D146}	R^{D93}
L_{C120}	R^{D120}	R^{D120}	L_{C312}	R^{D9}	R^{D89}	L_{C504}	R^{D55}	R^{D154}	L_{C696}	R^{D146}	R^{D117}
L_{C121}	R^{D121}	R^{D121}	L_{C313}	R^{D9}	R^{D93}	L_{C505}	R^{D55}	R^{D155}	L_{C697}	R^{D146}	R^{D118}
L_{C122}	R^{D122}	R^{D122}	L_{C314}	R^{D9}	R^{D116}	L_{C506}	R^{D55}	R^{D161}	L_{C698}	R^{D146}	R^{D119}
L_{C123}	R^{D123}	R^{D123}	L_{C315}	R^{D9}	R^{D117}	L_{C507}	R^{D55}	R^{D175}	L_{C699}	R^{D146}	R^{D120}
L_{C124}	R^{D124}	R^{D124}	L_{C316}	R^{D9}	R^{D118}	L_{C508}	R^{D116}	R^{D3}	L_{C700}	R^{D146}	R^{D133}
L_{C125}	R^{D125}	R^{D125}	L_{C317}	R^{D9}	R^{D119}	L_{C509}	R^{D116}	R^{D5}	L_{C701}	R^{D146}	R^{D134}
L_{C126}	R^{D126}	R^{D126}	L_{C318}	R^{D9}	R^{D120}	L_{C510}	R^{D116}	R^{D17}	L_{C702}	R^{D146}	R^{D135}
L_{C127}	R^{D127}	R^{D127}	L_{C319}	R^{D9}	R^{D133}	L_{C511}	R^{D116}	R^{D18}	L_{C703}	R^{D146}	R^{D136}
L_{C128}	R^{D128}	R^{D128}	L_{C320}	R^{D9}	R^{D134}	L_{C512}	R^{D116}	R^{D20}	L_{C704}	R^{D146}	R^{D146}
L_{C129}	R^{D129}	R^{D129}	L_{C321}	R^{D9}	R^{D135}	L_{C513}	R^{D116}	R^{D22}	L_{C705}	R^{D146}	R^{D147}
L_{C130}	R^{D130}	R^{D130}	L_{C322}	R^{D9}	R^{D136}	L_{C514}	R^{D116}	R^{D37}	L_{C706}	R^{D146}	R^{D149}
L_{C131}	R^{D131}	R^{D131}	L_{C323}	R^{D9}	R^{D143}	L_{C515}	R^{D116}	R^{D40}	L_{C707}	R^{D146}	R^{D151}
L_{C132}	R^{D132}	R^{D132}	L_{C324}	R^{D9}	R^{D144}	L_{C516}	R^{D116}	R^{D41}	L_{C708}	R^{D146}	R^{D154}
L_{C133}	R^{D133}	R^{D133}	L_{C325}	R^{D9}	R^{D145}	L_{C517}	R^{D116}	R^{D42}	L_{C709}	R^{D146}	R^{D155}
L_{C134}	R^{D134}	R^{D134}	L_{C326}	R^{D9}	R^{D146}	L_{C518}	R^{D116}	R^{D43}	L_{C710}	R^{D146}	R^{D161}
L_{C135}	R^{D135}	R^{D135}	L_{C327}	R^{D9}	R^{D147}	L_{C519}	R^{D116}	R^{D48}	L_{C711}	R^{D146}	R^{D175}
L_{C136}	R^{D136}	R^{D136}	L_{C328}	R^{D9}	R^{D149}	L_{C520}	R^{D116}	R^{D49}	L_{C712}	R^{D133}	R^{D3}
L_{C137}	R^{D137}	R^{D137}	L_{C329}	R^{D9}	R^{D151}	L_{C521}	R^{D116}	R^{D54}	L_{C713}	R^{D133}	R^{D5}
L_{C138}	R^{D138}	R^{D138}	L_{C330}	R^{D9}	R^{D154}	L_{C522}	R^{D116}	R^{D58}	L_{C714}	R^{D133}	R^{D3}
L_{C139}	R^{D139}	R^{D139}	L_{C331}	R^{D9}	R^{D155}	L_{C523}	R^{D116}	R^{D59}	L_{C715}	R^{D133}	R^{D18}
L_{C140}	R^{D140}	R^{D140}	L_{C332}	R^{D9}	R^{D161}	L_{C524}	R^{D116}	R^{D78}	L_{C716}	R^{D133}	R^{D20}
L_{C141}	R^{D141}	R^{D141}	L_{C333}	R^{D9}	R^{D175}	L_{C525}	R^{D116}	R^{D79}	L_{C717}	R^{D133}	R^{D22}
L_{C142}	R^{D142}	R^{D142}	L_{C334}	R^{D10}	R^{D3}	L_{C526}	R^{D116}	R^{D81}	L_{C718}	R^{D133}	R^{D37}
L_{C143}	R^{D143}	R^{D143}	L_{C335}	R^{D10}	R^{D5}	L_{C527}	R^{D116}	R^{D87}	L_{C719}	R^{D133}	R^{D40}
L_{C144}	R^{D144}	R^{D144}	L_{C336}	R^{D10}	R^{D17}	L_{C528}	R^{D116}	R^{D88}	L_{C720}	R^{D133}	R^{D41}
L_{C145}	R^{D145}	R^{D145}	L_{C337}	R^{D10}	R^{D18}	L_{C529}	R^{D116}	R^{D89}	L_{C721}	R^{D133}	R^{D42}
L_{C146}	R^{D146}	R^{D146}	L_{C338}	R^{D10}	R^{D20}	L_{C530}	R^{D116}	R^{D93}	L_{C722}	R^{D133}	R^{D43}
L_{C147}	R^{D147}	R^{D147}	L_{C339}	R^{D10}	R^{D22}	L_{C531}	R^{D116}	R^{D117}	L_{C723}	R^{D133}	R^{D48}
L_{C148}	R^{D148}	R^{D148}	L_{C340}	R^{D10}	R^{D37}	L_{C532}	R^{D116}	R^{D118}	L_{C724}	R^{D133}	R^{D49}
L_{C149}	R^{D149}	R^{D149}	L_{C341}	R^{D10}	R^{D40}	L_{C533}	R^{D116}	R^{D119}	L_{C725}	R^{D133}	R^{D54}
L_{C150}	R^{D150}	R^{D150}	L_{C342}	R^{D10}	R^{D41}	L_{C534}	R^{D116}	R^{D120}	L_{C726}	R^{D133}	R^{D58}
L_{C151}	R^{D151}	R^{D151}	L_{C343}	R^{D10}	R^{D42}	L_{C535}	R^{D116}	R^{D133}	L_{C727}	R^{D133}	R^{D59}
L_{C152}	R^{D152}	R^{D152}	L_{C344}	R^{D10}	R^{D43}	L_{C536}	R^{D116}	R^{D134}	L_{C728}	R^{D133}	R^{D78}
L_{C153}	R^{D153}	R^{D153}	L_{C345}	R^{D10}	R^{D48}	L_{C537}	R^{D116}	R^{D133}	L_{C729}	R^{D133}	R^{D79}
L_{C154}	R^{D154}	R^{D154}	L_{C346}	R^{D10}	R^{D49}	L_{C538}	R^{D116}	R^{D136}	L_{C730}	R^{D133}	R^{D81}
L_{C155}	R^{D155}	R^{D155}	L_{C347}	R^{D10}	R^{D50}	L_{C539}	R^{D116}	R^{D143}	L_{C731}	R^{D133}	R^{D87}
L_{C156}	R^{D156}	R^{D156}	L_{C348}	R^{D10}	R^{D54}	L_{C540}	R^{D116}	R^{D144}	L_{C732}	R^{D133}	R^{D88}
L_{C157}	R^{D157}	R^{D157}	L_{C349}	R^{D10}	R^{D55}	L_{C541}	R^{D116}	R^{D145}	L_{C733}	R^{D133}	R^{D89}
L_{C158}	R^{D158}	R^{D158}	L_{C350}	R^{D10}	R^{D58}	L_{C542}	R^{D116}	R^{D146}	L_{C734}	R^{D133}	R^{D95}
L_{C159}	R^{D159}	R^{D159}	L_{C351}	R^{D10}	R^{D59}	L_{C543}	R^{D116}	R^{D147}	L_{C735}	R^{D133}	R^{D117}
L_{C160}	R^{D160}	R^{D160}	L_{C352}	R^{D10}	R^{D58}	L_{C544}	R^{D116}	R^{D149}	L_{C736}	R^{D133}	R^{D118}
L_{C161}	R^{D161}	R^{D161}	L_{C353}	R^{D10}	R^{D59}	L_{C545}	R^{D116}	R^{D151}	L_{C737}	R^{D133}	R^{D119}
L_{C162}	R^{D162}	R^{D162}	L_{C354}	R^{D10}	R^{D81}	L_{C546}	R^{D116}	R^{D154}	L_{C738}	R^{D133}	R^{D120}
L_{C163}	R^{D163}	R^{D163}	L_{C355}	R^{D10}	R^{D87}	L_{C547}	R^{D116}	R^{D155}	L_{C739}	R^{D133}	R^{D133}
L_{C164}	R^{D164}	R^{D164}	L_{C356}	R^{D10}	R^{D88}	L_{C548}	R^{D116}	R^{D161}	L_{C740}	R^{D133}	R^{D134}
L_{C165}	R^{D165}	R^{D165}	L_{C357}	R^{D10}	R^{D89}	L_{C549}	R^{D116}	R^{D175}	L_{C741}	R^{D133}	R^{D135}
L_{C166}	R^{D166}	R^{D166}	L_{C358}	R^{D10}	R^{D93}	L_{C550}	R^{D143}	R^{D3}	L_{C742}	R^{D133}	R^{D136}
L_{C167}	R^{D167}	R^{D167}	L_{C359}	R^{D10}	R^{D116}	L_{C551}	R^{D143}	R^{D5}	L_{C743}	R^{D133}	R^{D146}
L_{C168}	R^{D168}	R^{D168}	L_{C360}	R^{D10}	R^{D117}	L_{C552}	R^{D143}	R^{D17}	L_{C744}	R^{D133}	R^{D147}
L_{C169}	R^{D169}	R^{D169}	L_{C361}	R^{D10}	R^{D118}	L_{C553}	R^{D143}	R^{D18}	L_{C745}	R^{D133}	R^{D149}
L_{C170}	R^{D170}	R^{D170}	L_{C362}	R^{D10}	R^{D119}	L_{C554}	R^{D143}	R^{D20}	L_{C746}	R^{D133}	R^{D151}
L_{C171}	R^{D171}	R^{D171}	L_{C363}	R^{D10}	R^{D120}	L_{C555}	R^{D143}	R^{D22}	L_{C747}	R^{D133}	R^{D154}
L_{C172}	R^{D172}	R^{D172}	L_{C364}	R^{D10}	R^{D133}	L_{C556}	R^{D143}	R^{D37}	L_{C748}	R^{D133}	R^{D155}
L_{C173}	R^{D173}	R^{D173}	L_{C365}								


-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C179}	R^{D179}	R^{D179}	L_{C371}	R^{D10}	R^{D146}	L_{C563}	R^{D143}	R^{D54}	L_{C755}	R^{D175}	R^{D22}
L_{C180}	R^{D180}	R^{D180}	L_{C372}	R^{D10}	R^{D147}	L_{C564}	R^{D143}	R^{D58}	L_{C756}	R^{D175}	R^{D37}
L_{C181}	R^{D181}	R^{D181}	L_{C373}	R^{D10}	R^{D149}	L_{C565}	R^{D143}	R^{D59}	L_{C757}	R^{D175}	R^{D40}
L_{C182}	R^{D182}	R^{D182}	L_{C374}	R^{D10}	R^{D151}	L_{C566}	R^{D143}	R^{D78}	L_{C758}	R^{D175}	R^{D41}
L_{C183}	R^{D183}	R^{D183}	L_{C375}	R^{D10}	R^{D154}	L_{C567}	R^{D143}	R^{D79}	L_{C759}	R^{D175}	R^{D42}
L_{C184}	R^{D184}	R^{D184}	L_{C376}	R^{D10}	R^{D155}	L_{C568}	R^{D143}	R^{D81}	L_{C760}	R^{D175}	R^{D43}
L_{C185}	R^{D185}	R^{D185}	L_{C377}	R^{D10}	R^{D161}	L_{C569}	R^{D143}	R^{D87}	L_{C761}	R^{D175}	R^{D48}
L_{C186}	R^{D186}	R^{D186}	L_{C378}	R^{D10}	R^{D175}	L_{C570}	R^{D143}	R^{D88}	L_{C762}	R^{D175}	R^{D49}
L_{C187}	R^{D187}	R^{D187}	L_{C379}	R^{D17}	R^{D3}	L_{C571}	R^{D143}	R^{D89}	L_{C763}	R^{D175}	R^{D54}
L_{C188}	R^{D188}	R^{D188}	L_{C380}	R^{D17}	R^{D5}	L_{C572}	R^{D143}	R^{D93}	L_{C764}	R^{D175}	R^{D58}
L_{C189}	R^{D189}	R^{D189}	L_{C381}	R^{D17}	R^{D18}	L_{C573}	R^{D143}	R^{D116}	L_{C765}	R^{D175}	R^{D59}
L_{C190}	R^{D190}	R^{D190}	L_{C382}	R^{D17}	R^{D20}	L_{C574}	R^{D143}	R^{D117}	L_{C766}	R^{D175}	R^{D78}
L_{C191}	R^{D191}	R^{D191}	L_{C383}	R^{D17}	R^{D22}	L_{C575}	R^{D143}	R^{D118}	L_{C767}	R^{D175}	R^{D79}
L_{C192}	R^{D192}	R^{D192}	L_{C384}	R^{D17}	R^{D37}	L_{C576}	R^{D143}	R^{D119}	L_{C768}	R^{D175}	R^{D81}
L_{C193}	R^{D193}	R^{D193}	L_{C377}	R^{D1}	R^{D193}	L_{C985}	R^{D4}	R^{D193}	L_{C1093}	R^{D9}	R^{D193}
L_{C194}	R^{D194}	R^{D194}	L_{C378}	R^{D1}	R^{D194}	L_{C986}	R^{D4}	R^{D194}	L_{C1094}	R^{D9}	R^{D194}
L_{C195}	R^{D195}	R^{D195}	L_{C379}	R^{D1}	R^{D195}	L_{C987}	R^{D4}	R^{D195}	L_{C1095}	R^{D9}	R^{D195}
L_{C196}	R^{D196}	R^{D196}	L_{C380}	R^{D1}	R^{D196}	L_{C988}	R^{D4}	R^{D196}	L_{C1096}	R^{D9}	R^{D196}
L_{C197}	R^{D197}	R^{D197}	L_{C381}	R^{D1}	R^{D197}	L_{C989}	R^{D4}	R^{D197}	L_{C1097}	R^{D9}	R^{D197}
L_{C198}	R^{D198}	R^{D198}	L_{C382}	R^{D1}	R^{D198}	L_{C990}	R^{D4}	R^{D198}	L_{C1098}	R^{D9}	R^{D198}
L_{C199}	R^{D199}	R^{D199}	L_{C383}	R^{D1}	R^{D199}	L_{C991}	R^{D4}	R^{D199}	L_{C1099}	R^{D9}	R^{D199}
L_{C200}	R^{D200}	R^{D200}	L_{C384}	R^{D1}	R^{D200}	L_{C992}	R^{D4}	R^{D200}	L_{C1100}	R^{D9}	R^{D200}
L_{C201}	R^{D201}	R^{D201}	L_{C385}	R^{D1}	R^{D201}	L_{C993}	R^{D4}	R^{D201}	L_{C1101}	R^{D9}	R^{D201}
L_{C202}	R^{D202}	R^{D202}	L_{C386}	R^{D1}	R^{D202}	L_{C994}	R^{D4}	R^{D202}	L_{C1102}	R^{D9}	R^{D202}
L_{C203}	R^{D203}	R^{D203}	L_{C387}	R^{D1}	R^{D203}	L_{C995}	R^{D4}	R^{D203}	L_{C1103}	R^{D9}	R^{D203}
L_{C204}	R^{D204}	R^{D204}	L_{C388}	R^{D1}	R^{D204}	L_{C996}	R^{D4}	R^{D204}	L_{C1104}	R^{D9}	R^{D204}
L_{C205}	R^{D205}	R^{D205}	L_{C389}	R^{D1}	R^{D205}	L_{C997}	R^{D4}	R^{D205}	L_{C1105}	R^{D9}	R^{D205}
L_{C206}	R^{D206}	R^{D206}	L_{C390}	R^{D1}	R^{D206}	L_{C998}	R^{D4}	R^{D206}	L_{C1106}	R^{D9}	R^{D206}
L_{C207}	R^{D207}	R^{D207}	L_{C391}	R^{D1}	R^{D207}	L_{C999}	R^{D4}	R^{D207}	L_{C1107}	R^{D9}	R^{D207}
L_{C208}	R^{D208}	R^{D208}	L_{C392}	R^{D1}	R^{D208}	L_{C1000}	R^{D4}	R^{D208}	L_{C1108}	R^{D9}	R^{D208}
L_{C209}	R^{D209}	R^{D209}	L_{C393}	R^{D1}	R^{D209}	L_{C1001}	R^{D4}	R^{D209}	L_{C1109}	R^{D9}	R^{D209}
L_{C210}	R^{D210}	R^{D210}	L_{C394}	R^{D1}	R^{D210}	L_{C1002}	R^{D4}	R^{D210}	L_{C1110}	R^{D9}	R^{D210}
L_{C211}	R^{D211}	R^{D211}	L_{C395}	R^{D1}	R^{D211}	L_{C1003}	R^{D4}	R^{D211}	L_{C1111}	R^{D9}	R^{D211}
L_{C212}	R^{D212}	R^{D212}	L_{C396}	R^{D1}	R^{D212}	L_{C1004}	R^{D4}	R^{D212}	L_{C1112}	R^{D9}	R^{D212}
L_{C213}	R^{D213}	R^{D213}	L_{C397}	R^{D1}	R^{D213}	L_{C1005}	R^{D4}	R^{D213}	L_{C1113}	R^{D9}	R^{D213}
L_{C214}	R^{D214}	R^{D214}	L_{C398}	R^{D1}	R^{D214}	L_{C1006}	R^{D4}	R^{D214}	L_{C1114}	R^{D9}	R^{D214}
L_{C215}	R^{D215}	R^{D215}	L_{C399}	R^{D1}	R^{D215}	L_{C1007}	R^{D4}	R^{D215}	L_{C1115}	R^{D9}	R^{D215}
L_{C216}	R^{D216}	R^{D216}	L_{C400}	R^{D1}	R^{D216}	L_{C1008}	R^{D4}	R^{D216}	L_{C1116}	R^{D9}	R^{D216}
L_{C217}	R^{D217}	R^{D217}	L_{C401}	R^{D1}	R^{D217}	L_{C1009}	R^{D4}	R^{D217}	L_{C1117}	R^{D9}	R^{D217}
L_{C218}	R^{D218}	R^{D218}	L_{C402}	R^{D1}	R^{D218}	L_{C1010}	R^{D4}	R^{D218}	L_{C1118}	R^{D9}	R^{D218}
L_{C219}	R^{D219}	R^{D219}	L_{C403}	R^{D1}	R^{D219}	L_{C1011}	R^{D4}	R^{D219}	L_{C1119}	R^{D9}	R^{D219}
L_{C220}	R^{D220}	R^{D220}	L_{C404}	R^{D1}	R^{D220}	L_{C1012}	R^{D4}	R^{D220}	L_{C1120}	R^{D9}	R^{D220}
L_{C221}	R^{D221}	R^{D221}	L_{C405}	R^{D1}	R^{D221}	L_{C1013}	R^{D4}	R^{D221}	L_{C1121}	R^{D9}	R^{D221}
L_{C222}	R^{D222}	R^{D222}	L_{C406}	R^{D1}	R^{D222}	L_{C1014}	R^{D4}	R^{D222}	L_{C1122}	R^{D9}	R^{D222}
L_{C223}	R^{D223}	R^{D223}	L_{C407}	R^{D1}	R^{D223}	L_{C1015}	R^{D4}	R^{D223}	L_{C1123}	R^{D9}	R^{D223}
L_{C224}	R^{D224}	R^{D224}	L_{C408}	R^{D1}	R^{D224}	L_{C1016}	R^{D4}	R^{D224}	L_{C1124}	R^{D9}	R^{D224}
L_{C225}	R^{D225}	R^{D225}	L_{C409}	R^{D1}	R^{D225}	L_{C1017}	R^{D4}	R^{D225}	L_{C1125}	R^{D9}	R^{D225}
L_{C226}	R^{D226}	R^{D226}	L_{C410}	R^{D1}	R^{D226}	L_{C1018}	R^{D4}	R^{D226}	L_{C1126}	R^{D9}	R^{D226}
L_{C227}	R^{D227}	R^{D227}	L_{C411}	R^{D1}	R^{D227}	L_{C1019}	R^{D4}	R^{D227}	L_{C1127}	R^{D9}	R^{D227}
L_{C228}	R^{D228}	R^{D228}	L_{C412}	R^{D1}	R^{D228}	L_{C1020}	R^{D4}	R^{D228}	L_{C1128}	R^{D9}	R^{D228}
L_{C229}	R^{D229}	R^{D229}	L_{C413}	R^{D1}	R^{D229}	L_{C1021}	R^{D4}	R^{D229}	L_{C1129}	R^{D9}	R^{D229}
L_{C230}	R^{D230}	R^{D230}	L_{C414}	R^{D1}	R^{D230}	L_{C1022}	R^{D4}	R^{D230}	L_{C1130}	R^{D9}	R^{D230}
L_{C231}	R^{D231}	R^{D231}	L_{C415}	R^{D1}	R^{D231}	L_{C1023}	R^{D4}	R^{D231}	L_{C1131}	R^{D9}	R^{D231}
L_{C232}	R^{D232}	R^{D232}	L_{C416}	R^{D1}	R^{D232}	L_{C1024}	R^{D4}	R^{D232}	L_{C1132}	R^{D9}	R^{D232}
L_{C233}	R^{D233}	R^{D233}	L_{C417}	R^{D1}	R^{D233}	L_{C1025}	R^{D4}	R^{D233}	L_{C1133}	R^{D9}	R^{D233}
L_{C234}	R^{D234}	R^{D234}	L_{C418}	R^{D1}	R^{D234}	L_{C1026}	R^{D4}	R^{D234}	L_{C1134}	R^{D9}	R^{D234}
L_{C235}	R^{D235}	R^{D235}	L_{C419}	R^{D1}	R^{D235}	L_{C1027}	R^{D4}	R^{D235}	L_{C1135}	R^{D9}	R^{D235}
L_{C236}	R^{D236}	R^{D236}	L_{C420}	R^{D1}	R^{D236}	L_{C1028}	R^{D4}	R^{D236}	L_{C1136}	R^{D9}	R^{D236}
L_{C237}	R^{D237}	R^{D237}	L_{C421}	R^{D1}	R^{D237}	L_{C1029}	R^{D4}	R^{D237}	L_{C1137}	R^{D9}	R^{D237}
L_{C238}	R^{D238}	R^{D238}	L_{C422}	R^{D1}	R^{D238}	L_{C1030}	R^{D4}	R^{D238}	L_{C1138}	R^{D9}	R^{D238}
L_{C239}	R^{D239}	R^{D239}	L_{C423}	R^{D1}	R^{D239}	L_{C1031}	R^{D4}	R^{D239}	L_{C1139}	R^{D9}	R^{D239}
L_{C240}	R^{D240}	R^{D240}	L_{C424}	R^{D1}	R^{D240}	L_{C1032}	R^{D4}	R^{D240}	L_{C1140}	R^{D9}	R^{D240}
L_{C241}	R^{D241}	R^{D241}	L_{C425}	R^{D1}	R^{D241}	L_{C1033}	R^{D4}	R^{D241}	L_{C1141}	R^{D9}	R^{D241}
L_{C242}	R^{D242}	R^{D242}	L_{C426}	R^{D1}	R^{D242}	L_{C1034}	R^{D4}	R^{D242}	L_{C1142}	R^{D9}	R^{D242}
L_{C243}	R^{D243}	R^{D243}	L_{C427}	R^{D1}	R^{D243}	L_{C1035}	R^{D4}	R^{D243}	L_{C1143}	R^{D9}	R^{D243}
L_{C244}	R^{D244}	R^{D244}	L_{C428}	R^{D1}	R^{D244}	L_{C1036}	R^{D4}	R^{D244}	L_{C1144}	R^{D9}	R^{D244}
L_{C245}	R^{D245}	R^{D245}	L_{C429}	R^{D1}	R^{D245}	L_{C1037}	R^{D4}	R^{D245}	L_{C1145}	R^{D9}	R^{D245}
L_{C246}	R^{D246}	R^{D246}	L_{C430}	R^{D1}	R^{D246}	L_{C1038}	R^{D4}	R^{D246}	L_{C1146}	R^{D9}	R^{D246}
L_{C247}	R^{D247}	R^{D247}	L_{C431}	R^{D50}	R^{D193}	L_{C1039}	R^{D145}	R^{D193}	L_{C1147}	R^{D168}	R^{D193}
L_{C248}	R^{D248}	R^{D248}	L_{C432}	R^{D50}	R^{D194}	L_{C1040}	R^{D145}	R^{D194}	L_{C1148}	R^{D168}	R^{D194}
L_{C249}	R^{D249}	R^{D249}	L_{C433}	R^{D50}	R^{D195}	L_{C1041}	R^{D145}	R^{D195}	L_{C1149}	R^{D168}	R^{D195}
L_{C250}	R^{D250}	R^{D250}									

L_Q	R^{201}	R^{202}	L_Q	R^{201}	R^{202}	L_Q	R^{201}	R^{202}	L_Q	R^{201}	R^{202}
L_{C832}	R^{D17}	R^{D202}	L_{C940}	R^{D50}	R^{D202}	L_{C1048}	R^{D145}	R^{D202}	L_{C1156}	R^{D168}	R^{D202}
L_{C833}	R^{D17}	R^{D203}	L_{C941}	R^{D50}	R^{D203}	L_{C1049}	R^{D145}	R^{D203}	L_{C1157}	R^{D168}	R^{D203}
L_{C834}	R^{D17}	R^{D204}	L_{C942}	R^{D50}	R^{D204}	L_{C1050}	R^{D145}	R^{D204}	L_{C1158}	R^{D168}	R^{D204}
L_{C835}	R^{D17}	R^{D205}	L_{C943}	R^{D50}	R^{D205}	L_{C1051}	R^{D145}	R^{D205}	L_{C1159}	R^{D168}	R^{D205}
L_{C836}	R^{D17}	R^{D206}	L_{C944}	R^{D50}	R^{D206}	L_{C1052}	R^{D145}	R^{D206}	L_{C1160}	R^{D168}	R^{D206}
L_{C837}	R^{D17}	R^{D207}	L_{C945}	R^{D50}	R^{D207}	L_{C1053}	R^{D145}	R^{D207}	L_{C1161}	R^{D168}	R^{D207}
L_{C838}	R^{D17}	R^{D208}	L_{C946}	R^{D50}	R^{D208}	L_{C1054}	R^{D145}	R^{D208}	L_{C1162}	R^{D168}	R^{D208}
L_{C839}	R^{D17}	R^{D209}	L_{C947}	R^{D50}	R^{D209}	L_{C1055}	R^{D145}	R^{D209}	L_{C1163}	R^{D168}	R^{D209}
L_{C840}	R^{D17}	R^{D210}	L_{C948}	R^{D50}	R^{D210}	L_{C1056}	R^{D145}	R^{D210}	L_{C1164}	R^{D168}	R^{D210}
L_{C841}	R^{D17}	R^{D211}	L_{C949}	R^{D50}	R^{D211}	L_{C1057}	R^{D145}	R^{D211}	L_{C1165}	R^{D168}	R^{D211}
L_{C842}	R^{D17}	R^{D212}	L_{C950}	R^{D50}	R^{D212}	L_{C1058}	R^{D145}	R^{D212}	L_{C1166}	R^{D168}	R^{D212}
L_{C843}	R^{D17}	R^{D213}	L_{C951}	R^{D50}	R^{D213}	L_{C1059}	R^{D145}	R^{D213}	L_{C1167}	R^{D168}	R^{D213}
L_{C844}	R^{D17}	R^{D214}	L_{C952}	R^{D50}	R^{D214}	L_{C1060}	R^{D145}	R^{D214}	L_{C1168}	R^{D168}	R^{D214}
L_{C845}	R^{D17}	R^{D215}	L_{C953}	R^{D50}	R^{D215}	L_{C1061}	R^{D145}	R^{D215}	L_{C1169}	R^{D168}	R^{D215}
L_{C846}	R^{D17}	R^{D216}	L_{C954}	R^{D50}	R^{D216}	L_{C1062}	R^{D145}	R^{D216}	L_{C1170}	R^{D168}	R^{D216}
L_{C847}	R^{D17}	R^{D217}	L_{C955}	R^{D50}	R^{D217}	L_{C1063}	R^{D145}	R^{D217}	L_{C1171}	R^{D168}	R^{D217}
L_{C848}	R^{D17}	R^{D218}	L_{C956}	R^{D50}	R^{D218}	L_{C1064}	R^{D145}	R^{D218}	L_{C1172}	R^{D168}	R^{D218}
L_{C849}	R^{D17}	R^{D219}	L_{C957}	R^{D50}	R^{D219}	L_{C1065}	R^{D145}	R^{D219}	L_{C1173}	R^{D168}	R^{D219}
L_{C850}	R^{D17}	R^{D220}	L_{C958}	R^{D50}	R^{D220}	L_{C1066}	R^{D145}	R^{D220}	L_{C1174}	R^{D168}	R^{D220}
L_{C851}	R^{D17}	R^{D221}	L_{C959}	R^{D50}	R^{D221}	L_{C1067}	R^{D145}	R^{D221}	L_{C1175}	R^{D168}	R^{D221}
L_{C852}	R^{D17}	R^{D222}	L_{C960}	R^{D50}	R^{D222}	L_{C1068}	R^{D145}	R^{D222}	L_{C1176}	R^{D168}	R^{D222}
L_{C853}	R^{D17}	R^{D223}	L_{C961}	R^{D50}	R^{D223}	L_{C1069}	R^{D145}	R^{D223}	L_{C1177}	R^{D168}	R^{D223}
L_{C854}	R^{D17}	R^{D224}	L_{C962}	R^{D50}	R^{D224}	L_{C1070}	R^{D145}	R^{D224}	L_{C1178}	R^{D168}	R^{D


-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1233}	R^{D10}	R^{D225}	L_{C1287}	R^{D55}	R^{D225}	L_{C1341}	R^{D37}	R^{D225}	L_{C1395}	R^{D143}	R^{D225}
L_{C1234}	R^{D10}	R^{D226}	L_{C1288}	R^{D55}	R^{D226}	L_{C1342}	R^{D37}	R^{D226}	L_{C1396}	R^{D143}	R^{D226}
L_{C1235}	R^{D10}	R^{D227}	L_{C1289}	R^{D55}	R^{D227}	L_{C1343}	R^{D37}	R^{D227}	L_{C1397}	R^{D143}	R^{D227}
L_{C1236}	R^{D10}	R^{D228}	L_{C1290}	R^{D55}	R^{D228}	L_{C1344}	R^{D37}	R^{D228}	L_{C1398}	R^{D143}	R^{D228}
L_{C1237}	R^{D10}	R^{D229}	L_{C1291}	R^{D55}	R^{D229}	L_{C1345}	R^{D37}	R^{D229}	L_{C1399}	R^{D143}	R^{D229}
L_{C1238}	R^{D10}	R^{D230}	L_{C1292}	R^{D55}	R^{D230}	L_{C1346}	R^{D37}	R^{D230}	L_{C1400}	R^{D143}	R^{D230}
L_{C1239}	R^{D10}	R^{D231}	L_{C1293}	R^{D55}	R^{D231}	L_{C1347}	R^{D37}	R^{D231}	L_{C1401}	R^{D143}	R^{D231}
L_{C1240}	R^{D10}	R^{D232}	L_{C1294}	R^{D55}	R^{D232}	L_{C1348}	R^{D37}	R^{D232}	L_{C1402}	R^{D143}	R^{D232}
L_{C1241}	R^{D10}	R^{D233}	L_{C1295}	R^{D55}	R^{D233}	L_{C1349}	R^{D37}	R^{D233}	L_{C1403}	R^{D143}	R^{D233}
L_{C1242}	R^{D10}	R^{D234}	L_{C1296}	R^{D55}	R^{D234}	L_{C1350}	R^{D37}	R^{D234}	L_{C1404}	R^{D143}	R^{D234}
L_{C1243}	R^{D10}	R^{D235}	L_{C1297}	R^{D55}	R^{D235}	L_{C1351}	R^{D37}	R^{D235}	L_{C1405}	R^{D143}	R^{D235}
L_{C1244}	R^{D10}	R^{D236}	L_{C1298}	R^{D55}	R^{D236}	L_{C1352}	R^{D37}	R^{D236}	L_{C1406}	R^{D143}	R^{D236}
L_{C1245}	R^{D10}	R^{D237}	L_{C1299}	R^{D55}	R^{D237}	L_{C1353}	R^{D37}	R^{D237}	L_{C1407}	R^{D143}	R^{D237}
L_{C1246}	R^{D10}	R^{D238}	L_{C1300}	R^{D55}	R^{D238}	L_{C1354}	R^{D37}	R^{D238}	L_{C1408}	R^{D143}	R^{D238}
L_{C1247}	R^{D10}	R^{D239}	L_{C1301}	R^{D55}	R^{D239}	L_{C1355}	R^{D37}	R^{D239}	L_{C1409}	R^{D143}	R^{D239}
L_{C1248}	R^{D10}	R^{D240}	L_{C1302}	R^{D55}	R^{D240}	L_{C1356}	R^{D37}	R^{D240}	L_{C1410}	R^{D143}	R^{D240}
L_{C1249}	R^{D10}	R^{D241}	L_{C1303}	R^{D55}	R^{D241}	L_{C1357}	R^{D37}	R^{D241}	L_{C1411}	R^{D143}	R^{D241}
L_{C1250}	R^{D10}	R^{D242}	L_{C1304}	R^{D55}	R^{D242}	L_{C1358}	R^{D37}	R^{D242}	L_{C1412}	R^{D143}	R^{D242}
L_{C1251}	R^{D10}	R^{D243}	L_{C1305}	R^{D55}	R^{D243}	L_{C1359}	R^{D37}	R^{D243}	L_{C1413}	R^{D143}	R^{D243}
L_{C1252}	R^{D10}	R^{D244}	L_{C1306}	R^{D55}	R^{D244}	L_{C1360}	R^{D37}	R^{D244}	L_{C1414}	R^{D143}	R^{D244}
L_{C1253}	R^{D10}	R^{D245}	L_{C1307}	R^{D55}	R^{D245}	L_{C1361}	R^{D37}	R^{D245}	L_{C1415}	R^{D143}	R^{D245}
L_{C1254}	R^{D10}	R^{D246}	L_{C1308}	R^{D55}	R^{D246}	L_{C1362}	R^{D37}	R^{D246}	L_{C1416}	R^{D143}	R^{D246}


wherein R^{D1} to R^{D246} have the following structures:

389

-continued


**390**

-continued




391

-continued















**392**

-continued
















393

-continued

**394**

-continued

R^{D150}

5

R^{D151}

10

R^{D152}

15

R^{D153}R^{D154}

20

R^{D155}

25

R^{D156}

30

R^{D157}

35

R^{D158}

40

R^{D159}

45

R^{D160}

50

R^{D161}

55

R^{D162}

60


R^{D163}

65


R^{D164}R^{D165}R^{D166}R^{D167}R^{D168}R^{D169}R^{D170}R^{D171}R^{D172}R^{D173}R^{D174}R^{D175}R^{D176}

395

-continued


**396**

-continued




397

-continued


**398**

-continued



399

-continued

R^{D220}

5

R^{D221}R^{D222} 10R^{D223} 15R^{D224} 20

25

R^{D225}

30

R^{D226}

35

R^{D227}

40

R^{D228}

45

R^{D229}


50

R^{D230} 55R^{D231} 60

65







400

-continued


R^{D232}R^{D233}R^{D234}R^{D235}R^{D236}R^{D237}R^{D238}R^{D239}R^{D240}

401




-continued



15. The compound of claim 12, wherein the compound is selected from the group consisting of:

**402**

-continued






55

60




65

403

-continued




**404**

-continued






405

-continued

**406**

-continued






60




65

407

-continued

**408**

-continued




55

60


65

409

-continued





**410**

-continued





411

-continued


**412**

-continued



16. The compound of claim 11, wherein the compound has a structure of


Formula II




413

-continued

Formula III



Formula IV



wherein:

M¹ is Pd or Pt;

rings F and G are each independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

Z¹ and Z² are each independently C or N;

K¹, K², K³, and K⁴ are each independently selected from the group consisting of a direct bond, O, and S;

at least two of K¹, K², K³, and K⁴ are direct bonds;

L¹, L², and L³ are each independently selected from the group consisting of a single bond, absent a bond, O, S, SO, SO₂, C=O, C=CR'R'', C=NR'R'', CR'R'', SiR'R'', BR', and NR', wherein at least one of L¹ and L² is present;

X³ and X⁴ are each independently C or N;

Rᶠ and Rᵍ each independently represent mono, up to the maximum allowed number of substitutions, or no substitutions;

each R', R'', Rᶠ, and Rᵍ is independently a hydrogen or a substituent selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof; and

any two adjacent R', R'', Rᶠ, Rᵍ, Rᵃ, Rᵇ, Rᶜ, Rᵈ, Rᵉ, Rᶠ, and Rᵍ can be joined or fused together to form a ring.


17. An organic light emitting device (OLED) comprising:

an anode;

a cathode; and

an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a bidentate ligand L_A comprising a moiety of Formula I,

414




wherein:

the ligand L_A is coordinated to a metal M by two bonds, wherein either:

(i) both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring; or

(ii) one of the two bonds is with Formula I, and the other bond is with Formula II



which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D, with a proviso that Rᵃ and Rᵇ are not joined to form a 5-membered ring if ring E is pyridine and attached to ring A or ring B, and if the N atom of the pyridine is coordinated to M;

each of ring A, ring B, ring C, ring D, and, if present, ring E is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

each of Rᵃ, Rᵇ, Rᶜ, Rᵈ, and, if present, Rᵉ independently represents mono to the maximum allowable substitutions, or no substitution;

each Rᵃ, Rᵇ, Rᶜ, Rᵈ, and, if present, Rᵉ is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germlyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

any two adjacent Rᵃ, Rᵇ, Rᶜ, Rᵈ, or, if present, Rᵉ can be joined or fused together to form a ring;


the metal M is Ir, Pt, Pd, or Os, and can be coordinated to other ligands; and

the ligand L_A can be joined with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

18. The OLED of claim 17, wherein the organic layer further comprises a host, wherein host comprises at least one chemical moiety selected from the group consisting of triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene, aza-triphenylene, aza-carbazole, aza-indolocarbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, and aza-(5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene).


19. The OLED of claim 18, wherein the host is selected from the group consisting of:

415




416

-continued




417

-continued


**418**

-continued



419

-continued

**420**

-continued

5

10

15

20

25

30

35

40


45

50

55


60

65




421

-continued



and combinations thereof.

20. A consumer product comprising an organic light-emitting device comprising:
 an anode;
 a cathode; and
 an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound comprising a bidentate ligand L_A comprising a moiety of Formula I,




wherein:

422

the ligand L_A is coordinated to a metal M by two bonds, wherein either:

- (i) both bonds are with Formula I, and if the metal M is coordinated by a direct bond to a nitrogen of ring C or ring D, then at least one of ring A, ring B, ring C, and ring D is not a benzene ring; or
- (ii) one of the two bonds is with Formula I, and the other bond is with Formula II



which is attached through the dashed bond to one of ring A, ring B, ring C, or ring D, with a proviso that R^A and R^B are not joined to form a 5-membered ring if ring E is pyridine and attached to ring A or ring B, and if the N atom of the pyridine is coordinated to M;

each of ring A, ring B, ring C, ring D, and, if present, ring E is independently a 5-membered or 6-membered carbocyclic or heterocyclic ring;

each of R^A , R^B , R^C , R^D , and, if present, R^E independently represents mono to the maximum allowable substitutions, or no substitution;

each R^A , R^B , R^C , R^D , and, if present, R^E is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

any two adjacent R^A , R^B , R^C , R^D , or, if present, R^E can be joined or fused together to form a ring;

the metal M is Ir, Pt, Pd, or Os, and can be coordinated to other ligands; and

the ligand L_A can be joined with other ligands to form a tridentate, tetradentate, pentadentate, or hexadentate ligand.

* * * * *