

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12412207
Kind Code	B2
Date of Patent	September 09, 2025
Inventor(s)	Suzuki; Shigeaki

Registration apparatus and control method

Abstract

According to an embodiment, a registration apparatus includes a storage device that stores management information of a plurality of payment apparatuses. The registration apparatus selects a payment apparatus that performs payment processing for a purchased commodity from payment apparatuses corresponding to a designated payment method on the basis of the management information of the plurality of payment apparatuses, the management information being stored in the storage device.

Inventors:	Suzuki; Shigeaki (Gotemba Shizuoka, JP)
Applicant:	TOSHIBA TEC KABUSHIKI KAISHA (Tokyo, JP)
Family ID:	86383977
Assignee:	Toshiba Tec Kabushiki Kaisha (Tokyo, JP)
Appl. No.:	17/859327
Filed:	July 07, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20230162268 A1	May. 25, 2023

Foreign Application Priority Data

JP	2021-189098	Nov. 22, 2021
----	-------------	---------------

Publication Classification

Int. Cl.: G06Q20/00 (20120101); G06Q20/18 (20120101); G06Q20/20 (20120101);
G06Q30/0601 (20230101)

U.S. Cl.:

CPC **G06Q30/0635** (20130101); **G06Q20/18** (20130101); **G06Q20/202** (20130101);

Field of Classification Search

CPC: G06Q (30/0635); G06Q (20/18); G06Q (20/202)

USPC: 705/16

References Cited**U.S. PATENT DOCUMENTS**

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2017/0300908	12/2016	Ishikawa	N/A	G06Q 20/405

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
106934681	12/2016	CN	F25D 23/12
107730242	12/2017	CN	N/A
109102662	12/2017	CN	G06K 7/1413
3113129	12/2016	EP	G06Q 20/18
3644289	12/2019	EP	A47F 9/04
2010061658	12/2009	JP	N/A
2017130117	12/2016	JP	G06Q 20/20
2019175517	12/2018	JP	N/A
2022131269	12/2021	JP	G02B 27/017
2022139573	12/2021	JP	G06Q 10/087
2022163452	12/2021	JP	G06Q 30/0627

Primary Examiner: Glass; Russell S

Attorney, Agent or Firm: Kim & Stewart LLP

Background/Summary**CROSS-REFERENCE TO RELATED APPLICATIONS**

(1) This application is based upon and claims the benefit of priority from the prior Japanese Patent Application No. 2021-189098, filed on Nov. 22, 2021, the entire contents of which are incorporated herein by reference.

FIELD

(2) An embodiment described herein generally relates to a registration apparatus and a control method for a registration apparatus.

BACKGROUND

(3) Conventionally, in stores such as supermarkets and mass retailers, a system in which registration processing for a commodity to be purchased by a customer and payment processing for the commodity registered in the registration processing are performed by different apparatuses has been adopted. For example, in a system called semi-self-service system, a registration apparatus

that executes registration processing in accordance with an operation of a clerk and a payment apparatus that executes payment processing for a commodity registered by the registration apparatus through an operation of a customer are used. Further, in recent years, a system in which registration processing is performed by a mobile terminal operated by a customer, and payment processing is performed using a payment apparatus installed in a store has also been employed.

(4) In addition, electronic payments such as credit card payment, electronic money payment, and code payment are also used as payment methods other than cash payment.

(5) Incidentally, in the above-mentioned semi-self-service system or the like, if there are a plurality of payment apparatuses, a clerk selects one payment apparatus to be used from among those payment apparatuses. For example, there has been conventionally proposed a technique in which a button capable of selecting each of a payment method and a payment apparatus is displayed on a screen of the registration apparatus, and the payment method and payment information are transmitted to the payment apparatus selected by a user or a clerk.

(6) However, in the related art, while the payment information can be transmitted to the selected payment apparatus, there is room for further improvement in the method of selecting the payment apparatus. For example, the time and effort required for accounting operations differ between cash payment and electronic payment, and the time required for accounting operations in cash payment tends to be longer than in electronic payment. Hence, selecting the payment apparatus in consideration of the payment method makes it possible to improve the processing efficiency.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 is a diagram showing an example of a configuration of a checkout system according to an embodiment.
- (2) FIG. 2 is a diagram showing an example of a layout of registration apparatuses and payment apparatuses according to the embodiment that are arranged in a store according to the embodiment.
- (3) FIG. 3 is a diagram showing an example of a hardware configuration of a server apparatus according to the embodiment.
- (4) FIG. 4 is a diagram showing an example of a data structure of a payment apparatus management file according to the embodiment.
- (5) FIG. 5 is a diagram showing an example of a hardware configuration of the registration apparatus according to the embodiment.
- (6) FIG. 6 is a diagram showing an example of a functional configuration of the registration apparatus according to the embodiment.
- (7) FIG. 7 is a diagram showing an example of a payment method selection screen displayed on a customer display device according to the embodiment.
- (8) FIG. 8 is a diagram showing an example of a hardware configuration of the payment apparatus according to the embodiment.
- (9) FIG. 9 is a flowchart showing an example of processing executed by the registration apparatus according to the embodiment.

DETAILED DESCRIPTION

(10) According to one embodiment, a registration apparatus is included in a checkout system including a plurality of payment apparatuses for performing payment processing for a commodity purchased according to a predetermined payment method on the basis of payment information of the commodity purchased by a customer, and provides the payment information to one of the plurality of payment apparatuses. The registration apparatus includes a storage device, an input device, a reception device, and a controller. The storage device stores management information of the plurality of payment apparatuses. The input device inputs a commodity code for specifying the

purchased commodity. The reception device receives a designation of the payment method. The controller specifies a commodity corresponding to the commodity code input by the input device and registers sales data indicating contents relating to a transaction of the specified commodity. The controller selects a payment apparatus that performs payment processing for the purchased commodity from payment apparatuses corresponding to the designated payment method received by the reception device on the basis of the management information of the plurality of payment apparatuses, the management information being stored in the storage device. The controller generates payment information of the purchased commodity on the basis of the registered sales data. Further, the controller outputs the generated payment information to the selected payment apparatus.

(11) Hereinafter, an embodiment will be described in detail with reference to the drawings. Note that in the drawings the same reference numerals denote the same or similar parts. In addition, the present invention is not limited by the embodiment to be described below.

(12) FIG. 1 is a diagram showing an example of a configuration of a checkout system according to an embodiment. As shown in FIG. 1, the checkout system 1 includes a registration apparatus 10, a payment apparatus 20, and a server apparatus 30.

(13) The registration apparatus 10, the payment apparatus 20, and the server apparatus 30 are communicably connected to each other via a wired or wireless network 50. The number of registration apparatuses 10 and payment apparatuses 20 connected to the network 50 is not particularly limited, and a plurality of payment apparatuses 20 are provided in this embodiment.

(14) The registration apparatus 10 and the payment apparatus 20 are arranged in an area where checkout (registration and payment) of commodities is performed (see FIG. 2) in a store such as a supermarket or a mass retailer, and provide a checkout (registration and payment) system called semi-self-service system, for example. FIG. 2 is a diagram showing an example of the layout of the registration apparatuses 10 and the payment apparatuses 20 arranged in the store.

(15) The registration apparatus 10 is installed on, for example, a table-like worktable 40. The registration apparatus 10 is operated by a clerk 51 to perform registration processing for commodities to be purchased by a customer 52. The payment apparatus 20 is operated by the customer 52 to perform payment processing for the commodities registered by the registration apparatus 10. In this case, it is favorable that the number of payment apparatuses 20 is equal to or larger than the number of registration apparatuses 10.

(16) In the layout of FIG. 2, the customer 52 who will purchase commodities puts commodities in a shopping basket or the like and carries the commodities to the registration apparatus 10. The clerk 51 of the registration apparatus 10 uses a reading device such as a barcode scanner to input a commodity code, with which each commodity can be identified, from a barcode or the like attached to the commodity to the registration apparatus 10, thus sequentially registering the commodities. When the registration of the commodities is completed, the registration apparatus 10 delivers payment information for paying for the registered commodities to the payment apparatus 20 to be a payment destination of the commodities (hereinafter, also referred to as an accounting destination).

(17) On the other hand, when the registration of the commodities is completed by the registration apparatus 10, the customer 52 moves the commodities, i.e., shopping basket, to the payment apparatus 20 of the accounting destination. The customer 52 then operates the payment apparatus 20 to cause the payment apparatus 20 to execute payment processing based on the payment information. As described above, since the registration and the accounting can be separated in the semi-self-service system, the processing efficiency such as shortening a checkout waiting time or the like can be achieved.

(18) Referring back to the description of FIG. 1, the server apparatus 30 is a server apparatus such as a store server. The server apparatus 30 stores and manages various types of information relating to checkout. For example, the server apparatus 30 stores and manages a commodity master 3502, a member master 3503, a payment apparatus management file 3504, and the like, which will be

described later (see FIG. 3).

(19) Next, the configuration of each of the above-mentioned apparatuses will be described. Hereinafter, for convenience of description, the server apparatus **30**, the registration apparatus **10**, and the payment apparatus **20** will be described in this order.

(20) First, the configuration of the server apparatus **30** will be described. FIG. 3 is a diagram showing an example of a hardware configuration of the server apparatus **30**. As shown in FIG. 3, the server apparatus **30** includes a central processing unit (CPU) **301**, a read only memory (ROM) **302**, and a random-access memory (RAM) **303**.

(21) The CPU **301** is an exemplary processor and comprehensively controls the operation of the server apparatus **30**. The ROM **302** stores various programs. The RAM **303** is a workspace for expanding programs and various types of data. The CPU **301**, the ROM **302**, and the RAM **303** are connected to each other via a bus or the like to form a controller **300** of the computer. In the controller **300**, the CPU **301** executes various types of processing by operating in accordance with a control program **3501** stored in the ROM **302** or a storage device **305** and expanded in the RAM **303**.

(22) The controller **300** is connected to a communication device **304** and the storage device **305** via a bus or the like. The communication device **304** is a communication interface connectable to the network **50**. The communication device **304** communicates with external apparatuses such as the registration apparatus **10** and the payment apparatus **20** via the network **50**.

(23) The storage device **305** includes a hard disk drive (HDD), a flash memory, and the like and maintains stored contents even when the power is turned off. The storage device **305** stores, for example, the control program **3501**, the commodity master **3502**, the member master **3503**, and the payment apparatus management file **3504**.

(24) The control program **3501** is a control program for controlling the operation of the server apparatus **30**. The commodity master **3502** stores the commodity information of commodities sold in the store in association with the commodity code of each of the commodities, for example. Here, the commodity code is an example of a commodity identifier with which the type of commodity can be identified (specified). The commodity information includes information on a commodity, such as the commodity name and unit price of a corresponding commodity. The member master **3503** stores member information of the member in association with a member code of a customer who has done member registration (hereinafter, also referred to as member). Here, the member code is an example of a user identifier with which each member can be identified. The member information includes information on a member, e.g., the name, age, and contact information such as e-mail address of a corresponding member.

(25) The payment apparatus management file **3504** is a storage area or data file for managing the status of the payment apparatus **20**. Specifically, the payment apparatus management file **3504** stores and manages a payment method that can be handled by each payment apparatus **20**, a processing status of the payment processing performed by the payment apparatus **20**, and the like.

(26) FIG. 4 is a diagram showing an example of the data structure of the payment apparatus management file **3504**. As shown in FIG. 4, the payment apparatus management file **3504** stores a corresponding method, a current status, a reservation status, and the like in association with a payment apparatus ID for identifying each payment apparatus **20**.

(27) Here, the item of the corresponding method is to show a payment method that can be handled by the payment apparatus **20** corresponding to the payment apparatus ID. Examples of the payment method include electronic payments using a credit card, electronic money, a two-dimensional code, and the like, in addition to a cash payment method (cash).

(28) The example of FIG. 4 shows that, among the five payment apparatuses **20** with the payment apparatus IDs **#01** to **#05**, the payment apparatuses **20** with **#01** and **#02** are the payment apparatuses **20** exclusively for cash payment, the payment apparatuses **20** with **#03** and **#04** are the payment apparatuses **20** for both cash payment and electronic payment, and the payment apparatus

20 with **#05** is the payment apparatus **20** exclusively for electronic payment.

(29) Note that the information stored in the “corresponding method” column is not limited to the example of FIG. 4. For example, the “corresponding method” column may store payment methods obtained by subdividing the types of electronic payment such as credit card payment, electronic money payment, and code payment in accordance with the functions of the payment apparatus **20**. Further, the “corresponding method” column may store payment methods subdivided for each company providing the electronic payment service and for each type of services.

(30) Information indicating the processing status of the payment apparatus **20** is stored in the items of the current status and the reservation status. Here, the item of the current status indicates the current status of the payment apparatus **20** corresponding to the payment apparatus ID. The item of the current status stores, for example, whether or not the payment apparatus **20** is executing payment processing, and if it is executing, details of the payment processing.

(31) As an example, the “current status” column stores a state indicating whether the payment processing is being executed or standby, and the like. Note that if the payment processing is being executed, it is favorable to hold a transaction ID relating to the payment processing being executed, the payment method used in the payment processing, and the like together, as shown in FIG. 4. As a result, by referring to the “current status” column, it is possible to easily confirm whether or not each of the payment apparatuses **20** is executing the payment processing, and if the payment processing is being executed, easily confirm the payment method to be used.

(32) The example of FIG. 4 indicates that, among the five payment apparatuses **20** with the payment apparatus IDs **#01** to **#05**, the payment apparatuses **20** with **#01** to **#03** are executing the payment processing by cash. The example of FIG. 4 also indicates that the payment apparatuses **20** with **#04** and **#05** are executing the payment processing by electronic payment.

(33) Note that the information stored in the “current status” column is not limited to the example of FIG. 4. For example, a status indicating use prohibition such as failure, the remaining amount of change, and the like may be stored as the status of the payment apparatus **20**.

(34) The item of the reservation status indicates the status of the unprocessed payment information allocated to the payment apparatus **20** corresponding to the payment apparatus ID, i.e., an allocation status. In other words, the item of the reservation status stores the status of payment processing to be executed by the payment apparatus **20**.

(35) As an example, in the “reservation status” column, a transaction ID with which a transaction relating to the payment information allocated to the payment apparatus **20** can be identified and a payment method to be used in the transaction are stored in association with each other. The transaction ID stored in the reservation status is subjected to payment processing in the payment apparatus **20** through the operation of the customer or the like after the preceding payment processing (payment processing in the “current status” column) is completed in the corresponding payment apparatus **20**. The transaction ID relating to the newly executed payment processing is moved to the “current status” column and deleted from the “reservation status” column. In other words, by referring to the “reservation status” column, it is possible to confirm the number of pieces of payment processing to be processed by the payment apparatus **20** and its payment method.

(36) The example of FIG. 4 indicates that, among the five payment apparatuses **20** with the payment apparatus IDs of **#01** to **#05**, one transaction (cash payment) is scheduled to be allocated to the payment apparatus **20** with **#02** and one transaction (electronic payment) is scheduled to be allocated to the payment apparatus **20** with **#04**.

(37) Note that the information stored in the “reservation status” column is not limited to the example of FIG. 4. For example, the number of pieces of payment information allocated to the payment apparatus **20** for each payment method may be stored as the reservation status.

(38) The controller **300** implements various types of processing and functions by cooperating with the control program **3501**. For example, the controller **300** provides the commodity master **3502**,

the member master **3503**, and the payment apparatus management file **3504** stored in the storage device **305** in a state capable of being referred to by the registration apparatus **10** and the payment apparatus **20**.

(39) Further, for example, the controller **300** updates the payment apparatus management file **3504** in response to the notification from the registration apparatus **10** and the payment apparatus **20**. For example, when receiving an allocation notification instructing a transaction ID, a payment method, and a payment apparatus ID from the registration apparatus **10**, the controller **300** registers the transaction ID and the payment method instructed by the allocation notification in association with each other in the “reservation status” column relating to the payment apparatus ID.

(40) Further, for example, when receiving a payment processing start notification instructing the transaction ID from the payment apparatus **20**, the controller **300** confirms whether or not the instructed transaction ID exists in the “reservation status” column of the payment apparatus ID corresponding to the payment apparatus **20** of the notification source. If the instructed transaction ID exists in the “reservation status” column, the controller **300** moves the information (transaction ID, payment method) corresponding to the transaction ID to the “current status” column, and updates the “current status” column to the state of being executed.

(41) Note that, in response to the start notification, the controller **300** may transmit a payment method corresponding to the instructed transaction ID to the payment apparatus **20**. Further, if the instructed transaction ID does not exist in the “reservation status” column, the controller **300** may transmit an error notifying that the payment apparatus **20** of accounting destination is incorrect. In this case, the controller **300** may specify a payment apparatus ID, the instructed transaction ID of which is registered in the “reservation status” column, from the payment apparatus management file **3504** and may transmit the specified payment apparatus ID as the correct accounting destination to the payment apparatus **20** of the notification source.

(42) Further, for example, when receiving a payment processing end notification from the payment apparatus **20**, the controller **300** updates the “current status” column of the payment apparatus ID corresponding to the payment apparatus **20** of the notification source to a standby state.

(43) Further, for example, the controller **300** may acquire the payment information together with the allocation notification from the registration apparatus **10**. In this case, the controller **300** stores and manages the payment information transmitted from the registration apparatus **10** in the storage device **305** or the like in association with the transaction ID. When the start notification is notified from the payment apparatus **20**, the controller **300** updates the “current status” column relating to the payment apparatus **20**, reads the payment information corresponding to the indicated transaction ID from the storage device **305** or the like, and transmits the payment information to the payment apparatus **20**. Note that the transaction ID associated with the payment information may be included in the allocation notification or may be included in the payment information itself.

(44) Next, the configuration of the registration apparatus **10** will be described. FIG. 5 is a diagram showing an example of the hardware configuration of the registration apparatus **10**. As shown in FIG. 5, the registration apparatus **10** includes a CPU **101**, a ROM **102**, and a RAM **103**.

(45) The CPU **101** is an exemplary processor and comprehensively controls the operation of the registration apparatus **10**. The ROM **102** stores various programs. The RAM **103** is a workspace for expanding programs and various types of data. The CPU **101**, the ROM **102**, and the RAM **103** are connected to each other via a bus or the like to form a controller **100** of the computer. In the controller **100**, the CPU **101** executes various types of processing by operating in accordance with a control program **1501** stored in the ROM **102** or the storage device **105** and expanded in the RAM **103**.

(46) The controller **100** is connected to a communication device **104** and the storage device **105** via a bus or the like. The communication device **104** is a communication interface connectable to the network **50**. The communication device **104** communicates with external apparatuses such as the payment apparatus **20** and the server apparatus **30** via the network **50**.

(47) The storage device **105** includes an HDD, a flash memory, and the like, and maintains stored contents even when the power is turned off. The storage device **105** stores, for example, the control program **1501**.

(48) The control program **1501** is a control program for controlling the operation of the registration apparatus **10**. Note that the storage device **105** may store the above-mentioned commodity master **3502** provided from the server apparatus **30**, and the like.

(49) Further, the controller **100** is connected with a clerk display device **106**, a customer display device **107**, an operation device **108**, a scanner **109**, a card reading device **110**, and the like via a bus or the like.

(50) The clerk display device **106** is a display/operation device such as a touch panel disposed for a clerk who operates the registration apparatus **10**. The customer display device **107** is a display/operation device such as a touch panel disposed for a customer. The clerk display device **106** and the customer display device **107** display various types of information under the control of the controller **100**.

(51) The operation device **108** includes various operation buttons such as a number key and a closing key, and outputs key information corresponding to the operation of the operator to the controller **100**. The operation device **108** may include touch panels of the clerk display device **106** and the customer display device **107**.

(52) The scanner **109** is a reading device capable of reading a code symbol such as a bar code or a two-dimensional code. For example, the scanner **109** reads the commodity code from the code symbol attached to a commodity and outputs the read commodity code to the CPU **101**.

(53) The card reading device **110** is a reading device that reads information from a card medium such as a magnetic card or an IC card. For example, the card reading device **110** reads user identification information such as a member ID from a card medium (e.g., a member card) owned by the customer, and outputs the read user identification information to the CPU.

(54) In the configuration of the registration apparatus **10** described above, the controller **100** implements functional units for executing various types of processing by cooperating with the control program **1501**. FIG. 6 is a diagram showing an example of the functional configuration of the registration apparatus **10**.

(55) As shown in FIG. 6, the controller **100** of the registration apparatus **10** executes the control program **1501** to implement a commodity registration module **11**, an accounting destination selection module **12**, a payment information generation module **13**, and an output processing module **14** as functional units.

(56) The commodity registration module **11** is an example of registration means. The commodity registration module **11** executes registration processing for a commodity to be purchased by a customer. Specifically, the commodity registration module **11** acquires the commodity code input from the operation device **108** and the scanner **109** as commodity identification information. Next, the commodity registration module **11** specifies a commodity corresponding to the acquired commodity code from the commodity master **3502**. The commodity registration module **11** then registers the sales data of the specified commodity, the sales data indicating the contents relating to the commercial transaction.

(57) For example, the commodity registration module **11** acquires commodity information of the specified commodity from the commodity master **3502**. Next, the commodity registration module **11** associates the acquired commodity information with the number of commodities separately input (the number of purchases), and generates them as sales data. The commodity registration module **11** then stores the generated sales data in the RAM **103**, the storage device **105**, or the like, thus registering the commodity.

(58) The accounting destination selection module **12** is an example of reception means, selection means, and notification means. The accounting destination selection module **12** selects a payment apparatus **20** to be an accounting destination on the basis of the payment method desired by the

customer.

(59) Specifically, the accounting destination selection module **12** receives a designation of the payment method desired by the customer from among payment methods that can be handled by the respective payment apparatuses **20**. Here, the payment methods that can be handled by the payment apparatuses **20** can be specified by referring to the “corresponding method” column of the payment apparatus management file **3504** (see FIG. 4).

(60) In addition, various forms are possible regardless of the method of receiving the payment method. For example, the accounting destination selection module **12** may display an operation screen (hereinafter, a payment method selection screen) for designating (or selecting) a payment method on the clerk display device **106** or the customer display device **107**, thereby receiving an operation of designating a payment method from the clerk or the customer. In this embodiment, a form in which a designation of the payment method desired by the customer is received via the payment method selection screen displayed on the customer display device **107** will be described.

(61) FIG. 7 is a diagram showing an example of the payment method selection screen displayed on the customer display device **107**. As shown in FIG. 7, an operation button **1072** for selecting cash payment and an operation button **1073** for selecting electronic payment are displayed on the payment method selection screen **1071**. When the operation button **1072** is operated, the accounting destination selection module **12** accepts cash payment as the payment method desired by the customer. When the operation button **1073** is operated, the accounting destination selection module **12** accepts electronic payment as the payment method desired by the customer. If the payment method that can be handled by the payment apparatus **20** is subdivided, it is favorable that options displayed on the payment method selection screen **1071** are also subdivided and displayed.

(62) When the payment method is designated, the accounting destination selection module **12** selects the payment apparatus **20** to be the accounting destination from the payment apparatuses **20** corresponding to the designated payment method. Specifically, the accounting destination selection module **12** refers to the “corresponding method” column of the payment apparatus management file **3504**, and extracts the payment apparatuses **20** corresponding to the designated payment method. The accounting destination selection module **12** then selects one payment apparatus **20** to be the accounting destination from the extracted payment apparatuses **20**.

(63) Here, various methods can be employed for selecting the payment apparatus **20**. For example, the accounting destination selection module **12** refers to the “current status” column and the “reservation status” column of the extracted payment apparatus **20**, and preferentially selects the payment apparatus **20** with fewer users. As an example, the accounting destination selection module **12** preferentially selects the payment apparatus **20** in which the “current status” column is in standby or the “reservation status” column is empty. Further, for example, if the “current status” column is “in execution” in any of the payment apparatuses **20**, the accounting destination selection module **12** preferentially selects the payment apparatus **20** having the smallest number of transaction IDs registered in the “reservation status” column.

(64) Further, for example, if the designated payment method is electronic payment and if the extracted payment apparatuses **20** include a payment apparatus **20** that handles cash payment and electronic payment and a payment apparatus **20** exclusively for electronic payment, it is favorable that the accounting destination selection module **12** preferentially selects the payment apparatus **20** exclusively for electronic payment. Since the time and effort required for accounting operations differs between cash payment and electronic payment, the time required for payment processing in cash payment tends to be longer than in electronic payment. Hence, if the payment method is electronic payment, the payment processing is performed by the payment apparatus **20** exclusively for electronic payment, so that the processing efficiency thereof can be improved as a whole as compared with the payment processing performed by the payment apparatus **20** corresponding to both electronic payment and cash payment.

(65) Further, it is favorable that the accounting destination selection module **12** selects the payment

apparatus **20** to be the accounting destination on the basis of the payment method of the payment processing being executed or scheduled to be executed by the extracted payment apparatus **20**.

(66) For example, if the designated payment method is cash payment and if the extracted payment apparatuses **20** include a plurality of payment apparatuses **20** that handle cash payment and electronic payment, the accounting destination selection module **12** preferably reduces the priority of the payment apparatus **20** that is executing or is scheduled to execute the payment processing by cash payment to select a payment apparatus **20** as an accounting destination. As a result, the processing efficiency of the payment apparatus **20** as a whole can be improved.

(67) In addition, the payment apparatus **20** may be selected on the basis of other conditions relating to the payment apparatus **20**. For example, if the distance between the registration apparatus **10** and the payment apparatus **20** is registered in the payment apparatus management file **3504** or the like, the accounting destination selection module **12** may preferentially select the payment apparatus **20** that is closer to the registration apparatus **10** in which the commodity registration has been performed. Further, for example, if the remaining amount of money (hereinafter, also referred to as stock) for each denomination stored in a depositing/dispensing device **209** of the payment apparatus **20** is registered in the payment apparatus management file **3504** or the like, and if the designated payment method is cash payment, the accounting destination selection module **12** may preferentially select the payment apparatus **20** with a large stock.

(68) The various conditions for selecting the payment apparatus **20** described above (hereinafter, also referred to as selection conditions) may be used alone or may be used in combination. In addition, the selection conditions are not limited to the examples described above.

(69) Note that in this embodiment the accounting destination selection module **12** automatically selects (determines) the payment apparatus **20** of the accounting destination, but it may be configured to present selection candidates and allow the clerk or the customer to select them. For example, the accounting destination selection module **12** may cause the clerk display device **106** to display an operation screen in which options representing the extracted payment apparatuses **20** are arranged in the order of priority based on the selection conditions described above to prompt the clerk to perform selection. In this case, the accounting destination selection module **12** selects the payment apparatus **20** selected via the operation screen as the accounting destination.

(70) When selecting the payment apparatus **20** as the accounting destination, the accounting destination selection module **12** displays the payment apparatus ID of the selected payment apparatus **20** on the clerk display device **106** and the customer display device **107** to notify the payment apparatus **20** of the accounting destination. At this time, the accounting destination selection module **12** may cause the customer display device **107** to display a screen for guiding the position of the payment apparatus **20** of the accounting destination.

(71) Note that the timing at which the accounting destination selection module **12** receives the payment method and selects the payment apparatus **20** is not particularly limited. For example, the accounting destination selection module **12** may display the payment method selection screen **1071** at the start of the commodity registration to receive the designation of the payment method during the commodity registration. Further, for example, the accounting destination selection module **12** may display the payment method selection screen **1071** at the timing at which the closing key is operated, to receive the designation of the payment method during a period before the registration processing is completed.

(72) The payment information generation module **13** generates payment information used for payment processing in the payment apparatus **20** on the basis of the sales data registered during one transaction. Specifically, when the end of the commodity registration is instructed via the operation device **108**, the payment information generation module **13** generates payment information on the basis of the sales data registered before such an instruction is performed.

(73) Here, the payment information includes a transaction ID with which each transaction can be identified. Specifically, the payment information generation module **13** assigns a transaction ID,

with which each transaction can be identified, to a transaction for each transaction, and includes the transaction ID in the payment information. Further, the payment information includes at least information with which a total amount obtained by totaling the amounts of the commodities purchased by the customer can be specified. For example, the payment information generation module **13** may include, in the payment information, a total amount obtained by multiplying the unit price of the commodity included in each piece of the sales data by the number of purchases. Further, the payment information generation module **13** may include the payment method received by the accounting destination selection module **12** in the payment information.

(74) The output processing module **14** is an example of output means. The output processing module **14** outputs the payment information generated by the payment information generation module **13**. Specifically, the output processing module **14** performs output processing for delivering the payment information of the commodity registered in the commodity registration module **11** to the payment apparatus **20** selected by the accounting destination selection module **12** in response to the instruction to terminate the commodity registration.

(75) For example, in the case of the configuration in which the payment information is directly transmitted from the registration apparatus **10** to the payment apparatus **20**, the output processing module **14** outputs (transmits) the payment information to the payment apparatus **20** selected by the accounting destination selection module **12**. Further, for example, in the case of the configuration in which the payment information is provided to the payment apparatus **20** via the server apparatus **30**, the output processing module **14** transmits the payment apparatus ID of the payment apparatus **20** selected by the accounting destination selection module **12** to the server apparatus **30** together with the payment information generated by the payment information generation module **13**.

Further, for example, in the case of the configuration in which the payment apparatus **20** reads the payment information and the transaction ID coded into a code symbol, the output processing module **14** outputs the code symbol coded while including the payment apparatus ID of the payment apparatus **20** selected by the accounting destination selection module **12**. In this case, the code symbol may be output from a printer device (not shown) connected to the registration apparatus **10**. Note that the code symbol is a bar code or a two-dimensional code, for example.

(76) In addition, the output processing module **14** associates the payment method received by the accounting destination selection module **12**, the payment apparatus ID of the payment apparatus **20** selected by the accounting destination selection module **12**, and the transaction ID given by the payment information generation module **13** with each other in response to an instruction to terminate the commodity registration, and transmits the allocation notification to the server apparatus **30**. As a result, the controller **300** of the server apparatus **30** associates the payment method and the transaction ID transmitted from the registration apparatus **10** with each other, and registers them in the “reservation status” column of the corresponding payment apparatus ID in the payment apparatus management file **3504**.

(77) Next, the configuration of the payment apparatus **20** will be described. FIG. **8** is a diagram showing an example of the hardware configuration of the payment apparatus **20**. As shown in FIG. **8**, the payment apparatus **20** includes a CPU **201**, a ROM **202**, and a RAM **203**.

(78) The CPU **201** is an exemplary processor and comprehensively controls the operation of the payment apparatus **20**. The ROM **202** stores various programs. The RAM **203** is a workspace for expanding programs and various types of data. The CPU **201**, the ROM **202**, and the RAM **203** are connected to each other via a bus or the like to form a controller **200** of the computer. In the controller **200**, the CPU **201** executes various types of processing by operating in accordance with a control program **2501** stored in the ROM **202** or a storage device **205** and expanded in the RAM **203**.

(79) The controller **200** is connected to a communication device **204** and the storage device **205** via a bus or the like. The communication device **204** is a communication interface connectable to the network **50**. The communication device **204** communicates with external apparatuses such as the

registration apparatus **10** and the server apparatus **30** via the network **50**.

(80) The storage device **205** includes an HDD, a flash memory, and the like and maintains stored contents even when the power is turned off. The storage device **205** stores, for example, the control program **2501**. The control program **2501** is a control program for controlling the operation of the payment apparatus **20**. Note that the storage device **205** may store the above-mentioned commodity master **3502** provided from the server apparatus **30**, and the like.

(81) Further, the controller **200** is connected to a display device **206**, an operation device **207**, a scanner **208**, the depositing/dispensing device **209**, a card reading device **210**, a printer **211**, and the like via a bus or the like.

(82) The display device **206** is a display device such as a touch panel. The display device **206** displays various images under the control of the controller **200**. The operation device **207** includes various operation buttons, and outputs key information corresponding to an operation of the operator to the controller **200**. The operation device **207** may include a touch panel provided to the display device **206**.

(83) The scanner **208** is a reading device capable of reading a code symbol such as a bar code or a two-dimensional code. For example, the scanner **208** reads a code symbol for electronic payment (code payment) represented on a paper medium, a customer terminal, or the like and outputs the read result to the CPU **201**.

(84) The depositing/dispensing device **209** receives cash (bills or coins) inserted into a money depositing port (not shown), and separates and stores the cash for each denomination. Further, the depositing/dispensing device **209** pays out change from a dispensing port (not shown) under the control of the controller **200**. Note that if the payment apparatus **20** is exclusive for electronic payment, the payment apparatus **20** may exclude the depositing/dispensing device **209**.

(85) The card reading device **210** is a reading device that reads information from a card medium. For example, the card reading device **210** reads information relating to electronic payment from a card medium such as a credit card or an electronic money card.

(86) The printer **211** is a printing device such as a thermal printer. Under the control of the controller **200**, the printer **211** prints a receipt indicating the contents of a transaction at the end of the payment processing.

(87) In the configuration of the payment apparatus **20** described above, the controller **200** implements various types of processing and functions by cooperating with the control program **2501**.

(88) For example, the controller **200** executes the payment processing for commodities on the basis of the payment information of the commodities in one transaction registered by the registration apparatus **10**. In this case, the payment information includes at least information capable of specifying the breakdown of each registered commodity and the total amount. For example, the payment information may include the commodity code of each registered commodity and the number of purchases thereof, or may include part or all of the commodity information. In addition, the payment information includes a transaction ID with which a transaction relating to the payment information can be specified, and a payment method selected at the time of registration. Note that the transaction ID and the payment method may be attached to the payment information as information independent of the payment information.

(89) The payment information may be obtained in a variety of ways. For example, if the payment information is directly transmitted from the registration apparatus **10** to the payment apparatus **20**, the controller **200** acquires the payment information transmitted to its own payment apparatus **20**. In this case, the payment apparatus **20** may notify the server apparatus **30** of the transaction ID and payment method included in the acquired payment information as the allocation notification.

(90) For example, when the payment information is transmitted from the registration apparatus **10** to the server apparatus **30**, the controller **200** acquires the payment information allocated to its payment apparatus **20** from the server apparatus **30**. In this case, the controller **200** may transmit

the transaction ID input through the operation device **207**, the scanner **208**, or the like to the server apparatus **30** as the payment processing start notification.

(91) For example, if the payment information is output in the form of a code symbol, the controller **200** may acquire the payment information from the code symbol via the scanner **208**.

(92) Further, when starting the payment processing on the basis of the payment information, the controller **200** notifies the server apparatus **30** of the transaction ID included in the payment information as the payment processing start notification. Note that when an error is transmitted from the server apparatus **30** as a response to the start notification, the controller **200** causes the display device **206** to display a message indicating that the payment apparatus **20** as the accounting destination is different. Further, when the payment apparatus ID is transmitted as an error from the server apparatus **30**, the controller **200** causes the display device **206** to display a message indicating the position or the like of the payment apparatus **20** corresponding to the payment apparatus ID as a correct accounting destination.

(93) Further, when starting the payment processing on the basis of the payment information, the controller **200** executes the payment processing of paying the total amount of the commodities by the payment method included in the payment information. For example, if the payment method is cash payment, the controller **200** executes payment processing on the basis of the amount of money deposited in the depositing/dispensing device **209**, and instructs the depositing/dispensing device **209** to dispense the change as necessary. Further, for example, if the payment method is electronic payment, the controller **200** executes payment processing on the basis of the information relating to electronic payment input via the scanner **208** or the card reading device **210**. Note that if the configuration in which the payment method is notified from the server apparatus **30**, the payment processing may be executed using the notified payment method.

(94) When the payment processing is completed, the controller **200** causes the printer **211** to print a receipt on which the transaction content is printed, and transmits the transaction ID included in the payment information for which the payment processing has been completed, as a payment processing completion notification, to the server apparatus **30**.

(95) The checkout system **1** of this embodiment is provided by the registration apparatus **10**, the payment apparatus **20**, and the server apparatus **30** described above. Specifically, after the payment information of the commodities registered by the registration apparatus **10** is delivered to the payment apparatus **20** selected by the registration apparatus **10**, the payment processing is executed on the basis of the delivered payment information by the payment method desired by the customer in the payment apparatus **20**. Further, the status of each payment apparatus **20** is collectively managed by the server apparatus **30** and is referred to when the registration apparatus **10** performs processing of selecting an accounting destination.

(96) An example of the operation of the registration apparatus **10** described above will be described below. FIG. **9** is a flowchart showing an example of the processing executed by the registration apparatus **10**.

(97) First, in the registration apparatus **10**, when the registration processing is started by an operation of a clerk or the like, in Step **S11**, the accounting destination selection module **12** of the controller **100** causes the customer display device **107** to display the payment method selection screen **1071** (see FIG. **7**). Next, in Step **S12**, the accounting destination selection module **12** determines whether or not a designation of the payment method is received via the payment method selection screen **1071**. If the designation of the payment method is not received (Step **S12**; No), the processing of the controller **100** proceeds to Step **S14**. If the designation of the payment method is received (Step **S12**; Yes), the processing of the controller **100** proceeds to Step **S13**. In Step **S13**, the accounting destination selection module **12** of the controller **100** stores the designated payment method in the RAM **103** or the like. Subsequently, the processing of the controller **100** proceeds to Step **S14**. Note that the customer display device **107** may delete the payment method selection screen **1071** or switch to another screen at the timing at which the designation of the

payment method is received.

(98) Subsequently, in Step S14, the commodity registration module **11** of the controller **100** determines whether or not a commodity code is input via the scanner **208**. If a commodity code is not input (Step S14; No), the processing of the controller **100** proceeds to Step S17.

(99) If a commodity code is input (Step S14; Yes), the processing of the controller **100** proceeds to Step S15. In Step S15, the commodity registration module **11** of the controller **100** specifies a commodity corresponding to the input commodity code on the basis of the commodity master **3502**. Next, in Step S16, the commodity registration module **11** of the controller **100** registers the sales data including the commodity name, the unit price, the number, and the like of the specified commodity in the RAM **103** or the like. Subsequently, the processing of the controller **100** proceeds to Step S17.

(100) Subsequently, in Step S17, the controller **100** determines whether or not an instruction to terminate the commodity registration is received via the operation device **108** or the like. If the instruction to terminate the registration is not received (Step S17; No), the processing of the controller **100** proceeds to Step S18. In Step S18, the controller **100** determines whether or not the payment method is received by checking the stored state of the payment method in the RAM **103**. In this case, if the controller **100** determines that the payment method is not received because the payment method is not stored (Step S18; No), the processing of the controller **100** returns to Step S12. Further, if the controller **100** determines that the payment method is received because the payment method is stored (Step S18; Yes), the processing of the controller **100** returns to Step S14.

(101) On the other hand, if the instruction to terminate the registration is received (Step S17; Yes), the processing of the controller **100** proceeds to Step S19. In Step S19, the accounting destination selection module **12** of the controller **100** refers to the payment apparatus management file **3504** and extracts a payment apparatus **20** corresponding to the payment method stored in Step S13. Next, in Step S20, the accounting destination selection module **12** selects the payment apparatus **20** to be an accounting destination on the basis of the status of the extracted payment apparatus **20** (information in the “current status” and “reservation status” columns) or the like. Next, in Step S21, the accounting destination selection module **12** causes the clerk display device **106** and the customer display device **107** to display a screen for notifying the selected payment apparatus **20**.

(102) Subsequently, in Step S22, the payment information generation module **13** of the controller **100** generates payment information for one transaction on the basis of the sales data and the like registered in the RAM **103** and the like. Note that the payment information generation module **13** may include the payment method stored in Step S13 and the payment apparatus ID of the payment apparatus **20** selected in Step S20 in the payment information.

(103) Subsequently, in Step S23, the output processing module **14** of the controller **100** transmits the payment information generated in Step S22 to the payment apparatus **20** to be the accounting destination on the basis of the selection result in Step S20. In Step S24, the output processing module **14** transmits an allocation notification including the payment method stored in Step S13, the payment apparatus ID of the payment apparatus **20** selected in Step S20, and the transaction ID of the current transaction to the server apparatus **30**, and terminates the processing.

(104) Note that in the above processing the accounting destination selection module **12** of the controller **100** selects the payment apparatus **20** of the accounting destination after the operation to terminate the registration, but the present invention is not limited to this. The payment apparatus **20** of the accounting destination may be selected at the timing at which the designation of the payment method is received.

(105) As described above, the registration apparatus **10** according to this embodiment is a registration apparatus that constitutes the checkout system **1** together with the payment apparatus **20**, and registers commodities to be purchased by a customer and receives a designation of a payment method desired by the customer. In addition, the registration apparatus **10** selects the payment apparatus **20** to be the accounting destination from the payment apparatuses **20**

corresponding to the received payment method, and performs output processing for delivering the payment information to the selected payment apparatus **20**. As a result, the registration apparatus **10** can select the payment apparatus to be the accounting destination in consideration of the payment method desired by the customer, so that the payment apparatus can be efficiently selected. (106) Further, the registration apparatus **10** selects a payment apparatus to be a payment destination on the basis of the processing status of the payment apparatus **20** and the payment method of the payment processing being executed or scheduled to be executed by the payment apparatus **20**. As a result, in the checkout system **1**, the payment processing performed in the payment apparatus **20** can be efficiently advanced, so that it is possible to shorten the waiting time required for accounting and to improve the processing efficiency of the entire checkout system **1** eventually. (107) Note that the embodiment described above can also be implemented by appropriately modifying a part of the configuration or function of each of the apparatuses described above. Therefore, in the following, some modifications according to the embodiment described above will be described as other embodiments. Note that in the following description points different from the embodiment described above will be mainly described. Specifically, the same reference numerals denote the points common to those already described, and detailed description thereof is omitted. Further, the modifications to be described below may be implemented individually or in combination as appropriate.

(108) (Modification 1)

(109) In the embodiment described above, a customer designates a payment method every time the customer purchases a commodity, but for example, the customer may skip the payment method designation operation by managing the designated payment method in association with user identification information with which the customer can be identified.

(110) In the case of implementing the configuration according to this modification, for example, the member ID held in the member card can be used as the user identification information. Specifically, the accounting destination selection module **12** of the controller **100** transmits a registration request in which the member ID and the payment method are associated with each other to the server apparatus **30** when the designation of the payment method is received in a state where the member ID is read by the card reading device **110**. Upon receiving the registration request from the registration apparatus **10**, the server apparatus **30** stores the payment method in association with the corresponding member ID in the member master **3503**. Subsequently, when the member ID is read by the card reading device **110** in the next and subsequent transactions, the accounting destination selection module **12** reads out the payment method corresponding to the member ID from the member master **3503** and receives the payment method. As a result, in this modification, it is possible to omit every designation operation of the payment method for the member who has once designated the payment method.

(111) Note that the accounting destination selection module **12** of the controller **100** may display the payment method associated with the member ID (hereinafter, also referred to as the previous payment method) on the payment method selection screen **1071** (see FIG. 7), thereby allowing the customer to confirm whether to changes the payment method or not. In this case, if the payment method is newly designated from the payment method selection screen **1071**, the accounting destination selection module **12** updates the previous payment method with the designated payment method. Further, if the payment method is not designated from the payment method selection screen **1071**, the accounting destination selection module **12** selects the payment apparatus **20** of the accounting destination by using the previous payment method.

(112) (Modification 2)

(113) In the embodiment described above, the registration apparatus **10** is a stationary commodity-sales-data-processing apparatus installed in a store, but the present invention is not limited to such a form. For example, the registration apparatus **10** may be a portable terminal such as a smartphone owned by a customer, or a portable terminal such as a tablet terminal lent to a customer by the

store.

(114) In this case, the registration apparatus **10** may have the configuration similar to that of the registration apparatus **10** described in the above embodiment. Note that the registration apparatus **10** may include a single display device for the operator. Further, the scanner **109** may be externally attached as a separate unit or may cooperate with an imaging device included in the registration apparatus **10** to read a code symbol from an image captured by the imaging device. Further, the card reading device **110** may be externally attached as a separate unit or may be removed.

(115) Further, the functional configuration of the registration apparatus **10** is also similar to that of the registration apparatus **10** described in the above embodiment. Note that the output processing module **14** of the controller **100** may cause the display device of its own apparatus to output the transaction ID, the payment information, and the like coded into a code symbol.

(116) For example, in the case of the configuration in which payment information is transmitted from the registration apparatus **10** to the payment apparatus **20** or the server apparatus **30**, the output processing module **14** of the controller **100** may cause the display device to output the coded transaction ID. In this case, the user (customer) of the registration apparatus **10** causes the scanner **208** of the payment apparatus **20** to read the code symbol displayed on the registration apparatus **10**, whereby the payment information corresponding to the transaction ID can be read out by the payment apparatus **20**.

(117) Further, for example, if the payment information is transmitted to the payment apparatus **20** via the code symbol, the output processing module **14** of the controller **100** may cause the display device to output the coded payment information. In this case, the user (customer) of the registration apparatus **10** can transmit the payment information to the payment apparatus **20** by causing the scanner **208** of the payment apparatus **20** to read the code symbol displayed on the registration apparatus **10**. In either case, the payment apparatus ID of the payment apparatus **20** selected by the accounting destination selection module **12** of the controller **100** may be included in the code symbol.

(118) Further, if the registration apparatus **10** is a portable terminal such as a smartphone owned by the customer, a payment method designated once may be stored in the storage device **105** or the like, and the payment method may be used when an accounting destination is selected by the accounting destination selection module **12** of the controller **100**. As a result, in this modification, it is possible to omit each designation operation of the payment method for the customer who has designated the payment method once.

(119) Note that the accounting destination selection module **12** of the controller **100** may display the payment method stored in the storage device **105** or the like (hereinafter, referred to as the previous payment method) on the payment method selection screen **1071**, thereby allowing the customer to confirm whether to changes the payment method or not. In this case, if the payment method is newly designated from the payment method selection screen **1071**, the accounting destination selection module **12** updates the previous payment method with the designated payment method. Further, if the payment method is not designated from the payment method selection screen **1071**, the accounting destination selection module **12** selects the payment apparatus **20** of the accounting destination by using the previous payment method.

(120) (Modification 3)

(121) In the embodiment described above, the server apparatus **30** collectively manages the statuses of the respective payment apparatuses **20**, but the present invention is not limited to such a form. For example, a single registration apparatus **10** or a single payment apparatus **20** serving as a representative may be configured to collectively manage the statuses of the respective payment apparatuses **20**. Further, for example, each of the payment apparatuses **20** may manage the status thereof and notify the registration apparatus **10** of the status in response to a request or the like from the registration apparatus **10**. With such a configuration, it is possible to provide the effect similar to that in the embodiment described above.

(122) Note that the program executed by each apparatus of the embodiment (and modifications) described above is provided in a state of being incorporated in advance in a ROM, a storage device, or the like. The program executed by each apparatus of the embodiment described above is a file in an installable format or executable format and may be provided by recording the program on a computer-readable recording medium such as a CD-ROM, a flexible disk (FD), a CD-R, a digital versatile disk (DVD), or the like.

(123) In addition, the program executed by each apparatus of the embodiment described above may be provided by storing the program on a computer connected to a network such as the Internet and downloading it via the network. Further, the program executed by each apparatus of the embodiment described above may be provided or distributed via a network such as the Internet.

(124) While certain embodiments have been described, these embodiments have been presented by way of example only, and are not intended to limit the scope of the inventions. Indeed, the novel embodiments described herein may be embodied in a variety of other forms; furthermore, various omissions, substitutions and changes in the form of the embodiments described herein may be made without departing from the spirit of the inventions. The accompanying claims and their equivalents are intended to cover such forms or modifications as would fall within the scope and spirit of the inventions.

Claims

1. A registration apparatus, which is included in a registration -payment-separate checkout system of a store including a plurality of payment apparatuses provided in the store separately from the registration apparatus for performing payment processing for a commodity purchased on a basis of payment information of the commodity purchased by a customer, and provides the payment information to one of the plurality of payment apparatuses for the payment processing with the customer, the registration apparatus comprising: a body; a storage device that stores management information of the plurality of payment apparatuses, the management information indicating: i) one or more payment methods that can be supported by each of the plurality of payment apparatuses; ii) a number of payment processing tasks assigned to each of the plurality of payment apparatuses; and iii) a distance from the registration apparatus to each of the plurality of payment apparatuses; an input device operable from a first side of the body to input a commodity code for specifying the purchased commodity during registration processing; a reception device operable from a second side of the body opposite to the first side to receive a designation of a payment method; and a controller configured to specify a commodity corresponding to the commodity code input by the input device and register sales data indicating contents relating to a transaction of the specified commodity, select a target payment apparatus that performs the payment processing for the purchased commodity in accordance with the designated payment method received by the reception device on a basis of the supported payment methods, the number of assigned payment processing tasks, and the distance to the registration apparatus included in the management information generate payment information of the purchased commodity on a basis of the registered sales data, and output the generated payment information to the target payment apparatus.
2. The registration apparatus according to claim 1, further comprising a reading device that inputs identification data for specifying the customer, wherein the controller further causes the storage device to store the designated payment method received by the reception device and the identification data of the customer input by the reading device in association with each other.
3. The registration apparatus according to claim 2, wherein the controller selects, when the reading device inputs the identification data of the customer, the target payment apparatus based on the payment method stored in the storage device in association with the input identification data of the customer.
4. The registration apparatus according to claim 1, wherein the controller extracts one or more

- payment apparatuses that support the designated payment method received by the reception device and selects the target payment apparatus from the extracted one or more payment apparatuses.
5. The registration apparatus according to claim 1, wherein the controller selects as the target payment apparatus a payment apparatus that is neither executing nor scheduled to execute payment processing in accordance with the designated payment method in priority over payment apparatuses that are executing or scheduled to execute payment processing in accordance with the designated payment method.
6. The registration apparatus according to claim 1, further comprising a display device, wherein the controller further causes the display device to display identification data of the target payment apparatus to notify an operator of the target payment apparatus.
7. The registration apparatus according to claim 6, wherein the display device includes a customer display device, and the controller further causes the customer display device to display a screen for guiding a position of the target payment apparatus.
8. The registration apparatus according to claim 1, wherein the reception device comprises a customer display on the second side of the body, and the controller is configured to control the customer display to display a payment method selection screen in response to the registration apparatus starting registration processing.
9. The registration apparatus according to claim 8, further comprising: a clerk display on the first side of the body, wherein the controller is configured to control the clerk display to display an operation screen presenting a plurality of candidate payment apparatuses for the target payment apparatus, the plurality of candidate payment apparatuses being presented in an order of priority determined based on support of the designated payment method, the number of assigned payment processing tasks, and a distance from the registration apparatus, and select the target payment apparatus based on a user operation on the operation screen.
-