



US0D1092194S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,194 S**
Moore (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **CONNECTOR SET**

(71) Applicant: **Christopher L. Moore**, Grand Junction,
CO (US)

(72) Inventor: **Christopher L. Moore**, Grand Junction,
CO (US)

(73) Assignee: **STUART STEEL PROTECTION,**
LLC, Houston, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/792,057**

(22) Filed: **Mar. 1, 2022**

(51) **LOC (15) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/387**

(58) **Field of Classification Search**

USPC D8/14, 21, 107, 300, 301, 307, 349, 382,
D8/384, 385, 386, 387, 388, 391, 392,
D8/393, 397; D17/20; D24/171, 180,
D24/231, 145, 156; D25/102, 61
CPC F16B 23/0007; F16B 23/0015; F16B
23/0023; F16B 23/003; F16B 23/0038;
F16B 23/0046; F16B 23/0053; F16B
23/0061; F16B 23/0069; F16B 23/0076;
F16B 19/00; F16B 19/02; F16B 25/001;
F16B 25/0015; F16B 25/0021; F16B
25/0026; F16B 25/0031; F16B 25/0036;
F16B 25/0042; F16B 25/0078; F16B
25/0084; F16B 25/106; F16B 33/00;
F16B 33/006; F16B 33/008; F16B 33/02;
F16B 35/002; F16B 35/005; F16B
35/007; F16B 35/02; F16B 35/04; F16B
35/00; F16B 35/06; F16B 35/041; F16B
35/042; F16B 35/044; F16B 35/045;
F16B 35/047; F16B 35/048; F16B 12/24;
F16B 12/125; F16B 12/20; F16B 12/26;
F16B 13/045; F16B 19/109; F16B
37/085; F16B 37/14; B25B 15/02; B25B
23/0064; B25B 13/38; B25B 23/142;
Y10T 29/49963; E02D 5/02; E02D 5/03;

E02D 5/04; E02D 5/06; E02D 5/08;
E02D 5/12; E02D 5/22; E02D 5/24;
E02D 5/28; E02D 5/285; E02D 5/52;
E02D 5/54;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D31,416 S * 8/1899 Gilson D8/387
D126,409 S * 4/1941 Trott D8/387

(Continued)

OTHER PUBLICATIONS

Parker Welding Hose Fitting, Feb. 14, 2024 [online], [retrieved Feb.
14, 2024]. Retrieved from internet, [https://www.msdirect.com/
product/details/61523643](https://www.msdirect.com/product/details/61523643) (Year: 2024).*

(Continued)

Primary Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — FisherBroyles, LLP;
Craig W. Mueller


(57) **CLAIM**

The ornamental design for a connector set as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of a connector set showing
my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right elevation view thereof;
FIG. 6 is a left elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

(Continued)



The broken lines in the drawings are included for the purpose of illustrating portions of the connector that form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(58) Field of Classification Search

CPC ... E02D 5/56; E02D 5/74; E02D 5/76; E02D 5/765; E02D 5/80; E02D 5/801; E02D 5/803; E02D 27/12; E02D 27/14; E02D 27/16; E02D 27/34; E02D 27/50; E02D 2200/1671; E02D 2250/0007; E02D 2250/0023; E02D 2250/0038; E02D 2250/0076; E02D 2300/0064; E02D 2600/30; E02D 2600/40; E04C 3/30; E04C 3/32; E04F 15/02183; E04F 15/02044; E21B 7/027; E21B 17/042; E21B 17/0423; E21B 17/0426; B21K 1/06; F24S 25/617; F24S 25/61; F24S 25/63; F24S 25/636; A61B 17/861; A61B 17/0401; A61B 17/0482; A61B 2017/0414; A61B 2017/044; A61B 2017/0464; A61B 17/8645

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D320,162 S * 9/1991 Sorenson D8/387
5,618,145 A * 4/1997 Kuo F16B 21/186
411/533
D415,016 S * 10/1999 Murguia D8/387
6,596,939 B1 * 7/2003 Gretz F16L 5/00
174/152 G

D584,137 S * 1/2009 Edge, Jr. D8/387
D666,901 S * 9/2012 Surjan D8/387
8,281,800 B2 10/2012 Ball et al.
D722,489 S * 2/2015 Yamazaki D8/387
D726,531 S * 4/2015 Muzic D8/387
D741,158 S * 10/2015 Hasegawa D8/387
D741,480 S * 10/2015 Chavan D24/145
D760,582 S * 7/2016 Muzic D8/387
D764,267 S * 8/2016 Hutter, III D8/387
D768,473 S * 10/2016 Manwaring D23/262
D779,046 S * 2/2017 Tansey, Jr. D23/262
D787,924 S * 5/2017 Baiz D8/387
D789,781 S * 6/2017 Johnson D8/397
D789,998 S * 6/2017 Harder D15/138
D803,038 S * 11/2017 Baker D8/387
D880,284 S * 4/2020 Ferraro D8/397
D898,167 S * 10/2020 Kury D23/262
10,923,897 B2 * 2/2021 Dong H02G 15/06
D924,045 S * 7/2021 Savushkin D8/397
D956,544 S * 7/2022 Ricehouse D8/387
D990,302 S * 6/2023 Semrow D8/387
D998,451 S * 9/2023 Guo D8/397
D1,009,229 S * 12/2023 Begier D23/262
11,949,194 B1 * 4/2024 Gretz H01R 13/655
D1,032,799 S * 6/2024 Kury D23/262
2007/0241563 A1 * 10/2007 Marks F16L 5/00
285/390
2013/0241194 A1 * 9/2013 Petterson B25B 27/10
137/15.01
2019/0298528 A1 * 10/2019 Lindsey A61B 17/8605
2023/0030567 A1 * 2/2023 Pai F16B 39/10
2023/0037483 A1 * 2/2023 Matsugi F16B 35/00
2023/0066294 A1 * 3/2023 Brown F16L 5/10

OTHER PUBLICATIONS

6mm Push to Connect Fittings, Oct. 23, 2019 [online], [retrieved Feb. 14, 2024]. Retrieved from internet, <https://www.amazon.com/Connect-Fittings-CEKER-Pneumatic-Accessories> (Year: 2019).*

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8