



US0D1092814S

(12) **United States Design Patent**
Hopkins et al.

(10) **Patent No.:** **US D1,092,814 S**

(45) **Date of Patent:** **** Sep. 9, 2025**

(54) **PORTABLE LIGHT**

(71) Applicant: **MILWAUKEE ELECTRIC TOOL CORPORATION**, Brookfield, WI (US)

(72) Inventors: **Michael J. Hopkins**, Antioch, IL (US);
Kevin R. Kirk, Minnetonka, MN (US);
Jonathan Kuta, Milwaukee, WI (US);
Christina Prestidge-Kadrlik, Hartland, WI (US); **Jeffrey L. Spenner**,
Germantown, WI (US); **Jessica L. Bulow**, Milwaukee, WI (US)

(73) Assignee: **MILWAUKEE ELECTRIC TOOL CORPORATION**, Brookfield, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/822,863**

(22) Filed: **Jan. 12, 2022**

(51) **LOC (15) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/63; D26/44**

(58) **Field of Classification Search**


USPC D26/24, 37, 43, 44, 46, 49, 60, 61, 63,
D26/65, 93, 104, 106, 110
CPC F21S 9/00; F21S 9/02; F21L 4/00; F21L
4/005; F21W 2131/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,244,011 A 1/1981 Hammel et al.
D316,455 S * 4/1991 Krol D26/44
5,165,048 A 11/1992 Keller et al.
5,541,822 A 7/1996 Bamber
5,558,430 A 9/1996 Booty, Jr.
5,605,394 A 2/1997 Chen
5,746,495 A 5/1998 Klamm
5,871,272 A 2/1999 Sharrah et al.
D409,776 S 5/1999 Ghode et al.
5,971,562 A 10/1999 Yang
5,988,828 A 11/1999 Prince et al.
6,012,824 A 1/2000 Sharrah et al.

6,250,771 B1 6/2001 Sharrah et al.
6,316,911 B1 11/2001 Moskowitz et al.
6,350,040 B1 2/2002 Parker
6,457,841 B1 10/2002 Lynch et al.
6,523,972 B2 2/2003 Sharrah et al.
6,633,152 B2 10/2003 Sharrah et al.
6,641,279 B1 11/2003 Williams
6,652,115 B2 11/2003 Sharrah
6,659,621 B2 12/2003 Sharrah et al.
6,752,514 B2 6/2004 Parker
6,817,730 B2 11/2004 Sharrah et al.
6,899,441 B2 5/2005 Chen
6,909,260 B2 6/2005 Parker
6,994,451 B2 2/2006 Galli
7,008,084 B2 3/2006 Galli
7,011,423 B2 3/2006 Chen
7,059,744 B2 6/2006 Sharrah
7,109,683 B2 9/2006 Parker
D536,464 S 2/2007 Kingston et al.
7,246,927 B2 7/2007 Wikle et al.
7,314,286 B2 1/2008 Sharrah et al.
7,401,941 B2 7/2008 Teng et al.
7,481,551 B2 1/2009 Sharrah
7,553,051 B2 6/2009 Brass et al.
7,557,536 B2 7/2009 Lobert et al.
7,591,572 B1 9/2009 Levine
7,690,813 B2 4/2010 Kanamori et al.
7,699,491 B2 4/2010 Sharrah et al.
7,731,385 B2 6/2010 Spartano et al.
7,819,546 B1 10/2010 Kazmerowski et al.
7,850,330 B2 12/2010 Spartano et al.
7,959,317 B2 6/2011 Spartano et al.
7,976,199 B2 7/2011 Bems et al.
8,033,680 B2 10/2011 Sharrah et al.
8,033,681 B2 10/2011 Brass et al.
RE42,945 E 11/2011 Sharrah et al.
8,066,402 B2 11/2011 Klipstein
8,087,797 B2 1/2012 Pelletier et al.
D656,646 S * 3/2012 Kawase D26/44
8,317,357 B2 11/2012 Bayat et al.
8,376,574 B2 2/2013 Spartano et al.
8,376,602 B2 2/2013 Klipstein
8,403,526 B2 3/2013 Bayat et al.
D681,246 S 4/2013 Keeley et al.
8,562,184 B2 10/2013 Klipstein et al.
D703,357 S * 4/2014 Grandadam D26/44
D708,376 S 7/2014 Crowe et al.
8,770,801 B1 7/2014 Berns et al.
8,777,446 B2 7/2014 Sharrah et al.
8,789,963 B2 7/2014 Whitfield et al.
8,905,572 B2 12/2014 Mueckl et al.
9,046,230 B2 6/2015 O'Brien
9,068,707 B1 6/2015 Boxler et al.



D742,569	S *	11/2015	Dorman		D26/45
9,182,089	B2	11/2015	Whitfield et al.		
D750,825	S *	3/2016	Bryant		D26/42
D752,263	S	3/2016	Keeley et al.		
9,297,509	B2	3/2016	Klipstein et al.		
9,360,177	B2	6/2016	Mueckl et al.		
9,464,767	B2	10/2016	Whitfield et al.		
9,541,244	B1	1/2017	Berezinski et al.		
9,587,671	B2	3/2017	Bao		
9,651,208	B2	5/2017	Sharrah et al.		
9,739,467	B1	8/2017	Lehman et al.		
9,774,273	B2	9/2017	Suzuki et al.		
9,960,621	B2	5/2018	Ziegenfuss et al.		
9,960,622	B2	5/2018	Ziegenfuss et al.		
10,001,252	B2	6/2018	Inskeep		
10,060,582	B2	8/2018	O'Brien		
D837,428	S	1/2019	Arena		
D840,075	S *	2/2019	Bao		D26/44
D851,309	S *	6/2019	Sharrah		D26/44
10,326,292	B2	6/2019	Zeisler et al.		
10,378,744	B2	8/2019	Arena et al.		
10,393,326	B2	8/2019	Inskeep		
10,458,641	B2	10/2019	Proeber		
D881,430	S *	4/2020	Mao		D26/37
10,627,056	B2	4/2020	Sharrah		
D887,054	S *	6/2020	Zhang		D26/44
D898,258	S *	10/2020	Bao		D26/44
D898,259	S *	10/2020	Bao		D26/44
D916,340	S *	4/2021	Chen		D26/44
D956,296	S *	6/2022	Cacciabeve		D26/61
D976,463	S *	1/2023	Zheng		D26/63
D982,794	S *	4/2023	Yao		D26/44
D985,164	S *	5/2023	Mei		D26/37
D988,556	S *	6/2023	Wang		D26/37
D1,013,922	S *	2/2024	Hussaini		D26/44
D1,040,392	S *	8/2024	Bao		D26/44
2004/0130894	A1	7/2004	Galli		
2009/0052181	A1	2/2009	Mao		
2009/0135611	A1	5/2009	Lin		
2009/0190332	A1	7/2009	Sharrah		
2009/0261737	A1	10/2009	Wright et al.		
2010/0040023	A1	2/2010	Gallagher et al.		
2010/0041387	A1	2/2010	Khetawat et al.		
2010/0041402	A1	2/2010	Gallagher et al.		
2010/0041403	A1	2/2010	Khetawat et al.		
2010/0041405	A1	2/2010	Gallagher et al.		
2010/0225246	A1	9/2010	Spartano et al.		
2010/0254122	A1	10/2010	Bayat et al.		
2011/0149562	A1	6/2011	Spartano et al.		
2012/0188753	A1	7/2012	Popper et al.		
2014/0085875	A1	3/2014	Yang		
2014/0126192	A1	5/2014	Ancona et al.		
2015/0247628	A1	9/2015	Li		
2015/0267882	A1	9/2015	O'Brien		
2015/0267902	A1	9/2015	Zhang		
2016/0268827	A1	9/2016	Ziegenfuss et al.		
2016/0356439	A1	12/2016	Inskeep		
2018/0224077	A1	8/2018	Bian		
2018/0283623	A1	10/2018	Bian		
2018/0283624	A1	10/2018	Bian		
2018/0340661	A1	11/2018	Inskeep		
2018/0350206	A1	12/2018	Ihm		
2019/0017662	A1	1/2019	Zheng et al.		
2019/0331306	A1	10/2019	Westling et al.		
2020/0224836	A1	7/2020	McLennan		
2020/0300446	A1	9/2020	Sergyeyenko et al.		
2022/0221115	A1 *	7/2022	Hopkins		F21V 23/0414

FOREIGN PATENT DOCUMENTS

CN	101576203	A	11/2009
CN	202510997	U	10/2012
CN	202546291	U	11/2012
CN	103162099	A	6/2013
CN	103162127	A	6/2013
CN	203052226	U	7/2013
CN	203131460	U	8/2013
CN	104266088	A	1/2015
CN	104976522	A	10/2015

CN	205372350	U	7/2016
CN	206072836	U	4/2017
CN	209054369	U	7/2019
CN	209279034	U	8/2019
CN	305632064	*	2/2020
CN	307372066	*	5/2022
EM	015006581-0001	*	1/2023
EM	015006581-0003	*	1/2023
EP	2541288	A1	1/2013
GB	9007427349-0002	*	12/2019
JP	2004241342	A	8/2004
KR	200473312	Y1	6/2014
WO	2020061595	A1	3/2020

OTHER PUBLICATIONS

“Milwaukee” published on Amazon.com, date first available Sep. 30, 2022 [online], site visited Aug. 9, 2024, available from internet URL: <https://www.amazon.com/Milwaukee-Electric-Redlithium-Stick-Light/dp/B0BML4V4CM/> (Year: 2022).*

“2Pack LED” published on Amazon.com, date first available Nov. 4, 2019 [online], site visited Aug. 9, 2024, available from internet URL: <https://www.amazon.com/Rechargeable-360%C2%B0Rotate-Flashlight-Inspection-Repairing/dp/B08117XCCD/> (Year: 2019).* International Search Report and Written Opinion for Application No. PCT/US2022/012138 dated Apr. 25, 2022 (10 pages).

* cited by examiner

Primary Examiner — Erich G Herbermann

Assistant Examiner — Liv C Anderson

(74) Attorney, Agent, or Firm — Michael Best & Friedrich LLP

(57)

CLAIM

The ornamental design for a portable light, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a first embodiment of a portable light in a first configuration.

FIG. 2 is a second perspective view of the portable light of FIG. 1 in the first configuration.

FIG. 3 is a first side view of the portable light of FIG. 1 in the first configuration.

FIG. 4 is a second side view of the portable light of FIG. 1 in the first configuration.

FIG. 5 is a front view of the portable light of FIG. 1 in the first configuration.

FIG. 6 is a rear view of the portable light of FIG. 1 in the first configuration.

FIG. 7 is a bottom view of the portable light of FIG. 1 in the first configuration.

FIG. 8 is a top view of the portable light of FIG. 1 in the first configuration.

FIG. 9 is a first perspective view of the portable light of FIG. 1 in a second configuration.

FIG. 10 is a second perspective view of the portable light of FIG. 1 in the second configuration.

FIG. 11 is a first side view of the portable light of FIG. 1 in the second configuration.

FIG. 12 is a second side view of the portable light of FIG. 1 in the second configuration.

FIG. 13 is a front view of the portable light of FIG. 1 in the second configuration.

FIG. 14 is a rear view of the portable light of FIG. 1 in the second configuration.

FIG. 15 is a bottom view of the portable light of FIG. 1 in the second configuration.

FIG. 16 is a top view of the portable light of FIG. 1 in the second configuration.

FIG. 17 is a first perspective view of a second embodiment of a portable light in a first configuration.

FIG. 18 is a second perspective view of the portable light of FIG. 17 in the first configuration.

FIG. 19 is a first side view of the portable light of FIG. 17 in the first configuration.

FIG. 20 is a second side view of the portable light of FIG. 17 in the first configuration.

FIG. 21 is a front view of the portable light of FIG. 17 in the first configuration.

FIG. 22 is a rear view of the portable light of FIG. 17 in the first configuration.

FIG. 23 is a bottom view of the portable light of FIG. 17 in the first configuration.

FIG. 24 is a top view of the portable light of FIG. 17 in the first configuration.

FIG. 25 is a first perspective view of the portable light of FIG. 17 in a second configuration.

FIG. 26 is a second perspective view of the portable light of FIG. 17 in the second configuration.

FIG. 27 is a first side view of the portable light of FIG. 17 in the second configuration.

FIG. 28 is a second side view of the portable light of FIG. 17 in the second configuration.

FIG. 29 is a front view of the portable light of FIG. 17 in the second configuration.

FIG. 30 is a rear view of the portable light of FIG. 17 in the second configuration.

FIG. 31 is a bottom view of the portable light of FIG. 17 in the second configuration.

FIG. 32 is a top view of the portable light of FIG. 17 in the second configuration.

FIG. 33 is a first perspective view of a third embodiment of a portable light in a first configuration.

FIG. 34 is a second perspective view of the portable light of FIG. 33 in the first configuration.

FIG. 35 is a first side view of the portable light of FIG. 33 in the first configuration.

FIG. 36 is a second side view of the portable light of FIG. 33 in the first configuration.

FIG. 37 is a front view of the portable light of FIG. 33 in the first configuration.

FIG. 38 is a rear view of the portable light of FIG. 33 in the first configuration.

FIG. 39 is a bottom view of the portable light of FIG. 33 in the first configuration.

FIG. 40 is a top view of the portable light of FIG. 33 in the first configuration.

FIG. 41 is a first perspective view of the portable light of FIG. 33 in a second configuration.

FIG. 42 is a second perspective view of the portable light of FIG. 33 in the second configuration.

FIG. 43 is a first side view of the portable light of FIG. 33 in the second configuration.

FIG. 44 is a second side view of the portable light of FIG. 33 in the second configuration.

FIG. 45 is a front view of the portable light of FIG. 33 in the second configuration.

FIG. 46 is a rear view of the portable light of FIG. 33 in the second configuration.

FIG. 47 is a bottom view of the portable light of FIG. 33 in the second configuration; and,

FIG. 48 is a top view of the portable light of FIG. 33 in the second configuration.

Portions of the portable light shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 48 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48