

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12406297
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	Tang; Qiaochu et al.

Generation of graphics for vehicle items

Abstract

A computer-implemented method of generating a graphic for a vehicle item may include: causing a user device to display a user interface indicative of one or more vehicles; receiving, from the user device, vehicle selection information, the vehicle selection information indicative of a vehicle selected by a user; obtaining, from a database, user data corresponding to the user; generating, using a machine learning model, a first score corresponding to a first vehicle item based on the user data; determining whether the first score exceeds a first predetermined score threshold; generating, in response to a determination that the first score exceeds the first predetermined score threshold, a first graphic indicative of the first vehicle item; and causing the user device to display the first graphic via the user interface.

Inventors: Tang; Qiaochu (Frisco, TX), Bumpas; Derek (Allen, TX), Huang; Jeremy Jaylee (Plano, TX), Guo; Jiaxin (Plano, TX), Emamdie; Michelle (Saint Augustine, FL)

Applicant: Capital One Services, LLC (McLean, VA)

Family ID: 86323695

Assignee: Capital One Services, LLC (McLean, VA)

Appl. No.: 17/455101

Filed: November 16, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20230153896 A1	May. 18, 2023

Publication Classification

Int. Cl.: G06Q30/00 (20230101); G06F9/451 (20180101); G06N5/022 (20230101); G06Q30/0601 (20230101); G06Q40/08 (20120101)

U.S. Cl.:

CPC **G06Q30/0643** (20130101); **G06F9/451** (20180201); **G06N5/022** (20130101);
G06Q30/0623 (20130101); G06Q40/08 (20130101)

Field of Classification Search

CPC: G06Q (30/0643); G06Q (30/0623); G06Q (40/08); G06F (9/451); G06N (5/022)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
9818158	12/2016	Devereaux et al.	N/A	N/A
10796373	12/2019	Diefendorf et al.	N/A	N/A
11107164	12/2020	Davis	N/A	H04R 1/403
2015/0324885	12/2014	Griffin	705/26.5	G06Q 30/0643
2016/0035008	12/2015	Griffin	705/26.81	G06Q 30/012
2016/0078403	12/2015	Sethi	705/26.81	G06Q 10/0875
2021/0166103	12/2020	Jackson	N/A	G06N 3/088
2021/0224666	12/2020	Kawashima	N/A	G07C 5/0808

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2021/004121	12/2020	WO	N/A

OTHER PUBLICATIONS

Nouh R, Singh M, Singh D. "SafeDrive: Hybrid Recommendation System Architecture for Early Safety Predication Using Internet of Vehicles." Sensors (Basel). Jun. 4, 2021;21(11):3893. doi: 10.3390/s21113893. PMID: 34199981; PMCID: PMC8200186. (Year: 2021). cited by examiner

Primary Examiner: Loharikar; Anand

Attorney, Agent or Firm: Bookoff McAndrews, PLLC

Background/Summary

TECHNICAL FIELD

(1) Various embodiments of the present disclosure relate generally to systems and methods for generating graphics for vehicle items.

BACKGROUND

(2) As commerce in general continues to move online from brick-and-mortar marketplaces, the purchasing of vehicles is no exception. Traditionally, a vehicle purchase may have been made at a dealership with the assistance of a salesperson. The salesperson may have been able to ascertain a vehicle purchaser's preferences and personal circumstances to recommend useful complementary vehicle items to purchase with a vehicle. For online vehicle purchasing, however, a salesperson may be absent from the process, leaving a purchaser to navigate generic, electronically generated menus without guidance.

(3) The present disclosure is directed to addressing the above-referenced challenges. The background description provided herein is for the purpose of generally presenting the context of the disclosure. Unless otherwise indicated herein, the materials described in this section are not prior art to the claims in this application and are not admitted to be prior art, or suggestions of the prior art, by inclusion in this section.

SUMMARY OF THE DISCLOSURE

(4) According to certain aspects of the disclosure, systems and methods for generating graphics for vehicle items are described.

(5) In one example, a computer-implemented method of generating a graphic for a vehicle item may include: causing a user device to display a user interface indicative of one or more vehicles; receiving, from the user device, vehicle selection information, the vehicle selection information indicative of a vehicle selected by a user; obtaining, from a database, user data corresponding to the user, the user data including one or more of (1) a set of user interaction data and (2) prior vehicle information for one or more prior vehicles associated with the user; generating, using a machine learning model, a first score corresponding to a first vehicle item based on the user data, wherein the machine learning model may be: trained to learn associations between at least (i) a set of user population data and (ii) a set of vehicle item selections, wherein each of the vehicle item selections corresponds to a subset of the user population data; and configured to generate the first score based on the first vehicle item using the learned associations; determining whether the first score exceeds a first predetermined score threshold; generating, in response to a determination that the first score exceeds the first predetermined score threshold, a first graphic indicative of the first vehicle item; and causing the user device to display the first graphic via the user interface.

(6) In another example, a computer-implemented method of generating a graphic for a vehicle item may include: causing a user device to display a user interface indicative of one or more vehicles; receiving, from the user device, vehicle selection information, the vehicle selection information being indicative of a vehicle selected by a user; obtaining, from a database, user data corresponding to the user, the user data including (1) prior vehicle information for one or more prior vehicles associated with the user and (2) prior vehicle item information for one or more prior vehicle items associated with the one or more prior vehicles; determining, based on the user data, whether a first vehicle item matches at least one of the prior vehicle items; generating, in response to a determination that the first vehicle item matches at least one of the prior vehicle items, a first graphic indicative of the first vehicle item; and causing the user device to display the first graphic via the user interface.

(7) In a further example, a system for generating a graphic for a vehicle item may include: one or more memories storing instructions and a machine learning model, wherein the machine learning model may be: trained to learn associations between at least (i) a set of user population data and (ii) a set of vehicle item selections, each of the vehicle item selections corresponding to a subset of the user population data; and configured to generate scores based on vehicle items using the learned associations; and one or more processors operatively connected to the one or more memories. The one or more processors may be configured to execute the instructions to: cause a user device to display a user interface indicative of one or more vehicles; receive, from the user device, vehicle selection information, the vehicle selection information being indicative of a vehicle selected by a user; obtain, from a database, user data corresponding to the user, the user data including one or more of (1) a set of user interaction data and (2) prior vehicle information for one or more prior vehicles associated with the user; generate, using the machine learning model, a first score corresponding to a first vehicle item and a second score corresponding to a second vehicle item based on the user data; determine whether the first score exceeds a first predetermined score threshold; determine whether the second score exceeds a second predetermined score threshold; generate, in response to a determination that the first score exceeds the first predetermined score threshold and that the second score does not exceed the second predetermined threshold, a graphic

indicative of the first vehicle item and not the second vehicle item; and cause the user device to display the graphic via the user interface of the user device.

(8) Additional objects and advantages of the disclosed embodiments will be set forth in part in the description that follows, and in part will be apparent from the description, or may be learned by practice of the disclosed embodiments.

(9) It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the disclosed embodiments, as claimed.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate various exemplary embodiments and together with the description, serve to explain the principles of the disclosed embodiments.

(2) FIG. 1 depicts an exemplary system infrastructure, according to one or more embodiments.

(3) FIG. 2 depicts an exemplary process flow, according to one or more embodiments.

(4) FIG. 3 depicts a flowchart of an exemplary method of generating a graphic for a vehicle item, according to one or more embodiments.

(5) FIG. 4 depicts a flowchart of an exemplary method of generating a graphic for a vehicle item, according to one or more embodiments.

(6) FIG. 5 depicts an example of a computing device, according to one or more embodiments.

DETAILED DESCRIPTION OF EMBODIMENTS

(7) The terminology used below may be interpreted in its broadest reasonable manner, even though it is being used in conjunction with a detailed description of certain specific examples of the present disclosure. Indeed, certain terms may even be emphasized below; however, any terminology intended to be interpreted in any restricted manner will be overtly and specifically defined as such in this Detailed Description section. Both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the features, as claimed.

(8) In this disclosure, the term “based on” means “based at least in part on.” The singular forms “a,” “an,” and “the” include plural referents unless the context dictates otherwise. The term “exemplary” is used in the sense of “example” rather than “ideal.” The terms “comprises,” “comprising,” “includes,” “including,” or other variations thereof, are intended to cover a non-exclusive inclusion such that a process, method, or product that comprises a list of elements does not necessarily include only those elements, but may include other elements not expressly listed or inherent to such a process, method, article, or apparatus. Relative terms, such as, “substantially” and “generally,” are used to indicate a possible variation of $\pm 10\%$ of a stated or understood value.

(9) The term “vehicle item” or the like, as used herein, generally refers to a complementary product associated with a vehicle and may encompass a warranty, service agreement, vehicle insurance policy, and the like, or any other agreement or policy related to a vehicle, or any vehicle accessory.

(10) In general, the present disclosure is directed to systems and methods for generating graphics for vehicle items. The systems and methods according to the present disclosure offer significant technical benefits which will become apparent.

(11) In recent years, personal purchases, including vehicle purchases, have occurred more and more frequently online as opposed to in-person at brick-and-mortar marketplaces and dealerships. While online commerce may offer certain advantages, including convenience, competition, and/or access to huge amounts of inventory, online commerce may also have shortcomings. For example, online commerce most often occurs without exposure of a purchaser to a knowledgeable salesperson for

assistance.

(12) While not all purchases necessitate the assistance of a salesperson, more complex transactions, such as vehicle purchases, have historically been made with such assistance at dealerships. At a dealership, a knowledgeable salesperson may assist a purchaser not only by matching the purchaser to a desired vehicle, but also by learning about and understanding the purchaser's particular preferences and circumstances with respect to vehicle items for the vehicle. With such personalized assistance, the salesperson may have been able to help the purchaser navigate a confusing and convoluted field of vehicle items to identify one or more vehicle items appropriate for the particular purchaser.

(13) In contrast to an in-person vehicle purchasing experience with the help of a knowledgeable salesperson, conventional online vehicle purchases may be generic, untailored to a particular purchaser, and/or fail to offer assistance from any salesperson. As such, in the process of purchasing a vehicle online, the purchaser may be presented with graphical representations of vehicle items in an unsophisticated manner. For example, in some situations, every available vehicle item for a vehicle may be presented to the purchaser without regard for the purchaser's preferences or circumstances. Alternatively, the purchaser may be presented with a random subset of vehicle items for a vehicle. As a result, the purchaser may have to navigate a set of vehicle items that is either too large to allow the purchaser to make an informed decision, or incomplete and potentially suppressing the most desirable vehicle items. Accordingly, the purchaser may select sub-optimal vehicle items for their preferences and/or circumstances, or may forego vehicle items altogether due to the difficulty of identifying and selecting desirable vehicle items.

(14) Accordingly, a need exists to address the foregoing challenges. Particularly, a need exists to improve systems and methods for generating graphics indicative of vehicle items. Embodiments of the present disclosure offer technical solutions to address the foregoing needs, as well as other needs.

(15) FIG. 1 depicts an exemplary computing environment **100** that may be utilized with techniques presented herein. One or more user device(s) **105**, one or more databases **110**, a graphic generation system **115**, and a vehicle system **120** may communicate across an electronic network **125**. The user device **105** may be associated with, and used by, a user. The systems and devices of the computing environment **100** may communicate in any arrangement. As will be discussed herein, systems and/or devices of the computing environment **100** may communicate in order to generate and display graphics for vehicle items.

(16) The user device **105** may be a computer system such as, for example, a desktop computer, a mobile device, etc. In an exemplary embodiment, the user device **105** may be a cellphone, a tablet, or the like. In some embodiments, the user device **105** may include one or more electronic application(s), e.g., a program, plugin, browser extension, etc., installed on a memory of the user device **105**. In some embodiments, the electronic application(s) may be associated with one or more of the other components in the computing environment **100**. For example, the electronic application(s) may include a web browser, another application, or the like configured to obtain information from database **110** or vehicle system **120**. The electronic application(s) may further be configured to obtain graphics generated by the graphic generation system **115** and display the graphics on the user device **105**.

(17) In some embodiments, user device **105** may be configured to allow a user to browse and/or purchase vehicles and vehicle items. For example, user device **105** may include a browser configured to allow the user to navigate to a vehicle vendor's website or an electronic application dedicated to a specific vehicle vendor. User device **105** may obtain information relating to vehicles for sales from vehicle system **120**. User device **105** may also obtain and display graphics generated by graphic generation system **115**. The user device **105** may display graphics associated with vehicles and/or vehicle items. The graphics may include photographs, illustrations, other types of images, text, or any combination of the foregoing. The graphics displayed by the user device **105**

may be selectable such that the user may purchase a vehicle and/or vehicle item in part by selecting a graphic associated with the vehicle and/or vehicle item. In some embodiments, user device **105** may be a personal device belonging to the user via which the user may browse for vehicles and vehicle items. In some embodiments, user device **105** may be a device belonging to a merchant, such as a vehicle dealer, that is operated primarily by the merchant. In some embodiments, user device **105** may be a device belonging to a merchant but operated primarily by a customer of the merchant during execution of a vehicle purchase.

(18) Database **110** may store user data corresponding to the user of user device **105**. The user data may comprise various data corresponding to the user, including user interaction data and prior vehicle information for one or more prior vehicles associated with the user. The user interaction data may include information corresponding to interactions in which the user has engaged. For example, in some embodiments, the interactions may be financial transactions and the user interaction data may include information such as identifications, locations, and times for each of the transactions. In some embodiments, the interactions may be social media interactions and may similarly include identifications, locations, and times for each of the social media interactions. In some embodiments, the interactions may be instances in which the user has navigated to a destination using a navigation application and may include identifications of the destinations, locations of the destination, and times of arrival at the destinations.

(19) The prior vehicle information may include data for one or more prior vehicles associated with the user. In some embodiments, the prior vehicle information may include an identification of vehicles purchased or otherwise possessed by the user, information concerning vehicle items purchased with or for the vehicles, accident information indicative of any accidents or collisions involving the vehicles, and/or repair information indicative of any repairs made to the vehicles. The accident information may include an identification of the type of accident or collision, severity of the accident or collision, and/or insurance claims information for the accident or collision. Repair information may include an identification of a type of repair performed for the vehicle, a cost associated with a repair, and/or insurance claims information associated with a repair. The prior vehicle information may further include identifications of prior vehicle items selected for the prior vehicles. For example, for a vehicle possessed or otherwise purchased by the user, the prior vehicle information may include an identification of prior vehicle items purchased or otherwise selected for the vehicle.

(20) Database **110** may also store user population data corresponding to a population of individuals including at least some individuals other than the user. The user population data may include information similar to the user data, but instead of being associated with the user of the user device, the user population data may include information associated with each individual of the population. The population data may therefore include, for example, interaction data and prior vehicle information corresponding to each individual of the population. The interaction data and prior vehicle information corresponding to each individual of the population may be similar to the user interaction data and prior vehicle information corresponding to the user.

(21) Database **110** may be, for example, a database maintained by a financial institution and containing data corresponding to customers of the financial institution. In some embodiments, database **110** may be a database maintained by a social media service and containing data corresponding to members of the social media service. In some embodiments, database **110** may be a database maintained by an insurance provider, a navigation service, a government agency, or any other entity tasked with maintaining information of the type included in the user data and/or user population data described herein previously.

(22) Graphic generation system **115** may be configured to generate graphics for display on user device **105**. Graphics generated by graphic generation system **115** may represent vehicles available for sale and/or vehicle items associated with the vehicles for sale. Graphic generation system **115** may generate graphics based on user data from database **110**. Graphic generation system **115** may

further include a machine learning model trained to generate graphics based on user data from database **110** and vehicle selection information received from the user via user device **105**. Training of the machine learning model is described hereinafter in further detail with reference to FIG. **2**. In some embodiments, the machine learning model may be a logistic regression model.

(23) Vehicle system **120** may store and/or provide information related to vehicles for sale and/or vehicle items associated with the vehicles for sale. For example, vehicle system **120** may include vehicle inventory information, such as identifications of vehicle makes, models, years, features, specifications, geographic location, as well as vehicle images and vehicle prices. Vehicle system **120** may further include an identification of vehicle items available for a particular vehicle. Vehicle system **120** may further include vehicle item information, such as price, specifications, coverage terms, coverage duration, etc. User device **105** and/or graphic generation system **115** may obtain information related to vehicles for sale and/or vehicle items for sale from vehicle system **120** and display the information to the user. Vehicle system **120** may further include vehicle item selections corresponding to previous purchasers of vehicles. The vehicle item selections may represent, for example, vehicle items purchased or otherwise selected with or for vehicles by purchasers of the vehicles. In some embodiments, the purchasers of the vehicles may be among the population of individuals described herein previously.

(24) In various embodiments, the electronic network **125** may be a wide area network (“WAN”), a local area network (“LAN”), personal area network (“PAN”), or the like. In some embodiments, electronic network **125** may be a secured network. In some embodiments, the secured network may be protected by any of various encryption techniques. In some embodiments, electronic network **125** may include the Internet, and information and data provided between various systems occurs online. “Online” may mean connecting to or accessing source data or information from a location remote from other devices or networks coupled to the internet. Alternatively, “online” may refer to connecting or accessing an electronic network (wired or wireless) via a mobile communications network or device. The Internet is a worldwide system of computer networks—a network of networks in which a party at one computer or other device connected to the network can obtain information from any other computer and communicate with parties of other computers or devices. The most widely used part of the Internet is the World Wide Web (often-abbreviated “WWW” or called “the Web”). In some embodiments, the electronic network **125** includes or is in communication with a telecommunications network, e.g., a cellular network.

(25) Although depicted as separate components in FIG. **1**, it should be understood that a component or portion of a component may, in some embodiments, be integrated with or incorporated into one or more other components. For example, graphic generation system **115** may incorporate either or both of database **110** and/or vehicle system **120**. Additionally, graphic generation system **115** may be incorporated within user device **105**. Though certain examples are provided, any suitable arrangement of the various systems and devices of the computing environment **100** may be used.

(26) FIG. **2** illustrates an exemplary process flow **200** according to one or more embodiments. Process flow **200** may occur, for example, when a user operates user device **105** to browse vehicles for sale and make a vehicle selection. Vehicle selection information **202** may be obtained by user device **105** upon selection by the user of a vehicle for purchase and may be indicative of a particular vehicle selected by the user for purchase. Vehicle selection information **202** may further include an identification of vehicle items associated with the selected vehicle and available for purchase or selection by the user. Once vehicle selection information **202** is obtained by user device **105**, vehicle selection information **202** may be transmitted by user device **105** to graphic generation system **115** and input to machine learning model **206**. Graphic generation system **115** may further obtain user data **204** from database **110**. User data **204** may include the information described herein previously with reference to FIG. **1**. User data **204** may also be input to machine learning model **206**.

(27) Machine learning model **206** may be trained using training data sets. For example, user

population data **208** and vehicle item selections **210** may be input to machine learning model **206** as training data and machine learning model **206** may be trained to learn associations between user population data **208** and vehicle item selections **210**. User population data **208** may be obtained from database **110** for input to machine learning model **206** and may include the information described herein previously with reference to FIG. 1. Vehicle item selections **210** may be obtained from vehicle system **120** and may include the information described herein previously with reference to FIG. 1. Vehicle item selections **210** may include information for selections made by individuals represented by user population data **208**. In other words, user population data **208** may include data related to at least one individual whose vehicle item selection information is included vehicle item selections **210**. By training machine learning model **206** using these data sets, machine learning model **206** may be trained, in essence, to predict vehicle items a user may be likely to select and/or purchase based on available user data **204** associated with the user and vehicle selection information **202**. Machine learning model **206** may be trained according to any suitable training protocol, including supervised training, semi-supervised training, self-supervised training, or unsupervised training.

(28) It should be understood that machine learning model **206** need not necessarily be trained for each instance of a vehicle selection made by a user. In other words, once trained, machine learning model **206** may be used for different vehicle selections by the user and/or different users. In some embodiments, as discussed in more detail below, further information received from the user may be used to adjust, update, or retrain machine learning model **206**.

(29) Following training of machine learning model **206** and inputting of vehicle selection information **202** and user data **204** to machine learning model **206**, machine learning model **206** may generate scoring **212**. Scoring **212** may include a score corresponding to each of the vehicle items identified in vehicle selection information **202**. The scores may be indicative of a likelihood that the user will purchase and/or select the corresponding vehicle item. For example, scores may be assigned on a scale of 0 to 100, where zero corresponds to a very low likelihood of selection by the user and 100 corresponds to a very high likelihood. It is to be understood that the format or scale for the scores is not to be limited to any particular format or scale, but rather may be any suitable format or scale, such as a scale from 0 to 1, a scale from 0 to 10, letter grades A through F, etc.

(30) By generating scoring **212** based on vehicle selection information **202** and user data **204**, machine learning model **206** may effectively use readily available information associated with the user to predict a likelihood that the user will purchase and/or select individual vehicle items for a vehicle. For example, trained as described herein, machine learning model **206** may utilize user interaction data for score generation, where the user interaction data may be indicative of travel patterns and, by extension, vehicle utilization. Machine learning model **206** may also factor in the user's history of vehicular accidents or vehicle repairs included in the prior vehicle information for score generation. Machine learning model **206** may further factor in the user's history of purchasing vehicle items from the prior vehicle information for score generation. All of the foregoing may lead to more accurate predictions of the user's likelihood of purchasing and/or selecting a particular vehicle item.

(31) The scores of scoring **212** may then be compared to one or more score threshold(s) **214**. Score threshold(s) **214** may serve, in essence, as a filter for vehicle items based on their associated scores. For example, if graphic generation system **115** determines that a score associated with a vehicle item exceeds one of the score threshold(s) **214**, the vehicle item may proceed to graphic generation **218**. If, on the other hand, graphic generation system **115** determines that the score associated with the vehicle item does not exceed the corresponding one of the score threshold(s) **214**, the vehicle item may be excluded from graphic generation **218**. Score threshold(s) **214** may be set to allow only vehicle items having scores indicative of a high likelihood of user selection to proceed to graphic generation **218**. Score threshold(s) **214** may further be adjustable and receive threshold

adjustment **216** as an input. Threshold adjustment **216** may be based on input by an administrator of graphic generation system **115**. In some embodiments, the administrator may be a vehicle dealer, a vehicle item vendor, a vehicle financing entity, or the like.

(32) For vehicle items having scores exceeding the corresponding score threshold(s) **214**, the vehicle items may proceed to graphic generation **218** at which graphic generation system **115** may generate graphics indicative of the vehicle items. Graphic generation system **115** may further transmit the graphics to user device **105** and/or cause user device **105** to display the graphics to the user. The graphics may be selectable by the user such that selection of a graphic is indicative of the user selecting, purchasing, electing to purchase, and/or otherwise indicating preference for a vehicle item associated with the graphic. Upon any such selection or non-selection of vehicle items by the user, user device **105** may generate vehicle item selection information **220**, indicative of vehicle item selections made by the user. Vehicle item selection information **220** may be transmitted from user device **105** to graphic generation system **115** and input to machine learning model **206** as additional training data. Machine learning model **206** may thus be trained to learn additional associations between vehicle selection information **202**, user data **204** and vehicle item selection information **220**. Inputting vehicle item selection information **220** to machine learning model **206** may therefore serve as a feedback loop by which machine learning model **206** is continuously updated.

(33) Hereinafter, methods of using the computer environment **100** are described. In the methods described, various acts are described as performed or executed by one or more components shown in FIG. 1, such as user device **105**, database **110**, graphic generation system **115**, or vehicle system **120**. However, it should be understood that in various embodiments, various components or combinations of components of the computing environment **100** discussed above may execute instructions or perform acts including the acts discussed below. Further, it should be understood that in various embodiments, various steps may be added, omitted, and/or rearranged in any suitable manner.

(34) FIG. 3 depicts an exemplary process **300** of generating a graphic for a vehicle item, according to one or more embodiments. It is to be understood that the process **300** may include fewer than all steps shown in FIG. 3 or may alternatively include additional steps not shown in FIG. 3.

(35) At step **302**, graphic generation system **115** may cause user device **105** to display a user interface indicative of one or more vehicles. User device **105** may display the user interface, for example, in response to the user navigating with a browser to a vehicle vendor's website or navigating to an electronic application dedicated to, or maintained by, the vehicle vendor. The user interface may be configured to prompt the user for vehicle selection information indicative of a vehicle. In some embodiments, the user interface may include selectable graphics indicative of the one or more vehicles.

(36) At step **304**, graphic generation system **115** may receive vehicle selection information from user device **105**. The vehicle selection information may be indicative of a vehicle selected by the user via the user interface of user device **105**. In some embodiments, the user may select the vehicle, for example, for purchase, lease, or temporary rental. In response to the vehicle selection made by the user, user device **105** may transmit the vehicle selection information to graphic generation system **115**.

(37) In response to receiving the vehicle selection information from user device **105**, graphic generation system **115** may obtain user data corresponding to the user at step **306**. Graphic generation system **115** may obtain the user data from database **110**. In some embodiments, in response to receiving the vehicle selection information, graphic generation system **115** may transmit a request to database **110** for the user data and database **110** may transmit the user data to graphic generation system **115** in response to the request. The user data may be associated with the user of user device **105** and may include the information described herein previously with reference to FIG. 1.

(38) At step **308**, once graphic generation system **115** has obtained the user data, graphic generation system **115** may generate a first score corresponding to a first vehicle item based on the user data. Graphic generation system **115** may generate the first score using a trained machine learning model, as described herein previously. The first vehicle item may be a vehicle item associated with the vehicle selected by the user, or a vehicle item otherwise available for the vehicle selected by the user.

(39) At step **310**, graphic generation system **115** may determine whether the first score exceeds a first predetermined threshold. If graphic generation system **115** determines that the first score exceeds the first predetermined threshold, process **300** may proceed to step **312**. If, on the other hand, graphic generation system **115** determines that the first score does not exceed the first predetermined threshold, process **300** may end.

(40) At step **312**, in response to a determination that the first score exceeds the first predetermined threshold, graphic generation system **115** may generate a first graphic indicative of the first vehicle item. The first graphic may be any graphic indicative or suggestive of the first vehicle item and suitable for display via the user interface of user device **105**. At step **314**, graphic generation system **115** may then cause user device **105** to display the graphic via the user interface.

(41) While process **300** is depicted in FIG. **3** as referring to a first vehicle item, a first score, and a first predetermined threshold, it should be understood that steps **308** through **314** may be repeated for a second vehicle item, a third vehicle, or any number of vehicle items. In some embodiments, a second graphic indicative of a second vehicle item and/or a third graphic indicative of a third vehicle item may be displayed concurrently via the user interface of user device **105** with the first graphic.

(42) It is to be understood that process **300** need not necessarily be performed in the exact order described herein and the steps described herein may be rearranged in some embodiments. Further, in some embodiments fewer than all steps of process **300** may be performed and in some embodiments additional steps may be performed.

(43) Process **300** as described herein may allow for generation and display of graphics indicative of vehicle items having a high likelihood of being selected by a user, while excluding graphics indicative of vehicle items having a low likelihood of being selected by the user. By leveraging a machine learning model trained to learn associations between at least a set of user population data and a set of vehicle item selections, process **300** may promote presentation of desirable vehicle items to the user and suppress presentation of undesirable vehicle items, thereby improving user experience, saving the user time, and promoting selection by the user of desirable vehicle items.

(44) FIG. **4** depicts another exemplary process **400** of generating a graphic for a vehicle item, according to one or more embodiments. It is to be understood that the process **400** may include fewer than all steps shown in FIG. **4** or may alternatively include additional steps not shown in FIG. **4**.

(45) At step **402**, graphic generation system **115** may cause user device **105** to display a user interface indicative of one or more vehicles. User device **105** may display the user interface, for example, in response to the user navigating with a browser to a vehicle vendor's website or navigating to an electronic application dedicated to or maintained by the vehicle vendor. The user interface may be configured to prompt the user for vehicle selection information indicative of a vehicle. In some embodiments, the user interface may include selectable graphics indicative of the one or more vehicles.

(46) At step **404**, graphic generation system **115** may receive vehicle selection information from user device **105**. The vehicle selection information may be indicative of a vehicle selected by the user via the user interface of user device **105**. In some embodiments, the user may select the vehicle, for example, for purchase, lease, or temporary rental. In response to the vehicle selection made by the user, user device **105** may transmit the vehicle selection information to graphic generation system **115**.

(47) In response to receiving the vehicle selection information from user device **105**, graphic generation system **115** may obtain user data corresponding to the user at step **406**. Graphic generation system **115** may obtain the user data from database **110**. In some embodiments, in response to receiving the vehicle selection information, graphic generation system **115** may transmit a request to database **110** for the user data and database **110** may transmit the user data to graphic generation system **115** in response. The user data may be associated with the user of user device **105** and include the information described herein previously with reference to FIG. **1**. As described herein previously, the user data may include prior vehicle information for one or more vehicles associated with the user and prior vehicle item information for one or more prior vehicle items associated with the one or more prior vehicles. The prior vehicle information may include the information described herein previously in reference to FIG. **1**. The prior vehicle item information may include identifications of prior vehicle items selected for the prior vehicles associated with the user. For example, for a vehicle purchased or otherwise possessed by the user, the prior vehicle information may include an identification of prior vehicle items purchased or otherwise selected for the vehicle.

(48) At step **408**, once graphic generation system **115** has obtained the user data, graphic generation system **115** may determine whether a first vehicle item matches at least one prior vehicle item. If graphic generation system **115** determines that the first vehicle item matches at least one prior vehicle item, process **400** may proceed to step **410**. If, on the other hand, graphic generation system **115** determines that the first vehicle item does not match at least one prior vehicle item, process **400** may end.

(49) At step **410**, in response to a determination that the first vehicle item matches at least one prior vehicle item, graphic generation system **115** may generate a first graphic indicative of the first vehicle item. The first graphic may be any graphic indicative or suggestive of the first vehicle item and suitable for display via the user interface of user device **105**. At step **412**, graphic generation system **115** may then cause user device **105** to display the graphic via the user interface.

(50) While process **400** as depicted in FIG. **4** refers to a first vehicle item and a first graphic, it should be understood that steps **408** through **412** may be repeated for a second vehicle item, a third vehicle item, or any number of vehicle items. In some embodiments, a second graphic indicative of a second vehicle item and/or a third graphic indicative of a third vehicle item may be displayed concurrently via the user interface of user device **105** with the first graphic.

(51) It is to be understood that process **400** need not necessarily be performed in the exact order described herein and the steps described herein may be rearranged in some embodiments. Further, in some embodiments fewer than all steps of process **400** may be performed and in some embodiments additional steps may be performed.

(52) Process **400** as described herein may allow for generation and display of graphics indicative of vehicle items having a high likelihood of being selected by a user, while excluding graphics indicative of vehicle items having a low likelihood of being selected by the user. By leveraging user data for a user including prior vehicle information, process **400** may promote presentation of desirable vehicle items to the user and suppress presentation of undesirable vehicle items, thereby improving user experience, saving the user time, and promoting selection by the user of desirable vehicle items.

(53) Further aspects of the disclosure are discussed below. It should be understood that embodiments in this disclosure are exemplary only, and that other embodiments may include various combinations of features from other embodiments, as well as additional or fewer features. While examples described herein previously pertain to vehicles, techniques disclosed herein may be applicable to any suitable product for which complementary products or add-on products are commonly purchased. For example, the techniques described may be applied to real estate, insurance, food delivery, online shopping generally, travel reservations, or the like.

(54) In general, any process discussed in this disclosure that is understood to be computer-

implementable, such as the processes illustrated in FIGS. 3 and 4, may be performed by one or more processors of a computer system. A process or process step performed by one or more processors may also be referred to as an operation. The one or more processors may be configured to perform such processes by having access to instructions (e.g., software or computer-readable code) that, when executed by the one or more processors, cause the one or more processors to perform the processes. The instructions may be stored in a memory of the computer system. A processor may be a central processing unit (CPU), a graphics processing unit (GPU), or any suitable types of processing unit.

(55) A computer system may include one or more computing devices. If the one or more processors of the computer system are implemented as a plurality of processors, the plurality of processors may be included in a single computing device or distributed among a plurality of computing devices. If a computer system comprises a plurality of computing devices, the memory of the computer system may include the respective memory of each computing device of the plurality of computing devices.

(56) FIG. 5 is a simplified functional block diagram of a computer system **500** that may be configured as a device for executing the process flow of FIG. 2 and/or the processes of FIGS. 3 and 4, according to exemplary embodiments of the present disclosure. FIG. 5 is a simplified functional block diagram of a computer that may be configured to serve as the user device **105**, database **110**, graphic generation system **115**, and/or vehicle system **120**, according to exemplary embodiments of the present disclosure. In some embodiments, user device **105**, database **110**, graphic generation system **115**, and/or vehicle system **120** may include the components of FIG. 5 in addition to the specific components described herein previously. In various embodiments, any of the systems herein may be an assembly of hardware including, for example, a data communication interface **520** for packet data communication. The platform also may include a central processing unit (“CPU”) **502**, in the form of one or more processors, for executing program instructions. The platform may include an internal communication bus **508**, and a storage unit **506** (such as ROM, HDD, SDD, etc.) that may store data on a computer readable medium **522**, although the system **500** may receive programming and data via network communications including via network **125**. The system **500** may also have a memory **504** (such as RAM) storing instructions **524** for executing techniques presented herein, although the instructions **524** may be stored temporarily or permanently within other modules of system **500** (e.g., processor **502** and/or computer readable medium **522**). The system **500** also may include input and output ports **512** and/or a display **510** to connect with input and output devices such as keyboards, mice, touchscreens, monitors, displays, etc. The various system functions may be implemented in a distributed fashion on a number of similar platforms to distribute the processing load. Alternatively, the systems may be implemented by appropriate programming of one computer hardware platform.

(57) Program aspects of the technology may be thought of as “products” or “articles of manufacture” typically in the form of executable code and/or associated data that is carried on or embodied in a type of machine-readable medium. “Storage” type media include any or all of the tangible memory of the computers, processors or the like, or associated modules thereof, such as various semiconductor memories, tape drives, disk drives and the like, which may provide non-transitory storage at any time for the software programming. All or portions of the software may at times be communicated through the Internet or various other telecommunication networks. Such communications, for example, may enable loading of the software from one computer or processor into another, for example, from a management server or host computer of the mobile communication network into the computer platform of a server and/or from a server to the mobile device. Thus, another type of media that may bear the software elements includes optical, electrical and electromagnetic waves, such as used across physical interfaces between local devices, through wired and optical landline networks and over various air-links. The physical elements that carry such waves, such as wired or wireless links, optical links, or the like, also may be considered as

media bearing the software. As used herein, unless restricted to non-transitory, tangible “storage” media, terms such as computer or machine “readable medium” refer to any medium that participates in providing instructions to a processor for execution.

(58) While the presently disclosed methods, devices, and systems are described with exemplary reference to generating graphics for vehicle items, it should be appreciated that the presently disclosed embodiments may be applicable to generating graphics for other purposes.

(59) Other embodiments of the disclosure will be apparent to those skilled in the art from consideration of the specification and practice of the disclosure disclosed herein. It is intended that the specification and examples be considered as exemplary only, with a true scope and spirit of the disclosure being indicated by the following claims.

(60) In general, any process discussed in this disclosure that is understood to be performable by a computer may be performed by one or more processors. Such processes include, but are not limited to: the processes depicted in FIGS. 3 and 4 and the associated language of the specification. The one or more processors may be configured to perform such processes by having access to instructions (computer-readable code) that, when executed by the one or more processors, cause the one or more processors to perform the processes. The one or more processors may be part of a computer system (e.g., one of the computer systems discussed above) that further includes a memory storing the instructions. The instructions also may be stored on a non-transitory computer-readable medium. The non-transitory computer-readable medium may be separate from any processor. Examples of non-transitory computer-readable media include solid-state memories, optical media, and magnetic media.

(61) It should be appreciated that in the above description of exemplary embodiments of the invention, various features of the invention are sometimes grouped together in a single embodiment, figure, or description thereof for the purpose of streamlining the disclosure and aiding in the understanding of one or more of the various inventive aspects. This method of disclosure, however, is not to be interpreted as reflecting an intention that the claimed invention requires more features than are expressly recited in each claim. Rather, as the following claims reflect, inventive aspects lie in less than all features of a single foregoing disclosed embodiment. Thus, the claims following the Detailed Description are hereby expressly incorporated into this Detailed Description, with each claim standing on its own as a separate embodiment of this invention.

(62) Furthermore, while some embodiments described herein include some but not other features included in other embodiments, combinations of features of different embodiments are meant to be within the scope of the invention, and form different embodiments, as would be understood by those skilled in the art. For example, in the following claims, any of the claimed embodiments can be used in any combination.

(63) Thus, while certain embodiments have been described, those skilled in the art will recognize that other and further modifications may be made thereto without departing from the spirit of the invention, and it is intended to claim all such changes and modifications as falling within the scope of the invention. For example, functionality may be added or deleted from the block diagrams and operations may be interchanged among functional blocks. Steps may be added or deleted to methods described within the scope of the present invention.

(64) The above disclosed subject matter is to be considered illustrative, and not restrictive, and the appended claims are intended to cover all such modifications, enhancements, and other implementations, which fall within the true spirit and scope of the present disclosure. Thus, to the maximum extent allowed by law, the scope of the present disclosure is to be determined by the broadest permissible interpretation of the following claims and their equivalents, and shall not be restricted or limited by the foregoing detailed description. While various implementations of the disclosure have been described, it will be apparent to those of ordinary skill in the art that many more implementations are possible within the scope of the disclosure. Accordingly, the disclosure is not to be restricted except in light of the attached claims and their equivalents.

Claims

1. A computer-implemented method of generating a graphic for a vehicle item, the method comprising: causing a user device to display a user interface indicative of one or more vehicles; receiving, from the user device, vehicle selection information, the vehicle selection information indicative of a vehicle selected by a user; obtaining, from a database, user data corresponding to the user, the user data including one or more of (1) a set of user interaction data and (2) prior vehicle information for one or more prior vehicles associated with the user; generating, using a machine learning model based on the user data, a first score corresponding to a first vehicle item associated with the vehicle selected by the user, wherein the first vehicle item is one of a warranty, an insurance policy, or a service agreement, and wherein the machine learning model is: trained to learn associations between at least (i) a set of user population data including interaction data and prior vehicle information corresponding to individuals of a user population and (ii) a set of vehicle item selections, wherein each of the vehicle item selections correspond to a subset of the user population data; and configured to generate the first score based on the first vehicle item using the learned associations; determining whether the first score exceeds a first predetermined score threshold; generating, in response to a determination that the first score exceeds the first predetermined score threshold, a first graphic indicative of the first vehicle item; and causing the user device to display the first graphic via the user interface.
2. The computer-implemented method of claim 1, further comprising: receiving, from the user device, first vehicle item selection information indicating selection of the first vehicle item by the user.
3. The computer-implemented method of claim 2, further comprising: updating the machine learning model based on the user data and the first vehicle item selection information.
4. The computer-implemented method of claim 1, further comprising: generating, using the machine learning model, a second score corresponding to a second vehicle item based on the user data; determining whether the second score exceeds a second predetermined score threshold; generating, in response to a determination that the second score exceeds the second predetermined score threshold, a second graphic indicative of the second vehicle item; and causing the user device to display the second graphic concurrently with the first graphic via the user interface.
5. The computer-implemented method of claim 4, further comprising: receiving, from the user device, vehicle item selection information indicating selection of the first vehicle item and the second vehicle item by the user; and updating the machine learning model based on the user data and the vehicle item selection information.
6. The computer-implemented method of claim 1, further comprising: generating, using the machine learning model, a second score corresponding to a second vehicle item based on the user data; determining whether the second score exceeds a second predetermined score threshold; and causing, in response to a determination that the second score does not exceed the second predetermined score threshold, the user device to continue to display the first graphic via the user interface without adding a second graphic indicative of the second vehicle item.
7. The computer-implemented method of claim 1, wherein the set of user interaction data comprises at least one of: an identification of interactions, a location corresponding to each of the interactions, or a time corresponding to each of the interactions.
8. The computer-implemented method of claim 1, wherein the prior vehicle information is indicative of one or more prior vehicle items previously selected by the user for the one or more prior vehicles.
9. The computer-implemented method of claim 1, wherein the prior vehicle information is indicative of an accident involving at least one of the prior vehicles.
10. The computer-implemented method of claim 1, wherein the user data includes both of (1) the

set of user interaction data and (2) the prior vehicle information; and the prior vehicle information is indicative of a repair made to at least one of the prior vehicles.

11. The computer-implemented method of claim 1, further comprising: receiving threshold adjustment information indicative of a request to adjust the first predetermined score threshold; and adjusting the first predetermined score threshold.

12. The computer-implemented method of claim 1, wherein the first graphic is indicative of the first score.

13. The computer-implemented method of claim 1, wherein the machine learning model is a logistic regression model.

14. A system for generating a graphic for a vehicle item comprising: one or more memories storing instructions and a machine learning model, wherein the machine learning model is: trained to learn associations between at least (i) a set of user population data including interaction data and prior vehicle information corresponding to individuals of a user population and (ii) a set of vehicle item selections, each of the vehicle item selections corresponding to a subset of the user population data; and configured to generate scores based on vehicle items using the learned associations; and one or more processors operatively connected to the one or more memories, the one or more processors configured to execute the instructions to: cause a user device to display a user interface indicative of one or more vehicles; receive, from the user device, vehicle selection information, the vehicle selection information being indicative of a vehicle selected by a user; obtain, from a database, user data corresponding to the user, the user data including one or more of (1) a set of user interaction data and (2) prior vehicle information for one or more prior vehicles associated with the user; generate, using the machine learning model, a first score corresponding to a first vehicle item associated with the vehicle selected by the user and a second score corresponding to a second vehicle item associated with the vehicle selected by the user, wherein the first vehicle item and second vehicle item are each one of a warranty, an insurance policy, or a service agreement; determine whether the first score exceeds a first predetermined score threshold; determine whether the second score exceeds a second predetermined score threshold; generate, in response to a determination that the first score exceeds the first predetermined score threshold and that the second score does not exceed the second predetermined threshold, a graphic indicative of the first vehicle item and not the second vehicle item; and cause the user device to display the graphic via the user interface of the user device.

15. The system of claim 14, wherein the one or more processors are further configured to execute the instructions to: receive, from the user device, first vehicle item selection information indicating selection of the first vehicle item by the user; and update the machine learning model based on the user data and the first vehicle item selection information.

16. A non-transitory computer-readable storage medium storing program instructions that are computer-executable to implement operations comprising: causing a user device to display a user interface indicative of one or more vehicles; receiving, from the user device, vehicle selection information, the vehicle selection information indicative of a vehicle selected by a user; obtaining, from a database, user data corresponding to the user, the user data including one or more of (1) a set of user interaction data and (2) prior vehicle information for one or more prior vehicles associated with the user; generating, using a machine learning model based on the user data, a first score corresponding to a first vehicle item associated with the vehicle selected by the user, wherein the first vehicle item is one of a warranty, an insurance policy, or a service agreement, and wherein the machine learning model is: trained to learn associations between at least (i) a set of user population data including interaction data and prior vehicle information corresponding to individuals of a user population and (ii) a set of vehicle item selections, wherein each of the vehicle item selections correspond to a subset of the user population data; and configured to generate the first score based on the first vehicle item using the learned associations; determining whether the first score exceeds a first predetermined score threshold; generating, in response to a determination

that the first score exceeds the first predetermined score threshold, a first graphic indicative of the first vehicle item; and causing the user device to display the first graphic via the user interface.

17. The non-transitory computer-readable storage medium of claim 16, wherein the operations further comprise: receiving, from the user device, first vehicle item selection information indicating selection of the first vehicle item by the user.

18. The non-transitory computer-readable storage medium of claim 17, wherein the operations further comprise: updating the machine learning model based on the user data and the first vehicle item selection information.

19. The non-transitory computer-readable storage medium of claim 16, wherein the operations further comprise: generating, using the machine learning model, a second score corresponding to a second vehicle item based on the user data; determining whether the second score exceeds a second predetermined score threshold; generating, in response to a determination that the second score exceeds the second predetermined score threshold, a second graphic indicative of the second vehicle item; and causing the user device to display the second graphic concurrently with the first graphic via the user interface.

20. The non-transitory computer-readable storage medium of claim 19, wherein the operations further comprise: receiving, from the user device, vehicle item selection information indicating selection of the first vehicle item and the second vehicle item by the user; and updating the machine learning model based on the user data and the vehicle item selection information.
