



US0D1092397S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,397 S**
Shen et al. (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **POWER SUPPLY**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Delta Electronics, Inc.**, Taoyuan (TW)

CN 100585841 C 1/2010
CN 102342193 A 2/2012

(Continued)

(72) Inventors: **Yu-Chieh Shen**, Taoyuan (TW);
Yung-Chun Lo, Taoyuan (TW);
Chen-Chiang Su, Taoyuan (TW)

OTHER PUBLICATIONS

(73) Assignee: **Delta Electronics, Inc.**, Taoyuan (TW)

Xu Yu-Zhen et al: "Inductor optimize design for BCM BUCK-PFC in LED driver", IEEE, Apr. 15, 2011, pp. 2264-2267.

(Continued)

(**) Term: **15 Years**

Primary Examiner — Wendy L Arminio

Assistant Examiner — Mary Claire Nemeth

(21) Appl. No.: **29/891,955**

(74) *Attorney, Agent, or Firm* — KIRTON McCONKIE;
Evan R. Witt

(22) Filed: **May 11, 2023**

(51) **LOC (15) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**

USPC ... D13/103, 107, 108, 110, 118, 123, 137.1,
D13/137.2, 147, 162, 177, 184; D14/313,
D14/433, 434, 445

CPC H05K 7/18; H05K 5/023; H01R 31/06
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a power supply, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a power supply showing our new design, wherein enlarged view of identified portion 9 is shown in FIG. 9;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof; and,

FIG. 9 is an enlarged detail view of the power supply as identified in portion 9 of FIG. 1.

The broken lines are for the purpose of illustrating portions of the power supply that form no part of the claimed design. The additional broken line encircling the area of the enlarged detail view shown in FIGS. 1 and 9 denotes the boundary of the enlarged detail view and forms no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D217,915 S * 6/1970 Brenner D13/164
D419,533 S * 1/2000 Smith D13/184
D467,227 S 12/2002 Lee
D504,399 S * 4/2005 Peled D13/110
D649,933 S * 12/2011 Wang D13/110
D675,160 S * 1/2013 Tanaka D13/110
D786,793 S 5/2017 Lin et al.
D795,244 S * 8/2017 Zimmermann D14/313
9,762,037 B1 9/2017 Lach
D813,163 S * 3/2018 Stravets D13/110
D839,826 S 2/2019 Dong et al.
D865,671 S * 11/2019 Dong D13/123
D877,074 S * 3/2020 Stravets D13/110

(Continued)

1 Claim, 9 Drawing Sheets



(56)

References Cited**U.S. PATENT DOCUMENTS**

10,624,223 B1 * 4/2020 Tsorng H05K 5/023
 D886,752 S * 6/2020 Xiang D13/133
 10,951,013 B2 3/2021 Huang
 D928,081 S 8/2021 Hwang et al.
 2004/0184292 A1 9/2004 Knox
 2011/0315355 A1 12/2011 Campbell et al.
 2014/0126129 A1 * 5/2014 Kyle H05K 5/30
 361/752
 2014/0216714 A1 8/2014 Dittmer et al.
 2018/0338386 A1 11/2018 Chen
 2019/0045661 A1 2/2019 Broderick et al.
 2019/0281727 A1 9/2019 Fujiwara et al.
 2022/0217845 A1 7/2022 Salmon
 2022/0248564 A1 8/2022 Moon
 2022/0312625 A1 9/2022 Antaran
 2023/0189457 A1 * 6/2023 Tsorng H05K 5/0221
 361/679.59
 2024/0224459 A1 * 7/2024 Shen H05K 7/20236

FOREIGN PATENT DOCUMENTS

CN 106879222 A 6/2017
 CN 207519013 U 6/2018
 CN 305041627 S 2/2019
 CN 109874275 A 6/2019
 CN 109510445 B 2/2020
 CN 210073558 U 2/2020
 CN 111864305 A 10/2020
 CN 110535338 B 11/2020
 CN 112469242 A 3/2021
 CN 113015417 A 6/2021
 CN 213492911 U 6/2021
 CN 213694613 U 7/2021
 CN 110505783 B 11/2021

CN 306956066 S 11/2021
 CN 114389569 A 4/2022
 CN 307407783 S 6/2022
 CN 307423649 S 6/2022
 CN 115016611 A 9/2022
 CN 115248623 A 10/2022
 CN 218163398 U 12/2022
 CN 115712327 A 2/2023
 CN 308668853 * 6/2024
 EM 015021152-0001 * 5/2023
 EP 2465189 B1 6/2019
 EP 3530896 B1 2/2020
 IN 386018-001 * 2/2024
 JP H07202377 A 8/1995
 JP 2010103282 A 5/2010
 KR 20160047575 A 5/2016
 TW 200836615 A 9/2008
 TW 201115102 A 5/2011
 TW 201240301 A 10/2012
 TW 201828798 A 8/2018
 TW 201843917 A 12/2018
 TW D195786 S 2/2019
 TW 202102101 A 1/2021
 TW 229808-0001 * 2/2024
 WO 2015149317 A1 10/2015
 WO 2022149525 A1 7/2022
 WO 2023129225 A1 7/2023

OTHER PUBLICATIONS

Nielsen Alex Buus et al, Power Density and Loss Optimization Design Methodology of a 10 KW 2-Level 3-Phase Sic Inverter, IEEE, Nov. 9, 2020.

Chen Jianan et al, A Family of Spread-Spectrum Modulation Schemes Based on Distribution Characteristics to Reduce Conducted EMI for Power Electronics Converters, IEEE, Jun. 15, 2020, pp. 5142-5157.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9