



US0D1092776S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,776 S**
Ladtkow et al. (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **SOFT CASSETTE**

(71) Applicant: **Terumo BCT, Inc.**, Lakewood, CO (US)

(72) Inventors: **Tanner J. Ladtkow**, Arvada, CO (US);
Davis Benz, Wheat Ridge, CO (US);
Charles L. Hake, Arvada, CO (US);
Mark Hillam, Wheat Ridge, CO (US);
Jason Clem, Arvada, CO (US)

(73) Assignee: **Terumo BCT, Inc.**, Lakewood, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/848,421**

(22) Filed: **Aug. 2, 2022**

(51) **LOC (15) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/224; D24/129**

(58) **Field of Classification Search**

USPC D24/107, 112–114, 118, 127, 131, 133,
D24/162, 164–169, 185–187; D14/356,
D14/358, 383–386, 432, 433, 434,
D14/435–435.1, 437, 480.1–480.7, 484,
D14/484.1; D13/103, 107, 110, 120, 123,
D13/133
CPC H05K 5/006; H01R 31/005; H01R 27/02;
B60R 16/02; A61B 5/1473; A61B 5/6833;
A61B 5/688; A61B 5/0002; A61B 5/042;
A61B 5/0404; A61B 5/0416; G01D
11/245

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D273,709 S * 5/1984 Schneider D24/118
D275,989 S * 10/1984 Robinson D24/111

D305,150 S * 12/1989 Pastrone D24/111
D337,382 S * 7/1993 Wallace D24/117
D355,973 S * 2/1995 Ijiri D24/162
D370,727 S * 6/1996 Atkinson D24/111
D371,439 S * 7/1996 Bormann 96/6
D374,718 S * 10/1996 Dodge D24/111
D615,189 S * 5/2010 McGill D24/111
D621,722 S * 8/2010 Nalagatla D9/737
D648,432 S * 11/2011 Caleffi D24/111
D677,783 S * 3/2013 Naef D24/111
D693,463 S * 11/2013 Burger D24/111
D745,963 S * 12/2015 Mollstam D24/111
D860,440 S * 9/2019 Harr D24/129
D983,359 S * 4/2023 Kibbel D24/111
D983,361 S * 4/2023 Kibbel D24/111

FOREIGN PATENT DOCUMENTS

GB 6165819 * 11/2021

* cited by examiner

Primary Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**


The ornamental design for a soft cassette as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a soft cassette;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

The broken lines in the drawings illustrate portions of the soft cassette, which form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8