

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12417457
Kind Code	B2
Date of Patent	September 16, 2025
Inventor(s)	Stone; Carl

Same screen quick pay button

Abstract

A payment button on a device, such as a mobile phone, allows the user to remain on the window or page from which an item was selected for purchase. When the user is ready to purchases, the button is selected, and the user simply enters an identifier, such as a password or PIN, and the transaction is processed. The button remains on the same screen and changes during different stages of the payment process.

Inventors:	Stone; Carl (Campbell, CA)
Applicant:	PayPal, Inc. (San Jose, CA)
Family ID:	1000008818271
Assignee:	PAYPAL, INC. (San Jose, CA)
Appl. No.:	18/419078
Filed:	January 22, 2024

Prior Publication Data

Document Identifier	Publication Date
US 20240242212 A1	Jul. 18, 2024

Related U.S. Application Data

continuation parent-doc US 17510252 20211025 US 11915240 child-doc US 18419078
continuation parent-doc US 15084451 20160329 US 11157904 20211006 child-doc US 17510252
continuation parent-doc US 12495765 20090630 ABANDONED child-doc US 15084451

Publication Classification

Int. Cl.: G06Q20/40 (20120101); G06Q20/10 (20120101); G06Q20/12 (20120101); G06Q20/32 (20120101); G06Q30/0601 (20230101); G06Q40/12 (20230101); G07F7/10 (20060101)

U.S. Cl.:

CPC G06Q20/4012 (20130101); G06Q20/10 (20130101); G06Q20/102 (20130101); G06Q20/12 (20130101); G06Q20/3267 (20200501); G06Q30/0641 (20130101); G06Q40/12 (20131203); G07F7/1025 (20130101);

Field of Classification Search

CPC: G06Q (20/00-425)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
6016484	12/1999	Williams	N/A	N/A
7048182	12/2005	Zettler	N/A	N/A
7499875	12/2008	May	N/A	N/A
7502760	12/2008	Gupta	N/A	N/A
7510252	12/2008	Conca	N/A	N/A
7627531	12/2008	Breck	N/A	N/A
7877299	12/2010	Bui	705/64	G06Q 20/102
8166165	12/2011	Meketa	709/225	G06F 9/542
9009746	12/2014	Low	725/23	H04N 21/25816
9147210	12/2014	Scipioni	N/A	N/A
9324098	12/2015	Agrawal	N/A	G06Q 30/04
9595031	12/2016	Grassadonia	N/A	N/A
9946516	12/2017	Herlitz	N/A	G06F 8/34
10029400	12/2017	Manarolla	N/A	N/A
10320343	12/2018	Liedtke	N/A	N/A
10460316	12/2018	Stone	N/A	N/A
11551211	12/2022	Hutchison	N/A	G06Q 40/03
2001/0021917	12/2000	Hatano	N/A	N/A
2002/0123972	12/2001	Hodgson	N/A	N/A
2002/0128977	12/2001	Nambiar	N/A	N/A
2003/0004867	12/2002	Kight	N/A	N/A
2003/0195859	12/2002	Lawrence	N/A	N/A
2004/0098313	12/2003	Agrawal	N/A	N/A
2004/0139370	12/2003	Bailey	714/38.1	G06F 8/75
2005/0021935	12/2004	Schillings	713/1	H04M 1/72448
2005/0108104	12/2004	Woo	705/26.8	G06Q 20/12
2005/0266699	12/2004	Ko	N/A	N/A
2006/0080226	12/2005	Pickering	N/A	N/A
2006/0106681	12/2005	Shafron	N/A	N/A
2006/0107217	12/2005	Lu	N/A	N/A
2006/0235758	12/2005	Schleicher	N/A	N/A
2007/0022020	12/2006	Bernstein	N/A	N/A

2007/0043626	12/2006	Duvall	N/A	N/A
2007/0271149	12/2006	Siegel	705/26.8	G06Q 30/0641
2008/0098290	12/2007	Williams	N/A	N/A
2008/0103923	12/2007	Rieck	N/A	N/A
2008/0134307	12/2007	Ashkenazi	N/A	N/A
2008/0162294	12/2007	Brown	N/A	N/A
2008/0162371	12/2007	Rampell	N/A	N/A
2008/0301046	12/2007	Martinez	N/A	N/A
2009/0132405	12/2008	Scipioni	N/A	N/A
2009/0171847	12/2008	Bhambri	N/A	N/A
2009/0228376	12/2008	Rollins	N/A	N/A
2009/0228562	12/2008	Uchiyama	N/A	N/A
2009/0248537	12/2008	Sarkeshik	N/A	N/A
2009/0288012	12/2008	Hertel	N/A	N/A
2010/0145861	12/2009	Law	N/A	N/A
2010/0162139	12/2009	Beebe	N/A	N/A
2010/0191947	12/2009	Shin	N/A	N/A
2010/0280944	12/2009	Low	N/A	N/A
2010/0332351	12/2009	Stone	N/A	N/A
2011/0029400	12/2010	Scipioni	N/A	N/A
2011/0320343	12/2010	Koh	N/A	N/A
2012/0066090	12/2011	Gangapurkar	N/A	N/A
2012/0078789	12/2011	Harrell	N/A	N/A
2012/0185317	12/2011	Wong	N/A	N/A
2012/0209684	12/2011	Postrel	N/A	N/A
2013/0080323	12/2012	Scipioni	N/A	N/A
2013/0080325	12/2012	Schatt	N/A	N/A
2013/0159185	12/2012	Lee	N/A	N/A
2013/0346173	12/2012	Chandoor	N/A	N/A
2014/0357295	12/2013	Skomra	N/A	N/A
2016/0210623	12/2015	Voegel	N/A	N/A
2016/0210630	12/2015	Stone	N/A	N/A
2016/0381612	12/2015	Gao	N/A	N/A
2018/0232116	12/2017	Reilly	N/A	G06F 3/04842
2021/0168140	12/2020	Canfield	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2005266699	12/2004	JP	N/A
2007328569	12/2006	JP	N/A

OTHER PUBLICATIONS

Gao J. et al., "P2P-Paid: A Peer-to-Peer Wireless Payment System" Proceedings of the 2005 Second IEEE International Workshop on Mobile Commerce and Services, 2005, 10 pages. cited by applicant

Primary Examiner: Kuo; Chenyuh

Attorney, Agent or Firm: HAYNES AND BOONE, LLP

Background/Summary

RELATED APPLICATIONS (1) This application is a continuation application of U.S. Utility application Ser. No. 17/510,252, filed Oct. 24, 2021, which is a continuation application of U.S. Utility application Ser. No. 15/084,451 filed on Mar. 29, 2016, which issued as U.S. Pat. No. 11,157,904 on Oct. 26, 2021, and is a continuation of U.S. Utility application Ser. No. 12/495,765, filed Jun. 30, 2009, all of which are incorporated herein by reference in their entirety.

BACKGROUND

Field of the Invention

(1) The present invention generally relates to on-line payments.

Related Art

(2) More and more consumers are purchasing items and services over electronic networks, such as the Internet. Consumers routinely search for and purchase products and services from merchants and individuals alike. The transactions can take place directly between an on-line merchant or retailer and the consumer, where payment is typically made by entering credit card or other financial information. Transactions can also take place with the aid of an on-line payment provider, such as PayPal, Inc. of San Jose, CA Such payment providers can make transactions easier and safer for the parties. Purchasing through the Internet from the convenience of a consumer's home, office, or virtually anywhere (with mobile devices) is one main reason why on-line purchases are growing faster and faster.

(3) Typical payment flows with on-line purchases provide the consumer with a payment or checkout button or link that is selected when the consumer is ready for payment. Once selected, such as by clicking, the consumer is taken to a new checkout or payment page. The consumer then enters any requested information and confirms payment. One disadvantage to this payment flow is that the consumer is taken away from the merchant or product page, which may lessen the consumer experience and preclude further shopping or browsing on the page. Another disadvantage is that the consumer may be required to enter information, such as credit card number, billing address, etc., which may be cumbersome and time-consuming.

(4) These problems may be even more prevalent in small mobile devices, such as phones, having small screen sizes and keyboards or keypads. With mobile devices, the consumer may want to remain on the merchant or product/application page because Internet navigation is more difficult. Furthermore, the small keyboards/keypads make it more inconvenient to enter information onto a payment page.

(5) Thus, there is a need for a more effective way of making on-line payments without the disadvantages discussed above.

SUMMARY

(6) In accordance with an embodiment of the invention, a consumer, who has made a payment through a payment provider, such as PayPal, is able to select a payment button to make a payment for one or more selected items, products, applications, or digital goods. The payment button is on the merchant or application page. Once selected, either by clicking or tapping, the payment button changes to request the consumer to enter a password, PIN, or other identifier for the consumer account. Once entered, the consumer taps or selects the button again, and the button animates to show the payment being processed. Once completed, the button shows the payment sent. If the purchased good is an application or other digital good, downloading can automatically begin after confirmation of payment. Throughout the payment process, the payment button remains on the merchant or application page, and the consumer is not taken to a new payment page.

(7) This type of payment button and flow can be specific to a device, where once the consumer makes an initial payment, the payment button will be available to the consumer in any subsequent

payment transactions with the device. The payment button and flow may also be available in general on any device, as long as the consumer has set up the account with the payment provider, and the consumer enters information that properly identifies the consumer, consumer account, and maybe the device.

(8) By keeping the payment button and flow on the same merchant or application page (instead of opening up a new window), the consumer is able to continue to look at both the item information and payment processing, and navigate to other pages if desired. Also, by allowing the consumer to enter a simple, easy-to-remember identifier, such as a PIN, password, phone number, or email, the consumer can quickly and easily make an on-line payment.

(9) These and other features and advantages of the present invention will be more readily apparent from the detailed description of the embodiments set forth below taken in conjunction with the accompanying drawings.

Description

BRIEF DESCRIPTION OF THE FIGURES

(1) FIG. 1 is a flowchart showing a process for making an on-line payment according to one embodiment;

(2) FIG. 2 is a flowchart showing a process performed by a payment provider for processing an on-line payment according to one embodiment;

(3) FIG. 3 shows various stages of a payment button through a payment process according to one embodiment;

(4) FIG. 4 is a block diagram of a networked system used in an on-line payment flow with an embodiment of the invention; and

(5) FIG. 5 is a block diagram of a computer system suitable for implementing one or more embodiments of the present disclosure.

(6) Embodiments of the present disclosure and their advantages are best understood by referring to the detailed description that follows. It should be appreciated that like reference numerals are used to identify like elements illustrated in one or more of the figures, wherein showings therein are for purposes of illustrating embodiments of the present disclosure and not for purposes of limiting the same.

DETAILED DESCRIPTION

(7) FIG. 1 is a flowchart **100** showing a process for making an on-line payment according to one embodiment of the present disclosure. At step **102**, the consumer locates an item or items for purchase. This can be done through any device with an Internet browser, such as a mobile phone, PDA, PC, etc. Thus, an item can be located by browsing the Internet, finding an appropriate merchant or retailer site, and selecting the item for purchase. Locating an item can also include selecting an application or digital good from an on-line store. Such items are simply downloaded onto a consumer or recipient device, as opposed to a physical good that is received at a physical location. Examples of digital goods include an image, such as to send to someone else on a networking site or for personal use, such as for an avatar. Applications may include applications available through a store such as iTunes for the iPhone by Apple.

(8) Once the item(s) are located, the consumer proceeds to checkout or payment at step **104**. In one embodiment, the merchant page or applications details page includes a payment button that the user can select when ready for checkout or payment. Selection can be made by tapping or clicking on the button. The payment button may include the name of the payment provider, such as PayPal, Inc. of San Jose, CA If the consumer does not have an account with the payment provider, as determined at step **106**, the consumer is taken to a page where the consumer can sign up for an account at step **108**. This may include opening a new window for the payment provider site, which

may request specific information about the consumer. In one embodiment, the information includes some combination of the consumer's name, billing address, mailing address, credit card information, bank account information, user name, and password or PIN. The payment provider may also request whether the consumer wants to set limits on the account, either in general or for "quick payments," which is a way for consumers to quickly pay for an item. Limits may include daily dollar limits, transaction limits (both in number and/or in dollars), and monthly dollar limits.

(9) In one embodiment, after the consumer as signed up for the payment account or if the consumer has an established account, a determination is made at step **110** as to whether the consumer has made a payment or quick payment through the payment provider account. If the consumer has not made a payment through the payment provider, which can be on the specific device, on any device, or using a specific payment option of the payment provider (i.e., some sort of "quick pay" in different embodiment, the consumer must first go through a payment flow at step **112**. For example, the payment flow may include having the consumer enter an email, phone number, password, and/or PIN, either in the same window or in a new window. After the requested information is entered, the payment request is processed at step **118**.

(10) If the consumer has made a suitable payment through the payment provider, as determined at step **110**, a payment button appears on the same screen as the merchant or application page. The button may appear after a successful purchase through the merchant or application. This button may be different than a payment button for the payment provider when the consumer has not gone through a suitable payment flow. With the payment button on the same page, the consumer selects this button at step **114** to initiate payment. The button may be selected by tapping or clicking on it. Note that in other embodiments, the determination at step **110** is skipped, such that after a consumer has an account with the payment provider, the consumer proceeds directly to step **114**.

(11) Once the button is selected, the button changes to request the consumer to enter a password, PIN, or other identifier. This may be simply indicated with something like "Enter Password." In one embodiment, the customer then enters the requested information, such as by typing on a keyboard or virtual keypad, at step **116**. In another embodiment, the consumer first taps or clicks on the button before entering the information. For example, tapping or clicking on the button may replace the message (e.g., "Enter Password") with a blank field and cursor indicator at the beginning of the field. After entering the requested information, the consumer transmits the information, such as by hitting a return button on the keyboard or tapping or clicking on the button again. Communication of the information may be by any means, such as through the Internet, Bluetooth, or a wired connection, using suitable components such as antennas and processors. The button changes again, indicating that the payment request is being processed, at step **118**. The button may animate to show the request is processing or simply flash a message like "Processing . . ."

(12) Processing may be conventional for the payment provider. For example, the password or requested information is transmitted to the payment provider. The payment provider searches its database for a matching password or information. The payment provider may also compare information about the device the request was transmitted from (such as a phone number from a mobile device) to information corresponding to an authorized account. The payment provider also processes purchase information, such as the price of the item(s). After processing, the payment provider determines whether the payment request is approved at step **120**. A decline of the request can be for various reasons, including incorrect password or identifier or purchase request exceeds a pre-set limit, such as a dollar limit or a transaction number limit. If the request is declined, the consumer and/or merchant can be notified at step **122**. Notification may be on the button, a separate window, text message, or any suitable mode. The notification may also include the reason for the decline, and may allow the consumer to re-enter the password.

(13) If, as determined at step **120**, the payment request is approved, the button on the customer device changes to notify the customer at step **124**. The notification may be a simple message on the

button, such as “Payment Sent” or “Approved.” If the purchased item is a downloadable item, such as an application, the download may begin, at step **126**, automatically as soon as the payment is approved or sent. After the download is completed, the consumer will have the item on the device. If the purchased item is a physical good, the merchant can deliver the item by a suitable method, such as shipping or arranging a physical pick-up. After the payment has been approved, the payment button may remain on the screen or disappear. The consumer can then continue shopping or navigate to other pages for possible further purchases using the same screen payment button.

(14) FIG. 2 is a flowchart **200** showing steps performed by a payment provider to process an on-line payment, according to one embodiment. At step **202**, the payment provider installs the payment button on a consumer's device, such as a mobile phone. Installation of the payment button may be by any suitable means, such as through the Internet, Bluetooth, Near Field Communications (NFC), WiFi, or a wired connection, using suitable components such as antennas and processors of the user device and payment provider. The button or “same screen quick pay button,” as described herein, remains on the same screen as the merchant site or application page. Note that certain conditions may have to be met before the same screen quick pay button is made available to the consumer. For example, in addition to having an account with the payment provider, the consumer may also be required to have made a payment on the device through the payment provider, signed up for the feature (e.g., setting limits on payments made through the button), and/or made an on-line payment through the payment provider on any device.

(15) Once installed and available to the consumer, the payment provider waits for a payment request from the consumer using the payment button. The payment request is received, at step **204**, when the consumer selects the payment button. Upon receipt of the request, the payment provider sends to the device a request for a password or other identifier at step **206**. The payment provider then receives a password from the consumer at step **208**. Once all the necessary information is received, the payment provider processes the request at step **210**. Necessary information may include the consumer's password or ID, the consumer device ID (e.g., phone number), purchase information (e.g., amount, item(s), description), and/or merchant information. This information may be communicated or transmitted to the payment provider at once or separately, such as at step **204** when the payment request is first received and/or at step **208** when the password is received.

(16) Using the information, the payment provider determines, at step **212**, whether to approve the payment request. The approval determination can be based on any suitable criteria of the payment provider, including valid account, not exceeding pre-set spending/transaction limits, and/or valid user. If the payment request is denied, the payment provider sends a notification at step **214**. The notification can be sent to the consumer and/or the merchant and may include reasons for the denial.

(17) If the payment request is approved, the payment provider transfers the requested funds, at step **216**, from the consumer's account to the merchant or recipient. If the merchant or recipient also has an account with the payment provider, the funds are simply transferred between accounts. If the merchant does not have an account with the payment provider, the payment provider may transfer the funds to a designated account, such as a bank account with a routing and account number, or the payment provider may request the merchant to sign up for an account with the payment provider to receive the funds. Once the funds are transferred, the payment provider sends a notification, at step **218**, to the consumer and/or the merchant. At that time, the payment portion of the transaction is completed by the payment provider.

(18) Note that the payment button may appear during various times when the user is using a device. For example, if the user is playing a game on the device and wishes to purchase a next level of the game or an upgrade, the payment button may appear so that the user can stay on the game page and quickly and easily purchase the next level or upgrade. The game may be then be upgraded with a download from the game developer or other entity.

(19) FIG. 3 shows a screen **302** of a mobile device, along with various stages of a payment button

during a payment process, according to one embodiment. In this example, the mobile device is a phone. Screen **302** includes a merchant or application details page **304** and a payment button **306**. When the consumer is ready to pay and selects payment button **306**, the button changes to request entry of a password, shown as button **308**. The consumer then selects the button and enters the requested password or information onto the button, as shown in button **310**. The button then animates, such as a moving checkerboard, shown as button **312**, to show the request being processed. In one embodiment, if a certain time has passed, such as three seconds, text appears on the button. This is shown as button **314**, with the text indicating to the consumer that the transaction is still processing. The text can be “Logging in . . . ,” as shown, or other text, such as “Processing” After processing, assuming the payment request was approved, the button again changes to indicate the payment was sent, shown as button **316**. Note that throughout the different changes in the payment button, the button remains on same screen or window as the merchant or application page, i.e., the user continues to be able to view the merchant or application page while making the on-line payment.

(20) FIG. **4** is a block diagram of a networked system **400** used in an on-line payment flow according to an embodiment of the invention. System **400** includes a client device **410**, a merchant server **440**, and a payment service provider server **470** in communication over a network **460**. Payment service provider server **470** may be maintained by a payment provider, such as PayPal, Inc. of San Jose, CA

(21) Client device **410**, merchant server **440**, and payment service provider server **470** may each include one or more processors, memories, and other appropriate components for executing instructions such as program code and/or data stored on one or more computer readable mediums to implement the various applications, data, and steps described herein. For example, such instructions may be stored in one or more computer readable mediums such as memories or data storage devices internal and/or external to various components of system **400**, and/or accessible over network **460**.

(22) Network **460** may be implemented as a single network or a combination of multiple networks. For example, in various embodiments, network **460** may include the Internet or one or more intranets, landline networks, wireless networks, and/or other appropriate types of networks.

(23) Client device **410** may be implemented using any appropriate combination of hardware and/or software configured for wired and/or wireless communication over network **460**. For example, in one embodiment, client device **410** may be implemented as a personal computer of a user **405** in communication with the Internet. In other embodiments, client device **410** may be implemented as a wireless telephone, personal digital assistant (PDA), notebook computer, and/or other types of computing devices.

(24) As shown, client device **410** may include one or more browser applications **415** which may be used, for example, to provide a convenient interface to permit user **405** to browse information available over network **460**. For example, in one embodiment, browser application **415** may be implemented as a web browser configured to view information available over the Internet.

(25) Client device **410** may also include one or more toolbar applications **420** which may be used, for example, to provide client-side processing for performing desired tasks in response to operations selected by user **405**. In one embodiment, toolbar application **420** may display a user interface in connection with browser application **415**.

(26) Client device **410** may further include other applications **425** as may be desired in particular embodiments to provide desired features to client device **410**. In particular, applications **425** may include a payment application and button, such as described herein for same screen quick payments through a payment provider. Applications **425** may also include security applications for implementing client-side security features, programmatic client applications for interfacing with appropriate application programming interfaces (APIs) over network **460**, or other types of applications. Email applications may also be included, which allow user **405** to send and receive

emails through network **460**. Client device **410** includes one or more user and/or device identifiers **430** which may be implemented, for example, as operating system registry entries, cookies associated with browser application **415**, identifiers associated with hardware of client device **410**, or other appropriate identifiers, such as a phone number. In one embodiment, user identifier **430** may be used by a payment service provider to associate user **405** with a particular account maintained by the payment service provider as further described herein.

(27) Merchant server **440** may be maintained, for example, by an on-line merchant or application developer offering various products and/or services in exchange for payment to be received over network **460**, including digital goods and applications. In this regard, merchant server **440** includes a database **445** identifying available products and/or services (e.g., collectively referred to as items) which may be made available for viewing and purchase by user **405**. Accordingly, merchant server **440** also includes a marketplace application **450** which may be configured to provide information over network **460** to browser **415** of client device **410**. For example, in one embodiment, user **405** may interact with marketplace application **450** through browser applications over network **460** in order to search and view various products or services identified in database **445**.

(28) Merchant server **440** also includes a checkout application **455** which may be configured to facilitate the purchase by user **405** of goods or services identified by marketplace application **450**. In this regard, checkout application **455** may be configured to accept payment information from user **405** and/or from payment service provider server **470** over network **460**.

(29) In one embodiment, merchant server **440** further includes a delivery application **435** which may be configured to deliver a digital or downloadable item to client device **410**. For example, if user **405** purchases a downloadable item from merchant, delivery application **435** has the ability to transmit or download the item onto client device **410** after payment is confirmed by payment service provider server **470**.

(30) Payment service provider server **470** may be maintained, for example, by an online payment service provider which may provide payment on behalf of user **405** to the operator of merchant server **440**. In this regard, payment service provider server **470** includes one or more payment applications **475** which may be configured to interact with client device **410** and/or merchant server **440** over network **460** to facilitate the purchase of goods or services by user **405** of client device **410** from a merchant operating server **440**. In one embodiment, payment service provider server **470** may be maintained by PayPal, Inc.

(31) Payment service provider server **470** also maintains a plurality of user accounts **480**, each of which may include account information **485** associated with individual users. For example, in one embodiment, account information **485** may include private financial information of users of devices such as account numbers, passwords, credit card information, bank information, or other financial information which may be used to facilitate online transactions by user **405**, as well as device information from a phone or PC that aids in determining whether a payment request is to be approved. Payment application **475** may be configured to interact with merchant server **440** on behalf of user **405** during a transaction with checkout application **455** and delivery application **435** to track and manage purchases made by users.

(32) In particular, payment service provider server **470** also provides a payment button application **490** which may be configured to load or install the payment button onto client device **410**. A payment button processing application **495** may be configured to receive payment request information via the payment button selected by users, process the payment request, and store/retrieve information as needed in a database **496**. Payment button application **490**, processing application **495** and/or database **496** may be part of payment application **475**.

(33) FIG. 5 is a block diagram of a computer system **500** suitable for implementing one or more embodiments of the present disclosure. In various implementations, the user device may comprise a personal computing device (e.g., a personal computer, laptop, cell phone, PDA, etc.) capable of communicating with the network. The merchant and/or payment provider may utilize a network

computing device (e.g., a network server) capable of communicating with the network. It should be appreciated that each of the devices utilized by users, merchants, and payment providers may be implemented as computer system **400** in a manner as follows.

(34) In accordance with various embodiments of the present disclosure, computer system **500**, such as a personal computer and/or a network server, includes a bus **502** or other communication mechanism for communicating information, which interconnects subsystems and components, such as a processing component **504** (e.g., processor, micro-controller, digital signal processor (DSP), etc.), a system memory component **506** (e.g., RAM), a static storage component **508** (e.g., ROM), a disk drive component **510** (e.g., magnetic or optical), a network interface component **512** (e.g., modem or Ethernet card), a display component **514** (e.g., CRT or LCD), an input component **516** (e.g., keyboard, keypad, or virtual keyboard), and a cursor control component **518** (e.g., mouse, pointer, or trackball). In one implementation, disk drive component **510** may comprise a database having one or more disk drive components.

(35) In accordance with embodiments of the present disclosure, computer system **500** performs specific operations by processor **504** executing one or more sequences of instructions contained in system memory component **506**, such as described above with respect to the consumer and/or payment provider in FIGS. **1-3**. Such instructions may be read into system memory component **506** from another computer readable medium, such as static storage component **508** or disk drive component **510**. In other embodiments, hard-wired circuitry may be used in place of or in combination with software instructions to implement the present disclosure.

(36) Logic may be encoded in a computer readable medium, which may refer to any medium that participates in providing instructions to processor **504** for execution. Such a medium may take many forms, including but not limited to, non-volatile media, volatile media, and transmission media. In various implementations, non-volatile media includes optical or magnetic disks, such as disk drive component **510**, volatile media includes dynamic memory, such as system memory component **506**, and transmission media includes coaxial cables, copper wire, and fiber optics, including wires that comprise bus **502**. In one example, transmission media may take the form of acoustic or light waves, such as those generated during radio wave and infrared data communications.

(37) Some common forms of computer readable media includes, for example, floppy disk, flexible disk, hard disk, magnetic tape, any other magnetic medium, CD-ROM, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, RAM, PROM, EPROM, FLASH-EPROM, any other memory chip or cartridge, carrier wave, or any other medium from which a computer is adapted to read.

(38) In various embodiments of the present disclosure, execution of instruction sequences to practice the present disclosure may be performed by computer system **500**. In various other embodiments of the present disclosure, a plurality of computer systems **500** coupled by a communication link **520** to the network (e.g., such as a LAN, WLAN, PTSN, and/or various other wired or wireless networks, including telecommunications, mobile, and cellular phone networks) may perform instruction sequences to practice the present disclosure in coordination with one another.

(39) Computer system **500** may transmit and receive messages, data, information and instructions, including one or more programs (i.e., application code) through communication link **520** and a communication interface **512**. Network interface component **512** may include an antenna, either separate or integrated, to enable transmission and reception via communication link **520**. Received program code may be executed by processor **504** as received and/or stored in disk drive component **510** or some other non-volatile storage component for execution.

(40) Where applicable, various embodiments provided by the present disclosure may be implemented using hardware, software, or combinations of hardware and software. Also, where applicable, the various hardware components and/or software components set forth herein may be

combined into composite components comprising software, hardware, and/or both without departing from the spirit of the present disclosure. Where applicable, the various hardware components and/or software components set forth herein may be separated into sub-components comprising software, hardware, or both without departing from the scope of the present disclosure. In addition, where applicable, it is contemplated that software components may be implemented as hardware components and vice-versa.

(41) Software, in accordance with the present disclosure, such as program code and/or data, may be stored on one or more computer readable mediums. It is also contemplated that software identified herein may be implemented using one or more general purpose or specific purpose computers and/or computer systems, networked and/or otherwise. Where applicable, the ordering of various steps described herein may be changed, combined into composite steps, and/or separated into sub-steps to provide features described herein.

(42) The foregoing disclosure is not intended to limit the present disclosure to the precise forms or particular fields of use disclosed. As such, it is contemplated that various alternate embodiments and/or modifications to the present disclosure, whether explicitly described or implied herein, are possible in light of the disclosure. For example, the payment button and processing has been described with respect to a payment provider, but some or all of the features and steps may be associated with a mobile platform and/or a merchant. Having thus described embodiments of the present disclosure, persons of ordinary skill in the art will recognize that changes may be made in form and detail without departing from the scope of the present disclosure. Thus, the present disclosure is limited only by the claims.

Claims

1. A method, comprising: accessing, by a service provider server, a request from a user to conduct an electronic transfer, wherein the request is initiated via a user selection of a first user interface element displayed via a user interface on a user device of the user, wherein the first user interface element comprises a button in a first stage of display before the user selection of the first user interface element, wherein the button in the first stage of display is not configured to accept a textual input within the button; dynamically reconfiguring, by the service provider server based on the user selection, the button from the first stage of display into a second stage of display, wherein the button in the second stage of display is capable of accepting an entry of a user authentication credential as the textual input within the button; authenticating, by the service provider server, the user based on a verification process corresponding to the user authentication credential as a part of the textual input accepted by the button in the second stage of display; and processing, by the service provider server, the request based on the authenticating of the user, wherein the processing the request further comprises causing the button to display a notification regarding the electronic transfer.
2. The method of claim 1, wherein the button in the first stage of display is displayed on a transaction page of a merchant.
3. The method of claim 1, wherein one or more second user interface elements of the user interface remain the same while the button is dynamically reconfigured into the second stage of display.
4. The method of claim 1, wherein the user authentication credential comprises a user password but not a username.
5. The method of claim 1, further comprising causing, by the service provider server, an animation to be displayed within the button after the user authentication credential has been received via the button.
6. The method of claim 5, further comprising: after the animation has been displayed for a specified time period, causing, by the service provider server, a predefined text message to be displayed over a portion of the animation within the button.

7. The method of claim 1, further comprising reconfiguring, by the service provider server, the button from the second stage of display into a third stage of display after the user has been successfully authenticated or after the request has been processed.
8. The method of claim 7, further comprising causing, by the service provider server, the notification to be displayed within the button in the third stage of display.
9. The method of claim 1, wherein: a first default text message is displayed by the button in the first stage of display; and the first default text message is automatically changed into a second default text message within the button in the second stage of display when the button.
10. The method of claim 1, further comprising: before the request is initiated, causing, by the service provider server, the first user interface element to be installed in the user interface of the user device.
11. The method of claim 1, wherein: the user device comprises a mobile device; and the user interface comprises an Internet browser or a mobile application page displayed on the mobile device.
12. A non-transitory machine-readable medium having stored thereon machine-readable instructions executable to cause a machine to perform operations comprising: accessing a request from a user to conduct an electronic transfer, wherein the request is initiated via a user selection of a first user interface element displayed via a user interface on a user device of the user, wherein the first user interface element comprises a button in a first stage of display before the user selection of the first user interface element, wherein the button in the first stage of display is not configured to accept a textual input within the button; dynamically reconfiguring, based on the user selection, the button from the first stage of display into a second stage of display, wherein the button in the second stage of display is capable of accepting an entry of a user authentication credential as the textual input within the button; authenticating the user based on a verification process corresponding to the user authentication credential as a part of the textual input accepted by the button in the second stage of display; and processing the request based on the authenticating of the user, wherein the processing the request further comprises causing the button to display a notification regarding the electronic transfer.
13. The non-transitory machine-readable medium of claim 12, wherein one or more second user interface elements of the user interface remain the same while the button is dynamically reconfigured.
14. The non-transitory machine-readable medium of claim 12, wherein the user authentication credential comprises a user password but not a username.
15. A system, comprising: a non-transitory memory; and one or more hardware processors coupled to the non-transitory memory and configured to read instructions from the non-transitory memory to cause the system to perform operations comprising: accessing a request from a user to conduct an electronic transfer, wherein the request is initiated via a user selection of a first user interface element displayed via a user interface on a user device of the user, wherein the first user interface element comprises a button in a first stage of display before the user selection of the first user interface element, the button in the first stage of display is not configured to accept a textual input within the button; dynamically reconfiguring, based on the user selection, the button from the first stage of display into a second stage of display, wherein the button in the second stage of display is capable of accepting an entry of a user authentication credential as the textual input within the button; authenticating the user based on a verification process corresponding to the user authentication credential as a part of the textual input accepted by the button in the second stage of display; and processing the request based on the authenticating of the user, wherein the processing the request further comprises causing the button to display a status notification regarding the electronic transfer.
16. The system of claim 15, wherein the button in the first stage of display is incapable of accepting the textual input.

17. The system of claim 15, wherein one or more second user interface elements of the user interface remain the same while the first button is dynamically reconfigured.
18. The system of claim 15, wherein the user authentication credential comprises a user password but not a username.
19. The system of claim 15, wherein the operations further comprise: reconfiguring the button from the second stage of display into a third stage of display after the user has been successfully authenticated or after the request has been processed.
20. The system of claim 15, wherein the operations further comprise: before the request is initiated, causing the first user interface element to be installed in the user interface of the user device.
-