

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12406241
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	Yantis; Jonathan et al.

Techniques for digital token-based collateralization and lending

Abstract

In embodiments of the present invention, methods are provided for receiving a request to collateralize a collateral item of a user seeking a loan, along with information and a photograph of the collateral item. A processing system may generate a virtual representation of the collateral item based on the information and photograph and generate a digital token based on the virtual representation. Ownership of the digital token may be assigned to the user seeking the loan and an instance of a smart contract governing the loan may be generated and deployed, the instance of the smart contract indicating an amount to be paid back by the user to the lender and one or more conditions that cause ownership of the digital token to be transferred to the lender.

Inventors: Yantis; Jonathan (Grants Pass, OR), Quigley; William Edward (Pacific Palisades, CA), Sliwka; Lukasz Jakub (Long Beach, CA)

Applicant: VERONA HOLDINGS SEZC (George Town, KY)

Family ID: 70463916

Assignee: VERONA HOLDINGS SEZC (George Town, KY)

Appl. No.: 17/358412

Filed: June 25, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20210319428 A1	Oct. 14, 2021

Related U.S. Application Data

continuation parent-doc US 17245662 20210430 PENDING child-doc US 17358412
continuation parent-doc WO PCT/US2019/059389 20191101 PENDING child-doc US 17245662
us-provisional-application US 62906211 20190926
us-provisional-application US 62770620 20181121

Publication Classification

Int. Cl.: **G06Q20/12** (20120101); **G06F21/60** (20130101); **G06Q20/32** (20120101); **G06Q20/34** (20120101); **G06Q20/36** (20120101); **G06Q20/38** (20120101); **G06Q20/40** (20120101); **G06Q30/018** (20230101)

U.S. Cl.:

CPC **G06Q20/123** (20130101); **G06F21/602** (20130101); **G06Q20/326** (20200501); **G06Q20/342** (20130101); **G06Q20/38215** (20130101); **G06Q20/40** (20130101); **G06Q30/0185** (20130101); G06Q20/1235 (20130101); G06Q20/3672 (20130101); G06Q2220/00 (20130101)

Field of Classification Search

CPC: G06Q (20/326); G06Q (20/342); G06Q (20/38215); G06Q (20/40); G06Q (20/1235); G06Q (20/3672); G06Q (30/0185)

USPC: 705/66

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
5930775	12/1998	McCauley et al.	N/A	N/A
6970812	12/2004	Kamachi et al.	N/A	N/A
7389269	12/2007	Robinson et al.	N/A	N/A
7711647	12/2009	Gunaseelan et al.	N/A	N/A
7747519	12/2009	Kemper et al.	N/A	N/A
7904381	12/2010	Tatang et al.	N/A	N/A
8037193	12/2010	Hay et al.	N/A	N/A
8156019	12/2011	Wilson et al.	N/A	N/A
8360867	12/2012	Luchene	N/A	N/A
8549416	12/2012	Ganz et al.	N/A	N/A
8589255	12/2012	Glazer et al.	N/A	N/A
8606673	12/2012	Grim et al.	N/A	N/A
8712920	12/2013	Walker et al.	N/A	N/A
9129339	12/2014	Liu	N/A	N/A
9229987	12/2015	Mattsson et al.	N/A	N/A
9373139	12/2015	Kressler	N/A	N/A
9396486	12/2015	Stivoric et al.	N/A	N/A
9535902	12/2016	Michalak et al.	N/A	N/A
9536065	12/2016	Bouse et al.	N/A	N/A
9608829	12/2016	Spanos et al.	N/A	N/A
9679125	12/2016	Bailor et al.	N/A	N/A
9737819	12/2016	DeSanti et al.	N/A	N/A

9794797	12/2016	Hoffberg	N/A	N/A
9996983	12/2017	Mullins	N/A	N/A
10043174	12/2017	Chikkanna	N/A	N/A
10103953	12/2017	Chang et al.	N/A	N/A
10116830	12/2017	Eagleton et al.	N/A	N/A
10121143	12/2017	Madiseti et al.	N/A	N/A
10192073	12/2018	Marin	N/A	N/A
10192198	12/2018	Nazzari et al.	N/A	N/A
10210453	12/2018	Krishnamurthy et al.	N/A	N/A
10210527	12/2018	Radocchia et al.	N/A	N/A
10243743	12/2018	Madiseti et al.	N/A	N/A
10373158	12/2018	James et al.	N/A	N/A
10482533	12/2018	Leonard et al.	N/A	N/A
10489768	12/2018	Szeto et al.	N/A	N/A
10505726	12/2018	Andon et al.	N/A	N/A
10506070	12/2018	Ford et al.	N/A	N/A
10540654	12/2019	James et al.	N/A	N/A
10657595	12/2019	Jong et al.	N/A	N/A
10755263	12/2019	Ramanathan	N/A	N/A
10832338	12/2019	Floyd et al.	N/A	N/A
10839379	12/2019	Pierce et al.	N/A	N/A
10896412	12/2020	Robertson et al.	N/A	N/A
10946283	12/2020	Meilich et al.	N/A	N/A
10963958	12/2020	Best et al.	N/A	N/A
11049082	12/2020	Rice	N/A	N/A
11055279	12/2020	Yan	N/A	N/A
11068978	12/2020	Ferreira	N/A	N/A
11075891	12/2020	Long et al.	N/A	N/A
11139955	12/2020	So et al.	N/A	N/A
11176620	12/2020	Lubczynski et al.	N/A	N/A
11200569	12/2020	James et al.	N/A	N/A
11222298	12/2021	Abelow	N/A	N/A
11250111	12/2021	Goldston et al.	N/A	N/A
11256788	12/2021	Goldston et al.	N/A	N/A
11288736	12/2021	Jette et al.	N/A	N/A
11308487	12/2021	Foster et al.	N/A	N/A
11321308	12/2021	Yan	N/A	N/A
11334875	12/2021	Yantis et al.	N/A	N/A
11334876	12/2021	Yantis et al.	N/A	N/A
11334883	12/2021	Auerbach et al.	N/A	N/A
11488059	12/2021	Cella	N/A	N/A
11500972	12/2021	Goldston et al.	N/A	N/A
11522700	12/2021	Auerbach et al.	N/A	N/A
11538002	12/2021	Wang et al.	N/A	N/A
11552799	12/2022	Parikh	N/A	N/A
11556620	12/2022	Goldston et al.	N/A	N/A
11557174	12/2022	Simons	N/A	N/A
11720888	12/2022	Norton et al.	N/A	N/A
11720913	12/2022	Augustine et al.	N/A	N/A

11853404	12/2022	Goldston et al.	N/A	N/A
2001/0049606	12/2000	Lucarelli	N/A	N/A
2002/0073015	12/2001	Chan et al.	N/A	N/A
2002/0194209	12/2001	Bolosky et al.	N/A	N/A
2003/0055754	12/2002	Sullivan	N/A	N/A
2003/0065624	12/2002	James et al.	N/A	N/A
2003/0220885	12/2002	Lucarelli et al.	N/A	N/A
2005/0065871	12/2004	Gerhart et al.	N/A	N/A
2005/0246193	12/2004	Roever et al.	N/A	N/A
2006/0085314	12/2005	Grim et al.	N/A	N/A
2006/0195392	12/2005	Buerger et al.	N/A	N/A
2006/0224480	12/2005	Bent et al.	N/A	N/A
2007/0061248	12/2006	Shavit et al.	N/A	N/A
2007/0094721	12/2006	Nguyen et al.	N/A	N/A
2007/0129124	12/2006	Luchene	N/A	N/A
2007/0203852	12/2006	Cameron et al.	N/A	N/A
2007/0282723	12/2006	Cohen et al.	N/A	N/A
2008/0004969	12/2007	Shniberg et al.	N/A	N/A
2008/0027786	12/2007	Davis et al.	N/A	N/A
2008/0120240	12/2007	Ginter et al.	N/A	N/A
2008/0243719	12/2007	Shavit et al.	N/A	N/A
2009/0063295	12/2008	Smith	N/A	N/A
2009/0063343	12/2008	Mertz et al.	N/A	N/A
2009/0164362	12/2008	Moore	N/A	N/A
2009/0192891	12/2008	Titus et al.	N/A	N/A
2009/0198586	12/2008	Owen	N/A	N/A
2009/0234755	12/2008	Sidoruk	N/A	N/A
2009/0265270	12/2008	Gangaraju	N/A	N/A
2009/0283589	12/2008	Moore et al.	N/A	N/A
2010/0005007	12/2009	Cox et al.	N/A	N/A
2011/0099099	12/2010	Rivest et al.	N/A	N/A
2011/0238530	12/2010	Shniberg et al.	N/A	N/A
2012/0005043	12/2011	Bushinsky	N/A	N/A
2012/0046779	12/2011	Pax et al.	N/A	N/A
2012/0290467	12/2011	Shenkar et al.	N/A	N/A
2012/0330798	12/2011	Fox	N/A	N/A
2013/0013471	12/2012	Fishman	N/A	N/A
2013/0132230	12/2012	Gibson et al.	N/A	N/A
2013/0325547	12/2012	Clark	N/A	N/A
2014/0244361	12/2013	Zhang et al.	N/A	N/A
2014/0289386	12/2013	Vatto et al.	N/A	N/A
2014/0337189	12/2013	Barsade et al.	N/A	N/A
2014/0351105	12/2013	Hamm	N/A	N/A
2015/0026072	12/2014	Zhou et al.	N/A	N/A
2015/0039444	12/2014	Hardin et al.	N/A	N/A
2015/0074018	12/2014	Gill et al.	N/A	N/A
2015/0088753	12/2014	Schueren	N/A	N/A
2015/0142603	12/2014	Haberman	N/A	N/A
2015/0170112	12/2014	DeCastro	N/A	N/A
2015/0310195	12/2014	Bailor et al.	N/A	N/A

2015/0324764	12/2014	Van Rooyen et al.	N/A	N/A
2015/0332224	12/2014	Melika et al.	N/A	N/A
2015/0332256	12/2014	Minor	N/A	N/A
2015/0363769	12/2014	Ronca et al.	N/A	N/A
2015/0363777	12/2014	Ronca et al.	N/A	N/A
2015/0379510	12/2014	Smith	N/A	N/A
2016/0063429	12/2015	Varley et al.	N/A	N/A
2016/0071206	12/2015	Danieli	N/A	N/A
2016/0092988	12/2015	Letourneau	N/A	N/A
2016/0098723	12/2015	Feeney	N/A	N/A
2016/0217436	12/2015	Brama	N/A	N/A
2016/0253651	12/2015	Park et al.	N/A	N/A
2016/0300234	12/2015	Moss-Pultz et al.	N/A	N/A
2016/0328705	12/2015	Sebag et al.	N/A	N/A
2016/0335609	12/2015	Jenkins	N/A	N/A
2016/0358161	12/2015	Cobban et al.	N/A	N/A
2016/0358184	12/2015	Radocchia et al.	N/A	N/A
2017/0005804	12/2016	Zinder	N/A	N/A
2017/0011460	12/2016	Molinari et al.	N/A	N/A
2017/0024817	12/2016	Wager et al.	N/A	N/A
2017/0024818	12/2016	Wager et al.	N/A	N/A
2017/0057170	12/2016	Gupta et al.	N/A	N/A
2017/0076366	12/2016	Wadley et al.	N/A	N/A
2017/0083907	12/2016	McDonough et al.	N/A	N/A
2017/0085545	12/2016	Lohe et al.	N/A	N/A
2017/0085555	12/2016	Bisikalo et al.	N/A	N/A
2017/0091756	12/2016	Stern et al.	N/A	N/A
2017/0103385	12/2016	Wilson, Jr. et al.	N/A	N/A
2017/0103468	12/2016	Orsini et al.	N/A	N/A
2017/0109735	12/2016	Sheng et al.	N/A	N/A
2017/0109744	12/2016	Wilkins et al.	N/A	N/A
2017/0116693	12/2016	Rae et al.	N/A	N/A
2017/0132619	12/2016	Miller et al.	N/A	N/A
2017/0132633	12/2016	Whitehouse	N/A	N/A
2017/0178245	12/2016	Rodkey et al.	N/A	N/A
2017/0206522	12/2016	Schiatti et al.	N/A	N/A
2017/0210525	12/2016	Mayer et al.	N/A	N/A
2017/0213265	12/2016	Masherah et al.	N/A	N/A
2017/0214522	12/2016	Code et al.	N/A	N/A
2017/0221029	12/2016	Lund et al.	N/A	N/A
2017/0221052	12/2016	Sheng et al.	N/A	N/A
2017/0232300	12/2016	Tran et al.	N/A	N/A
2017/0236143	12/2016	Code et al.	N/A	N/A
2017/0249622	12/2016	Ortiz et al.	N/A	N/A
2017/0345019	12/2016	Radocchia et al.	N/A	N/A
2018/0025442	12/2017	Isaacson et al.	N/A	N/A
2018/0047111	12/2017	Meira et al.	N/A	N/A
2018/0048735	12/2017	Drouin et al.	N/A	N/A
2018/0068359	12/2017	Preston et al.	N/A	N/A
2018/0075421	12/2017	Serrano et al.	N/A	N/A

2018/0075527	12/2017	Nagla et al.	N/A	N/A
2018/0078843	12/2017	Tran et al.	N/A	N/A
2018/0089758	12/2017	Stradling et al.	N/A	N/A
2018/0091316	12/2017	Stradling et al.	N/A	N/A
2018/0094953	12/2017	Colson et al.	N/A	N/A
2018/0096175	12/2017	Schmeling et al.	N/A	N/A
2018/0114198	12/2017	Ghotbi et al.	N/A	N/A
2018/0143995	12/2017	Bailey et al.	N/A	N/A
2018/0144156	12/2017	Marin	N/A	N/A
2018/0159838	12/2017	Dintenfass	N/A	N/A
2018/0165612	12/2017	Saxena et al.	N/A	N/A
2018/0178962	12/2017	Marr et al.	N/A	N/A
2018/0191503	12/2017	Alwar et al.	N/A	N/A
2018/0198617	12/2017	Drouin et al.	N/A	N/A
2018/0204190	12/2017	Moy	N/A	G06Q 40/06
2018/0211313	12/2017	Narahari	N/A	N/A
2018/0218176	12/2017	Voorhees et al.	N/A	N/A
2018/0218469	12/2017	Lert, Jr. et al.	N/A	N/A
2018/0322597	12/2017	Sher	N/A	N/A
2018/0330212	12/2017	Kumar	N/A	N/A
2018/0343128	12/2017	Uhr et al.	N/A	N/A
2018/0349485	12/2017	Carlisle et al.	N/A	N/A
2018/0349893	12/2017	Tsai	N/A	N/A
2018/0349938	12/2017	Ericson	N/A	N/A
2018/0365764	12/2017	Nelson	N/A	H04L 9/0637
2019/0012660	12/2018	Masters	N/A	N/A
2019/0019144	12/2018	Gillen	N/A	N/A
2019/0026711	12/2018	Pinski et al.	N/A	N/A
2019/0028276	12/2018	Pierce et al.	N/A	N/A
2019/0043138	12/2018	Blake et al.	N/A	N/A
2019/0044917	12/2018	Mork et al.	N/A	N/A
2019/0080392	12/2018	Youb et al.	N/A	N/A
2019/0080398	12/2018	Jain	N/A	N/A
2019/0080402	12/2018	Molinari et al.	N/A	N/A
2019/0081789	12/2018	Madisetti	N/A	H04L 9/0637
2019/0087893	12/2018	Pellew	N/A	G06Q 20/102
2019/0114609	12/2018	Burton et al.	N/A	N/A
2019/0114706	12/2018	Bell et al.	N/A	N/A
2019/0114707	12/2018	McSheehan et al.	N/A	N/A
2019/0130387	12/2018	Arora et al.	N/A	N/A
2019/0130399	12/2018	Wright et al.	N/A	N/A
2019/0130483	12/2018	Jong	N/A	N/A
2019/0130484	12/2018	de Jong	N/A	G06Q 20/401
2019/0130506	12/2018	Walsh	N/A	N/A
2019/0130701	12/2018	Simons	N/A	N/A
2019/0156301	12/2018	Bentov et al.	N/A	N/A

2019/0156938	12/2018	Brunner	N/A	N/A
2019/0158289	12/2018	Drouin et al.	N/A	N/A
2019/0164151	12/2018	Doney et al.	N/A	N/A
2019/0164221	12/2018	Hill et al.	N/A	N/A
2019/0172026	12/2018	Vessenenes et al.	N/A	N/A
2019/0173854	12/2018	Beck	N/A	N/A
2019/0188653	12/2018	Khaund	N/A	N/A
2019/0213564	12/2018	Chan et al.	N/A	N/A
2019/0220813	12/2018	Madisetti et al.	N/A	N/A
2019/0220836	12/2018	Caldwell	N/A	N/A
2019/0222418	12/2018	O'Brien et al.	N/A	N/A
2019/0228409	12/2018	Madisetti et al.	N/A	N/A
2019/0228461	12/2018	Domokos et al.	N/A	N/A
2019/0236594	12/2018	Ehrlich-Quinn	N/A	N/A
2019/0251078	12/2018	Yan	N/A	N/A
2019/0266661	12/2018	Moura et al.	N/A	N/A
2019/0272591	12/2018	Leonard	N/A	G06Q 20/405
2019/0278852	12/2018	Jayachandran et al.	N/A	N/A
2019/0279204	12/2018	Norton et al.	N/A	N/A
2019/0279215	12/2018	Kuchar et al.	N/A	N/A
2019/0287100	12/2018	Song et al.	N/A	N/A
2019/0287175	12/2018	Hill et al.	N/A	N/A
2019/0299105	12/2018	Knight et al.	N/A	N/A
2019/0303892	12/2018	Yantis et al.	N/A	N/A
2019/0303926	12/2018	Yantis et al.	N/A	N/A
2019/0318425	12/2018	Tilley et al.	N/A	N/A
2019/0333030	12/2018	Ramasamy et al.	N/A	N/A
2019/0333142	12/2018	Thomas	N/A	G06F 16/27
2019/0340609	12/2018	Mayadas et al.	N/A	N/A
2019/0370792	12/2018	Lam	N/A	N/A
2019/0385156	12/2018	Liu	N/A	N/A
2019/0385229	12/2018	Leonard et al.	N/A	N/A
2019/0392511	12/2018	Mahajan et al.	N/A	N/A
2019/0392536	12/2018	Rice	N/A	N/A
2020/0005284	12/2019	Vijayan	N/A	N/A
2020/0013053	12/2019	Amin	N/A	N/A
2020/0034457	12/2019	Brody et al.	N/A	N/A
2020/0038761	12/2019	Packin et al.	N/A	N/A
2020/0042989	12/2019	Ramadoss	N/A	G06Q 20/065
2020/0065802	12/2019	Mathieson	N/A	H04L 9/0637
2020/0065847	12/2019	Harrison et al.	N/A	N/A
2020/0065896	12/2019	Sukumaran	N/A	G06Q 40/03
2020/0065899	12/2019	Fritsch et al.	N/A	N/A
2020/0074429	12/2019	DeRosa-Grund	N/A	N/A
2020/0097950	12/2019	Thompson	N/A	N/A
2020/0111078	12/2019	Roennow et al.	N/A	N/A
2020/0119905	12/2019	Revankar et al.	N/A	N/A

2020/0133944	12/2019	Yan	N/A	N/A
2020/0134139	12/2019	Vaish et al.	N/A	N/A
2020/0167769	12/2019	Green	N/A	N/A
2020/0184041	12/2019	Andon et al.	N/A	N/A
2020/0184547	12/2019	Andon et al.	N/A	N/A
2020/0219150	12/2019	Johnston	N/A	G06Q 30/0282
2020/0242105	12/2019	Rich et al.	N/A	N/A
2020/0250590	12/2019	Augustine et al.	N/A	N/A
2020/0250657	12/2019	Senter et al.	N/A	N/A
2020/0250752	12/2019	Sugarman	N/A	N/A
2020/0258150	12/2019	Cononico	N/A	G06Q 40/03
2020/0273048	12/2019	Andon et al.	N/A	N/A
2020/0279249	12/2019	Ta	N/A	N/A
2020/0294011	12/2019	Robertson et al.	N/A	N/A
2020/0320518	12/2019	Simas et al.	N/A	N/A
2020/0334668	12/2019	Nicli et al.	N/A	N/A
2020/0349536	12/2019	Hertel et al.	N/A	N/A
2020/0356991	12/2019	Saraniacki et al.	N/A	N/A
2020/0380090	12/2019	Marion	N/A	N/A
2020/0380476	12/2019	Trudeau et al.	N/A	N/A
2020/0394652	12/2019	Youb et al.	N/A	N/A
2020/0402025	12/2019	Wang et al.	N/A	N/A
2021/0065293	12/2020	Sigler	N/A	G06Q 20/24
2021/0082044	12/2020	Sliwka et al.	N/A	N/A
2021/0097508	12/2020	Papanikolas	N/A	N/A
2021/0103984	12/2020	Leonard et al.	N/A	N/A
2021/0110469	12/2020	Ross et al.	N/A	N/A
2021/0126794	12/2020	Forrester et al.	N/A	N/A
2021/0133700	12/2020	Williams et al.	N/A	N/A
2021/0133708	12/2020	Robertson et al.	N/A	N/A
2021/0133713	12/2020	Wang et al.	N/A	N/A
2021/0192473	12/2020	Meehan	N/A	N/A
2021/0201336	12/2020	Mallett et al.	N/A	N/A
2021/0201625	12/2020	Simons	N/A	N/A
2021/0248214	12/2020	Goldston et al.	N/A	N/A
2021/0248594	12/2020	Yantis et al.	N/A	N/A
2021/0248653	12/2020	McKenzie et al.	N/A	N/A
2021/0256070	12/2020	Tran et al.	N/A	N/A
2021/0266167	12/2020	Lohe et al.	N/A	N/A
2021/0279305	12/2020	Goldston et al.	N/A	N/A
2021/0279695	12/2020	Rice	N/A	N/A
2021/0281410	12/2020	Hain	N/A	N/A
2021/0312545	12/2020	Ferreira	N/A	N/A
2021/0319430	12/2020	Yantis et al.	N/A	N/A
2021/0326848	12/2020	Yantis et al.	N/A	N/A
2021/0326849	12/2020	Yantis et al.	N/A	N/A
2021/0326850	12/2020	Yantis et al.	N/A	N/A
2021/0326852	12/2020	Yantis et al.	N/A	N/A
2021/0342836	12/2020	Cella et al.	N/A	N/A

2021/0365909	12/2020	Shiina	N/A	N/A
2021/0382966	12/2020	Shii et al.	N/A	N/A
2021/0383379	12/2020	Choi	N/A	G06Q 20/065
2022/0005023	12/2021	Angelos et al.	N/A	N/A
2022/0027992	12/2021	Blevins	N/A	N/A
2022/0058625	12/2021	Yantis et al.	N/A	N/A
2022/0058632	12/2021	Yantis et al.	N/A	N/A
2022/0067705	12/2021	Yantis et al.	N/A	N/A
2022/0067706	12/2021	Yantis et al.	N/A	N/A
2022/0067707	12/2021	Yantis et al.	N/A	N/A
2022/0067708	12/2021	Yantis et al.	N/A	N/A
2022/0084368	12/2021	Merati	N/A	N/A
2022/0122050	12/2021	Pacella et al.	N/A	N/A
2022/0122062	12/2021	Mayblum et al.	N/A	N/A
2022/0172201	12/2021	Amin	N/A	N/A
2022/0172284	12/2021	Tarmann	N/A	G06F 16/337
2022/0173893	12/2021	Basu et al.	N/A	N/A
2022/0180430	12/2021	Bethune	N/A	N/A
2022/0210061	12/2021	Simu et al.	N/A	N/A
2022/0215075	12/2021	Goldston et al.	N/A	N/A
2022/0215076	12/2021	Goldston et al.	N/A	N/A
2022/0215469	12/2021	Jette et al.	N/A	N/A
2022/0230240	12/2021	Sliwka et al.	N/A	N/A
2022/0233959	12/2021	Tsuda et al.	N/A	N/A
2022/0245608	12/2021	Burchetta	N/A	N/A
2022/0253834	12/2021	Vijayan	N/A	N/A
2022/0261882	12/2021	Youb et al.	N/A	N/A
2022/0277275	12/2021	Housser et al.	N/A	N/A
2022/0300926	12/2021	Marusyk	N/A	N/A
2022/0327529	12/2021	Williams et al.	N/A	N/A
2022/0366494	12/2021	Cella et al.	N/A	N/A
2022/0374888	12/2021	Lackey	N/A	N/A
2023/0036730	12/2022	Casa	N/A	N/A
2023/0043702	12/2022	Sells et al.	N/A	N/A
2023/0054446	12/2022	LaFever et al.	N/A	N/A
2023/0069649	12/2022	Goldston et al.	N/A	N/A
2023/0080927	12/2022	Padmanabhan	N/A	N/A
2023/0117430	12/2022	Quigley et al.	N/A	N/A
2023/0117725	12/2022	Quigley et al.	N/A	N/A
2023/0117801	12/2022	Quigley et al.	N/A	N/A
2023/0118213	12/2022	Quigley et al.	N/A	N/A
2023/0118717	12/2022	Quigley et al.	N/A	N/A
2023/0119584	12/2022	Quigley et al.	N/A	N/A
2023/0120636	12/2022	Toohey et al.	N/A	N/A
2023/0120637	12/2022	Hain	N/A	N/A
2023/0123346	12/2022	Quigley et al.	N/A	N/A
2023/0123865	12/2022	Quigley et al.	N/A	N/A
2023/0124608	12/2022	Quigley et al.	N/A	N/A

2023/0129494	12/2022	Quigley et al.	N/A	N/A
2023/0130594	12/2022	Quigley et al.	N/A	N/A
2023/0131603	12/2022	Quigley et al.	N/A	N/A
2023/0153799	12/2022	Wilson, Jr. et al.	N/A	N/A
2023/0179421	12/2022	Rojas	N/A	N/A
2023/0196341	12/2022	Quigley et al.	N/A	N/A
2023/0206261	12/2022	Cella et al.	N/A	N/A
2023/0206329	12/2022	Cella et al.	N/A	N/A
2023/0245101	12/2022	Quigley et al.	N/A	N/A
2023/0259982	12/2022	Landers	N/A	N/A
2023/0273980	12/2022	Goldston et al.	N/A	N/A
2023/0274244	12/2022	Quigley et al.	N/A	N/A
2023/0281937	12/2022	Liu	N/A	N/A
2023/0316075	12/2022	Cella et al.	N/A	N/A
2023/0325829	12/2022	Cella et al.	N/A	N/A
2023/0351393	12/2022	Cella et al.	N/A	N/A
2023/0367766	12/2022	Padmanabhan et al.	N/A	N/A
2023/0368189	12/2022	Ambrose	N/A	N/A
2023/0376572	12/2022	Barba et al.	N/A	N/A
2024/0005409	12/2023	Doney	N/A	N/A
2024/0037668	12/2023	Leise et al.	N/A	N/A
2024/0152893	12/2023	Northrop	N/A	N/A
2024/0261692	12/2023	Sliwka et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2007242962	12/2007	AU	N/A
2007242962	12/2007	AU	N/A
3055829	12/2017	CA	N/A
3113389	12/2018	CA	N/A
3118593	12/2019	CA	N/A
3038090	12/2019	CA	N/A
106682983	12/2016	CN	N/A
107292735	12/2016	CN	N/A
108062671	12/2017	CN	N/A
108335206	12/2017	CN	N/A
108711040	12/2017	CN	N/A
108768666	12/2017	CN	N/A
110060145	12/2018	CN	N/A
110860090	12/2019	CN	N/A
110135819	12/2020	CN	N/A
114616582	12/2021	CN	N/A
3540662	12/2018	EP	N/A
3564884	12/2018	EP	N/A
2572339	12/2018	GB	N/A
2597409	12/2021	GB	N/A
2018173692	12/2017	JP	N/A
2019004463	12/2018	JP	N/A
2019083013	12/2018	JP	N/A

2019160312	12/2018	JP	N/A
2023167674	12/2022	JP	N/A
3245291	12/2023	JP	N/A
20180108566	12/2017	KR	N/A
20190101625	12/2018	KR	N/A
102100457	12/2019	KR	N/A
2005048159	12/2004	WO	N/A
2007017874	12/2006	WO	N/A
2012150491	12/2011	WO	N/A
2012166790	12/2011	WO	N/A
2015150749	12/2014	WO	N/A
2017178956	12/2016	WO	N/A
2018009973	12/2017	WO	N/A
2018019364	12/2017	WO	N/A
2018020389	12/2017	WO	N/A
2018154489	12/2017	WO	N/A
2018165472	12/2017	WO	N/A
2018189658	12/2017	WO	N/A
2018209148	12/2017	WO	N/A
2019191687	12/2018	WO	N/A
2019104250	12/2018	WO	N/A
WO-2019144234	12/2018	WO	N/A
2019169374	12/2018	WO	N/A
2020092900	12/2019	WO	N/A
2020123464	12/2019	WO	N/A
2020198409	12/2019	WO	N/A
2020226800	12/2019	WO	N/A
2020232012	12/2019	WO	N/A
2021046494	12/2020	WO	N/A
2021054989	12/2020	WO	N/A
2022204041	12/2021	WO	N/A
2022224585	12/2021	WO	N/A

OTHER PUBLICATIONS

English language Abstract provided for KR20190101625. cited by applicant

English language Abstract provided for JP2019004463A. cited by applicant

English language Abstract provided for JP2019083013A. cited by applicant

English language Abstract provided for JP2019160312A. cited by applicant

U.S. Appl. No. 17/363,618, filed Jun. 30, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/363,695, filed Jun. 30, 2021, Yantis et al. cited by applicant

Builtin.com, "What is Blockchain?", Aug. 7, 2018, Retrieved online Sep. 5, 2021,

<https://builtin.com/blockchain>, 53 pages. cited by applicant

Chevet, S., "Blockchain Technology and Non-Fungible Tokens: Reshaping Value Chains in

Creative Industries," May 10, 2018, <https://ssrn.com/abstract=3212662> or

<http://dx.doi.org/10.2139/ssrn.3212662>, 73 pages. cited by applicant

Entriken, W. et al., "EIP-721: ERC-721 Non-Fungible Token Standard," Ethereum Improvement

Proposals, No. 721. Jan. 2018, <https://eips.ethereum.org/EIPS/eip-721>, 11 pages. cited by applicant

Entriken, W. et al., "EIP-721: Non-Fungible Token Standard," Jan. 24, 2018, retrieved online Sep.

5, 2021 <https://eips.ethereum.org/EIPS/eip-721>, 14 pages. cited by applicant

PCT International Search Report and Written Opinion dated Aug. 21, 2020 for International

Application No. PCT/US2019/059389, 20 pages. cited by applicant

PCT International Search Report and Written Opinion dated Feb. 5, 2020 for International Application No. PCT/US2019/062673, 10 pages. cited by applicant

PCT International Search Report and Written Opinion dated Jan. 8, 2021 for International Application No. PCT/US2020/052728, 11 pages. cited by applicant

PCT International Search Report and Written Opinion dated Jun. 26, 2019 for PCT International Application No. PCT/US2019/025003, 7 pages. cited by applicant

PCT International Search Report and Written Opinion dated Jun. 28, 2019 for PCT International Application No. PCT/US2019/025002, 6 pages. cited by applicant

Radomski, W. et al., "EIP-1155: ERC-1155 Multi Token Standard," Ethereum Improvement Proposals, No. 1155, Jun. 2018, <https://eips.ethereum.org/EIPS/eip-1155>, 18 pages. cited by applicant

Virk, R., "The One Thing Missing from the ERC 721 Standard for Digital Collectibles on the Blockchain," Sep. 2, 2018, <https://medium.com/hackernoon/the-one-thing-missing-from-erc-721-standard-for-digital-collectibles-on-the-blockchain-9ee26e4a918c>, 7 pages. cited by applicant

Westerkamp, M. et al., "Blockchain-Based Supply Chain Traceability: Token Recipes Model Manufacturing Processes," Aug. 2018, Retrieved online Sep. 5, 2021 https://www.researchgate.net/publication/326901585_Blockchain-Based_Supply_Chain_Traceability_Token_Recipes_Model_Manufacturing_Processes, 9 pages. cited by applicant

Banon, J. et al., "Boson Protocol White Paper Decentralized Autonomous Commerce," WhitePaper Version 1.1, Nov. 2020, 50 pages. cited by applicant

Binance Academy, "What Are NFT Games and How Do They Work," The Wayback Machine, Sep. 2021, <https://web.archive.org/web/20211010111916/https://academy.binance.com/en/articles/what-are-nft-games-and-how-do-they-work>, 9 pages. cited by applicant

Blocknative, "Lessons from a Pioneer in the NFT Game Ecosystem: A Brave New World for Indie Dapp Devs," blocknative, <https://www.blocknative.com/blog/gu-cards>, Oct. 2019, 5 pages. cited by applicant

Brenn, "Noobs Guide to Understanding ERC-20 vs ERC-721 Tokens," Mar. 25, 2018, <https://brennhill.medium.com/noobs-guide-to-understanding-erc-20-vs-erc-721-tokens-d7f5657a4ee7>, 4 pages. cited by applicant

Buleen, C., "Is iOS AirDrop Marketing a Creepy Tactic or a Unique Opportunity?" Jun. 20, 2018, <https://resources.clearvoice.com/blog/is-ios-airdrop-marketing-a-creepy-tactic-or-a-unique-opportunity>, 14 pages. cited by applicant

Christidis, K. et al., "Blockchains and Smart Contracts for the Internet of Things," IEEE Access, vol. 4, May 2016, pp. 2292-2303. cited by applicant

Crowdfunding Writing with NFTs [retrieved from internet on Jul. 8, 2022] published on Apr. 19, 2021 as per Wayback Machine, 10 pages. cited by applicant

Dhar, S. et al., "Smarter banking: Blockchain technology in the Indian Banking System," Asian Management Insights, vol. 3, No. 2, Nov. 2016, pp. 46-53. cited by applicant

Di Stasi, G. et al., "Routing Payments on the Lightning Network," 2018 IEEE Confs on Internet of Things, Green Computing Communications, Cyber, Physical and Social Computing, Smart Data, Blockchain, Computer and Information Technology, Congress on Cybermatics, Jul. 2018, pp. 1161-1170. cited by applicant

Extended European Search Report dated Dec. 6, 2021 for European Patent Application No. 19775523.4, 10 pages. cited by applicant

Extended European Search Report dated Dec. 8, 2021 for European Patent Application No. 19776576.1, 10 pages. cited by applicant

Extended European Search Report dated Jul. 12, 2022 for EP Application No. 19887239.2, 6 pages. cited by applicant

Extended European Search Report dated Jun. 27, 2023 for EP Application No. 20867151.1, 10 pages. cited by applicant

Extended European Search Report dated Jun. 28, 2022 for EP Application No. 19879849.8, 6 pages. cited by applicant

Flynn, B., "Crafting New Value with Existing Tokens," medium.com, <https://medium.com/@brianubiquik/crafting-new-value-with-existing-tokens-de95fe838fea>, Jun. 6, 2018, 10 pages. cited by applicant

Frankenfield, J., "Cryptocurrency Airdrop," WayBack Machine, Jun. 24, 2021, <https://web.archive.org/web/20210730071512/https://www.investopedia.com/terms/a/airdrop-cryptocurrency.asp>, 6 pages. cited by applicant

Hackernoon, "NFT Renting: For When You Want To Give Your NFTs DeFi Powers," The Wayback Machine, Jan. 7, 2022, <https://web.archive.org/web/20220107140320/https://hackernoon.com/nft-renting-for-when-you-want-to-give-your-nfts-defi-powers>, 6 pages. cited by applicant

Hong, S. et al., "FabAsset: Unique Digital Asset Management System for Hyperledger Fabric," 2020 IEEE 40th International Conference on Distributed Computing Systems (ICDCS), IEEE, 2020, pp. 1269-1274. cited by applicant

Hoogendoorn, R., "The Six Dragons NFT Extends to Crafting Simulator—Play to Earn," Published: Jan. 11, 2021, <https://www.playtoearn.online/2021/01/11/the-six-dragons-nft-extends-to-crafting-simulator/>, 3 pages. cited by applicant

Khan, M. et al., "A Tamper-Resistant Digital Token-Based Rights Management System," IEEE, 2017 International Carnahan Conference on Security Technology (ICCSST), 2017, 6 pages. cited by applicant

Klems, M. et al., "Trustless Intermediation in Blockchain-Based Decentralized Service Marketplaces," ICSOC 2017, LNCS 10601, Oct. 2017, pp. 731-739, https://doi.org/10.1007/978-3-319-69035-3_53. cited by applicant

Li, H. et al., "How People Select Their Payment Methods in Online Auctions? An Exploration of eBay Transactions," Proceedings of the 37th Hawaii International Conference on System Sciences, 2004, pp. 1-10. cited by applicant

LuxFi Official, "Real-World Asset-Backed NFTs—What Does it Mean?" Sep. 28, 2021, <https://luxfiofficial.medium.com/real-world-asset-backed-nfts-what-does-it-mean-5c95e41d88d3>, 14 pages. cited by applicant

Mai, J. et al., "Customized production based on distributed 3D printing services in cloud manufacturing," Int J Adv Manuf Technol, 2016, vol. 84, pp. 71-83. cited by applicant

Menezes, A.J. et al., "Handbook of Applied Cryptography," CRC Press, Dec. 1996, 30 pages. cited by applicant

Ogiela, M.R. et al., "Security of Distributed Ledger Solutions Based on Blockchain Technologies," 2018 IEEE 32nd International Conference on Advanced Information Networking and Applications, 2018, pp. 1089-1095. cited by applicant

PCT International Search Report and Written Opinion dated Jul. 1, 2022 for International Application No. PCT/US2022/016749, 17 pages. cited by applicant

PCT International Search Report and Written Opinion dated Jun. 21, 2022 for International Application No. PCT/US2022/021745, 20 pages. cited by applicant

PCT International Search Report and Written Opinion dated Jun. 30, 2023 for International Application No. PCT/US2023/014961, 16 pages. cited by applicant

PCT International Search Report and Written Opinion mailed Apr. 18, 2023 for International Application No. PCT/US2022/047396, 25 pages. cited by applicant

Pink.gg, "Atomic Assets 1.0—Launching the AtomicHub," <https://pinkgg.medium.com/atomicassets-1-0-launching-the-atomichub-493c9242c1ff>, Jun. 2020, 9 pages. cited by applicant

Rajendran, B. et al., "Secure and Privacy Preserving Digital Payment," IEEE SmartWorld,

Ubiquitous Intelligence & Computing, Advanced & Trusted Computed, Scalable Computing & Communications, Cloud & Big Data Computing, Internet of People and Smart City Innovation, 2017, 5 pages. cited by applicant

Ray, J., "A Next-Generation Smart Contract and Decentralized Application Platform," Ethereum Whitepaper, The Wayback Machine—

<https://web.archive.org/web/20180919085323/https://github.com/ethereum/wiki/wiki/White-Paper#messages-and-transactions>, 2018, 40 pages. cited by applicant

Regner, F. et al., "NFTs in Practice—Non-Fungible Tokens as Core Component of a Blockchain-based Event Ticketing Application," Fortieth International Conference on Information Systems, Munich, 2019, 17 pages. cited by applicant

Salt Technology Ltd., "SALT: Blockchain-Backed Loans," Crushcrypto, Sep. 8, 2017, <https://crushcrypto.com/wp-content/uploads/2017/08/SALT-abstract.pdf>, 18 pages. cited by applicant

Schneier, B., "Applied Cryptography, Second Edition—Protocols, Algorithms, and Source Code in C," 20th Anniversary Edition, John Wiley & Sons, Inc., 1996, 31 pages. cited by applicant

Sedlak, K. et al., "Oxcert Protocol Whitepaper 0.4 (draft)," Jul. 5, 2018, 59 pages. cited by applicant

Shrier, D. et al., "Blockchain & Transactions, Markets and Marketplaces," Massachusetts Institute of Technology, May 2016, https://www.getsmarter.com/blog/wp-content/uploads/2017/07/mit_blockchain_transactions_reports.pdf, 18 pages. cited by applicant

Singapore Search Report and Written Opinion dated Apr. 17, 2023 for SG Application No. 11202104293R, 11 pages. cited by applicant

Singapore Search Report and Written Opinion dated Apr. 20, 2023 for SG Application No. 11202105350Q, 9 pages. cited by applicant

Song, I., "Collateral in Loan Classification and Provisioning," IMF Working Paper, Jul. 2002, 25 pages. cited by applicant

The Sandbox Whitepaper [retrieved from the internet on May 24, 2022], , published on Oct. 29, 2020 as per Wayback Machine, 43 pages. cited by applicant

Thirdweb, "Build web3 apps, easily," The Wayback Machine, Nov. 2021,

<https://web.archive.org/web/20211127040049/https://thirdweb.com/>, 6 pages. cited by applicant

Truffle, "Smart Contracts Made Sweeter," The Wayback Machine, Dec. 2020,

<https://web.archive.org/web/20201201085449/https://www.trufflesuite.com/truffle>, 2 pages. cited by applicant

Tsagkarakis, G., "The Six Dragons Reveal Mind-Blowing Crafting on The Blockchain," egamers.io, <https://egamers.io/the-six-dragons-reveal-mind-blowing-crafting-on-the-blockchain/>, Nov. 2019, 5 pages. cited by applicant

Zimmerman, B., "How The World Of NFTs Could Be The Next Big Thing For Advertising," Forbes Business Council, May 7, 2021,

<https://www.forbes.com/sites/forbesbusinesscouncil/2021/05/07/how-the-world-of-nfts-could-be-the-next-big-thing-for-advertising/?sh=4b264a044912>, 5 pages. cited by applicant

Atkinson, J., "What are NFT events and how do they work?" Dec. 2023, 6 pages,

<https://jeffreyatkinson209.medium.com/what-are-nft-events-and-how-do-they-work-fbf67b786db9#:~:>

[text=NFT%20events%20serve%20as%20a,their%20digital%20creations%20through%20NFTs.](https://jeffreyatkinson209.medium.com/what-are-nft-events-and-how-do-they-work-fbf67b786db9#:~:) cited by applicant

Binance Blog: What Is NFT Ticketing and How Does It Work? Jun. 2022,

<https://www.binance.com/en/blog/nft/what-is-nft-ticketing-and-how-does-it-work-421499824684904022>, 3 pages. cited by applicant

Gigco Ltd., Web3 Live Music Revolution, [https://gigco-](https://gigco-global.ams3.cdn.digitaloceanspaces.com/docs/GIGCO_LITEPAPER%20.pdf)

[global.ams3.cdn.digitaloceanspaces.com/docs/GIGCO_LITEPAPER%20.pdf](https://gigco-global.ams3.cdn.digitaloceanspaces.com/docs/GIGCO_LITEPAPER%20.pdf), 2024, 26 pages. cited

by applicant

Jerseyloco Whitepaper NFT's, Aug. 2023, <https://jerseyloco.com/wp-content/uploads/2020/02/Whitepaper-NFT-08.pdf>, 33 pages. cited by applicant

Kryvoborodov, Y., "Why NFT Ticketing Is A New Normal For Event Management," Jan. 2023, <https://unicsoft.com/blog/why-nft-ticketing-is-a-new-normal-for-event-managment/>, 13 pages. cited by applicant

Mihuandayani, et al., "Text Mining Based on Tax Comments as Big Data Analysis Using SVM and Feature Selection," 2018 International Conference on Information and Communications Technology (ICOIACT), 2018, pp. 537-542. cited by applicant

NFTs for Events: Should You Embrace Them? <https://www.proglobalevents.com/blog/nft-events/> 2024, 11 pages. cited by applicant

Sankrit, K., "What are NFT Tickets? How NFT ticketing could disrupt entertainment," Jan. 2024, <https://www.moonpay.com/learn/nft/nft-ticketing>, 13 pages. cited by applicant

Yang, J. et al., "A calculation model for the serviceable evaluation of user online comment," 2015 IEEE International Conference on Smart City/SocialCom/SustainCom together with DataCom 2015 and SC2 2015, 2015, pp. 1117-1121. cited by applicant

Your Events Guy: The Top 5 Event Technology Trends That Will Transform Events in 2022, Jun. 2022, <https://youreventsguy.wordpress.com>, 72 pages. cited by applicant

English language Abstract provided for CN114616582A. cited by applicant

English language Abstract provided for CN110860090A. cited by applicant

English language Abstract provided for JP3245291U. cited by applicant

English language Abstract provided for JP2023167674A. cited by applicant

English language Abstract provided for WO2022224585A1. cited by applicant

U.S. Appl. No. 17/364,961, filed Jul. 1, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/362,159, filed Jun. 29, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/363,769, filed Jun. 30, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/363,847, filed Jun. 30, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/362,012, filed Jun. 29, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/363,237, filed Jun. 30, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/358,490, filed Jun. 25, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/358,529, filed Jun. 25, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/358,578, filed Jun. 25, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/358,608, filed Jun. 25, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/360,238, filed Jun. 28, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/360,289, filed Jun. 28, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/360,344, filed Jun. 28, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/326,583, filed May 21, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 16/370,283, filed Mar. 29, 2019, Yantis et al. cited by applicant

U.S. Appl. No. 16/370,338, filed Mar. 29, 2019, Yantis et al. cited by applicant

U.S. Appl. No. 17/519,104, filed Nov. 4, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/519,204, filed Nov. 4, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/520,329, filed Nov. 5, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/520,355, filed Nov. 5, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/520,404, filed Nov. 5, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/523,020, filed Nov. 10, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/523,042, filed Nov. 10, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/523,098, filed Nov. 10, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/523,121, filed Nov. 10, 2021, Yantis et al. cited by applicant

U.S. Appl. No. 17/703,507, filed Mar. 24, 2022, Sliwka et al. cited by applicant

U.S. Appl. No. 17/868,439, filed Jul. 19, 2022, Sliwka et al. cited by applicant

U.S. Appl. No. 17/869,082, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/869,184, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/869,241, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/869,305, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/869,387, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/869,440, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/869,966, filed Jul. 21, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/870,017, filed Jul. 21, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/870,044, filed Jul. 21, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/870,092, filed Jul. 21, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/865,790, filed Jul. 15, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/865,866, filed Jul. 15, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/867,921, filed Jul. 19, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,070, filed Oct. 26, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,137, filed Oct. 26, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,166, filed Oct. 26, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,211, filed Oct. 26, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,656, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,730, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,778, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,809, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/974,839, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/974,877, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/974,903, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/975,053, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/975,103, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/975,145, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/975,171, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/975,216, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/035,108, filed Sep. 28, 2020, Sliwka et al. cited by applicant
U.S. Appl. No. 17/518,989, filed Nov. 4, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/519,052, filed Nov. 4, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/519,152, filed Nov. 4, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/869,128, filed Jul. 20, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/520,886, filed Nov. 8, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/520,917, filed Nov. 8, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/245,662, filed Apr. 30, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/363,661, filed Jun. 30, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/867,981, filed Jul. 19, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/358,453, filed Jun. 25, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/360,396, filed Jun. 28, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/521,007, filed Nov. 8, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/521,082, filed Nov. 8, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/523,057, filed Nov. 10, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/523,069, filed Nov. 10, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/743,684, filed May 13, 2022, Yantis et al. cited by applicant
U.S. Appl. No. 17/743,867, filed May 13, 2022, Yantis et al. cited by applicant
U.S. Appl. No. 17/868,366, filed Jul. 19, 2022, Sliwka et al. cited by applicant
U.S. Appl. No. 17/975,216, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/869,241, filed Jul. 20, 2022, Sliwka. cited by applicant

U.S. Appl. No. 17/865,866, filed Jul. 15, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/974,656, filed Oct. 27, 2022, Quigley al. cited by applicant
U.S. Appl. No. 17/867,921, filed Jul. 19, 2022, Quigley al. cited by applicant
U.S. Appl. No. 17/974,109, filed Oct. 26, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/868,439, filed Jul. 19, 2022, Sliwka al. cited by applicant
U.S. Appl. No. 17/974,730, filed Oct. 27, 2022, Quigley. cited by applicant
U.S. Appl. No. 17/974,778, filed Oct. 27, 2022, Quigley al. cited by applicant
U.S. Appl. No. 17/974,809, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,839, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,877, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/974,903, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/975,053, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/975,103, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/975,145, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/975,171, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/520,380, filed Nov. 5, 2021, Yantis et al. cited by applicant
U.S. Appl. No. 17/975,256, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/975,295, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 17/975,324, filed Oct. 27, 2022, Quigley et al. cited by applicant
U.S. Appl. No. 18/640,186, filed Apr. 19, 2024, Quigley et al. cited by applicant
U.S. Appl. No. 18/640,204, filed Apr. 19, 2024, Quigley et al. cited by applicant
U.S. Appl. No. 18/640,223, filed Apr. 19, 2024, Quigley et al. cited by applicant
U.S. Appl. No. 18/829,700, filed Sep. 10, 2024, Sliwka et al. cited by applicant
U.S. Appl. No. 17/358,412, filed Jun. 25, 2021, Yantis et al. cited by applicant
Bachmann, S. et al., “Design and Prototypical Implementation of Blockchain Ticketing,”
University of Zurich, Jan. 25, 2021, 133 pgs, <https://www.csq.uzh.ch/publications/details.php?id=1423>. cited by applicant
Bruschi, F. et al., “A Decentralized System for Fair Token Distribution and Seamless Users
Onboarding,” IEEE, 2020, 6 pages. cited by applicant
Chan, A., “UTXO in Digital Currencies: Account-based or Token-based? Or Both?,” arXiv, Sep.
2021, pp. 1-21. cited by applicant
Extended European Search Report dated Jan. 3, 2025 for EP Application No. 22776654.0, 4 pages.
cited by applicant
Fukumitsu, M. et al., “A Method for a Practical Smart Contract by using Blockchain and
Centralized Server,” IPSJ SIG Technical Report, 2018, 9 pages. cited by applicant
Lauslahti, K. et al., “Smart Contracts—How will Blockchain Technology Affect Contractual
Practices?” ETLA Reports, No. 68, Jan. 2017, 32 pages. cited by applicant
Singapore Search Report dated Feb. 24, 2025 for Singapore Patent Application No. 11202203114T,
3 pages. cited by applicant
Singapore Written Opinion dated Mar. 4, 2025 for Singapore Patent Application No.
11202203114T, 7 pages. cited by applicant
Swannack, R.A., “Using Blockchain for Digital Card Game,” EWU Digital Commons, 2020, 77
pages. cited by applicant

Primary Examiner: Jones; Courtney P

Attorney, Agent or Firm: RMCK Law Group, PLC

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of U.S. Non-Provisional application Ser. No. 17/245,662, filed on Apr. 30, 2021, which is a continuation of International Application No. PCT/US2019/059389, filed on Nov. 1, 2019, which claims priority to U.S. Provisional Application No. 62/906,211, filed on Sep. 26, 2019; 62/770,620, filed on Nov. 21, 2018; 62/770,624, filed on Nov. 21, 2018; and 62/754,987, filed on Nov. 2, 2018. The disclosures of each of the above applications are incorporated herein by reference in their entirety.

FIELD

(1) The present disclosure relates to a platform that effectuates transactions involving tokens that correspond to instances of linkage among physical and/or digital items and corresponding virtual representations of the physical and/or digital items.

BACKGROUND

(2) Conventional e-Commerce processes involve unnecessary friction. These processes were typically designed around use cases in which a purchaser places an order knowing exactly what they want, how they are going to pay for it, where it is going to go, who it is for, and that they want it as soon as possible. Conventional e-commerce does not allow for much flexibility in these buying decisions. For example, a user wishing to purchase a gift for someone typically makes a purchase via a website or mobile application, enters the intended recipient's known address (regardless of whether the recipient typically receives packages at the known address), and pays for the gift. The gift is then immediately sent to the recipient, regardless of whether the recipient is available to receive the package. Accordingly, there is a need in the art for an e-commerce platform with greater flexibility around all facets of a transaction including, but not limited to, purchase selection, payment, transfer of possession, and location and timing of delivery.

(3) Meanwhile, virtual items have become increasingly popular, such as in video games, where skins, weapons, tools, and many other items are purchased and traded among players. Virtual items, like other digital items, can be possessed, used and transferred without the same constraints on transportation, delivery and storage that are involved for physical items. However, the value of a virtual item can be ephemeral, as creators can potentially create an unlimited number of copies, rendering initially rare items much less valuable. A need exists for a platform with methods and systems that provide both the flexibility and convenience of virtual item transactions and the reliability and value of physical item transactions.

SUMMARY

(4) Provided herein is a platform that provides both the flexibility and convenience of virtual item transactions and the reliability and value of physical item transactions by providing a set of capabilities for storing, transacting, transferring, exchanging, and otherwise processing a set of secure, tokenized links, where each link exists between a unique physical item and a unique instance of a virtual representation of the physical item, such that ownership and control of the virtual representation corresponds to ownership and control of the physical item. As a result of the linkage, for example, a user can send a virtual representation of an item to friend, and the friend may possess the item, representing ownership and the right to control of the physical item to which the virtual item is linked. Meanwhile, the item itself need not be delivered until such time as the recipient wishes to take possession of it. In some embodiments, the physical item may comprise an item that has yet to be created, such as an item of food (e.g., a pizza from a specific provider) that will be made and delivered when delivery is desired by the owner of the virtual representation that corresponds to that item (e.g., when the owner received a gift of a token representing the pizza). A wide range of transactions in a wide range of virtual items that are linked to physical items are

encompassed and enabled by the platform, methods and systems described herein, such as gifts that do not require immediate physical delivery, lending transactions where collateral can remain securely stored, transactions in digital luxury goods, and many others.

(5) According to some embodiments of the present disclosure, a platform and method for facilitating a set of transactions involving a set of items is disclosed. The method includes receiving one or more item attributes of the item via a first graphical user interface of a tokenization platform, the item attributes including a number of instances of the item that are available for transaction by a merchant of the item. The method also includes generating a virtual representation of the item based on the item attributes, wherein the virtual representation is a data structure that stores the item attributes. The method further includes updating a distributed ledger to include the virtual representation. The method also includes generating N tokens based on the virtual representation, wherein N is an integer equal to the number of items available for transaction and wherein each token is redeemable by an owner of the token in order to satisfy the transaction for the instance of the item. The method further includes updating the distributed ledger to include the N tokens, and for each token of the N tokens, ownership data of the token that indicates that the token is initially owned by the merchant of the item. The method also includes providing a digital marketplace that provides a second graphical user interface that allows consumers to: view visualizations of virtual representations of items including the virtual representation of the item; and transact for an instance of the item by purchasing a token of the N tokens.

(6) In some embodiments, the N tokens include non-fungible tokens. In embodiments, the N tokens include fungible tokens. In embodiments, the N tokens are transferrable to other users. In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, a giveaway of the instance of the item, or any other action that affects the ownership of the item.

(7) In some embodiments, the method further includes receiving a request to transact for the item via the digital marketplace from a user device associated with a transacting consumer and facilitating a transaction for an instance of the item. In these embodiments, facilitating the transaction includes verifying an account of the transacting consumer; and processing a payment received from the transacting consumer. The method also includes updating the ownership data of one token of the N tokens to indicate that the transacting consumer owns the one token.

(8) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that stores: a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform; a plurality of virtual representations of a plurality of respective items; and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method further includes providing a digital marketplace that provides a second graphical user interface that allows consumers to: view visualizations of virtual representations of items including the virtual representation of the item; and transact for an instance of an item of the plurality of respective items by purchasing a token from the set of tokens corresponding to the item. The method also includes receiving a request to participate in a transaction for an instance of an item represented by a virtual representation of the plurality of virtual representations from a consumer user. The method includes updating the distributed ledger with a block that includes ownership data that indicates that a specific token corresponding to the virtual representation is owned by the transacting user in response to verifying the request to participate in the transaction, wherein the specific token is redeemed by an owner of the token in order to satisfy the transaction for the instance of the item.

(9) In embodiments, the set of tokens corresponding to a virtual representation includes non-

fungible tokens. In some embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens. In some embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In some embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(10) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that stores: a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform; a plurality of virtual representations of a plurality of respective items; and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method further includes providing a digital marketplace that provides a second graphical user interface that allows consumers to: view visualizations of virtual representations of items including the virtual representation of the item; and transact for an instance of an item of the plurality of respective items by purchasing a token from the set of tokens corresponding to the item. The method also includes receiving a request to participate in a transaction for an instance of an item represented by a virtual representation of the plurality of virtual representations from a consumer user. The method includes updating the distributed ledger with a block that includes ownership data that indicates that a specific token corresponding to the virtual representation is owned by the transacting user in response to verifying the request to participate in the transaction, wherein the specific token is redeemed by an owner of the token in order to satisfy the transaction for the instance of the item. The method further includes receiving a transfer request to transfer the specific token to a different user, wherein the transfer request includes a token identifier that identifies the specific token and a public address of the different user and validating the specific token based on the token identifier and the distributed ledger. The method further includes verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the distributed ledger. Furthermore, in response to validating the specific token and verifying the different user, the method includes updating the distributed ledger with a block that includes ownership data that indicates that a specific token corresponding to the virtual representation is owned by the transacting user. The method also includes receiving a redemption request to redeem the token from a user device of the different user. Additionally, in response to receiving the redemption request, the method further includes executing a workflow to satisfy the transaction for instance of the item corresponding to the token.

(11) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens. In some embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens. In some embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In some embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(12) According to some embodiments of the present disclosure, a method is disclosed. The method includes displaying a digital wallet graphical user interface via a user device of a user associated with the digital wallet. The method further includes displaying, by the digital wallet graphical user interface, an inventory of tokens that are owned by the user, wherein each token corresponds to a respective item and wherein each token is redeemable by user to satisfy a transaction for an instance of the respective item. The method also includes receiving, by the digital wallet graphical

user interface, an instruction to transfer a token from the inventory of tokens to a recipient. The method also includes displaying, by the digital wallet graphical user interface, a digital keyboard, wherein the digital keyboard includes a selectable media content that is representative of the respective item that corresponds to the token to be transferred. The method also includes receiving, by the digital keyboard, a text-based message including a selection of the selectable media content. The method also includes embedding, by the digital keyboard, the token in the text-based message, wherein the token is embedded in the selectable media content. The method further includes transmitting, by the digital wallet, the text-based message having the token embedded therein to a message account of the recipient, wherein the recipient can select the selectable media content to accept to the token into a respective digital wallet of the recipient.

(13) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, the transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item. In embodiments, the selectable media content is an emoji having the token associated therewith. In some of these embodiments, the token is embedded in the emoji. In some of these embodiments, the selectable media content includes a deep link where a recipient of the selectable media content can select the selectable media content to accept the token. In embodiments, the selectable media content is one of an image, a .gif, or a video.

(14) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that stores a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform. The distributed ledger further stores a plurality of virtual representations of a plurality of respective items, wherein each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item, and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method also includes rendering a virtual reality store environment, wherein the virtual reality store environment provides an interface that allows users to view virtual reality visualizations of available items that are available for transaction and to transact for instances of the available items. The method further includes rendering a virtual reality visualization of an item represented by a virtual representation of the plurality of virtual representations based on the virtual reality content in the virtual representation, wherein the virtual reality visualization of the item is presented in the virtual reality store environment. The method also includes receiving a request to participate in a transaction for an instance of the item represented by the virtual reality representation of the item from a user device of a transacting user, wherein the request to participate in the transaction is received in response to the transacting user viewing the virtual reality representation of the item in the virtual reality store environment. The method also includes, in response to verifying the request to participate in the transaction, associating a specific token corresponding to the virtual representation with an account of the transacting user in the distributed ledger.

(15) In embodiments, the method also includes receiving a transfer request to transfer the specific token to a different user, wherein the transfer request includes a token identifier that identifies the specific token and a public address of the different user. In these embodiments, the method further includes validating the specific token based on the token identifier and the distributed ledger, verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the distributed ledger, and in response to validating the specific token

and verifying the different user, updating the distributed ledger with a block that includes ownership data that indicates that a specific token corresponding to the virtual representation is owned by the transacting user. In some of these embodiments, the method further includes receiving a redemption request to redeem the token from a user device of the different user, and in response to receiving the redemption request, executing a workflow to satisfy the transaction for instance of the item corresponding to the token.

(16) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(17) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that stores a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform. The distributed ledger further stores a plurality of virtual representations of a plurality of respective items, wherein each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item, and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method further includes receiving a redemption request to redeem a token from a user device of a user, the token corresponding to an instance of an item to be redeemed. The method also includes, in response to receiving the redemption request, verifying that the user is the owner of the token based on the distributed ledger and the redemption request. The method further includes, in response to verifying that the user is the owner of the token, requesting delivery details pertaining to the item from the user. The method further includes receiving the delivery details from the user device of the user and, in response to receiving the delivery details from the user device, outputting the delivery details to a delivery system that facilitates delivery of the item.

(18) In embodiments, requesting the delivery details pertaining to the item includes requesting a current location of the user. In some of these embodiments, the item being redeemed is one of a food item or a ride share. In some of these embodiments, the user device provides a geolocation of the user device. Additionally, or alternatively, the user device provides an address provided by the user.

(19) In embodiments, the item being redeemed is a tangible good. In some of these embodiments, the delivery details include a current geolocation of the user device captured by the user device. In some of these embodiments, the delivery details include a current address of the user provided to the user device by the user via a graphical user interface of the user device.

(20) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(21) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that stores a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform. The distributed ledger further stores a plurality of virtual representations of a plurality of respective items, wherein each virtual representation includes virtual reality content to render a virtual reality

visualization of the respective item, and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method also includes receiving a redemption request to redeem a token from a user device of a user, the token corresponding to an instance of an item to be redeemed. The method further includes, in response to receiving the redemption request, verifying that the user is the owner of the token based on the distributed ledger and the redemption request. The method also includes, in response to verifying that the user is the owner of the token, requesting fulfilment details pertaining to the item from the user, wherein the fulfilment details include information needed to satisfy the transaction for the item that were not provided at a time when the token was transacted for. The method also includes receiving the fulfilment details from the user device of the user and, in response to receiving the delivery details from the user device, outputting the fulfilment details to a fulfilment system that satisfies transactions for items.

(22) In embodiments, the item is an article of clothing. In some of these embodiments, requesting the fulfilment details pertaining to the item includes requesting a size of the item. In some of these embodiments, requesting the fulfilment details pertaining to the item includes requesting a color of the item. In some of these embodiments, requesting the fulfilment details pertaining to the item includes requesting a delivery date of the item.

(23) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(24) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that includes a main chain of blocks and a first side chain of blocks. The main chain of blocks collectively store information relating to plurality of users, including item providers and consumers, wherein the information relating to the plurality of users includes a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform. The first side chain of blocks collectively store: a plurality of virtual representations of a plurality of respective items, wherein each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item; and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method also includes receiving a request to participate in a transaction for an instance of an item represented by a virtual representation of the plurality of virtual representations from a user device of a transacting user. The method further includes, in response to verifying the request to participate in the transaction, updating ownership data of a specific token corresponding to the virtual representation in the first side chain of blocks to indicate that the transacting user owns the specific token.

(25) According to some embodiments, the method further includes receiving a redemption request to redeem the specific token from a user device of the transacting user, and verifying that the transacting user is the owner of the specific token based on the first side chain of blocks and the redemption request. The method also includes, in response to verifying the transacting user is the owner of the specific token, executing a workflow to satisfy the transaction for instance of the item corresponding to the token.

(26) According to some embodiments, the method further includes receiving a transfer request to

transfer the specific token to a different user, wherein the transfer request includes a token identifier that identifies the specific token and a public address of the different user. In these embodiments, the method further includes validating the specific token based on the token identifier and the first chain of block and verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the main chain of blocks. The method further includes, in response to validating the specific token and verifying the different user, updating the second chain of blocks with a new block that includes ownership data that indicates that the specific token corresponding to the virtual representation is owned by the different user. In some of these embodiments, the method further includes receiving a redemption request to redeem the token from a user device of the different user; verifying that the different user is the owner of the specific token based on the first side chain of blocks and the redemption request; and in response to verifying the different user is the owner of the specific token, executing a workflow to satisfy the transaction for instance of the item corresponding to the token.

(27) According to some embodiments, the distributed ledger further includes a second side chain of blocks that collectively store one or more respective media contents relating to respective virtual representations of the plurality of virtual representations. In some of these embodiments, the one or more respective media contents include an image of a respective item represented by a respective virtual representation. In some of these embodiments, the one or more respective media contents include a video of a respective item represented by a respective virtual representation. In some of these embodiments, the one or more respective media contents include virtual reality content depicting a respective item represented by a respective virtual representation.

(28) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens. In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users. In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience. In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(29) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that includes a main chain of blocks and a first side chain of blocks. The main chain of blocks collectively store information relating to plurality of users, including item providers and consumers, wherein the information relating to the plurality of users includes a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform. The first side chain of blocks collectively store: a plurality of virtual representations of a plurality of respective items, wherein each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item; and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The method also includes receiving a transfer request to transfer the specific token from an owner of the specific token to a different user, wherein the transfer request includes a token identifier that identifies the specific token and a public address of the different user. The method also includes validating the specific token based on the token identifier and the first chain of blocks and verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the main chain of blocks. The method also includes, in response to validating the specific token and verifying the different user, updating the second chain of blocks with a new block that includes ownership data that indicates that the specific token corresponding to the virtual representation is owned by the different user.

(30) According to some embodiments, the method further includes receiving a redemption request

to redeem the token from a user device of the different user and verifying that the different user is the owner of the specific token based on the new block in the first side chain of blocks and the redemption request. In these embodiments, the method further includes, in response to verifying the different user is the owner of the specific token, executing a workflow to satisfy the transaction for instance of the item corresponding to the token.

(31) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform is disclosed. The method includes maintaining a distributed ledger that includes a main chain of blocks and a first side chain of blocks. The main chain of blocks collectively store information relating to plurality of users, including item providers and consumers, wherein the information relating to the plurality of users includes a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform. The first side chain of blocks collectively store: a plurality of virtual representations of a plurality of respective items, wherein each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item; and for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token.

(32) According to some embodiments of the present disclosure, a method for generating a digital token that uniquely represents an item includes obtaining, by a processing system of a tokenization platform, a unique identifier for a unique unit of the item, generating, by a cryptographic token generation system, a unique digital token includes a set of digital attributes that correspond to the set of item attributes, and cryptographically linking, by a linking system, the unique digital token and the unique identifier for the unique unit of the item such that the unique digital token provides a unique digital representation of the unique unit of the item. The item includes a set of item attributes.

(33) In embodiments, the item is a real-world object.

(34) In embodiments, the real-world object is a consumer product, a unique instance of a digital item, or a gift card.

(35) In embodiments, the set of digital attributes of the gift card include a merchant with which the gift card is redeemable.

(36) In embodiments, the set of digital attributes of the gift card include a redeemable value.

(37) In embodiments, the item is already in existence.

(38) In embodiments, the unique digital token is redeemable for fulfillment of the unit of the consumer product.

(39) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(40) In embodiments, the unique digital token is redeemable for a right to possess the item.

(41) In embodiments, possession of the unique digital token represents ownership of the item.

(42) In embodiments, the item is a gift card and the unique digital token represents a right to redeem the gift card.

(43) In embodiments, the unique digital token is transferable.

(44) In embodiments, transfer of the unique digital token is executable by sending the unique digital token in a messaging interface.

(45) In embodiments, transfer of the unique digital token is executable by sending the unique digital token in an email interface.

(46) In embodiments, the set of item attributes includes a set of physical attributes.

(47) In embodiments, set of the item attributes includes a set of origination attributes.

(48) In embodiments, the set of origination attributes includes limited-edition attributes, celebrity-signature attributes, certification of originality attributes, location of origin attributes, certification of ethical production attributes, or creator attributes.

- (49) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents the set of item attributes.
- (50) In embodiments, the set of digital attributes of the unique digital token includes a data structure that supports a visual representation of the item.
- (51) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents an animation of the item.
- (52) In embodiments, the set of digital attributes of the unique digital token includes an image of the item.
- (53) According to some embodiments of the present disclosure, a system for generating a digital token that uniquely represents a real-world object, includes an interface configured to handle a unique identifier for a unique unit of a real-world object, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of real-world object attributes, wherein the unique digital token is cryptographically secure, and a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the real-world object, such that the unique digital token provides a unique digital representation of the unique unit of the real-world object. The real-world object has a set of real-world-object attributes.
- (54) In embodiments, the real-world object is a consumer product.
- (55) In embodiments, the real-world object is a unique instance of a digital item.
- (56) In embodiments, the real-world object is a gift card.
- (57) In embodiments, the real-world object is already in existence
- (58) In embodiments, the real-world object has a defined type and a defined set of characteristics but is not yet in existence.
- (59) In embodiments, the unique digital token is redeemable for a right to possess the real-world object.
- (60) In embodiments, possession of the unique digital token represents ownership of the real-world object.
- (61) In embodiments, the unique digital token is transferable.
- (62) In embodiments, the set of real-world-object attributes includes a set of physical attributes.
- (63) In embodiments, the set of real-world-object attributes includes a set of origination attributes.
- (64) In embodiments, the set of origination attributes includes limited edition attributes.
- (65) In embodiments, the set of origination attributes includes celebrity signature attributes.
- (66) In embodiments, the set of origination attributes includes certification of originality attributes.
- (67) In embodiments, the set of origination attributes includes location of origin attributes.
- (68) In embodiments, the set of origination attributes includes certification of ethical production attributes.
- (69) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents the physical attributes of the real-world object.
- (70) In embodiments, the set of digital attributes of the unique digital token includes a data structure that supports a visual representation of the real-world object.
- (71) In embodiments, the set of digital attributes of the unique digital token includes an image of the real-world object.
- (72) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents an animation of the real-world object.
- (73) According to some embodiments of the present disclosure, a system for generating a digital token that uniquely represents a unique unit of a consumer product, includes an interface configured to handle a unique identifier for a unique unit of a consumer product, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that corresponds to the set of consumer-product attributes, wherein the unique digital token is

cryptographically secure, and a linking system configured to generate a one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the consumer product, such that the unique digital token provides a unique digital representation of the unique unit of the consumer product. The consumer product has a set of consumer-product attributes.

(74) In embodiments, the set of consumer-product attributes includes a set of physical attributes.

(75) In embodiments, the set of consumer-product attributes includes a set of origination attributes.

(76) In embodiments, the set of origination attributes includes limited edition attributes.

(77) In embodiments, the set of origination attributes of the consumer product include celebrity signature attributes.

(78) In embodiments, the set of origination attributes includes certification of originality attributes.

(79) In embodiments, the set of origination attributes includes location of origin attributes.

(80) In embodiments, the set of origination attributes includes certification of ethical production attributes.

(81) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents the physical attributes of the consumer product.

(82) In embodiments, the set of digital attributes of the unique digital token includes a data structure that supports a visual representation of the consumer product.

(83) In embodiments, the set of digital attributes of the unique digital token includes an image of the consumer product.

(84) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents an animation of the consumer product.

(85) In embodiments, the consumer product is already in existence.

(86) In embodiments, the unique digital token is redeemable for fulfillment of the unit of the consumer product.

(87) In embodiments, the consumer product has a defined type and a defined set of characteristics but is not yet in existence.

(88) In embodiments, the unique digital token is redeemable for fulfillment of creation and delivery of the unit of the consumer product.

(89) According to some embodiments of the present disclosure, a system for generating a digital token that uniquely represents a unique unit of a digital product includes an interface configured to handle a unique identifier for a unique unit of a digital product, a cryptographic token generation system that generates a unique digital token that has a set of token attributes that correspond to the set of digital-product attributes, wherein the unique digital token is cryptographically secure, and a linking system configured to generate a one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the digital product, such that the unique digital token provides a unique digital representation of the unique unit of the digital product. The digital product has a set of attributes.

(90) In embodiments, the set of digital-product attributes includes a set of origination attributes.

(91) In embodiments, the set of origination attributes includes limited edition attributes.

(92) In embodiments, the set of origination attributes includes creator attributes.

(93) In embodiments, the set of origination attributes includes certification of originality attributes.

(94) In embodiments, the set of origination attributes includes location of origin attributes.

(95) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents the attributes of the digital product.

(96) In embodiments, the set of digital attributes of the unique digital token includes a data structure that supports a visual representation of the digital product.

(97) In embodiments, the set of digital attributes of the unique digital token includes an image of the digital product.

(98) In embodiments, the set of digital attributes of the unique digital token includes a data

structure that represents an animation of the digital product.

(99) In embodiments, the digital product is already in existence.

(100) In embodiments, the unique digital token is redeemable for fulfillment of the unit of the digital product.

(101) In embodiments, the digital product has a defined type and a defined set of characteristics but is not yet in existence.

(102) In embodiments, the unique digital token is redeemable for fulfillment of creation and delivery of the unit of the digital product.

(103) According to some embodiments of the present disclosure, a system for generating a digital token that uniquely represents a unique unit of a gift card, includes an interface configured to handle a unique identifier for a unique unit of a gift card, a cryptographic token generation system that generates a unique digital token that has a set of token attributes that correspond to the set of gift card attributes, wherein the unique digital token is cryptographically secure, and a linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the gift card, such that the cryptographically secure digital token provides a unique digital representation of the unique unit of the gift card. The gift card has a set of gift-card attributes.

(104) In embodiments, the set of gift-card attributes includes a merchant with which the gift card is redeemable.

(105) In embodiments, the set of gift-card attributes includes a redeemable value.

(106) In embodiments, the unique digital token represents the right to redeem the gift card and is transferable.

(107) In embodiments, the transfer of the unique digital token is executable by sending the unique digital token in a chat interface.

(108) In embodiments, the transfer of the unique digital token is executable by sending the unique digital token in an email interface.

(109) In embodiments, the set of digital attributes of the unique digital token includes a data structure that represents the gift-card attributes.

(110) In embodiments, the set of digital attributes of the unique digital token includes a data structure that supports a visual representation of the gift card.

(111) In embodiments, the set of digital attributes of the unique digital token includes an image of the gift card.

(112) In embodiments, the gift card is already in existence.

(113) In embodiments, the unique digital token is redeemable for fulfillment of the unit of the gift card.

(114) In embodiments, the gift card has a defined type and a defined set of characteristics but is not yet in existence.

(115) In embodiments, the unique digital token is redeemable for fulfillment of creation and delivery of the unit of the gift card.

(116) According to some embodiments of the present disclosure, a method includes receiving, by a processing system of a tokenization platform, a notification of a transfer of funds to a user account of a user, the funds is in a first currency and the tokenization platform facilitating trade in a second currency defined in accordance with a protocol, receiving, by the processing system of the tokenization platform, request to generate a tokenized token representing a portion of the funds, generating, by the processing system, the tokenized token that represents the portion of the funds, initiating, by the processing system, a hold of the portion of the funds, wherein the portion of the funds are inaccessible to an owner of the tokenized token until the tokenized token is redeemed by the owner of the tokenized token, and updating, by the processing system, a ledger to indicate that the tokenized token is owned by the user. The tokenized token is defined in accordance with the

protocol.

(117) In embodiments, the visual indicia depict an amount of currency corresponding to the portion of the funds.

(118) In embodiments, the funds are in a traditional currency and transferred to the account of the user via a credit card or bank transfer.

(119) In embodiments, the funds are in a cryptocurrency and transferred in from an external cryptocurrency account of the user.

(120) In embodiments, the initiating the hold of the portion of the funds includes transferring the portion of the funds from the account of the user into an escrow account.

(121) In embodiments, the portion of the funds remain in the escrow account until the tokenized token is redeemed by the owner of the tokenized token.

(122) In embodiments, in response to the tokenized token is redeemed. The tokenized token is invalidated.

(123) In embodiments, the ledger is a distributed ledger.

(124) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.

(125) In embodiments, the first digital token is a fungible token.

(126) In embodiments, the first digital token is a non-fungible token.

(127) In embodiments, the first digital token is a cryptocurrency coin.

(128) In embodiments, the first digital token is a digital ticket to an event.

(129) In embodiments, the first digital token is a gift card.

(130) In embodiments, the first digital token is a gift certificate.

(131) In embodiments, the first digital token is a digital representation of a security.

(132) In embodiments, the first digital token is an access token to a secure location.

(133) In embodiments, the linking system uses a blockchain.

(134) In embodiments, ownership of the second digital token is recorded in an ownership record system.

(135) In embodiments, the ownership record system uses a distributed ledger.

(136) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.

(137) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token is associated with a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and an exchange system for exchange of the second digital token via integration with a messaging system, wherein upon a user sending a message includes an embedded media content of the second digital token that represents the defined quantity of the cryptocurrency to a recipient, the system automatically transfers the defined amount of the cryptocurrency from an account of the user to an account of the recipient of the message.

(138) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.

(139) In embodiments, the first digital token is a fungible token.

(140) In embodiments, the first digital token is a non-fungible token.

(141) In embodiments, the messaging system is a short message service.

(142) In embodiments, the messaging system is a chat message system.

- (143) In embodiments, the messaging system is an email system.
- (144) In embodiments, the messaging system is integrated in a social networking site.
- (145) In embodiments, the messaging system is integrated with a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with a user interface of the digital wallet.
- (146) In embodiments, the linking system uses a blockchain.
- (147) In embodiments, ownership of the second digital token is recorded in an ownership record system.
- (148) In embodiments, the ownership record system uses a distributed ledger.
- (149) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (150) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token is associated with a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a digital wallet-less system that automatically enables the exchange of the cryptocurrency from a first account of a first user to a second account of a second user upon transfer of the second digital token from the first account to the second account.
- (151) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.
- (152) In embodiments, the digital wallet-less system enables the exchange of the cryptocurrency upon parsing of a coded message.
- (153) In embodiments, the digital wallet-less system enables the exchange of the cryptocurrency upon recognition of a movement of the second digital token in a user interface.
- (154) In embodiments, the linking system uses a blockchain.
- (155) In embodiments, ownership of the second digital token is recorded in an ownership record system.
- (156) In embodiments, the ownership record system uses a distributed ledger.
- (157) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (158) In embodiments, the digital wallet-less system is integrated with a messaging system.
- (159) In embodiments, the messaging system is a short message service.
- (160) In embodiments, the messaging system is a chat message system.
- (161) In embodiments, the messaging system is an email system.
- (162) In embodiments, the messaging system is integrated in a social networking site.
- (163) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with a user interface of the digital wallet.
- (164) In embodiments, the first account is associated with a first cryptographic key. The second account is associated with a second cryptographic key. the second cryptographic key is different from the first cryptographic key, and the digital wallet-less system exchanges the cryptocurrency using a set of workflows that omits interaction of both the first user and the second user with a cryptographic key.
- (165) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the

first digital token is associated with a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a transfer system that enables transfer of the defined quantity of the cryptocurrency embodied by the first digital token in the amount represented by the second digital token among user accounts using a set of workflows that omits interaction of users with a cryptographic key.

(166) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.

(167) In embodiments, the transfer system enables transfer upon parsing of a coded message.

(168) In embodiments, the transfer system enables transfer upon recognition of a movement of the second digital token in a user interface.

(169) In embodiments, the linking system uses a blockchain.

(170) In embodiments, ownership of the second digital token is recorded in an ownership record system.

(171) In embodiments, the ownership record system uses a distributed ledger.

(172) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.

(173) In embodiments, the transfer system is integrated with a messaging system.

(174) In embodiments, the messaging system is a short message service.

(175) In embodiments, the messaging system is a chat message system.

(176) In embodiments, the messaging system is an email system.

(177) In embodiments, the messaging system is integrated in a social networking site.

(178) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.

(179) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token is a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a transfer system that enables an exchange of control of a quantity of the first digital token using a workflow that omits interaction by users with a cryptography system.

(180) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.

(181) In embodiments, the transfer system executes an exchange upon parsing of a code in a message from a party that controls the second digital token.

(182) In embodiments, the exchange system executes an exchange upon recognition of a movement of the second digital token in a user interface.

(183) In embodiments, the exchange of control results in transfer of ownership.

(184) In embodiments, the exchange of control results in movement of a record of the second digital token from one account to another account.

(185) In embodiments, the first digital token is a fungible token.

- (186) In embodiments, the first digital token is a non-fungible token.
- (187) In embodiments, the first digital token is a cryptocurrency coin.
- (188) In embodiments, the first digital token is a digital ticket to an event.
- (189) In embodiments, the first digital token is a gift card.
- (190) In embodiments, the first digital token is a gift certificate.
- (191) In embodiments, the first digital token is a digital representation of a security.
- (192) In embodiments, the first digital token is an access token to a secure location.
- (193) In embodiments, the linking system uses a blockchain.
- (194) In embodiments, ownership of the second digital token is recorded in an ownership record system.
- (195) In embodiments, the ownership record system uses a distributed ledger.
- (196) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (197) In embodiments, the transfer system is integrated with a messaging system.
- (198) In embodiments, the messaging system is a short message service.
- (199) In embodiments, the messaging system is a chat message system.
- (200) In embodiments, the messaging system is an email system.
- (201) In embodiments, the messaging system is integrated in a social networking site.
- (202) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.
- (203) In embodiments, the transfer system executes the exchange upon parsing of a code in a message from a party that controls the second digital token.
- (204) In embodiments, the system executes the exchange upon recognition of a movement of the second digital token in a user interface.
- (205) According to some embodiments of the present disclosure, a method for facilitating a transaction of an item, includes receiving one or more item attributes of the item via a first graphical user interface of a tokenization platform, the item attributes includes a number of instances of the item that are available for transaction by a merchant of the item, generating a virtual representation of the item based on the item attributes, wherein the virtual representation is a data structure that stores the item attributes, and generating N digital tokens based on the virtual representation, wherein N is an integer equal to the number of items available for transaction and wherein each digital token is redeemable by an owner of the respective digital token to satisfy the transaction for an instance of the item.
- (206) In embodiments, the N digital tokens include non-fungible tokens.
- (207) In embodiments, the N digital tokens include fungible tokens.
- (208) In embodiments, the N digital tokens are transferrable to other users.
- (209) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.
- (210) In embodiments, a transaction for an instance of an item is at least one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.
- (211) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.
- (212) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.
- (213) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.
- (214) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(215) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(216) In embodiments, the ledger is a distributed ledger.

(217) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform includes maintaining a ledger, providing a digital marketplace, receiving a request to participate in a transaction for an instance of an item represented by a virtual representation of the plurality of virtual representations from a user device of a transacting user, in response to verifying the request to participate in the transaction, associating a specific token corresponding to the virtual representation with an account of the transacting user, receiving a transfer request to transfer the specific token to a different user, wherein the transfer request includes a digital-token identifier that identifies the specific token and a public address of the different user, validating the specific token based on the digital-token identifier and the ledger, verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the ledger, in response to validating the specific token and verifying the different user, updating the ledger with a block that includes ownership data that indicates that the specific token corresponding to the virtual representation is owned by the different user, receiving a redemption request to redeem the digital token from a user device of the different user, and in response to receiving the redemption request, executing a workflow to satisfy the transaction for the instance of the item corresponding to the token. The ledger stores a plurality of public addresses, wherein each respective public address corresponds to a respective account of a respective user of the tokenization platform, a plurality of virtual representations of a plurality of respective items, for each virtual representation, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation, and ownership data of each respective token. The digital marketplace provides a second graphical user interface that allows consumers to view visualizations of virtual representations of items includes the virtual representation of the item and to transact for an instance of the item by purchasing a digital token of the set of tokens.

(218) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.

(219) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.

(220) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(221) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(222) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(223) In embodiments, the ledger is a distributed ledger.

(224) According to some embodiments of the present disclosure, a method includes displaying a digital wallet graphical user interface via a user device of a user associated with the digital wallet, displaying, by the digital wallet graphical user interface, an inventory of tokens that are owned by the user, wherein each token corresponds to a respective item and wherein each token is redeemable by the user to satisfy a transaction for an instance of the respective item, receiving, by the digital wallet graphical user interface, an instruction to transfer a digital token from the inventory of tokens to a recipient, displaying, by the digital wallet graphical user interface, a digital keyboard, wherein the digital keyboard includes a selectable media content that is representative of the respective item that corresponds to the digital token to be transferred, receiving, by the digital keyboard, a text-based message includes a selection of the selectable media content, embedding, by

the digital keyboard, a digital-token identifier of the digital token in the text-based message, wherein the digital token is embedded in the selectable media content, and transmitting, by the digital wallet, the text-based message has the digital-token identifier embedded therein to a message account of the recipient, wherein the recipient can select the selectable media content to accept to the digital token into a respective digital wallet of the recipient.

(225) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.

(226) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.

(227) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(228) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(229) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(230) In embodiments, the selectable media content is an emoji has the digital token associated therewith.

(231) In embodiments, the digital token is embedded in the emoji.

(232) In embodiments, the selectable media content includes a deep link where a recipient of the selectable media content can select the selectable media content to accept the digital token.

(233) In embodiments, the selectable media content is one of an image, a .gif, or a video.

(234) In embodiments, the text-based message has the digital-token identifier embedded therein is transferrable from the message account of the recipient to a second messaging account of a second recipient without the first recipient redeeming the digital token, wherein the second recipient can select the selectable media content to accept to the digital token into a respective digital wallet of the second recipient.

(235) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a respective one of a set of first digital tokens, wherein each first digital token is associated with a respective cryptocurrency, a cryptographic token generation system that generates a set of second digital tokens corresponding to respective first digital tokens within the set of first digital tokens, wherein each second digital token represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system that generates a one-to-at-least-one link between each second digital token generated by the cryptographic token generation system and the respective first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a user interface that enables a workflow for transfer of a plurality of second digital tokens within the set of second digital tokens, each of the plurality of second digital tokens representing a respective cryptocurrency type.

(236) In embodiments, each second digital token is redeemable for the respective defined quantity of the respective first digital token.

(237) In embodiments, each first digital token is a fungible token.

(238) In embodiments, each first digital token is a non-fungible token.

(239) In embodiments, the set of first digital tokens includes fungible tokens and non-fungible tokens.

(240) In embodiments, each first digital token is a respective cryptocurrency coin.

(241) In embodiments, each first digital token is a respective digital ticket to a respective event.

(242) In embodiments, each first digital token is a respective gift card.

(243) In embodiments, each first digital token is a respective gift certificate.

- (244) In embodiments, each first digital token is a respective digital representation of a security.
- (245) In embodiments, each first digital token is a respective access token to a secure location.
- (246) In embodiments, the linking system uses a blockchain.
- (247) In embodiments, ownership of the tokenized token is recorded in an ownership record system.
- (248) In embodiments, the ownership record system uses a distributed ledger.
- (249) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (250) In embodiments, the user interface is integrated with a messaging system.
- (251) In embodiments, the messaging system is a short message service.
- (252) In embodiments, the messaging system is a chat message system.
- (253) In embodiments, the messaging system is an email system.
- (254) In embodiments, the messaging system is integrated in a social networking site.
- (255) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.
- (256) In embodiments, the user interface initiates the transfer of the plurality of second digital tokens upon parsing of a code in a message from a party that controls the set of second digital tokens.
- (257) In embodiments, the user interface initiates the transfer of the plurality of second digital tokens upon recognition of a movement of the second digital token in a user interface.
- (258) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token is a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a messaging system integrating the handling of cryptocurrency exchanges into a messaging protocol, wherein the messaging system automatically executes exchange of the cryptocurrency upon sending of a message incorporating the second digital token therein.
- (259) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.
- (260) In embodiments, the first digital token is a cryptocurrency coin.
- (261) In embodiments, the linking system uses a blockchain.
- (262) In embodiments, ownership of the second digital token is recorded in an ownership record system.
- (263) In embodiments, the ownership record system uses a distributed ledger.
- (264) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (265) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.
- (266) In embodiments, the messaging system initiates the exchange upon parsing of a code in a message from a party that controls the second digital token.
- (267) In embodiments, the messaging system initiates an exchange upon recognition of a movement of the second digital token in a user interface.
- (268) In embodiments, the messaging protocol is a short message service protocol.

(269) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token is a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and an email system integrating the handling of cryptocurrency exchanges into an email protocol, wherein the email system automatically executes the exchange upon incorporation of the second digital token representing the defined quantity of the cryptocurrency into an email message.

(270) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.

(271) In embodiments, the first digital token is a cryptocurrency coin.

(272) In embodiments, the linking system uses a blockchain.

(273) In embodiments, ownership of the second digital token is recorded in an ownership record system.

(274) In embodiments, the ownership record system uses a distributed ledger.

(275) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.

(276) In embodiments, the email system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.

(277) In embodiments, the email system initiates the exchange upon parsing of a code in a message from a party that controls the second digital token.

(278) In embodiments, the email system initiates an exchange upon recognition of a movement of the second digital token in a user interface.

(279) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token is cryptographically secure, a cryptographic token generation system that generates a second digital token includes the first digital token within a secure cryptographic wrapper, wherein the second digital token is unique and cryptographically secure, and a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure.

(280) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.

(281) In embodiments, the first digital token is a fungible token.

(282) In embodiments, the first digital token is a non-fungible token.

(283) In embodiments, the first digital token is a cryptocurrency coin.

(284) In embodiments, the first digital token is a digital ticket to an event.

(285) In embodiments, the first digital token is a gift card.

(286) In embodiments, the first digital token is a gift certificate.

(287) In embodiments, the first digital token is a digital representation of a security.

(288) In embodiments, the first digital token is an access token to a secure location.

(289) In embodiments, the linking system uses a blockchain.

(290) In embodiments, ownership of the tokenized token is recorded in an ownership record system.

- (291) In embodiments, the ownership record system uses a distributed ledger.
- (292) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (293) In embodiments, the system is integrated with a messaging system.
- (294) In embodiments, the messaging system is a short message service.
- (295) In embodiments, the messaging system is a chat message system.
- (296) In embodiments, the messaging system is an email system.
- (297) In embodiments, the messaging system is integrated in a social networking site.
- (298) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.
- (299) In embodiments, the system executes an exchange of the second digital token upon parsing of a code in a message from a party that controls the second digital token.
- (300) In embodiments, the system executes an exchange of the second digital token upon recognition of a movement of the second digital token in a user interface.
- (301) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, a cryptographic token generation system that generates a second digital token that is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a rule system configured to manage and apply a set of rules to the second digital token, wherein the set of rules includes a lock rule that restricts one or more transaction actions involving the second digital token and an unlock rule that removes the restriction of the one or more transaction actions involving the second digital token.
- (302) In embodiments, the lock rule and the unlock rule are configurable by a host of the system configured to tokenize a token.
- (303) In embodiments, the lock rule and the unlock rule are configurable by a user of the system configured to tokenize a token in a user interface of the system.
- (304) In embodiments, the lock rule and the unlock rule are automatically configured to enable compatibility with a set of exchange rules governing the first digital token.
- (305) In embodiments, the second digital token is redeemable for a defined quantity of the first digital token.
- (306) In embodiments, the first digital token is a fungible token.
- (307) In embodiments, the first digital token is a non-fungible token.
- (308) In embodiments, the first digital token is a cryptocurrency coin.
- (309) In embodiments, the first digital token is a digital ticket to an event.
- (310) In embodiments, the first digital token is a gift card.
- (311) In embodiments, the first digital token is a gift certificate.
- (312) In embodiments, the first digital token is a digital representation of a security.
- (313) In embodiments, the first digital token is an access token to a secure location.
- (314) In embodiments, the linking system uses a blockchain.
- (315) In embodiments, ownership of the second token is recorded in an ownership record system.
- (316) In embodiments, the ownership record system uses a distributed ledger.
- (317) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.
- (318) In embodiments, the system is integrated with a messaging system.
- (319) In embodiments, the messaging system is a short message service.
- (320) In embodiments, the messaging system is a chat message system.

- (321) In embodiments, the messaging system is an email system.
- (322) In embodiments, the messaging system is integrated in a social networking site.
- (323) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.
- (324) In embodiments, the system executes an exchange of tokens upon parsing of a code in a message from a party that controls the second digital token.
- (325) In embodiments, the system executes an exchange of tokens upon recognition of a movement of the second digital token in a user interface.
- (326) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a respective item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the cryptographically secure token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the cryptographically secure digital token provides a unique digital representation of the unique unit of the item, and a secure data storage system configured to store the unique identifier of the item, the cryptographically secure one-to-at-least-one link, and an identifier of an owner of the digital token.
- (327) In embodiments, the data storage system uses a blockchain.
- (328) In embodiments, the data storage system stores a ledger that provides a record of ownership of the digital token.
- (329) In embodiments, upon transfer of the digital token. The ledger is updated to reflect the change of ownership of the digital token.
- (330) In embodiments, the item is a consumer product.
- (331) In embodiments, the item is a unique instance of a digital item.
- (332) In embodiments, the item is a gift card.
- (333) In embodiments, the item is already in existence
- (334) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.
- (335) In embodiments, the token is redeemable for the right to possess the item.
- (336) In embodiments, possession of the token represents ownership of the item.
- (337) In embodiments, the token is transferable.
- (338) In embodiments, the item attributes include a set of physical attributes.
- (339) In embodiments, the item attributes include a set of origination attributes.
- (340) In embodiments, the origination attributes include limited edition attributes.
- (341) In embodiments, the origination attributes include celebrity signature attributes.
- (342) In embodiments, the origination attributes include certification of originality attributes.
- (343) In embodiments, the origination attributes include location of origin attributes.
- (344) In embodiments, the origination attributes include certification of ethical production attributes.
- (345) In embodiments, the digital attributes of the token include a data structure that represents the physical attributes of the item.
- (346) In embodiments, the digital attributes of the token include a data structure that supports a visual representation of the item.
- (347) In embodiments, the digital attributes of the token include an image of the item.
- (348) In embodiments, the digital attributes of the token include a data structure that represents an animation of the item.
- (349) According to some embodiments of the present disclosure, a system for handling a set of

secure digital tokens, each of which uniquely represents a respective item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the unique digital token provides a unique digital representation of the unique unit of the item, and an ownership record system that provides transfer of ownership of the unique digital token and provides a secure system of record of ownership of a set of digital tokens that each uniquely tokenize a respective item. The set of digital tokens includes the unique digital token. The item has a set of item attributes.

(350) In embodiments, the ownership record system uses a blockchain.

(351) In embodiments, the ownership record system uses a ledger.

(352) In embodiments, the ownership record systems uses a distributed ledger.

(353) In embodiments, upon transfer of the unique digital token within a coded message in a messaging environment. The ownership of the unique digital token is automatically transferred in the ownership record system.

(354) In embodiments, the item is a consumer product.

(355) In embodiments, the item is a unique instance of a digital item.

(356) In embodiments, the item is a gift card.

(357) In embodiments, the item is already in existence

(358) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(359) In embodiments, the unique digital token is redeemable for the right to possess the item.

(360) In embodiments, possession of the unique digital token represents ownership of the item.

(361) In embodiments, the unique digital token is transferable.

(362) In embodiments, the item attributes include a set of origination attributes.

(363) In embodiments, the origination attributes include limited edition attributes.

(364) In embodiments, the origination attributes include celebrity signature attributes.

(365) In embodiments, the origination attributes include location of origin attributes.

(366) In embodiments, the origination attributes include certification of ethical production attributes.

(367) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(368) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(369) In embodiments, the digital attributes of the unique digital token include an image of the item.

(370) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the item.

(371) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a respective item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the unique digital token provides a unique digital representation of the unique unit of the item, and a messaging system configured to integrate handling of a set of digital tokens into a short messaging service, whereby

exchange of the unique digital token is automatically executed upon sending a short message service message that incorporates the unique digital token therein. The item has a set of item attributes.

(372) In embodiments, the messaging system configured to parse a set of short message service messages for a set of codes that represent instructions to process a set of actions with respect to the set of digital tokens identified in the short message service messages.

(373) In embodiments, a code provides an instruction to exchange the unique digital token with a recipient of the short message service message.

(374) In embodiments, a code provides an instruction to transfer ownership of the unique digital token to a recipient of the short message service message.

(375) In embodiments, a code provides an instruction to gift the unique digital token to a recipient of the short message service message.

(376) In embodiments, a code provides an instruction to redeem unique digital token for the item.

(377) In embodiments, a code provides an instruction to move the unique digital token to a different account of the sender of the short message service message.

(378) In embodiments, a code provides an instruction to move the unique digital token to a digital wallet of the recipient of the short message service message.

(379) In embodiments, a code provides an instruction to move the unique digital token to a digital wallet of the sender of the short message service message.

(380) In embodiments, the item is a consumer product.

(381) In embodiments, the item is a unique instance of a digital item.

(382) In embodiments, the item is a gift card.

(383) In embodiments, the item is already in existence

(384) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(385) In embodiments, the unique digital token is redeemable for the right to possess the item.

(386) In embodiments, possession of the unique digital token represents ownership of the item.

(387) In embodiments, the unique digital token is transferable.

(388) In embodiments, the item attributes include a set of physical attributes.

(389) In embodiments, the item attributes include a set of origination attributes.

(390) In embodiments, the origination attributes include limited edition attributes.

(391) In embodiments, the origination attributes include celebrity signature attributes.

(392) In embodiments, the origination attributes include certification of originality attributes.

(393) In embodiments, the origination attributes include location of origin attributes.

(394) In embodiments, the origination attributes include certification of ethical production attributes.

(395) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(396) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(397) In embodiments, the digital attributes of the unique digital token include an image of the item.

(398) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the item.

(399) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a respective item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-

least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the cryptographically secure digital token provides a unique digital representation of the unique unit of the item, and an email system configured to integrate handling of a set of digital tokens into email messages, whereby exchange of the unique digital token is automatically executed upon sending an email message that incorporates the unique digital token therein. The item has a set of item attributes. (400) In embodiments, the email system configured to parse a set of email messages for a set of codes that represent instructions to process a set of actions with respect to the set of digital tokens identified in the email messages.

(401) In embodiments, a code provides an instruction to exchange the unique digital token with a recipient of the email message.

(402) In embodiments, a code provides an instruction to transfer ownership of the unique digital token to a recipient of the email message.

(403) In embodiments, a code provides an instruction to gift the unique digital token to a recipient of the email message.

(404) In embodiments, a code provides an instruction to redeem the unique digital token for the item.

(405) In embodiments, a code provides an instruction to move the unique digital token to a different account of the sender of the email message.

(406) In embodiments, a code provides an instruction to move the unique digital token to a digital wallet of the recipient of the email message.

(407) In embodiments, a code provides an instruction to move the unique digital token to a digital wallet of the sender of the email message.

(408) In embodiments, the item is a unique instance of a digital item.

(409) In embodiments, the item is a gift card.

(410) In embodiments, the item is already in existence

(411) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(412) In embodiments, the unique digital token is redeemable for the right to possess the item.

(413) In embodiments, possession of the unique digital token represents ownership of the item.

(414) In embodiments, the unique digital token is transferable.

(415) In embodiments, the item attributes include a set of physical attributes.

(416) In embodiments, the item attributes include a set of origination attributes.

(417) In embodiments, the origination attributes include limited edition attributes.

(418) In embodiments, the origination attributes include celebrity signature attributes.

(419) In embodiments, the origination attributes include certification of originality attributes.

(420) In embodiments, the origination attributes include location of origin attributes.

(421) In embodiments, the origination attributes include certification of ethical production attributes.

(422) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(423) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(424) In embodiments, the digital attributes of the unique digital token include an image of the item.

(425) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the item.

(426) In embodiments, the item is a consumer product.

(427) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a respective item, includes an interface

configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token provides a unique digital representation of the unique unit of the item, and a system configured to enable gifting of the digital token that uniquely tokenizes an item, wherein upon recognition of a gift instruction, the system records the gift in a secure system of record of ownership. The item has a set of item attributes.

(428) In embodiments, the ownership record system uses a blockchain.

(429) In embodiments, the ownership record system uses a ledger.

(430) In embodiments, the ownership record systems uses a distributed ledger.

(431) In embodiments, upon transfer of the digital token within a coded message in a messaging environment that indicates intent to gift the digital token, the ownership of the digital token is automatically transferred in the ownership record system to the recipient of the gift.

(432) In embodiments, the item is a consumer product.

(433) In embodiments, the item is a unique instance of a digital item.

(434) In embodiments, the item is a gift card.

(435) In embodiments, the item is already in existence

(436) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(437) In embodiments, the token is redeemable for the right to possess the item.

(438) In embodiments, possession of the token represents ownership of the item.

(439) In embodiments, the token is transferable.

(440) In embodiments, the attributes of the item include a set of physical attributes.

(441) In embodiments, the attributes of the item include a set of origination attributes.

(442) In embodiments, the origination attributes include limited edition attributes.

(443) In embodiments, the origination attributes include celebrity signature attributes.

(444) In embodiments, the origination attributes include certification of originality attributes.

(445) In embodiments, the origination attributes include location of origin attributes.

(446) In embodiments, the origination attributes include certification of ethical production attributes.

(447) In embodiments, the digital attributes of the token include a data structure that represents the physical attributes of the item.

(448) In embodiments, the digital attributes of the token include a data structure that supports a visual representation of the item.

(449) In embodiments, the digital attributes of the token include an image of the item.

(450) In embodiments, the digital attributes of the token include a data structure that represents an animation of the item.

(451) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a respective item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the unique digital token provides a unique digital representation of the unique unit of the item, and a system configured to process a redemption instruction for unique digital token that uniquely tokenizes an item, wherein upon receipt of a redemption instruction the system automatically initiates a process for delivery of an item to a party redeeming unique digital token that uniquely tokenizes the item. The item has a

set of item attributes.

(452) In embodiments, the item is a consumer product.

(453) In embodiments, the item is a unique instance of a digital item.

(454) In embodiments, the item is a gift card.

(455) In embodiments, the item is already in existence

(456) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(457) In embodiments, the unique digital token is redeemable for the right to possess the item.

(458) In embodiments, possession of the unique digital token represents ownership of the item.

(459) In embodiments, the unique digital token is transferable.

(460) In embodiments, the item attributes include a set of physical attributes.

(461) In embodiments, the item attributes include a set of origination attributes.

(462) In embodiments, the origination attributes include limited edition attributes.

(463) In embodiments, the origination attributes include celebrity signature attributes.

(464) In embodiments, the origination attributes include certification of originality attributes.

(465) In embodiments, the origination attributes include location of origin attributes.

(466) In embodiments, the origination attributes include certification of ethical production attributes.

(467) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(468) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(469) In embodiments, the digital attributes of the unique digital token include an image of the item.

(470) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the item.

(471) According to some embodiments of the present disclosure, a method includes receiving, by a processing system, a request to tokenize an item, receiving, by the processing system, one or more photographs of the item, receiving, by the processing system, item information corresponding to the item includes a description of the item, generating, by the processing system, a virtual representation of the item based on the one or more photographs and the item information, requesting, by the processing system, an authentication of the item via a portal that is accessible by subject-matter authentication experts, wherein the portal displays the virtual representation of the item in the portal, receiving, by the processing system, an authentication report from a subject-matter authentication expert includes an opinion indicating whether the subject-matter authentication expert deemed the item authentic or not-authentic and one or more reasons for the opinion, and in response to an opinion indicating that the item is deemed authentic, generating a digital token based on a virtual representation of the item and assigning an ownership of the token to an owner of the item.

(472) In embodiments, the request to tokenize the item is received in connection with a request to collateralize the item.

(473) In embodiments, the request to authenticate an item is requested via the portal in response to the machine-learned prediction model is unable to predict that the item is likely not authentic.

(474) In embodiments, the authentication report further includes an appraisal value by the subject-matter authentication expert.

(475) In embodiments, transfer of the token is restricted until the loan is paid or in default.

(476) In embodiments, the smart contract defines whether the loan is transferable to another lender and, if the smart contract allows transfers of the loan. The smart contract further includes one or more conditions that when met, cause the smart contract to initiate a transfer of the loan to the other lender.

(477) In embodiments, the smart contract updates a ledger to indicate a change in an ownership interest with respect to the token in response to the one or more conditions is met.

(478) According to some embodiments of the present disclosure, a system for tracking a set of secure digital tokens, each of which uniquely represents an item, includes an interface configured to handle a set of unique identifiers, each of the set of unique identifiers corresponding to a unique unit of an item, a cryptographic token generation system that generates a set of unique digital tokens, each of the set of unique digital tokens includes a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the unique digital token provides a unique digital representation of the unique unit of the item, and an escrow system configured to handle the items that are represented by the set of unique digital tokens pending redemption of a respective one or more unique digital tokens from the set of unique digital tokens.

(479) In embodiments, the escrow system uses a blockchain to record ownership of the items represented by the set of unique digital tokens.

(480) In embodiments, the escrow system uses a distributed ledger to provide a record of ownership of the unique digital tokens.

(481) In embodiments, the control of the unique digital token represents the right to receive the item from escrow.

(482) In embodiments, the escrow system provides physical security for the item pending occurrence of an escrow release condition.

(483) In embodiments, the unique digital token is redeemable for the release of the item from escrow.

(484) In embodiments, the unique digital token provides an authentication mechanism for an access control system that permits physical release of the item from escrow.

(485) In embodiments, the item is a consumer product.

(486) In embodiments, the item is a unique instance of a digital item.

(487) In embodiments, the item is a gift card.

(488) In embodiments, the item is already in existence

(489) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(490) In embodiments, the unique digital token is redeemable for the right to possess the item.

(491) In embodiments, possession of the unique digital token represents ownership of the item.

(492) In embodiments, the unique digital token is transferable.

(493) In embodiments, the attributes of the item include a set of physical attributes.

(494) In embodiments, the item attributes include a set of origination attributes.

(495) In embodiments, the origination attributes include limited edition attributes.

(496) In embodiments, the origination attributes include celebrity signature attributes.

(497) In embodiments, the origination attributes include certification of originality attributes.

(498) In embodiments, the origination attributes include location of origin attributes.

(499) In embodiments, the origination attributes include certification of ethical production attributes.

(500) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(501) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(502) In embodiments, the digital attributes of the unique digital token include an image of the item.

(503) In embodiments, the digital attributes of the unique digital token include a data structure that

represents an animation of the item.

(504) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents an item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the unique digital token provides a unique digital representation of the unique unit of the item, and a collateral-validation system configured to validate the set of item attributes, each item attribute of the set of item attributes is uniquely represented by one or more digital attributes of the set of digital attributes of the unique digital token. The item has a set of item attributes.

(505) In embodiments, the collateral-validation system includes an interface by which an expert evaluator characterizes a set of the item attributes.

(506) In embodiments, the collateral-validation system includes a location system that validates a physical location of the item.

(507) In embodiments, the location system validates that the item is located in a secured location controlled by a host of the system.

(508) In embodiments, the validation system includes a set of sensors configured to detect a set of attributes of the item.

(509) In embodiments, the validation system includes an image capture system configured to capture a set of attributes of the item.

(510) In embodiments, the item is a consumer product.

(511) In embodiments, the item is a unique instance of a digital item.

(512) In embodiments, the item is a gift card.

(513) In embodiments, the item is already in existence

(514) In embodiments, the item has a defined type and a defined set of characteristics but is not yet in existence.

(515) In embodiments, the unique digital token is redeemable for the right to possess the item.

(516) In embodiments, possession of the unique digital token represents ownership of the item.

(517) In embodiments, the unique digital token is transferable.

(518) In embodiments, the item attributes include a set of physical attributes.

(519) In embodiments, the item attributes include a set of origination attributes.

(520) In embodiments, the origination attributes include limited edition attributes.

(521) In embodiments, the origination attributes include celebrity signature attributes.

(522) In embodiments, the origination attributes include certification of originality attributes.

(523) In embodiments, the origination attributes include location of origin attributes.

(524) In embodiments, the origination attributes include certification of ethical production attributes.

(525) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(526) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(527) In embodiments, the digital attributes of the unique digital token include an image of the item.

(528) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents an item, includes an interface configured to handle a unique identifier for a unique unit of an item, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of

item attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the item, such that the unique digital token provides a unique digital representation of the unique unit of the item, and a user interface enabling a set of workflows configured to purchase the unique digital token. The item has a set of item attributes.

(529) In embodiments, the set of workflows includes a workflow configured to search for a category of unique digital token.

(530) In embodiments, the set of workflows includes a workflow configured to set a price for the unique digital token.

(531) In embodiments, the set of workflows includes a workflow configured to bid for the unique digital token.

(532) In embodiments, the set of workflows includes a workflow configured to solicit a bid for the unique digital token.

(533) In embodiments, the set of workflows includes a workflow configured to advertise the attributes of the unique digital token.

(534) In embodiments, the set of workflows includes a workflow configured to view an image of the item.

(535) In embodiments, the item is a consumer product.

(536) In embodiments, the real-world object is a unique instance of a digital item.

(537) In embodiments, the real-world object is a gift card.

(538) In embodiments, the real-world object is already in existence

(539) In embodiments, the real-world object has a defined type and a defined set of characteristics but is not yet in existence.

(540) In embodiments, the unique digital token is redeemable for the right to possess the real-world object.

(541) In embodiments, possession of the unique digital token represents ownership of the real-world object.

(542) In embodiments, the unique digital token is transferable.

(543) In embodiments, the item attributes include a set of physical attributes.

(544) In embodiments, the item attributes include a set of origination attributes.

(545) In embodiments, the origination attributes include limited edition attributes.

(546) In embodiments, the origination attributes include celebrity signature attributes.

(547) In embodiments, the origination attributes include certification of originality attributes.

(548) In embodiments, the origination attributes include location of origin attributes.

(549) In embodiments, the origination attributes include certification of ethical production attributes.

(550) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the item.

(551) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the item.

(552) In embodiments, the digital attributes of the unique digital token include an image of the item.

(553) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the item.

(554) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a real-world object, includes an interface configured to handle a unique identifier for a unique unit of a real-world object, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of real-world object attributes, wherein the unique digital token is

cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the real-world object, such that the unique digital token provides a unique digital representation of the unique unit of the real-world object, and a user interface enabling a set of workflows configured to exchange unique digital token that uniquely tokenizes a real-world object. The object has a set of real-world object attributes.

(555) In embodiments, the user interface includes a set of elements configured to identify a party to an exchange.

(556) In embodiments, the user interface includes a set of elements configured to set a value for an exchange.

(557) In embodiments, the user interface includes a set of elements configured to initiate an exchange and upon such initiation the system records a change of ownership in an ownership record system for the unique digital token.

(558) In embodiments, the real-world object is a consumer product.

(559) In embodiments, the real-world object is a unique instance of a digital item.

(560) In embodiments, the real-world object is a gift card.

(561) In embodiments, the real-world object is already in existence

(562) In embodiments, the real-world object has a defined type and a defined set of characteristics but is not yet in existence.

(563) In embodiments, the unique digital token is redeemable for the right to possess the real-world object.

(564) In embodiments, possession of the unique digital token represents ownership of the real-world object.

(565) In embodiments, the unique digital token is transferable.

(566) In embodiments, the attributes of the real-world object include a set of physical attributes.

(567) In embodiments, the attributes of the real-world object include a set of origination attributes.

(568) In embodiments, the origination attributes include limited edition attributes.

(569) In embodiments, the origination attributes include celebrity signature attributes.

(570) In embodiments, the origination attributes include certification of originality attributes.

(571) In embodiments, the origination attributes include location of origin attributes.

(572) In embodiments, the origination attributes include certification of ethical production attributes.

(573) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the real-world object.

(574) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the real-world object.

(575) In embodiments, the digital attributes of the unique digital token include an image of the real-world object.

(576) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the real-world object.

(577) In embodiments, the digital attributes of the token include a data structure that represents a media content depicting the real-world object

(578) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a real-world object, includes an interface configured to handle a unique identifier for a unique unit of a real-world object a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of real-world object attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the

cryptographic token generation system and the unique identifier for the unique unit of the real-world object, such that the unique digital token provides a unique digital representation of the unique unit of the real-world object, and a user interface enabling a set of workflows configured to gift unique digital token that uniquely tokenizes the item.

(579) In embodiments, the user interface includes a set of elements configured to identify a recipient of a gift.

(580) In embodiments, the user interface includes a set of elements configured to set a value for the gift.

(581) In embodiments, the user interface includes a set of elements configured to search for a category of unique digital token that can be provided as a gift.

(582) In embodiments, the user interface includes a set of elements configured to configure a type and quantity of unique digital token that can be gifted.

(583) In embodiments, the user interface includes a set of elements configured to initiate a gift and upon such initiation the system records a change of ownership in an ownership record system for the unique digital token.

(584) In embodiments, the real-world object is a consumer product.

(585) In embodiments, the real-world object is a unique instance of a digital item.

(586) In embodiments, the real-world object is a gift card.

(587) In embodiments, the real-world object is already in existence

(588) In embodiments, the real-world object has a defined type and a defined set of characteristics but is not yet in existence.

(589) In embodiments, the unique digital token is redeemable for the right to possess the real-world object.

(590) In embodiments, possession of the unique digital token represents ownership of the real-world object.

(591) In embodiments, the unique digital token is transferable.

(592) In embodiments, the attributes of the real-world object include a set of physical attributes.

(593) In embodiments, the attributes of the real-world object include a set of origination attributes.

(594) In embodiments, the origination attributes include limited edition attributes.

(595) In embodiments, the origination attributes include celebrity signature attributes.

(596) In embodiments, the origination attributes include certification of originality attributes.

(597) In embodiments, the origination attributes include location of origin attributes.

(598) In embodiments, the origination attributes include certification of ethical production attributes.

(599) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the real-world object.

(600) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the real-world object.

(601) In embodiments, the digital attributes of the unique digital token include an image of the real-world object.

(602) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the real-world object.

(603) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a real-world object, includes an interface configured to handle a unique identifier for a unique unit of a real-world object a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of real-world object attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the real-

world object, such that the unique digital token provides a unique digital representation of the unique unit of the real-world object, and a user interface enabling a set of workflows configured to redeem the unique digital token for the real-world object.

(604) In embodiments, the user interface includes a set of elements representing a set of digital tokens that are eligible for redemption. The set of digital tokens includes the unique digital token.

(605) In embodiments, the user interface includes a set of elements representing attributes of the real-world objects that can be obtained upon redemption.

(606) In embodiments, the user interface includes a set of elements configured to initiate redemption and wherein upon such initiation a workflow is triggered for delivery of the real-world object to the redeeming party.

(607) In embodiments, the real-world object is a consumer product.

(608) In embodiments, the real-world object is a unique instance of a digital item.

(609) In embodiments, the real-world object is a gift card.

(610) In embodiments, the real-world object is already in existence

(611) In embodiments, the real-world object has a defined type and a defined set of characteristics but is not yet in existence.

(612) In embodiments, the unique digital token is redeemable for the right to possess the real-world object.

(613) In embodiments, possession of the unique digital token represents ownership of the real-world object.

(614) In embodiments, the unique digital token is transferable.

(615) In embodiments, the attributes of the real-world object include a set of physical attributes.

(616) In embodiments, the attributes of the real-world object include a set of origination attributes.

(617) In embodiments, the origination attributes include limited edition attributes.

(618) In embodiments, the origination attributes include celebrity signature attributes.

(619) In embodiments, the origination attributes include certification of originality attributes.

(620) In embodiments, the origination attributes include location of origin attributes.

(621) In embodiments, the origination attributes include certification of ethical production attributes.

(622) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the real-world object.

(623) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the real-world object.

(624) In embodiments, the digital attributes of the unique digital token include an image of the real-world object.

(625) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the real-world object.

(626) According to some embodiments of the present disclosure, a system for handling a set of secure digital tokens, each of which uniquely represents a real-world object, includes an interface configured to handle a unique identifier for a unique unit of a real-world object, a cryptographic token generation system that generates a unique digital token that has a set of digital attributes that correspond to the set of real-world object attributes, wherein the unique digital token is cryptographically secure, a cryptographic linking system configured to generate a cryptographically secure, one-to-at-least-one link between the unique digital token generated by the cryptographic token generation system and the unique identifier for the unique unit of the real-world object, such that the unique digital token provides a unique digital representation of the unique unit of the real-world object, and an analytics system configured to monitor, track, and report on a set of states, events, and activities of the unique digital token. The object has a set of real-world object attributes.

(627) In embodiments, the analytics system reports on aggregated ownership attributes of a set of

digital tokens includes the unique digital token.

(628) In embodiments, the analytic system reports on price attributes of a set of digital tokens includes the unique digital token.

(629) In embodiments, the analytics system reports on redemption activities with respect to a category of digital tokens includes the unique digital token.

(630) In embodiments, the analytics system reports on gifting activities with respect to a category of digital tokens includes the unique digital token.

(631) In embodiments, the analytics system reports on exchange activities with respect to a category of digital tokens includes the unique digital token.

(632) In embodiments, the analytics system reports on search activities with respect to a category of digital tokens includes the unique digital token.

(633) In embodiments, the analytics system reports on escrow activities with respect to a category of digital tokens includes the unique digital token.

(634) In embodiments, the analytics system reports on financial performance with respect to a category of digital tokens includes the unique digital token.

(635) In embodiments, the analytics system reports on financial performance with respect to a category of real-world objects.

(636) In embodiments, the analytics system reports on activities with respect to a set of real-world objects.

(637) In embodiments, the analytics system reports on physical attributes with respect to a category of real-world objects.

(638) In embodiments, the real-world object is a consumer product.

(639) In embodiments, the real-world object is a unique instance of a digital item.

(640) In embodiments, the real-world object is a gift card.

(641) In embodiments, the real-world object is already in existence

(642) In embodiments, the real-world object has a defined type and a defined set of characteristics but is not yet in existence.

(643) In embodiments, the unique digital token is redeemable for the right to possess the real-world object.

(644) In embodiments, possession of the unique digital token represents ownership of the real-world object.

(645) In embodiments, the unique digital token is transferable.

(646) In embodiments, the attributes of the real-world object include a set of physical attributes.

(647) In embodiments, the attributes of the real-world object include a set of origination attributes.

(648) In embodiments, the origination attributes include limited edition attributes.

(649) In embodiments, the origination attributes include celebrity signature attributes.

(650) In embodiments, the origination attributes include certification of originality attributes.

(651) In embodiments, the origination attributes include location of origin attributes.

(652) In embodiments, the origination attributes include certification of ethical production attributes.

(653) In embodiments, the digital attributes of the unique digital token include a data structure that represents the physical attributes of the real-world object.

(654) In embodiments, the digital attributes of the unique digital token include a data structure that supports a visual representation of the real-world object.

(655) In embodiments, the digital attributes of the unique digital token include an image of the real-world object.

(656) In embodiments, the digital attributes of the unique digital token include a data structure that represents an animation of the real-world object.

(657) In embodiments, the digital attributes of the token include a data structure that represents a media content depicting the real-world object.

(658) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform includes maintaining a plurality of public addresses, a plurality of virtual representations of a plurality of respective items, a set of digital tokens for each virtual representation, and ownership data of each respective token, receiving a redemption request to redeem a digital token of the set of digital tokens from a user device of a user, in response to receiving the redemption request, verifying that the user is the owner of the digital token based on the plurality of public addresses, the set of tokens, and the redemption request, in response to verifying that the user is the owner of the digital token, requesting delivery details pertaining to the item from the user, receiving the delivery details from the user device of the user, and in response to receiving the delivery details from the user device, outputting the delivery details to a delivery system that facilitates delivery of the item. The digital token corresponding to an instance of an item to be redeemed.

(659) In embodiments, requesting the delivery details pertaining to the item includes requesting a current location of the user.

(660) In embodiments, the item is redeemed is one of a food item or a ride share.

(661) In embodiments, the user device provides a geolocation of the user device.

(662) In embodiments, the user device provides an address provided by the user.

(663) In embodiments, the item is redeemed is a tangible good.

(664) In embodiments, the delivery details include a current geolocation of the user device captured by the user device.

(665) In embodiments, the delivery details include a current address of the user provided to the user device by the user via a graphical user interface of the user device.

(666) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(667) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(668) In embodiments, the plurality of public addresses, the plurality of virtual representations, and the respective set of tokens corresponding to each of the plurality of virtual representations are maintained in a ledger.

(669) In embodiments, the ledger is a distributed ledger.

(670) In embodiments, the digital token is associated with the account of the user in the ledger.

(671) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform includes maintaining a plurality of public addresses, a plurality of virtual representations of a plurality of respective items, a set of digital tokens for each virtual representation, and ownership data of each respective token, receiving a redemption request to redeem a digital token of the set of tokens from a user device of a user, in response to receiving the redemption request, verifying that the user is the owner of the digital token based on the plurality of public addresses, the ownership data of the set of digital tokens, and the redemption request, in response to verifying that the user is the owner of the digital token, requesting fulfilment details pertaining to the item from the user, wherein the fulfilment details include information needed to satisfy the transaction for the item that were not provided at a time when the digital token was transacted for, receiving the fulfilment details from the user device of the user, and in response to receiving the fulfilment details from the user device, outputting the fulfilment details to a fulfilment system that satisfies transactions for items. The digital token corresponding to an instance of an item to be redeemed. Each respective public address corresponds to a respective account of a respective user of the tokenization platform. The set of digital tokens each respectively correspond to a respective instance of the item represented by the virtual representation.

(672) In embodiments, the item is an article of clothing.

(673) In embodiments, requesting the fulfilment details pertaining to the item includes requesting a

size of the item.

(674) In embodiments, requesting the fulfilment details pertaining to the item includes requesting a color of the item.

(675) In embodiments, requesting the fulfilment details pertaining to the item includes requesting a delivery date of the item.

(676) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(677) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(678) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.

(679) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.

(680) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(681) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(682) In embodiments, the plurality of public addresses, the plurality of virtual representations, and the respective set of tokens corresponding to each of the plurality of virtual representations are maintained in a ledger.

(683) In embodiments, the ledger is a distributed ledger.

(684) In embodiments, the digital token is associated with the account of the user in the ledger.

(685) According to some embodiments of the present disclosure, a method includes receiving, by a processing system, a request to securitize an asset of a user, receiving, by the processing system, one or more photographs of the asset, receiving, by the processing system, item information relating to the asset, receiving, by the processing system, a holding location of the asset, generating, by the processing system, a virtual representation of the asset based on the one or more photographs, the item information, and the hold location, generating, by the processing system, a digital token based on the virtual representation, assigning, by the processing system, ownership of the digital token to the user, receiving, by the processing system, an agreement to provide a service for the user by a provider using the asset as collateral, generating, by the processing system, an instance of a smart contract governing the service, the instance of the smart contract indicating an amount to be provided by the user to the provider and one or more conditions that cause ownership of the digital token to be transferred to the provider, and deploying, by the processing system, the instance of the smart contract. The item information includes a description of the asset and an appraisal value of the asset.

(686) In embodiments, the smart contract initiates the transfer of the digital token to an account of the lender upon determining that the user failed to provide the amount.

(687) In embodiments, the service is transferrable to another provider.

(688) In embodiments, the item information includes a weight of the collateralization item.

(689) In embodiments, the instance of the smart contract is deployed to a ledger.

(690) In embodiments, the ledger is a distributed ledger.

(691) In embodiments, the distributed ledger is a blockchain.

(692) According to some embodiments of the present disclosure, a method includes receiving, by a processing system, a request to collateralize a collateralization item of a user seeking a loan, receiving, by the processing system, one or more photographs of the collateralization item, receiving, by the processing system, item information relating to the collateralization item, the item information includes a description of the collateralization item and an appraisal value of the collateralization item, receiving, by the processing system, a holding location of the

collateralization item, generating, by the processing system, a virtual representation of the collateralization item based on the one or more photographs, the item information, and the hold location, generating, by the processing system, a digital token based on the virtual representation, assigning, by the processing system, ownership of the digital token to the user seeking the loan, receiving, by the processing system, an agreement to lend a defined amount of funds to the user by a lender using the collateralization item as collateral, generating, by the processing system, an instance of a smart contract governing the loan, the instance of the smart contract indicating an amount to be paid back by the user to the lender and one or more conditions that cause ownership of the digital token to be transferred to the lender, and deploying, by the processing system, the instance of the smart contract.

(693) In embodiments, the smart contract initiates the transfer of the digital token to an account of the lender upon determining that the user is in default of the loan.

(694) In embodiments, the loan is transferrable to another lender.

(695) In embodiments, the item information includes a weight of the collateralization item.

(696) In embodiments, the instance of the smart contract is deployed to a ledger.

(697) In embodiments, the ledger is a distributed ledger.

(698) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform includes maintaining a plurality of public addresses, a plurality of virtual representations of a plurality of respective items, a set of digital tokens for each virtual representation, and ownership data of each respective token, rendering a virtual reality store environment, wherein the virtual reality store environment provides an interface that allows users to view virtual reality visualizations of available items that are available for transaction and to transact for instances of the available items, rendering a virtual reality visualization of an item represented by a virtual representation of the plurality of virtual representations based on the virtual reality content in the virtual representation, wherein the virtual reality visualization of the item is presented in the virtual reality store environment, receiving a request to participate in a transaction for an instance of the item represented by the virtual reality representation of the item from a user device of a transacting user, wherein the request to participate in the transaction is received in response to the transacting user viewing the virtual reality representation of the item in the virtual reality store environment, and in response to verifying the request to participate in the transaction, associating a specific token corresponding to the virtual representation with an account of the transacting user. Each respective public address corresponds to a respective account of a respective user of the tokenization platform. The set of digital tokens each respectively correspond to a respective instance of the item represented by the virtual representation.

(699) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.

(700) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.

(701) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(702) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(703) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(704) In embodiments, the plurality of public addresses, the plurality of virtual representations, and the respective set of tokens for each of the plurality of virtual representations are maintained in a distributed ledger.

(705) In embodiments, the ledger is a distributed ledger.

(706) In embodiments, the digital token is associated with the account of the user in the ledger.

(707) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform includes maintaining a ledger that includes a main chain of blocks and a first side chain of blocks, receiving a request to participate in a transaction for an instance of an item represented by a virtual representation of the plurality of virtual representations from a user device of a transacting user, and in response to verifying the request to participate in the transaction, updating ownership data of a specific token corresponding to the virtual representation in the first side chain of blocks to indicate that the transacting user owns the specific token. The blocks of the main chain collectively store information relating to a plurality of users, including item providers and consumers. The information relating to the plurality of users includes a plurality of public addresses, and each respective public address corresponds to a respective account of a respective user of the tokenization platform. The first side chain of blocks collectively stores a plurality of virtual representations of a plurality of respective items, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation for each virtual representation, and ownership data of each respective token. Each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item.

(708) In embodiments, the ledger further includes a second side chain of blocks that collectively store one or more respective media contents relating to respective virtual representations of the plurality of virtual representations.

(709) In embodiments, the one or more respective media contents include an image of a respective item represented by a respective virtual representation.

(710) In embodiments, the one or more respective media contents include a video of a respective item represented by a respective virtual representation.

(711) In embodiments, the one or more respective media contents include virtual reality content depicting a respective item represented by a respective virtual representation.

(712) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.

(713) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.

(714) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(715) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(716) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(717) In embodiments, the ledger is a distributed ledger.

(718) According to some embodiments of the present disclosure, a method for facilitating transactions via a tokenization platform includes maintaining a ledger that includes a main chain of blocks and a first side chain of blocks, receiving a transfer request to transfer the specific token from an owner of the specific token to a different user, wherein the transfer request includes a digital-token identifier that identifies the specific token and a public address of the different user, validating the specific token based on the digital-token identifier and the first chain of blocks, verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the main chain of blocks, and in response to validating the specific token and verifying the different user, updating the second chain of blocks with a new block that includes ownership data that indicates that the specific token corresponding to the virtual representation is owned by the different user. The blocks of the main chain collectively store information relating to plurality of users, including item providers and consumers, wherein the information relating to the plurality of users includes a plurality of public addresses, and each

respective public address corresponds to a respective account of a respective user of the tokenization platform. The blocks of the first side chain collectively store a plurality of virtual representations of a plurality of respective items, a set of tokens that respectively correspond to a respective instance of the item represented by the virtual representation for each virtual representation, and ownership data of each respective token. Each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item.

(719) In embodiments, the ledger further includes: a second side chain of blocks that collectively store one or more respective media contents relating to respective virtual representations of the plurality of virtual representations.

(720) In embodiments, the one or more respective media contents include an image of a respective item represented by a respective virtual representation.

(721) In embodiments, the one or more respective media contents include a video of a respective item represented by a respective virtual representation.

(722) In embodiments, the one or more respective media contents include virtual reality content depicting a respective item represented by a respective virtual representation.

(723) In embodiments, the set of tokens corresponding to a virtual representation includes non-fungible tokens.

(724) In embodiments, the set of tokens corresponding to a virtual representation includes fungible tokens.

(725) In embodiments, the set of tokens corresponding to a virtual representation are transferrable to other users.

(726) In embodiments, the item is one of a digital good, a physical good, a digital service, a physical service, a digital experience, or a digital experience.

(727) In embodiments, a transaction for an instance of an item is one of a sale of the instance of the item, a lease of the instance of the item, a gifting of the instance of the item, and a giveaway of the instance of the item.

(728) In embodiments, the ledger is a distributed ledger.

(729) According to some embodiments of the present disclosure, a method includes generating, by a processing system of a tokenization platform, a referral code corresponding to a user of the tokenization platform, generating, by the processing system, an instance of a smart contract corresponding to the user of the tokenization platform, the instance of the smart contract indicating an incentive to be provided to the user when the user successfully refers the tokenization platform, deploying, by the processing system, the instance of the smart contract, receiving, by the processing system, a request to create a new account from a new user, creating, by the processing system, the new account for the new user, and providing, by the processing system, a notification of the new account to the instance of the smart contract corresponding to the user, wherein the instance of the smart contract facilitates the transfer of a token representing the incentive in response to the notification. The request includes the referral code of the user.

(730) In embodiments, the incentive is a monetary incentive represented by the token.

(731) In embodiments, an amount of monetary incentive is selected based on a social media reach of the user.

(732) In embodiments, the incentive is an item represented by the token.

(733) In embodiments, the instance of the smart contract is deployed to a ledger.

(734) In embodiments, the ledger is a distributed ledger.

(735) According to some embodiments of the present disclosure, a method includes receiving, by a processing system, a request to create a mystery box, receiving, by the processing system, a set of tokens to be included in the mystery box, each token in the set of tokens representing a respective item and has a probability assigned thereto, generating, by the processing system, an instance of a smart contract associated with the mystery box that governs the transfer of tokens from the set of tokens in support of the mystery box, and deploying, by the

processing system, the instance of the smart contract. The probability indicates a probability of winning the respective item. The mystery box is based on the set of tokens and the probabilities assigned thereto. Each token in the set of tokens is assigned a range of values within an interval of values such that the range of values with respect to the interval of values is proportionate to the probability assigned to the token.

(736) In embodiments, the request to play the mystery box is received from a gaming device in a brick-and-mortar location via an API.

(737) In embodiments, the request to play the mystery box is received from a user device via a graphical user interface presented by the user device.

(738) In embodiments, the set of tokens includes fungible tokens representing fungible items.

(739) In embodiments, the set of tokens includes at least one non-fungible token, wherein each non-fungible token represents a non-fungible item.

(740) In embodiments, the instance of the smart contract is deployed to a ledger.

(741) In embodiments, the ledger is a distributed ledger.

(742) According to some embodiments of the present disclosure, a method includes maintaining, by a processing system, an inventory of available tokens that are available for integration in a video game, wherein each token in the inventory of tokens represents a respective item, receiving, by the processing system, a token request for a digital token from an instance of the video game via an API, selecting, by the processing system, the digital token from the inventory of available tokens based on the token request, providing, by the processing system, an indicator of the digital token to the instance of the video game, receiving, by the processing system, a transaction request from the instance of the video game, the transaction request requesting a transfer of the digital token provided to the instance of the video game to an account of a user of the instance of the video game, and updating, by the processing system, a ledger to reflect that the user is the owner of the digital token.

(743) In embodiments, the digital token request indicates a geolocation of the user device.

(744) In embodiments, the digital token is selected based on the geolocation of the user device.

(745) In embodiments, the item represented by the digital token may be used by the user in the video game.

(746) In embodiments, the item represented by the digital token is a food item.

(747) In embodiments, the ledger is a distributed ledger.

(748) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for each first digital token within a set of first digital tokens, a cryptographic token generation system that generates a set of second digital tokens, each second digital token is unique and cryptographically secure, a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the first digital token, wherein the one-to-at-least-one link is cryptographically secure, and a trading system providing a set of tradeable derivatives of the set of the first digital tokens by enabling trading of the second digital tokens, where each of the set of second digital tokens represent a respective defined quantity of the first digital tokens.

(749) In embodiments, each second digital token is redeemable for the respective defined quantity of the first digital tokens.

(750) In embodiments, each second digital token represents a future right to redeem a defined quantity of the first digital tokens.

(751) In embodiments, each second digital token represents a future right to purchase a defined quantity of the first digital tokens.

(752) In embodiments, each second digital token represents a future right to sell a defined quantity of the first digital tokens.

(753) In embodiments, each second digital token represents a future right to put a transfer of a

defined quantity of the first digital tokens to a defined party.

(754) In embodiments, each second digital token represents an option to purchase a defined quantity of the first digital tokens.

(755) In embodiments, each second digital token represents an option to sell a defined quantity of the first digital tokens.

(756) In embodiments, each second digital token represents a tradeable financial derivative of a set of attributes of the first digital tokens.

(757) In embodiments, the first digital token is a fungible token.

(758) In embodiments, the first digital token is a non-fungible token.

(759) In embodiments, the first digital token is a cryptocurrency coin.

(760) In embodiments, the first digital token is a digital ticket to an event.

(761) In embodiments, the first digital token is a gift card.

(762) In embodiments, the first digital token is a gift certificate.

(763) In embodiments, the first digital token is a digital representation of a security.

(764) In embodiments, the first digital token is an access token to a secure location.

(765) In embodiments, the linking system uses a blockchain.

(766) In embodiments, ownership of the tokenized token is recorded in an ownership record system.

(767) In embodiments, the ownership record system uses a distributed ledger.

(768) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.

(769) In embodiments, the system is integrated with a messaging system.

(770) In embodiments, the messaging system is a short message service.

(771) In embodiments, the messaging system is a chat message system.

(772) In embodiments, the messaging system is an email system.

(773) In embodiments, the messaging system is integrated in a social networking site.

(774) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.

(775) In embodiments, the system executes an exchange of respective second digital tokens upon parsing of a code in a message from a party that controls the set of second digital tokens.

(776) In embodiments, the system executes an exchange of respective second digital tokens upon recognition of a movement of the respective second digital tokens in a user interface.

(777) According to some embodiments of the present disclosure, a system for tokenizing a token, includes an interface configured to handle a unique identifier for a first digital token, wherein the first digital token associated with a cryptocurrency, a cryptographic token generation system that generates a second digital token that represents a defined quantity of the cryptocurrency represented by the first digital token, wherein the second digital token is unique and cryptographically secure and the second digital token uses a data object that represents a set of attributes, each attribute of the set of attributes has a defined range of parameters, and the data object provides a secure, digital, tradeable derivative of a cryptocurrency in an amount represented by the second digital token, and a linking system configured to generate a one-to-at-least-one link between the second digital token generated by the cryptographic token generation system and the first digital token, such that the second digital token provides a unique digital tokenization of the tradeable derivative of the first digital token.

(778) In embodiments, the second digital token is redeemable for the defined quantity of the first digital token.

(779) In embodiments, the second digital token represents a future right to redeem the defined quantity of the first digital token.

(780) In embodiments, the second digital token represents a future right to purchase the defined

quantity of the first digital token.

(781) In embodiments, the second digital token represents a future right to sell the defined quantity of the first digital token.

(782) In embodiments, the second digital token represents a future right to put a transfer of the defined quantity of the first digital token to a defined party.

(783) In embodiments, the second digital token represents an option to purchase the defined quantity of the first digital token.

(784) In embodiments, the second digital token represents an option to sell the defined quantity of the first digital token.

(785) In embodiments, the second digital token represents a tradeable financial derivative of a set of attributes of first digital token.

(786) In embodiments, the second digital token is redeemable for the defined quantity of the first digital token.

(787) In embodiments, the first digital token is a fungible token.

(788) In embodiments, the first digital token is a non-fungible token.

(789) In embodiments, the first digital token is a cryptocurrency coin.

(790) In embodiments, the first digital token is a digital ticket to an event.

(791) In embodiments, the first digital token is a gift card.

(792) In embodiments, the first digital token is a gift certificate.

(793) In embodiments, the first digital token is a digital representation of a security.

(794) In embodiments, the first digital token is an access token to a secure location.

(795) In embodiments, the linking system uses a blockchain.

(796) In embodiments, ownership of the tokenized token is recorded in an ownership record system.

(797) In embodiments, the ownership record system uses a distributed ledger.

(798) In embodiments, the second digital token is exchangeable among accounts via a user interface of the system.

(799) In embodiments, the system is integrated with a messaging system.

(800) In embodiments, the messaging system is a short message service.

(801) In embodiments, the messaging system is a chat message system.

(802) In embodiments, the messaging system is an email system.

(803) In embodiments, the messaging system is integrated in a social networking site.

(804) In embodiments, the messaging system provides a signal to a digital wallet such that the digital wallet is updated upon exchange of the second digital token without requiring the user to interact with the user interface of the digital wallet.

(805) In embodiments, the system executes an exchange of the second digital token upon parsing of a code in a message from a party that controls the second digital token.

(806) In embodiments, the system executes an exchange of the second digital token upon recognition of a movement of the second digital token in a user interface.

(807) A more complete understanding of the disclosure will be appreciated from the description and accompanying drawings and the claims, which follow.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The accompanying drawings, which are included to provide a better understanding of the disclosure, illustrate embodiment(s) of the disclosure and together with the description serve to explain the principle of the disclosure. In the drawings:

(2) FIG. 1 is a schematic illustrating an example environment of a tokenization platform according

to some embodiments of the present disclosure.

(3) FIG. 2 is a schematic illustrating an example marketplace system according to some embodiments of the present disclosure.

(4) FIG. 3 is a schematic illustrating an example ledger management system according to some embodiments of the present disclosure.

(5) FIG. 4 is a schematic illustrating an example transactions system according to some embodiments of the present disclosure.

(6) FIG. 5 is a schematic illustrating an example intelligence and automation system according to some embodiments of the present disclosure.

(7) FIG. 6 is a schematic illustrating an example analytics and reporting system according to some embodiments of the present disclosure.

(8) FIG. 7 is a user interface displaying tokens within a wallet, according to some embodiments of the present disclosure.

(9) FIG. 8 is a schematic illustrating an example set of components of a tokenization platform according to some embodiments of the present disclosure.

(10) FIG. 9 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(11) FIG. 10 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(12) FIG. 11 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(13) FIG. 12 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(14) FIG. 13 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(15) FIG. 14 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(16) FIG. 15 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(17) FIG. 16 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(18) FIG. 17 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(19) FIG. 18 is a flowchart showing a technique for according to some embodiments of the present disclosure.

(20) FIG. 19 is a flowchart showing a technique for according to some embodiments of the present disclosure.

DETAILED DESCRIPTION

(21) The present disclosure relates to a tokenization platform that enables the creation of virtual representations of merchandised items, such as goods, services, and/or experiences. As used herein the term “item” may refer to a digital asset (e.g., gift card, digital music file, digital video file, software, digital photograph, etc.), physical good, digital service (e.g., video streaming subscription), physical service (e.g., chauffeur service, maid service, dry cleaning service), and/or purchased experience (e.g., hotel package, concert ticket, airlines ticket, etc.), or any combination thereof. It is noted that an item may refer to goods that already exist or that can be produced at a later time. For example, an item may be an unmade pizza or article of clothing. A purchaser of such an item may purchase the item, and the item may be produced at a time after the purchase. The term virtual item may refer to a virtual representation of a merchandised item. In creating a virtual representation to an item, many of the purchase-time decisions required for traditional ecommerce transactions can be postponed and bifurcated from the transaction itself, thereby creating additional

value for the purchaser. For example, a purchaser may wish to order a pair of shoes, but is not yet sure when the shoes will be needed or where the delivery location should be. The purchaser may purchase the virtual representation of the shoes. The virtual representation may be redeemed at a later time, such that the redeemer (e.g., the purchaser or a recipient of a gift) may specify the delivery time and delivery location when the redeemer so chooses. By creating virtual items, new value is created for purchasers or any recipients, as a series of choices that can be put on hold until redemption time.

(22) Furthermore, in conventional ecommerce platforms, there are no recordation mechanisms of an item being transferred between unknown parties that can be checked and trusted. Additionally, there is also no way of storing sensitive financial information without a centralized entity. Thus in embodiments, the tokenization platform may be configured to issue electronic tokens (or “tokens”) that are configured to be stored on a cryptographically secure ledger to provide a process by which virtual representations allow the transfer of the item between unknown parties, while also allowing anyone to check the status of the token at any time and trust that it is correct. As used herein, unless otherwise indicated by context, “cryptographically” indicates use of a cryptographic algorithm, such as a hashing algorithm.

(23) The ecommerce platform may be configured to support additional or alternative ecosystems. In embodiments, the tokenization platform is configured to support a token-based lending system, whereby lenders may create virtual items corresponding to collateral (e.g., jewelry, collectible items, artwork, and the like). The ecommerce platform may tokenize the virtual item and may store the token on a distributed ledger. In this way, the loan may be sold and only the token needs to be transferred between lenders. In some embodiments, a smart contract may be used to manage the loan, possession of the token, and other transactions corresponding to the loan.

(24) In some embodiments, the tokenization platform is configured to authenticate real world items. In some of these embodiments, the tokenization platform may enlist subject matter experts to authenticate items using a virtual representation of the items. A subject matter expert may provide an authentication report that includes notes for the expert's underlying opinion. The authentication report may be used to deny or allow an item to be used for collateral or sold on the platform. Additionally, in some embodiments, the authentication reports can be used to train machine learned models, such that the platform may use machine vision, machine learning, sensors (e.g., scales), and/or other suitable techniques to authenticate items.

(25) In embodiments, the tokenization platform is configured to support a “mystery box” game. The mystery box game is a game of chance, where users can win tokens from the mystery box, such that the tokens represent items and the tokens can be redeemed, traded, sold, gifted, and the like. In some of these embodiments, the tokenization platform supports casino-style gaming, whereby the mystery box game may be played at casinos and other brick and mortar locations.

(26) In embodiments, the tokenization platform is configured to support in-video game streaming. In some of these embodiments, the tokenization platform may provide indicators of tokens to instances of video games, whereby the video game makers can use the tokens in a number of different ways. For example, tokens may appear in a video game to allow a food delivery service to sell deliverable food in game. In another example, a token may represent a digital item that can be used in the game, but then later can be redeemed to obtain a real-world item corresponding to the digital item.

(27) In embodiments, the tokenization platform may provide a rewards-based user acquisition program, whereby users can enlist for referral codes. When the user successfully refers a user to the tokenization platform, the user is rewarded with a token. The token can represent monetary compensation or an item (e.g., a gift card, a pair of shoes, a music album, a DVD, or the like).

(28) FIG. 1 illustrates an example ecosystem of a tokenization platform **100** (or the “platform”) according to some embodiments of the present disclosure. The environment includes the platform **100**, node computing devices **160**, external data sources **170**, content platforms **180**, and user

devices **190**. The platform **100**, the node computing devices **160**, the external data sources **170**, the content platforms **180**, and the user devices **190** may communicate via a communication network **10** (e.g., the Internet and/or a cellular network).

(29) In embodiments, the tokenization platform **100** manages one or more cryptographic ledgers (or “distributed ledgers”) and provides flexible functionality of virtual representations of items such as goods, services, and/or experiences with the fulfillment and satisfaction of said items. In embodiments, the platform **100** provides a marketplace for the 3rd party sellers to transact for items using tokens, whereby a token is a digital marker that defines an ownership right in a particular item. Additionally, or alternatively, the provider of the platform **100** may sell, lease, give away, or otherwise transact items offered by the provider. As used herein, the term “transaction” may refer to the sale/purchase, the leasing, the gifting, collateralization, or any other action that affects an ownership of a token. As will be discussed, in some embodiments a token may be redeemed by an owner of the token, such that the owner of the token may take possession of the item upon redemption of the token.

(30) In some embodiments, the seller of an item (or any other suitable user) may access the platform **100** to define a virtual representation of the item that the seller is offering for transaction. The virtual representation of the item may include information that identifies the item (e.g., a serial number corresponding to the item, a model number of the item, and the like), information relating to the item (e.g., a classification of the item, textual descriptions, images, audio, video, virtual reality data, augmented reality data, and the like), and/or code that may be used to facilitate or verify transactions involving the item (e.g., smart contracts). In some embodiments, the platform may “tokenize” an item on behalf of a seller of the item by generating a set of tokens based on the virtual representation of the item and storing the tokens and associated metadata in a cryptographically secure distributed ledger, thereby making the tokens (and the virtual representation) verifiable, transferable, and trackable.

(31) In embodiments, the platform **100** may receive data from one or more external data sources **170**. An external data source **170** may refer to any system or device that can provide data to the platform. In embodiments, data sources may include merchant, manufacturer, or service provider systems and/or databases that provide the platform **100** with data related to an available item. External data sources may also include user devices **190**, such that the user devices **190** may provide relevant data (e.g., contacts, cookies, and the like). Examples of external data sources **170** may include e-Commerce websites, organizational websites, software applications, and contact lists (e.g., phone contacts, email contacts, messenger client contacts, and the like). The platform **100** may access an external data source **170** via a network **10** (e.g., the Internet) in any suitable manner (e.g., crawlers, user permission/API, and the like).

(32) In embodiments, the platform **100** interacts with content publishing platforms **180**. A content publishing platform **190** may refer to any system that publishes content on behalf of individuals and/or organizations. Content publishing platforms may include social networking platforms, blogging platforms, news sites, and the like. In embodiments, a consumer may output content corresponding to an item via a content publishing platform **190**. For example, the consumer may post content related to a purchased item to a social networking platform or may embed the content into a blog post. The content may include links to the item (e.g., a link to a webpage or application state corresponding to the item).

(33) In embodiments, the platform **100** interfaces with various user devices **190**. User devices **190** can refer to any computing device with which a user (e.g., consumer, merchant, manufacturer, provider and the like) can access the platform. Examples of user devices include, but are not limited to, smartphones, tablet computer devices, laptop computing devices, personal computing devices, smart televisions, gaming consoles, and the like. A user device may access the platform **100** via a website, a web application, a native application, or the like. In embodiments, the platform **100** may provide a first graphical user interface to user devices **190** associated with a seller and a

second graphical user interface to a user device **190** associated with an end user. The first graphical user interface may allow a user associated with a seller to offer items for sale and to create new virtual representations corresponding to the items for sale. The second user interface may allow users to purchase tokens corresponding to items for sale, to transfer tokens, and/or redeem tokens. In some embodiments, the platform **100** may support a digital wallet that stores the tokens of a user. The digital wallet may be a client application that is provided and/or supported by the platform **100**. In embodiments, the digital wallet stores any tokens that are owned by the user associated with the digital wallet and provides an interface that allows the user to redeem, transfer, sell, exchange, or otherwise participate in transactions involving the token.

(34) In embodiments, the tokenization of items provides a framework for securely transacting with respect to an item represented by the token. For example, a token provides a mechanism by which an item may be traded, rented, purchased, sold, exchanged, gifted, swapped, or transferred in transactions involving trusted or untrusted parties. In some embodiments, a token represents a single unit to be transacted (e.g., sold, traded, leased, gifted, or the like). For example, if a merchant is selling ten widgets, the platform **100** may generate ten tokens, where each token corresponds to a different widget. In this scenario, all ten widgets may correspond to the same virtual representation of the widget, and the ten tokens may represent instances of the virtual representation (also referred to as a “virtual asset”). In embodiments, a token may be a digitally signed instance of the virtual representation of an item, whereby the digital signature may be used to verify the validity of the token.

(35) In embodiments, each virtual representation of an item may include or be associated with a smart contract that, for example, provides a set of verifiable conditions that must be satisfied in order to self-execute a transaction (e.g., transfer of ownership or expiration) relating to an item represented by the virtual representation. In embodiments, each token corresponding to a virtual representation may be associated with the smart contract that corresponds to the virtual representation. In embodiments, a smart contract corresponding to a virtual representation may define the conditions that must be verified to generate new tokens, conditions that must be verified in order to transfer ownership of tokens, conditions that must be verified to redeem a token, and/or conditions that must be met to destroy a token. A smart contract may also contain code that defines actions to be taken when certain conditions are met. When implicated, the smart contract may determine whether the conditions defined therein are satisfied, and if so, to self-execute the actions corresponding to the conditions. In embodiments, each smart contract may be stored on and accessed on the distributed ledger. In some embodiments, tokens that do not have a smart contract associated therewith may be referred to as placeholder tokens, such that a placeholder token may not be involved in a transaction. In embodiments, tokens can be gifted. In embodiments, recipients of a gifted token may redeem the token, customize the virtual asset represented by the token before redemption, exchange it for another token, obtain the cash value equivalent, and the like.

(36) Once the platform **100** generates a token, the platform may update the distributed ledger to indicate the existence of a new token. As used herein, a distributed ledger may refer to an electronic ledger that records transactions. A distributed ledger may be public or private. In embodiments where the distributed ledger is private, the platform **100** may maintain and store the entire distributed ledger on computing device nodes **160** associated with the platform. In embodiments where the distributed ledger is public, one or more 3rd party computing node devices **160** (or “computing nodes”) that are not associated with the platform **100** may collectively store the distributed ledger. In some of these embodiments, the platform **100** may also locally store the distributed ledger and/or a portion thereof. In embodiments, the distributed ledger is a blockchain (e.g., an Ethereum blockchain). Alternatively, the distributed ledger may comport to other suitable protocols (e.g., hashgraph, Byteball, Nano-Block Lattice, and IOTA). By storing tokens on a distributed ledger, the status of that token can be verified at any time by querying the ledger and trust that it is correct. By using the token approach to implementation, tokens cannot be copied and

redeemed without permission.

(37) In some embodiments, the platform **100** is configured to shard the distributed ledger, such that there are side chains that fork from a main chain of a distributed ledger. In some of these embodiments, a side chain may store virtual representations of items having a particular category or class. In embodiments, a side chain corresponding to a particular class of items may store tokens corresponding to items belonging to the particular class and ownership records that indicate the current and previous ownerships of those tokens. Each time ownership of a token changes, the side chain containing the implicated token may be amended to indicate the new owner of the token. In embodiments, side chains may store media contents that are associated with virtual representations. For example, a side chain may store videos, photographs, audio clips, and other suitable media contents that are referenced by respective virtual representations.

(38) In addition to item data (e.g., virtual representations), tokens, and transaction data relating to the tokens, the distributed ledger may further store account information. For example, in embodiments the distributed ledger may store the public addresses of each valid account. In embodiments, a valid account may belong to an entity that is verified and authorized by the platform to participate in a transaction. Thus, in embodiments, a party may only sell, purchase, gift, receive, or otherwise transfer a token if the party has a known account. Each account may be assigned a public key and a private key that may be used to transact on the platform **100**. In embodiments, the address of an account may be based on the public key of the account (e.g., the address may be a hash value of the public key). These addresses may be stored in the distributed ledger, such that addresses involved in a transaction may be verified as corresponding to valid accounts using the distributed ledger.

(39) In operation, a seller may instruct the platform **100** to generate virtual representations of one or more respective items, such that each virtual representation represents a respective item that is available for a transaction. It is noted that while many of the examples of transactions in the disclosure relate to purchases of goods, services, and/or experiences, transactions may also include leases, rentals, loans, gifts, trades, rewards, or giveaways. In embodiments, the seller may provide item attributes relating to a set of one or more items, such as a number of items available for transaction, pricing information of an item, delivery restrictions for the item, expiries relating to the item (e.g., how long is the transaction valid), an item description, a serial number (e.g., of physical items), media relating to the item (e.g., photographs, videos, and/or audio content), and the like. In response to the seller providing the item information, the platform **100** generates a set of tokens corresponding to the number of items available for transaction. For example, if the seller indicates that there are 100 Model X widgets available for sale, the platform **100** may generate a virtual representation of the Model X widget and may generate **100** non-fungible tokens corresponding to the virtual representation, whereby each token corresponds to a respective instance of the virtual representation. The virtual representation may include a description of the widgets, a description of the widgets, a price of the widget, shipping restrictions relating to the widgets, photographs of the widgets, videos of the widget, virtual reality data relating to the widget, and the like. The platform **100** may then store the virtual representation and the corresponding tokens on the distributed ledger. For each token, the distributed ledger may store the token, ownership data relating to the token, media content corresponding to the token (or the virtual representation to which the token corresponds), and/or other suitable data relating to the token on the distributed ledger. Initially, the ownership of the token may be assigned to the seller. As such, the distributed ledger may indicate the existence of the token and that the seller owns the token. Once tokenized, end users (e.g., buyers) may participate in transactions for the item using the corresponding token. For example, the user may purchase a token corresponding to the item from the seller via a web interface or application that is provided or supported by the provider of the platform **100**. In response to the transaction, the platform **100** may update the distributed ledger to indicate an assignment of the token to the user (e.g., to a wallet associated with an account of the user). In embodiments, a copy

of the token may be stored in a digital wallet corresponding to the new owner of the token (e.g., the buyer).

(40) A token may be transmitted amongst users in any suitable manner. For example, a token may be transmitted via email, instant message, text message, digital transfer, social media platforms, and the like. In some of these embodiments, the token may be transmitted directly from the sender's user device **190** (e.g., from the user's digital wallet) to a user device **190** (e.g., smartphone) or account (e.g., email account or messaging application) associated with the intended recipient. Upon initiating the transmission, the digital wallet may transmit a transfer request to the platform **100** and may transmit a copy of the token to the recipient's user device **190** or specified account. In some embodiments, the transmitted token may be embedded in a media content, such as an image, emoji, or video, such that the recipient receives the media content and may opt to accept the token. In this example, the token may be accompanied by a link and/or software instructions that cause the user device **190** that receives the token to add the token to the recipient's account upon the recipient accepting the token. Upon electing to accept the token, the user device **190** of the recipient may transmit a request to the platform to add the token to an account of the recipient. The platform **100** may receive the request and may update the ownership record of the token in the distributed ledger to indicate the transfer of ownership.

(41) In embodiments, an owner of a token may redeem a token. In embodiments, a user may select a token to redeem from a digital wallet of the user. In response to the selection, the digital wallet may transmit a redeem request to the platform **100**. The redeem request may include the token (or an identifier thereof) and a public address of the user (or any other suitable identifier of the user). The platform **100** receives the redeem request and verifies the validity of the token and/or the ownership of the token. Once verified, the user is granted permission to redeem the token. In some scenarios, the user may be redeeming a token corresponding to a digital item (e.g., a gift card, an mp3, a movie, a digital photograph). In these scenarios, the platform **100** may determine a workflow for satisfying the digital item. For example, the platform **100** may request an email address from the user or may look up an email address of the user from the distributed ledger. In this example, the platform **100** may email a link to download the digital item to the user's email account or may attach a copy of the digital item in an email that is sent to the user's email account. In another scenario, the user may be redeeming a token corresponding to a physical good (e.g., clothing, food, electronics, etc.) or a physical service (e.g., maid service). In the case of a physical good, the platform **100** may determine a workflow for satisfying the physical item. For example, the platform **100** may request shipping information from the user or may look up the shipping information of the user from the distributed ledger. The platform **100** may then initiate shipment of the physical good. For example, the platform **100** may transmit a shipping request to a warehouse that handles shipments of the good indicating the shipping information. The foregoing are examples of how a token may be redeemed. The platform **100** may execute additional or alternative workflows to handle redemption of a token.

(42) In embodiments, the token may be printed in physical media, such that the token may be redeemed at a brick and mortar location. For example, the token (e.g., an alphanumeric string) may be encoded into a QR-code or barcode. In these embodiments, the public key of the party that was used to digitally sign the token (e.g., a public key associated with the platform **100**) may also be provided in the physical media. In this way, the token may be verified by scanning the QR-code or barcode using a client application associated with the platform **100**. The client application may provide the token and the public key to the platform **100**, which may verify the validity of the token based on the token and the public key. If the token and ownership are verified, the platform **100** may transmit a confirmation of the verification to the client application. A clerk may then allow the user to complete the transaction (e.g., take possession of the item).

(43) In some embodiments, tokens may be perishable, in that they lose all value at a predetermined time or upon the occurrence of a predetermined event. In these embodiments, the seller may

provide an expiry in the virtual representation that indicates a date and time that the virtual representation is no longer valid, such that when the expiry is reached, the token may be deemed invalid.

(44) Tokens may be fungible tokens or non-fungible tokens. Fungible tokens may refer to tokens that are interchangeable. For example, fungible tokens may all have the same identifier. Non-fungible tokens are unique tokens. Non-fungible tokens are transferrable but not interchangeable.

(45) In embodiments, the platform **100** may execute one or more of: a marketplace system **102**, a ledger management system **104**, a transaction system **106**, an API system **108**, an intelligence and automation system **110**, an analytics and reporting system **112**, and/or virtual world presence system **114**, all of which are discussed in greater detail throughout this disclosure.

(46) In embodiments, the platform **100** provides a marketplace system **102** that allows virtual representations of items to be defined, generated, viewed, and/or redeemed. In embodiments, the marketplace system **102** may include graphical user interfaces that: allow sellers to define virtual representations, allow consumers to view virtual representations of items and to transact for tokens corresponding to the items, and allow token owners to redeem tokens, thereby completing transactions for items indicated by the redeemed tokens. The marketplace system **102** may further include backend functionality for supporting these operations.

(47) In embodiments, the platform **100** provides a ledger management system **104** that generates tokens and manages one or more distributed ledgers, including managing the ownership rights of the generated tokens. In embodiments, the ledger management system **104** may also interface with one or more smart contracts that implicate the distributed ledgers.

(48) In embodiments, the platform **100** includes an API system **106** that manages one or more application programming interfaces (APIs) of the platform, so as to expose the APIs to one or more related applications (e.g., native and/or web applications provided by the platform **100** provider), third party systems that are supported by or otherwise interact with the platform **100**, and smart contracts that are configured to interface with the platform **100**. The API system **106** may expose one or more APIs, such that the API system **106** may receive API calls from requesting devices or systems and/or may push data to subscribing devices or systems. The API system **106** may implement any suitable types of APIs, including REST, SOAP, and the like. In embodiments, the API system **106** may include a smart contract API that allows smart contracts to interface with the platform, a utility API, a merchant API that allows merchants to create tokens corresponding to virtual representations of items, and any other suitable APIs. In embodiments, the platform **100** may implement a micro services architecture such that services may be accessed by clients, such as by APIs and/or software development kits (SDKs). The services abstract away the complexities of blockchain creation, object handling, ownership transfers, data integration, identity management, and the like, so that platform users can easily build, deliver and/or consume platform capabilities. In embodiments, SDK types include, but are not limited to: an Android SDK, an iOS SDK, a Windows SDK, a JavaScript SDK, a PHP SDK, a Python SDK, a Swift SDK, a Ruby SDK, and the like.

(49) In embodiments, the platform **100** includes a transaction system **108** that supports any suitable transactions relating to the platform, including the buying, selling, trading, renting, leasing, exchanging, swapping, transferring, and/or redeeming of tokens that represent corresponding items.

(50) In embodiments, the platform **100** includes an intelligence and automation system **110** that performs machine learning and artificial intelligence tasks. For example, the intelligence and automation system **110** may train machine learned models, make classifications and predictions based on the machine learned models, recommend products to users, identify advertisements to target to specific users, match service providers to service seekers, and/or automate notifications to users.

(51) In embodiments, the analytics and reporting system **112** performs analytics-related tasks relating to various aspects of the tokenization platform **100** and may report the resultant analytics to

interested parties (e.g., employees of the platform provider **100** and/or sellers on the platform **100**). (52) In embodiments, the platform includes or supports a virtual world presence system **114** that provides presents virtual representations of items in virtual world environments. For example, the virtual world presence system **114** may present a virtual reality store to a user, whereby virtual representations of items are presented in the store and users can “shop” for the virtual items in the virtual world environment. In these embodiments, the virtual world presence system **114** may render a virtual world environment, which may be displayed at a client application. The virtual world environment may be associated with a seller or a group of sellers, whereby items that are sold by the seller or sellers are made available in the virtual world environment. In these embodiments, the virtual world presence system **114** may further render 3D representations of items that are available from the seller or sellers based on the virtual representations of the items. The 3D representations may then be presented in the virtual world environments, such that users can examine the 3D representations of the items (e.g., look at the representations from different angles). In the event a user wishes to purchase an item, the user may initiate a transaction (e.g., selecting a “buy” button in the virtual representation). Upon the user initiating the transaction, the virtual world presence system **114** may notify the transaction system **106** of the user's selection, and the transaction may precede in the manner described above.

(53) In embodiments, the platform **100** includes a user management system **116**. In embodiments, the user management system **116** may create new user accounts, assess risk associated with users, provide conditions for users based on respective risk associated with the users when participating in a transaction, and the like.

(54) In some embodiments, the user management system **116** creates new accounts for users. In these embodiments, a new user may access the platform **100** and may request a new account. In embodiments, the platform **100** may allow a user to link their account to an account of an external system (e.g., Google®, Facebook®, Twitter®, etc.). Additionally, or alternatively, a user can provide an email address and login. In embodiments, the user management system **116** may request a user to provide additional authenticating information, such as a home address or business address, a passport number (and/or image of the passport), driver's license number (and/or an image thereof), state ID card (and/or an image thereof). The user management system **116** may further provide a mechanism for a user to link any financial information to the platform, including entering credit card numbers, banking information, cryptocurrency wallets (e.g., Coinbase® account), and the like. Upon receiving the requested information, the user management system **116** creates a new account for the user, including creating a new public address of the account corresponding to the user. Once the account is created, the user may begin participating in transactions on the platform **100**.

(55) In embodiments, the user management system **116** determines a risk score of a user each time the user attempts to participate in a transaction using the platform **100**. A risk score of a user may indicate a degree of risk associated with facilitating a particular transaction involving the user. Examples of risks may include a risk that a seller will not deliver an item purchased by another user, a risk that the seller will deliver a fake or substandard item to another user, a risk that a user will default on a loan, a risk that the user will engage in fraud, and the like. Factors that may be relevant to a user's risk score may include, but are not limited to, whether the user has provided secondary authentication information (e.g., passport or driver's license), whether the user has provided banking information, how many purchases or sales the user has made on the platform **100**, the size of those transactions, how many issues the user has had with previous transactions (e.g., how many non-payments or non-deliveries, complaints, etc.), whether the user has defaulted on a loan facilitated by the platform, and the like.

(56) In some embodiments, the user management system **116** may determine the risk score using a risk scoring model trained to assess risks associated with the user given a transaction. Upon a user attempting to engage in a transaction, the user management system **116** may determine the features

of the transaction (e.g., type of transaction, the size of the transaction, etc.) and the features of the user (the outcomes of the user's previous transactions, the types of those transactions, whether the user has provided secondary authentication information, whether the user has provided banking information, whether the user has had issues in the past, etc.). For example, when a user requests to sell an item, requests a collateralized loan, or the like, the user management system **116** may determine a risk score. The user management system **116** may provide the features to the intelligence and automation system **110**, which may input the features into the risk scoring model. The risk scoring model may output a risk score based on the features, where the risk score indicates a probability that the transaction will be successful given the transaction features and user features. In embodiments, the risk scoring model may be trained by the intelligence and automation system **110** (e.g., the machine learning system **502** of FIG. 5), as is discussed below.

(57) In embodiments, the user management system **116** may impose a set of conditions on a user requesting to participate in a transaction based on the risk associated with the user. Examples of conditions may include requiring a user to place funds in escrow equal to the sale price of an item to be sold on the platform (e.g., an amount to be refunded if a seller does not provide an item or provides a fake item), requiring a user to provide collateral in excess of a loan amount if there is significant risk that the user defaults on a loan, requiring a user to provide secondary authentication information if the user is requesting a loan and has not provided such information, and the like. For example, if the user is requesting to sell an item on the platform **100**, but the user does not have a history of selling items, the risk score associated with the potential transaction may indicate that there is a risk that the seller will not successfully deliver an item or that the item may be fake or in an unsatisfactory condition transaction. In this example, the platform **100** may require that the user deposit (or have in his or her account) an amount of funds that are equal to or greater than sale price of the item or items that the user wishes to sell. In this way, the platform **100** may issue a refund to a buyer if the user (i.e., seller) does not successfully complete the transaction. In embodiments, the user management system **116** may implement a set of rules to determine the conditions, if any, to place on a user with respect to a particular transaction if the user wishes to engage in the transaction. In embodiments, a rule may define one or more conditions that correspond to particular types of transactions (e.g., selling, trading, borrowing, etc.) and may define risk score thresholds that trigger the one or more conditions.

(58) The platform **100** may execute additional or alternative systems as well. For example, in embodiments, the platform **100** may include a gamification system (not shown) that gamifies aspects of the platform **100** and/or a rewards system (not shown) that rewards users for participating in certain activities. For example, the gamification system may provide an environment where users are challenged to compete for the most shared virtual items on social media platforms. In this example, the rewards system may reward users with tokens to redeem items when the users are deemed to have shared the most virtual items on the social media platforms. In another example, the rewards system may issue rewards (e.g., tokens to certain items) to a user when the user purchases a certain value or amount of virtual items.

(59) In embodiments, the platform **100** can include a logistics system (not shown) that enables the physical delivery of an item, such as a good or food. The logistics system may be configured to manage the logistics from the source location of the item (e.g., a warehouse or restaurant) to the redeemer of the token (e.g., the house or current location of the redeemer). In embodiments, the logistics system may include a geolocation system (not shown) for determining delivery location. For example, if an owner of a token corresponding to a pizza with one topping from a pizza delivery chain redeems the token, the geolocation system may determine the recipient's current location for delivery. Geolocation information may be acquired by a smart phone, web browser (e.g., IP address), or the like. In this example, the logistics system may generate an electronic notification based on the user's geolocation (or a selected delivery location) and the user's order (e.g., the user's selected topping) and may transmit the electronic notification to a location of the

pizza delivery chain that is closest to the intended delivery location.

(60) FIG. 2 illustrates an example of a marketplace system **102** according to some embodiments of the present disclosure. In embodiments, marketplace system **102** may include an item management system **202**, a buyer marketplace system **204**, and a redemption system **206**.

(61) The item management system **202** allows a seller of an item to define a virtual representation of an item. In embodiments, the item management system **202** presents a GUI to a user device **190** of the seller that allows the seller to define the attributes of the item. In the case that the item has never been sold on the platform **100**, the seller can select an option to add a new item. In response to doing so, the seller may provide an item classification that indicates the type of item (e.g., “shoes,” “pizza,” “photograph,” “movie,” “concert tickets,” “gift card,” and the like) and a name of the item. The seller may then define one or more additional attributes of the item. For example, in embodiments, the seller may provide an item description, media contents associated with the item (e.g., photographs, videos, audio clips, and the like), relevant links (e.g., a link to a website of the seller), a price of the item, restrictions relating to the item (e.g., “US shipping only” or “seller store hours are 10-6”), redemption instructions (e.g., whether in store redemption is allowed, permitted, or mandatory, whether digital assets are downloaded or emailed, whether the items are transferrable, and the like), a number of the item that are available for transaction (e.g., how many units are available), and/or any other suitable attributes. In response to the seller providing the item attributes, the item management system **202** may generate a virtual representation of the item. In embodiments, the virtual representation may be a data record that includes the attributes of the item. In the scenario where the virtual representation was previously defined, the seller may select the previously defined item and may update one or more attributes. For example, the seller may provide additional media contents, may alter the price, and/or may update the number of items that are available. Whether an updated virtual representation or a newly defined virtual representation, the item management system **202** may output the virtual representation to the ledger management system **104**, where the ledger management system **104** may tokenize instances of the virtual representation to obtain a set of tokens.

(62) In some embodiments, the item management system **202** may allow the seller to provide seller attributes as well. The seller may provide information such as a physical location where physical items may be shipped from, a digital location where digital items may be retrieved from, physical locations of the seller's brick and mortar stores, hours of operation of the seller, and the like. These attributes may be included in the virtual representation or may be stored in an alternate data record.

(63) In embodiments, the item management system **202** may include an asset type manager for creating and defining new types of items to enable the platform **100** to support the sale and trade of the new type of asset. In these embodiments, the asset type manager may provide a GUI that allows a user to define a new type of asset. In these embodiments, an asset type attributes field allows users to add information specific to new asset types as they are being defined. Attribute information can be understood as information material to purchasers in making a buying decision and must be information specific to an asset type and information capable of being displayed on the platform. Asset type attribute fields include, but are not limited to, an asset type name, an asset type image, an asset redemption URL, an asset descriptor (e.g., physical or digital), and the like.

(64) In embodiments, the item management system **202** may include an item type definition manager for defining new types of items so that they can be listed on the platform. In embodiments, the item type definition manager may provide a GUI that allows a user to define attributes of a new item. To define a new item type, a user may be prompted to select an appropriate asset type from the dropdown menu. The GUI may then allow a user to define the item attributes in item attribute fields. Item attribute fields may include, but are not limited to, an item name, an item description, item notes, an item image, item pricing data (e.g., suggested price, suggested floor price), an instant sell flag, an item URL that links to a webpage for purchasing the item, a quantity of items, and the like. When a user provides the requisite item attributes, the item

management system **202** may create a new virtual representation defining the new item.

(65) In some embodiments, the item management system **202** may require sellers without adequate history to escrow an amount of funds equal to the value of the goods being sold on the tokenization platform **100**. The seller may sell a token representing an item, and when the token is redeemed by the token owner (e.g., the buyer or downstream recipient), the funds are removed from escrow and returned to an account of the seller. In these embodiments, the seller does not need to escrow the physical item, which requires at least one additional shipment to be made to a warehouse or other storage facility.

(66) In embodiments, the buyer marketplace system **204** allows a consumer to browse or search for items, view virtual representations of items, and engage in transactions for the items. In embodiments, the buyer marketplace system **204** presents a GUI that includes a search bar that allows users to enter a search query comprised of one or more search terms. In response to receiving the search query, the buyer marketplace system **204** may query one or more indexes that index virtual representations using one or more of the search terms. The buyer marketplace system **204** may process the search query and perform the subsequent search using any suitable search techniques. In response to performing the search, the buyer marketplace system **204** may retrieve the virtual representations implicated by the search and may present the virtual representations in a visual manner. For example, the GUI may display a search engine results page (SERP) that displays one or more search results, where each search result corresponds to a different virtual representation and links to a respective page where the user can view the attributes of the item as defined in the virtual representation of the item, including any media contents associated with the item and the price of the item, and can elect to purchase a token corresponding to the item.

(67) In embodiments, the buyer marketplace system **204** may allow users to browse virtual items offered on the platform. For example, the buyer marketplace system **204** may present a GUI that allows a consumer to filter items by category or by other attributes. The GUI may allow a user to select a link corresponding to an item, which directs the user to a page where the user can view the attributes of the item as defined in the virtual representation of the item, including any media contents associated with the item and the price of the item, and can elect to purchase a token corresponding to the item.

(68) In embodiments, when the consumer elects to purchase an item, the buyer marketplace system **204** may notify the ledger management system **104** regarding the purchase. The buyer marketplace system **204** may provide the ledger management system **104** with the public address of the user and an identifier of the virtual representation of the selected item. The ledger management system **104** may effectuate the transaction by assigning a token from the set of tokens corresponding to the virtual representation to the account associated with the public address of the user and updating the distributed ledger to indicate the change of ownership of the assigned token to the public address of the user. For example, the buyer marketplace system **204** (or the transaction system **106**) may identify a token that is currently owned by the seller and may transfer ownership of the token to an account of the buyer. Once this occurs, a copy of the token may be deposited into an account of the user. For example, the token may be deposited in a digital wallet of the user.

(69) In embodiments, the buyer marketplace system **205** may depict items as individual thumbnail images. In some of these embodiments, a simple box style user interface element can be added to the Item detail pages to display the attributes of an item, including an item description attribute, item notes attributes, and a seller URL attribute. An item description field on the GUI can support clickable URLs that can redirect platform users to pages with more information about the product or other relevant pages. The item description textbox can be displayed and support links to third-party domains.

(70) In embodiments, the buyer marketplace system **204** may allow users to purchase made-to-order items. For example, a user may order a customized pizza, piece of furniture, flower arrangement, or the like. Users can digitally build items consisting of multiple items from multiple

merchants and have it 3D printed at a 3D printing station.

(71) FIG. 3 illustrates an example of a ledger management system **104** of the tokenization platform **100** that manages one or more distributed ledgers **210** in accordance with some implementations of the present disclosure. In embodiments, the ledger management system **104** includes a token generation system **302**, a ledger update system **304**, and a verification system **306**. The token generation system **302** may be configured to generate tokens that correspond to items made available for transaction and that are based on respective virtual representations of the items. The ledger update system **304** receives requests to update the distributed ledger **310** and updates the distributed ledger accordingly **310**. The verification system **306** receives requests to verify a token, an account, or the like and attempts to verify the token or account based on the distributed ledger.

(72) In embodiments, the distributed ledger **310** may be a public ledger, such that N node computing devices **160** store N respective copies of the ledger **310**, where each copy includes at least a portion of the distributed ledger **310**. In other embodiments, the distributed ledger **310** is a private ledger, where the ledger is distributed amongst nodes under control of the platform **100**. In embodiments, the distributed ledger **310** is a blockchain (e.g., an Ethereum blockchain comporting to the ETC protocol). Alternatively, the distributed ledger **310** may comport to other suitable protocols (e.g., Hashgraph, Byteball, Nano-Block Lattice, or IOTA). By storing tokens on a distributed ledger **310**, the status of that token can be verified at any time by querying the ledger and trust that it is correct. By using the token approach to implementation, tokens cannot be copied and redeemed without permission.

(73) The distributed ledger **310** may store any suitable data relating to an item, a user, a seller, and the like. In embodiments, the distributed ledger **310** may store item-related data. Item-related data may include, but is not limited to, item identifiers, expiration dates of items, conditions or restrictions placed on the items, item descriptions, media content related to items (e.g., photographs, logos, videos, and the like), documentation of the item, customization options, available sizes, available colors, available materials, functionality options, ingredients, prices, special offers or discounts relating to the item, location information (e.g., where an item can be delivered/provided), hours available, owner/custodian data, reviews, item type, and the like. In embodiments, the distributed ledger **310** may store user data. User data may include, but is not limited to, identifying information (e.g., user ID, email address, name, and the like), public address, financial information (e.g., credit card information), transaction history, location data (e.g., a region of the user or country of the user), preferences, a wish list, subscriptions of the user, items belonging to the user, user connections or contacts, media content relating to the user (e.g., photos or videos of the user), an avatar of the user, and the like. In embodiments, the distributed ledger **310** may store merchant-related data. Merchant-related data may include, but is not limited to, identifying information (e.g., a name of the merchant, a merchant ID, and/or the like), contact information of the merchant, experience data, location data, hours available, reviews, media content (photographs, videos, and the like), and/or any other suitable merchant-related data. A distributed ledger **310** may store additional and/or alternative data.

(74) In embodiments, the distributed ledger **310** includes side chains **314**. A side chain **314** may refer to a shard of the distributed ledger **310** that extends from a segment (e.g., a block) of a main chain **312** of the ledger **310**. In embodiments, the main chain **312** may store data that is related to merchants and users with accounts (e.g., public addresses). Additionally, or alternatively, the main chain **312** may store item classification data, such as descriptions of item classifications. In embodiments, a side chain **314** may pertain to a particular classification of item. In some of these embodiments, side chains **314** may store virtual representations of items belonging to a respective genus or class of items and data relating to those items. For example, a first side chain **314-1** may store virtual representations of shoes that are available on the platform **100** and any token-related data relating to those virtual representations. In embodiments, side chains **314** may store media contents that are used in connection with items available for transaction on the platform. For

example, a second side chain **314-2** may store photographs depicting shoes represented in the first side chain **314-1**, video clips depicting shoes represented in the first side chain **314-1**, audio clips relating to shoes represented in the first side chain **314-1**, virtual reality content depicting shoes represented in the first side chain **314-1**, augmented reality content depicting shoes represented in the first side chain **314-1**, and the like. The foregoing is one manner to shard a distributed ledger. The distributed ledger **310** may be sharded in any other suitable manner.

(75) In embodiments, the token generation system **302** receives a virtual representation and generates one or more tokens corresponding to the virtual representation. In embodiments, the virtual representation includes attributes of an item, including a number (if bounded) of available items (i.e., the number of items available for transaction). In embodiments, the number of available items indicates the number of tokens that the token generation system **302** generates for a particular virtual representation. The attributes may also include other restrictions relating to the item, such as an expiry of a token (e.g., how long a token may be valid). The token generation system **302** may also receive initial ownership data. The initial ownership data defines the initial owner of a token. As a default, the entity offering the item represented by the virtual representation (e.g., the merchant of the item) is the initial owner of the token. The initial ownership may, however, be assigned to a different entity.

(76) In embodiments, the token is a wrapper that wraps an instance of a virtual representation. In some of these embodiments, the token generation system **302** may generate a token identifier that identifies the token. In scenarios where the tokens are non-fungible tokens, the token generation system **302** may generate a unique identifier for each respective token corresponding to the virtual representation. The token generation system **302** may generate the token identifier using any suitable technique. For example, the token generation system **302** may implement random number genesis, case genesis, simple genesis, and/or token bridge genesis to generate a value that identifies the token. In embodiments, the token generation system **302** may digitally sign the value using a private key/public key pair. The token generation system **302** may utilize a private key/public key pair associated with the platform **100** or the merchant to digitally sign the value that identifies the token. The token generation system **302** may implement any suitable digital signature algorithm to digitally sign the value that identifies the token, such as the Digital Signature Algorithm (DSA), developed by the National Institute of Standards and Technology. In embodiments, the resultant digital signature may be used as the token identifier. For each token, the token generation system **302** may generate a token wrapper that includes the token identifier and the virtual representation of the item. In embodiments, the token generation system **302** may embed or otherwise encode the public key used to digitally sign the token in the token. Alternatively, the token generation system **302** may store the public key apart from the token, such that the public key is communicated to an account of the token owner each time the token is transferred to a new owner. Upon generating a non-fungible token, the token generation system **302** may output the non-fungible token to the ledger update system **304**. The wrapper may wrap a plurality of tokens, including fungible tokens and non-fungible tokens.

(77) In some embodiments, the token generation system **302** may generate fungible tokens. In these embodiments, the token generation system **302** may generate identical tokens, where each token has the same token identifier. In these embodiments, the token generation system **302** may generate a single token identifier, in the manner described above, and may generate N fungible tokens using that token identifier, where N is the number of total tokens. Upon generating the N fungible tokens, the token generation system **302** may output the N fungible tokens to the ledger update system **304**.

(78) In embodiments, the ledger update system **304** is configured to update and maintain one or more distributed ledgers **310**. As used herein, updating and maintaining a distributed ledger **310** may refer to the writing of data to the distributed ledger **310**. In embodiments, the ledger update system **304** may generate a block in accordance with the protocol to which the distributed ledger comports, where the block contains the data to be written to the distributed ledger **310**. In

embodiments, the ledger update system **304** may update the distributed ledger **310** by broadcasting the generated block to the computing nodes **160** that store the distributed ledger **310**. The manner by which a computing node **160** determines whether to amend the received block to its local copy of the distributed ledger **310** may be defined by the protocol to which the distributed ledger comports.

(79) In embodiments, the ledger update system **304** receives tokens and updates the distributed ledgers **310** based thereon. In some of these embodiments, the ledger update system **304** receives a token and ownership data (e.g., a public address of the entity to which the token is to be assigned) and updates the distributed ledger **310** based thereon. For example, the ledger update system **304** may generate a block having the token embedded therein. The generated block or a subsequently generated block may include the ownership data pertaining to the token. The ledger update system **304** may then write generated block(s) to the distributed ledger **310**. For example, the ledger update system **304** may amend the block(s) to a copy of the distributed ledger **310** maintained at the platform **100** and/or may broadcast the block(s) to the computing nodes **160** that store copies of the distributed ledger **310**, which in turn amend the respective copies of the distributed ledger with the broadcast block(s). In embodiments where the distributed ledger **310** is sharded, the ledger update system **304** may designate a side chain **314** (e.g., an item classification) to which the token corresponds. In these embodiments, the generated blocks are amended to the designated side chain **314** to indicate the existence of the token and the current ownership of the token.

(80) In embodiments, the ledger update system **304** receives an ownership change request requesting to change ownership of a token to another account. For example, the ledger update system **304** may receive an ownership change request in response to a purchase of a token, a gifting of a token, a resale of the token, a trade of a token, and the like. In some embodiments, the ownership change request may define a token to be transferred and a public address of the transferee of the token (e.g., a recipient of the token). In some embodiments, the ownership change request may further include a public address of the current owner of the token (assuming the token has a current owner). The ledger update system **304** may receive the ownership change request and may generate a block to indicate the new owner of the implicated token. The ledger update system **304** may then write generated block(s) to the distributed ledger **310**. For example, the ledger update system **304** may amend the block(s) to the distributed ledger **310** and/or may broadcast the block(s) to the computing nodes **160** that store the distributed ledger **310**. In embodiments where the distributed ledger **310** is sharded, the ledger update system **304** may designate a side chain **314** (e.g., an item classification) to which the token corresponds. In these embodiments, the generated blocks are amended to the designated side chain **314** to indicate the new owner of the token.

(81) In embodiments, the ledger update system **304** receives a new or altered virtual representation and updates the distributed ledger **310** to reflect the new or altered virtual representation. For example, the ledger update system **304** may receive a new visual representation when a seller defines a new item that is available for transaction. The ledger update system **304** may receive an altered virtual representation in response to a seller altering one or more attributes of a previously defined virtual representation. In embodiments, the ledger update system **304** receives a new or altered virtual representation and generates one or more blocks based on the received virtual representation. The ledger update system **304** may then write the generated block(s) to the distributed ledger **310** based on the generated block(s). For example, the ledger update system **304** may amend the block(s) to the distributed ledger and/or may broadcast the block(s) to the computing nodes **160** that store the distributed ledger. In embodiments where the distributed ledger **310** is sharded, media content pertaining to a virtual representation may be stored in a separate side chain **314**. In some of these embodiments, the media contents may be stored in separate blocks from the virtual representation, where the block containing the virtual representation may include references to the blocks containing the corresponding media contents. The ledger update system **304** may designate a side chain **314** (e.g., an item classification) to which the virtual representation

corresponds and a side chain **314** to which the media content block(s) should be corresponds. In these embodiments, the generated blocks are amended to the respective designated side chains **314** to indicate the new or amended virtual representation. The ledger update system **304** may then write generated block(s) to the distributed ledger **310**. For example, the ledger update system **304** may amend the block(s) to the distributed ledger **310** and/or may broadcast the block(s) to the computing nodes **160** that store the distributed ledger **310**. In embodiments where the distributed ledger **310** is sharded, the ledger update system **304** may designate a side chain **314** (e.g., an item classification) to which the burned token corresponds. In these embodiments, the generated blocks are amended to the designated side chain **314** to indicate the new and/or amended virtual representation(s).

(82) In embodiments, the ledger update system **304** is further configured to “burn” tokens. Burning tokens may refer to the mechanism by which a token is deemed no longer redeemable. A token may be burned when the token expires or when the token is redeemed. In embodiments, the ledger update system **304** may update the ownership of the token to indicate that the token is not currently owned (e.g., owner=NULL) and/or may update the token state to indicate that the token is no longer valid. In some of these embodiments, the ledger update system **304** may generate a block indicating that the token is not currently owned or that the state of the token is not valid. The ledger update system **304** may then write generated block(s) to the distributed ledger **310**. For example, the ledger update system **304** may amend the block(s) to the distributed ledger **310** and/or may broadcast the block(s) to the computing nodes **160** that store the distributed ledger **310**. In some embodiments, the distributed ledger **310** is sharded. In these embodiments, the ledger update system **304** may designate a side chain **314** (e.g., an item classification) to which the token corresponds. In these embodiments, the generated blocks are amended to the designated side chain **314** to indicate the burned token.

(83) The ledger update system **304** may update the distributed ledger **310** to indicate other data as well. In embodiments, the ledger update system **304** may maintain and update merchant data and/or user data on the distributed ledger **310**. For example, the ledger update system **304** may maintain a public address list of valid accounts. The ledger update system **304** may update the cryptographic ledger to reflect new accounts that are added to the platform **310** with the public addresses of those accounts. The ledger update system **304** may store additional or alternative merchant and user data on the distributed ledger as well.

(84) In embodiments, the verification system **306** verifies data stored on the distributed ledger **310**. In embodiments, the verification system **306** may verify the validity of tokens and/or may verify the ownership of a token. The verification system **306** may be configured to validate other types of data stored on the distributed ledger **310** as well.

(85) In embodiments, the verification system **306** receives a token verification request. The token verification request may include a token to be verified or a token identifier thereof. In these embodiments, the verification system **306** may determine whether the token identifier of the token to be verified is stored on the distributed ledger **310**. If it is not stored on the distributed ledger **310**, the verification system **306** may deem the token to be invalid. In some embodiments, the token verification request may further include a public key to be used to verify the token. In these embodiments, the verification module **306** may use the received public key to determine whether the public key corresponds to a token that is stored in the distributed ledger **310**. In some of these embodiments, the verification system **306** use the received public key and the private key used to encode the digital signature to determine whether the received public key is the public key used to sign the token. For example, in embodiments, the verification system **306** may attempt to decrypt the digital signature using the private key and the received public key. If the private key and the received public key enable decryption of the digital signature to obtain the value used to generate the token, then the verification system **306** may deem the token valid and may notify the requesting system of the verification.

(86) In embodiments, the verification system **306** may be configured to verify the ownership of a token. In these embodiments, the verification system **306** may receive a public address to be verified and a token (or an identifier thereof). In some embodiments, the verification system **306** may verify that the public address corresponds to an account on the platform **100**. For example, the verification system **306** may determine whether the public address is stored in the public address list on the distributed ledger **310**. If so, the verification system **306** may determine whether the ownership data relating to the token is currently owned by the account indicated by the received public address. If so, the verification system **306** may verify the ownership of the token and may output the verification to the requesting system.

(87) FIG. **4** illustrates an example of a transaction system **106** of the tokenization platform **100**, according to some embodiments of the present disclosure. In some embodiments, the transaction system **106** include a token transfer system **402** and a redemption system **404**. The transaction system **106** may include additional or alternative systems without departing from the scope of the disclosure. For example, the transaction system **106** may include a digital wallet system **408**, an express trading system **410**, a payment integration system **412**, a subscription system **414**, and/or a token bridging system **416**.

(88) In embodiments, the token transfer system **402** facilitates the transfer of tokens from an account of an owner of the token an account of a different user. In embodiments, token transfer system **402** may include smart contracts that define the conditions under which a token may be transferred. In some of these embodiments, smart contracts may reside in tokens, such that the smart contract may execute at a node computing device and/or from a digital wallet. In some of these embodiments, a smart contract may interface with the token transfer system **402** via a smart contract API that is exposed by the API system **108**.

(89) In embodiments, the token transfer system **402** receives a transfer request that requests a transfer of a token to an account. A transfer request may be received from an account of the token holder or from the account of the intended recipient of the token. In embodiments, the transfer request may include a public address of the account to which the token is to be transferred and may further include or indicate the token to be transferred. For example, the transfer request may include a copy of the token or a value (e.g., an alphanumeric string) that uniquely identifies the token. In some embodiments, the transfer request includes a public key of the entity that digitally signed the token. In some embodiments, the transfer request may include a public address of the token owner that is requesting to transfer the token.

(90) The token holder may initiate the transfer of a token from the digital wallet of the token holder. In some embodiments, transfers of tokens may be performed via the platform **100**. In these embodiments, the token owner may initiate a transfer of the token by instructing the digital wallet to send a transfer request to the token transfer system **402** (e.g., via a GUI of the digital wallet). In these embodiments, the token transfer system **402** may receive the transfer request and may determine whether the token is a valid token, and whether the public address of the owner and/or the recipient are valid. If the token is valid and the public addresses of the owner and/or the recipient are valid, the token transfer system **402** may transmit a copy of the token to a user device and/or account associated with the intended recipient. Once accepted by the recipient, the token transfer system **402** may instruct the ledger management system **104** to update the distributed ledger to indicate the change of ownership of the token, such that the distributed ledger indicates that the recipient is the current owner of the token.

(91) Referring now to FIG. **7A**, an illustration of a wallet **700** display is shown. The display of the wallet **700** includes a plurality of tokens, such as tokenized tokens **702a-702n** (generally **702**), non-fungible tokens **704a-704n** (generally **704**), and fungible tokens **706a-706n** (generally **706**). As can be seen, in embodiments, the tokens are grouped by token type. The tokenized tokens **702** may include displayed indicia **703** communicating the type and, in embodiments, the amount of particular contents **705** contained within the respective tokenized token **702**. For example, the

user's Bitcoin within the platform **100** may split among a fungible token **706a** balance and one or more tokenized tokens **702a**. Moreover, the fungible Bitcoin **706a** may be a consolidated balance of the user's fungible bitcoin **706a**, or may be separate balances (e.g., balance equal to amount of bitcoin transferred into the platform **100** in a single transaction).

(92) The non-fungible tokens **704** may include display indicia to communicate pertinent information related to the token. For example, a plurality of purchasable skins **704a**, **704b** and work-for-hire **704** may be grouped together, and each may display indicia such as an image of the good. The fungible tokens **706a-706n** are tokens corresponding with fungible goods. For example, the fungible tokens **706a-706n** may include currencies, cryptocurrencies, commodities, etc.

(93) In embodiments, the digital wallet is configured to transmit the token directly to a user device **190** or account (e.g., an email account, an account on a 3rd party messaging app), whereby the recipient of the token may accept the token. In some of these embodiments, the digital wallet of the recipient may transmit a transfer request to the token transfer system **402** indicating a request to transfer the token to the recipient, in addition to sending a copy of the token to the intended recipient. In these embodiments, the token transfer system **402** may determine whether the token is a valid token and whether the public address of the owner and/or the recipient are valid. If the token is valid and the public addresses of the owner and/or the recipient are valid, the token transfer system **402** may allow the recipient to accept the token into a respective digital wallet of the recipient. Once accepted by the recipient, the token transfer system **402** may instruct the ledger management system **104** to update the distributed ledger to indicate the change of ownership of the token, such that the distributed ledger **310** indicates that the recipient is the current owner of the token.

(94) Alternatively, in some embodiments, the digital wallet of the token owner does not transmit a transfer request to the token transfer system **402**. In these embodiments, the user device **190** of the recipient of a token may present a mechanism by which the token owner may accept the token. For example, the user device **190** may present a link to accept the token. Upon the intended recipient accepting the token, the user device **190** (e.g., via an instance of the digital wallet of the recipient) may transmit the transfer request to the token transfer system **402**. In this scenario, the token transfer system **402** may determine whether the token is a valid token and whether the public address of the owner and/or the recipient are valid. If the token is valid and the public address of the owner and/or the recipient are valid, the token transfer system **402** may instruct the ledger management system **104** to update the distributed ledger to indicate the change of ownership of the token, such that the distributed ledger indicates that the recipient is the current owner of the token.

(95) As discussed, in response to a transfer request, the token transfer system **402** may determine whether the token is a valid token and whether the public address of the owner and/or the recipient are valid. In embodiments, a token may be validated using a public key associated with the token. For example, the token transfer system **402** may provide the token (or an indicator thereof) and a public key indicated in the transfer request to the ledger management system **104**. The ledger management system **104** may determine whether the token identifier is stored on the distributed ledger, and if so, may verify that the public key provided with the transfer request is the public key that was used to digitally sign the token. In embodiments, the token transfer system **402** may validate the identities of the recipient and/or the token owner wishing to transfer the token using the public addresses thereof. In some of these embodiments, the token transfer system **402** may provide the public address of the recipient and/or the public address of the token owner to the ledger management system **104**, which may in turn look up the respective public address to verify that the public address is stored on the distributed ledger. In response to determining that the token is valid and the public addresses of the token owner and/or the recipient are valid, the token transfer system **402** may allow the transfer of the token and may instruct the ledger management system **104** to update the distributed ledger to indicate the change of ownership of the token, such that the distributed ledger indicates that the recipient is the current owner of the token.

(96) In embodiments, the redemption system **404** allows an owner of a token to redeem the token. The redemption system **404** may receive a request to redeem (or “redemption request”) the token. The redemption request may include the token or an identifier of the token (e.g., an alphanumeric string) and may include a public address of the user attempting to redeem the token. In embodiments, the redemption request may further include the public key used to digitally sign the token. In response to receiving the redemption request, the redemption system **404** may provide the token, the public address of the user attempting to redeem the token, and the public key used to digitally sign the token to the ledger management system **104**. The ledger management system **104** may then either verify or deny the token/public address combination. The ledger management system **104** may deny the combination if the token is not a valid token and/or the user is not the listed owner of the token. The ledger management system **104** may verify the token/public address combination if the token is deemed valid and the requesting user is deemed to be the owner of the token.

(97) In response to verifying the token/public address combination, the redemption system **206** may execute a workflow corresponding to the virtual representation to which the redeemed token corresponds. For example, in some scenarios, the user may be redeeming a token corresponding to a digital item (e.g., a gift card, an mp3, a movie, a digital photograph). In these scenarios, the redemption system **404** may determine a workflow for satisfying the digital item. For example, the redemption system **404** may request an email address from the user or may look up an email address of the user from the distributed ledger. In this example, the redemption system **404** may email a link to download the digital item to the user's email account or may attach a copy of the digital item in an email that is sent to the user's email account. In another scenario, the user may be redeeming a token corresponding to a physical good (e.g., clothing, food, electronics, etc.) or a physical service (e.g., maid service). In the case of a physical good, the redemption system **404** may determine a workflow for satisfying the physical item. For example, the redemption system **404** may present a GUI to the user that allows the user to enter shipping information of the user. Alternatively, the redemption system **404** may look up the shipping information of the user from, for example, the distributed ledger or a user database. The redemption system **404** may then initiate shipment of the physical good. For example, the redemption system **404** (or a logistics system) may transmit a shipping request to a warehouse that handles shipments of the good indicating the shipping information. The foregoing are examples of how a token may be redeemed.

(98) The redemption system **404** may execute additional or alternative workflows to handle redemption of a token. For example, in some scenarios the initial purchaser of the token may not have specified certain parameters of an item that are needed to satisfy the transaction. For example, if the item is clothing, the initial purchaser may not have specified the size and/or color of the item. In another example, if the item is a food item, the initial purchaser may not have specified side orders, toppings, drink choices, or the like. If the item is an experience such as plane tickets or a hotel reservation, the initial purchaser may not have specified dates of travel. In these scenarios, the redemption system **404** may present a GUI that allows the redeemer of the token to specify the needed parameters, so that the transaction may be specified. In response to receiving the parameters, the redemption system **404** may ascribe these parameters to the instance of the virtual representation or to any other suitable data structure corresponding to the satisfaction of the transaction (e.g., a delivery order, a purchase order, etc.), such that the transaction may be satisfied.

(99) In embodiments, the transaction system **106** includes a digital wallet system **408** that supports digital wallets. A digital wallet may be tokens that are owned by an owner of the account associated with the digital wallet and may provide a graphical user interface that allows the user to view, redeem, trade, transfer, gift, deposit, withdraw, or otherwise transact with their tokens. In embodiments, the digital wallet system **408** provides an instant sell capability, where users can agree to sell tokens corresponding to items. For example, the instant sell capability may allow a user to sell items at the rate of 90% of the floor price. In some embodiments, other users may view

some or all of the virtual representation instances owned by the account owner, in accordance with the user's privacy settings. Users may opt to hide or make private individual virtual representations or all virtual representations.

(100) In some embodiments, the platform **100** and/or digital wallet of a user may provide visual indicia that may be associated with the token when being transferred to another person. For example, the visual indicia that may be associated with a token may include emojis, images, .gifs, videos, and the like. These visual indicia may be used by the user when transmitting a token to another user. For example, if the token corresponds to a bouquet of flowers and the visual indicia is an emoji of a flower, the user may send the token in a message using the flower emoji. In this example, the user may access the token in the digital wallet (e.g., via a native application on a user device **190**) and may select an option to send the token to a recipient. The user may identify the recipient (e.g., selecting from a list of contacts) and may be provided an opportunity to type a message. The client application (e.g., the digital wallet) may present a keyboard that includes the flower emoji, whereby the flower emoji represents the token. In response to the user selection of the flower emoji and subsequent “sending” of the token, the digital wallet application may initiate transmission of the message that includes the token/flower emoji. In this example, the digital wallet may also transmit a transfer request to the token transfer system **402** indicating that the transferring user has requested to transfer the token. The transfer request may include a copy of the token and a public address of the transferring user. In embodiments, the transfer request may further include a public address or other indicator (e.g., an email address, a phone number, a user id, or the like) of the intended recipient of the token.

(101) In embodiments, the transaction system **106** includes an express trading system **410** in which users may trade one or more assets without exchanging money. In these embodiments, the express trading system **410** provides a mechanism by which users can safely trade tokens, where each token represents a different item. In an example operation, a first user may make a trade offer in a smart contract to a second user to exchange one or more tokens for one or more tokens in return. The second user may accept by transferring the requested virtual asset. The smart contract then marks the transaction as completed. In embodiments, the express trade system **410** may provide a GUI that allows a user to view an inventory of tokens, create offers, accept offers, and/or cancel offers.

(102) In embodiments, the transaction system **106** includes a payment integration system **412**. The payment integration system **412** allows a user to purchase a token corresponding to an item. The payment integration system **412** may accept credit cards, different forms of currency, and/or cryptocurrency.

(103) In some embodiments, the transaction system **106** includes a subscription system **414**. In these embodiments, users can subscribe to a service to receive items that they consume regularly via the subscription system **414**.

(104) In embodiments, the transaction system **106** includes a ledger bridging system **416**. The ledger bridging system **416** provides a framework to secure or lock down an original virtual asset in a first decentralized ledger system (or any holder of currency, including traditional banks) and creating a tradeable duplicate in a second decentralized ledger system. In this way, users may fund their accounts on the tokenization platform **100** with different currencies and different transfer vehicles, and may then engage in transactions (e.g., trade, gift, or redeem) using the different currencies. In some embodiments, the decentralized ledger bridging system **416** provides an escrow function across decentralized ledger systems (e.g., ledger systems that are separate and apart from the distributed ledgers **310** of the platform **100**). In embodiments, the ledger bridging system **416** or a digital wallet may provide a token deposit GUI and/or a token withdrawal GUI.

(105) In embodiments, the ledger bridging system **416** allows a user to fund their account with one or more external currencies. For example, a user may fund an account with Bitcoin, Ethereum coins, other suitable cryptocurrencies, and/or traditional currencies (e.g., U.S. Dollars, British Pounds, Euros, Chinese Yuan, Japanese Yen, and/or the like). In the case of cryptocurrencies, a user

may facilitate a transfer of cryptocurrency from an external account, for example, using a non-affiliated digital wallet that stores the user's cryptocurrency. In the case of traditional currencies, a user may transfer funds into his or her account using, for example, a credit card, a direct money transfer, an ACH transfer, or the like. In some embodiments, when the user transfers funds (cryptocurrency or traditional currency) into an account with the tokenization platform **110** (which may be referred to as a “funding transaction”), the ledger bridging system **416** may generate a record corresponding to the funding transaction and may provide the record to the ledger management system **104**, which may update the distributed ledger to reflect the funding transaction. The record may indicate the account to which the funds were transferred, the account from which the funds were transferred, an amount that was transferred, a date and time of the transfer, and/or any other suitable data.

(106) Once an account is funded, a user can then use the transferred funds to participate in any transaction on the tokenization platform **100**. In some embodiments, at least a subset of the transferred funds is tokenized in a manner that comports with the protocol supported by the tokenization platform **100** and/or the distributed ledger **312** corresponding thereto. In embodiments, the ledger bridging system **416** may tokenize one or more crypto coins (e.g., a bitcoin), any fraction of crypto coins, or any amount of currency in response to a request corresponding to the user. The request to tokenize funds may be an explicit request or an implicit request. An explicit request may refer to when the user specifically requests the tokenization of a certain amount of currency. An implicit request may refer to when the user engages in a transaction on the tokenization platform **100** that implicates the transferred funds in the user's account, such that at least a portion of those funds need to be tokenized to facilitate the transaction (e.g., the user purchases an item and elects to pay for the item using some of the transferred funds in the user's account. Regardless of whether the request is implicit or explicit, the ledger bridging system **416** may tokenize the certain amount of currency.

(107) In some of these embodiments, the ledger bridging system **416** tokenizes a specified amount of currency by minting a tokenized token that “wraps” the certain amount of currency. A tokenized token may refer to a non-fungible token that has attributes that define the type of currency and an amount of currency represented by the coin (e.g., an amount of bitcoin, ethereum, dollars, pounds, or the like). In some of these embodiments, a tokenized token may refer to a non-fungible token that has a set of attributes defining characteristics of such token in addition to having a set of fungible and/or non-fungible tokens representing digital currency balance(s) enclosed within a tokenized token and/or other digital item(s). In addition, tokenized token can contain business rules governing redemption, transfer and other tokenized token lifecycle mechanisms. In some embodiments, the ledger bridging system **416** mints the new token by requesting the generation of a new token by the token generation system **302**. The ledger bridging system **416** may provide the type of currency, the amount of currency, and ownership data (e.g., the account to which the new tokenized token will belong) to the token generation system **302**. In response, the token generation system **302** generates a tokenized token, for example, in the manner described above. In this way, the token generation system **302** treats the currency as an “item.” In this way, a tokenized token may be exchanged (e.g., for other tokenized tokens or tokenized items), gifted, and/or redeemed. In some embodiments, the types of transactions that a tokenized token may participate in may be restricted. For example, tokenized tokens representing unstable currencies may be restricted from being exchanged, but may be redeemed or gifted.

(108) In embodiments, the ledger bridging system **416** further generates a visual indicium corresponding to the tokenized token as part of the minting process. In some embodiments, the visual indicia is a digital sticker (or “sticker”). For example, in some embodiments, the sticker may depict an amount and a symbol representing the currency (e.g., a sticker representing a tokenization of five dollars may depict “\$5”, or a sticker representing a tokenization of a tenth of a bitcoin may depict “B5”). In this way, the sticker may be displayed in a wallet of an owner of the tokenized

token. As discussed, the visual indicia may be used to convey to a user the tokenized tokens that the user owns. Additionally, in some embodiments, the visual indicia may be used to transfer tokenized tokens to other parties (e.g., via text message, messaging applications, email, and the like), as is described elsewhere in the disclosure.

(109) In some embodiments, the ledger bridging system **416** may instantiate (or request the instantiation of) a smart contract corresponding to the tokenized token as part of the minting process. In these embodiments, the smart contract may define one or more base functionalities that govern the tokenized token lifecycle mechanisms such as ownership transfer and/or redemption logic. The base functionalities may include the ability to change ownership of the tokenized token, the types of transactions in which the tokenized token may be used (e.g., to make purchases, to gift, to exchange, to redeem for cash, etc.), and the like. Upon a new tokenized token being minted, the ledger bridging system **416** may instantiate an instance of the smart contract corresponding to the newly minted tokenized token. The instance of the smart contract may execute each time the tokenized token is involved in a transfer (e.g., exchanged, gifted, or redeemed). For example, each time an owner of the tokenized token requests to transfer the tokenized token, the instance of the smart contract may be implicated by the request and the instance of the smart contract can either disallow or facilitate the transfer depending on the contents of the request and the smart contract.

(110) Once a tokenized token is minted, the funds represented by the tokenized token may be “escrowed” by the ledger bridging system **416**. In this way, the user is prevented from removing funds from his or her account until the tokenized token is redeemed. In some embodiments, the ledger bridging system **416** may transfer the funds corresponding to the tokenized token from the account of the user to a designated escrow account. Alternatively, the ledger bridging system **416** may freeze the funds corresponding to the tokenized token, such that the funds may not be transferred by the user until the tokenized token is redeemed. Once a tokenized token is redeemed, the funds represented by the tokenized token may be released from escrow, deposited into the account of the redeeming user, and the tokenized token may be destroyed (also referred to as being “invalidated”).

(111) In embodiments, the ledger bridging system **416** updates, or initiates the update of, the distributed ledger. The distributed ledger may be updated upon a number of different occurrences. As discussed, in embodiments, the distributed ledger may be updated when a user initially funds an account. In embodiments, the ledger bridging system **416** updates (or initiate the update of) the distributed ledger upon a new tokenized token being minted. In these embodiments, the distributed ledger is updated to reflect the existence of the new tokenized token and the ownership of the token. In embodiments, the ledger bridging system **416** updates (or initiate the update of) the distributed ledger with the instance of the smart contract corresponding to the tokenized token. In embodiments, the ledger bridging system **416** may update (or initiate the update of) the distributed ledger each time a tokenized token is transferred. In these embodiments, the distributed ledger may be updated to reflect the new owner of the tokenized token. In embodiments, the ledger bridging system **416** may update (or initiate the update of) the distributed ledger when a tokenized token is redeemed and subsequently destroyed. In these embodiments, the distributed ledger may be updated to reflect that the tokenized token is no longer valid, the account that redeemed the token, and/or when the token was redeemed.

(112) FIG. 5 illustrates the intelligence and automation system **110** according to some embodiments of the present disclosure. In embodiments, the platform includes an intelligence and automation system **110**. The intelligence and automation system **110** may include a machine learning system **502**, an artificial intelligence system **504**, a recommendation engine **506**, a service matching engine **508**, an advertising system **508**, and/or a notification system **510**.

(113) In embodiments, the machine learning system **502** may train machine-learning models based on training data. Examples of machine learned may include various types of neural networks, regression-based models, hidden Markov models, scoring models, and the like. The machine

learning system **502** may train models in a supervised, semi-supervised, or unsupervised manner. Training can be done using training data, which may be collected or generated for training purposes. The machine learned models may be stored in a model datastore.

(114) In an example, the machine learning system **502** may be configured to train a gift prediction model. A gift prediction model (or prediction model) may be a model that receives recipient attributes (e.g., a profile relating to an intended recipient) and/or item attributes of one or more items that may be provided as a gift and that outputs one or more predictions regarding sending a gift token to that particular consumer. Examples of predictions may be whether to send a gift to that user, gifts the user would value, and the like. In embodiments, the machine learning system **502** trains a model based on training data. In embodiments, the machine learning system **502** may receive vectors containing user data (e.g., transaction history, preferences, wish list virtual assets, and the like), virtual asset data (e.g., price, color, fabric, and the like), and outcomes (e.g., redemption, exchanges, and the like). Each vector may correspond to a respective outcome and the attributes of the respective user and respective item. The machine learning system **502** takes in the vectors and generates predictive model based thereon.

(115) In embodiments, the machine learning system **502** trains risk scoring models using training data sets that indicate the features of users participating in a transaction, features of the transaction (e.g., the type of transaction (e.g., purchase, loan, sale, etc.), the size of the transaction (e.g., a dollar amount), and the like), and an outcome of the transaction indicating whether the transaction was successful or unsuccessful (e.g., did the buyer pay for the item after purchase, did the borrower pay the loan off or default on the loan, was the purchased item delivered and in sufficient condition, etc.). The training data sets may be based on transactions facilitated by the platform and/or generated by an expert.

(116) In embodiments, the machine learning system **502** may store the predictive models in a model datastore. In embodiments, the machine learning system **502** may be further configured to update a model based on captured outcomes, which is also referred to as “reinforcement learning.” In embodiments, the machine learning system may receive a set of circumstances that led to a prediction (e.g., item attributes and user attributes) and an outcome related to the treatment (e.g., redemption of item, exchange of item, refund of an item), and may update the model according to the feedback. As used herein, the machine learning techniques that may be leveraged by the machine learning system include, but are not limited to, decision trees, K-nearest neighbor, linear regression, K-means clustering, deep learning neural networks, random forest, logistic regression, Naïve Bayes, learning vector quantization, support vector machines, linear discriminant analysis, boosting, principal component analysis, and hybrid approaches.

(117) In embodiments, the artificial intelligence (AI) system **504** leverages the machine-learned models to make predictions or classifications regarding purchasing, gifting, or other e-commerce outcomes with respect to user data and asset data. Examples of predictions include whether a user will purchase an item, whether a user will exchange a gifted item, redemption options such as delivery timing and delivery location, and the like. For example, the AI system **504** may leverage a gift prediction model to make predictions as to whether a recipient of a particular item will like a gift, return a gift, or exchange a gift.

(118) In embodiments, the recommendation system **506** may be configured to provide recommendations to users regarding items. The recommendation system **506** may request a recommendation from the AI system **504** based on attributes of a user. The AI system **504** may output a set of recommendations and the recommendation system **506** may provide the recommendations to the user or another party. For example, the recommendation system **506** may provide users with recommendations of items to purchase based on a purchase history of the user.

(119) In embodiments, an advertising system **508** is configured to determine advertisements to display to a user, where the advertisements relate to items that are offered for transaction on the platform. In embodiments, the advertising system **508** may present users with discounts,

promotions, and the like.

(120) In embodiments, a services-matching system **510** is configured to match consumers to service providers for user-selected services. In these embodiments, a user may be seeking service, and the service matching system **510** may identify service providers that are best suited to provide the service. For example, the services matching system **510** may match service seekers and service providers based on pricing, availability, location, and the like.

(121) FIG. **6** illustrates the intelligence and automation system **110** according to some embodiments of the present disclosure. In embodiments, the analytics and reporting system **112** is configured to capture and report analytics relating to various aspects of the e-commerce platform **100**. In embodiments, the analytics and reporting system **112** may include an analytics system **602**, a reporting system **604**, and/or a regulated asset system **606**. In embodiments, the analytics and reporting system **112** may provide an analytics interface that allows a user to access the analytics and reporting system **112**.

(122) In embodiments, the analytics system **602** may track and analyze data relating to, but not limited to, consumer data, item data, merchant, manufacturer, or provider data; user behavior (e.g., purchase behavior, telemetric, and the like), and transaction events (e.g., when items are purchased, how items are purchased, how items are transferred, and the like).

(123) In embodiments, the reporting system **604** reports analytics gained by the analytics system **602** to one or more parties. Interested parties may access the reporting system **604** and/or may subscribe to receive analytics reports. The reporting system **604** may be configured to generate reports based on the gathered analytics and to provide the reports to interested parties. In embodiments, a regulatory GUI may then allow regulators to access the platform **100**. For example, a regulator may access the platform to track and monitor a regulated item, such as 3D printed firearms.

(124) In embodiments, the analytics and reporting system **112** includes a regulated asset system **606**. In embodiments, the regulated asset system **606** is configured to manage regulated items. For example, the regulated asset system **606** may manage access to weapons or firearms, pharmaceuticals, alcohol, tobacco products, food products, event/venue entry, airline tickets, and the like. In embodiments, the regulated asset system **606** may track and monitor transactions regarding regulated items and may notify certain regulatory agencies based on the transactions and a corresponding workflow. In a non-limiting example, a token could be used to track a 3D printed firearm, where the item that is purchased would be the model used to print the firearm.

(125) Referring back to FIG. **1**, in embodiments, the platform **100** includes a virtual world presence system **114** for representing tokenized physical world items within virtual world environments. In some embodiments, the virtual world environments may depict virtual world avatars. Virtual world avatars may represent a user (e.g., a potential buyer) and may interact with virtual items in a virtual world environment. Users may “shop” by controlling a virtual world avatar in a virtual world store. For example, a virtual world avatar may try on a virtual representation of a tokenized physical world hat in a virtual world dressing room. In some embodiments, the virtual world presence system may include a virtual reality system that provides a framework for displaying the virtual world environment. In embodiments, the virtual world presence system may also include a virtual asset display system that displays items related to a user, including but not limited to: items that are owned by the user, in the custody of the user, desired by the user, and the like. These items can be displayed publicly to other users or hidden from other users, individually or collectively. In some embodiments, the virtual asset display system may determine the set of tokens owned by a user to determine the items that are owned or possessed by a user.

(126) In embodiments, the virtual world presence system **114** may include a content sharing system that allows sharing of content related to virtual assets to content platforms. The content sharing system enables users to share content related to virtual assets owned by a user or in custody of user or desired by user. Users may obtain additional information about a virtual asset or request to

purchase, rent, borrow, trade, or the like. The shared content may include data from the virtual world presence system. For example, a user may share a video of the user's associated virtual world avatar eating a virtual pizza in a virtual pizza parlor.

(127) Referring now to FIG. 8, the tokenization platform **100** may support a number of different applications and/or provide a number of different services. For example, the platform **100** may support collateralized lending applications, authentication services, “mystery box” applications, casino-gaming services, and video game streaming services.

(128) In embodiments, the platform **100** includes a collateral management system **802**. The collateral management system **802** allows a borrower to provide collateral and request a loan. In some of these embodiments, a user wishing to borrow money can take a collateral item (e.g., a collectible item, jewelry, a firearm, a precious metal, or the like) to a facility affiliated or otherwise supported by the platform **100**. At the facility, an employee at the facility may inventory the collateral item using an interface provided by the collateral management system **802**. Inventorying the collateral item may include requesting an item identifier for the collateral item, associating the item identifier collateral item with an account of the user (i.e., the owner of the collateral item), taking high resolution photographs of the collateral item, weighting the collateral item using a scale, entering a description of the collateral item, an appraisal of the collateral item, and the like. Once inventoried, the collateral management system **802** can create a virtual item representing the collateral item, and then may generate a non-fungible token corresponding to the virtual item (which may be referred to as a “collateral token”). For example, the collateral management system **802** may request the generation of the virtual item and the collateral token from the ledger management system **104**. Upon the collateral token being generated, the ledger management system **104** may update the distributed ledger to reflect the new collateral token and the ownership of the collateral token by the borrower. The collateral token may then appear in a digital wallet of the borrower. In some embodiments, the collateral token may be represented by a visual indicium in the digital wallet. The collateral item corresponding to the collateral token may be stored at the facility until the collateral token is redeemed. Once redeemed, the redeeming user (the borrower or a transferee of the collateral token) may pick up the collateral item from the facility or the collateral item may be shipped to thereto.

(129) In embodiments, the collateral management system **802** may allow a borrower to seek a loan using the collateral token. In embodiments, the collateral management system **802** may provide a marketplace (e.g., that is accessible via a graphical user interface) where the borrower can request a loan amount and offer the collateral token as collateral. Lenders (who have accounts with the tokenization platform **100**) may then make loan offers to the borrower via the marketplace. The loan offers may specify a loan amount, an interest rate, and a loan length. The loan offers may include additional conditions as well. For example, a loan offer may indicate whether the loan can be bought out by another lender, and if so, a payoff amount to buy the loan. The borrower may shop through the loan offers and may ultimately decide on a loan offer to accept.

(130) Once the borrower accepts an offer, the collateral management system **802** may instantiate an instance of a smart contract that memorializes the term of the loan and may escrow the collateral token (e.g., no one can redeem the collateral token or transfer the collateral token without complying with the smart contract). The smart contract may indicate the lender, the borrower, the collateral token, the loan amount, a payment schedule, whether the loan is transferrable, when the loan is considered to be in default, ownership rights of the collateral token upon default, and the like. The ledger management system **104** may update the distributed ledger to reflect the smart contract.

(131) Once the instance of the smart contract is instantiated, the borrower must commence repayment of the loan according to the loan schedule. It is appreciated that the loan schedule may require a single lump sum payment by a given time or may require multiple payments that are to be made at predetermined intervals. In embodiments, the borrower may make payments to the lender

via his or her digital wallet. In these embodiments, the borrower may transfer funds from a bank, credit card, a digital wallet holding other currencies, or the like. The borrower may then transfer those funds to the lender via the digital wallet. In some embodiments, the ledger bridging system **416** facilitates the transfer of funds from the account of the borrower to an account of the lender.

(132) In embodiments, the collateral management system **802** may deploy a listening thread corresponding to an instance of a smart contract governing a loan. A listening thread may listen for payments by the borrower defined in the instance of the smart contract. When a payment is made, the listening thread may notify the ledger management system **104**, which updates the distributed ledger to reflect the payment. During this update, the instance of the smart contract is notified of the payment, which may cause the smart contract to determine whether the loan is fully repaid. If the loan is fully repaid, the smart contract releases the collateral token to the borrower, bringing the smart contract to a close. If the loan amount is not repaid, the terms of the smart contract (e.g., the loan amount and the next repayment) may be updated based on the payment. If the listening thread does not detect a receipt of a payment before the payment due date, the listening thread may notify the ledger management system **104** of the missed payment. In response to the notification, the ledger management system **104** may update the distributed ledger to reflect the non-payment, which may cause the smart contract to determine whether the loan is in default according to the terms of the contract. If the loan is determined to be in default, then the smart contract transfers ownership of the collateral token to the party specified by the smart contract (e.g., the lender). Once this occurs, the lender may redeem the collateral token, sell the collateral token, gift the collateral token, or exchange the collateral token, as the lender is now the owner of the collateral token.

(133) In embodiments, the collateral management system **802** may provide a marketplace for loans that may be bought or transferred. The marketplace may present the amount due on a loan, the value of the loan (e.g., the amount that is to be collected when fully paid off), the payment history of the loan (e.g., whether the borrower is making or missing payments), the collateral item that secures the loan, the price to purchase the loan, and the like. In some embodiments, potential lenders may opt to purchase the loan from the current lender. In these embodiments, the purchase of the loan causes the collateral management system **802** to terminate the current smart contract and to instantiate a new smart contract to reflect the new owner or to adjust the smart contract, such that payments will be directed to an account of the new lender and to designate the new lender as the destination of the collateral token should the borrower default. Additionally, or alternatively, the borrower may seek better terms on a loan using the marketplace. Assuming a loan is transferrable, the borrower may list the loan on the marketplace whereby potential lenders can view the borrower's payment history, the remaining balance on the loan, the loan payoff amount, and the collateral item. Potential lenders may then make loan offers to the borrower with each loan offer having its terms. The borrower can accept a loan offer. In response to the borrower accepting the loan offer, the new lender must transfer the loan payoff amount to the previous lender, which causes the collateral management system **802** to terminate the current smart contract and to instantiate a new instance of a smart contract in accordance with the newly accepted terms of the loan offer.

(134) In embodiments, the platform **100** includes an authentication system **804**. The authentication system **804** may provide authentication and/or appraisal services on behalf of the platform **100**. For example, the authentication system **804** may be used to authenticate an item that is offered for sale or provided for collateral. Additionally, or alternatively, the authentication system **804** may be used to obtain an appraisal of an item that is offered for sale or provided for collateral.

(135) In some embodiments, the authentication system **804** presents a portal that allows a user (e.g., a seller or an employee of a facility that holds items) to upload a virtual representation of an item. The user may provide an item classification (e.g., a baseball card, vintage clothing, jewelry, artwork, or the like), and one or more of: one or more high resolution photographs of the virtual item; a 3D representation of the item; dimensions of the item; a weight of the item; and/or the like.

The authentication system **804** may allow domain-specific experts to sign up as authenticators/appraisers, such that a domain-specific expert can authenticate and/or appraise items classified in the area of their expertise. For example, sports memorabilia experts may be allowed to authenticate baseball cards and memorabilia, but not jewelry or artwork. In some embodiments, authenticators may be rated within their area of expertise and for sub-domains within their area of expertise (e.g., within the general category of sports memorabilia, an expert can be rated with respect to their knowledge on baseball memorabilia, basketball memorabilia, football memorabilia, and the like). When a new item is entered into the portal, the domain-specific experts can bid on the appraisal/authentication job, whereby the bid indicates the terms (e.g., price) under which the expert will perform the appraisal/authentication job. A user may then select the one or more of the experts based on their respective bids and/or their ratings. Alternatively, the authentication system **804** may select the one or more of the experts based on their respective bids and/or their ratings. Once an expert wins a bid, the expert performs the authentication and/or appraisal based on the information uploaded by the user (e.g., one or more high resolution photographs of the virtual item, a 3D representation of the item, dimensions of the item, a weight of the item, and/or the like). The expert may provide an appraisal value and/or a determination indicating the authenticity of the item. The authentication system **804** may include the expert's appraisal and/or authenticity determination in the virtual representation of the virtual item and, in some embodiments, the authentication system **804** may update the distributed ledger with the expert's appraisal and/or authenticity determination. As can be appreciated, the appraisal and/or the authenticity determination may result in an item being kept on or removed from the platform, or may impact the ability to collateralize a loan using the item.

(136) In some embodiments, the authentication system **804** requires an expert to provide appraisal/authentication notes that indicate the reasons for the expert's determination. In providing an appraisal and/or providing a determination of authenticity, the expert provides one or more reasons for his or her findings. For example, in opining that a particular shoe is a knockoff, an expert may indicate in the notes that the stitching of the shoe is indicative of a knockoff. The authentication system **804** may include the expert's appraisal/authenticity notes in the virtual representation of the virtual item and, in some embodiments, the authentication system **804** may update the distributed ledger with the expert's appraisal/authenticity notes.

(137) In embodiments, the expert authentication determinations, as well as authentication notes may be used by the machine learning system **802** (FIG. 5) to train one or more models that can determine whether an item is likely a fake. In these embodiments, the models can be trained on images, weights, dimensions, and/or other features of items that were deemed to be fake. The authentication system **804** may leverage these models (via the artificial intelligence system **804**) to determine whether a new item is likely fake. If the model classifies the item as being likely fake, the authentication system **804** may include the determination in the virtual representation of the virtual item and, in some embodiments, the authentication system **804** may update the distributed ledger with the determination that the item is likely fake. If the model is unable to classify the item as likely being fake, the authentication system **804** may list the item on the portal, such that experts may assess the item's authenticity. It is noted that in embodiments, a model can classify an item as likely being fake, but only an expert may authenticate the item, as counterfeiters may adapt and improve the quality of the counterfeit items to trick the models into issuing false authentications.

(138) In embodiments, the tokenization platform **100** includes a mystery box system **806** that supports a mystery box game. In embodiments, a "mystery box" may refer to a set of tokens that potentially can be won by a player, where each token represents a different item that can be redeemed using a token. In embodiments, each token may have a different probability of being selected. In some embodiments, each token may be assigned a range of numbers, where the range of numbers for each token reflects the probability of being won by a player. For example, if there are three tokens, where the first token has a 10% chance of being won, the second token has a 20%

chance of being won, and the third token has a 30% chance of being won, and there is a 40% chance of no token being won, the first token may be assigned 1-10, the second token may be assigned 11-30, and the third token may be assigned 31-60. In this example, the range of values that may be selected would be 1-100. A player may pay for a chance to win an item in the mystery box. In some embodiments, the odds of winning each token, and the item represented by the token, are depicted in relation to the mystery box. In this way, players are informed on their chances of winning the various items.

(139) In response to the receiving payment from the player, the mystery box system **806** may generate a random number that is bound by the overall range of values for the box (e.g. 1-100). The mystery box system **806** may then determine which token, if any, was won by the player based on the random number. For example, a mystery box may be jewelry-themed, whereby the mystery box includes a first token representing a diamond ring, a second token representing a cubic zirconium ring, and eight tokens, each representing a \$25 gift card that can be spent at a specific jewelry shop (e.g., the jewelry shop that provided the rings). In this example, the first token may have a 0.1% chance of being won, the second token may have a 4.9% chance of being won, and the gift cards may each have a 10% chance of being won, whereby there is a 15% chance that the player will not win a prize. In this example, the range of numbers may be 1-1000, where the first token corresponds to the number 1, the second token corresponds to the range of 2-50, and the third through eighth tokens have a collective range from 51-850. In this example, the price to play may be set by the jewelry shop, such that the gift cards may be considered a mechanism to drive traffic to the jewelry shop. It is noted that in the foregoing example, the range of tokens are sequential, however the ranges do not need to be sequential and can be slotted in any suitable manner.

(140) In embodiments, the mystery box system **806**, in response to a player winning a prize from the mystery box, may transfer the token to an account of the winning player. In these embodiments, the won token may appear in the digital wallet of the player. Alternatively, the mystery box system **806** may deliver the won token to the user via an electronic message (e.g., a text message, a messaging app message, an email, or the like). As will be discussed below, in some embodiments, the mystery box system **806** provides service to brick-and-mortar casinos, such that the mystery box game is implemented in a physical device. In these embodiments, the mystery box system **806** may print out a ticket that has a token identifier of the won ticket (e.g., a QR code).

(141) In embodiments, the mystery box system **806** may allow players to select a mystery box to play from a plurality of available mystery boxes, where each mystery box may have a respective theme. For example, a first mystery box may be art themed such that the mystery box contains tokens corresponding to art-related items (e.g., arts of work, art related products, services relating to art (e.g., a commissioned painting by an artist), and the like); a second box may be entertainment themed, where the second box may contain tokens corresponding to a movie and television-related items (e.g., memorabilia items from popular movies and/or TV shows, DVDs or download codes for movies and/or TV shows, gift certificates to movie theaters, and the like); a third box may be sports themed, where the third box may contain tokens corresponding to sports-related items that correspond to a particular team (e.g., game worn apparel, tickets to games, replica apparel, team apparel, and the like); a fourth box may be gaming themed, where the fourth box may contain tokens corresponding to gaming-related items (e.g., video game systems, video games, gift certificates, upgrades for characters of a particular game, and the like); a fifth box may be music-themed, where the box may contain tokens relating to items that correspond to a particular band or artist (e.g., a signed show poster, memorabilia from the band or artist, tickets to a show, download codes for an album or song, and the like); and so forth. In this way, players may select to play for prizes that are enticing to them.

(142) In embodiments, a mystery box may contain tokens corresponding to replenishable items and/or non-replenishable items. Replenishable items are items that can be replenished in the mystery box when a player wins a token representing the item. For example, gift certificates, movie

tickets, sports game tickets, DVDs, electronics, video games, replica jerseys, and most clothing items are replenishable, while items such as watches, high-end jewelry, game-worn sports apparel, signed memorabilia, limited edition shoes, original artwork, are examples of non-replenishable items. In some embodiments, the party offering the mystery box may designate replacement items of similar value for the non-replenishable items in a mystery box, such that when a non-replenishable item is won from the mystery box, it may be replaced by one of the designated replacement items. In some of these embodiments, a mystery box may be arranged according to a “recipe.” A recipe designates two or more tiers of items in the mystery box, and for each tier the odds for winning an item from the tier. In these embodiments, the provider of the mystery box may provide a list of items that belong to each tier. For example, the highest tier (e.g., the tier with the lowest odds) may include the high-value non-replenishable items, while the lower tiers may include various levels of replenishable items. Each item in the recipe may be tokenized, such that the tokens are reserved for use in the mystery box. Each time an item from a tier is won by a player, the mystery box system **806** may replace the token representing the item with another token from the same tier as the won token. In this way, the price to play the mystery box and the odds associated with each item in the mystery box do not change when a non-replenishable item is won from the mystery box.

(143) In embodiments, each mystery box is governed by a smart contract. The smart contract may define the different items or tiers of items, and for each respective item or tier of items, odds for winning the respective item. When a new mystery box is created, the mystery box system **806** may instantiate a new smart contract corresponding to the new mystery box. The instance of the smart contract may define the items or tiers of items of the new mystery box, the odds for each item (or tier of items), the token identifiers of each of items in the mystery box (or replacement items that can be included in the mystery box), and a price to play the mystery box. In embodiments where items are not replaced in a mystery box, the smart contract may further define the manner by which the odds of items or the price of the game may be adjusted when certain items are exhausted. For example, if the highest value item in the mystery box is won, the price to play the game may be lowered and/or the odds of winning the remaining items may be adjusted.

(144) The mystery box system **806** may serve the mystery box game in a variety of different manners. In embodiments, the mystery box system **806** may serve the mystery box game via the tokenization platform **100**, whereby users of the tokenization platform **100** may play the mystery box game on a website or application provided by the tokenization platform **100**. Additionally, or alternatively, the mystery box system **806** may serve the mystery box game to users via a third-party website or application. In these embodiments, the third-party website or application may access the mystery box system **806** via the API system **108** of the tokenization platform **100**.

(145) In some embodiments, the mystery box system **806** may support casino-style machines, whereby players can play the mystery box game on a physical machine located at, for example, a casino or any other suitable brick-and-mortar location. In these embodiments, the items may be located at the brick-and-mortar location where the physical device is located, such that when a player wins an item from the mystery box, the player may redeem the token at the brick-and-mortar location. In these embodiments, the tokenization platform **100** includes the mystery box system **806** that supports mystery box games that are played at the brick-and-mortar locations. In these embodiments, the mystery box system **806** may provide an API that allows network-connected physical gaming devices to communicate with the tokenization platform **100**. The mystery box system **806** may serve the mystery box game to the physical gaming devices via the API system **108**. In embodiments, the mystery box system **806** may provide token identifiers of won tickets, such that the physical gaming devices may print a ticket that indicates the won token. In some embodiments, the ticket may include a QR-code that indicates the won token.

(146) In embodiments, the player may redeem a ticket indicating a won token at the brick-and-mortar location. In these embodiments, the brick-and-mortar location may include scanning devices

that scan the tickets and communicates the token identifier of the won token to the casino gaming system. In response to receiving the token identifier of the won token, the mystery box system **806** may redeem the won token on behalf of the player and may communicate a verification of the redemption of the won token to the scanning device. An employee using the scanning device may then provide the item won by the player to the player. Alternatively, the player may add the won token to a user account of the player. In these embodiments, the player may scan the ticket (e.g., the QR-code). In response to the player scanning the ticket, the mystery box system **806** may facilitate the transfer of the token to an account of the player, whereby the ticket may appear in the player's digital wallet. Once this occurs, the player may redeem, sell, gift, collateralize, or otherwise transact with the token.

(147) In embodiments, the tokenization platform **100** includes a video game integration system **808**. The video game integration system **808** allows video game makers to place tokens in video games, such that games playing a video game may be able to find, buy, trade, or otherwise interact with tokens in the video game. In embodiments, a video game maker may access an API of the tokenization platform **100** via the API system **108**, such that instances of a video game may request certain tokens or types of tokens from the tokenization platform **100**. In response to the request, the video game integration system **808** may serve a token to the instance of the video game. The tokens may be fungible or non-fungible. In the latter case, a token may be obtained, purchased, or otherwise transacted for by multiple video games. In the case of a non-fungible token, the first user to transact for the token is the owner of the token. In response to a user transacting for a token, the video game integration system **808** may update the distributed ledger to reflect the new ownership of the token.

(148) In some example embodiments, a video game maker may allow third-parties to advertise items for sale in a video game, whereby a user may purchase an item by selecting an icon (or other visual indicia) displayed in the video game that represents a token corresponding to the item. For example, an advertiser representing a pizza delivery chain may wish to offer pizza delivery to gamers in a specific location. In this example, instances of the video game may request food-related tokens from the video game integration system **808**, whereby each request indicates a location of the device executing the respective instance of the video game. The video game integration system **808** may identify tokens corresponding to food items that can be delivered to a location where a respective instance of the video game is being executed. For example, the video game integration system **808** may identify tokens having associated metadata that indicates a delivery radius that includes a location indicated in the request. In response to the request, the video game integration system **808** serves the identified token to the requesting instance of the video game. A visual indicium representing the token may then be displayed by the instance of the video game, whereby a user (i.e., video game player) may opt to transact for the token. Upon a user transacting for ownership of the token, the video game integration system **808** updates the ownership data of the token to reflect that it is owned by the user. In scenarios where delivery information or other logistical information are needed, the instance of the video game and/or the user can provide those details at the time of transaction or the user can provide the required information to complete the transaction. For example, if the user elects to buy a pizza token from a pizza delivery chain, the instance of the video game and/or the user may provide the address to where the pizza will be delivered. The user, via the instance of the video game, may also provide details such as toppings for the pizza.

(149) In some example embodiments, the video game maker may allow an item represented by a token to be both used in the digital environment of the video game and to be redeemed in “real-life.” In these embodiments, the video game maker may include specific fungible or non-fungible tokens in the video game, whereby users can find, buy, trade for, or otherwise transact for the tokens appearing in the video game. Once a token appearing in a video game is transacted for, the video game integration system **808** may update the ownership data of the transacted for the token to

reflect that the user is the owner of the token. A visual indicium of the token may appear in a video game instance corresponding to the user and/or in a digital wallet of the user. Once owned by the user, the user may use the token in the video game and may subsequently redeem the token to receive the physical item represented by the token. For example, in a role-playing game a token may represent a pair of earrings that give the player of the video game a special power (e.g., invisibility). The user may use the earrings in the game to enjoy the special power or may redeem the earrings. In the latter scenario, the earrings may be shipped to the user, such that the earrings may be physically worn by the user, but are no longer able to be used in the video game. In some of these embodiments, the video game maker may allow the user to transact the tokens. For example, the owner of a token may trade or sell the token for a token corresponding to another item. Each time the ownership is changed, the video game integration system **808** may update the distributed ledger to reflect the change in ownership. Once a user no longer owns a token, the user cannot use or redeem the item indicated by the token. In some embodiments, the video game may allow the user to return the item to a verified location (e.g., storage warehouse), whereby once the item is authenticated the user may then use the digital representation of the item in the video game once again.

(150) The video game integration system **808** may allow video game makers to integrate tokens into their video games in additional or alternative manners. For example, video game makers may use tokens as “Easter eggs” or prizes that may be won by players as they uncover the tokens. In another example, a video game maker may integrate one or more mystery boxes in a video game. In another example, users may create digital items within the construct of a video game, such that the digital items may be tokenized and transacted for (e.g., traded, gifted, sold, etc.).

(151) In embodiments, the tokenization platform **100** includes a user acquisition system **810**. In embodiments, the user acquisition system **810** provides mechanisms that facilitate the promotion of the tokenization platform, and particularly, the enlisting of new users. In some embodiments, the user acquisition system **810** provides each existing user with a unique referral code that each respective user can share with his or her friends, social media followers, contacts, or the like. In addition, the user acquisition system **810** may provide an incentive to each existing user, whereby the incentive indicates a reward for each new user or number of users (e.g., three users) that sign up for an account. The incentive may be any form of payment, including currency (e.g., traditional currency or cryptocurrency), gift cards, physical items, digital items, and the like. In some embodiments, the reward is provided as a tokenized token, whereby the tokenized token represents a set amount of currency. In embodiments, the user acquisition system **810** may provide different incentives to different users. In some embodiments, the incentive may be determined based on the potential reach of each respective user. For example, users that have significant reach (e.g., social media influencers, celebrities, etc.) may be given greater incentive than users with relatively little reach. In some embodiments, the incentive may be determined based on the interests of each respective user. For example, a first user that is interested in golf may be incentivized with golf-related items or gift certificates, while a second user that is interested in art may be incentivized with art-related items or gift certificates. In some embodiments, the user acquisition system **810** codifies the incentive for each user in a respective instance of a smart contract. In some of these embodiments, the smart contract instance governs the incentives/rewards of a user is associated with the referral code of the user and/or the public address of the user. When the referral code of the user is successfully used to enlist a new account, the smart contract may facilitate the transfer of a token representing the reward to an account of the referring user.

(152) Each time a new user enlists for an account using a referral code, the user acquisition system **810** determines whether the new user is legitimate (e.g., not a bot, not a fraudulent account, etc.). Assuming the new user is granted an account (e.g., there is not detected fraud), the user acquisition system **810** determines the user account associated with the referral code. In some embodiments, the user acquisition system **810** determines a smart contract associated with the user account and/or

the referral code. The user acquisition system **810** may provide a notification to the smart contract associated with the user account and/or the referral code of a new account. The smart contract may then initiate the transfer of the token representing the reward to an account of the user.

(153) In embodiments, the user acquisition system **810** may perform these services for third-party customers. In these embodiments, a third-party customer may provide rewards (e.g., cash, cryptocurrency, gift cards, physical items, etc.) to a trusted third-party holder (e.g., the tokenization platform or another trusted holder). The rewards may then be tokenized and held in escrow. The third-party may further define the parameters governing the rewards (e.g., how much incentive to award, who may be a promoter, etc.). The user acquisition system **810** may generate a smart contract on behalf of the third-party customer. When a user requests a referral code, the user acquisition system **810** may generate an instance of the smart contract on behalf of the customer and may associate the instance of the smart contract with the account of the user. When the user successfully refers a buyer to the customer using a referral code, the user acquisition system **810** (and/or the instance of the smart contract) may transfer a token representing the reward to an account of the referring user.

(154) To further describe some embodiments in greater detail, reference is next made to examples of techniques which may be performed by or in connection with ecommerce systems, for example, platform **100**. The techniques include technique **900** of FIG. **9**, **1000** of FIG. **10**, **1100** of FIG. **11**, **1200** of FIG. **12**, **1300** of FIG. **13**, **1400** of FIG. **14**, **1500** of FIG. **15**, **1600** of FIG. **16**, **1700** of FIG. **17**, **1800** of FIG. **18**, and **1900** of FIG. **19**. Technique **900**, technique **1000**, technique **1100**, technique **1200**, technique **1300**, technique **1400**, technique **1500**, technique **1600**, technique **1700**, technique **1800**, and technique **1900** can be executed using computing devices, such as the systems, hardware, and software described herein. Technique **900**, technique **1000**, technique **1100**, technique **1200**, technique **1300**, technique **1400**, technique **1500**, technique **1600**, technique **1700**, technique **1800**, and technique **1900** can be performed, for example, by executing a machine-readable program or other computer-executable instructions, such as routines, instructions, programs, or other code. The steps, or operations, of technique **900**, technique **1000**, technique **1100**, technique **1200**, technique **1300**, technique **1400**, technique **1500**, technique **1600**, technique **1700**, technique **1800**, and technique **1900** or another technique, method, process, or algorithm described in connection with the embodiments disclosed herein, can be implemented directly in hardware, firmware, software executed by hardware, circuitry, or a combination thereof. For simplicity of explanation, **900**, technique **1000**, technique **1100**, technique **1200**, technique **1300**, technique **1400**, technique **1500**, technique **1600**, technique **1700**, technique **1800**, and/or technique **1900** are each depicted and described herein as a series of steps or operations. However, the steps or operations in accordance with this disclosure can occur in various orders and/or concurrently. Additionally, other steps or operations not presented and described herein may be used. Furthermore, not all illustrated steps or operations may be required to implement a technique in accordance with the disclosed subject matter.

(155) FIG. **9** depicts a flowchart showing a technique **900** for tokenizing items according to some embodiments of the present disclosure. At **9002**, item information is obtained. The item information may include a unique identifier for a unique unit of the item and a set of item attributes. In embodiments, a processing system of a tokenization platform obtains the information.

(156) At **904**, one or more digital tokens are generated. In embodiments, the digital tokens are unique digital tokens. Each unique digital token may include a set of digital attributes that correspond to the set of item attributes. In embodiments, N digital tokens are generated and linked to an item or virtual representation thereof. In embodiments, a token generation system generates the one or more digital tokens.

(157) At **906**, the digital token is coupled to the item information. In embodiments, a cryptographic link couples the digital token to the item information such that the digital token provides a representation of the item. For example, the digital token and the item may be unique such that the

unique digital token and the unique identifier for the unique unit of the item are cryptographically linked to provide a unique digital representation of the unique unit of the item. In embodiments, a linking system, such as a module of the token generation system **302**, couples the digital token to the item information.

(158) In embodiments, tokens may be tokenized (e.g., when generating a token representing an amount of funds). For example, the item information may be funds within the platform **100** or from third-party sources. The tokenized token can be generated in response to validation of receipt of the funds, and the funds may be held from transaction by the user. In some embodiments, the funds remain publicly attributed to the user and the ledger is updated with a hold or lien recorded against the funds to prevent user transaction of the tokenized funds without approval by the platform **100**. In some embodiments, the ledger is updated to reflect a transfer of the funds from the user to the platform **100**. Beneficially, transferred funds may be tradeable by the platform **100** (e.g., for depositing or investment with third parties), and the tokenized tokens are redeemable for an equivalent amount of the original funds even if the redeemed funds are not the originally tokenized funds such that the tokenized token may be used by transactions within the platform **100** while the deposited funds may participate in economic transactions between the platform **100** and third parties.

(159) FIG. **10** depicts a flowchart showing a technique **1000** for transferring tokens using a digital marketplace according to some embodiments of the present disclosure. At **1002**, a ledger is maintained. The ledger stores a plurality of public addresses, a plurality of virtual representations of a plurality of respective items, and, for each virtual representation, a set of tokens, and ownership data of each respective token. The set of tokens respectively correspond to a respective instance of the item represented by the virtual representation. Further, each respective public address corresponds to a respective account of a respective user of the tokenization platform.

(160) At **1004**, a digital marketplace is provided. In embodiments, the digital marketplace provides a graphical user interface that allows consumers to view visualizations of virtual representations of items including the virtual representation of the item and transact for an instance of the item by purchasing a digital token of the N digital tokens. Upon a user purchasing a token, the ledger may be updated to reflect a change in ownership of the token from the seller of the token to the user. Once a user owns a token, the user may be allowed to transfer the token to another user, sell the token, use the token as collateral, and/or redeem the token.

(161) At **1006**, a redemption is processed in response to a user requesting redemption of the token. In embodiments, the redemption may begin by associating a specific token that corresponds to the virtual representation with an account of the transacting user. The association may be made in response to verifying the request to participate in the transaction. A transfer request is received requesting transfer of the specific token to a transferee. The transfer request includes a digital-token identifier that identifies the specific token and a public address of the different user. Further, the specific token is validated. The validation can be based on the digital-token identifier and the ledger. In the process, the account of the transferee on the platform **100** may be verified and/or validated based on the public address of the user and the ledger. Additionally, the ledger is updated with a block that includes ownership data and indicates that a specific token corresponding to the virtual representation is owned by the transacting user. In embodiments, the updating occurs in response to both validating the specific token and verifying the transferee. Yet further, a redemption request is received to redeem the digital token from a user device of the transferee, and a workflow is executed to satisfy the transaction for instance of the item corresponding to the token. The workflow may be initiated in response to receiving the redemption request.

(162) FIG. **11** depicts a flowchart showing a technique **1100** for transferring tokens between wallets via a keyboard interaction according to some embodiments of the present disclosure. At **1102**, one or more wallets are displayed. The display of the one or more wallets may include, for example, displaying a digital wallet graphical user interface via a user device of a user associated with the

digital wallet. Additionally, an inventory of tokens that are owned by the user may be displayed by the digital wallet graphical user interface. In embodiments, each token corresponds to a respective item and may be redeemable by a user to satisfy a transaction for an instance of the respective item. (163) At **1104**, transfer instructions are received. The transfer instruction may include indication of one or more digital tokens from the inventory of tokens and a recipient of the digital token. The transfer instructions can be received by the digital wallet graphical user interface.

(164) At **1106**, the digital tokens are transferred in response to keyboard interactions. In embodiments, a digital keyboard is displayed by the digital wallet graphical user interface. The digital keyboard includes a selectable media content that is representative of the item corresponding to the digital token within the transfer request. User input producing a text-based message including a selection of the selectable media content by the digital keyboard is received. For example, the user may type a message surrounding the transfer (e.g., "Please enjoy this gift from me) and may then select the selectable media content representing the token (e.g., an image of the item represented by the token) to create a message having the token embedded therein. The selectable media content includes the digital token/an identifier of the digital token (e.g., a hash value that uniquely identifies the digital token). The digital token (e.g., an identifier thereof) is embedded within the text-based message by the digital keyboard, and the digital wallet transmits the text-based message to a message account of the recipient. Upon receipt, the digital token is accepted into a respective digital wallet of the recipient in response to the recipient selecting the selectable media content.

(165) FIG. **12** depicts a flowchart showing a technique **1200** for redeeming tokens according to some embodiments of the present disclosure. At **1202**, ledger data is maintained. The ledger data can include a plurality of public addresses, a plurality of virtual representations, a set of tokens for each of the plurality of virtual representations, and ownership data for each of the set of tokens. Each respective public address corresponds to a respective account of a respective user of the tokenization platform. The virtual representations correspond to respective items, and the set of tokens respectively correspond to a respective instance of the respective item for each virtual representation.

(166) At **1204**, a redemption request is received. The redemption request seeks to redeem a digital token from a user device of a user, and the digital token corresponds to an instance of the item to be redeemed. At **1206**, ownership of the digital token by the user is verified. The verification can be made based on the plurality of public addresses, the sets of digital tokens, and the redemption request. For example, the redemption request may include a user id of a user wishing to redeem a token indicated by a token identifier. The platform **100** may validate the ownership of the token by checking that the ledger data links the token identifier indicated in the redemption request to the public address of the user indicated in the redemption request. If so, the ownership of the digital token is verified.

(167) At **1208**, details for fulfilment and/or delivery are managed by the platform **100**. In some embodiments, the platform **100** may prompt the user to provide delivery details (e.g., via a graphical user interface). In response, the platform **100** may receive the delivery details from the user via the user device. The delivery details may then be output to a delivery system, which initiates delivery of the redeemed token. For example, the user may provide a physical address and any other relevant delivery data (e.g., best time of day for delivery or phone number). In this case, the delivery system may use the provided address to initiate a delivery of the item represented by the redeemed token. In another example, the token may represent a digital item. In such cases, the user may provide an email address or other account data to which the digital item (or a link thereto) may be delivered. In some embodiments, the platform **100** may request fulfilment details in response to verifying that the user is the owner of the token. The fulfilment details include information needed to satisfy the transaction for the item that were not provided at a time when the token was transacted for. For example, the fulfilment details may include item constituent

materials, sizing, color, combinations thereof, and the like. The fulfillment details may be received from the user device of the user and outputted to a fulfillment system. The fulfillment system may initiate delivery of an item that satisfies the fulfillment details.

(168) FIG. **13** illustrates a flowchart showing a technique **1300** for collateralization and/or securitization according to some embodiments of the present disclosure. At **1302**, an item conversion request is received. In embodiments, the item is a tangible item. In other embodiments, the item is other forms of collateral. At **1304**, item information is received. The item information may include information that is required or helpful in determining valuation of the item. For example, the item information may include one or more photographs of the item, a description of the item, an appraisal value of the item, and/or a holding location of the item.

(169) At **1306**, a virtual representation of the collateral item is generated based on the item information. At **1308**, one or more tokens are generated based on the virtual representation. At **1310**, ownership of the digital token is assigned. Initially, the ownership of the digital token is assigned to the owner of the collateralized item represented by the digital token. At **1312**, an agreement that is backed by the item is memorialized. In embodiments, the item is an asset that is used as collateral to an agreement to provide a service for the user by a provider. In embodiments, an instance of a smart contract that governs the service is generated. The smart contract indicates an amount to be provided by the user to the provider and one or more conditions that cause ownership of the digital token to be transferred to the provider. The instance of the smart contract may then be deployed by the processing system. In embodiments, the item is a collateralizable item that is used as loan security. The agreement to loan a defined amount of funds to the user by a lender is received by the processing system. An instance of a smart contract governing the loan is generated by the processing system. The instance of the smart contract indicates an amount to be paid back by the user to the lender, as well as one or more conditions that cause ownership of the token to be transferred to the lender (e.g., default conditions). The instance of the smart contract is then deployed by the processing system. In some embodiments, the token may be placed in escrow, such that the lendee cannot redeem or transfer the token until the loan is paid. In these embodiments, the smart contract may define conditions that result in the token being transferred back to the lendee (e.g., when payment is complete).

(170) FIG. **14** illustrates a flowchart showing a technique **1400** for item authentication according to some embodiments of the present disclosure. At **1402**, a tokenization request is received from a user device. At **1404**, item information is received. In some embodiments, the item information may be provided by a user or via an automated processes. At **1406**, a virtual representation of the item is generated.

(171) At **1408**, the authenticity of the item is determined through suitable authentication processes. In embodiments, an authentication of the item may be requested via a portal that is accessible by subject-matter authentication experts. In these embodiments, the portal may further display the virtual representation of the item. For example, the subject-matter expert may be presented with an image of the item, a description of the item (e.g., weight, dimensions, etc.), a video of the item, and/or the like. An authentication report may then be received by the processing system. The authentication report may be provided by a subject-matter authentication expert, which may include an opinion indicating whether the subject-matter authentication expert deemed the item authentic or not-authentic and one or more reasons for the opinion. In some embodiments, the platform may generate a digital token in response to an opinion indicating that the item is deemed authentic, and ownership of the digital token assigned to an owner of the item. The digital token may be based on a virtual representation of the item.

(172) FIG. **15** depicts a flowchart showing a technique **1500** for rendering VR environments. Leger data is maintained at **1502** using suitable processes such as those discussed above. At **1504**, an environment is rendered. In embodiments, a virtual reality store environment is rendered, which provides an interface that allows users to view virtual reality visualizations of available items and

to transact for instances of the available items. The available items are items which are available for transaction. Further, a virtual reality visualization of an item represented by a virtual representation may also be included within the virtual reality store environment. At **1506**, the item within the virtual environment is transacted through suitable processes. For example, a request to participate in a transaction for an instance of the item is received by the platform **100** from a user device of a transacting user. In embodiments, the request to participate in the transaction is received in response to the transacting user viewing the virtual reality representation of the item in the virtual reality store environment. Information associated with the request may be verified, and the specific token corresponding to the virtual representation is associated with an account of the transacting user in response to verifying the request to participate in the transaction.

(173) FIG. **16** illustrates a flowchart showing a technique **1600** for facilitating transactions using ledger with a side chain of blocks according to some embodiments of the present disclosure.

(174) At **1602**, a ledger is maintained. The ledger includes a main chain of blocks and a side chain of blocks. In embodiments, blocks of the main chain collectively store information relating to a plurality of users, which include both item providers and item consumers. The information relating to the plurality of users includes a plurality of public addresses, and each respective public address corresponds to a respective account of a respective user of the tokenization platform. Blocks of the side chain collectively store a plurality of virtual representations of a plurality of respective items, a set of tokens for each virtual representation, and ownership data of each respective token. Each virtual representation includes virtual reality content to render a virtual reality visualization of the respective item, and each set of tokens respectively corresponds to a respective instance of the item represented by the virtual representation.

(175) At **1604**, a transaction request is received through a suitable process, such as those described above. At **1606**, transaction of the item occurs. In embodiments, ownership data of a specific token corresponding to the virtual representation in the first side chain of blocks is updated to indicate that the transacting user owns the specific token. In embodiments, the transaction of the item includes validating the specific token based on the digital-token identifier and the first chain of blocks, verifying that the different user has a valid account on the tokenization platform based on the public address of the user and the main chain of blocks, and, in response to validating the specific token and verifying the different user, updating the second chain of blocks with a new block. The new block includes ownership data that indicates that the specific token corresponding to the virtual representation is owned by the different user.

(176) FIG. **17** depicts a flowchart showing a technique **1700** for facilitating user acquisition according to some embodiments of the present disclosure. At **1702**, a referral code is generated, which corresponds to a user of the tokenization platform. The referral code may be generated by a processing system of the tokenization platform. At **1704**, an instance of a smart contract is generated that corresponds to the user of the tokenization platform. The instance of the smart contract may be generated by the tokenization platform. The instance of the smart contract indicates an incentive to be provided to the user when the user successfully refers the tokenization platform. At **1706**, the instance of the smart contract is deployed by the processing system. At **1708**, a request to create a new account is received from a new user by the processing system. The request includes the referral code of the user. At **1710**, the new account is created for the new user by the processing system. At **1712**, the processing system provides a notification of the new account to the instance of the smart contract corresponding to the user. The smart contract then facilitates the transfer of a token representing the incentive in response to the notification.

(177) FIG. **18** depicts a flowchart showing a technique **1800** for managing mystery boxes according to some embodiments of the present disclosure. At **1802**, a request to create a mystery box is received by the processing system. At **1804**, a set of tokens to be included in the mystery box is received by the processing system. Each token in the set of tokens represents a respective item and has a probability assigned thereto. The probability indicates a probability of winning the

respective item.

(178) At **1806**, the mystery box is generated by the processing system based on the set of tokens and the probabilities assigned thereto. Each token in the set of tokens is assigned a range of values within an interval of values such that the range of values with respect to the interval of values is proportionate to the probability assigned to the token.

(179) At **1808**, an instance of a smart contract is generated by the processing system. The smart contract is associated with the mystery box and governs the transfer of tokens from the set of tokens in support of the mystery box. At **1810**, the instance of the smart contract is deployed by the processing system.

(180) FIG. **19** depicts a flowchart showing a technique **1900** for video-game integration according to some embodiments of the present disclosure. At **1902**, an inventory of available tokens is maintained. The available tokens are available for integration in a video game. Each token in the inventory of tokens represents a respective item. At **1904**, a token request for a digital token is received by the processing system. The digital token is from an instance of the video game via an API. At **1906**, the processing system selects the digital token from the inventory of available tokens based on the token request. At **1908**, an indicator of the token is provided to the instance of the video game by the processing system. At **1910**, the processing system receives a transaction request from the instance of the video game. The transaction request is configured to request a transfer of the token provided to the instance of the video game to an account of a user of the instance of the video game. At **1912**, the ledger is updated to reflect that the user is the owner of the token.

(181) Detailed embodiments of the present disclosure are disclosed herein; however, it is to be understood that the disclosed embodiments are merely exemplary of the disclosure, which may be embodied in various forms. Therefore, specific structural and functional details disclosed herein are not to be interpreted as limiting, but merely as a basis for the claims and as a representative basis for teaching one skilled in the art to variously employ the present disclosure in virtually any appropriately detailed structure.

(182) The terms “a” or “an,” as used herein, are defined as one or more than one. The term “another,” as used herein, is defined as at least a second or more. The terms “including” and/or “having,” as used herein, are defined as comprising (i.e., open transition). The term “set” may refer to one or more objects.

(183) While only a few embodiments of the present disclosure have been shown and described, it will be obvious to those skilled in the art that many changes and modifications may be made thereunto without departing from the spirit and scope of the present disclosure as described in the following claims. All patent applications and patents, both foreign and domestic, and all other publications referenced herein are incorporated herein in their entireties to the full extent permitted by law.

(184) The methods and systems described herein may be deployed in part or in whole through a machine that executes computer software, program codes, and/or instructions on a processor. The present disclosure may be implemented as a method on the machine, as a system or apparatus as part of or in relation to the machine, or as a computer program product embodied in a computer readable medium executing on one or more of the machines. In embodiments, the processor may be part of a server, cloud server, client, network infrastructure, mobile computing platform, stationary computing platform, or other computing platforms. A processor may be any kind of computational or processing device capable of executing program instructions, codes, binary instructions and the like. The processor may be or may include a signal processor, digital processor, embedded processor, microprocessor or any variant such as a co-processor (math co-processor, graphic co-processor, communication co-processor and the like) and the like that may directly or indirectly facilitate execution of program code or program instructions stored thereon. In addition, the processor may enable execution of multiple programs, threads, and codes. The threads may be executed simultaneously to enhance the performance of the processor and to facilitate simultaneous

operations of the application. By way of implementation, methods, program codes, program instructions and the like described herein may be implemented in one or more thread. The thread may spawn other threads that may have assigned priorities associated with them; the processor may execute these threads based on priority or any other order based on instructions provided in the program code. The processor, or any machine utilizing one, may include non-transitory memory that stores methods, codes, instructions and programs as described herein and elsewhere. The processor may access a non-transitory storage medium through an interface that may store methods, codes, and instructions as described herein and elsewhere. The storage medium associated with the processor for storing methods, programs, codes, program instructions or other type of instructions capable of being executed by the computing or processing device may include but may not be limited to one or more of a CD-ROM, DVD, memory, hard disk, flash drive, RAM, ROM, cache and the like.

(185) A processor may include one or more cores that may enhance speed and performance of a multiprocessor. In embodiments, the process may be a dual core processor, quad core processors, other chip-level multiprocessor and the like that combine two or more independent cores (called a die).

(186) The methods and systems described herein may be deployed in part or in whole through a machine that executes computer software on a server, client, firewall, gateway, hub, router, or other such computer and/or networking hardware. The software program may be associated with a server that may include a file server, print server, domain server, Internet server, intranet server, cloud server, and other variants such as secondary server, host server, distributed server and the like. The server may include one or more of memories, processors, computer readable media, storage media, ports (physical and virtual), communication devices, and interfaces capable of accessing other servers, clients, machines, and devices through a wired or a wireless medium, and the like. The methods, programs, or codes as described herein and elsewhere may be executed by the server. In addition, other devices required for execution of methods as described in this application may be considered as a part of the infrastructure associated with the server.

(187) The server may provide an interface to other devices including, without limitation, clients, other servers, printers, database servers, print servers, file servers, communication servers, distributed servers, social networks, and the like. Additionally, this coupling and/or connection may facilitate remote execution of program across the network. The networking of some or all of these devices may facilitate parallel processing of a program or method at one or more location without deviating from the scope of the disclosure. In addition, any of the devices attached to the server through an interface may include at least one storage medium capable of storing methods, programs, code and/or instructions. A central repository may provide program instructions to be executed on different devices. In this implementation, the remote repository may act as a storage medium for program code, instructions, and programs.

(188) The software program may be associated with a client that may include a file client, print client, domain client, Internet client, intranet client and other variants such as secondary client, host client, distributed client and the like. The client may include one or more of memories, processors, computer readable media, storage media, ports (physical and virtual), communication devices, and interfaces capable of accessing other clients, servers, machines, and devices through a wired or a wireless medium, and the like. The methods, programs, or codes as described herein and elsewhere may be executed by the client. In addition, other devices required for execution of methods as described in this application may be considered as a part of the infrastructure associated with the client.

(189) The client may provide an interface to other devices including, without limitation, servers, other clients, printers, database servers, print servers, file servers, communication servers, distributed servers and the like. Additionally, this coupling and/or connection may facilitate remote execution of program across the network. The networking of some or all of these devices may

facilitate parallel processing of a program or method at one or more location without deviating from the scope of the disclosure. In addition, any of the devices attached to the client through an interface may include at least one storage medium capable of storing methods, programs, applications, code and/or instructions. A central repository may provide program instructions to be executed on different devices. In this implementation, the remote repository may act as a storage medium for program code, instructions, and programs.

(190) The methods and systems described herein may be deployed in part or in whole through network infrastructures. The network infrastructure may include elements such as computing devices, servers, routers, hubs, firewalls, clients, personal computers, communication devices, routing devices and other active and passive devices, modules and/or components as known in the art. The computing and/or non-computing device(s) associated with the network infrastructure may include, apart from other components, a storage medium such as flash memory, buffer, stack, RAM, ROM and the like. The processes, methods, program codes, instructions described herein and elsewhere may be executed by one or more of the network infrastructural elements. The methods and systems described herein may be adapted for use with any kind of private, community, or hybrid cloud computing network or cloud computing environment, including those which involve features of software as a service (SaaS), platform as a service (PaaS), and/or infrastructure as a service (IaaS).

(191) The methods, program codes, and instructions described herein and elsewhere may be implemented on a cellular network having multiple cells. The cellular network may either be frequency division multiple access (FDMA) network or code division multiple access (CDMA) network. The cellular network may include mobile devices, cell sites, base stations, repeaters, antennas, towers, and the like. The cell network may be a GSM, GPRS, 3G, EVDO, mesh, or other networks types.

(192) The methods, program codes, and instructions described herein and elsewhere may be implemented on or through mobile devices. The mobile devices may include navigation devices, cell phones, mobile phones, mobile personal digital assistants, laptops, palmtops, netbooks, pagers, electronic books readers, music players and the like. These devices may include, apart from other components, a storage medium such as a flash memory, buffer, RAM, ROM and one or more computing devices. The computing devices associated with mobile devices may be enabled to execute program codes, methods, and instructions stored thereon. Alternatively, the mobile devices may be configured to execute instructions in collaboration with other devices. The mobile devices may communicate with base stations interfaced with servers and configured to execute program codes. The mobile devices may communicate on a peer-to-peer network, mesh network, or other communications network. The program code may be stored on the storage medium associated with the server and executed by a computing device embedded within the server. The base station may include a computing device and a storage medium. The storage device may store program codes and instructions executed by the computing devices associated with the base station.

(193) The computer software, program codes, and/or instructions may be stored and/or accessed on machine readable media that may include: computer components, devices, and recording media that retain digital data used for computing for some interval of time; semiconductor storage known as random access memory (RAM); mass storage typically for more permanent storage, such as optical discs, forms of magnetic storage like hard disks, tapes, drums, cards and other types; processor registers, cache memory, volatile memory, non-volatile memory; optical storage such as CD, DVD; removable media such as flash memory (e.g., USB sticks or keys), floppy disks, magnetic tape, paper tape, punch cards, standalone RAM disks, Zip drives, removable mass storage, off-line, and the like; other computer memory such as dynamic memory, static memory, read/write storage, mutable storage, read only, random access, sequential access, location addressable, file addressable, content addressable, network attached storage, storage area network, bar codes, magnetic ink, and the like.

(194) The methods and systems described herein may transform physical and/or intangible items from one state to another. The methods and systems described herein may also transform data representing physical and/or intangible items from one state to another.

(195) The elements described and depicted herein, including in flowcharts and block diagrams throughout the figures, imply logical boundaries between the elements. However, according to software or hardware engineering practices, the depicted elements and the functions thereof may be implemented on machines through computer executable media having a processor capable of executing program instructions stored thereon as a monolithic software structure, as standalone software modules, or as modules that employ external routines, code, services, and so forth, or any combination of these, and all such implementations may be within the scope of the present disclosure. Examples of such machines may include, but may not be limited to, personal digital assistants, laptops, personal computers, mobile phones, other handheld computing devices, medical equipment, wired or wireless communication devices, transducers, chips, calculators, satellites, tablet PCs, electronic books, gadgets, electronic devices, devices having artificial intelligence, computing devices, networking equipment, servers, routers and the like. Furthermore, the elements depicted in the flowchart and block diagrams or any other logical component may be implemented on a machine capable of executing program instructions. Thus, while the foregoing drawings and descriptions set forth functional aspects of the disclosed systems, no particular arrangement of software for implementing these functional aspects should be inferred from these descriptions unless explicitly stated or otherwise clear from the context. Similarly, it will be appreciated that the various steps identified and described above may be varied and that the order of steps may be adapted to particular applications of the techniques disclosed herein. All such variations and modifications are intended to fall within the scope of this disclosure. As such, the depiction and/or description of an order for various steps should not be understood to require a particular order of execution for those steps, unless required by a particular application, or explicitly stated or otherwise clear from the context.

(196) The methods and/or processes described above, and steps associated therewith, may be realized in hardware, software or any combination of hardware and software suitable for a particular application. The hardware may include a general-purpose computer and/or dedicated computing device or specific computing device or particular aspect or component of a specific computing device. The processes may be realized in one or more microprocessors, microcontrollers, embedded microcontrollers, programmable digital signal processors or other programmable devices, along with internal and/or external memory. The processes may also, or instead, be embodied in an application specific integrated circuit, a programmable gate array, programmable array logic, or any other device or combination of devices that may be configured to process electronic signals. It will further be appreciated that one or more of the processes may be realized as a computer executable code capable of being executed on a machine-readable medium. The computer executable code may be created using a structured programming language such as C, an object oriented programming language such as C++, or any other high-level or low-level programming language (including assembly languages, hardware description languages, and database programming languages and technologies) that may be stored, compiled or interpreted to run on one of the above devices, as well as heterogeneous combinations of processors, processor architectures, or combinations of different hardware and software, or any other machine capable of executing program instructions.

(197) Thus, in one aspect, methods described above and combinations thereof may be embodied in computer executable code that, when executing on one or more computing devices, performs the steps thereof. In another aspect, the methods may be embodied in systems that perform the steps thereof and may be distributed across devices in a number of ways, or all of the functionality may be integrated into a dedicated, standalone device or other hardware. In another aspect, the means for performing the steps associated with the processes described above may include any of the

hardware and/or software described above. All such permutations and combinations are intended to fall within the scope of the present disclosure.

(198) While the disclosure has been disclosed in connection with the preferred embodiments shown and described in detail, various modifications and improvements thereon will become readily apparent to those skilled in the art. Accordingly, the spirit and scope of the present disclosure is not to be limited by the foregoing examples but is to be understood in the broadest sense allowable by law.

(199) The use of the terms “a” and “an” and “the” and similar referents in the context of describing the disclosure (especially in the context of the following claims) is to be construed to cover both the singular and the plural unless otherwise indicated herein or clearly contradicted by context. The terms “comprising,” “having,” “including,” and “containing” are to be construed as open-ended terms (i.e., meaning “including, but not limited to,”) unless otherwise noted. Recitations of ranges of values herein are merely intended to serve as a shorthand method of referring individually to each separate value falling within the range, unless otherwise indicated herein, and each separate value is incorporated into the specification as if it were individually recited herein. All methods described herein may be performed in any suitable order unless otherwise indicated herein or otherwise clearly contradicted by context. The use of any and all examples, or exemplary language (e.g., “such as”) provided herein, is intended merely to better illuminate the disclosure and does not pose a limitation on the scope of the disclosure unless otherwise claimed. No language in the specification should be construed as indicating any non-claimed element as essential to the practice of the disclosure.

(200) While the foregoing written description enables one skilled in the art to make and use what is considered presently to be the best mode thereof, those skilled in the art will understand and appreciate the existence of variations, combinations, and equivalents of the specific embodiment, method, and examples herein. The disclosure should therefore not be limited by the above-described embodiment, method, and examples, but by all embodiments and methods within the scope and spirit of the disclosure.

(201) Any element in a claim that does not explicitly state “means for” performing a specified function, or “step for” performing a specified function, is not to be interpreted as a “means” or “step” clause as specified in 35 U.S.C. § 112(f). In particular, any use of “step of” in the claims is not intended to invoke the provision of 35 U.S.C. § 112(f).

(202) Persons skilled in the art may appreciate that numerous design configurations may be possible to enjoy the functional benefits of the inventive systems. Thus, given the wide variety of configurations and arrangements of embodiments of the present invention the scope of the invention is reflected by the breadth of the claims below rather than narrowed by the embodiments described above.

Claims

1. A method comprising: receiving, by a processing system, a request to collateralize a collateral item of a user seeking a loan, the collateral item comprising a unique physical asset; receiving, by the processing system, one or more photographs of the collateral item; receiving, by the processing system, item information relating to the collateral item, the item information including a description of the collateral item and an appraisal value of the collateral item; receiving, by the processing system, a holding location of the collateral item, the holding location corresponding to a safekeeping facility in which the collateral item is stored; generating, by the processing system, a virtual representation of the collateral item based on the one or more photographs, the item information, and the holding location; generating, by the processing system, a non-fungible digital token based on the virtual representation, the non-fungible digital token being redeemable for the collateral item in order to receive possession of the collateral item from the safekeeping facility;

assigning, by the processing system, ownership of the non-fungible digital token to the user seeking the loan; receiving, by the processing system, an agreement to lend a defined amount of funds to the user by a lender using the collateral item as collateral; generating, by the processing system, an instance of a smart contract governing the loan, the instance of the smart contract indicating an amount to be paid back by the user to the lender and one or more conditions that cause ownership of the non-fungible digital token to be transferred to the lender; and deploying, by the processing system, the instance of the smart contract to a set of one or more computing devices that execute the instance of the smart contract, wherein deploying the instance of the smart contract comprises transferring ownership of the non-fungible digital token from the user seeking the loan to the instance of the smart contract.

2. The method of claim 1, wherein the smart contract initiates the transfer of the non-fungible digital token to an account of the lender upon determining that the user is in default of the loan.

3. The method of claim 1, further comprising: transferring, by the processing system, the non-fungible digital token into an escrow account until the loan is determined to be paid or in default; upon determining that the loan is paid off, transferring, by the processing system, the non-fungible digital token to an account of the user; and upon determining that the loan is in default, transferring, by the processing system, the non-fungible digital token to an account of the lender.

4. The method of claim 1, wherein the loan is transferrable to another lender.

5. The method of claim 1, further comprising: receiving, by the processing system, a request to transfer the loan to a second lender; determining, by the smart contract, whether the second lender has paid a remaining balance on the loan to the lender; and upon determining that the second lender has paid the remaining balance of the loan to the lender, initiating, by the smart contract, generating of a new instance of the smart contract indicating new terms of the loan and indicating one or more new conditions that cause the non-fungible digital token to be transferred to the new lender.

6. The method of claim 1, further comprising requesting an authentication of the collateral item from one or more verified subject matter experts, wherein the request includes the photographs of the collateral item and the item information.

7. The method of claim 6, further comprising receiving an authentication report of the collateral item from a verified subject matter expert.

8. The method of claim 6, further comprising training a machine learned model based on the authentication report and the virtual representation of the collateral item.

9. The method of claim 1, wherein the item information includes a weight of the collateral item.

10. The method of claim 1, wherein the item information includes dimensions of the collateral item.

11. The method of claim 1, further comprising requesting an appraisal of the collateral item from one or more verified subject matter experts.

12. The method of claim 1, wherein the instance of the smart contract is deployed to a distributed ledger.

13. The method of claim 12, wherein the instance of the smart contract locks the non-fungible digital token until the loan is fully paid or determined to be in default.

14. The method of claim 13, wherein the instance of the smart contract includes a listening thread that listens for payments made by the user in repayment of the loan in accordance with a loan schedule.

15. The method of claim 14, wherein the instance of the smart contract is configured to determine whether the loan is fully repaid or in default based on the listening thread and the loan schedule.

16. The method of claim 13, wherein the instance of the smart contract unlocks the non-fungible digital token upon determining that the loan is fully repaid or in default.

17. The method of claim 16, wherein the distributed ledger maintains ownership data of the non-fungible digital token and the instance of the smart contract updates the ownership data of the non-fungible digital token on the distributed ledger in response to unlocking the non-fungible token

based on whether the loan is fully repaid or in default.

18. The method of claim 16, wherein the non-fungible digital token is redeemable to take possession of the collateral item only after the non-fungible digital token has been unlocked.

19. The method of claim 12, wherein the distributed ledger is a blockchain.

20. The method of claim 19, wherein the blockchain is a public blockchain.

21. The method of claim 19, wherein the distributed ledger is a private blockchain.
