

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12406283
Kind Code	B2
Date of Patent	September 02, 2025
Inventor(s)	DeKeyser; Thomas M. et al.

Systems and methods to present in-vehicle content based on characterization of products

Abstract

This disclosure relates to a system configured to present in-vehicle content based on characterization of products. The system may be coupled to a vehicle. The system may include one or more physical processors. The processor(s) may obtain user information specifying individual sets of products interacted with by individual users prior to a ride in the vehicle. The processor(s) may identify in-vehicle content specific to individual subsets of products having one or more values of one or more product attributes in common. The processor(s) may control one or more vehicle components coupled to the vehicle to provide the in-vehicle content.

Inventors: DeKeyser; Thomas M. (Burbank, CA), Khalfan; Alif (Burbank, CA), Feder; David (Burbank, CA), Chao; Patricia (Burbank, CA)

Applicant: Disney Enterprises, Inc. (Burbank, CA)

Family ID: 70550421

Assignee: Disney Enterprises, Inc. (Burbank, CA)

Appl. No.: 16/189830

Filed: November 13, 2018

Prior Publication Data

Document Identifier	Publication Date
US 20200151768 A1	May. 14, 2020

Publication Classification

Int. Cl.: G06Q30/02 (20230101); B60K35/00 (20060101); G06Q30/0251 (20230101); G06V10/46 (20220101); G06V20/20 (20220101); G06V20/59 (20220101); G06V40/10 (20220101); G06V40/16 (20220101); B60K35/20 (20240101)

U.S. Cl.:

CPC **G06Q30/0265** (20130101); **B60K35/00** (20130101); **G06Q30/0269** (20130101);
 G06V10/462 (20220101); **G06V20/20** (20220101); **G06V20/59** (20220101);
 G06V20/593 (20220101); **G06V40/10** (20220101); **G06V40/172** (20220101);
 B60K35/20 (20240101)

Field of Classification Search

CPC: G06Q (30/02)

USPC: 705/14.02

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
1004331	12/1910	Wright	N/A	N/A
1004624	12/1910	Brann	N/A	N/A
5299291	12/1993	Ruetz	N/A	N/A
5766077	12/1997	Hongo	N/A	N/A
6007338	12/1998	DiNunzio	N/A	N/A
6053815	12/1999	Hara	N/A	N/A
6200138	12/2000	Ando	N/A	N/A
6691032	12/2003	Irish	N/A	N/A
7081033	12/2005	Mawle	N/A	N/A
7266847	12/2006	Pauker	N/A	N/A
7739371	12/2009	Ikegaya	N/A	N/A
7837544	12/2009	Tipping	N/A	N/A
8078163	12/2010	Lemond	N/A	N/A
8190295	12/2011	Garretson	N/A	N/A
8758126	12/2013	Bavitz	N/A	N/A
8762227	12/2013	Fox	705/26.7	G06Q 30/0255
8831228	12/2013	Agrawal	N/A	N/A
8882595	12/2013	Chowdhary	N/A	N/A
8894462	12/2013	Leyland	N/A	N/A
8941690	12/2014	Seder	N/A	N/A
8948541	12/2014	Neville	N/A	N/A
8988465	12/2014	Baron	N/A	N/A
9007400	12/2014	Takahashi	N/A	N/A
9008310	12/2014	Nelson	N/A	N/A
9266018	12/2015	Story	N/A	N/A
9293042	12/2015	Wasserman	N/A	N/A
9327189	12/2015	Bavitz	N/A	N/A
9361730	12/2015	Keating	N/A	N/A
9467515	12/2015	Penilla	N/A	H04L 67/306
9610510	12/2016	Comploi	N/A	N/A
9643086	12/2016	Tipping	N/A	N/A

9669302	12/2016	Park	N/A	N/A
9674361	12/2016	Ristock	N/A	N/A
9715764	12/2016	Alaniz	N/A	N/A
9744448	12/2016	Mullen	N/A	N/A
9814991	12/2016	Van Winkle	N/A	N/A
9818228	12/2016	Lanier	N/A	N/A
9821920	12/2016	Cole	N/A	N/A
9922466	12/2017	Donnelly	N/A	N/A
10019070	12/2017	Szczerba	N/A	N/A
10025431	12/2017	Li	N/A	N/A
10043316	12/2017	Donnelly	N/A	N/A
10043999	12/2017	Senoo	N/A	H10K 59/8731
10045147	12/2017	Dickow	N/A	N/A
10046241	12/2017	Krosky	N/A	N/A
10059347	12/2017	Thieberger- Navon	N/A	N/A
10123155	12/2017	Grover	N/A	N/A
10140464	12/2017	Lebeck	N/A	N/A
10162998	12/2017	Park	N/A	N/A
10186065	12/2018	Anderson	N/A	N/A
10310600	12/2018	Hong	N/A	N/A
10339711	12/2018	Ng-Thow-Hing	N/A	N/A
10366290	12/2018	Wang	N/A	N/A
10376776	12/2018	Lowe	N/A	N/A
10423999	12/2018	Doctor	N/A	G06Q 30/0631
10482669	12/2018	Rober	N/A	N/A
10501053	12/2018	Tokunaga	N/A	N/A
10506092	12/2018	Stephenson	N/A	N/A
10572123	12/2019	Penilla	N/A	N/A
10585471	12/2019	Reichow	N/A	N/A
10589625	12/2019	Goslin	N/A	N/A
10639557	12/2019	Hake	N/A	N/A
10969748	12/2020	Goslin	N/A	N/A
10970560	12/2020	Khalfan	N/A	N/A
11228436	12/2021	Foley	N/A	N/A
11251978	12/2021	Ingraham	N/A	N/A
11369878	12/2021	Koch	N/A	N/A
11605062	12/2022	Prakash	N/A	N/A
2001/0025287	12/2000	Okabe	N/A	N/A
2003/0027636	12/2002	Covannon	N/A	N/A
2003/0104824	12/2002	Hale	N/A	N/A
2003/0130031	12/2002	Yoshida	N/A	N/A
2004/0059922	12/2003	Harris	N/A	N/A
2005/0021192	12/2004	Takafuji	N/A	N/A
2005/0059483	12/2004	Borge	N/A	N/A
2005/0144091	12/2004	Harper	N/A	N/A
2006/0052153	12/2005	Vlazny	N/A	N/A
2006/0143270	12/2005	Wodtke	N/A	N/A

2006/0224456	12/2005	Walker	N/A	N/A
2006/0277100	12/2005	Parham	N/A	N/A
2007/0060233	12/2006	Liccardo	N/A	N/A
2007/0087834	12/2006	Moser	N/A	N/A
2007/0093299	12/2006	Bergeron	N/A	N/A
2007/0139671	12/2006	Stevens	N/A	N/A
2007/0197275	12/2006	Gagner	N/A	N/A
2007/0206023	12/2006	Street	N/A	N/A
2008/0091782	12/2007	Jakobson	N/A	N/A
2008/0105751	12/2007	Landau	N/A	N/A
2008/0148067	12/2007	Sitrick	N/A	N/A
2008/0200244	12/2007	Rowe	N/A	N/A
2008/0309010	12/2007	Bowling	N/A	N/A
2008/0311983	12/2007	Koempel	N/A	N/A
2009/0069084	12/2008	Reece	N/A	N/A
2009/0079705	12/2008	Sizelove	N/A	N/A
2009/0137323	12/2008	Fiegener	N/A	N/A
2009/0176566	12/2008	Kelly	N/A	N/A
2009/0313358	12/2008	Shepherd	N/A	N/A
2010/0033427	12/2009	Marks	N/A	N/A
2010/0093421	12/2009	Nyman	N/A	N/A
2010/0098092	12/2009	Luo	N/A	N/A
2010/0130296	12/2009	Ackley	N/A	N/A
2010/0182340	12/2009	Bachelder	N/A	N/A
2010/0268661	12/2009	Levy	705/347	G06Q 30/02
2010/0324984	12/2009	Pelto	N/A	N/A
2010/0331721	12/2009	Epley	N/A	N/A
2011/0098092	12/2010	Reiche, III	N/A	N/A
2011/0183754	12/2010	Alghamdi	N/A	N/A
2011/0216948	12/2010	Yalla	N/A	N/A
2012/0089275	12/2011	Yao-Chang	N/A	N/A
2012/0142415	12/2011	Lindsay	N/A	N/A
2012/0256945	12/2011	Kidron	N/A	N/A
2012/0264518	12/2011	Rouille	N/A	N/A
2012/0289122	12/2011	Elliott	N/A	N/A
2012/0295703	12/2011	Reiche	N/A	N/A
2012/0295704	12/2011	Reiche	N/A	N/A
2013/0030645	12/2012	Divine	N/A	N/A
2013/0083003	12/2012	Perez	N/A	N/A
2013/0083061	12/2012	Mishra	N/A	N/A
2013/0157607	12/2012	Paek	N/A	N/A
2013/0166147	12/2012	Chudzinski	N/A	N/A
2013/0274024	12/2012	Geylik	N/A	N/A
2013/0296058	12/2012	Leyland	N/A	N/A
2014/0067208	12/2013	Klappert	N/A	N/A
2014/0100020	12/2013	Carroll	N/A	N/A
2014/0100029	12/2013	Reiche	N/A	N/A
2014/0128144	12/2013	Bavitz	N/A	N/A
2014/0128145	12/2013	Hwang	N/A	N/A
2014/0129640	12/2013	Ogawa	N/A	N/A

2014/0162785	12/2013	Reiche	N/A	N/A
2014/0163771	12/2013	Demeniuk	N/A	N/A
2014/0189017	12/2013	Prakash	N/A	N/A
2014/0201004	12/2013	Parundekar	705/14.62	G06Q 30/0271
2014/0274313	12/2013	Bala	N/A	N/A
2014/0295963	12/2013	Ishikawa	N/A	N/A
2014/0309919	12/2013	Ricci	701/301	B60K 35/00
2014/0342790	12/2013	Kim	N/A	N/A
2015/0003609	12/2014	Nelson	N/A	N/A
2015/0024852	12/2014	Pacey	N/A	N/A
2015/0065237	12/2014	Hohn	N/A	N/A
2015/0080125	12/2014	Andre	N/A	N/A
2015/0097860	12/2014	Alaniz	N/A	N/A
2015/0097864	12/2014	Alaniz	N/A	N/A
2015/0100179	12/2014	Alaniz	N/A	N/A
2015/0134371	12/2014	Shivakumar	N/A	N/A
2015/0145671	12/2014	Cohen	N/A	N/A
2015/0174479	12/2014	Reiche	N/A	N/A
2015/0202962	12/2014	Habashima	N/A	N/A
2015/0269780	12/2014	Herman	N/A	N/A
2015/0294505	12/2014	Atsmon	N/A	N/A
2015/0339910	12/2014	Stenzler	340/573.4	G01S 17/06
2015/0346722	12/2014	Herz	N/A	N/A
2015/0363092	12/2014	Morton	N/A	N/A
2016/0005070	12/2015	Burr	705/14.51	G06Q 30/0253
2016/0042607	12/2015	Mccoy	N/A	N/A
2016/0071397	12/2015	Logan	N/A	N/A
2016/0096114	12/2015	Van Winkle	N/A	N/A
2016/0140614	12/2015	Brubaker	705/14.46	G06Q 30/02
2016/0189444	12/2015	Madhok	N/A	N/A
2016/0199730	12/2015	Olson	N/A	N/A
2016/0206955	12/2015	Goslin	N/A	N/A
2016/0206957	12/2015	Goslin	N/A	N/A
2016/0216854	12/2015	Mcclellan	N/A	N/A
2016/0224939	12/2015	Chen	N/A	N/A
2016/0299567	12/2015	Crisler	N/A	N/A
2016/0310839	12/2015	Leyland	N/A	N/A
2016/0313792	12/2015	Siegel	N/A	N/A
2016/0346704	12/2015	Wagner	N/A	N/A
2017/0021273	12/2016	Rios	N/A	N/A
2017/0021282	12/2016	Comploi	N/A	N/A
2017/0045946	12/2016	Smoot	N/A	N/A
2017/0050743	12/2016	Cole	N/A	N/A
2017/0068311	12/2016	Evans	N/A	N/A
2017/0072316	12/2016	Finfter	N/A	N/A
2017/0078621	12/2016	Sahay	N/A	N/A
2017/0103571	12/2016	Beaurepaire	N/A	N/A
2017/0106288	12/2016	Reiche	N/A	N/A

2017/0132334	12/2016	Levinson	N/A	N/A
2017/0154024	12/2016	Subramanya	N/A	N/A
2017/0158023	12/2016	Stevanovic	N/A	N/A
2017/0166221	12/2016	Osterman	N/A	N/A
2017/0203205	12/2016	Nelson	N/A	N/A
2017/0236130	12/2016	Kee	N/A	N/A
2017/0236328	12/2016	Eatedali	N/A	N/A
2017/0253252	12/2016	Donnelly	N/A	N/A
2017/0270502	12/2016	Finbow	N/A	G06Q 30/06
2017/0300999	12/2016	Wilkinson	N/A	G06Q 90/00
2017/0330034	12/2016	Wang	N/A	N/A
2017/0344754	12/2016	Kumar	N/A	N/A
2017/0352185	12/2016	Bonilla Acevedo	N/A	N/A
2018/0008894	12/2017	Sack	N/A	N/A
2018/0011988	12/2017	Ziegler	N/A	N/A
2018/0040162	12/2017	Donnelly	N/A	N/A
2018/0040163	12/2017	Donnelly	N/A	N/A
2018/0043272	12/2017	Van Winkle	N/A	N/A
2018/0089900	12/2017	Rober	N/A	N/A
2018/0089901	12/2017	Rober	N/A	N/A
2018/0096501	12/2017	Anderson	N/A	N/A
2018/0181412	12/2017	Paratey	N/A	G06F 9/4451
2018/0231973	12/2017	Mattingly	N/A	N/A
2018/0247352	12/2017	Rogers	N/A	N/A
2018/0247364	12/2017	Nakadai	N/A	G06Q 30/02
2018/0342001	12/2017	Chavarria	N/A	N/A
2018/0369702	12/2017	Hake	N/A	N/A
2019/0001987	12/2018	Kim	N/A	N/A
2019/0014070	12/2018	Mertvetsov	N/A	N/A
2019/0047498	12/2018	Alcaidinho	N/A	N/A
2019/0065970	12/2018	Bonutti	N/A	N/A
2019/0075437	12/2018	Shaikh	N/A	N/A
2019/0101976	12/2018	Reichow	N/A	N/A
2019/0157607	12/2018	Kim	N/A	N/A
2019/0220674	12/2018	Khalfan	N/A	N/A
2019/0299105	12/2018	Knight	N/A	N/A
2019/0385213	12/2018	Pande	N/A	G06Q 30/0224
2020/0005284	12/2019	Vijayan	N/A	N/A
2020/0053400	12/2019	Chao	N/A	N/A
2020/0074181	12/2019	Chang	N/A	N/A
2020/0163616	12/2019	Sakaya	N/A	N/A
2020/0193163	12/2019	Chang	N/A	N/A
2020/0376387	12/2019	Packin	N/A	N/A
2021/0016184	12/2020	Kalama	N/A	N/A
2021/0056762	12/2020	Robbe	N/A	N/A
2021/0217026	12/2020	Hassani	N/A	N/A
2021/0256070	12/2020	Bao	N/A	N/A
2021/0284088	12/2020	Yamaguchi	N/A	N/A
2021/0287195	12/2020	Prakash	N/A	N/A

2022/0004600	12/2021	Bangole	N/A	N/A
2022/0069996	12/2021	Xue	N/A	N/A
2022/0148268	12/2021	Yilanci	N/A	N/A
2022/0248072	12/2021	Gupta	N/A	N/A
2022/0258059	12/2021	Murcin	N/A	N/A
2022/0266148	12/2021	Koch	N/A	N/A
2023/0142101	12/2022	Hirasawa	N/A	N/A
2024/0152909	12/2023	Khalfan	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
113193965	12/2020	CN	N/A
1381KOL2007	12/2008	IN	N/A
2019065430	12/2018	JP	N/A
2007101785	12/2006	WO	N/A
2018128946	12/2017	WO	N/A

OTHER PUBLICATIONS

“Battle Circuit”, Capcom, available at «https://web.archive.org/web/20000111_073021/http://www.capcom.co.jp/newproducts/arcade/battle/bs-top.html» (Orig in al Japanese web page followed by English translation), 4 pages. cited by applicant

“Sun CriesSun Cries”, <http://web.archive.org>, Mar. 9, 2012 (Mar. 9, 2012), XP055152538, Retrieved from the Internet: URL: <http://web.archive.org/web/20120309212642/http://www.suncries.com/skylanders-hacking> [retrieved on Nov. 12, 2014] (8 pgs). cited by applicant

“Video Game/ Battle Circuit”, TV Tropes, available at «<https://web.archive.org/web/20150114005112/http://tvtropes.org/pmwiki/pmwiki.php/VideoGameBattleCircuit>» (4 pages). cited by applicant

Dagamant, ‘Skylanders Hacking’, Retrieved from the Internet <http://web.archive.org/web/20120309212642/http://www.suncries.com/skylaners-hacking> Feb. 27, 2012, XP055152538, 8 pages. cited by applicant

Extended European Search Report issued in European Patent Application No. 14175300.4, dated Nov. 19, 2014. (6 pgs). cited by applicant

Kloster, Benjamin, ‘Wanted: Encryption Scheme for Copy Protection Purposes’, Retrieved from the Internet <http://stackoverflow.com/questions/14529732/wanted-encryption-scheme-for-copy-protection-purposes>, Jan. 25, 2013, XP055152568, 2 pages. cited by applicant

Adam Hartley, 5 Predictions for the Future of in-Car Entertainment, Apr. 9, 2019 [<https://360.here.com/5-predictions-for-the-future-of-in-car-leisure-entertainment>], (5 pages). cited by applicant

Lambros Sarakis, et al., Technological Educational Institute of Sterea Ellada; Hellenic Open University; Synelxis Solutions Ltd., Providing Entertainment Applications in VANET Environments, Mar. 2, 2016 [<https://ieeexplore.ieee.org/document/7422403>] (8 pages). cited by applicant

Raman Mehta, IDG Communications, Inc., Augmented Reality—Next Frontier for Competitive Advantage, Feb. 14, 2017 [<https://www.cio.com/article/3169685/augmented-reality-next-frontier-for-competitive-advantage.html>], (5 pages). cited by applicant

Google search “Iphone Figurine” (Year: 2020), 1 page. cited by applicant

NPX “Software-Apple-Carplay: Software Technology for CarPlay”, <https://www.nxp.com/design/software/embedded-software/software-technology-for-carplay:Software-Apple-Carplay> (Year: 2020), 3 pages. cited by applicant

https://maiarlaunchpad.com/holoride_Litepaper_V2.1_Nov21.pdf, pp. 1-26. cited by applicant
<https://www.ibm.com/downloads/cas/M8AOGADZ>, 2018, pp. 1-8. cited by applicant
Holoride, “Adding Thrill to Every Ride” Conceptual Litepaper V.2.1;
https://maiarlaunchpad.com/holoride_Litepaper_V2.1_Nov21.pdf ; Nov. 2021 (26 pages). cited by applicant
IBM Institute for Business Value, “Blockchain for mobility services”
<https://www.ibm.com/downloads/cas/M8AOGADZ> ; Jan. 2018 (8 pages). cited by applicant
“Dubai parks, etisalat to create an integrated smart theme park”; Gulf News; Jan. 13, 2016 (2 pages). cited by applicant
“Dynamic NFTs for each player in the 2022 NBA Playoffs”; The Association NFT;
<https://theassociationnft.com/#/> ; 2022 (5 pages). cited by applicant
“The Aeternals: New NFT and Interactive Technology”; Business Wire; Mar. 2, 2022 (3 pages). cited by applicant
“What is a dynamic NFT”; Chainlink; <https://blog.chain.link/what-is-a-dynamic-nft/> ; Apr. 7, 2022 (10 pages). cited by applicant
Adelyn Zhou; “The Next Wave of NFTs will be Dynamic”; Nasdaq; Mar. 29, 2021 (8 pages). cited by applicant
Charlotte Coates; “NFTs: the next big thing for the attractions industry”; Sep. 21, 2021 (14 pages). cited by applicant
Cory Himel; “Developers can use gamification”; Gigster, Mar. 16, 2022 (5 pages). cited by applicant
Lucas Caciolo; “Decentralized theme parks promise kids virtual prizes to earn as they learn”; forkast; Jun. 29, 2021 (4 pages). cited by applicant
Apple (Developing Wireless CarPlay System,
[https://developer.apple.com/videos/play/wwdc2017/717/WWDC 2017](https://developer.apple.com/videos/play/wwdc2017/717/WWDC%2017), video and slide). (Year: 2017). cited by applicant
Manzoor et al, “Scavenger Hunt: Utilization of Blockchain and IoT for a Location-Based Game,” 2020, IEEE. Retrieved from <<https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=9253568&tag=1>>c on Oct. 18, 2024. (Year: 2020). cited by applicant
Dobbins et al. “Creating Human Digital Memories for a Richer Recall of Life Experiences” 2013 10th IEEE Internaional Conference on Networking, Sensing and Control, pp. 246-251 (Year: 2013). cited by applicant
Olsson et al. “User-Centered Design of a Mobile Application for Sharing Life Memories,” Proceedings of the 4th international conference on mobile technology, applications, and systems and the 1st international symposium on Computer human interaction in mobile technology—Mobility '07, pp. 524-531, (Year: 2007). cited by applicant

Primary Examiner: Ahmed; Afaf Osman Bilal

Attorney, Agent or Firm: Esplin & Associates, PC

Background/Summary

FIELD

(1) This disclosure relates to systems and methods to present in-vehicle content based on characterization of products.

BACKGROUND

(2) Vehicles may include advanced systems for one or more of navigation, climate control,

entertainment, and/or other features and/or functionality. For example, navigation systems may prompt a driver of required maneuvers utilizing advanced maps as well as voice-based interactions. Entertainment systems, including audio and visual systems, are a staple in most vehicles and can be found through a vehicle. For example, a video screen may be mounted to the backs of headrests and/or on purpose built entertainment systems.

SUMMARY

(3) This disclosure relates to systems and methods to present content in vehicles (“in-vehicle content”) based on characterization of products interacted with by users prior to individual rides in the vehicles. Individual users may interact with individual sets of products offered within a network of products. The presented in-vehicle content for an individual user may be specific to an individual subset of products interacted with by the individual uses. The individual subset of products may include one or more products which share one or more values of one or more product attributes in common. By way of non-limiting illustration, a product attribute may include product brand. The presented in-vehicle content, for example, may be specific to a subset of products within a set of products interacted with by a user which share a common brand. The in-vehicle content may be presented using one or more vehicle components of a vehicle. The one or more vehicle components may include one or more of a display, an audio output device, a climate control system, and/or other components of the vehicle.

(4) Vehicle technology is becoming more and more hands-off. Voice-based guidance is likely becoming the predominant form of communication with vehicles. One or more implementations of the systems and methods presented herein may bring value to this medium by providing rich entertainment with passengers by automatically detecting the presence of users and providing content related to products which they have previously interacted with.

(5) One or more implementations of the systems presented herein may be at least partially coupled to, or included in, a vehicle. The vehicle may include a passenger vehicle and/or other vehicle configured to transport people. The passenger vehicle may be self-propelled (e.g., a sedan, a truck, a bus, and/or other vehicles), attached to an engine (e.g., a train, trolley, tug or similar vehicle), and/or may be coasting or ballistic (e.g., an orbiting, falling, or coasting vehicle).

(6) A system configured to present in-vehicle content based on characterization of products may include one or more of a vehicle, one or more vehicle components, one or more physical processors, and/or other components. The one or more vehicle components may include one or more of one or more vehicle sensors, one or more docks, one or more displays, one or more audio output devices, and/or other components. The one or more displays and/or one or more audio output devices may include at least part of a navigation system and/or entertainment system of the vehicle.

(7) In some implementations, the one or more processors may be configured by machine-readable instructions. The machine-readable instructions may include one or more computer program components. The computer program components may include one or more of a detection component, a user component, a characterization component, a content component, a control component, and/or other components.

(8) The detection component may be configured to obtain output signals conveying detection information and/or other information. The detection information may facilitate detection and/or identification of users near and/or within an interior of the vehicle. The detection and/or identification of users near and/or within an interior of the vehicle may be based on detection and/or identification of products in the form of physical object held by the users near and/or within the interior of the vehicle.

(9) The user component may be configured to obtain user information for individual users. The user information for the individual users may specify individual sets of products interacted with by the individual users prior to a ride in the vehicle. By way of non-limiting illustration, first user information for a first user and/or other user information for other users may be obtained. The first

user information may specify a first set of products interacted with by the first user prior to the ride in the vehicle.

(10) The characterization component may be configured to characterize individual products based on one or more product attributes. The characterization component may be configured to identify individual subsets of products including products that share one or more values of one or more product attributes in common. By way of non-limiting illustration, the characterization component may be configured to identify a first subset of products included in the first set of products. The first subset of products may include one or more products within the first set of products having a first value of a first product attribute in common.

(11) The content component may be configured to identify in-vehicle content for presentation. The in-vehicle content for presentation may include content specific to individual subsets of products within the individual sets of products interacted with by individual users. In some implementations, the content component may identify in-vehicle content for presentation that may be specific to an individual subset of products that includes one or more products detected (and identified) as being near and/or within the vehicle. In some implementations, the content component may identify in-vehicle content for presentation that may be specific to an individual subset of products that includes relatively more products than other subsets of products. An individual subset of products that includes relatively more products than other subsets of products within a set of products interacted with by a user may indicate that the user has an affinity to products having the one or more values of one or more products attributes common within that individual subset that includes the relatively most products. By way of non-limiting illustration, a first set of content specific to the first subset of products included in the first set of products may be identified.

(12) The control component may be configured to control one or more vehicle components coupled to the vehicle to provide the in-vehicle content specific to the individual subsets of products. By way of non-limiting illustration, a first vehicle component and/or other vehicle components of the vehicle may be controlled to provide the first set of content.

(13) These and other objects, features, and characteristics of the system and/or method disclosed herein, as well as the methods of operation and functions of the related elements of structure and the combination of parts and economies of manufacture, will become more apparent upon consideration of the following description and the appended claims with reference to the accompanying drawings, all of which form a part of this specification, wherein like reference numerals designate corresponding parts in the various figures. The drawings are for the purpose of illustration and description only and are not intended as a definition of the limits of the invention. As used in the specification and in the claims, the singular form of “a”, “an”, and “the” include plural referents unless the context clearly dictates otherwise.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) FIG. 1 illustrates a system configured to present in-vehicle content based on characterization of products, in accordance with one or more implementations.

(2) FIG. 2 illustrates a method to present in-vehicle content based on characterization of products, in accordance with one or more implementations.

(3) FIG. 3 shows a graphic of a user near and/or within an interior of a vehicle prior to presenting in-vehicle content based on characterization of products.

(4) FIG. 4 shows a graphic illustrating presentation of in-vehicle content based on characterization of products.

DETAILED DESCRIPTION

(5) FIG. 1 illustrates a system **100** configured to present in-vehicle content based on

characterization of products, in accordance with one or more implementations. The system **100** may be at least partially coupled to, or included in, a vehicle **102**. The vehicle **102** may include a passenger vehicle and/or other vehicles. The vehicle **102** may be self-propelled (e.g., a sedan, a truck, a bus, and/or other vehicles), attached to an engine (e.g., a train, trolley, tug or similar vehicle), and/or may be coasting or ballistic (e.g., an orbiting, falling or coasting vehicle).

(6) One or more implementations of system **100** may be configured to bring entertainment to vehicle **102** by providing content to users based on an automatic detection and/or identification of users near and/or within the vehicle. The content may be specific to subsets of products interacted with by individual users. An individual product may include a good and/or a service. An individual good may include a physical object. An individual good may include one or more of a toy, a game console, a book, an article of clothing, and/or other physical object. An individual service may include an experience of a user which may or may not require interaction with one or more products. An individual service may include one or more of an online video game, an attraction at a theme park, a movie viewing experience, and/or other service.

(7) The system **100** may include one or more of one or more physical processors **104**, one or more vehicle components, one or more docks **126**, one or more products **128**, external resource(s) **130**, and/or other components. The one or more vehicle components may include one or more of one or more audio output devices **120**, one or more displays **122**, one or more vehicle sensors **124**, and/or other components. Some or all components of system **100** may be installed in vehicle **102** and/or otherwise coupled with vehicle **102**. The one or more audio output devices **120**, one or more displays **122**, and/or other vehicle components may be included as part of one or both of a vehicle entertainment system and/or a vehicle navigation system. A vehicle entertainment system and/or a vehicle navigation system may be disposed within a console of vehicle **102** and/or other locations within vehicle. In some implementations, an individual display and/or an individual audio output device may be incorporated into one or more of a headrest, a ceiling, an arm rest, and/or other location within vehicle **102**. An individual audio output device may comprise, for example, a speaker.

(8) In some implementations, one or more vehicle components of vehicle **102** may further and/or alternatively include one or more of a climate control system, lighting system, and/or other components. The climate control system may include one or more of an air conditioner, a heater, a fan, a seat heater, a seat fan, and/or other components. A lighting system may include one or more of an overhead light (e.g., a cabin light), an interior under-glow light, an exterior underbody light, and/or other lights.

(9) The one or more vehicle sensors **124** and/or one or more docks **126** may provide interfaces for individual ones of one or more products **128** to interact with one or more physical processor **104** and/or other components of system **100**. By way of non-limiting illustration, one or more vehicle sensors **124** and/or one or more docks **126** may be configured to generate output signals conveying detection information and/or other information. The detection information may facilitate presence detection and/or identification of products (e.g., physical objects) and/or users near and/or within an interior of vehicle **102**.

(10) The one or more vehicle sensors **124** may be installed in vehicle **102** and/or may be otherwise coupled with vehicle **102**. The one or more vehicle sensors **124** may include one or more of image sensors (e.g., monocular and/or stereo cameras), temperature sensors, vehicle speed sensors, wheel speed sensors, motion sensors (e.g., detect and/or recognize motion in and/or outside the vehicle), accelerometers, tilt sensors, inclination sensors, angular rate sensors, gyroscopes, navigation sensors, geolocation sensors, magnetometers, radar detectors, radar sensors, proximity sensors, range sensors (e.g., lidar and/or other range sensors), vibration sensors, light detection sensors, engine control module sensors, biometric sensors, Advanced Driver Assistance Systems (ADAS), External sensors on traffic controlled intersections (cameras, etc.), audio sensors (e.g. to detect sound outside and/or inside vehicle), weather sensors, light sensors, and/or other sensors.

(11) The one or more vehicle sensors **124** may be configured to generate output signals conveying ride information. In some implementations, ride information may be determined from other sources (e.g., external resource(s) **130**).

(12) In some implementations, ride information may include one or more of motion information, activity information, trip progress information, environment information, caravanning information, and/or other information characterizing one or more of movement, operation, and/or context of the vehicle.

(13) Motion information may characterize movement of a vehicle and/or other aspects of the vehicle. Movement may be characterized at a given time, over a duration of time, at a location, and/or over a distance. Motion information may include one or more information describing whether the vehicle is moving forward, moving backwards, moving right, moving left, moving up, moving down, accelerating in a direction and/or angle, decelerating in a direction and/or angle, and/or other aspects of vehicle movement. In some implementations, one or more vehicle sensors **124** that may generate output signals conveying motion information may include one or more of a vehicle speed sensor, a wheel speed sensor, a motion sensor, an accelerometer, a tilt sensor, an inclination sensor, an angular rate sensor, a gyroscope, a magnetometer, a vibration sensor, an engine control module sensor, and/or other sensors.

(14) Activity information may characterize operation of a vehicle and/or other aspects of the vehicle. For example, activity information may characterize actions performed by an operator of a vehicle. Activity information may describe a quantity and/or quality of an action performed by the operator and/or other information. For example, a quality of an action may include a definition of the action. A quantity of an action may include a value specifying a number of occurrences of the action. In some implementations, an action of an operator may include one or more of head movement, tightening and/or loosening of a grip on a steering wheel, motion of legs and/or feet, and/or other actions. In some implementations, one or more vehicle sensors **124** that may generate output signals conveying activity information may include one or more of an image sensor that characterizes a visual appearance of a person in the vehicle (e.g., generates information defining images and/or video of the operator), a sound sensor that characterizes a sound made by the operator, a biometric sensor coupled to the operator, and/or other sensors. By way of non-limiting illustration, images and/or video showing head movement of the operator may indicate a direction of turn and/or anticipated turn of the vehicle by the operator. By way of non-limiting illustration, tightening of a grip and/or increase in a heartrate may be indicative of an abrupt and/or evasive maneuver being performed and/or anticipated to be performed.

(15) Trip progress information may characterize movement and/or context of a vehicle. For example, trip progress information may characterize a current trip taken by the vehicle. The trip may be characterized by one or more of a location of the vehicle along a trip, a distance traveled in a trip, a distance remaining in a trip, a duration traveled in a trip, and/or a remaining expected duration of a trip. Trip progress information may include information regarding a status of a trip, including specification of one or more of a location of a vehicle, a traveled distance, a remaining distance, a traveled duration, an expected remaining duration, and/or other trip progress information. In some implementations, one or more vehicle sensors **124** that may generate output signals conveying trip progress information may include one or more of a navigation sensor, a geolocation sensor, a magnetometer, a vehicle sensor, an engine control module sensor, and/or other sensors.

(16) Environment information may characterize a context of a vehicle. The context of the vehicle may include a condition of an environment around a vehicle at a time, over a duration of time, at a location, and/or over a distance. The condition of an environment around a vehicle may include one or more of time, weather, temperature, humidity, lighting, terrain, nearby objects, state of nearby objects, nearby buildings, state of nearby buildings, and/or other environment information. In some implementations, terrain may include road terrain (e.g., speed bumps, dips, curves, and/or other

terrain), environment terrain (e.g., desert, urban, rural, mountainous, etc.), and/or other features. Nearby objects may include one or more of people, animals, traffic lights, stop signs, and/or other objects. State of the nearby objects may describe the objects at a time, over a duration of time, at a location, and/or over a distance. By way of non-limiting illustration, a state of a traffic light may include a current color of the traffic light, the next color of the traffic light, the time it may take to change color, and/or other information. A state of a person may describe whether the person is standing, walking, running, waving, and/or other information. State of a nearby building may describe the building at a time, over a duration of time, at a location, and/or over a distance. By way of non-limiting illustration, a state of a nearby building may describe its current distance from a vehicle, an orientation of the building relative the vehicle, whether the building is under construction, and/or other information.

(17) In some implementations, one or more vehicle sensors **124** that may generate output signals conveying environment information may include one or more of a clock, an image sensor, a temperature sensor, a vibration sensor, a light detection sensor, an engine control module sensor, a ranging sensor, a GPS, a navigation system, and/or other sensors. In some implementations, environment information may be obtained one or more external resources **130**. By way of non-limiting illustration, the one or more external resources **130** may include a source providing a map of an environment including locations of buildings and objects (e.g., Google® Maps), and/or other sources.

(18) Caravanning information may characterize a context of a vehicle. For example, context of the vehicle may refer to one or more other vehicles at or near a vehicle. By way of non-limiting illustration, an other vehicle may be characterized by one or more of a relative position of the other vehicle relative to the vehicle at a time, over a duration of time, at a location, and/or over a distance. Caravanning information may include information regarding a position, an orientation, and/or speed of the vehicle and/or the other vehicle. In some implementations, one or more vehicle sensors **124** that may generate output signals conveying caravanning information may include one or more of an image sensor, a vehicle speed sensor, a wheel speed sensor, a motion sensor, an accelerometer, a tilt sensor, an inclination sensor, an angular rate sensor, a gyroscope, a navigation sensor, a geolocation sensor, a magnetometer, a radar detector, a radar sensor, a proximity sensor, a ranging sensor, a vehicle sensor, an engine control module sensor, and/or other sensors.

(19) In some implementations, caravanning information and/or other information may be obtained one or more external resources **130**. By way of non-limiting illustration, the one or more external resources **130** may include other vehicles including sensors the same as or similar to one or more vehicle sensors **124**. Such a configuration may facilitate a multi-vehicle shared experience. For example, multiple vehicles may implement system **100**. The vehicles may exchange information. The multiple vehicles may be presented the same experience such that users of one vehicle may experience the same content as users in another vehicle. In some implementations, interactions of one vehicle may be reflected in the content presented to another vehicle.

(20) The image sensor may generate output signals conveying the detection information in the form of image information. The image information may define visual content in the form of one or more images. Images may be defined by pixels and/or other information. Pixels may be characterized by one or more of pixel location, pixel color, pixel transparency, and/or other information. The image information may facilitate detection and/or identification of products and/or users near and/or within an interior and/or exterior of vehicle **102** by virtue of the visual content defined by the image information including depictions of the one or more products and/or users. One or more image-based object detection and/or identification techniques may be utilized to detect presence of products and/or users within images and/or identify those products and/or users within the images. By way of non-limiting illustration, techniques may include one or more of computer vision, Speeded Up Robust Features (SURF), Scale-invariant Feature Transform (SIFT), Oriented FAST and rotated BRIEF (ORB), Optical Character Recognition (OCR), facial recognition, and/or other

techniques.

(21) An audio sensor may generate output signals conveying the detection information in the form of audio information. The audio information may define voice and/or sounds captured by the audio sensor. An audio sensor may include a separate device and/or may be part of another device. For example, an audio sensor may include a microphone. The microphone may be coupled to the vehicle **102**. The audio information may facilitate detection and/or identification of products and/or users near and/or within an interior of vehicle **102** by virtue of the voice and/or sounds captured by the audio sensor including utterances that convey presence and/or identification of one or more users and/or products. By way of non-limiting illustration, a user may utter that they are carrying a particular product, e.g., by uttering the identify (e.g., name) of the product. Further, the user themselves may be identified based on voice matching the utterance to a known voice profile of the user. One or more audio recognition techniques may be utilized to detect presence of products and/or identify those products from sounds captured by the audio sensor.

(22) In some implementations, an individual product may comprise a physical object depicting and/or having a form factor that physically embodies an appearance of an entity. The entity may be a virtual entity such as one or more of a game entity, a movie entity, and/or other entities. The entity may be a fantastical entity, such as a fictional character in a movie portrayed by a real person. Examples of form factors may include one or more of a toy figurine, a toy accessory, article of clothing, and/or other form factors. By way of non-limiting example, a product may be one or more of a toy figurine embodying an appearance of a fictional character in a movie, a toy accessory embodying an appearance of a tool or object utilized by a fictional character in a movie or video game, a t-shirt depicting the fictional character, and/or other types of products. A product may be an RFID enabled device including one or more of one or more radio frequency communication components, non-transitory electronic storage, and/or other components. The one or more radio frequency communication components may be configured to facilitate communication with one or more docks **126**. The non-transitory electronic storage may be configured to store information.

(23) In some implementations, detection of presence of a product and/or identification of the product and/or user holding the product may be facilitated by electronics embedded within or otherwise included in the product. For example, the product may include a radio-frequency identification (RFID) chip configured to emit and/or receive radio-frequency electromagnetic signals responsive to the product being disposed in a proximity of an individual dock of one or more docks **126**, and/or other components. As another example, the product may include an integrated circuit configured to transfer signals associated with one or more of identification of a user of the product and/or the product itself, values of product attributes of the product, and/or other information responsive to the product being placed in contact with a portion of an individual dock and/or within a proximity of the individual dock. In some implementations, some or all of the functionality of an individual dock may be attributed to an individual sensor of one or more vehicle sensors **124**, where the individual sensor may include the same or similar components as the individual dock.

(24) In some implementations, a product may include a physical object that may be used in gameplay. By way of non-limiting illustration, a physical object may be configured to interface with gaming consoles and/or computing platforms. In some implementations, a physical object may depict a game entity (e.g., game character) in a game. In some implementations, a physical object may interface with a gaming console via a reader configured to obtain signals from the physical object, provide signals associated with physical object to the game console and/or a game server, and/or provide signals to the physical object to store information carried by those signals in the physical object.

(25) In some implementations, a product may be a purpose-built device configured to track and/or store user activity within one or more geographic locations and/or store other information. The product may include one or more of a wristband, a tag, a card, a coin, and/or other objects. By way

of non-limiting illustration, the product may be an RFID enabled device including one or more of one or more radio frequency communication components, non-transitory electronic storage, and/or other components. The non-transitory electronic storage may be configured to store one or more of user information and/or other information. By way of non-limiting illustration, a physical object may include a device worn by users of a theme park, a cruise ship, a retail store, and/or other geographic locations.

(26) In some implementations, an individual dock of one or more docks **126** may include a reader and/or other device configured to obtain signals from products and/or provide signals associated with individual products to one or more physical processors **104**. A given signal may convey information including one or more one or more of product identification information, user identification information, usage information, and/or other information stored by the product. In some implementations, a reader may be a peripheral device configured to be communicatively coupled with vehicle **102** and/or one or more components of system **100**. In some implementations, a reader may be integrated so as to form a singular device with a component of system **100** (e.g., integrated into a component of vehicle **102**). A reader may include RFID components configured to communicate with RFID components (one or more radio frequency communication components) and/or other components.

(27) In some implementations, user identification information may include information that identifies individual users. The user identification information may include one or more of a name, a username, a handle, subscription information, and/or other information. The product identification information may include information that identifies individual products. The communication of product identification information may further facilitate detection of presence of the product storing the product identification information. The product identification information may include one or more of a name, a serial number, and/or other information. A serial number may be unique to an individual product. That is, even if two different physical object depict the same entity (such that they appear as identical), the different products may have different and unique serial numbers to distinguish between them. The usage information may convey recent and/or anticipated use of individual products. In some implementations, recent and/or anticipated use of individual products may refer to use in one or more of the real world, a virtual world (e.g., a game), and/or other types of use.

(28) Individual displays of one or more displays **122** may be configured to present visual content. Visual content may include content that may be observed visually. Visual content may include one or more of an image, a video, and/or other visual content. In some implementations, the visual content may include virtual content in the form of an interactive space. In some implementations, an individual display of one or more displays **122** may part of a wearable headset. A display may include one or more of a head-mounted display (HMD), an optical head-mounted display, a see-through display, an optical see-through display, a video see-through display, a visor, eyeglasses, sunglasses, a smartphone, a tablet, a mobile device, a projector, and/or other displays. In some implementations, an individual display of one or more displays **122** may include a set of displays that present visual content to each eye individually as stereo image pairs. In some implementations, one or more displays **122** may include other devices or components not worn by a user. For example, in an implementation, one or more displays **122** may include components integrated into vehicle **102**. For example, a headrest may include a display, windows of a vehicle may include or may be replaced with transparent or opaque displays, and/or displays may be integrated in other ways.

(29) In FIG. **1**, one or more physical processors **104** may be configured to provide information processing capabilities in system **100**. The one or more physical processors **104** may be configured by machine-readable instructions **106**. The machine-readable instructions **106** may include one or more computer program components. Executing the one or more computer program components may cause one or more physical processors **104** to facilitate presenting in-vehicle content based on

characterization of products. The computer program components may include one or more of a detection component **108**, a user component **110**, a characterization component **111**, a content component **112**, a control component **114**, and/or other components.

(30) The detection component **108** may be configured to obtain output signals conveying detection information, and/or other information. The output signals may be obtained from one or more of the one or more vehicle sensors **124**, one or more docks **126**, and/or other sources. The detection information may facilitate detection and/or identification of one or more products and/or one or more users of the products near and/or within an interior of the vehicle. In some implementations, “within” an interior of a vehicle may include being at or past a doorway threshold of the vehicle. In some implementations, “within” an interior of a vehicle may include being in a passenger seating area of the vehicle and/or other locations. In some implementations, “near” an interior of the vehicle may include at a door of the vehicle. In some implementations, “near” an interior of the vehicle may include a threshold distance from the vehicle. In some implementations, the threshold distance may be dictated by the arrangement and/or capabilities of one or more vehicle sensors **124** and/or one or more docks **126**. By way of non-limiting illustration, the threshold distance may be dictated by a range of an RFID reader of a dock. In some implementations, the threshold distance may be dictated by an arrangement and/or position of an image sensor. By way of non-limiting illustration, an image sensor may be positioned to capture images of the real world within a field of view of the image sensor. If the image sensor is arranged so that the field of view includes areas both inside and outside the vehicle, the distance at which images may be clearly captured outside the vehicle may dictate the threshold distance.

(31) The detection component **108** may be configured to detect, based on obtained output signals conveying detection information and/or other information, presence of one or more products and/or one or more users near and/or within the interior of the vehicle. Detection of presence may be facilitated by one or more techniques presented herein. For example, detection may be facilitated by one or more of an image-based technique, an audio-based technique, receiving output signals conveying product identification information, and/or other techniques.

(32) By way of non-limiting illustration, detection component **108** may be configured to detect presence of a first product and/or first user of the first product near and/or within the interior of the vehicle.

(33) The detection component **108** may be configured to identify one or more products and/or one or more users detected as being present near or within the interior of the vehicle. Identifying a product and/or user may include determining an identity of the product and/or user. Determining an identity of a product may include determining one or more of a name of the product, a unique identifier of the product, and/or other information. Determining an identity of a user may include determining one or more of a name of the user, a username of the user, an account name, an account number, and/or other information. Identification may be performed using one or more techniques presented herein and/or other techniques. For example, identification may be facilitated by one or more of an image-based technique, an audio-based technique, receiving output signals conveying product identification information, and/or other techniques.

(34) The user component **110** may be configured to obtain user information for individual users. The user component **110** may be configured to obtain user information for individual users identified as being present near and/or within the interior of vehicle **102**. The user information may include one or more of user identification information, product information, and/or other information.

(35) In some implementations, the product information for the individual users may specify individual sets of products that the individual user interact with. This may include products owned by the users, products experienced by the users, and/or other products. Interactions may include one or more of playing, visiting, sharing, viewing, and/or other forms of interaction. In some implementations, the product information for the individual users may specify individual sets of

products interacted with by the individual users prior to a ride in the vehicle **102**. By way of non-limiting illustration, user component **110** may be configured to obtain first user information for a first user and/or other information for other users. The first user information may include one or more of first user identification information, first product information, and/or other information. The first product information may include information specifying a first set of products interacted with by the first user prior to the ride in the vehicle **102**.

(36) The characterization component **111** may be configured to determine characterization information for the individual users. The characterization information may characterize individual products included in the individual sets of products utilized by the individual users. The characterization may be based on one or more product attributes of the individual products. The characterization may include determining individual values of individual product attributes.

(37) The one or more product attributes may include one or more of a product brand attribute, a time period of interaction attribute, a frequency of use attribute, a cost attribute, a gameplay attribute, and/or other attributes.

(38) A value of a product brand attribute of a product may specify a brand of the product. Product brand may refer to a network of intellectual property with which the product may be associated with. By way of non-limiting illustration, brand may refer to one or more of a proprietary franchise, a type of product manufactured by a particular company under a particular name, and/or other information. A proprietary franchise may include one or more of a movie franchise, a game franchise, a marketing franchise, a clothing franchise, and/or other proprietary franchise.

(39) A value of a time period of interaction attribute of a product may specify an amount of time a user has interacted with the product prior to the ride in the vehicle **102**. An amount of time a user has interacted with a product may include one or more of an amount of gameplay (e.g., within a video game, with a physical object, etc.), an amount of time spent at a location (e.g., a theme park), and/or other information.

(40) A value of a frequency of use attribute of a product may specify a quantity of user interaction with the product over a certain past period of time. The past period of time may include one or more of a week, a month, a year, and/or other periods of time.

(41) A value of a cost attribute of a product may specify a cost associated with a product. The cost associated with the product may include a cost to purchase the product, a cost to rent the product, a cost to experience the product (e.g., an entrance fee to a theme park, a price of a movie ticket, etc.), and/or other information.

(42) A value of a gameplay attribute may specify one or more of game achievement (e.g., leveling up, abilities acquired, virtual objects acquired, etc.), a score reach, a particular in-game task completed and/or attempted (e.g., tournaments, quests, missions, etc.), other players played with, and/or other information.

(43) By way of non-limiting illustration, the characterization component **111** may be configured to characterize the individual products in the first set of products based on one or more attributes to obtain first characterization information. The individual products in the first set of products may be characterized based on a first attribute and/or other attributes.

(44) In some implementations, the characterization component **111** may be configured to identify, for individual users, one or more subsets of products from the individual sets of products based on the characterization information. An individual subset of products may include one or more products having one or more values of one or more attributes in common. By way of non-limiting illustration, products having one or more values of one or more attributes in common may be grouped together into a subset of products. In some implementations, “in common” may refer to one or more of the same value, values within a threshold, and/or other considerations. By way of non-limiting illustration, for the cost attribute, products within a threshold range of price may be considered “in common” even though the cost may not be exactly the same. By way of non-limiting illustration, a first subset of products may be identified from the first set of products based

on the first characterization information. The first subset of products may include one or more products within the first set of products having a first value of the first product attribute in common.

(45) The content component **112** may be configured to identify in-vehicle content for presentation. The in-vehicle content for presentation may include content specific to individual subsets of products within the individual sets of products interacted with by individual users. In some implementations, the content component **112** may identify in-vehicle content for presentation that may be specific to an individual subset of products that includes one or more products detected (and identified) as being near and/or within the vehicle **102**. In some implementations, the content component **112** may identify in-vehicle content for presentation that may be specific to an individual subset of products that includes relatively more products than other subsets of products. An individual subset of products that includes relatively more products than other subsets of products within a set of products interacted with by a user may indicate that the user has an affinity to products having the one or more values of one or more products attributes common within that individual subset that includes the relatively most products.

(46) In some implementations, content may be specific to individual subsets of products by virtue of the content being representative of the one or more values of the one or more product attributes that are common within the individual subsets of products. In some implementations, the content may be representative of the one or more values of the one or more product attributes that are common based on the content including one or both of visual depictions of appearance(s) of the one or more values of the one or more product attributes that are common and/or audio characteristics of the one or more values of the one or more product attributes that are common. By way of non-limiting illustration, the first product attribute may comprise product brand. The first value of the first product attribute that is common within the first subset of products may include a particular brand. A first set of content that may be specific to first value of the first product attribute common within the first subset of products may include branded content of the particular brand.

(47) In some implementations, the content component **112** may be configured to prioritize the provision of the identified in-vehicle content. In some implementations, the prioritization may be based on one or more other values of one or more other product attributes of the products included in the individual subsets of products. In some implementations, prioritization may be based on ranking products within the individual subsets of products based on the one or more other values of the one or more other product attributes of the products included in the individual subsets of products. Ranking may include ordering the values from highest to lowest. Content within an identified set of in-vehicle content associated with the products having the other values of the other product attributes ranked as being relatively may be presented before content within the identified set of in-vehicle content associated with product having the other values of the other products ranked as being relatively lower.

(48) By way of non-limiting illustration, content within the first set of content may be prioritized based on values of a second product attribute of the products included in the first subset of products. For example, as mentioned above, the first set of content may include branded content of the particular brand. The second attribute may include the cost attribute and/or other attributes. The products within the first subset of products (again, which share a common brand and/or other value of a product attribute) may be ranked from most expensive to least expensive. Content within the first set of content associated with the relatively expensive products may be prioritized over content within the first of content associated with the relatively lease expensive products. As an illustrative example, the brand in common with first subset of products may include a movie franchise. The first set of content may include content associated with the movie franchise. The products within the first subset of products may include toys depicting different characters associated with the movie franchise. The most expensive toy may depict a particular character. Accordingly, content within the first set of content which is associated with the particular character of the movie

franchise may be prioritized over other content in the first set of content that is associated with other characters.

(49) As another illustrative example, the second attribute may include the gameplay attribute and/or other attributes. The products within the first subset of products (again, which share a common brand and/or other value of a product attribute) may be ranked based on most game achievements to least game achievements. Content within the first set of content associated with the relatively more game achievements may be prioritized over content within the first of content associated with the relatively less game achievements. As an illustrative example, the brand in common with first subset of products may include a movie franchise. The first set of content may include content associated with the movie franchise. The products within the first subset of products may include toys depicting different characters associated with the movie franchise. The toys may also be usable (e.g., to instantiate a game character that has the same appearance as the toy) with a game console to play a game also branded based on the movie franchise. The toys may depict individual characters in the movie franchise. One or more of the toys may have been used with the game console to achieve more game achievements than other toys. Accordingly, content within the first set of content which is associated with the particular character of the movie franchise associated with a toy that has been used to obtain the most game achievements may be prioritized over other content.

(50) In some implementations, content may include one or more of audio content, tactile content, visual content, and/or other content.

(51) Audio content may include sound libraries that facilitate reproducing specific sounds. The sounds may include one or more of speech, sound effects, and/or other sounds.

(52) Tactile content may include content and/or experiences that can be sensed physically. By way of non-limiting illustration, tactile content may include one or more of a perceivable change in temperature, a vibration, and/or other content. In some implementations, tactile content may be provided via a climate control system of a vehicle. In some implementations, if a subset of products have a value of a product attribute in common that is associated with a cold temperature (or hot temperature), a climate control system may be controlled to reduce (or increase) the temperature of air supplied by the climate control system.

(53) In some implementations, visual content may include one or more of an animation, a movie, an interactive space, and/or other visual content. Visual content may be accompanied by audio content. An animation may include characteristics of a common value of an attribute shared by a subset of products, and/or other content. A movie may include characters that the products in a subset of products depict, environments that entities depicted by the products in a subset of products may be associated with, and/or other content. An interactive space may comprise a simulated space that may be more robust and/or interactive than an animation and/or movie. For example, an interactive space may include one or more games, one or more user-controllable elements, and/or other content.

(54) In some implementations, visual content may include narrative content. Narrative content may generally follow a structure of a storytelling experience. The narrative content may include a story related to a subset of products and/or a common value of a product attribute associated with the subset of products.

(55) In some implementations, content component **112** may be configured to implement an instance of an interactive space (e.g., virtual space) executed by the computer components to determine state of the interactive space. The state may then be communicated (e.g., via streaming visual data, object/position data, and/or other state information) from one or more physical processors **104** to one or more displays **122** for presentation to users. The state determined and presented may correspond to a location in the interactive space. The view described by the state may correspond, for example, to the location from which the view is taken, the location the view depicts, and/or other locations, a zoom ratio, a dimensionality of objects, a point-of-view, and/or parameters of the

view. One or more of the view parameters may be selectable by the users.

(56) An instance of the interactive space may comprise a simulated space. The simulated space may have a topography, express ongoing real-time interaction by one or more users, and/or include one or more virtual objects positioned within the topography that are capable of locomotion within the topography. In some instances, the topography may be a 2-dimensional topography. In other instances, the topography may be a 3-dimensional topography. The topography may include dimensions of the space and/or surface features of a surface or objects that are “native” to the space. In some instances, the topography may describe a surface (e.g., a ground surface) that runs through at least a substantial portion of the space. In some instances, the topography may describe a volume with one or more bodies positioned therein (e.g., a simulation of gravity-deprived space with one or more celestial bodies positioned therein). An instance executed by the computer components may be synchronous, asynchronous, and/or semi-synchronous.

(57) In some implementations, the simulated space may be specific to one or more of a product, a subset of products, a common value of a product attribute associated with a subset of products, and/or other considerations. Accordingly, the simulated space may be fantastical space, a realistic space, and/or other types of content. By way of non-limiting illustration, a product may depict a movie character, and the simulated space may depict the environment that the character is depicted within that movie.

(58) The above description of the manner in which the state of the interactive space is determined by content component **112** is not intended to be limiting. The content component **112** may be configured to express the interactive space in a more limited, or richer, manner. For example, views determined for the interactive space representing the state of the instance of the interactive space may be selected from a limited set of graphics depicting an event in a given place within the interactive space. The views may include additional content (e.g., text, audio, pre-stored video content, and/or other content) that describes particulars of the current state of the place, beyond the relatively generic graphics. Other expressions of individual places within the interactive space are contemplated.

(59) Within the instance(s) of the interactive space executed by content component **112**, users may control entities (e.g., game entities for gameplay), simulated physical phenomena (e.g., wind, rain, earthquakes, and/or other phenomena), and/or other elements within the interactive space to interact with the interactive space, other virtual objects, and/or other users. The game entities may include virtual characters such as avatars. The game entities may include virtual representations of the products. As used herein, the term game entity may refer to a virtual object present in the interactive space that represents an individual user. A game entity may be controlled by the user with which it is associated. The user-controlled element(s) may move through and interact with the interactive space (e.g., non-user characters in the interactive space and/or other objects in the interactive space). The user-controlled elements controlled by and/or associated with a given user may be created and/or customized by the given user. The user may have an “inventory” of virtual items and/or currency that the user can use (e.g., by manipulation of a game entity or other user-controlled element, and/or other items) within the interactive space.

(60) Control by users may be exercised through control inputs and/or commands input by the users through one or more input techniques, such as a controller (not shown in FIG. 1), voice-based inputs, gesture-based inputs, and/or other inputs. The users may interact with each other through communications exchanged within the interactive space. Such communications may include one or more of textual chat, instant messages, private messages, voice communications, and/or other communications. Communications may be received and entered by the users. Communications may be routed to and from the appropriate users through one or more physical processors **104** and/or through communications which are external to the system **100** (e.g., text messaging services).

(61) The instance of the interactive space may be persistent. That is, the interactive space may

continue on whether or not individual user are currently logged in and/or participating in the interactive space. A user who logs out of the interactive space and then logs back in some time later may find the interactive space has been changed through the interactions of other users with the interactive space during the time the user was logged out. These changes may include changes to the simulated physical space, changes in the user's inventory, changes in other users' inventories, changes experienced by non-player characters, changes to the virtual items available for use in the interactive space, changes based on ongoing changes to usage information, and/or other changes.

(62) Games within the interactive space may be configured to elicit certain behaviors and/or actions from a user. For example, games may include objectives and/or goals which a user may attempt to complete through interaction with the game.

(63) In some implementations, content component **112** may be configured to obtain ride information and/or other information. The ride information may be obtained from output signals generated by one or more vehicle sensors **124** and/or other sources. The ride information may include one or more of motion information, activity information, trip progress information, environment information, caravanning information, and/or other ride information.

(64) In some implementations, the content component **112** may be configured to adjust the content to be provided based on the ride information and/or other information. In some implementations, the adjustment(s) may be based on one or more of predicted events likely to occur based on the ride information, actual occurrence of the predicted events, and/or other conditions.

(65) The content component **112** may be configured to predict events likely to occur based on the ride information and/or other information. Events likely to occur may include real-world events involving the vehicle and/or occurring at or near the vehicle. In some implementations, predicting events likely to occur may further include determining event type of the individual predicted events.

(66) By way of non-limiting illustration, events may include one or more of a stopping event (e.g., the vehicle is coming to a stop or is stopped), an acceleration event (e.g., the vehicle accelerates), a turning event (e.g., the vehicle turns), a particular weather event (e.g., it is raining, sunny, cloudy, etc.), vertical movement event (e.g., hits a speed bump), a passing event (e.g., passing or being passed by one or more of an object, a building, another vehicle, etc.), and/or other events.

(67) Event types may characterize events based on their expectancy of occurring. Event types may include one or more of expected-type events, unexpected-type events, and/or other event types. In general, expected-type events may allow for content adjustments to be pre-planned, while unexpected-type events may require content adjustment that are more reactive in nature.

(68) Expected-type events may include events that may be predicted from ride information well in advance of any actual or predicted occurrence of the events. The term “well in advance” may refer to one or more of being at a beginning of a trip and/or a threshold time before a predicted occurrence (or actual occurrence) of the predicted event. A threshold time may be in the range of one or more of five to ten minutes, one to five minutes, ten to thirty seconds, one to five seconds, and/or other amount of time before a predicted (or actual) occurrence.

(69) For example, an event of an expected-event type may be predicted to likely occur based on obtained motion information and/or other information. The motion information may convey a deceleration of vehicle. The event likely to occur may include a stop event, e.g., the vehicle may likely being coming to a stop based on the vehicle deceleration.

(70) An event of an expected-event type may be predicted to likely occur based on obtained activity information and/or other information. The activity information may convey a movement of a vehicle operator's head in a first direction. The event likely to occur may include a turning event toward the first direction.

(71) An event of an expected-event type may be predicted to likely occur based on obtained trip progress information and/or other information. The trip progress information may convey a particular location of the vehicle along a trip. The particular location may include, for example, a

freeway onramp. The event likely to occur may include an acceleration event, e.g., the vehicle may likely start to accelerate to merge with freeway traffic.

(72) An event of an expected-event type may be predicted to likely occur based on obtained environment information and/or other information. The environment information may convey a particular terrain is approaching on a road (e.g., a speed bump). The event likely to occur may include a vertical movement event, e.g., the vehicle may rise for a short period of time as it passes over the speed bump.

(73) An event of an expected-event type may be predicted to likely occur based on obtained caravanning information and/or other information. The caravanning information may convey a relative position of an other vehicle approaching the position of the vehicle. The event likely to occur may include a passing event, e.g., the vehicle may likely be passing the other vehicle and/or may be passed by the other vehicle.

(74) Unexpected-type events may include events that may be predicted from ride information within a short duration of any actual and/or predicted occurrence of the events. The term “short duration” may refer a threshold time before a predicted occurrence (or actual occurrence) of the predicted event. A threshold time may be in the range of one or more of five to ten seconds, three to five second, one to three second, one half to one second, 200 to 500 milliseconds, 100 to 200 milliseconds, ten to 100 milliseconds, one to ten milliseconds, and/or other amount of time before a predicted (or actual) occurrence.

(75) For example, an event of an unexpected-event type may be predicted to likely occur based on obtained motion information, environment information, and/or other information. The environment information may convey a particular location of the vehicle being on a freeway. The motion information may convey a deceleration of vehicle. The event likely to occur may include a stopping event, e.g., the vehicle may likely be coming to a stop at a location (freeway) that is usually not known as a location for stopping and/or the stop may be in response to a sudden traffic event or obstacle.

(76) An event of an unexpected-event type may be predicted to likely occur based on obtained activity information, and/or other information. The activity information may convey a sudden tightening of the operator's grip on the steering wheel. The event likely to occur may include a turning event and/or a stopping event, e.g., unexpected traffic and/or objects in the road may cause the operator to perform last-minute evasive maneuvers.

(77) An event of an unexpected-event type may be predicted to likely occur based on obtained environment information and/or other information. The environment information may convey an object (such as a person) is approaching the vehicle. The event likely to occur may include a turning event and/or a stopping event, e.g., approaching object may cause the operator to perform last-minute evasive maneuvers to avoid hitting the object.

(78) An event of an unexpected-event type may be predicted to likely occur based on obtained caravanning information and/or other information. The caravanning information may convey that a previously unknown vehicle is present and quickly approaching (appearing from around a blind corner, for example). The event likely to occur may include a passing event.

(79) It is noted that the above descriptions of events, event types, and prediction of events are provided for illustrative purposes only and not to be considered limiting. For example, events may include one or more events within the scope of the disclosure but not explicitly listed herein. The events may be categorized into other types. The prediction of events may be carried out in other manners. For example, vehicles may include Advanced Driver Assistance Systems (ADAS) and/or others sensors allowing onboard processing to predict events in other ways.

(80) The content component **112** may be configured to trigger adjustments to content (e.g., visual, audible, and/or haptic) at individual occurrences of individual predicted events. Triggering adjustments to visual content may include effectuating one or more of modifications, additions, and/or removal of content presented to the user. Adjustment may be directed to one or more of a

particular virtual object and/or set of virtual objects, a topography of a simulated space, simulated physical phenomena, and/or other content.

(81) Individual potential adjustments may be of individual adjustment types. The adjustment types may include expected-type adjustments, unexpected-type adjustments, and/or other adjustment types. Adjustment types of the adjustments may correspond to event types of the predicted events. In some implementations, an individual adjustment may correspond to an individual event regardless of event type.

(82) By way of non-limiting illustration, adjustments of an expected-type may include modifications, additions, and/or removal of content that may be triggered based on expected-type events being predicted. Adjustments of an unexpected-type may include modifications, additions, and/or removal of content that may be triggered based on unexpected-type events being predicted. In some implementations, adjustments of the expected-type may be incorporated or integrated into a narrative of story content as expectancy of occurrence of expected-type events may allow these adjustments to be preplanned. For example, if a trip includes a known stop sign location, the stopping event at that stop sign can be predicted well in advance of the event occurring.

Accordingly, an adjustment to a story can be provided at the occurrence of that stopping event, and the adjustment may be an integral part of the narrative of the storyline (e.g., a climax, a plot twist, a character introduction, etc.). In some implementations, adjustments of the unexpected-type may be incidental or “one-off” adjustments as the expectancy of occurrence of unexpected-type events may not be preplanned well in advance. For example, adjustments of the unexpected-type may be reactive in nature and may or may not integrate into a narrative.

(83) In some implementations, individual aspects of virtual content in an interactive space may be associated with individual sets of potential adjustments. Aspects of the virtual content may refer to individual virtual objects, scenes (e.g., including certain arrangements of virtual objects, parts of a storyline, and/or other considerations), a certain point in time along the progress of a game, and/or other aspects. Depending on a state of the interactive space (e.g., what aspects are currently present) at the time of a predicted event, an individual adjustment may be selected from a set of potential adjustments. The selection may be based on the specific predicted event, the event type of the predicted event, and/or other information. For example, a first virtual object may be associated with a first set of potential adjustments. The first set of potential adjustments may include one or more of a first adjustment, a second adjustment, third adjustment, and/or other adjustments. The first adjustment may be of an unexpected type and may be selected if an event of an unexpected type is predicted while the first virtual object is present in a view of the interactive space. The second adjustment may be of an expected type and may be selected if an event of an expected type is predicted while the first virtual object is present in a view of the interactive space. The third adjustment may be selected if a specific event is predicted while the first virtual object is present in a view of the interactive space, regardless of event type.

(84) The content component **112** may be configured to queue sets of potential adjustments and/or select one or more of the potential adjustments to trigger based on the predicted events and/or event types of the predicted events. The content component **112** may be configured to trigger the individual adjustments at individual occurrences of the individual predicted events.

(85) In some implementations, individual occurrences of individual predicted events may include one or more of predicted occurrences of the predicted events and/or actual occurrences of the predicted events. Accordingly, content component **112** may be configured to determine, based on the ride information, the actual occurrences of the predicted events. By way of non-limiting illustration, ride information conveying a deceleration of a vehicle may predict an occurrence of a stopping event, while ride information conveying the vehicle is no longer in motion may indicate an actual occurrence of the stopping event.

(86) Triggering adjustments at individual occurrences of individual predicted events may include triggering prior to the occurrences (actual or predicted), at a start of the occurrences (actual or

predicted), and/or at a time following the occurrences (actual or predicted).

(87) By way of non-limiting illustration, a trip may start and content may be identified and presented to a user. The content may correspond to, for example, a narrative-type experience and may include a story. At a subsequent point in time, a first event may be predicted. A set of potential adjustments may be queued for selection and triggering. The set of adjustments may include one or more of a first potential adjustment, a second potential adjustment, a third potential adjustment, and/or other potential adjustments. At least one of the potential adjustments may be selected based on one or more of the first event, the event type of the first event, and/or other information. For example, the third potential adjustment may be selected and triggered based on one or more of the first event, the event type of the first event, and/or other information. The trip may resume. At a subsequent point in time, a second event may be predicted. A set of potential adjustments may be queued for selection and triggering. The set of adjustments may include a fourth potential adjustment and/or other potential adjustments. The fourth potential adjustment may correspond to the second event. The fourth potential adjustment may be selected and triggered **318** based on the second event and/or other information. The trip may resume. It is noted that the above descriptions are for illustrative purposes only and are not to be considered limiting. For example, content adjustments may be expressed in other ways.

(88) The control component **114** may be configured to control individual vehicle components of the one or more vehicle components of vehicle **102** to provide in-vehicle content. By way of non-limiting illustration, control component **114** may be configured to control a first vehicle component to provide the first set of content and/or other content.

(89) In some implementations, control component **114** may be configured to, responsive to determining in-vehicle content to provide, determine which vehicle components of the one or more vehicle components are available to provide the content. For example, some content may be presentable via one or more specific vehicle components. Some vehicles may not include one or more of the vehicle components needed to present content. Accordingly, the control component **114** may be configured to determine which vehicle components are available, and then control the available vehicle components to provide content suitable for those type of available vehicle components. By way of non-limiting illustration, an animation may include visual content and audio content. The visual content may be presented via a display and the audio content may be presented via an audio output device. If a vehicle does not have a display but does have an audio output device, control component **114** may be configured to determine that the audio output device is available and the display is unavailable. The control component **114** may be configured to control the audio output device to provide the audio content of the animation, without presentation of visual content via a (nonexistent) display.

(90) In some implementations, responsive to determining (e.g., via detection component **108**) that one or more products and/or users detected as being present near and/or within the interior of the vehicle are no longer near and/or within the interior of the vehicle, the control component **114** may be configured control the one or more vehicle components coupled to the vehicle to cease provision of in-vehicle content. By way of non-limiting illustration, responsive to determining that the first user is no longer present near and/or within the interior of the vehicle, control component **114** may be configured to cease provision of the first set of content by the first vehicle component.

(91) FIG. 3 shows a graphic of a user **402** bringing a product **404** near an interior of a vehicle **406**. The product **404** may including a physical object physically embodying an appearance of a virtual entity, such as a game entity, movie entity, and/or other entities. The user **402** may bring the product **404** within a threshold distance of vehicle **406** and/or may bring product **404** within an interior of vehicle **406** (FIG. 4).

(92) FIG. 4 shows a graphic illustrating presentation of in-vehicle content based on detection of product **404** near (FIG. 3) and/or within (FIG. 4) an interior **502** of a vehicle (e.g., vehicle **406** in FIG. 3). The vehicle may include one or more vehicle components configured to present content.

The one or more vehicle components may include one or more of a display **504**, an audio output device **506**, and/or other vehicle components. The display **504** may form part of one or both of an entertainment system and/or a navigation system. The audio output device **506** may form part of one or both of an entertainment system and/or a navigation system.

(93) In some implementations, in-vehicle content may include visual content presented via display **504**. The visual content may be specific to an individual subset of products interacted with by the user **402** including products having one or more values of one or more product attributes in common. By way of non-limiting illustration, in some implementations, the visual content may be specific to an individual subset of products including the product **404**. By way of non-limiting illustration, the individual subset of products including the product **404** may be associated with a common brand. The visual content presented via display **504** may be branded content.

(94) In some implementations, in-vehicle content may include audio content presented via audio output device **506**. The audio content may be specific to the individual subset of products interacted with by the user **402** including products having the one or more values of one or more product attributes in common. By way of non-limiting illustration, in some implementations, the audio content may be specific to an individual subset of products including the product **404**.

(95) Returning to FIG. **1**, although one or more physical processors **104**, one or more vehicle sensors **124**, one or more dock **126**, one or more products **128**, one or more displays **122**, one or more audio output devices **120**, and/or external resource(s) **130** are shown to be connected to network(s) **118** in FIG. **1**, other communication medium may be used to facilitate interaction between any components of system **100**. One or more components of system **100** may communicate through hard-wired communication, wireless communication, or both. For example, one or more physical processors **104** may wirelessly communicate with one or more vehicle sensors **124** and/or one or more docks **126**. Wireless communication may include one or more of radio communication, Bluetooth communication, Wi-Fi communication, cellular communication, infrared communication, or other wireless communication.

(96) Although one or more physical processors **104** is/are shown in FIG. **1** as a single entity, this is for illustrative purposes only. In some implementations, one or more physical processors **104** may comprise a plurality of processing units. These processing units may be physically located within the same device, or one or more physical processors **104** may represent processing functionality of a plurality of devices operating in coordination.

(97) One or more physical processors **104** may be configured to execute one or more of components **108**, **110**, **111**, **112**, **114**, and/or other components by software; hardware; firmware; some combination of software, hardware, and/or firmware; and/or other mechanisms for configuring processing capabilities on one or more physical processors **104**. Although components **108**, **110**, **111**, **112**, and/or **114** are illustrated in FIG. **1** as being co-located within a single processing unit, in implementations in which one or more physical processors **104** comprises multiple processing units, one or more of **108**, **110**, **111**, **112**, and/or **114** may be located remotely from the other computer program components. The description of the functionality provided by the different computer program components **108**, **110**, **111**, **112**, and/or **114** is for illustrative purposes, and is not intended to be limiting, as any of computer program components **108**, **110**, **111**, **112**, and/or **114** may provide more or less functionality than is described. For example, one or more of computer program components **108**, **110**, **111**, **112**, and/or **114** may be eliminated, and some or all of its functionality may be provided by other computer program components **108**, **110**, **111**, **112**, and/or **114**. As another example, one or more physical processors **104** may be configured to execute one or more additional computer program components that may perform some or all of the functionality attributed to one or more of computer program components **108**, **110**, **111**, **112**, and/or **114**.

(98) The electronic storage **117** of one or more physical processors **104** may include electronic storage media that electronically stores information. The electronic storage **117** may store software

algorithms, information determined by one or more physical processors **104**, information received from other components of system **100**, and/or other information that enables system **100** to function properly.

(99) The electronic storage media of electronic storage **117** may be provided integrally (i.e., substantially non-removable) with one or more components of system **100** and/or removable storage that is connectable to one or more components of system **100** via, for example, a port (e.g., a USB port, a Firewire port, etc.) or a drive (e.g., a disk drive, etc.). Electronic storage **117** may include one or more of optically readable storage media (e.g., optical disks, etc.), magnetically readable storage media (e.g., magnetic tape, magnetic hard drive, floppy drive, etc.), electrical charge-based storage media (e.g., EPROM, EEPROM, RAM, etc.), solid-state storage media (e.g., flash drive, etc.), and/or other electronically readable storage media. Electronic storage **117** may be a separate component within system **100**, or electronic storage **117** may be provided integrally with one or more other components of system **100** (e.g., one or more physical processors **104**). Although electronic storage **117** is shown in FIG. **1** as a single entity, this is for illustrative purposes only. In some implementations, electronic storage **117** may comprise a plurality of storage units. These storage units may be physically located within the same device, or electronic storage **117** may represent storage functionality of a plurality of devices operating in coordination.

(100) The external resource(s) **130** may include sources of information, hosts (e.g., a host server that serves content), external entities participating with system **100**, providers of content, and/or other resources. In some implementations, some or all of the functionality attributed herein to external resource(s) **130** may be provided by resources included in system **100**.

(101) FIG. **2** illustrates method **200** to present in-vehicle content based on characterization of products, in accordance with one or more implementations. The operations of method **200** presented below are intended to be illustrative. In some implementations, method **200** may be accomplished with one or more additional operations not described, and/or without one or more of the operations discussed. In some implementations, two or more of the operations may occur substantially simultaneously.

(102) In some implementations, method **200** may be implemented in a computer system comprising one or more processing devices (e.g., a hardware processor, a digital processor, an analog processor, a digital circuit designed to process information, a central processing unit, a graphics processing unit, a microcontroller, an analog circuit designed to process information, a state machine, and/or other mechanisms for electronically processing information) and/or other devices. The one or more processing devices may include one or more devices executing some or all of the operations of method **200** in response to instructions stored electronically on one or more electronic storage mediums. The one or more processing devices may include one or more devices configured through hardware, firmware, and/or software to be specifically designed for execution of one or more of the operations of method **200**. The one or more processing devices may be the same as or similar to one or more physical processors **104** in FIG. **1**.

(103) Referring to FIG. **2** and method **200**, at operation **202**, obtain user information for individual users may be obtained. The user information for the individual users may specify individual sets of products interacted with by the individual users prior to a ride in a vehicle. By way of non-limiting illustration, first user information for a first user may be obtained. The first user information may specify a first set of products interacted with by the first user prior to the ride in the vehicle. In some implementations, operation **202** may be performed by one or more physical processors executing a processor component the same as or similar to user component **110** (shown in FIG. **1** and described herein).

(104) At operation **204**, in-vehicle content specific to individual subsets of products within the individual sets of products may be identified. An individual subset of products may include products having one or more values of one or more product attributes in common. By way of non-limiting illustration, a first set of content specific to a first subset of products included in the first

set of products may be identified. The first subset of products may include one or more products having a first value of a first product attribute in common. In some implementations, operation **204** may be performed by one or more physical processors executing a processor component the same as or similar to content component **112** (shown in FIG. **1** and described herein).

(105) At operation **206**, one or more vehicle components coupled to the vehicle may be controlled to provide the in-vehicle content specific to the individual subsets of products. By way of non-limiting illustration, a first vehicle component may be controlled to provide the first set of content. In some implementations, operation **206** may be performed by one or more physical processors executing a processor component the same as or similar to control component **112** (shown in FIG. **1** and described herein).

(106) Although the system(s) and/or method(s) of this disclosure have been described in detail for the purpose of illustration based on what is currently considered to be the most practical and preferred implementations, such detail is solely for that purpose and that the disclosure is not limited to the disclosed implementations, but, on the contrary, is intended to cover modifications and equivalent arrangements that are within the spirit and scope of the appended claims. The present disclosure contemplates that, to the extent possible, one or more features of any implementation can be combined with one or more features of any other implementation.

Claims

1. A system configured to present in-vehicle entertainment experiences based on characterization of products, the system comprising: a vehicle; one or more docks connected to the vehicle, the one or more docks being configured to interface with electronics embedded within a product; and one or more physical processors carried by the vehicle, the one or more physical processors being configured by machine readable instructions to: obtain output signals generated by the one or more docks; detect, based on the output signals, presence of the product having the electronics embedded therein near or within an interior of the vehicle; based on detecting the presence of the product having the electronics embedded therein, identify a user associated with the product having the electronics embedded therein; in response to identifying the user, obtain product information for the user identifying a set of products the user owns or has interacted with prior to a ride in the vehicle; identify groups of products included in the set of products the user owns or has interacted with prior to the ride in the vehicle, wherein the set of products includes a first group of products having a first value of a product attribute in common and a second group of products having a second value of the product attribute in common; determine the first group of products includes a first quantity of products and the second group of products includes a second quantity of products; determine which of the first quantity of products or the second quantity of products is greater; identify, in response to the first quantity of products being greater than the second quantity of products, a set of in-vehicle entertainment experiences specific to the first group of products; and control one or both of a climate control system or a lighting system coupled to the vehicle to provide an in-vehicle entertainment experience in the set of in-vehicle entertainment experiences specific to the first group of products.

2. The system of claim 1, wherein the one or more physical processors are further configured by the machine-readable instructions to: prioritize provision of in-vehicle entertainment experiences within the set of in-vehicle entertainment experiences based on values of a second product attribute of products included in the first group of products; and control the climate control system or the lighting system to provide the in-vehicle entertainment experiences based on prioritization.

3. The system of claim 1, wherein the product attribute is product brand.

4. The system of claim 1, wherein the product attribute is time period of interaction.

5. The system of claim 1, wherein the product attribute is frequency of use.

6. The system of claim 1, wherein the product attribute is cost.

7. The system of claim 1, wherein an individual product in the set of products includes an individual good or an individual service.
8. The system of claim 7, wherein the individual good includes one or more of a toy, a game console, a book, or an article of clothing, and the individual service includes one or more of a video game, an attraction at a theme park, or a movie watching experience.
9. The system of claim 1, wherein the set of in-vehicle entertainment experiences is specific to the first group of products by virtue of the set of in-vehicle entertainment experiences being representative of the first value of the product attribute.
10. A method to present in-vehicle entertainment experiences based on characterization of products, the method being implemented by one or more physical processors carried by a vehicle, the one or more physical processors being configured by machine-readable instructions, the method comprising: obtaining, by the one or more physical processors, output signals generated by one or more docks connected to the vehicle, the one or more docks being configured to interface with electronics embedded within a product; detecting, by the one or more physical processors based on the output signals, presence of the product having the electronics embedded therein near or within an interior of the vehicle; based on the detecting the presence of the product having the electronics embedded therein, identifying, by the one or more physical processors, a user associated with the product having the electronics embedded therein; in response to identifying the user, obtaining, by the one or more physical processors, product information for the user identifying a set of products the owns or has interacted with prior to a ride in the vehicle; identifying, by the one or more physical processors, groups of products included in the set of products the user owns or has interacted with prior to the ride in the vehicle, including identifying, from the set of products, a first group of products having a first value of a product attribute in common and a second group of products having a second value of the product attribute in common; determining, by the one or more physical processors, the first group of products includes a first quantity of products and the second group of products includes a second quantity of products; determining, by the one or more physical processors which of the first quantity of products or the second quantity of products is greater; identifying, by the one or more physical processors, and in response to the first quantity of products being greater than the second quantity of products, a set of in-vehicle entertainment experiences specific to the first group of products; and controlling, by the one or more physical processors, one or both of a climate control system or a lighting system coupled to the vehicle to provide an in-vehicle entertainment experience in the set of in-vehicle entertainment experiences specific to the first group of products.
11. The method of claim 10, further comprising: prioritizing provision of in-vehicle entertainment experiences within the set of in-vehicle entertainment experiences based on values of a second product attribute of products included in the first group of products; and controlling the climate control system or the lighting system to provide the in-vehicle entertainment experiences content based on prioritization.
12. The method of claim 10, wherein the product attribute is product brand.
13. The method of claim 10, wherein the product attribute is time period of interaction.
14. The method of claim 10, wherein the product attribute is frequency of use.
15. The method of claim 10, wherein the product attribute is cost.
16. The method of claim 10, wherein an individual product in the set of products includes an individual good or an individual service.
17. The method of claim 16, wherein the individual good includes one or more of a toy, a game console, a book, or an article of clothing, and the individual service includes one or more of a video game, an attraction at a theme park, or a movie watching experience.
18. The method of claim 10, wherein the set of in-vehicle entertainment experiences is specific to the first group of products by virtue of the set of in-vehicle entertainment experiences being representative of the first value of the product attribute.

19. The system of claim 1, wherein the electronics embedded within the product include a radio-frequency identification (RFID) chip.

20. The method of claim 10, wherein the electronics embedded within the product include a radio-frequency identification (RFID) chip.
