



US 20250276049A1

(19) **United States**(12) **Patent Application Publication**
Jooss et al.(10) **Pub. No.: US 2025/0276049 A1**(43) **Pub. Date: Sep. 4, 2025**(54) **EGFR VACCINE CASSETTES****Publication Classification**(71) Applicant: **Gritstone Bio, Inc.**, Emeryville, CA (US)(51) **Int. Cl.****A61K 39/00** (2006.01)**A61P 35/00** (2006.01)**C12N 15/86** (2006.01)(72) Inventors: **Karin Jooss**, San Diego, CA (US); **Roman Yelensky**, Newton, MA (US); **James Xin Sun**, Newton, MA (US); **Amy Rachel Rappaport**, Daly City, CA (US); **Ciaran Daniel Scallan**, San Francisco, CA (US); **Leonid Gitlin**, Foster City, CA (US); **Christine Denise Palmer**, Cambridge, MA (US); **Monica Lane**, Uxbridge, MA (US)(52) **U.S. Cl.**CPC **A61K 39/001104** (2018.08); **A61P 35/00** (2018.01); **C12N 15/86** (2013.01); **A61K 2039/53** (2013.01); **A61K 2039/545** (2013.01); **A61K 2039/55555** (2013.01); **C12N 2710/10334** (2013.01); **C12N 2710/10341** (2013.01); **C12N 2710/10351** (2013.01); **C12N 2830/50** (2013.01)(21) Appl. No.: **19/036,888**

(57)

ABSTRACT(22) Filed: **Jan. 24, 2025****Related U.S. Application Data**

(63) Continuation of application No. PCT/US2023/070981, filed on Jul. 25, 2023.

(60) Provisional application No. 63/392,072, filed on Jul. 25, 2022.

Disclosed herein are compositions that include antigen-encoding nucleic acid sequences having multiple iterations of EGFR neopeptide-encoding sequences. Also disclosed are nucleotides, cells, and methods associated with the compositions including their use as vaccines.

Specification includes a Sequence Listing.**Gritstone cell-line mass-spectrometry (MS) data for EGFR neoantigens**

HLA A*03:01, A*11:01 and C*15:02 selected for targeting based on EDGE scores for EGFR mut.

Mutation	HLA Allele	Status
E19 deletion	A*03:01	Presentation predicted by EDGE
E19 deletion	A*11:01	Presentation predicted by EDGE
L858R	A*03:01	Presentation validated by MS with synthetic peptide
L858R	A*11:01	Presentation validated by MS with synthetic peptide
T790M	A*03:01	Presentation predicted by EDGE
T790M	A*11:01	Presentation predicted by EDGE
T790M	C*15:02	Presentation validated by MS with synthetic peptide

Prevalence estimates of likely presenting HLA alleles

	China	Japan	Global
A1101	42.0%	17.3%	12.5%
A0301	4.0%	0.8%	23.7%
C1502	6.0%	6.6%	5.6%
A1101 / A0301	45.91%	18.01%	34.61%
A1101 / A0301 / C1502	49.15%	23.4%	38.28%
L858R or E19del (A1101/A0301 restricted)	16.4%	6.4%	11.1%
T790M mutation (60% of resistance mutations, A1101/A0301/C1502 restricted)	11.3%	5.1%	7.4%



FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B





FIG. 2C

1. L858R x4 (3x 26AA, 1x25AA: Total size 103AA)



2. L858R x8 (7x 26AA, 1x25AA: Total size 205AA)




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7

Target Denisty in Matched Expression A*11:01 K562 Engineered Lines



Target Denisty in Matched Expression A*03:01 K562 Engineered Lines




FIG. 8




FIG. 9




FIG. 10

1x8	L858R	x8		
2x8	L858R	T790M	x8	
3x8	L858R	T790M	E19del	x8





FIG. 11A




FIG. 11B

EGFR VACCINE CASSETTES

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of International Patent Application No. PCT/US2023/070981, filed Jul. 25, 2023, which claims the benefit of, and priority to, U.S. Provisional Application No. 63/392,072, filed Jul. 25, 2022, which is hereby incorporated in its entirety by reference.

SEQUENCE LISTING

[0002] The instant application contains a Sequence Listing which has been submitted electronically and is hereby incorporated herein by reference in its entirety. Said .XML copy, created on Jan. 22, 2024, is named GSO-115WO and is 435,977 bytes in size.

BACKGROUND

[0003] Therapeutic vaccines based on tumor-specific antigens hold great promise as a next-generation of personalized cancer immunotherapy.¹⁻³ For example, cancers with a high mutational burden, such as non-small cell lung cancer (NSCLC) and melanoma, are particularly attractive targets of such therapy given the relatively greater likelihood of neoantigen generation.^{4,5} Early evidence shows that neoantigen-based vaccination can elicit T-cell responses⁶ and that neoantigen targeted cell-therapy can cause tumor regression under certain circumstances in selected patients.⁷

[0004] One question for antigen vaccine design in both cancer and infectious disease settings is which of the many coding mutations present generate the “best” therapeutic antigens, e.g., antigens that can elicit immunity.

[0005] In addition to the challenges of current antigen prediction methods certain challenges also exist with the available vector systems that can be used for antigen delivery in humans, many of which are derived from humans. For example, many humans have pre-existing immunity to human viruses as a result of previous natural exposure, and this immunity can be a major obstacle to the use of recombinant human viruses for antigen delivery in vaccination strategies, such as in cancer treatment or vaccinations against infectious diseases. While some progress has been made in vaccination strategies addressing the above problems, improvements are still needed, particularly for clinical applications, such as improved vaccine potency and efficacy.

SUMMARY

[0006] Disclosed herein is an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises: (i) a nucleic acid sequence A (E_A); and (ii) a nucleic acid sequence B (E_B), wherein E_A and E_B each encode one MHC epitope, wherein the MHC epitope encoded by E_A and the MHC epitope encoded by E_B are distinct and non-identical, wherein the cassette comprises at least two iterations of E_A and at least two iterations of E_B , wherein each iteration of E_A and E_B , respectively, comprises identical nucleic acid sequences, and wherein E_A encodes an EGFR-associated MHC class I neopeptide.

[0007] In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_A is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion

MHC class I epitope, and combinations thereof. In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_A comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), ITDFGRAKL (SEQ ID NO: 90), STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), LTSTVQLIM (SEQ ID NO: 76), PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_A comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), KITDFGRAKL (SEQ ID NO: 89), STVQLIMQL (SEQ ID NO: 75), or LSTVQLIM (SEQ ID NO: 96).

[0008] In some aspects, E_B encodes a non-identical EGFR-associated neopeptide with respect to E_A . In some aspects, the EGFR-associated neopeptide encoded by E_B comprises an MHC class I neopeptide. In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_B is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof. In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_B comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), ITDFGRAKL (SEQ ID NO: 90), STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), LTSTVQLIM (SEQ ID NO: 76), PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_B comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), KITDFGRAKL (SEQ ID NO: 89), STVQLIMQL (SEQ ID NO: 75), or LSTVQLIM (SEQ ID NO: 96).

[0009] In some aspects, E_A and E_B together comprise each of a EGFR_L858R MHC class I epitope and a EGFR T790M MHC class I epitope.

[0010] In some aspects, the cassette encodes at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of one or both of E_A and E_B . In some aspects, the cassette encodes at least 8 iterations of each of E_A and E_B .

[0011] In some aspects, the cassette encodes two or more iterations of the unit E_A - E_B , optionally wherein E_A and E_B are concatenated by a linker-encoding nucleic acid. In some aspects, the cassette encodes 8 iterations of the unit E_A - E_B . In some aspects, the epitope encoded by E_A comprises a EGFR_L858R MHC class I epitope and the epitope encoded by E_B comprises a EGFR T790M MHC class I epitope. In some aspects, the cassette encodes the amino acid sequence of SEQ ID NO: 71.

[0012] In some aspects, the antigen-encoding cassette further comprises a nucleic acid sequence C (E_C), wherein E_C encodes one MHC epitope, wherein the MHC epitope encoded by E_C is distinct and non-identical with respect to the MHC epitope encoded by E_A and the MHC epitope encoded by E_B , wherein the cassette comprises at least two iterations of E_C and, and wherein each iteration of E_C comprises an identical nucleic acid sequence. In some aspects, E_C encodes an EGFR-associated MHC class I neopeptide. In some aspects, E_C encodes a non-identical EGFR-associated neopeptide with respect to both E_A and E_B .

In some aspects, the EGFR-associated neopeptide encoded by E_C comprises an MHC class I neopeptide.

[0013] In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_C is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof. In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_C comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), ITDFGRAKL (SEQ ID NO: 90), STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), LTSTVQLIM (SEQ ID NO: 76), PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the EGFR-associated MHC class I neopeptide encoded by E_C comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), KITDFGRAKL (SEQ ID NO: 89), STVQLIMQL (SEQ ID NO: 75), or LSTVQLIM (SEQ ID NO: 96).

[0014] In some aspects, E_A , E_B , and E_C are together comprise each of a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, and a EGFR E746-A750 deletion MHC class I epitope. In some aspects, the cassette encodes at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of one or each of E_A , E_B , and E_C . In some aspects, the cassette encodes at least 8 iterations of each of E_A , E_B , and E_C . In some aspects, the cassette encodes two or more iterations of the unit E_A - E_B - E_C , optionally wherein E_A , E_B , and E_C are concatenated by a linker-encoding nucleic acid. In some aspects, the cassette encodes 8 iterations of the unit E_A - E_B - E_C . In some aspects, the epitope encoded by E_A comprises a EGFR_L858R MHC class I epitope and the epitope encoded by E_B comprises a EGFR T790M MHC class I epitope. In some aspects, the cassette encodes the amino acid sequence of SEQ ID NO: 94.

[0015] In some aspects, the antigen-encoding cassette encodes a peptide comprising the amino acid sequence of SEQ ID NO: 61. In some aspects, the antigen-encoding cassette encodes a peptide comprising the amino acid sequence of SEQ ID NO: 62. In some aspects, the antigen-encoding cassette encodes a peptide comprising the amino acid sequence of SEQ ID NO: 71. In some aspects, the antigen-encoding cassette encodes a peptide comprising the amino acid sequence of SEQ ID NO: 94.

[0016] Also disclosed herein is: an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x-(E^N_n)_y)_z$$

[0017] wherein E represents a nucleotide sequence comprising a distinct epitope-encoding nucleic acid sequence, n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0, E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n, for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given E^N , or a combination

thereof, and at least one of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encodes a EGFR-associated MHC class I neopeptide.

[0018] In some aspects, at least 2 of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neopeptides. In some aspects, at least 3 of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neopeptides. In some aspects, at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neopeptides.

[0019] In some aspects, each of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neopeptides. In some aspects, one or more of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neopeptides comprises at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations. In some aspects, each of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neopeptides comprises at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations.

[0020] In some aspects, one or more of the nucleic acid sequences encoding the distinct EGFR-associated MHC class I neopeptides comprises at least 4 iterations. In some aspects, each of the nucleic acid sequences encoding the distinct EGFR-associated MHC class I neopeptides comprises at least 4 iterations.

[0021] In some aspects, the EGFR-associated MHC class I neopeptide is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof.

[0022] In some aspects, the EGFR-associated MHC class I neopeptide comprises a EGFR_L858R MHC class I epitope. In some aspects, the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90). In some aspects, the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90). In some aspects, the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57). In some aspects, the EGFR_L858R MHC class I epitope is KITDFGRAK (SEQ ID NO: 57) or KITDFGRAKL (SEQ ID NO: 89). In some aspects, the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRAK (SEQ ID NO: 57). In some aspects, the EGFR_L858R MHC class I epitope is KITDFGRAKL (SEQ ID NO: 89).

[0023] In some aspects, the EGFR-associated MHC class I neopeptide comprises a T790M MHC class I epitope. In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76).

NO: 76). In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75). In some aspects, the T790M MHC class I epitope comprises the amino acid sequence TVQLIMQL (SEQ ID NO: 91). In some aspects, the T790M MHC class I epitope comprises the amino acid sequence LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75). In some aspects, the T790M MHC class I epitope is the amino acid sequence TVQLIMQL (SEQ ID NO: 91). In some aspects, the T790M MHC class I epitope is the amino acid sequence LTSTVQLIM (SEQ ID NO: 76).

[0024] In some aspects, the EGFR-associated MHC class I neoepitope comprises a E746-A750 deletion MHC class I epitope. In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the E746-A750 deletion MHC class I epitope is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).

[0025] In some aspects, the antigen-encoding cassette or the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the antigen-encoding cassette or the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the antigen-encoding cassette or the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.

[0026] In some aspects, the antigen-encoding cassette or the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope. In some aspects, the antigen-encoding cassette or the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope. In some aspects, the antigen-encoding cassette or the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.

[0027] In some aspects, the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that

encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope. In some aspects, the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope. In some aspects, the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.

[0028] In some aspects, $x=1$, $n=0$, and E_x encodes the EGFR-associated MHC class I neoepitope. In some aspects, one or more of the distinct epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 3, at least 4, at least 5, at least 6, at least 7 iterations, or at least 8 iterations. In some aspects, the at least one distinct epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 8 iterations. In some aspects, the at least one distinct epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 4 iterations.

[0029] In some aspects, $x=1$, $n=0$, $z=4$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57). In some aspects, $x=1$, $n=0$, $z=8$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57).

[0030] In some aspects, one or both of E_A and E_B , and optionally E_C , are described, from 5' to 3', by the formula $(L5_b-N_c-L3_d)$, wherein N comprises a distinct epitope-encoding nucleic acid sequence that encodes the MHC epitope associated with each of E_A , E_B , and/or E_C , where $c=1$, L5 comprises a 5' linker sequence, where $b=0$ or 1, and L3 comprises a 3' linker sequence, where $d=0$ or 1. In some aspects, each N encodes an epitope 7-15 amino acids in length, L5 is a native 5' linker sequence that encodes a native N-terminal amino acid sequence of the epitope, and wherein the 5' linker sequence encodes a peptide that is at least 2 amino acids in length, and optionally between 2-20 amino acids in length, and L3 is a native 3' linker sequence that encodes a native C-terminal amino acid sequence of the epitope, and wherein the 3' linker sequence encodes a peptide that is at least 2 amino acids in length, and optionally between 2-20 amino acids in length, and optionally wherein each of E_A , E_B , and/or E_C encodes a polypeptide that is between 12 and 35 amino acids in length. In some aspects, each of E_A and E_B , and optionally E_C , encodes an epitope at least 7 amino acids in length. In some aspects, each of E_A and E_B , and optionally E_C , encodes an epitope 7-15 amino acids in length. In some aspects, each of E_A and E_B , and optionally E_C , is a nucleotide sequence at least 21 nucleotides

tides in length. In some aspects, each of E_A and E_B , and optionally E_C , is a nucleotide sequence 75 nucleotides

[0031] In some aspects, each E or E^N independently comprises a nucleotide sequence described, from 5' to 3', by the formula $(L5_b-N_c-L3_d)$, wherein N comprises the distinct epitope-encoding nucleic acid sequence associated with each E or E^N , where $c=1$, $L5$ comprises a 5' linker sequence, where $b=0$ or 1 , and $L3$ comprises a 3' linker sequence, where $d=0$ or 1 . In some aspects, each N encodes an epitope 7-15 amino acids in length, $L5$ is a native 5' linker sequence that encodes a native N-terminal amino acid sequence of the epitope, and wherein the 5' linker sequence encodes a peptide that is at least 2 amino acids in length, and $L3$ is a native 3' linker sequence that encodes a native C-terminal amino acid sequence of the epitope, and wherein the 3' linker sequence encodes a peptide that is at least 2 amino acids in length.

[0032] In some aspects, each of the epitope-encoding nucleic acid sequences encodes a polypeptide that is between 12 and 35 amino acids in length.

[0033] In some aspects, each E and E^N encodes an epitope at least 7 amino acids in length. In some aspects, each E and E^N encodes an epitope 7-15 amino acids in length. In some aspects, each E and E^N is a nucleotide sequence at least 21 nucleotides in length. In some aspects, each E and E^N is a nucleotide sequence 75 nucleotides in length.

[0034] Also disclosed herein is a composition for delivery of an antigen expression system, comprising: the antigen expression system, wherein the antigen expression system comprises one or more vectors, the one or more vectors comprising: (a) a vector backbone, wherein the backbone comprises: (i) at least one promoter nucleotide sequence, and (ii) optionally, at least one polyadenylation (poly(A)) sequence; and (b) a cassette, wherein the cassette comprises: (i) at least one antigen-encoding nucleic acid sequence, comprising: (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, the EGFR-associated MHC class I neoepitope is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof, and wherein each of the epitope-encoding nucleic acid sequences comprises: (A) optionally, a 5' linker sequence, and (B) optionally, a 3' linker sequence; (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence; (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone, wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.

[0035] Also disclosed herein is a composition for delivery of an antigen expression system, comprising: the antigen expression system, wherein the antigen expression system comprises one or more vectors, the one or more vectors

comprising: (a) a vector backbone, wherein the backbone comprises: (i) at least one promoter nucleotide sequence, and (ii) at least one polyadenylation (poly(A)) sequence; and (b) a cassette, wherein the cassette comprises: (i) at least one antigen-encoding nucleic acid sequence, comprising: (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope, and wherein each of the epitope-encoding nucleic acid sequences comprises: (A) optionally, a 5' linker sequence, and (B) optionally, a 3' linker sequence; (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence; (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone, wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope.

[0036] In some aspects, the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRK (SEQ ID NO: 57), ITDFGRK (SEQ ID NO: 88), KITDFGRK (SEQ ID NO: 89), or ITDFGRK (SEQ ID NO: 90). In some aspects, the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRK (SEQ ID NO: 57), ITDFGRK (SEQ ID NO: 88), KITDFGRK (SEQ ID NO: 89), or ITDFGRK (SEQ ID NO: 90). In some aspects, the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRK (SEQ ID NO: 57) or KITDFGRK (SEQ ID NO: 89). In some aspects, the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRK (SEQ ID NO: 57). In some aspects, the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRK (SEQ ID NO: 89). In some aspects, the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRK (SEQ ID NO: 89).

[0037] In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76).

[0038] In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75). In some aspects, the T790M MHC class I epitope comprises the amino acid sequence LTSTVQLIM (SEQ ID


NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence LTSTVQLIM (SEQ ID NO: 76).

[0039] In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the E746-A750 deletion MHC class I epitope is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82). In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82). In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence AIKTSPKANK (SEQ ID NO: 92). In some aspects, the E746-A750 deletion MHC class I epitope is the amino acid sequence AIKTSPKANK (SEQ ID NO: 92). In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence VAIKTSPK (SEQ ID NO: 83). In some aspects, the E746-A750 deletion MHC class I epitope is the amino acid sequence VAIKTSPK (SEQ ID NO: 83). In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the E746-A750 deletion MHC class I epitope is the amino acid sequence KIPVAIKTSPK (SEQ ID NO: 84).

[0040] Also disclosed herein is a composition for delivery of an antigen expression system, comprising: the antigen expression system, wherein the antigen expression system comprises one or more vectors, the one or more vectors comprising: (a) a vector backbone, wherein the vector backbone comprises a chimpanzee adenovirus vector, optionally wherein the chimpanzee adenovirus vector is a ChAdV68 vector, or an alphavirus vector, optionally wherein the alphavirus vector is a Venezuelan equine encephalitis virus vector; and (b) a cassette, optionally wherein the cassette is integrated between a native promoter nucleotide sequence native to the vector backbone and a poly(A) sequence, optionally wherein the poly(A) sequence is native to the vector backbone, wherein the cassette comprises: (i) at least one antigen-encoding nucleic acid sequence, comprising: (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, the epitope-encoding nucleic acid sequence optionally comprising: (A) a MHC class I epitope encoding nucleic acid sequence, wherein the MHC class I epitope encoding nucleic acid sequence encodes a MHC class I epitope 7-15 amino acids in length, (B) a 5' linker sequence, wherein the 5' linker sequence encodes a native N-terminal amino acid sequence of the MHC class I epitope, and wherein the 5' linker sequence encodes a peptide that is at least 3 amino acids in length, (C) a 3' linker sequence, wherein the 3' linker sequence encodes a native C-terminal amino acid sequence of the MHC class I epitope, and wherein the 3' linker sequence encodes a peptide that is at least 3 amino acids in length, and wherein the cassette is operably linked to the native promoter nucleotide sequence, wherein each of the epitope-encoding nucleic acid sequences encodes a polypeptide that is between 12 and 35 amino acids in length, and wherein each 3' end of each epitope-encoding nucleic acid sequence is linked to the 5' end of the following epitope-encoding nucleic acid sequence with the exception

of the final epitope-encoding nucleic acid sequence in the cassette; and (ii) at least two MHC class II epitope-encoding nucleic acid sequences comprising: (I) a PADRE MHC class II sequence (SEQ ID NO:48), (II) a Tetanus toxoid MHC class II sequence (SEQ ID NO:46), (III) a first nucleic acid sequence encoding a GPGPG (SEQ ID NO:56) amino acid linker sequence linking the PADRE MHC class II sequence and the Tetanus toxoid MHC class II sequence, (IV) a second nucleic acid sequence encoding a GPGPG (SEQ ID NO:56) amino acid linker sequence linking the 5' end of the at least two MHC class II epitope-encoding nucleic acid sequences to the epitope-encoding nucleic acid sequences, (V) optionally, a third nucleic acid sequence encoding a GPGPG (SEQ ID NO:56) amino acid linker sequence at the 3' end of the at least two MHC class II epitope-encoding nucleic acid sequences; (iii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the native promoter nucleotide sequence, and wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.

[0041] In some aspects, an ordered sequence of each element of the cassette is described in the formula, from 5' to 3', comprising:



[0042] wherein, P comprises the second promoter nucleotide sequence, where a=0 or 1, N comprises one of the distinct epitope-encoding nucleic acid sequences, where c=1, L5 comprises the 5' linker sequence, where b=0 or 1, L3 comprises the 3' linker sequence, where d=0 or 1, G5 comprises one of the at least one nucleic acid sequences encoding a GPGPG (SEQ ID NO:56) amino acid linker, where e=0 or 1, G3 comprises one of the at least one nucleic acid sequences encoding a GPGPG (SEQ ID NO:56) amino acid linker, where g=0 or 1, U comprises one of the at least one MHC class II epitope-encoding nucleic acid sequence, where f=1, X=1 to 400, where for each X the corresponding N_c is an epitope-encoding nucleic acid sequence, and Y=0, 1, or 2, where for each Y the corresponding U_j is an MHC class II epitope-encoding nucleic acid sequence.

[0043] In some aspects, for each X the corresponding N_c is the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope. In some aspects, for each Y the corresponding U_j is a distinct MHC class II epitope-encoding nucleic acid sequence. In some aspects, a=0, b=1, d=1, e=1, g=1, h=1, X=10, Y=2, the at least one promoter nucleotide sequence is a single native promoter nucleotide sequence native to the vector backbone, the at least one polyadenylation poly(A) sequence is a poly(A) sequence of at least 100 consecutive A nucleotides provided by the vector backbone, each N encodes an epitope 7-15 amino acids in length, L5 is a native 5' linker sequence that encodes a native N-terminal amino acid sequence of the epitope, and wherein the 5' linker sequence encodes a peptide that is at least 3 amino acids in length, L3 is a native 3' linker sequence that encodes a native C-terminal amino acid sequence of the epitope, and wherein the 3' linker sequence encodes a peptide that is at least 3 amino acids in length, U is each of a PADRE class II sequence and a

Tetanus toxoid MHC class II sequence, the vector backbone comprises a chimpanzee adenovirus vector, optionally wherein the chimpanzee adenovirus vector is a ChAdV68 vector, or an alphavirus vector, optionally wherein the alphavirus vector is a Venezuelan equine encephalitis virus vector, optionally wherein the native promoter nucleotide sequence is a 26S promoter when the vector backbone comprises an alphavirus vector, and each of the MHC class I epitope-encoding nucleic acid sequences encodes a polypeptide that is between 12 and 35 amino acids in length.

[0044] In some aspects, the at least two iterations is at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations. In some aspects, the at least two iterations is at least 8 iterations. In some aspects, the at least two iterations is between 2-3, between 2-4, between 2-5, between 2-6, between 2-7, or between 2-8 iterations. In some aspects, the at least two iterations is 7 iterations or less, 6 iterations or less, 5 iterations or less, 4 iterations or less, or 3 iterations or less. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of at least two distinct epitope-encoding nucleic acid sequences. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, or at least 10 distinct epitope-encoding nucleic acid sequences. In some aspects, the at least two iterations are separated by at least one separate distinct epitope-encoding nucleic acid sequence. In some aspects, the at least two iterations are separated by at least 2 separate distinct epitope-encoding nucleic acid sequences. In some aspects, the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 75 nucleotides. In some aspects, the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 150 nucleotides, at least 300 nucleotides, or at least 675 nucleotides.

[0045] In some aspects, the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 50 nucleotides, at least 100 nucleotides, at least 200 nucleotides, at least 250 nucleotides, at least 350 nucleotides, at least 400 nucleotides, at least 450 nucleotides, at least 500 nucleotides, at least 700 nucleotides, at least 700 nucleotides, at least 750 nucleotides, at least 800 nucleotides, at least 900 nucleotides, or at least 1000 nucleotides. In some aspects, the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 10 nucleotides, at least 15 nucleotides, at least 20 nucleotides, at least 25 nucleotides, at least 30 nucleotides, at least 35 nucleotides, at least 40 nucleotides, at least 45 nucleotides, at least 50 nucleotides, at least 55 nucleotides, at least 60 nucleotides, at least 65 nucleotides, or at least 70 nucleotides.

[0046] In some aspects, the at least one antigen-encoding nucleic acid sequence is described, from 5' to 3', by the formula:

$$(E_x - (E^n)_{n,y})_z$$

[0047] wherein, E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences, n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,

E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n, for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given E^N , or a combination thereof.

[0048] In some aspects, the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope. In some aspects, the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57). In some aspects, the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRAK (SEQ ID NO: 57). In some aspects, the EGFR-associated MHC class I neoepitope comprises a T790M MHC class I epitope. In some aspects, the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76). In some aspects, the EGFR-associated MHC class I neoepitope comprises a E746-A750 deletion MHC class I epitope. In some aspects, the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). In some aspects, the E746-A750 deletion MHC class I epitope is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).

[0049] In some aspects, the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope. In some aspects, the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope. In some aspects, the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope. In some aspects, the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.

[0050] In some aspects, x=1, n=0, and E_x encodes the EGFR-associated MHC class I neoepitope. In some aspects, the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations. In some aspects, the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 8 iterations. In some aspects, the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 4 iterations. In some aspects, x=1, n=0, z=4, and E_x encodes the EGFR-associated MHC class I neoepitope,

wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57). In some aspects, $x=1$, $n=0$, $z=8$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57).

[0051] In some aspects, the at least two iterations comprises a number of iterations, or z comprises a number, sufficient to stimulate a greater immune response relative to an antigen-encoding nucleic acid sequence comprising a single iteration of the at least one epitope-encoding nucleic acid sequence. In some aspects, the at least two iterations comprises a number of iterations, or z comprises a number, sufficient to stimulate an immune response, and a single iteration of the at least one epitope-encoding nucleic acid sequence is insufficient to stimulate the immune response or insufficient to stimulate a detectable immune response. In some aspects, the immune response is an expansion of epitope-specific T cells following in vivo immunization with the composition for delivery of the antigen expression system. In some aspects, the immune response is increased activation of epitope-specific T cells and/or increased epitope-specific killing by epitope-specific T cells following in vivo immunization with the composition for delivery of the antigen expression system.

[0052] In some aspects, the composition further comprises a nanoparticulate delivery vehicle. In some aspects, the nanoparticulate delivery vehicle is a lipid nanoparticle (LNP). In some aspects, the LNP comprises ionizable amino lipids. In some aspects, the ionizable amino lipids comprise MC3-like (dilinoleylmethyl-4-dimethylaminobutyrate) molecules. In some aspects, the nanoparticulate delivery vehicle encapsulates the antigen expression system.

[0053] In some aspects, the nanoparticulate delivery vehicle encapsulates the antigen expression system. In some aspects, the cassette is integrated between the at least one promoter nucleotide sequence and the at least one poly(A) sequence. In some aspects, the second promoter is absent and the at least one promoter nucleotide sequence is operably linked to the antigen-encoding nucleic acid sequence. In some aspects, the one or more vectors comprise one or more +-stranded RNA vectors. In some aspects, the one or more +-stranded RNA vectors comprise a 5' 7-methylguanosine (m7g) cap. In some aspects, the one or more +-stranded RNA vectors are produced by in vitro transcription. In some aspects, the one or more vectors are self-replicating within a mammalian cell. In some aspects, the backbone comprises at least one nucleotide sequence of an Aura virus, a Fort Morgan virus, a Venezuelan equine encephalitis virus, a Ross River virus, a Semliki Forest virus, a Sindbis virus, or a Mayaro virus. In some aspects, the backbone comprises at least one nucleotide sequence of a Venezuelan equine encephalitis virus. In some aspects, the backbone comprises at least sequences for nonstructural protein-mediated amplification, a 26S promoter sequence, a poly(A) sequence, a nonstructural protein 1 (nsP1) gene, a nsP2 gene, a nsP3 gene, and a nsP4 gene encoded by the nucleotide sequence of the Aura virus, the Fort Morgan virus, the Venezuelan equine encephalitis virus, the Ross River virus, the Semliki Forest virus, the Sindbis virus, or the Mayaro virus. In some aspects, the backbone comprises at least sequences for nonstructural protein-mediated ampli-

fication, a 26S promoter sequence, and a poly(A) sequence encoded by the nucleotide sequence of the Aura virus, the Fort Morgan virus, the Venezuelan equine encephalitis virus, the Ross River virus, the Semliki Forest virus, the Sindbis virus, or the Mayaro virus. In some aspects, sequences for nonstructural protein-mediated amplification are selected from the group consisting of: an alphavirus 5' UTR, a 51-nt CSE, a 24-nt CSE, a 26S subgenomic promoter sequence, a 19-nt CSE, an alphavirus 3' UTR, or combinations thereof. In some aspects, the backbone does not encode structural virion proteins capsid, E2 and E1. In some aspects, the cassette is inserted in place of structural virion proteins within the nucleotide sequence of the Aura virus, the Fort Morgan virus, the Venezuelan equine encephalitis virus, the Ross River virus, the Semliki Forest virus, the Sindbis virus, or the Mayaro virus.

[0054] In some aspects, the Venezuelan equine encephalitis virus comprises the sequence of SEQ ID NO:3 or SEQ ID NO:5. In some aspects, the Venezuelan equine encephalitis virus comprises the sequence of SEQ ID NO:3 or SEQ ID NO:5 further comprising a deletion between base pair 7544 and 11175. In some aspects, the backbone comprises the sequence set forth in SEQ ID NO:6 or SEQ ID NO:7. In some aspects, the cassette is inserted at position 7544 to replace the deletion between base pairs 7544 and 11175 as set forth in the sequence of SEQ ID NO:3 or SEQ ID NO:5.

[0055] In some aspects, the insertion of the cassette provides for transcription of a polycistronic RNA comprising the nsP1-4 genes and the at least one antigen-encoding nucleic acid sequence, wherein the nsP1-4 genes and the at least one antigen-encoding nucleic acid sequence are in separate open reading frames.

[0056] In some aspects, the chimpanzee adenovirus vector is a ChAdV68 vector, optionally wherein the ChAdV68 vector comprises a ChAdV68 vector backbone comprising: the sequence set forth in SEQ ID NO:1; the sequence set forth in SEQ ID NO:1, except that the sequence is fully deleted or functionally deleted in at least one gene selected from the group consisting of the chimpanzee adenovirus E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence set forth in SEQ ID NO:1, optionally wherein the sequence is fully deleted or functionally deleted in: (1) E1A and E1B; (2) E1A, E1B, and E3; or (3) E1A, E1B, E3, and E4 of the sequence set forth in SEQ ID NO:1; a gene or regulatory sequence obtained from the sequence of SEQ ID NO:1, optionally wherein the gene is selected from the group consisting of the chimpanzee adenovirus inverted terminal repeat (ITR), E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence set forth in SEQ ID NO:1; a partially deleted E4 gene comprising a deleted or partially-deleted E4orf2 region and a deleted or partially-deleted E4orf3 region, and optionally a deleted or partially-deleted E4orf4 region; at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1 and further comprising: (1) an E1 deletion of at least nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1, (2) an E3 deletion of at least nucleotides 27,125 to 31,825 of the sequence shown in SEQ ID NO:1, and (3) an E4 deletion of at least nucleotides 34,916 to 35,642 of the sequence shown in SEQ ID NO:1; optionally wherein the antigen cassette is inserted within the E1 deletion; the sequence set forth in SEQ ID NO:68, optionally wherein the antigen cassette is inserted within the E1 deletion; one or more deletions between base pair number 577 and 3403 or between base pair 456 and 3014,

and optionally wherein the vector further comprises one or more deletions between base pair 27,125 and 31,825 or between base pair 27,816 and 31,333 of the sequence set forth in SEQ ID NO:1; or one or more deletions between base pair number 3957 and 10346, base pair number 21787 and 23370, and base pair number 33486 and 36193 of the sequence set forth in SEQ ID NO:1, and optionally wherein the cassette is inserted in the ChAdV vector backbone at the E1 region, E3 region, and/or any deleted AdV region that allows incorporation of the cassette.

[0057] In some aspects, the at least one promoter nucleotide sequence is the native 26S promoter nucleotide sequence encoded by the backbone. In some aspects, the at least one promoter nucleotide sequence is an exogenous RNA promoter. In some aspects, the second promoter nucleotide sequence is a 26S promoter nucleotide sequence. In some aspects, the second promoter nucleotide sequence comprises multiple 26S promoter nucleotide sequences, wherein each 26S promoter nucleotide sequence provides for transcription of one or more of the separate open reading frames.

[0058] In some aspects, wherein one or more of the cassettes are at least 100, 200, 300, 400, 500, 600, 700, 800, or 900 nucleotides in length. In some aspects, one or more of the cassettes are at least 1000, 2000, 3000, 4000, 5000, 6000, 7000, 8000, 9000, or 10000 nucleotides in length. In some aspects, one or more of the cassettes is at least 3500 nucleotides in length. In some aspects, one or more of the cassettes is at least 6000 nucleotides in length.

[0059] In some aspects, at least one of the at least one antigen-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that is presented by MHC class I on a cell surface, optionally a tumor cell surface.

[0060] In some aspects, each epitope-encoding nucleic acid sequence is linked directly to one another. In some aspects, at least one of the at least one epitope-encoding nucleic acid sequences is linked to a distinct epitope-encoding nucleic acid sequence with a nucleic acid sequence encoding a linker. In some aspects, the linker links two MHC class I sequences or an MHC class I sequence to an MHC class II sequence. In some aspects, the linker is selected from the group consisting of: (1) consecutive glycine residues, at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 residues in length; (2) consecutive alanine residues, at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 residues in length; (3) two arginine residues (RR); (4) alanine, alanine, tyrosine (AAY); (5) a consensus sequence at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 amino acid residues in length that is processed efficiently by a mammalian proteasome; and (6) one or more native sequences flanking the antigen derived from the cognate protein of origin and that is at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or 2-20 amino acid residues in length. In some aspects, the linker links two MHC class II sequences or an MHC class II sequence to an MHC class I sequence. In some aspects, the linker comprises the sequence GPGPG (SEQ ID NO:56). In some aspects, at least one sequence of the at least one epitope-encoding nucleic acid sequences is linked, operably or directly, to a separate or contiguous sequence that enhances the expression, stability, cell trafficking, processing and presentation, and/or immunogenicity of the at least one epitope-encoding nucleic acid sequences of epitope encoded therefrom. In some aspects, the separate or contiguous sequence comprises at least one of: a ubiquitin

sequence, a ubiquitin sequence modified to increase proteasome targeting (e.g., the ubiquitin sequence contains a Gly to Ala substitution at position 76), an immunoglobulin signal sequence (e.g., IgK), a major histocompatibility class I sequence, lysosomal-associated membrane protein (LAMP)-1, human dendritic cell lysosomal-associated membrane protein, and a major histocompatibility class II sequence; optionally wherein the ubiquitin sequence modified to increase proteasome targeting is A76.

[0061] In some aspects, at least one of the at least one epitope-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that has increased binding affinity to its corresponding MHC allele relative to the translated, corresponding wild-type nucleic acid sequence. In some aspects, at least one of the at least one epitope-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that has increased binding stability to its corresponding MHC allele relative to the translated, corresponding wild-type nucleic acid sequence. In some aspects, at least one of the at least one epitope-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that has an increased likelihood of presentation on its corresponding MHC allele relative to the translated, corresponding wild-type nucleic acid sequence. In some aspects, the at least one alteration comprises a point mutation, a frameshift mutation, a non-frameshift mutation, a deletion mutation, an insertion mutation, a splice variant, a genomic rearrangement, or a proteasome-generated spliced antigen.

[0062] In some aspects, the tumor is selected from the group consisting of: lung cancer, melanoma, breast cancer, ovarian cancer, prostate cancer, kidney cancer, gastric cancer, colon cancer, testicular cancer, head and neck cancer, pancreatic cancer, bladder cancer, brain cancer, B-cell lymphoma, acute myelogenous leukemia, adult acute lymphoblastic leukemia, chronic myelogenous leukemia, chronic lymphocytic leukemia, T cell lymphocytic leukemia, non-small cell lung cancer, and small cell lung cancer.

[0063] In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least 2-10, 2, 3, 4, 5, 6, 7, 8, 9, or 10 epitope-encoding nucleic acid sequences. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least 11-20, 15-20, 11-100, 11-200, 11-300, 11-400, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or up to 400 epitope-encoding nucleic acid sequences. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least 2-400 epitope-encoding nucleic acid sequences and wherein at least two of the epitope-encoding nucleic acid sequences encode polypeptide sequences or portions thereof that are presented by MHC class I on a cell surface, optionally a tumor cell surface. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least 2-10, 2, 3, 4, 5, 6, 7, 8, 9, or 10 antigen-encoding nucleic acid sequences. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least 11-20, 15-20, 11-100, 11-200, 11-300, 11-400, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or up to 400 antigen-encoding nucleic acid sequences. In some aspects, the at least one antigen-encoding nucleic acid sequence comprises at least 2-400 antigen-encoding nucleic acid sequences and wherein at least two of the antigen-encoding nucleic acid sequences encode polypeptide sequences or portions thereof that are presented by MHC class I on a cell surface, optionally a tumor cell surface. In some aspects, at

least two of the epitope-encoding nucleic acid sequences encode polypeptide sequences or portions thereof that are presented by MHC class I on a cell surface, optionally a tumor cell surface.

[0064] In some aspects, when administered to the subject and translated, the EGFR-associated MHC class I neoepitope is presented on antigen presenting cells resulting in an immune response targeting EGFR-associated MHC class I neoepitope on the tumor cell surface. In some aspects, the at least one antigen-encoding nucleic acid sequences when administered to the subject and translated, EGFR-associated MHC class I neoepitope is presented on antigen presenting cells resulting in an immune response targeting EGFR-associated MHC class I neoepitope on a tumor cell surface, and optionally wherein the expression of each of the at least one antigen-encoding nucleic acid sequences is driven by the at least one promoter nucleotide sequence.

[0065] In some aspects, each epitope-encoding nucleic acid sequence encodes a polypeptide sequence between 8 and 35 amino acids in length, optionally 9-17, 9-25, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 or 35 amino acids in length.

[0066] In some aspects, the at least one MHC class II epitope-encoding nucleic acid sequence is present. In some aspects, the at least one MHC class II epitope-encoding nucleic acid sequence is present and comprises at least one MHC class II epitope-encoding nucleic acid sequence that comprises at least one alteration that makes the encoded peptide sequence distinct from the corresponding peptide sequence encoded by a wild-type nucleic acid sequence. In some aspects, the at least one MHC class II epitope-encoding nucleic acid sequence is 12-20, 12, 13, 14, 15, 16, 17, 18, 19, 20, or 20-40 amino acids in length. In some aspects, the at least one MHC class II epitope-encoding nucleic acid sequence is present and comprises at least one universal MHC class II antigen-encoding nucleic acid sequence, optionally wherein the at least one universal sequence comprises at least one of Tetanus toxoid and PADRE.

[0067] In some aspects, the at least one promoter nucleotide sequence or the second promoter nucleotide sequence is inducible. In some aspects, the at least one promoter nucleotide sequence or the second promoter nucleotide sequence is non-inducible.

[0068] In some aspects, the at least one poly(A) sequence comprises a poly(A) sequence native to the backbone. In some aspects, the at least one poly(A) sequence comprises a poly(A) sequence exogenous to the backbone. In some aspects, the at least one poly(A) sequence is operably linked to at least one of the at least one antigen-encoding nucleic acid sequences. In some aspects, the at least one poly(A) sequence is at least 20, at least 30, at least 40, at least 50, at least 60, at least 70, at least 80, or at least 90 consecutive A nucleotides. In some aspects, the at least one poly(A) sequence is at least 100 consecutive A nucleotides.

[0069] In some aspects, the cassette further comprises at least one of: an intron sequence, a woodchuck hepatitis virus posttranscriptional regulatory element (WPRE) sequence, an internal ribosome entry sequence (IRES) sequence, a nucleotide sequence encoding a 2A self-cleaving peptide sequence, a nucleotide sequence encoding a Furin cleavage site, or a sequence in the 5' or 3' non-coding region known to enhance the nuclear export, stability, or translation efficiency of mRNA that is operably linked to at least one of the

at least one antigen-encoding nucleic acid sequences. In some aspects, the cassette further comprises a reporter gene, including but not limited to, green fluorescent protein (GFP), a GFP variant, secreted alkaline phosphatase, luciferase, a luciferase variant, or a detectable peptide or epitope. In some aspects, the detectable peptide or epitope is selected from the group consisting of an HA tag, a Flag tag, a His-tag, or a V5 tag.

[0070] In some aspects, the one or more vectors further comprises one or more nucleic acid sequences encoding at least one immune modulator. In some aspects, the immune modulator is an anti-CTLA4 antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof. In some aspects, the antibody or antigen-binding fragment thereof is a Fab fragment, a Fab' fragment, a single chain Fv (scFv), a single domain antibody (sdAb) either as single specific or multiple specificities linked together (e.g., camelid antibody domains), or full-length single-chain antibody (e.g., full-length IgG with heavy and light chains linked by a flexible linker). In some aspects, the heavy and light chain sequences of the antibody are a contiguous sequence separated by either a self-cleaving sequence such as 2A or IRES; or the heavy and light chain sequences of the antibody are linked by a flexible linker such as consecutive glycine residues. In some aspects, the immune modulator is a cytokine. In some aspects, the cytokine is at least one of IL-2, IL-7, IL-12, IL-15, or IL-21 or variants thereof of each.

[0071] In some aspects, at least one epitope-encoding nucleic acid sequence is selected by performing the steps of: (a) obtaining at least one of exome, transcriptome, or whole genome nucleotide sequencing data from a tumor, wherein the nucleotide sequencing data is used to obtain data representing peptide sequences of each of a set of antigens; (b) inputting the peptide sequence of each antigen into a presentation model to generate a set of numerical likelihoods that each of the antigens is presented by one or more of the MHC alleles on a cell surface, optionally a tumor cell surface, the set of numerical likelihoods having been identified at least based on received mass spectrometry data; and (c) selecting a subset of the set of antigens based on the set of numerical likelihoods to generate a set of selected antigens which are used to generate the at least one epitope-encoding nucleic acid sequence.

[0072] In some aspects, each of the epitope-encoding nucleic acid sequences is selected by performing the steps of: (a) obtaining at least one of exome, transcriptome, or whole genome nucleotide sequencing data from a tumor, wherein the nucleotide sequencing data is used to obtain data representing peptide sequences of each of a set of antigens; (b) inputting the peptide sequence of each antigen into a presentation model to generate a set of numerical likelihoods that each of the antigens is presented by one or more of the MHC alleles on a cell surface, optionally a tumor cell surface, the set of numerical likelihoods having been identified at least based on received mass spectrometry data; and (c) selecting a subset of the set of antigens based on the set of numerical likelihoods to generate a set of selected antigens which are used to generate the at least 20 epitope-encoding nucleic acid sequences. In some aspects, a number of the set of selected antigens is 2-20. In some

aspects, the presentation model represents dependence between: (a) presence of a pair of a particular one of the MHC alleles and a particular amino acid at a particular position of a peptide sequence; and (b) likelihood of presentation on a cell surface, optionally a tumor cell surface, by the particular one of the MHC alleles of the pair, of such a peptide sequence comprising the particular amino acid at the particular position. In some aspects, selecting the set of selected antigens comprises selecting antigens that have an increased likelihood of being presented on the cell surface relative to unselected antigens based on the presentation model, optionally wherein the selected antigens have been validated as being presented by one or more specific HLA alleles. In some aspects, selecting the set of selected antigens comprises selecting antigens that have an increased likelihood of being capable of inducing a tumor-specific or infectious disease-specific immune response in the subject relative to unselected antigens based on the presentation model. In some aspects, selecting the set of selected antigens comprises selecting antigens that have an increased likelihood of being capable of being presented to naïve T cells by professional antigen presenting cells (APCs) relative to unselected antigens based on the presentation model, optionally wherein the APC is a dendritic cell (DC). In some aspects, selecting the set of selected antigens comprises selecting antigens that have a decreased likelihood of being subject to inhibition via central or peripheral tolerance relative to unselected antigens based on the presentation model. In some aspects, selecting the set of selected antigens comprises selecting antigens that have a decreased likelihood of being capable of inducing an autoimmune response to normal tissue in the subject relative to unselected antigens based on the presentation model. In some aspects, exome or transcriptome nucleotide sequencing data is obtained by performing sequencing on a tumor cell or tissue. In some aspects, the sequencing is next generation sequencing (NGS) or any massively parallel sequencing approach.

[0073] In some aspects, the cassette comprises junctional epitope sequences formed by adjacent sequences in the cassette. In some aspects, at least one or each junctional epitope sequence has an affinity of greater than 500 nM for MHC. In some aspects, each junctional epitope sequence is non-self.

[0074] In some aspects, each of the MHC class I epitopes is predicted or validated to be capable of presentation by at least one HLA allele present in at least 5% of a population. In some aspects, each of the MHC class I epitopes is predicted or validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 0.01% in a population. In some aspects, each of the MHC class I epitopes is predicted or validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 0.1% in a population. In some aspects, the EGFR-associated MHC class I neoepitope is validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 1% in a population. In some aspects, the EGFR-associated MHC class I neoepitope is validated to be capable of presentation by at least one HLA

allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 14% in a population. In some aspects, the at least one HLA allele is HLA A*03:01, HLA C*15:02, and/or HLA A*11:01. In some aspects, the at least one HLA allele is HLA A*03:01. In some aspects, the at least one HLA allele is HLA C*15:02. In some aspects, the at least one HLA allele is HLA A*11:01. In some aspects, the population is a Chinese Hubei Han population.

[0075] In some aspects, the cassette does not encode a non-therapeutic MHC class I or class II epitope nucleic acid sequence comprising a translated, wild-type nucleic acid sequence, wherein the non-therapeutic epitope is predicted to be displayed on an MHC allele of the subject. In some aspects, the non-therapeutic predicted MHC class I or class II epitope sequence is a junctional epitope sequence formed by adjacent sequences in the cassette.

[0076] In some aspects, the prediction is based on presentation likelihoods generated by inputting sequences of the non-therapeutic epitopes into a presentation model.

[0077] In some aspects, an order of the at least one antigen-encoding nucleic acid sequences in the cassette is determined by a series of steps comprising: (a) generating a set of candidate cassette sequences corresponding to different orders of the at least one antigen-encoding nucleic acid sequences; (b) determining, for each candidate cassette sequence, a presentation score based on presentation of non-therapeutic epitopes in the candidate cassette sequence; and (c) selecting a candidate cassette sequence associated with a presentation score below a predetermined threshold as the cassette sequence for an antigen vaccine.

[0078] Also provided for herein is a pharmaceutical composition comprising any of the compositions described herein and a pharmaceutically acceptable carrier. In some aspects, the composition further comprises an adjuvant. In some aspects, the composition further comprises an immune modulator. In some aspects, the immune modulator is an anti-CTLA4 antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof.

[0079] Also provided for herein is an isolated nucleotide sequence or set of isolated nucleotide sequences comprising the cassette of any of the compositions described herein and one or more elements obtained from the sequence of SEQ ID NO:3 or SEQ ID NO:5, optionally wherein the one or more elements are selected from the group consisting of the sequences necessary for nonstructural protein-mediated amplification, the 26S promoter nucleotide sequence, the poly(A) sequence, and the nsPl-4 genes of the sequence set forth in SEQ ID NO:3 or SEQ ID NO:5, and optionally wherein the nucleotide sequence is cDNA. In some aspects, the sequence or set of isolated nucleotide sequences comprises the cassette of any of the above composition claims inserted at position 7544 of the sequence set forth in SEQ ID NO:6 or SEQ ID NO:7. In some aspects, the composition further comprises: a) a T7 or SP6 RNA polymerase promoter nucleotide sequence 5' of the one or more elements obtained from the sequence of SEQ ID NO:3 or SEQ ID NO:5; and b) optionally, one or more restriction sites 3' of the poly(A) sequence. In some aspects, the cassette of any of the above composition claims is inserted at position 7563 of SEQ ID NO:8 or SEQ ID NO:9.

[0080] Also provided for herein is a vector or set of vectors comprising any of the nucleotide sequence described herein.

[0081] Also provided for herein is an isolated cell comprising any of the nucleotide sequences or set of isolated nucleotide sequences described herein, optionally wherein the cell is a BHK-21, CHO, HEK293 or variants thereof, 911, HeLa, A549, LP-293, PER.C6, or AE1-2a cell.

[0082] Also provided for herein is a kit comprising any of the compositions described herein and instructions for use.

[0083] In some aspects, any of the above compositions further comprise a nanoparticulate delivery vehicle. The nanoparticulate delivery vehicle, in some aspects, may be a lipid nanoparticle (LNP). In some aspects, the LNP comprises ionizable amino lipids. In some aspects, the ionizable amino lipids comprise MC3-like (dilinoleylmethyl-4-dimethylaminobutyrate) molecules. In some aspects, the nanoparticulate delivery vehicle encapsulates the antigen expression system.

[0084] In some aspects, any of the above compositions further comprise a plurality of LNPs, wherein the LNPs comprise: the antigen expression system; a cationic lipid; a non-cationic lipid; and a conjugated lipid that inhibits aggregation of the LNPs, wherein at least about 95% of the LNPs in the plurality of LNPs either: have a non-lamellar morphology; or are electron-dense.

[0085] In some aspects, the non-cationic lipid is a mixture of (1) a phospholipid and (2) cholesterol or a cholesterol derivative.

[0086] In some aspects, the conjugated lipid that inhibits aggregation of the LNPs is a polyethyleneglycol (PEG)-lipid conjugate. In some aspects, the PEG-lipid conjugate is selected from the group consisting of: a PEG-diacylglycerol (PEG-DAG) conjugate, a PEG dialkylxypropyl (PEG-DAA) conjugate, a PEG-phospholipid conjugate, a PEG-ceramide (PEG-Cer) conjugate, and a mixture thereof. In some aspects the PEG-DAA conjugate is a member selected from the group consisting of: a PEG-didecyloxypropyl (C_{10}) conjugate, a PEG-dilauryloxypropyl (C_{12}) conjugate, a PEG-dimyristyloxypropyl (C_{14}) conjugate, a PEG-dipalmityloxypropyl (C_{16}) conjugate, a PEG-distearoyloxypropyl (C_{18}) conjugate, and a mixture thereof.

[0087] In some aspects, the antigen expression system is fully encapsulated in the LNPs.

[0088] In some aspects, the non-lamellar morphology of the LNPs comprises an inverse hexagonal (H_H) or cubic phase structure.

[0089] In some aspects, the cationic lipid comprises from about 10 mol % to about 50 mol % of the total lipid present in the LNPs. In some aspects, the cationic lipid comprises from about 20 mol % to about 50 mol % of the total lipid present in the LNPs. In some aspects, the cationic lipid comprises from about 20 mol % to about 40 mol % of the total lipid present in the LNPs.

[0090] In some aspects, the non-cationic lipid comprises from about 10 mol % to about 60 mol % of the total lipid present in the LNPs. In some aspects, the non-cationic lipid comprises from about 20 mol % to about 55 mol % of the total lipid present in the LNPs. In some aspects, the non-cationic lipid comprises from about 25 mol % to about 50 mol % of the total lipid present in the LNPs.

[0091] In some aspects, the conjugated lipid comprises from about 0.5 mol % to about 20 mol % of the total lipid present in the LNPs. In some aspects, the conjugated lipid

comprises from about 2 mol % to about 20 mol % of the total lipid present in the LNPs. In some aspects, the conjugated lipid comprises from about 1.5 mol % to about 18 mol % of the total lipid present in the LNPs.

[0092] In some aspects, greater than 95% of the LNPs have a non-lamellar morphology. In some aspects, greater than 95% of the LNPs are electron dense.

[0093] In some aspects, any of the above compositions further comprise a plurality of LNPs, wherein the LNPs comprise: a cationic lipid comprising from 50 mol % to 65 mol % of the total lipid present in the LNPs; a conjugated lipid that inhibits aggregation of LNPs comprising from 0.5 mol % to 2 mol % of the total lipid present in the LNPs; and a non-cationic lipid comprising either: a mixture of a phospholipid and cholesterol or a derivative thereof, wherein the phospholipid comprises from 4 mol % to 10 mol % of the total lipid present in the LNPs and the cholesterol or derivative thereof comprises from 30 mol % to 40 mol % of the total lipid present in the LNPs; a mixture of a phospholipid and cholesterol or a derivative thereof, wherein the phospholipid comprises from 3 mol % to 15 mol % of the total lipid present in the LNPs and the cholesterol or derivative thereof comprises from 30 mol % to 40 mol % of the total lipid present in the LNPs; or up to 49.5 mol % of the total lipid present in the LNPs and comprising a mixture of a phospholipid and cholesterol or a derivative thereof, wherein the cholesterol or derivative thereof comprises from 30 mol % to 40 mol % of the total lipid present in the LNPs.


[0094] In some aspects, any of the above compositions further comprise a plurality of LNPs, wherein the LNPs comprise: a cationic lipid comprising from 50 mol % to 85 mol % of the total lipid present in the LNPs; a conjugated lipid that inhibits aggregation of LNPs comprising from 0.5 mol % to 2 mol % of the total lipid present in the LNPs; and a non-cationic lipid comprising from 13 mol % to 49.5 mol % of the total lipid present in the LNPs.

[0095] In some aspects, the phospholipid comprises dipalmitoylphosphatidylcholine (DPPC), distearoylphosphatidylcholine (DSPC), or a mixture thereof.

[0096] In some aspects, the conjugated lipid comprises a polyethyleneglycol (PEG)-lipid conjugate. In some aspects, the PEG-lipid conjugate comprises a PEG-diacylglycerol (PEG-DAG) conjugate, a PEG-dialkylxypropyl (PEG-DAA) conjugate, or a mixture thereof. In some aspects, the PEG-DAA conjugate comprises a PEG-dimyristyloxypropyl (PEG-DMA) conjugate, a PEG-distearoyloxypropyl (PEG-DSA) conjugate, or a mixture thereof. In some aspects, the PEG portion of the conjugate has an average molecular weight of about 2,000 daltons.

[0097] In some aspects, the conjugated lipid comprises from 1 mol % to 2 mol % of the total lipid present in the LNPs.


[0098] In some aspects, the LNP comprises a compound having a structure of Formula I:



I

or a pharmaceutically acceptable salt, tautomer, prodrug or stereoisomer thereof, wherein: L^1 and L^2 are each independently $-O(C=O)-$, $-(C=O)O-$, $-C(=O)-$, $-O-$, $-S(O)_x-$, $-S-S-$, $-C(=O)S-$, $-SC(=O)-$, $-R^aC(=O)-$, $-C(=O)R^a-$, $-R^aC(=O)R^a-$, $-OC(=O)R^a-$, $-R^aC(=O)O-$ or a direct bond; G^1 is $Ci-C_2$ alkylene, $-(C=O)-$, $-O(C=O)-$, $-SC(=O)-$, $-R^aC(=O)-$ or a direct bond; $-C(=O)-$, $-(C=O)O-$, $-C(=O)S-$, $-C(=O)R^a-$ or a direct bond; G is C_1-C_6 alkylene; R^a is H or C_1-C_{12} alkyl; R^{1a} and R^{1b} are, at each occurrence, independently either: (a) H or C_1-C_{12} alkyl; or (b) R^{1a} is H or C_1-C_{12} alkyl, and R^{1b} together with the carbon atom to which it is bound is taken together with an adjacent R^{1b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^{2a} and R^{2b} are, at each occurrence, independently either: (a) H or C_1-C_{12} alkyl; or (b) R^{2a} is H or C_1-C_{12} alkyl, and R^{2b} together with the carbon atom to which it is bound is taken together with an adjacent R^{2b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^{3a} and R^{3b} are, at each occurrence, independently either: (a) H or C_1-C_{12} alkyl; or (b) R^{3a} is H or C_1-C_{12} alkyl, and R^{3b} together with the carbon atom to which it is bound is taken together with an adjacent R and the carbon atom to which it is bound to form a carbon-carbon double bond; R^{4a} and R^{4b} are, at each occurrence, independently either: (a) H or C_1-C_{12} alkyl; or (b) R^{4a} is H or C_1-C_{12} alkyl, and R^{4b} together with the carbon atom to which it is bound is taken together with an adjacent R^{4b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^5 and R^6 are each independently H or methyl; R^7 is C_4-C_{20} alkyl; R^8 and R^9 are each independently C_1-C_{12} alkyl; or R^8 and R^9 , together with the nitrogen atom to which they are attached, form a 5, 6 or 7-membered heterocyclic ring; a, b, c and d are each independently an integer from 1 to 24; and x is 0, 1 or 2.

[0099] In some aspects, the LNP comprises a compound having a structure of Formula II:



[0100] or a pharmaceutically acceptable salt, tautomer, prodrug or stereoisomer thereof, wherein: L^1 and L^2 are each independently $-O(C=O)-$, $-(C=O)O-$ or a carbon-carbon double bond; R^{1a} and R^{1b} are, at each occurrence, independently either (a) H or C_1-C_{12} alkyl, or (b) R^{1a} is H or C_1-C_{12} alkyl, and R^{1b} together with the carbon atom to which it is bound is taken together with an adjacent R^{1b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^{2a} and R^{2b} are, at each occurrence, independently either (a) H or C_1-C_{12} alkyl, or (b) R^{2a} is H or C_1-C_{12} alkyl, and R^{2b} together with the carbon atom to which it is bound is taken together with an adjacent R^{2b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^{3a} and R^{3b} are, at each occurrence,


independently either (a) H or C_1-C_{12} alkyl, or (b) R^{3a} is H or C_1-C_{12} alkyl, and R^{3b} together with the carbon atom to which it is bound is taken together with an adjacent R^{3b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^{4a} and R^{4b} are, at each occurrence, independently either (a) H or C_1-C_{12} alkyl, or (b) R^{4a} is H or C_1-C_{12} alkyl, and R^{4b} together with the carbon atom to which it is bound is taken together with an adjacent R^{4b} and the carbon atom to which it is bound to form a carbon-carbon double bond; R^5 and R^6 are each independently methyl or cycloalkyl; R^7 is, at each occurrence, independently H or C_1-C_{12} alkyl; R^8 and R^9 are each independently unsubstituted C_1-C_{12} alkyl; or R^8 and R^9 , together with the nitrogen atom to which they are attached, form a 5, 6 or 7-membered heterocyclic ring comprising one nitrogen atom; a and d are each independently an integer from 0 to 24; b and c are each independently an integer from 1 to 24; and e is 1 or 2, provided that: at least one of R^{1a} , R^{2a} , R^{3a} or R^{4a} is C_1-C_{12} alkyl, or at least one of L^1 or L^2 is $-O(C=O)-$ or $-(C=O)O-$; and R^{1a} and R^{1b} are not isopropyl when a is 6 or n-butyl when a is 8.

[0101] In some aspects, any of the above compositions further comprise one or more excipients comprising a neutral lipid, a steroid, and a polymer conjugated lipid. In some aspects, the neutral lipid comprises at least one of 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC), 1,2-Dipalmitoyl-sn-glycero-3-phosphocholine (DPPC), 1,2-Dimyristoyl-sn-glycero-3-phosphocholine (DMPC), 1-Palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (POPC), 1,2-dioleoyl-sn-glycero-3-phosphocholine (DOPC), and 1,2-Dioleoyl-sn-glycero-3-phosphoethanolamine (DOPE). In some aspects, the neutral lipid is DSPC.

[0102] In some aspects, the molar ratio of the compound to the neutral lipid ranges from about 2:1 to about 8:1.

[0103] In some aspects, the steroid is cholesterol. In some aspects, the molar ratio of the compound to cholesterol ranges from about 2:1 to 1:1.

[0104] In some aspects, the polymer conjugated lipid is a pegylated lipid. In some aspects, the molar ratio of the compound to the pegylated lipid ranges from about 100:1 to about 25:1. In some aspects, the pegylated lipid is PEG-DAG, a PEG polyethylene (PEG-PE), a PEG-succinoyldiacylglycerol (PEG-S-DAG), PEG-cer or a PEG dialkoxypropylcarbamate. In some aspects, the pegylated lipid has the following structure III:



or a pharmaceutically acceptable salt, tautomer or stereoisomer thereof, wherein: R^{10} and R^{11} are each independently a straight or branched, saturated or unsaturated alkyl chain containing from 10 to 30 carbon atoms, wherein the alkyl chain is optionally interrupted by one or more ester bonds; and z has a mean value ranging from 30 to 60. In some aspects, R^{10} and R^{11} are each independently straight, satu-

rated alkyl chains having 12 to 16 carbon atoms. In some aspects, the average z is about 45.

Start Here

[0105] In some aspects, the LNP self-assembles into non-bilayer structures when mixed with polyanionic nucleic acid. In some aspects, the non-bilayer structures have a diameter between 60 nm and 120 nm. In some aspects, the non-bilayer structures have a diameter of about 70 nm, about 80 nm, about 90 nm, or about 100 nm. In some aspects, wherein the nanoparticulate delivery vehicle has a diameter of about 100 nm.

[0106] Also provided for herein is a method for treating a subject with cancer, the method comprising administering to the subject any of the compositions or any of the pharmaceutical compositions described herein. In some aspects, the at least one epitope-encoding nucleic acid sequence is derived from the tumor of the subject with cancer or from a cell or sample of the infected subject. In some aspects, the at least one epitope-encoding nucleic acid sequence are not derived from the tumor of the subject with cancer or from a cell or sample of the infected subject.

[0107] Also provided for herein is a method for stimulating an immune response in a subject, the method comprising administering to the subject any of the compositions or any of the pharmaceutical compositions described herein.

[0108] In some aspects, the subject expresses at least one HLA allele predicted or known to present the MHC class I epitope. In some aspects, the composition is administered intramuscularly (IM), intradermally (ID), subcutaneously (SC), or intravenously (IV). In some aspects, the composition is administered intramuscularly. In some aspects, the method further comprising administration of one or more immune modulators, optionally wherein the immune modulator is administered before, concurrently with, or after administration of the composition or pharmaceutical composition. In some aspects, the one or more immune modulators are selected from the group consisting of: an anti-CTLA4 antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof. In some aspects, the immune modulator is administered intravenously (IV), intramuscularly (IM), intradermally (ID), or subcutaneously (SC). In some aspects, the subcutaneous administration is near the site of the composition or pharmaceutical composition administration or in close proximity to one or more vector or composition draining lymph nodes.

[0109] In some aspects, the method further comprises administering to the subject a second vaccine composition. In some aspects, the second vaccine composition is administered prior to the administration of any of the compositions or the pharmaceutical compositions described herein. In some aspects, the second vaccine composition is administered subsequent to the administration of any of the compositions or the pharmaceutical compositions described herein. In some aspects, the second vaccine composition is the same as any of the compositions or the pharmaceutical compositions described herein. In some aspects, the second vaccine composition is different any of the compositions or the pharmaceutical compositions described herein. In some aspects, the second vaccine composition comprises a chim-

panzee adenovirus vector encoding at least one antigen-encoding nucleic acid sequence. In some aspects, the at least one antigen-encoding nucleic acid sequence encoded by the chimpanzee adenovirus vector is the same as the antigen-encoding cassette of any of the compositions described herein. In some aspects, the at least one antigen-encoding nucleic acid sequence encoded by the chimpanzee adenovirus vector is the same as the at least one antigen-encoding nucleic acid sequence of any of the compositions described herein.

[0110] Also provided for herein is a method of manufacturing the one or more vectors of any of the above composition claims, the method comprising: (a) obtaining a linearized DNA sequence comprising the backbone and the cassette; (b) in vitro transcribing the linearized DNA sequence by addition of the linearized DNA sequence to an in vitro transcription reaction containing all the necessary components to transcribe the linearized DNA sequence into RNA, optionally further comprising in vitro addition of the m7g cap to the resulting RNA; and (c) isolating the one or more vectors from the in vitro transcription reaction. In some aspects, the linearized DNA sequence is generated by linearizing a DNA plasmid sequence or by amplification using PCR. In some aspects, the DNA plasmid sequence is generated using one of bacterial recombination or full genome DNA synthesis or full genome DNA synthesis with amplification of synthesized DNA in bacterial cells. In some aspects, isolating the one or more vectors from the in vitro transcription reaction involves one or more of phenol chloroform extraction, silica column based purification, or similar RNA purification methods.

[0111] Also provided for herein is a method of manufacturing the composition of any of the above composition claims for delivery of the antigen expression system, the method comprising: (a) providing components for the nanoparticulate delivery vehicle; (b) providing the antigen expression system; and (c) providing conditions sufficient for the nanoparticulate delivery vehicle and the antigen expression system to produce the composition for delivery of the antigen expression system. In some aspects, the conditions are provided by microfluidic mixing.

[0112] Also provided for herein is a method for treating a subject with a disease, optionally wherein the disease is cancer or an infection, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x - (E^N_n)_y)_z$$

[0113] wherein, E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences, n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0, E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n , for each iteration of z : $x=0$ or 1, $y=0$ or 1 for each n , and at least one of x or $y=1$, and $z=2$ or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given E^N , or a combination thereof, and at

least one of the at least one distinct epitope-encoding nucleic acid sequences comprising at least two iterations encodes a EGFR-associated MHC class I neoepitope.

[0114] Also provided for herein is a method for treating a subject with a disease, optionally wherein the disease is cancer, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen expression system, comprising: the antigen expression system, wherein the antigen expression system comprises one or more vectors, the one or more vectors comprising: (a) a vector backbone, wherein the backbone comprises: (i) at least one promoter nucleotide sequence, and (ii) optionally, at least one polyadenylation (poly(A)) sequence; and (b) a cassette, wherein the cassette comprises: (i) at least one antigen-encoding nucleic acid sequence, comprising: (I) at least one epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and wherein each of the epitope-encoding nucleic acid sequences comprises: (A) optionally, a 5' linker sequence, and (B) optionally, a 3' linker sequence; (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence; (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone, wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.

[0115] In some aspects, the at least one epitope-encoding nucleic acid sequence is derived from a tumor of the subject with cancer. In some aspects, the at least one epitope-encoding nucleic acid sequence are not derived from a tumor of the subject with cancer.

[0116] Also provided for herein is a method for stimulating an immune response in a subject, the method comprising the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x - (E^N_n)_y)_z$$

[0117] wherein, E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences, n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0, E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n, for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations

of E, a given E^N , or a combination thereof, and at least one of the at least one distinct epitope-encoding nucleic acid sequences comprising at least two iterations encodes a EGFR-associated MHC class I neoepitope.

[0118] Also provided for herein is a method for stimulating an immune response in a subject, the method comprising the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises: an antigen expression system, comprising: the antigen expression system, wherein the antigen expression system comprises one or more vectors, the one or more vectors comprising: (a) a vector backbone, wherein the backbone comprises: (i) at least one promoter nucleotide sequence, and (ii) optionally, at least one polyadenylation (poly(A)) sequence; and (b) a cassette, wherein the cassette comprises: (i) at least one antigen-encoding nucleic acid sequence, comprising: (I) at least one epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and wherein each of the epitope-encoding nucleic acid sequences comprises: (A) optionally, a 5' linker sequence, and (B) optionally, a 3' linker sequence; (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence; (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone, wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.

[0119] In some aspects, the subject expresses at least one HLA allele predicted or known to present the EGFR-associated MHC class I neoepitope. In some aspects, the subject expresses at least one HLA allele predicted or known to present the EGFR-associated MHC class I neoepitope, wherein the at least one HLA allele is HLA A*03:01, HLA C*15:02 and/or HLA A*11:01. In some aspects, the subject expresses at least one HLA allele predicted or known to present the EGFR-associated MHC class I neoepitope, wherein the at least one HLA allele is HLA A*03:01. In some aspects, the subject expresses at least one HLA allele predicted or known to present the EGFR-associated MHC class I neoepitope, wherein the at least one HLA allele is HLA C*15:02. In some aspects, the subject expresses at least one HLA allele predicted or known to present the EGFR-associated MHC class I neoepitope, wherein the at least one HLA allele is HLA A*11:01.

[0120] In some aspects, the subject expresses at least one HLA allele predicted or known to present the at least one epitope sequence, and wherein the at least one epitope sequence comprises an epitope known or suspected to be presented by MHC class I on a surface of a cell, wherein the at least one epitope sequence predicted or known to be presented comprises the EGFR-associated MHC class I neoepitope. In some aspects, the surface of the cell is a tumor cell surface. In some aspects, the cell is a tumor cell

selected from the group consisting of: lung cancer, melanoma, breast cancer, ovarian cancer, prostate cancer, kidney cancer, gastric cancer, colon cancer, testicular cancer, head and neck cancer, pancreatic cancer, brain cancer, B-cell lymphoma, acute myelogenous leukemia, chronic myelogenous leukemia, chronic lymphocytic leukemia, T cell lymphocytic leukemia, non-small cell lung cancer, and small cell lung cancer. In some aspects, the tumor is non-small cell lung cancer (NSCLC).

[0121] Also provided for herein is a method for inducing an immune response in a subject, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x-(E^N_n)_y)_z$$

[0122] wherein, E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences, n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0, E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n, for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given E^N , or a combination thereof, and at least one of the at least one distinct epitope-encoding nucleic acid sequences comprising at least two iterations encodes a EGFR-associated MHC class I neoepitope, and wherein the subject expresses at least one HLA allele predicted or known to present the at least one EGFR-associated MHC class I neoepitope.

[0123] Also provided for herein is a method for inducing an immune response in a subject, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises: an antigen expression system, comprising: the antigen expression system, wherein the antigen expression system comprises one or more vectors, the one or more vectors comprising: (a) a vector backbone, wherein the backbone comprises: (i) at least one promoter nucleotide sequence, and (ii) optionally, at least one polyadenylation (poly(A)) sequence; and (b) a cassette, wherein the cassette comprises: (i) at least one antigen-encoding nucleic acid sequence, comprising: (I) at least one epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and wherein each of the epitope-encoding nucleic acid sequences comprises: (A) optionally, a 5' linker sequence, and (B) optionally, a 3' linker sequence; (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence; (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone, wherein if the second promoter nucleotide sequence is absent, the antigen-

encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope, and wherein the subject expresses at least one HLA allele predicted or known to present the at least one EGFR-associated MHC class I neoepitope.

[0124] In some aspects, the antigen-encoding nucleic acid sequence encodes a peptide comprising the amino acid sequence shown in SEQ ID NO: 62. In some aspects, the antigen-encoding nucleic acid sequence encodes a peptide comprising the amino acid sequence shown in SEQ ID NO: 61.

[0125] In some aspects, the at least one promoter sequence is a CMV, SV40, EF-1, RSV, PGK, HSA, MCK or EBV promoter sequence. In some aspects, the at least one promoter sequence is a regulatable promoter, optionally wherein the regulatable promoter is a tetracycline (TET) repressor protein (TETr) controlled promoter, optionally wherein the regulatable promoter comprises multiple TET operator (TETo) sequences 5' or 3' of a RNA polymerase binding sequence of the promoter. In some aspects, P comprises a CMV-derived promoter sequence, optionally wherein the CMV-derived promoter sequence comprises a TETr controlled CMV-derived promoter.

[0126] In some aspects, the antigen expression system comprises any one of the antigen expression systems described herein. In some aspects, the antigen-based vaccine comprises any one of the pharmaceutical compositions described herein.

[0127] In some aspects, the antigen-based vaccine is administered as a priming dose. In some aspects, the antigen-based vaccine is administered as one or more boosting doses. In some aspects, the boosting dose is different than the priming dose. In some aspects, a) the priming dose comprises a chimpanzee adenovirus vector and the boosting dose comprises an alphavirus vector; or b) the priming dose comprises an alphavirus vector and the boosting dose comprises a chimpanzee adenovirus vector. In some aspects, the boosting dose is the same as the priming dose. In some aspects, the injection site of the one or more boosting doses is as close as possible to the injection site of the priming dose.

[0128] In some aspects, the method further comprises determining or having determined the HLA-haplotype of the subject.

[0129] In some aspects, the antigen-based vaccine is administered intramuscularly (IM), intradermally (ID), subcutaneously (SC), or intravenously (IV). In some aspects, the antigen-based vaccine is administered intramuscularly (IM). In some aspects, the IM administration is administered at separate injection sites. In some aspects, the separate injection sites are in opposing deltoid muscles. In some aspects, the separate injection sites are in gluteus or rectus femoris sites on each side.

[0130] Also disclosed herein is a pharmaceutical composition comprising any of the compositions disclosed herein (such as an alphavirus-based or ChAd-based vector disclosed herein) and a pharmaceutically acceptable carrier. In some aspects, the pharmaceutical composition further comprises an adjuvant. In some aspects, the pharmaceutical composition further comprises an immune modulator. In some aspects, the immune modulator is an anti-CTLA4

antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof.

[0131] Also disclosed herein is a vector comprising an isolated nucleotide sequence disclosed herein.

[0132] Also disclosed herein is a kit comprising a vector or a composition disclosed herein and instructions for use.

[0133] Also disclosed herein is a method for treating a subject, the method comprising administering to the subject a vector disclosed herein or a pharmaceutical composition disclosed herein. Also disclosed herein is a method for inducing an immune response in a subject, the method comprising administering to the subject any of the compositions, vectors, or pharmaceutical compositions described herein. In some aspects, the subject expresses at least one HLA allele predicted or known to present the MHC class I epitope. In some aspects, the vector or composition is administered intramuscularly (IM), intradermally (ID), or subcutaneously (SC), or intravenously (IV).

[0134] Also disclosed herein is a method of manufacturing the one or more vectors of any of the above compositions, the method comprising: obtaining a linearized DNA sequence comprising the backbone and the antigen cassette; in vitro transcribing the linearized DNA sequence by addition of the linearized DNA sequence to a in vitro transcription reaction containing all the necessary components to transcribe the linearized DNA sequence into RNA, optionally further comprising in vitro addition of the m7g cap to the resulting RNA; and isolating the one or more vectors from the in vitro transcription reaction. In some aspects, the linearized DNA sequence is generated by linearizing a DNA plasmid sequence or by amplification using PCR. In some aspects, the DNA plasmid sequence is generated using one of bacterial recombination or full genome DNA synthesis or full genome DNA synthesis with amplification of synthesized DNA in bacterial cells. In some aspects, the isolating the one or more vectors from the in vitro transcription reaction involves one or more of phenol chloroform extraction, silica column based purification, or similar RNA purification methods.

[0135] Also disclosed herein is a method of manufacturing any of the compositions disclosed herein, the method comprising: providing components for the nanoparticulate delivery vehicle; providing the antigen expression system; and providing conditions sufficient for the nanoparticulate delivery vehicle and the antigen expression system to produce the composition for delivery of the antigen expression system. In some aspects, the conditions are provided by microfluidic mixing.

[0136] Also disclosed herein is a method of manufacturing an adenovirus vector disclosed herein, the method comprising: obtaining a plasmid sequence comprising the at least one promoter sequence and the antigen cassette; transfecting the plasmid sequence into one or more host cells; and isolating the adenovirus vector from the one or more host cells.

[0137] In some aspects, isolating comprises: lysing the host cell to obtain a cell lysate comprising the adenovirus vector; and purifying the adenovirus vector from the cell lysate.

[0138] In some aspects, the plasmid sequence is generated using one of bacterial recombination or full genome DNA synthesis or full genome DNA synthesis with amplification of synthesized DNA in bacterial cells. In some aspects, the one or more host cells are at least one of CHO, HEK293 or variants thereof, 911, HeLa, A549, LP-293, PER.C6, and AEL1-2a cells. In some aspects, purifying the adenovirus vector from the cell lysate involves one or more of chromatographic separation, centrifugation, virus precipitation, and filtration.

[0139] Also provided herein is a method for treating a subject with a disease, optionally wherein the disease is cancer or an infection, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises:

[0140] (i) a nucleic acid sequence A (E_A); and

[0141] (ii) a nucleic acid sequence B (E_B),

[0142] wherein E_A and E_B each encode one MHC epitope,

[0143] wherein the MHC epitope encoded by E_A and the MHC epitope encoded by E_B are distinct and non-identical,

[0144] wherein the cassette comprises at least two iterations of E_A and at least two iterations of E_B ,

[0145] wherein each iteration of E_A and E_B , respectively, comprises identical nucleic acid sequences, and

[0146] wherein E_A encodes an EGFR-associated MHC class I neoepitope.

[0147] In some aspects, the antigen-encoding cassette comprises any one of the antigen-encoding cassettes described herein. In some aspects, the antigen-based vaccine comprises any one of the pharmaceutical compositions described herein. In some aspects, the antigen-based vaccine is administered as a priming dose. In some aspects, the antigen-based vaccine is administered as one or more boosting doses. In some aspects, the boosting dose is different than the priming dose. In some aspects, (a) the priming dose comprises a chimpanzee adenovirus vector and the boosting dose comprises an alphavirus vector; or (b) the priming dose comprises an alphavirus vector and the boosting dose comprises a chimpanzee adenovirus vector. In some aspects, the boosting dose is the same as the priming dose. In some aspects, the injection site of the one or more boosting doses is as close as possible to the injection site of the priming dose.

[0148] In some aspects, any one of the methods further comprises determining or having determined the HLA-haplotype of the subject. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele predicted or validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele predicted to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele predicted or validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the

antigen-encoding cassette, wherein the HLA allele is HLA A*03:01, HLA C*15:02 and/or HLA A*11:01. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele predicted or validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette, wherein the HLA allele is HLA A*03:01. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele predicted or validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette, wherein the HLA allele is HLA C*15:02. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele predicted or validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette, wherein the HLA allele is HLA A*11:01. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele validated to present the amino acid sequence KITDFGRAK (SEQ ID NO: 57) validated by mass-spectrometry to be presented by at least HLA A*11:01 and/or HLA A*03:01, and/or KITDFGRAKL (SEQ ID NO: 89) validated by mass-spectrometry to be presented by at least HLA A*03:01. In some aspects, the HLA-haplotype determined of the subject comprises an HLA allele validated to present the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76) validated by mass-spectrometry to be presented by at least HLA C*15:02.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

[0149] These and other features, aspects, and advantages of the present invention will become better understood with regard to the following description, and accompanying drawings, where:

[0150] FIG. 1A and FIG. 1B presents analysis results of EGFR neoepitope and HLA prevalence. HLA frequency sourced from CWD China and CIWD databases. Mutation frequency estimated from Zhang et al. Oncotarget 7(48) 2016 and multiplied by HLA frequency. FIG. 1A (top panel) also shows a summary of prediction and mass-spectrometry validation for HLA presentation of EGFR neoantigens.

[0151] FIG. 2A demonstrates mass-spectrometry validation of EGFR L858R neoepitope KITDFGRAK (SEQ ID NO: 57) presentation by HLA A*03:01. No positive signal in (left panel) non-induced A*03:01 K562 cells, while significant peak was detected in (middle panel) same line expressing neoantigen cassette with EGFR_L858R. Right panel—Isotopically labeled synthetic standard peptide injected in same MS run indicated multiple matching transitions at exact retention time (*adjusted based on generic process recovery estimate of 9% [median of 100 process recovery analyses across 11 different pHLA types]).

[0152] FIG. 2B demonstrates mass-spectrometry validation of EGFR L858R neoepitope KITDFGRAK (SEQ ID NO: 57) presentation by HLA A*11:01. No positive signal in (left panel) non-induced A*11:01 K562 cells, while significant peak was detected in (middle panel) same line expressing neoantigen cassette with EGFR_L858R. Right panel—Isotopically labeled synthetic standard peptide injected in same MS run indicated multiple matching transitions at exact retention time (*adjusted based on generic process recovery estimate of 9% [median of 100 process recovery analyses across 11 different pHLA types]).

[0153] FIG. 2C demonstrates mass-spectrometry validation of EGFR T790M neoepitope STVQLIMQL (SEQ ID NO: 75) presentation by HLA C*15:02. No positive signal in (left panel) of K562 cells not transduced with HLA C*15:02 and EGFR T790M 25mer, while a significant peak was detected in (middle panel) same parental line expressing both HLA C*15:02 and EGFR_T790M 25mer cassette. Right panel—Isotopically labeled synthetic standard peptide injected in same MS run indicated multiple matching transitions at exact retention time.

[0154] FIG. 3 illustrates the 4× and 8× EGFR L858R cassette designs.

[0155] FIG. 4 demonstrates T cell responses for mice immunized with a SAM or ChAd vector encoding the 4× and 8× EGFR L858R cassettes. Shown is IFN γ ELISpot following ex vivo stimulation with EGFR L858 mutant peptide (KITDFGRAK (SEQ ID NO: 57)). Background subtracted.

[0156] FIG. 5 demonstrates T cell responses for mice immunized with a SAM or ChAd vector encoding the 4× and 8× EGFR L858R cassettes. Shown is IFN γ ELISpot following ex vivo stimulation with a peptide pool of 38 peptides spanning the EGFR L858 encoding 25mer. Background subtracted.

[0157] FIG. 6 shows T cell responses against the universal MHC class II PADRE antigen for mice immunized with a SAM or ChAd vector encoding the 4× and 8× EGFR L858R cassettes. Shown is IFN γ ELISpot following ex vivo stimulation with the PADRE epitope.

[0158] FIG. 7 (SEQ ID NO: 57) shows analysis of target density of the EGFR L858R neoepitope in single allele cell lines expressing HLA A*03:01 and A*11:01. Shown is expression of expression-matched cell lines transduced with the indicated “1×4” and “1×8” EGFR L858R epitope expressing cassettes as assessed by qPCR (left panel), and HLA peptide copies per cell (target density) of the EGFR L858R peptide assessed by mass-spectrometry (right panel).

[0159] FIG. 8 shows HLA peptide copies per cell (target density) of the EGFR L858R peptide assessed by mass-spectrometry. Shown are three independent immunoprecipitated replicates from the same respective cell line processed separately for the single allele cell lines expressing HLA A*11:01 (top panel) and A*03:01 (bottom panel). Paired T-test.

[0160] FIG. 9 illustrates various EGFR cassette designs including various iterations of the EGFR neoepitopes having the EGFR mutations L858R, T790M, and/or E746_A750del “E19del”.

[0161] FIG. 10 shows a redesigned 3×8 EGFR cassette design with mutations L858R, T790M, and/or E746_A750del “E19del” and size characteristics.

[0162] FIG. 11A shows immunogenicity in mice engineered to express human HLA-A*11:01 that were immunized with 5×10^{10} VP using a ChAdV68 delivery vector encoding 1×8 and 2×8 cassettes. Efficacy was assessed by IFN γ ELISpot stimulated with peptide pools containing 38 minimal epitopes.

[0163] FIG. 11B (SEQ ID NO: 57, 75 and 82) shows immunogenicity in mice engineered to express human HLA-A*11:01 that were immunized with 5×10^{10} VP using a ChAdV68 delivery vector encoding 3×8 cassettes. Efficacy was assessed by IFN γ ELISpot stimulated with peptide pools containing 38 minimal epitopes.

DETAILED DESCRIPTION

I. Definitions

[0164] In general, terms used in the claims and the specification are intended to be construed as having the plain meaning understood by a person of ordinary skill in the art. Certain terms are defined below to provide additional clarity. In case of conflict between the plain meaning and the provided definitions, the provided definitions are to be used.

[0165] As used herein the term “antigen” is a substance that induces an immune response. An antigen can be a neoantigen. An antigen can be a “shared antigen” that is an antigen found among a specific population, e.g., a specific population of cancer patients.

[0166] As used herein the term “neoantigen” is an antigen that has at least one alteration that makes it distinct from the corresponding wild-type antigen, e.g., via mutation in a tumor cell or post-translational modification specific to a tumor cell. A neoantigen can include a polypeptide sequence or a nucleotide sequence. A mutation can include a frameshift or nonframeshift indel, missense or nonsense substitution, splice site alteration, genomic rearrangement or gene fusion, or any genomic or expression alteration giving rise to a neoORF. A mutations can also include a splice variant. Post-translational modifications specific to a tumor cell can include aberrant phosphorylation. Post-translational modifications specific to a tumor cell can also include a proteasome-generated spliced antigen. See Liepe et al., A large fraction of HLA class I ligands are proteasome-generated spliced peptides; *Science*. 2016 Oct. 21; 354(6310):354-358. The subject can be identified for administration through the use of various diagnostic methods, e.g., patient selection methods described further below.

[0167] As used herein the term “tumor antigen” is an antigen present in a subject’s tumor cell or tissue but not in the subject’s corresponding normal cell or tissue, or derived from a polypeptide known to or have been found to have altered expression in a tumor cell or cancerous tissue in comparison to a normal cell or tissue.

[0168] As used herein the term “antigen-based vaccine” is a vaccine composition based on one or more antigens, e.g., a plurality of antigens. The vaccines can be nucleotide-based (e.g., virally based, RNA based, or DNA based), protein-based (e.g., peptide based), or a combination thereof.

[0169] As used herein the term “candidate antigen” is a mutation or other aberration giving rise to a sequence that may represent an antigen.

[0170] As used herein the term “coding region” is the portion(s) of a gene that encode protein.

[0171] As used herein the term “coding mutation” is a mutation occurring in a coding region.

[0172] As used herein the term “ORF” means open reading frame.

[0173] As used herein the term “NEO-ORF” is a tumor-specific ORF arising from a mutation or other aberration such as splicing.

[0174] As used herein the term “missense mutation” is a mutation causing a substitution from one amino acid to another.

[0175] As used herein the term “nonsense mutation” is a mutation causing a substitution from an amino acid to a stop codon or causing removal of a canonical start codon.

[0176] As used herein the term “frameshift mutation” is a mutation causing a change in the frame of the protein.

[0177] As used herein the term “indel” is an insertion or deletion of one or more nucleic acids.

[0178] As used herein, the term percent “identity,” in the context of two or more nucleic acid or polypeptide sequences, refer to two or more sequences or subsequences that have a specified percentage of nucleotides or amino acid residues that are the same, when compared and aligned for maximum correspondence, as measured using one of the sequence comparison algorithms described below (e.g., BLASTP and BLASTN or other algorithms available to persons of skill) or by visual inspection. Depending on the application, the percent “identity” can exist over a region of the sequence being compared, e.g., over a functional domain, or, alternatively, exist over the full length of the two sequences to be compared.

[0179] For sequence comparison, typically one sequence acts as a reference sequence to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are input into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. The sequence comparison algorithm then calculates the percent sequence identity for the test sequence(s) relative to the reference sequence, based on the designated program parameters. Alternatively, sequence similarity or dissimilarity can be established by the combined presence or absence of particular nucleotides, or, for translated sequences, amino acids at selected sequence positions (e.g., sequence motifs).

[0180] Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, *J. Mol. Biol.* 48:443 (1970), by the search for similarity method of Pearson & Lipman, *Proc. Nat’l. Acad. Sci. USA* 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, Wis.), or by visual inspection (see generally Ausubel et al., *infra*).

[0181] One example of an algorithm that is suitable for determining percent sequence identity and sequence similarity is the BLAST algorithm, which is described in Altschul et al., *J. Mol. Biol.* 215:403-410 (1990). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information.

[0182] As used herein the term “non-stop or read-through” is a mutation causing the removal of the natural stop codon.

[0183] As used herein the term “epitope” is the specific portion of an antigen typically bound by an antibody or T cell receptor.

[0184] As used herein the term “immunogenic” is the ability to elicit an immune response, e.g., via T cells, B cells, or both.

[0185] As used herein the term “HLA binding affinity” “MHC binding affinity” means affinity of binding between a specific antigen and a specific MHC allele.

[0186] As used herein the term “bait” is a nucleic acid probe used to enrich a specific sequence of DNA or RNA from a sample.

[0187] As used herein the term “variant” is a difference between a subject’s nucleic acids and the reference human genome used as a control.

[0188] As used herein the term “variant call” is an algorithmic determination of the presence of a variant, typically from sequencing.

[0189] As used herein the term “polymorphism” is a germline variant, i.e., a variant found in all DNA-bearing cells of an individual.

[0190] As used herein the term “somatic variant” is a variant arising in non-germline cells of an individual.

[0191] As used herein the term “allele” is a version of a gene or a version of a genetic sequence or a version of a protein.

[0192] As used herein the term “HLA type” is the complement of HLA gene alleles.

[0193] As used herein the term “nonsense-mediated decay” or “NMD” is a degradation of an mRNA by a cell due to a premature stop codon.

[0194] As used herein the term “truncal mutation” is a mutation originating early in the development of a tumor and present in a substantial portion of the tumor’s cells.

[0195] As used herein the term “subclonal mutation” is a mutation originating later in the development of a tumor and present in only a subset of the tumor’s cells.

[0196] As used herein the term “exome” is a subset of the genome that codes for proteins. An exome can be the collective exons of a genome.

[0197] As used herein the term “logistic regression” is a regression model for binary data from statistics where the logit of the probability that the dependent variable is equal to one is modeled as a linear function of the dependent variables.

[0198] As used herein the term “neural network” is a machine learning model for classification or regression consisting of multiple layers of linear transformations followed by element-wise nonlinearities typically trained via stochastic gradient descent and back-propagation.

[0199] As used herein the term “proteome” is the set of all proteins expressed and/or translated by a cell, group of cells, or individual.

[0200] As used herein the term “peptidome” is the set of all peptides presented by MHC-I or MHC-II on the cell surface. The peptidome may refer to a property of a cell or a collection of cells (e.g., the tumor peptidome, meaning the union of the peptidomes of all cells that comprise the tumor).

[0201] As used herein the term “ELISPOT” means Enzyme-linked immunosorbent spot assay—which is a common method for monitoring immune responses in humans and animals.

[0202] As used herein the term “dextramers” is a dextran-based peptide-MHC multimers used for antigen-specific T-cell staining in flow cytometry.

[0203] As used herein the term “tolerance or immune tolerance” is a state of immune non-responsiveness to one or more antigens, e.g. self-antigens.

[0204] As used herein the term “central tolerance” is a tolerance affected in the thymus, either by deleting self-reactive T-cell clones or by promoting self-reactive T-cell clones to differentiate into immunosuppressive regulatory T-cells (Tregs).

[0205] As used herein the term “peripheral tolerance” is a tolerance affected in the periphery by downregulating or anergizing self-reactive T-cells that survive central tolerance or promoting these T cells to differentiate into Tregs.

[0206] The term “sample” can include a single cell or multiple cells or fragments of cells or an aliquot of body

fluid, taken from a subject, by means including venipuncture, excretion, ejaculation, massage, biopsy, needle aspirate, lavage sample, scraping, surgical incision, or intervention or other means known in the art.

[0207] The term “subject” encompasses a cell, tissue, or organism, human or non-human, whether in vivo, ex vivo, or in vitro, male or female. The term subject is inclusive of mammals including humans.

[0208] The term “mammal” encompasses both humans and non-humans and includes but is not limited to humans, non-human primates, canines, felines, murines, bovines, equines, and porcines.

[0209] The term “clinical factor” refers to a measure of a condition of a subject, e.g., disease activity or severity. “Clinical factor” encompasses all markers of a subject’s health status, including non-sample markers, and/or other characteristics of a subject, such as, without limitation, age and gender. A clinical factor can be a score, a value, or a set of values that can be obtained from evaluation of a sample (or population of samples) from a subject or a subject under a determined condition. A clinical factor can also be predicted by markers and/or other parameters such as gene expression surrogates. Clinical factors can include tumor type, tumor sub-type, and smoking history.

[0210] The term “antigen-encoding nucleic acid sequences derived from a tumor” refers to nucleic acid sequences directly extracted from the tumor, e.g. via RT-PCR; or sequence data obtained by sequencing the tumor and then synthesizing the nucleic acid sequences using the sequencing data, e.g., via various synthetic or PCR-based methods known in the art.

[0211] The term “antigen-encoding nucleic acid sequences derived from an infection” refers to nucleic acid sequences directly extracted from infected cells or a infectious disease organism, e.g. via RT-PCR; or sequence data obtained by sequencing the infected cell or infectious disease organism and then synthesizing the nucleic acid sequences using the sequencing data, e.g., via various synthetic or PCR-based methods known in the art.

[0212] The term “alphavirus” refers to members of the family *Togaviridae*, and are positive-sense single-stranded RNA viruses. Alphaviruses are typically classified as either Old World, such as Sindbis, Ross River, Mayaro, Chikungunya, and Semliki Forest viruses, or New World, such as eastern equine encephalitis, Aura, Fort Morgan, or Venezuelan equine encephalitis and its derivative strain TC-83. Alphaviruses are typically self-replicating RNA viruses.

[0213] The term “alphavirus backbone” refers to minimal sequence(s) of an alphavirus that allow for self-replication of the viral genome. Minimal sequences can include conserved sequences for nonstructural protein-mediated amplification, a nonstructural protein 1 (nsP1) gene, a nsP2 gene, a nsP3 gene, a nsP4 gene, and a polyA sequence, as well as sequences for expression of subgenomic viral RNA including a 26S promoter element.

[0214] The term “sequences for nonstructural protein-mediated amplification” includes alphavirus conserved sequence elements (CSE) well known to those in the art. CSEs include, but are not limited to, an alphavirus 5' UTR, a 51-nt CSE, a 24-nt CSE, or other 26S subgenomic promoter sequence, a 19-nt CSE, and an alphavirus 3' UTR.

[0215] The term “RNA polymerase” includes polymerases that catalyze the production of RNA polynucleotides from a

DNA template. RNA polymerases include, but are not limited to, bacteriophage derived polymerases including T3, T7, and SP6.

[0216] The term “lipid” includes hydrophobic and/or amphiphilic molecules. Lipids can be cationic, anionic, or neutral. Lipids can be synthetic or naturally derived, and in some instances biodegradable. Lipids can include cholesterol, phospholipids, lipid conjugates including, but not limited to, polyethyleneglycol (PEG) conjugates (PEGylated lipids), waxes, oils, glycerides, fats, and fat-soluble vitamins. Lipids can also include dilinoleylmethyl-4-dimethylaminobutyrate (MC3) and MC3-like molecules.

[0217] The term “lipid nanoparticle” or “LNP” includes vesicle like structures formed using a lipid containing membrane surrounding an aqueous interior, also referred to as liposomes. Lipid nanoparticles includes lipid-based compositions with a solid lipid core stabilized by a surfactant. The core lipids can be fatty acids, acylglycerols, waxes, and mixtures of these surfactants. Biological membrane lipids such as phospholipids, sphingomyelins, bile salts (sodium taurocholate), and sterols (cholesterol) can be utilized as stabilizers. Lipid nanoparticles can be formed using defined ratios of different lipid molecules, including, but not limited to, defined ratios of one or more cationic, anionic, or neutral lipids. Lipid nanoparticles can encapsulate molecules within an outer-membrane shell and subsequently can be contacted with target cells to deliver the encapsulated molecules to the host cell cytosol. Lipid nanoparticles can be modified or functionalized with non-lipid molecules, including on their surface. Lipid nanoparticles can be single-layered (unilamellar) or multi-layered (multilamellar). Lipid nanoparticles can be complexed with nucleic acid. Unilamellar lipid nanoparticles can be complexed with nucleic acid, wherein the nucleic acid is in the aqueous interior. Multilamellar lipid nanoparticles can be complexed with nucleic acid, wherein the nucleic acid is in the aqueous interior, or to form or sandwiched between

[0218] Abbreviations: MHC: major histocompatibility complex; HLA: human leukocyte antigen, or the human MHC gene locus; NGS: next-generation sequencing; PPV: positive predictive value; TSNA: tumor-specific neoantigen; FFPE: formalin-fixed, paraffin-embedded; NMD: nonsense-mediated decay; NSCLC: non-small-cell lung cancer; DC: dendritic cell.

[0219] It should be noted that, as used in the specification and the appended claims, the singular forms “a,” “an,” and “the” include plural referents unless the context clearly dictates otherwise.

[0220] Unless specifically stated or otherwise apparent from context, as used herein the term “about” is understood as within a range of normal tolerance in the art, for example within 2 standard deviations of the mean. About can be understood as within 10%, 9%, 8%, 7%, 6%, 5%, 4%, 3%, 2%, 1%, 0.5%, 0.1%, 0.05%, or 0.01% of the stated value. Unless otherwise clear from context, all numerical values provided herein are modified by the term about.

[0221] Any terms not directly defined herein shall be understood to have the meanings commonly associated with them as understood within the art of the invention. Certain terms are discussed herein to provide additional guidance to the practitioner in describing the compositions, devices, methods and the like of aspects of the invention, and how to make or use them. It will be appreciated that the same thing may be said in more than one way. Consequently, alternative

language and synonyms may be used for any one or more of the terms discussed herein. No significance is to be placed upon whether or not a term is elaborated or discussed herein. Some synonyms or substitutable methods, materials and the like are provided. Recital of one or a few synonyms or equivalents does not exclude use of other synonyms or equivalents, unless it is explicitly stated. Use of examples, including examples of terms, is for illustrative purposes only and does not limit the scope and meaning of the aspects of the invention herein.

[0222] All references, issued patents and patent applications cited within the body of the specification are hereby incorporated by reference in their entirety, for all purposes.

II. Antigen Identification

[0223] Research methods for NGS analysis of tumor and normal exome and transcriptomes have been described and applied in the antigen identification space.^{6,14,15} Certain optimizations for greater sensitivity and specificity for antigen identification in the clinical setting can be considered. These optimizations can be grouped into two areas, those related to laboratory processes and those related to the NGS data analysis. The research methods described can also be applied to identification of antigens in other settings, such as identification of identifying antigens from an infectious disease organism, an infection in a subject, or an infected cell of a subject. Examples of optimizations are known to those skilled in the art, for example the methods described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1, and international patent application publications WO/2018/195357 and WO/2018/208856, each herein incorporated by reference, in their entirety, for all purposes.

[0224] Methods for identifying antigens (e.g., antigens derived from a tumor or an infectious disease organism) include identifying antigens that are likely to be presented on a cell surface (e.g., presented by MHC on a tumor cell, an infected cell, or an immune cell, including professional antigen presenting cells such as dendritic cells), and/or are likely to be immunogenic. As an example, one such method may comprise the steps of: obtaining at least one of exome, transcriptome or whole genome nucleotide sequencing and/or expression data from a tumor, an infected cell, or an infectious disease organism, wherein the nucleotide sequencing data and/or expression data is used to obtain data representing peptide sequences of each of a set of antigens (e.g., antigens derived from the tumor or infectious disease organism); inputting the peptide sequence of each antigen into one or more presentation models to generate a set of numerical likelihoods that each of the antigens is presented by one or more MHC alleles on a cell surface, such as a tumor cell or an infected cell of the subject, the set of numerical likelihoods having been identified at least based on received mass spectrometry data; and selecting a subset of the set of antigens based on the set of numerical likelihoods to generate a set of selected antigens.

III. Identification of Tumor Specific Mutations in Neoantigens

[0225] Also disclosed herein are methods for the identification of certain mutations (e.g., the variants or alleles that are present in cancer cells). In particular, these mutations can be present in the genome, transcriptome, proteome, or

exome of cancer cells of a subject having cancer but not in normal tissue from the subject. Specific methods for identifying neoantigens, including shared neoantigens, that are specific to tumors are known to those skilled in the art, for example the methods described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1, and international patent application publications WO/2018/195357 and WO/2018/208856, each herein incorporated by reference, in their entirety, for all purposes. Examples of shared neoantigens that are specific to tumors are described in more detail in international patent application publication WO2019226941A1, herein incorporated by reference in its entirety, for all purposes. Shared neoantigens include, but are not limited to, EGFR-associated mutations (e.g., EGFR L858R, EGFR T790M, and/or EGFR E19 deletions mutations such as an E746-A750 deletion). For example, EGFR-associated mutations can include those mutations with reference to wild-type (WT) human EGFR, such as with reference to the Isoform A precursor, as exemplified by the following amino acid sequence (SEQ ID NO: 97):

```
MRPSGTAGAALLALLAALCPASRALEEKVKCQGTSNKLTQLGTFEDHFL
SLQRMFNNECEVVLGNLEITYVQRNYDLSFLKTIQEVAGYVLIALMTVER
IPLNLQIIRGNMYEENSALAVLSNYDANKTGLKELPMRNLQEIHLGA
VRFSNNPALCNVESIQWRDIVSSDFLSNMSMDFQNLHSGCQKCDPSCPN
GSCWGAGEENCQKLTKIICAQQCSGRGRGKSPSDCCHNQCAAGCTGPRE
SDCLVCRKFRDEATCKDTCPLMLYNPTTYQMDVNPEGKYSFGATCVKK
CPRNYVVDHSGSCVRACGADSYEMEEDGVRKCKKCEGPCRKVCNGIGIG
EFKDSL SINATNIKHFKNCTISGDLHLPLVAFRGDSFHTPLDPQEL
DILKTVKEITGFLLIQAWPENRTDLHAFENLEIIRGRTKQHGQFSLAVV
SLNITSLGLRSLKEISDGDVIIISGNKNLCYANTINWKKLFGTSGQKTKI
ISNRGENSCKATGQVCHALCSPEGCWGPEPRDCVSCRNVSRGRECVDKC
NLLEGEPRFVENSECIQCHPECLPQAMNITCTGRGPDNCIQCAHYIDG
PHCVKTCPAGVMGENTLVWYADAGHVCHLCHPNCTYGCTGPGLEGCP
TNGPKIPSIATGMVGALLLLLVALLGIGLFMRRRHIVRKRTRLRLQLQER
ELVEPLTSGEAPNQALLRILKETEFKKIKVLGSGAFGTVYKGLWIPEG
EKVKIPVAIKELREATSPKANKEILDEAYVMASVDNPHVCRLGLICLTS
TVQLITQLMPFGCLLDVYREHKDNIGSQYLLNWCQVIAKGMNYLEDRL
VHRDLAARNVLVKTPQHVKITDFGLAKLLGAEKEYHAEGGKVPKWMMA
LESILHRIYTHQSDVWSYGVTVWELMTFGSKPYDGIPASEISSILEKGE
RLPQPPICTIDVYIMVCKWMIDADSRPKFRELIIEFSKMARDPQRYLV
IQGDERMHLPSPTDSNFYRALMDEEDMDVDVDADEYLIPOQGFSSPST
SRTPLLSSLSATSNNSTVACIDRNLQSCPIKEDSFLQRYSSDPTGALT
EDSIDDTFLPVPEYINQSVPKRPAGSVQNPVYHNQPLNPAPSRDPHYQD
PHSTAVGNPEYLVNTVQPTCVNSTFDSPAHWAKGSHQISLDNPDYQQDF
FPKEAKPNGIFKGSTAENAEYLRVAPQSSEFIGA
```

[0226] A EGFR-associated neoantigen can refer to an EGFR-associated neoepitope sequence alone.

[0227] A EGFR-associated neoantigen can be a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof.

[0228] A EGFR-associated neoantigen can be a EGFR_L858R MHC class I epitope. A EGFR-associated neoantigen can be a EGFR T790M MHC class I epitope. A EGFR-associated neoantigen can be a EGFR E746-A750 deletion MHC class I epitope.

[0229] Antigen-encoding cassettes described herein can encode two or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode a EGFR_L858R MHC class I epitope and a EGFR T790M MHC class I epitope. Antigen-encoding cassettes described herein can encode a EGFR_L858R MHC class I epitope and a EGFR E746-A750 deletion MHC class I epitope. Antigen-encoding cassettes described herein can encode a EGFR E746-A750 deletion MHC class I epitope and a EGFR T790M MHC class I epitope.

[0230] Antigen-encoding cassettes described herein can encode two or more iterations of two or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode two or more iterations of a EGFR_L858R MHC class I epitope and a EGFR T790M MHC class I epitope. Antigen-encoding cassettes described herein can encode two or more iterations of a EGFR_L858R MHC class I epitope and a EGFR E746-A750 deletion MHC class I epitope. Antigen-encoding cassettes described herein can encode two or more iterations of a EGFR E746-A750 deletion MHC class I epitope and a EGFR T790M MHC class I epitope.

[0231] Antigen-encoding cassettes described herein can encode 8 iterations of two or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode 8 or more iterations of a EGFR_L858R MHC class I epitope and a EGFR T790M MHC class I epitope. Antigen-encoding cassettes described herein can encode 8 or more iterations of a EGFR_L858R MHC class I epitope and a EGFR E746-A750 deletion MHC class I epitope. Antigen-encoding cassettes described herein can encode 8 or more iterations of a EGFR E746-A750 deletion MHC class I epitope and a EGFR T790M MHC class I epitope.

[0232] Antigen-encoding cassettes described herein can encode three or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, and a EGFR E746-A750 deletion MHC class I epitope. Antigen-encoding cassettes described herein can encode two or more iterations of three or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode 8 iterations of three or more EGFR-associated neoantigens.

[0233] Antigen-encoding cassettes described herein can encode two or more iterations of three or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode three or more iterations of a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, and a EGFR E746-A750 deletion MHC class I epitope.

[0234] Antigen-encoding cassettes described herein can encode 8 or more iterations of three or more EGFR-associated neoantigens. Antigen-encoding cassettes described herein can encode 8 or more iterations of a EGFR_L858R

MHC class I epitope, a EGFR T790M MHC class I epitope, and a EGFR E746-A750 deletion MHC class I epitope.

[0235] An EGFR-associated epitope can include the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), ITDFGRAKL (SEQ ID NO: 90), STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), LTSTVQLIM (SEQ ID NO: 76), PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). An EGFR-associated epitope can include the amino acid sequence KITDFGRAK (SEQ ID NO: 57), KITDFGRAKL (SEQ ID NO: 89), STVQLIMQL (SEQ ID NO: 75), or LTSTVQLIM (SEQ ID NO: 96).

[0236] An EGFR-associated epitope can include the amino acid sequence KITDFGRAK (SEQ ID NO: 57). An EGFR-associated epitope can include the amino acid sequence ITDFGRAK (SEQ ID NO: 88). An EGFR-associated epitope can include the amino acid sequence KITDFGRAKL (SEQ ID NO: 89). An EGFR-associated epitope can include the amino acid sequence ITDFGRAKL (SEQ ID NO: 90). An EGFR-associated epitope can include the amino acid sequence STVQLIMQL (SEQ ID NO: 75). An EGFR-associated epitope can include the amino acid sequence TVQLIMQL (SEQ ID NO: 91). An EGFR-associated epitope can include the amino acid sequence LTSTVQLIM (SEQ ID NO: 76). An EGFR-associated epitope can include the amino acid sequence PVAIKTSPK (SEQ ID NO: 82). An EGFR-associated epitope can include the amino acid sequence AIKTSPKANK (SEQ ID NO: 92). An EGFR-associated epitope can include the amino acid sequence VAIKTSPK (SEQ ID NO: 83). An EGFR-associated epitope can include the amino acid sequence KIPVAIKTSPK (SEQ ID NO: 84).

[0237] An EGFR-associated neoepitope can be an EGFR_L858R MHC class I epitope having the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90). An EGFR-associated neoepitope can be an EGFR_L858R MHC class I epitope having the amino acid sequence KITDFGRAK (SEQ ID NO: 57). An EGFR-associated neoepitope can be an EGFR_L858R MHC class I epitope having the amino acid sequence ITDFGRAK (SEQ ID NO: 88). An EGFR-associated neoepitope can be an EGFR_L858R MHC class I epitope having the amino acid sequence KITDFGRAKL (SEQ ID NO: 89). An EGFR-associated neoepitope can be an EGFR_L858R MHC class I epitope having the amino acid sequence ITDFGRAKL (SEQ ID NO: 90). An EGFR-associated neoepitope can be an EGFR_L858R MHC class I epitope validated to be presented by an HLA, such as having the amino acid sequence KITDFGRAK (SEQ ID NO: 57) validated by mass-spectrometry to be presented by at least HLA A*11:01, an HLA A*03:01, and/or KITDFGRAKL (SEQ ID NO: 89) validated by mass-spectrometry to be presented by at least HLA A*03:01.

[0238] An EGFR-associated epitope can be an EGFR T790M MHC class I epitope having the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76). An EGFR-associated epitope can be an EGFR T790M MHC class I epitope having the amino acid sequence STVQLIMQL (SEQ ID NO: 75). An EGFR-associated epitope can be an EGFR T790M MHC class I epitope having

the amino acid sequence LTSTVQLIM (SEQ ID NO: 76). An EGFR-associated epitope can be an EGFR T790M MHC class I epitope having the amino acid sequence TVQLIMQL (SEQ ID NO: 91). An EGFR-associated neoepitope can be an EGFR T790M MHC class I epitope validated to be presented by an HLA, such as having the amino acid sequence the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76) validated by mass-spectrometry to be presented by at least HLA C*15:02.

[0239] An EGFR-associated neoepitope can be an EGFR E746-A750 deletion (also referred to as “E19De1”) MHC class I epitope having the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). An EGFR-associated neoepitope can be an EGFR E746-A750 deletion MHC class I epitope having the amino acid sequence PVAIKTSPK (SEQ ID NO: 82). An EGFR-associated neoepitope can be an EGFR E746-A750 deletion MHC class I epitope having the amino acid sequence VAIKTSPK (SEQ ID NO: 83). An EGFR-associated neoepitope can be an EGFR E746-A750 deletion MHC class I epitope having the amino acid sequence KIPVAIKTSPK (SEQ ID NO: 84). An EGFR-associated neoepitope can be an EGFR E746-A750 deletion MHC class I epitope having the amino acid sequence AIKTSPKANK (SEQ ID NO: 92).

[0240] An EGFR-associated neoantigen can refer to an antigenic peptide including an EGFR-associated neoepitope, e.g., an EGFR_L858R MHC class I epitope including the amino acid sequence KITDFGRAK (SEQ ID NO: 57), a T790M MHC class I epitope including the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76), and/or an EGFR E746-A750 deletion MHC class I epitope including the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84). An EGFR-associated neoepitope can be an EGFR E746-A750 deletion MHC class I epitope validated to be presented by an HLA.

[0241] An EGFR-associated neoantigen can refer to an antigenic peptide including an EGFR-associated neoepitope and additional peptide sequences. For example, an EGFR-associated neoantigen that includes an EGFR-associated neoepitope can have the epitope embedded within their natural, surrounding peptide sequence. In a series of illustrative non-limiting examples, the EGFR_L858R MHC class I epitope KITDFGRAK (SEQ ID NO: 57) can be embedded within an antigenic peptide having the sequence KTPQHVKITDFGRAKLLGAEKEYH (SEQ ID NO: 58), KTPQHVKITDFGRAKLLGAEKEYHA (SEQ ID NO: 59), and/or KTPQHVKITDFGRAKLLGAEKEYHAE-GGKVP (SEQ ID NO: 74). In another series of illustrative non-limiting examples, the T790M MHC class I epitope STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76) can be embedded within an antigenic peptide having the sequence LGICLTSTVQLIMQLMPFGCLLDYV (SEQ ID NO: 77), GICLTSTVQLIMQLMPFGCLLDYVR (SEQ ID NO: 78), LGICLTSTVQLIMQLMPFGCLLDYVR (SEQ ID NO: 79), and/or CRLGICLTSTVQLIMQLMPFGCLLDYVR (SEQ ID NO: 81). In another series of illustrative non-limiting examples, the an EGFR E746-A750 deletion MHC class I epitope PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84) can be embedded within an antigenic peptide having the sequence EKVKIPVAIKTSPKANKEILDEAY (SEQ ID NO: 85),

GEKVKIPVAIKTSPKANKEILDEAY (SEQ ID NO: 86), and/or EKVKIPVAIKTSPKANKEILDEAYV-MASVDNPHVCR (SEQ ID NO: 87).

[0242] An antigenic peptide including EGFR-associated neopeptides can include multiple distinct EGFR-associated neopeptides. An antigenic peptide including EGFR-associated neopeptides can include multiple iterations of one or more EGFR-associated neopeptides. An antigenic peptide including EGFR-associated neopeptides can include multiple iterations of multiple distinct EGFR-associated neopeptides. An antigenic peptide including EGFR-associated neopeptides can include multiple iterations of at least 2 distinct EGFR-associated neopeptides. An antigenic peptide including EGFR-associated neopeptides can include multiple iterations of at least 3 distinct EGFR-associated neopeptides.

[0243] An antigenic peptide including EGFR-associated neopeptides can include at least each of a EGFR_L858R MHC class I epitope and a T790M MHC class I epitope. An antigenic peptide including EGFR-associated neopeptides can include multiple iterations of at least each of a EGFR_L858R MHC class I epitope and a T790M MHC class I epitope. An antigenic peptide including EGFR-associated neopeptides can include at least 4 iterations of each of a EGFR_L858R MHC class I epitope and a T790M MHC class I epitope. An antigenic peptide including EGFR-associated neopeptides can include at least 8 iterations of each of a EGFR_L858R MHC class I epitope and a T790M MHC class I epitope.

[0244] An antigenic peptide including EGFR-associated neopeptides can include at least each of a EGFR_L858R MHC class I epitope, a T790M MHC class I epitope, and a E746-A750 deletion MHC class I epitope. An antigenic peptide including EGFR-associated neopeptides can include multiple iterations of at least each of a EGFR_L858R MHC class I epitope, a T790M MHC class I epitope, and a E746-A750 deletion MHC class I epitope. An antigenic peptide including EGFR-associated neopeptides can include at least 4 iterations of each of a EGFR_L858R MHC class I epitope, a T790M MHC class I epitope, and a E746-A750 deletion MHC class I epitope. An antigenic peptide including EGFR-associated neopeptides can include at least 8 iterations of each of a EGFR_L858R MHC class I epitope, a T790M MHC class I epitope, and a E746-A750 deletion MHC class I epitope.

[0245] Genetic mutations in tumors can be considered useful for the immunological targeting of tumors if they lead to changes in the amino acid sequence of a protein exclusively in the tumor. Useful mutations include: (1) non-synonymous mutations leading to different amino acids in the protein; (2) read-through mutations in which a stop codon is modified or deleted, leading to translation of a longer protein with a novel tumor-specific sequence at the C-terminus; (3) splice site mutations that lead to the inclusion of an intron in the mature mRNA and thus a unique tumor-specific protein sequence; (4) chromosomal rearrangements that give rise to a chimeric protein with tumor-specific sequences at the junction of 2 proteins (i.e., gene fusion); (5) frameshift mutations or deletions that lead to a new open reading frame with a novel tumor-specific protein sequence. Mutations can also include one or more of non-frameshift indel, missense or nonsense substitution, splice site alteration, genomic rearrangement or gene fusion, or any genomic or expression alteration giving rise to a neoORF.

[0246] Peptides with mutations or mutated polypeptides arising from for example, splice-site, frameshift, read-through, or gene fusion mutations in tumor cells can be identified by sequencing DNA, RNA or protein in tumor versus normal cells.

[0247] Also mutations can include previously identified tumor specific mutations. Known tumor mutations can be found at the Catalogue of Somatic Mutations in Cancer (COSMIC) database.

[0248] A variety of methods are available for detecting the presence of a particular mutation or allele in an individual's DNA or RNA. Advancements in this field have provided accurate, easy, and inexpensive large-scale SNP genotyping. For example, several techniques have been described including dynamic allele-specific hybridization (DASH), microplate array diagonal gel electrophoresis (MADGE), pyrosequencing, oligonucleotide-specific ligation, the TaqMan system as well as various DNA "chip" technologies such as the Affymetrix SNP chips. These methods utilize amplification of a target genetic region, typically by PCR. Still other methods, based on the generation of small signal molecules by invasive cleavage followed by mass spectrometry or immobilized padlock probes and rolling-circle amplification. Several of the methods known in the art for detecting specific mutations are summarized below.

[0249] PCR based detection means can include multiplex amplification of a plurality of markers simultaneously. For example, it is well known in the art to select PCR primers to generate PCR products that do not overlap in size and can be analyzed simultaneously. Alternatively, it is possible to amplify different markers with primers that are differentially labeled and thus can each be differentially detected. Of course, hybridization based detection means allow the differential detection of multiple PCR products in a sample. Other techniques are known in the art to allow multiplex analyses of a plurality of markers.

[0250] Several methods have been developed to facilitate analysis of single nucleotide polymorphisms in genomic DNA or cellular RNA. For example, a single base polymorphism can be detected by using a specialized exonuclease-resistant nucleotide, as disclosed, e.g., in Mundy, C. R. (U.S. Pat. No. 4,656,127). According to the method, a primer complementary to the allelic sequence immediately 3' to the polymorphic site is permitted to hybridize to a target molecule obtained from a particular animal or human. If the polymorphic site on the target molecule contains a nucleotide that is complementary to the particular exonuclease-resistant nucleotide derivative present, then that derivative will be incorporated onto the end of the hybridized primer. Such incorporation renders the primer resistant to exonuclease, and thereby permits its detection. Since the identity of the exonuclease-resistant derivative of the sample is known, a finding that the primer has become resistant to exonucleases reveals that the nucleotide(s) present in the polymorphic site of the target molecule is complementary to that of the nucleotide derivative used in the reaction. This method has the advantage that it does not require the determination of large amounts of extraneous sequence data.

[0251] A solution-based method can be used for determining the identity of a nucleotide of a polymorphic site. Cohen, D. et al. (French Patent 2,650,840; PCT Appln. No. WO91/02087). As in the Mundy method of U.S. Pat. No. 4,656,127, a primer is employed that is complementary to allelic sequences immediately 3' to a polymorphic site. The method

determines the identity of the nucleotide of that site using labeled dideoxynucleotide derivatives, which, if complementary to the nucleotide of the polymorphic site will become incorporated onto the terminus of the primer.

[0252] An alternative method, known as Genetic Bit Analysis or GBA is described by Goelet, P. et al. (PCT Appln. No. 92/15712). The method of Goelet, P. et al. uses mixtures of labeled terminators and a primer that is complementary to the sequence 3' to a polymorphic site. The labeled terminator that is incorporated is thus determined by, and complementary to, the nucleotide present in the polymorphic site of the target molecule being evaluated. In contrast to the method of Cohen et al. (French Patent 2,650,840; PCT Appln. No. WO91/02087) the method of Goelet, P. et al. can be a heterogeneous phase assay, in which the primer or the target molecule is immobilized to a solid phase.

[0253] Several primer-guided nucleotide incorporation procedures for assaying polymorphic sites in DNA have been described (Komher, J. S. et al., Nucl. Acids. Res. 17:7779-7784 (1989); Sokolov, B. P., Nucl. Acids Res. 18:3671 (1990); Syvanen, A.-C., et al., Genomics 8:684-692 (1990); Kuppuswamy, M. N. et al., Proc. Natl. Acad. Sci. (U.S.A.) 88:1143-1147 (1991); Prezant, T. R. et al., Hum. Mutat. 1:159-164 (1992); Ugozzoli, L. et al., GATA 9:107-112 (1992); Nyren, P. et al., Anal. Biochem. 208:171-175 (1993)). These methods differ from GBA in that they utilize incorporation of labeled deoxynucleotides to discriminate between bases at a polymorphic site. In such a format, since the signal is proportional to the number of deoxynucleotides incorporated, polymorphisms that occur in runs of the same nucleotide can result in signals that are proportional to the length of the run (Syvanen, A.-C., et al., Amer. J. Hum. Genet. 52:46-59 (1993)).

[0254] A number of initiatives obtain sequence information directly from millions of individual molecules of DNA or RNA in parallel. Real-time single molecule sequencing-by-synthesis technologies rely on the detection of fluorescent nucleotides as they are incorporated into a nascent strand of DNA that is complementary to the template being sequenced. In one method, oligonucleotides 30-50 bases in length are covalently anchored at the 5' end to glass cover slips. These anchored strands perform two functions. First, they act as capture sites for the target template strands if the templates are configured with capture tails complementary to the surface-bound oligonucleotides. They also act as primers for the template directed primer extension that forms the basis of the sequence reading. The capture primers function as a fixed position site for sequence determination using multiple cycles of synthesis, detection, and chemical cleavage of the dye-linker to remove the dye. Each cycle includes adding the polymerase/labeled nucleotide mixture, rinsing, imaging and cleavage of dye. In an alternative method, polymerase is modified with a fluorescent donor molecule and immobilized on a glass slide, while each nucleotide is color-coded with an acceptor fluorescent moiety attached to a gamma-phosphate. The system detects the interaction between a fluorescently-tagged polymerase and a fluorescently modified nucleotide as the nucleotide becomes incorporated into the de novo chain. Other sequencing-by-synthesis technologies also exist.

[0255] Any suitable sequencing-by-synthesis platform can be used to identify mutations. As described above, four major sequencing-by-synthesis platforms are currently

available: the Genome Sequencers from Roche/454 Life Sciences, the 1G Analyzer from Illumina/Solexa, the SOLiD system from Applied BioSystems, and the Heliscope system from Helicos Biosciences. Sequencing-by-synthesis platforms have also been described by Pacific BioSciences and VisiGen Biotechnologies. In some embodiments, a plurality of nucleic acid molecules being sequenced is bound to a support (e.g., solid support). To immobilize the nucleic acid on a support, a capture sequence/universal priming site can be added at the 3' and/or 5' end of the template. The nucleic acids can be bound to the support by hybridizing the capture sequence to a complementary sequence covalently attached to the support. The capture sequence (also referred to as a universal capture sequence) is a nucleic acid sequence complementary to a sequence attached to a support that may dually serve as a universal primer.

[0256] As an alternative to a capture sequence, a member of a coupling pair (such as, e.g., antibody/antigen, receptor/ligand, or the avidin-biotin pair as described in, e.g., US Patent Application No. 2006/0252077) can be linked to each fragment to be captured on a surface coated with a respective second member of that coupling pair.

[0257] Subsequent to the capture, the sequence can be analyzed, for example, by single molecule detection/sequencing, e.g., as described in the Examples and in U.S. Pat. No. 7,283,337, including template-dependent sequencing-by-synthesis. In sequencing-by-synthesis, the surface-bound molecule is exposed to a plurality of labeled nucleotide triphosphates in the presence of polymerase. The sequence of the template is determined by the order of labeled nucleotides incorporated into the 3' end of the growing chain. This can be done in real time or can be done in a step-and-repeat mode. For real-time analysis, different optical labels to each nucleotide can be incorporated and multiple lasers can be utilized for stimulation of incorporated nucleotides.

[0258] Sequencing can also include other massively parallel sequencing or next generation sequencing (NGS) techniques and platforms. Additional examples of massively parallel sequencing techniques and platforms are the Illumina HiSeq or MiSeq, Thermo PGM or Proton, the Pac Bio RS II or Sequel, Qiagen's Gene Reader, and the Oxford Nanopore MinION. Additional similar current massively parallel sequencing technologies can be used, as well as future generations of these technologies.

[0259] Any cell type or tissue can be utilized to obtain nucleic acid samples for use in methods described herein. For example, a DNA or RNA sample can be obtained from a tumor or a bodily fluid, e.g., blood, obtained by known techniques (e.g. venipuncture) or saliva. Alternatively, nucleic acid tests can be performed on dry samples (e.g. hair or skin). In addition, a sample can be obtained for sequencing from a tumor and another sample can be obtained from normal tissue for sequencing where the normal tissue is of the same tissue type as the tumor. A sample can be obtained for sequencing from a tumor and another sample can be obtained from normal tissue for sequencing where the normal tissue is of a distinct tissue type relative to the tumor.

[0260] Tumors can include one or more of lung cancer, melanoma, breast cancer, ovarian cancer, prostate cancer, kidney cancer, gastric cancer, colon cancer, testicular cancer, head and neck cancer, pancreatic cancer, brain cancer, B-cell lymphoma, acute myelogenous leukemia, chronic myelog-

enous leukemia, chronic lymphocytic leukemia, and T cell lymphocytic leukemia, non-small cell lung cancer, and small cell lung cancer.

[0261] Alternatively, protein mass spectrometry can be used to identify or validate the presence of mutated peptides bound to MHC proteins on tumor cells. Peptides can be acid-eluted from tumor cells or from HLA molecules that are immunoprecipitated from tumor, and then identified using mass spectrometry.

IV. Antigens

[0262] Antigens can include nucleotides or polypeptides. For example, an antigen can be an RNA sequence that encodes for a polypeptide sequence. Antigens useful in vaccines can therefore include nucleotide sequences or polypeptide sequences.

[0263] Disclosed herein are isolated peptides that comprise tumor specific mutations identified by the methods disclosed herein, peptides that comprise known tumor specific mutations, and mutant polypeptides or fragments thereof identified by methods disclosed herein. Neoantigen peptides can be described in the context of their coding sequence where a neoantigen includes the nucleotide sequence (e.g., DNA or RNA) that codes for the related polypeptide sequence.

[0264] Also disclosed herein are peptides derived from any polypeptide known to or have been found to have altered expression in a tumor cell or cancerous tissue in comparison to a normal cell or tissue, for example any polypeptide known to or have been found to be aberrantly expressed in a tumor cell or cancerous tissue in comparison to a normal cell or tissue. Suitable polypeptides from which the antigenic peptides can be derived can be found for example in the COSMIC database. COSMIC curates comprehensive information on somatic mutations in human cancer. The peptide contains the tumor specific mutation.

[0265] Antigens can be selected that are predicted to be presented on the cell surface of a cell, such as a tumor cell, an infected cell, or an immune cell, including professional antigen presenting cells such as dendritic cells. Antigens can be selected that are predicted to be immunogenic.

[0266] One or more polypeptides encoded by an antigen nucleotide sequence can comprise at least one of: a binding affinity with MHC with an IC50 value of less than 1000 nM, for MHC Class I peptides a length of 8-15, 8, 9, 10, 11, 12, 13, 14, or 15 amino acids, presence of sequence motifs within or near the peptide promoting proteasome cleavage, and presence or sequence motifs promoting TAP transport. For MHC Class II peptides a length 6-30, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 amino acids, presence of sequence motifs within or near the peptide promoting cleavage by extracellular or lysosomal proteases (e.g., cathepsins) or HLA-DM catalyzed HLA binding.

[0267] One or more antigens can be presented on the surface of a tumor.

[0268] One or more antigens can be immunogenic in a subject having a tumor, e.g., capable of stimulating a T cell response and/or a B cell response in the subject.

[0269] One or more antigens can be capable of stimulating a B cell response, such as the production of antibodies that recognize the one or more antigens (e.g., antibodies that recognize a tumor). Antibodies can recognize linear polypeptide sequences or recognize secondary and tertiary struc-

tures. Accordingly, B cell antigens can include linear polypeptide sequences or polypeptides having secondary and tertiary structures, including, but not limited to, full-length proteins, protein subunits, protein domains, or any polypeptide sequence known or predicted to have secondary and tertiary structures. Antigens capable of stimulating a B cell response to a tumor can be an antigen found on the surface of tumor cell or an infectious disease organism, respectively. Antigens capable of stimulating a B cell response to a tumor can be an intracellular neoantigen expressed in a tumor.

[0270] One or more antigens can include a combination of antigens capable of stimulating a T cell response (e.g., peptides including predicted T cell epitope sequences) and distinct antigens capable of stimulating a B cell response (e.g., full-length proteins, protein subunits, protein domains).

[0271] One or more antigens that stimulate an autoimmune response in a subject can be excluded from consideration in the context of vaccine generation for a subject.

[0272] The size of at least one antigenic peptide molecule (e.g., an epitope sequence) can comprise, but is not limited to, about 5, about 6, about 7, about 8, about 9, about 10, about 11, about 12, about 13, about 14, about 15, about 16, about 17, about 18, about 19, about 20, about 21, about 22, about 23, about 24, about 25, about 26, about 27, about 28, about 29, about 30, about 31, about 32, about 33, about 34, about 35, about 36, about 37, about 38, about 39, about 40, about 41, about 42, about 43, about 44, about 45, about 46, about 47, about 48, about 49, about 50, about 60, about 70, about 80, about 90, about 100, about 110, about 120 or greater amino molecule residues, and any range derivable therein. In specific embodiments the antigenic peptide molecules are equal to or less than 50 amino acids.

[0273] Antigenic peptides and polypeptides can be: for MHC Class I 15 residues or less in length and usually consist of between about 8 and about 11 residues, particularly 9 or 10 residues; for MHC Class II, 6-30 residues, inclusive.

[0274] If desirable, a longer peptide can be designed in several ways. In one case, when presentation likelihoods of peptides on HLA alleles are predicted or known, a longer peptide could consist of either: (1) individual presented peptides with an extensions of 2-5 amino acids toward the N- and C-terminus of each corresponding gene product; (2) a concatenation of some or all of the presented peptides with extended sequences for each. In another case, when sequencing reveals a long (>10 residues) neoepitope sequence present in the tumor (e.g. due to a frameshift, read-through or intron inclusion that leads to a novel peptide sequence), a longer peptide would consist of: (3) the entire stretch of novel tumor-specific or infectious disease-specific amino acids—thus bypassing the need for computational or in vitro test-based selection of the strongest HLA-presented shorter peptide. In both cases, use of a longer peptide allows endogenous processing by patient cells and may lead to more effective antigen presentation and stimulation of T cell responses. Longer peptides can also include a full-length protein, a protein subunit, a protein domain, and combinations thereof of a peptide, such as those expressed in a tumor or an infectious disease organism, respectively. Longer peptides (e.g., full-length protein, protein subunit, or protein domain) and combinations thereof can be included to stimulate a B cell response.

[0275] Antigenic peptides and polypeptides can be presented on an HLA protein. In some aspects antigenic pep-

tides and polypeptides are presented on an HLA protein with greater affinity than a wild-type peptide. In some aspects, an antigenic peptide or polypeptide can have an IC₅₀ of at least less than 5000 nM, at least less than 1000 nM, at least less than 500 nM, at least less than 250 nM, at least less than 200 nM, at least less than 150 nM, at least less than 100 nM, at least less than 50 nM or less.

[0276] In some aspects, antigenic peptides and polypeptides do not stimulate an autoimmune response and/or invoke immunological tolerance when administered to a subject.

[0277] Also provided are compositions comprising at least two or more antigenic peptides. In some embodiments the composition contains at least two distinct peptides. At least two distinct peptides can be derived from the same polypeptide. By distinct polypeptides is meant that the peptide vary by length, amino acid sequence, or both. A peptide can include a tumor-specific mutation. Tumor-specific peptides can be derived from any polypeptide known to or have been found to contain a tumor specific mutation or peptides derived from any polypeptide known to or have been found to have altered expression in a tumor cell or cancerous tissue in comparison to a normal cell or tissue, for example any polypeptide known to or have been found to be aberrantly expressed in a tumor cell or cancerous tissue in comparison to a normal cell or tissue. The peptides can be derived from any polypeptide known to or suspected to be associated with an infectious disease organism, or peptides derived from any polypeptide known to or have been found to have altered expression in an infected cell in comparison to a normal cell or tissue (e.g., an infectious disease polynucleotide or polypeptide, including infectious disease polynucleotides or polypeptides with expression restricted to a host cell). Suitable polypeptides from which the antigenic peptides can be derived can be found for example in the COSMIC database or the AACR Genomics Evidence Neoplasia Information Exchange (GENIE) database. COSMIC curates comprehensive information on somatic mutations in human cancer. AACR GENIE aggregates and links clinical-grade cancer genomic data with clinical outcomes from tens of thousands of cancer patients. In some aspects the tumor specific mutation is a driver mutation for a particular cancer type.

[0278] Antigenic peptides and polypeptides having a desired activity or property can be modified to provide certain desired attributes, e.g., improved pharmacological characteristics, while increasing or at least retaining substantially all of the biological activity of the unmodified peptide to bind the desired MHC molecule and activate the appropriate T cell. For instance, antigenic peptide and polypeptides can be subject to various changes, such as substitutions, either conservative or non-conservative, where such changes might provide for certain advantages in their use, such as improved MHC binding, stability or presentation. By conservative substitutions is meant replacing an amino acid residue with another which is biologically and/or chemically similar, e.g., one hydrophobic residue for another, or one polar residue for another. The substitutions include combinations such as Gly, Ala; Val, Ile, Leu, Met; Asp, Glu; Asn, Gln; Ser, Thr; Lys, Arg; and Phe, Tyr. The effect of single amino acid substitutions may also be probed using D-amino acids. Such modifications can be made using well known peptide synthesis procedures, as described in e.g., Merrifield, *Science* 232:341-347 (1986), Barany & Merrifield, *The Peptides*, Gross & Meienhofer, eds. (N.Y.,

Academic Press), pp. 1-284 (1979); and Stewart & Young, *Solid Phase Peptide Synthesis*, (Rockford, Ill., Pierce), 2d Ed. (1984).

[0279] Modifications of peptides and polypeptides with various amino acid mimetics or unnatural amino acids can be particularly useful in increasing the stability of the peptide and polypeptide in vivo. Stability can be assayed in a number of ways. For instance, peptidases and various biological media, such as human plasma and serum, have been used to test stability. See, e.g., Verhoef et al., *Eur. J. Drug Metab Pharmacokin.* 11:291-302 (1986). Half-life of the peptides can be conveniently determined using a 25% human serum (v/v) assay. The protocol is generally as follows. Pooled human serum (Type AB, non-heat inactivated) is delipidated by centrifugation before use. The serum is then diluted to 25% with RPMI tissue culture media and used to test peptide stability. At predetermined time intervals a small amount of reaction solution is removed and added to either 6% aqueous trichloroacetic acid or ethanol. The cloudy reaction sample is cooled (4 degrees C.) for 15 minutes and then spun to pellet the precipitated serum proteins. The presence of the peptides is then determined by reversed-phase HPLC using stability-specific chromatography conditions.

[0280] The peptides and polypeptides can be modified to provide desired attributes other than improved serum half-life. For instance, the ability of the peptides to stimulate CTL activity can be enhanced by linkage to a sequence which contains at least one epitope that is capable of stimulating a T helper cell response. Immunogenic peptides/T helper conjugates can be linked by a spacer molecule. The spacer is typically comprised of relatively small, neutral molecules, such as amino acids or amino acid mimetics, which are substantially uncharged under physiological conditions. The spacers are typically selected from, e.g., Ala, Gly, or other neutral spacers of nonpolar amino acids or neutral polar amino acids. It will be understood that the optionally present spacer need not be comprised of the same residues and thus can be a hetero- or homo-oligomer. When present, the spacer will usually be at least one or two residues, more usually three to six residues. Alternatively, the peptide can be linked to the T helper peptide without a spacer.

[0281] An antigenic peptide can be linked to the T helper peptide either directly or via a spacer either at the amino or carboxy terminus of the peptide. The amino terminus of either the antigenic peptide or the T helper peptide can be acylated. Exemplary T helper peptides include tetanus toxin 830-843, influenza 307-319, malaria circumsporozoite 382-398 and 378-389.

[0282] Proteins or peptides can be made by any technique known to those of skill in the art, including the expression of proteins, polypeptides or peptides through standard molecular biological techniques, the isolation of proteins or peptides from natural sources, or the chemical synthesis of proteins or peptides. The nucleotide and protein, polypeptide and peptide sequences corresponding to various genes have been previously disclosed, and can be found at computerized databases known to those of ordinary skill in the art. One such database is the National Center for Biotechnology Information's Genbank and GenPept databases located at the National Institutes of Health website. The coding regions for known genes can be amplified and/or expressed using the techniques disclosed herein or as would be known to those of ordinary skill in the art. Alternatively, various commercial

preparations of proteins, polypeptides and peptides are known to those of skill in the art.

[0283] In a further aspect an antigen includes a nucleic acid (e.g. polynucleotide) that encodes an antigenic peptide or portion thereof. The polynucleotide can be, e.g., DNA, cDNA, PNA, CNA, RNA (e.g., mRNA), either single- and/or double-stranded, or native or stabilized forms of polynucleotides, such as, e.g., polynucleotides with a phosphorothioate backbone, or combinations thereof and it may or may not contain introns. A polynucleotide sequence encoding an antigen can be sequence-optimized to improve expression, such as through improving transcription, translation, post-transcriptional processing, and/or RNA stability. For example, polynucleotide sequence encoding an antigen can be codon-optimized. "Codon-optimization" herein refers to replacing infrequently used codons, with respect to codon bias of a given organism, with frequently used synonymous codons. Polynucleotide sequences can be optimized to improve post-transcriptional processing, for example optimized to reduce unintended splicing, such as through removal of splicing motifs (e.g., canonical and/or cryptic/non-canonical splice donor, branch, and/or acceptor sequences) and/or introduction of exogenous splicing motifs (e.g., splice donor, branch, and/or acceptor sequences) to bias favored splicing events. Exogenous intron sequences include, but are not limited to, those derived from SV40 (e.g., an SV40 mini-intron) and derived from immunoglobulins (e.g., human P-globin gene). Exogenous intron sequences can be incorporated between a promoter/enhancer sequence and the antigen(s) sequence. Exogenous intron sequences for use in expression vectors are described in more detail in Callendret et al. (Virology. 2007 Jul. 5; 363(2): 288-302), herein incorporated by reference for all purposes. Polynucleotide sequences can be optimized to improve transcript stability, for example through removal of RNA instability motifs (e.g., AU-rich elements and 3' UTR motifs) and/or repetitive nucleotide sequences. Polynucleotide sequences can be optimized to improve accurate transcription, for example through removal of cryptic transcriptional initiators and/or terminators. Polynucleotide sequences can be optimized to improve translation and translational accuracy, for example through removal of cryptic AUG start codons, premature polyA sequences, and/or secondary structure motifs. Polynucleotide sequences can be optimized to improve nuclear export of transcripts, such as through addition of a Constitutive Transport Element (CTE), RNA Transport Element (RTE), or Woodchuck Post-transcriptional Regulatory Element (WPRE). Nuclear export signals for use in expression vectors are described in more detail in Callendret et al. (Virology. 2007 Jul. 5; 363(2): 288-302), herein incorporated by reference for all purposes. Polynucleotide sequences can be optimized with respect to GC content, for example to reflect the average GC content of a given organism. Sequence optimization can balance one or more sequence properties, such as transcription, translation, post-transcriptional processing, and/or RNA stability. Sequence optimization can generate an optimal sequence balancing each of transcription, translation, post-transcriptional processing, and RNA stability. Sequence optimization algorithms are known to those of skill in the art, such as GeneArt (Thermo Fisher), Codon Optimization Tool (IDT), Cool Tool (University of Singapore), SGI-DNA (La Jolla California). One or more regions of an antigen-encoding protein can be sequence-optimized separately.

[0284] A still further aspect provides an expression vector capable of expressing a polypeptide or portion thereof. Expression vectors for different cell types are well known in the art and can be selected without undue experimentation. Generally, DNA is inserted into an expression vector, such as a plasmid, in proper orientation and correct reading frame for expression. If necessary, DNA can be linked to the appropriate transcriptional and translational regulatory control nucleotide sequences recognized by the desired host, although such controls are generally available in the expression vector. The vector is then introduced into the host through standard techniques. Guidance can be found e.g. in Sambrook et al. (1989) Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.

V. Vaccine Compositions

[0285] Also disclosed herein is an immunogenic composition, e.g., a vaccine composition, capable of raising a specific immune response, e.g., a tumor-specific immune response or an infectious disease organism-specific immune response. Vaccine compositions typically comprise one or a plurality of antigens, e.g., selected using a method described herein. Vaccine compositions can also be referred to as vaccines.

[0286] A vaccine can contain between 1 and 30 peptides, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 different peptides, 6, 7, 8, 9, 10, 11, 12, 13, or 14 different peptides, or 12, 13 or 14 different peptides. Peptides can include post-translational modifications. A vaccine can contain between 1 and 100 or more nucleotide sequences, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more different nucleotide sequences, 6, 7, 8, 9, 10, 11, 12, 13, or 14 different nucleotide sequences, or 12, 13 or 14 different nucleotide sequences. A vaccine can contain between 1 and 30 antigen sequences, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more different antigen sequences, 6, 7, 8, 9, 10, 11, 12, 13, or 14 different antigen sequences, or 12, 13 or 14 different antigen sequences.

[0287] A vaccine can contain between 1 and 30 antigen-encoding nucleic acid sequences, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more different antigen-encoding nucleic acid sequences, 6, 7, 8, 9, 10, 11, 12, 13, or 14 different antigen-encoding nucleic acid sequences, or 12, 13 or 14 different antigen-encoding nucleic acid sequences. Antigen-encoding nucleic acid sequences can refer to the antigen encoding portion of an "antigen cassette." Features of an antigen cassette are

described in greater detail herein. An antigen-encoding nucleic acid sequence can contain one or more epitope-encoding nucleic acid sequences (e.g., an antigen-encoding nucleic acid sequence encoding concatenated T cell epitopes).

[0288] A vaccine can contain between 1 and 30 distinct epitope-encoding nucleic acid sequences, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more distinct epitope-encoding nucleic acid sequences, 6, 7, 8, 9, 10, 11, 12, 13, or 14 distinct epitope-encoding nucleic acid sequences, or 12, 13 or 14 distinct epitope-encoding nucleic acid sequences. Epitope-encoding nucleic acid sequences can refer to sequences for individual epitope sequences, such as each of the T cell epitopes in an antigen-encoding nucleic acid sequence encoding concatenated T cell epitopes.

[0289] A vaccine can contain at least two iterations of an epitope-encoding nucleic acid sequence. A used herein, an “iteration” (or interchangeably a “repeat”) refers to two or more identical nucleic acid epitope-encoding nucleic acid sequences (inclusive of the optional 5' linker sequence and/or the optional 3' linker sequences described herein) within an antigen-encoding nucleic acid sequence. In one example, the antigen-encoding nucleic acid sequence portion of a cassette encodes at least two iterations of an epitope-encoding nucleic acid sequence. In further non-limiting examples, the antigen-encoding nucleic acid sequence portion of a cassette encodes more than one distinct epitope, and at least one of the distinct epitopes is encoded by at least two iterations of the nucleic acid sequence encoding the distinct epitope (i.e., at least two distinct epitope-encoding nucleic acid sequences). In illustrative non-limiting examples, an antigen-encoding nucleic acid sequence encodes epitopes A, B, and C encoded by epitope-encoding nucleic acid sequences epitope-encoding sequence A (E_A), epitope-encoding sequence B (E_B), and epitope-encoding sequence C (E_C), and exemplary antigen-encoding nucleic acid sequences having iterations of at least one of the distinct epitopes are illustrated by, but is not limited to, the formulas below:

[0290] Repeat of one distinct epitope (repeat of epitope A):

[0291] E_A - E_B - E_C - E_A ; or

[0292] E_A - E_A - E_B - E_C

[0293] Repeat of multiple distinct epitopes (iterations of epitopes A, B, and C):

[0294] E_A - E_B - E_C - E_A - E_B - E_C ; or

[0295] E_A - E_A - E_B - E_B - E_C - E_C

[0296] Multiple iterations iterations of multiple distinct epitopes (iterations of epitopes A, B, and C):

[0297] E_A - E_B - E_C - E_A - E_B - E_C - E_A - E_B - E_C ; or

[0298] E_A - E_A - E_A - E_B - E_B - E_B - E_C - E_C - E_C

[0299] The above examples are not limiting and the antigen-encoding nucleic acid sequences having iterations of at least one of the distinct epitopes can encode each of the distinct epitopes in any order or frequency. For example, the order and frequency can be a random arrangement of the distinct epitopes, e.g., in an example with epitopes A, B, and C, by the formula E_A - E_B - E_C - E_C - E_A - E_B - E_A - E_C - E_A - E_C - E_C - E_B .

[0300] An illustrative antigen-encoding cassette design having two or more iterations of two or more distinct and non-identical MHC epitopes is described by the following where the antigen-encoding cassette includes:

[0301] (i) a nucleic acid sequence A (E_A); and

[0302] (ii) a nucleic acid sequence B (E_B),

[0303] wherein E_A and E_B each encode one MHC epitope,

[0304] wherein the MHC epitope encoded by E_A and the MHC epitope encoded by E_B are distinct and non-identical,

[0305] wherein the cassette includes at least two iterations of E_A and at least two iterations of E_B , and

[0306] wherein each iteration of E_A and E_B , respectively, are identical nucleic acid sequences.

[0307] The cassette above can encode at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of one or both of E_A and E_B . The cassette above can encode at least 8 iterations of one or both of E_A and E_B . The cassette above can encode 2 iterations of one or both of E_A and E_B . The cassette above can encode 3 iterations of one or both of E_A and E_B . The cassette above can encode 4 iterations of one or both of E_A and E_B . The cassette above can encode 5 iterations of one or both of E_A and E_B . The cassette above can encode 6 iterations of one or both of E_A and E_B . The cassette above can encode 7 iterations of one or both of E_A and E_B . The cassette above can encode 8 iterations of one or both of E_A and E_B .

[0308] The cassette above can encode at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of each of E_A and E_B . The cassette above can encode at least 8 iterations of each of E_A and E_B . The cassette above can encode 2 iterations of each of E_A and E_B . The cassette above can encode 3 iterations of each of E_A and E_B . The cassette above can encode 4 iterations of each of E_A and E_B . The cassette above can encode 5 iterations of each of E_A and E_B . The cassette above can encode 6 iterations of each of E_A and E_B . The cassette above can encode 7 iterations of each of E_A and E_B . The cassette above can encode 8 iterations of each of E_A and E_B .

[0309] E_A and/or E_B can be concatenated to nucleic acids encoding other MHC epitopes (e.g., other E_A and/or E_B) by a linker-encoding nucleic acid.

[0310] The cassette above can encode each of E_A and E_B in a unit E_A - E_B that is repeated, e.g., the unit E_A - E_B repeated 4 times is illustrated by the following: E_A - E_B - E_A - E_B - E_A - E_B - E_A - E_B .

[0311] The cassette above can further include a nucleic acid sequence C (E_C), where E_C encodes one MHC epitope, where the MHC epitope encoded by E_C is distinct and non-identical with respect to the MHC epitope encoded by E_A and the MHC epitope encoded by E_B , where the cassette comprises at least two iterations of E_C and, and where each iteration of E_C is an identical nucleic acid sequence. The cassette above can encode each of the unit E_A - E_B - E_C that is repeated, e.g., the unit E_A - E_B - E_C repeated 4 times is illustrated by the following: E_A - E_B - E_C - E_A - E_B - E_C - E_A - E_B - E_C - E_A - E_B - E_C .

[0312] The cassette above can encode at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of each of E_A , E_B , and E_C . The cassette above can encode at least 8 iterations of each of E_A , E_B , and E_C . The cassette above can encode 2 iterations of each of E_A , E_B , and E_C . The cassette above can encode 3 iterations of each of E_A , E_B , and E_C . The

cassette above can encode 4 iterations of each of E_A , E_B , and E_C . The cassette above can encode 5 iterations of each of E_A , E_B , and E_C . The cassette above can encode 6 iterations of each of E_A , E_B , and E_C . The cassette above can encode 7 iterations of each of E_A , E_B , and E_C . The cassette above can encode 8 iterations of each of E_A , E_B , and E_C .

[0313] While iterations of E_A , E_B , and/or E_C may be repeated in a unit, such as $E_A-E_B-E_C$, they may be repeated in alternative orders, e.g. $E_A-E_B-E_C-E_C-E_B-E_A-E_A-E_B-E_C-E_B-E_A-E_C$ or $E_A-E_A-E_A-E_A-E_B-E_B-E_B-E_B-E_C-E_C-E_C-E_C$, including orders designed to minimize junctional epitope formation.

[0314] E_A , E_B , and/or E_C can be concatenated to nucleic acids encoding other MHC epitopes (e.g., other E_A , E_B , and/or E_C) by a linker-encoding nucleic acid.

[ZN to Incorporate Claim 1 Style Formula Format]

[0315] Also provided for herein is an antigen-encoding cassette, the antigen-encoding cassette having at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x-(E^N_{n/y})_z$$

[0316] where E represents a nucleotide sequence including a distinct epitope-encoding nucleic acid sequences,

[0317] n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,

[0318] E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n,

[0319] for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and

[0320] z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given E^N , or a combination thereof. In some aspects, at least one of the distinct epitope-encoding nucleic acid sequences with the at least two iterations encodes a EGFR-associated MHC class I neopeptide.

[0321] Each E or E^N can independently comprise any epitope-encoding nucleic acid sequence described herein (e.g., a peptide encoding a neoantigen epitope). For example, Each E or E^N can independently comprises a nucleotide sequence described, from 5' to 3', by the formula $(L5_b-N_c-L3_d)$, where N comprises the distinct epitope-encoding nucleic acid sequence associated with each E or E^N , where c=1, L5 comprises a 5' linker sequence, where b=0 or 1, and L3 comprises a 3' linker sequence, where d=0 or 1. Epitopes and linkers that can be used are further described herein.

[0322] Iterations of an epitope-encoding nucleic acid sequences (inclusive of optional 5' linker sequence and/or the optional 3' linker sequences) can be linearly linked directly to one another (e.g., E_A-E_A . . . as illustrated above). Iterations of an epitope-encoding nucleic acid sequences can be separated by one or more additional nucleotides sequences. In general, iterations of an epitope-encoding nucleic acid sequences can be separated by any size nucleotide sequence applicable for the compositions described herein. In one example, iterations of an epitope-encoding nucleic acid sequences can be separated by a separate distinct epitope-encoding nucleic acid sequence (e.g., $E_A-E_B-E_C-E_A$. . . , as illustrated above). In examples where

iterations are separated by a single separate distinct epitope-encoding nucleic acid sequence, and each epitope-encoding nucleic acid sequences (inclusive of optional 5' linker sequence and/or the optional 3' linker sequences) encodes a peptide 25 amino acids in length, the iterations can be separated by 75 nucleotides, such as in antigen-encoding nucleic acid represented by $E_A-E_B-E_A$. . . , E_A is separated by 75 nucleotides. In an illustrative example, an antigen-encoding nucleic acid having the sequence

(SEQ ID NO: 98)

VTNTEMFVTAPDNLGYMYEVQWPGQTQPQIANCSVYDFFVWLHYYSVRD
TVTNTEMFVTAPDNLGYMYEVQWPGQTQPQIANCSVYDFFVWLHYYSVR
DT

encoding iterations of 25mer antigens Trp1 (VTNTEMFVTAPDNLGYMYEVQWPGQ (SEQ ID NO: 99)) and Trp2 (TQPQIANCSVYDFFVWLHYYSVRDT (SEQ ID NO: 100)), the iterations of Trp1 are separated by the 25mer Trp2 and thus the repeats of the Trp1 epitope-encoding nucleic acid sequences are separated the 75 nucleotide Trp2 epitope-encoding nucleic acid sequence. In examples where iterations are separated by 2, 3, 4, 5, 6, 7, 8, or 9 separate distinct epitope-encoding nucleic acid sequence, and each epitope-encoding nucleic acid sequences (inclusive of optional 5' linker sequence and/or the optional 3' linker sequences) encodes a peptide 25 amino acids in length, the iterations can be separated by 150, 225, 300, 375, 450, 525, 600, or 675 nucleotides, respectively.

[0323] In one embodiment, different peptides and/or polypeptides or nucleotide sequences encoding them are selected so that the peptides and/or polypeptides capable of associating with different MHC molecules, such as different MHC class I molecules and/or different MHC class II molecules. In some aspects, one vaccine composition comprises coding sequence for peptides and/or polypeptides capable of associating with the most frequently occurring MHC class I molecules and/or different MHC class II molecules. Hence, vaccine compositions can comprise different fragments capable of associating with at least 2 preferred, at least 3 preferred, or at least 4 preferred MHC class I molecules and/or different MHC class II molecules.

[0324] The composition can be capable of stimulating a specific cytotoxic T-cell response and/or a specific helper T-cell response. The vaccine composition can be capable of stimulating a specific cytotoxic T-cell response and a specific helper T-cell response.

[0325] The vaccine composition can be capable of stimulating a specific B-cell response (e.g., an antibody response).

[0326] The vaccine composition can be capable of stimulating a specific cytotoxic T-cell response, a specific helper T-cell response, and/or a specific B-cell response. The vaccine composition can be capable of stimulating a specific cytotoxic T-cell response and a specific B-cell response. The vaccine composition can be capable of stimulating a specific helper T-cell response and a specific B-cell response. The vaccine composition can be capable of stimulating a specific cytotoxic T-cell response, a specific helper T-cell response, and a specific B-cell response.

[0327] A vaccine composition can further comprise an adjuvant and/or a carrier. Examples of useful adjuvants and carriers are given herein below. A composition can be associated with a carrier such as e.g. a protein or an

antigen-presenting cell such as, e.g., a dendritic cell (DC) capable of presenting the peptide to a T-cell.

[0328] Adjuvants are any substance whose admixture into a vaccine composition increases or otherwise modifies the immune response to an antigen. Carriers can be scaffold structures, for example a polypeptide or a polysaccharide, to which an antigen, is capable of being associated. Optionally, adjuvants are conjugated covalently or non-covalently.

[0329] The ability of an adjuvant to increase an immune response to an antigen is typically manifested by a significant or substantial increase in an immune-mediated reaction, or reduction in disease symptoms. For example, an increase in humoral immunity is typically manifested by a significant increase in the titer of antibodies raised to the antigen, and an increase in T-cell activity is typically manifested in increased cell proliferation, or cellular cytotoxicity, or cytokine secretion. An adjuvant may also alter an immune response, for example, by changing a primarily humoral or Th response into a primarily cellular, or Th response.

[0330] Suitable adjuvants include, but are not limited to 1018 ISS, alum, aluminium salts, Amplivax, AS15, BCG, CP-870,893, CpG7909, CyaA, dSLIM, GM-CSF, IC30, IC31, Imiquimod, ImuFact IMP321, IS Patch, ISS, ISCO-MATRIX, JuvImmune, LipoVac, MF59, monophosphoryl lipid A, Montanide IMS 1312, Montanide ISA 206, Montanide ISA 50V, Montanide ISA-51, OK-432, OM-174, OM-197-MP-E_C, ONTAK, PepTel vector system, PLG microparticles, resiquimod, SRL172, Virosomes and other Virus-like particles, YF-17D, VEGF trap, R848, beta-glucan, Pam3Cys, Aquila's QS21 stimulon (Aquila Biotech, Worcester, Mass., USA) which is derived from saponin, mycobacterial extracts and synthetic bacterial cell wall mimics, and other proprietary adjuvants such as Ribi's Detox. Quil or Superfos. Adjuvants such as incomplete Freund's or GM-CSF are useful. Several immunological adjuvants (e.g., MF59) specific for dendritic cells and their preparation have been described previously (Dupuis M, et al., *Cell Immunol.* 1998; 186(1):18-27; Allison A C; Dev Biol Stand. 1998; 92:3-11). Also cytokines can be used. Several cytokines have been directly linked to influencing dendritic cell migration to lymphoid tissues (e.g., TNF-alpha), accelerating the maturation of dendritic cells into efficient antigen-presenting cells for T-lymphocytes (e.g., GM-CSF, IL-1 and IL-4) (U.S. Pat. No. 5,849,589, specifically incorporated herein by reference in its entirety) and acting as immunoadjuvants (e.g., IL-12) (Gabrilovich D I, et al., *J Immunother Emphasis Tumor Immunol.* 1996 (6):414-418).

[0331] CpG immunostimulatory oligonucleotides have also been reported to enhance the effects of adjuvants in a vaccine setting. Other TLR binding molecules such as RNA binding TLR 7, TLR 8 and/or TLR 9 may also be used.

[0332] Other examples of useful adjuvants include, but are not limited to, chemically modified CpGs (e.g. CpR, Idera), Poly(I:C)(e.g. poly(CI2U), non-CpG bacterial DNA or RNA as well as immunoactive small molecules and antibodies such as cyclophosphamide, sunitinib, bevacizumab, celebrex, NCX-4016, sildenafil, tadalafil, vardenafil, sorafenib, XL-999, CP-547632, pazopanib, ZD2171, AZD2171, ipilimumab, tremelimumab, and SC58175, which may act therapeutically and/or as an adjuvant. The amounts and concentrations of adjuvants and additives can readily be determined by the skilled artisan without undue experimentation. Additional adjuvants include colony-

stimulating factors, such as Granulocyte Macrophage Colony Stimulating Factor (GM-CSF, sargramostim).

[0333] A vaccine composition can comprise more than one different adjuvant. Furthermore, a therapeutic composition can comprise any adjuvant substance including any of the above or combinations thereof. It is also contemplated that a vaccine and an adjuvant can be administered together or separately in any appropriate sequence.

[0334] A carrier (or excipient) can be present independently of an adjuvant. The function of a carrier can for example be to increase the molecular weight of in particular mutant to increase activity or immunogenicity, to confer stability, to increase the biological activity, or to increase serum half-life. Furthermore, a carrier can aid presenting peptides to T-cells. A carrier can be any suitable carrier known to the person skilled in the art, for example a protein or an antigen presenting cell. A carrier protein could be but is not limited to keyhole limpet hemocyanin, serum proteins such as transferrin, bovine serum albumin, human serum albumin, thyroglobulin or ovalbumin, immunoglobulins, or hormones, such as insulin or palmitic acid. For immunization of humans, the carrier is generally a physiologically acceptable carrier acceptable to humans and safe. However, tetanus toxoid and/or diphtheria toxoid are suitable carriers. Alternatively, the carrier can be dextrans for example sepharose.

[0335] Cytotoxic T-cells (CTLs) recognize an antigen in the form of a peptide bound to an MHC molecule rather than the intact foreign antigen itself. The MHC molecule itself is located at the cell surface of an antigen presenting cell. Thus, an activation of CTLs is possible if a trimeric complex of peptide antigen, MHC molecule, and APC is present. Correspondingly, it may enhance the immune response if not only the peptide is used for activation of CTLs, but if additionally APCs with the respective MHC molecule are added. Therefore, in some embodiments a vaccine composition additionally contains at least one antigen presenting cell.

[0336] Antigens can also be included in viral vector-based vaccine platforms, such as vaccinia, fowlpox, self-replicating alphavirus, marabavirus, adenovirus (See, e.g., Tatsis et al., *Adenoviruses, Molecular Therapy* (2004) 10, 616-629), or lentivirus, including but not limited to second, third or hybrid second/third generation lentivirus and recombinant lentivirus of any generation designed to target specific cell types or receptors (See, e.g., Hu et al., *Immunization Delivered by Lentiviral Vectors for Cancer and Infectious Diseases, Immunol Rev.* (2011) 239(1): 45-61, Sakuma et al., *Lentiviral vectors: basic to translational, Biochem J.* (2012) 443(3):603-18, Cooper et al., *Rescue of splicing-mediated intron loss maximizes expression in lentiviral vectors containing the human ubiquitin C promoter, Nucl. Acids Res.* (2015) 43 (1): 682-690, Zufferey et al., *Self-Inactivating Lentivirus Vector for Safe and Efficient In Vivo Gene Delivery, J. Virol.* (1998) 72 (12): 9873-9880). Dependent on the packaging capacity of the above mentioned viral vector-based vaccine platforms, this approach can deliver one or more nucleotide sequences that encode one or more antigen peptides. The sequences may be flanked by non-mutated sequences, may be separated by linkers or may be preceded with one or more sequences targeting a subcellular compartment (See, e.g., Gros et al., *Prospective identification of neoantigen-specific lymphocytes in the peripheral blood of melanoma patients, Nat Med.* (2016) 22 (4):433-8,

Stronen et al., Targeting of cancer neoantigens with donor-derived T cell receptor repertoires, *Science*. (2016) 352 (6291):1337-41, Lu et al., Efficient identification of mutated cancer antigens recognized by T cells associated with durable tumor regressions, *Clin Cancer Res.* (2014) 20(13): 3401-10). Upon introduction into a host, infected cells express the antigens, and thereby elicit a host immune (e.g., CTL) response against the peptide(s). Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Pat. No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al. (Nature 351:456-460 (1991)). A wide variety of other vaccine vectors useful for therapeutic administration or immunization of antigens, e.g., *Salmonella typhi* vectors, and the like will be apparent to those skilled in the art from the description herein.

V.A. Antigen Cassette


[0337] The methods employed for the selection of one or more antigens, the cloning and construction of an “antigen cassette” and its insertion into a viral vector are within the skill in the art given the teachings provided herein. By “antigen cassette” or “cassette” is meant the combination of a selected antigen or plurality of antigens (e.g., antigen-encoding nucleic acid sequences) and the other regulatory elements necessary to transcribe the antigen(s) and express the transcribed product. The selected antigen or plurality of antigens can refer to distinct epitope sequences, e.g., an antigen-encoding nucleic acid sequence in the cassette can encode an epitope-encoding nucleic acid sequence (or plurality of epitope-encoding nucleic acid sequences) such that the epitopes are transcribed and expressed. An antigen or plurality of antigens can be operatively linked to regulatory components in a manner which permits transcription. Such components include conventional regulatory elements that can drive expression of the antigen(s) in a cell transfected with the viral vector. Thus the antigen cassette can also contain a selected promoter which is linked to the antigen(s) and located, with other, optional regulatory elements, within the selected viral sequences of the recombinant vector. A cassette can have one or more antigen-encoding nucleic acid sequences, such as a cassette containing multiple antigen-encoding nucleic acid sequences each independently operably linked to separate promoters and/or linked together using other multicistronic systems, such as 2A ribosome skipping sequence elements (e.g., E2A, P2A, F2A, or T2A sequences) or Internal Ribosome Entry Site (IRES) sequence elements. A linker can also have a cleavage site, such as a TEV or furin cleavage site. Linkers with cleavage sites can be used in combination with other elements, such as those in a multicistronic system. In a non-limiting illustrative example, a furin protease cleavage site can be used in conjunction with a 2A ribosome skipping sequence element such that the furin protease cleavage site is configured to facilitate removal of the 2A sequence following translation. In a cassette containing more than one antigen-encoding nucleic acid sequences, each antigen-encoding nucleic acid sequence can contain one or more epitope-encoding nucleic acid sequences (e.g., an antigen-encoding nucleic acid sequence encoding concatenated T cell epitopes).

[0338] Useful promoters can be constitutive promoters or regulated (inducible) promoters, which will enable control of the amount of antigen(s) to be expressed. For example, a desirable promoter is that of the cytomegalovirus immediate

early promoter/enhancer [see, e.g., Boshart et al, Cell, 41:521-530 (1985)]. Another desirable promoter includes the Rous sarcoma virus LTR promoter/enhancer. Still another promoter/enhancer sequence is the chicken cytoplasmic beta-actin promoter [T. A. Kost et al, Nucl. Acids Res., 11(23):8287 (1983)]. Other suitable or desirable promoters can be selected by one of skill in the art.

[0339] Also disclosed herein is a viral vector comprising a cassette with at least one payload sequence operably linked to a regulatable promoter that is a TET promoter system, such as a TET-On system or TET-Off system. Without wishing to be bound by theory, a TET promoter system can be used to minimize transcription of payload nucleic acids encoded in a cassette, such as antigens encoded in a vaccine cassette, during viral production. TET promoter systems are described in detail in international patent application publication WO2020/243719, herein incorporated by reference for all purposes.


[0340] A TET promoter system can include a tetracycline (TET) repressor protein (TETr) controlled promoter. Accordingly, also disclosed herein is a viral vector comprising a cassette with at least one payload sequence operably linked to a tetracycline (TET) repressor protein (TETr) controlled promoter. A TETr controlled promoter can include the 19 bp TET operator (TETo) sequence TCCC-TATCAGTGATAGAGA (SEQ ID NO:66). A TETr controlled promoter can include 2, 3, 4, 5, 6, 7, 8, 9, or 10 or more TETo nucleic acid sequences. In TETr controlled promoter have 2 or more TETo nucleic acid sequences, the TETo sequences can be linked together. In TETr controlled promoter have 2 or more TETo nucleic acid sequences, the TETo sequences can be directly linked together. In TETr controlled promoter have 2 or more TETo nucleic acid sequences, the TETo sequences can be linked together with a linker sequence, such as a linker sequence having 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 or more nucleotides. In general, a TETr controlled promoter can use any promoter sequence desired, such as a SV40, EF-1, RSV, PGK, HSA, MCK or EBV promoter sequence. A TETr controlled promoter can use a CMV promoter sequence. A TETr controlled promoter can use a minimal CMV promoter sequence. TETo sequences can be upstream (5') of a promoter sequence region where RNA polymerase binds. In an illustrative example, 7 TETo sequences are upstream (5') of a promoter sequence. A TETr controlled promoter operably linked to the at least one payload nucleic acid sequence with TETo sequence upstream of the promoter sequence region can have an ordered sequence described in the formula, from 5' to 3':



[0341] where N is a payload nucleic acid sequence, P is a RNA polymerase binding sequence of the promoter sequence operably linked to payload nucleic acid sequence, T is a TETo nucleic acid sequences comprising the nucleotide sequence shown in SEQ ID NO:66, L is a linker sequence, where Y=0 or 1 for each X, and wherein X=1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20. In an illustrative example, X=7 and Y=1 for each X describes where 7 TETo sequences are upstream (5') of the promoter sequence and each TETo sequence is separated by a linker.

[0342] A TETo sequences can be downstream (3') of a promoter sequence region where RNA polymerase binds. In

another illustrative example, 2 TETo sequences are downstream (3') of a promoter sequence. A TETr controlled promoter operably linked to the at least one payload nucleic acid sequence with TETo sequence downstream of the promoter sequence region can have an ordered sequence described in the formula, from 5' to 3':



[0343] where N is a payload nucleic acid sequence, P is a RNA polymerase binding sequence of the promoter sequence operably linked to payload nucleic acid sequence, T is a TETo nucleic acid sequences comprising the nucleotide sequence shown in SEQ ID NO:66, L is a linker sequence, where Y=0 or 1 for each X, and wherein X=1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20. In an illustrative example, X=2 and Y=1 for each X describes where 2 TETo sequences are downstream (3') of the promoter sequence and each TETo sequence is separated by a linker.

[0344] Viral production of vectors with TETr controlled promoters can use any viral production cell line engineered to express a TETr sequence (tTS), such as a 293 cell line or its derivatives (e.g., a 293F cell line) engineered to express tTS. Viral production of vectors with TETr controlled promoters in tTS-expressing cell can improve viral production. Viral production of vectors with TETr controlled promoters in tTS-expressing cell can improve viral infectivity defined as viral particles (VP) per infectious unit (IU). Viral production of vectors with TETr controlled promoters in tTS-expressing cell can improve viral production and/or viral infectivity by at least 1.5, at least 2, at least 2.5, at least 3, at least 3.5, at least 4, at least 4.5, at least 5, at least 6, at least 7, at least 8, at least 9, or at least 10-fold relative to production in a non-tTS-expressing cell. Viral production of vectors with TETr controlled promoters in tTS-expressing cell can improve viral production and/or viral infectivity by at least 15, at least 20, at least 25, at least 30, at least 35, at least 40, at least 45, at least 50, at least 60, at least 70, at least 80, at least 90, or at least 100-fold relative to production in a non-tTS-expressing cell. Viral production of vectors with TETr controlled promoters in tTS-expressing cell can improve viral production and/or viral infectivity by at least 1.5, at least 2, at least 2.5, at least 3, at least 3.5, at least 4, at least 4.5, at least 5, at least 6, at least 7, at least 8, at least 9, or at least 10-fold relative to production of a vector not having a TETr controlled promoter. Viral production of vectors with TETr controlled promoters in tTS-expressing cell can improve viral production and/or viral infectivity by at least 15, at least 20, at least 25, at least 30, at least 35, at least 40, at least 45, at least 50, at least 60, at least 70, at least 80, at least 90, or at least 100-fold relative to production of a vector not having a TETr controlled promoter.


[0345] The antigen cassette can also include nucleic acid sequences heterologous to the viral vector sequences including sequences providing signals for efficient polyadenylation of the transcript (poly(A), poly-A or pA) and introns with functional splice donor and acceptor sites. A common poly-A sequence which is employed in the exemplary vectors of this invention is that derived from the papovavirus SV-40. The poly-A sequence generally can be inserted in the cassette following the antigen-based sequences and before the viral vector sequences. A common intron sequence can also be derived from SV-40, and is

referred to as the SV-40 T intron sequence. An antigen cassette can also contain such an intron, located between the promoter/enhancer sequence and the antigen(s). Selection of these and other common vector elements are conventional [see, e.g., Sambrook et al, "Molecular Cloning. A Laboratory Manual.", 2d edit., Cold Spring Harbor Laboratory, New York (1989) and references cited therein] and many such sequences are available from commercial and industrial sources as well as from Genbank.

[0346] An antigen cassette can have one or more antigens. For example, a given cassette can include 1-10, 1-20, 1-30, 10-20, 15-25, 15-20, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more antigens. Antigens can be linked directly to one another. Antigens can also be linked to one another with linkers. Antigens can be in any orientation relative to one another including N to C or C to N.

[0347] As above stated, the antigen cassette can be located in the site of any selected deletion in the viral vector, such as the site of the E1 gene region deletion or E3 gene region deletion, among others which may be selected.

[0348] The antigen cassette can be described using the following formula to describe the ordered sequence of each element, from 5' to 3':



[0349] wherein P and P2 comprise promoter nucleotide sequences, N comprises a distinct epitope-encoding nucleic acid sequence, L5 comprises a 5' linker sequence, L3 comprises a 3' linker sequence, G5 comprises a nucleic acid sequences encoding an amino acid linker, G3 comprises one of the at least one nucleic acid sequences encoding an amino acid linker, U comprises an MHC class II antigen-encoding nucleic acid sequence, where for each X the corresponding Nc is an epitope encoding nucleic acid sequence, where for each Y the corresponding Uf is a MHC class II epitope-encoding nucleic acid sequence (e.g., universal MHC class II epitope-encoding nucleic acid sequence). A universal sequence can comprise at least one of Tetanus toxoid and PADRE. A universal sequence can comprise a Tetanus toxoid peptide. A universal sequence can comprise a PADRE peptide. A universal sequence can comprise a Tetanus toxoid and PADRE peptides. The composition and ordered sequence can be further defined by selecting the number of elements present, for example where a=0 or 1, where b=0 or 1, where c=1, where d=0 or 1, where e=0 or 1, where f=1, where g=0 or 1, where h=0 or 1, X=1 to 400, Y=0, 1, 2, 3, 4 or 5, Z=1 to 400, and W=0, 1, 2, 3, 4 or 5.

[0350] In one example, elements present include where a=0, b=1, d=1, e=1, g=1, h=0, X=10, Y=2, Z=1, and W=1, describing where no additional promoter is present (e.g. only the promoter nucleotide sequence provided by a vector backbone, such as an RNA alphavirus backbone is present), 10 epitopes are present, a 5' linker is present for each N, a 3' linker is present for each N, 2 MHC class II epitopes are present, a linker is present linking the two MHC class II epitopes, a linker is present linking the 5' end of the two MHC class II epitopes to the 3' linker of the final MHC class I epitope, and a linker is present linking the 3' end of the two MHC class II epitopes to a vector backbone (e.g., an RNA alphavirus backbone). Examples of linking the 3' end of the antigen cassette to a vector backbone (e.g., an RNA alphavirus backbone) include linking directly to the 3' UTR

elements provided by the vector backbone, such as a 3' 19-nt CSE. Examples of linking the 5' end of the antigen cassette to a vector backbone (e.g., an RNA alphavirus backbone) include linking directly to a promoter or 5' UTR element of the vector backbone, such as a subgenomic promoter sequence (e.g., a 26S subgenomic promoter sequence), an alphavirus 5' UTR, a 51-nt CSE, or a 24-nt CSE.

[0351] Other examples include: where a=1 describing where a promoter other than the promoter nucleotide sequence provided a vector backbone (e.g., an RNA alphavirus backbone) is present; where a=1 and Z is greater than 1 where multiple promoters other than the promoter nucleotide sequence provided by the vector backbone are present each driving expression of 1 or more distinct MHC class I epitope encoding nucleic acid sequences; where h=1 describing where a separate promoter is present to drive expression of the MHC class II epitope-encoding nucleic acid sequences; and where g=0 describing the MHC class II epitope-encoding nucleic acid sequence, if present, is directly linked to a vector backbone (e.g., an RNA alphavirus backbone).

[0352] Other examples include where each MHC class I epitope that is present can have a 5' linker, a 3' linker, neither, or both. In examples where more than one MHC class I epitope is present in the same antigen cassette, some MHC class I epitopes may have both a 5' linker and a 3' linker, while other MHC class I epitopes may have either a 5' linker, a 3' linker, or neither. In other examples where more than one MHC class I epitope is present in the same antigen cassette, some MHC class I epitopes may have either a 5' linker or a 3' linker, while other MHC class I epitopes may have either a 5' linker, a 3' linker, or neither.

[0353] In examples where more than one MHC class II epitope is present in the same antigen cassette, some MHC class II epitopes may have both a 5' linker and a 3' linker, while other MHC class II epitopes may have either a 5' linker, a 3' linker, or neither. In other examples where more than one MHC class II epitope is present in the same antigen cassette, some MHC class II epitopes may have either a 5' linker or a 3' linker, while other MHC class II epitopes may have either a 5' linker, a 3' linker, or neither.

[0354] Other examples include where each antigen that is present can have a 5' linker, a 3' linker, neither, or both. In examples where more than one antigen is present in the same antigen cassette, some antigens may have both a 5' linker and a 3' linker, while other antigens may have either a 5' linker, a 3' linker, or neither. In other examples where more than one antigen is present in the same antigen cassette, some antigens may have either a 5' linker or a 3' linker, while other antigens may have either a 5' linker, a 3' linker, or neither.

[0355] The promoter nucleotide sequences P and/or P2 can be the same as a promoter nucleotide sequence provided by a vector backbone, such as an RNA alphavirus backbone. For example, the promoter sequence provided by the vector backbone, Pn and P2, can each comprise a subgenomic promoter sequence (e.g., a 26S subgenomic promoter sequence) or a CMV promoter. The promoter nucleotide sequences P and/or P2 can be different from the promoter nucleotide sequence provided by a vector backbone (e.g., an RNA alphavirus backbone), as well as can be different from each other.

[0356] The 5' linker L5 can be a native sequence or a non-natural sequence. Non-natural sequence include, but are

not limited to, AAY, RR, and DPP. The 3' linker L3 can also be a native sequence or a non-natural sequence. Additionally, L5 and L3 can both be native sequences, both be non-natural sequences, or one can be native and the other non-natural. For each X, the amino acid linkers L5 and/or L3 can each independently be 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20, at least 21, at least 22, at least 23, at least 24, at least 25, at least 26, at least 27, at least 28, at least 29, or at least 30 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be at least 5 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be at least 6 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be at least 7 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be at least 8 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be at least 9 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be between 2-20, between 5-20, between 6-20, between 7-20, between 8-20, between 9-20, between 10-20 amino acids in length. For each X, the amino acid linkers L5 and/or L3 can each independently be between 2-15, between 5-20, between 6-20, between 7-20, between 8-20, between 9-20, between 10-20 amino acids in length.

[0357] The amino acid linker G5, for each Y, can be 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more amino acids in length. For each Y, the amino acid linkers can be also be at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20, at least 21, at least 22, at least 23, at least 24, at least 25, at least 26, at least 27, at least 28, at least 29, or at least 30 amino acids in length.

[0358] The amino acid linker G3 can be 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 or more amino acids in length. G3 can be also be at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20, at least 21, at least 22, at least 23, at least 24, at least 25, at least 26, at least 27, at least 28, at least 29, or at least 30 amino acids in length.

[0359] For each X, each N can encode a MHC class I epitope, a MHC class II epitope, an epitope/antigen capable of stimulating a B cell response, or a combination thereof. For each X, each N can encode a combination of a MHC class I epitope, a MHC class II epitope, and an epitope/antigen capable of stimulating a B cell response. For each X, each N can encode a combination of a MHC class I epitope and a MHC class II epitope. For each X, each N can encode a combination of a MHC class I epitope and an epitope/antigen capable of stimulating a B cell response. For each X, each N can encode a combination of a MHC class II epitope and an epitope/antigen capable of stimulating a B cell response. For each X, each N can encode a MHC class II epitope. For each X, each N can encode an epitope/antigen capable of stimulating a B cell response. For each X, each N can encode a MHC class I epitope 7-15 amino acids in length. For each X, each N can encode a MHC class I epitope 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 amino acids in length. For each X, each N can encode a MHC class I epitope at least 5, at least 6, at least 7, at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20, at least 21, at least 22, at least 23, at least 24, at least 25, at least 26, at least 27, at least 28, at least 29, or at least 30 amino acids in length.

[0360] The cassette encoding the one or more antigens can be 700 nucleotides or less. The cassette encoding the one or more antigens can be 700 nucleotides or less and encode 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 700 nucleotides or less and encode at least 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 700 nucleotides or less and encode 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 700 nucleotides or less and encode at least 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 700 nucleotides or less and include 1-10, 1-5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more antigens.

[0361] The cassette encoding the one or more antigens can be between 375-700 nucleotides in length. The cassette encoding the one or more antigens can be between 375-700 nucleotides in length and encode 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-700 nucleotides in length and encode at least 2 distinct epitope-encoding nucleic acid sequences (e.g., encode 2 distinct tumor derived nucleic acid sequences encoding an immunogenic polypeptide). The cassette encoding the one or more antigens can be between 375-700 nucleotides in length and encode 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-700 nucleotides in length and encode at least 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-700 nucleotides in length and include 1-10, 1-5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more antigens.

[0362] The cassette encoding the one or more antigens can be 600, 500, 400, 300, 200, or 100 nucleotides in length or less. The cassette encoding the one or more antigens can be 600, 500, 400, 300, 200, or 100 nucleotides in length or less and encode 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens

can be 600, 500, 400, 300, 200, or 100 nucleotides in length or less and encode at least 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 600, 500, 400, 300, 200, or 100 nucleotides in length or less and encode 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 600, 500, 400, 300, 200, or 100 nucleotides in length or less and encode at least 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be 600, 500, 400, 300, 200, or 100 nucleotides in length or less and include 1-10, 1-5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more antigens.

[0363] The cassette encoding the one or more antigens can be between 375-600, between 375-500, or between 375-400 nucleotides in length. The cassette encoding the one or more antigens can be between 375-600, between 375-500, or between 375-400 nucleotides in length and encode 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-600, between 375-500, or between 375-400 nucleotides in length and encode at least 2 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-600, between 375-500, or between 375-400 nucleotides in length and encode 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-600, between 375-500, or between 375-400 nucleotides in length and encode at least 3 distinct epitope-encoding nucleic acid sequences. The cassette encoding the one or more antigens can be between 375-600, between 375-500, or between 375-400 nucleotides in length and include 1-10, 1-5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more antigens.

[0364] In some instances, an antigen or epitope in a cassette encoding additional antigens and/or epitopes may be an immunodominant epitope relative to the others encoded. Immunodominance, in general, is the skewing of an immune response towards only one or a few specific immunogenic peptides. Immunodominance can be assessed as part of an immune monitoring protocol. For example, immunodominance can be assessed through evaluating T cell and/or B cell responses to the encoded antigens.

[0365] Immunodominance can be assessed as the impact of an immunodominant antigen's presence on the immune response to one or more other antigens. For example, an immunodominant antigen and its respective immune response (e.g., an immunodominant MHC class I epitope) can reduce the immune response of another antigen relative to the immune response in the absence of the immunodominant antigen. This reduction can be such that the immune response in the presence of the immunodominant antigen is not considered a therapeutically effective response. For example, an MHC class I epitope would generally be considered immunodominant if T cell responses to other antigens are no longer considered therapeutically effective responses compared to responses elicited in the absence of the immunodominant MHC class I epitope. An immune response can also be reduced to below a limit of detection or near the limit of detection, relative to the response in the absence of the immunodominant antigen. For example, an MHC class I epitope would generally be considered immunodominant if T cell responses to other antigens are at or below the limit of detection compared to responses elicited in the absence of the immunodominant MHC class I epitope. In general, the assessment of immunodominance is between

two antigens both capable of stimulating an immune response, e.g., between two T cell epitopes in a vaccine composition administered to a subject possessing a cognate MHC allele known or predicted to present each epitope, respectively. Immunodominance can be assessed through evaluating relative immune responses to other antigens in the presence and absence of the suspected immunodominant antigen.

[0366] Immunodominance can be assessed as a relative difference in the immune responses between two or more antigens. Immunodominance can refer to a 5-fold, 10-fold, 20-fold, 30-fold, 40-fold, or 50-fold immune response of a specific antigen relative to another antigen encoded in the same cassette. Immunodominance can refer to a 100-fold, 200-fold, 300-fold, 400-fold, or 500-fold immune response of a specific antigen relative to another antigen encoded in the same cassette. Immunodominance can refer to a 1000-fold, 2000-fold, 3000-fold, 4000-fold, or 5000-fold immune response of a specific antigen relative to another antigen encoded in the same cassette. Immunodominance can refer to a 10,000-fold immune response of a specific antigen relative to another antigen encoded in the same cassette.

[0367] In some instances, it may be desired to avoid vaccine compositions containing an immunodominant epitope. For example, it may be desired to avoid designing a vaccine cassette encoding an immunodominant epitope. Without wishing to be bound by theory, administering and/or encoding an immunodominant epitope together with additional epitope may reduce the immune response to the additional epitopes, including potentially ultimately reducing vaccine efficacy against the additional epitopes. As an illustrative non-limiting example, vaccine compositions including TP53-associated neoepitopes may have the immune response, e.g., a T cell response, skewed towards the TP53-associated neoepitope negatively impacting (e.g., reducing the immune response to where the immune response is not a therapeutically effective response and/or to below a limit of detection) the immune response to other antigens or epitopes in the vaccine composition (e.g., one or more EGFR-associated neoepitopes in the vaccine composition). Accordingly, vaccine compositions can be designed to not contain an immunodominant epitope, such as designing a vaccine cassette (e.g., a (neo)antigen-encoding cassette) to not encode an immunodominant epitope. For example, the cassette does not encode an epitope that reduces an immune response to another epitope encoded in the cassette when administered in a vaccine composition to a subject relative to an immune response when the other epitope is administered in the absence of the immunodominant MHC class I epitope. In another example, the cassette does not encode an epitope that reduces an immune response to another epitope encoded in the cassette to below a limit of detection when administered in a vaccine composition to a subject relative to an immune response when the other epitope is administered in the absence of the immunodominant MHC class I epitope. In another example, the cassette does not encode an epitope that reduces an immune response to another epitope encoded in the cassette, wherein the immune response is not a therapeutically effective response, when administered in a vaccine composition to a subject relative to an immune response when the other epitope is administered in the absence of the immunodominant MHC class I epitope. In another example, the cassette does not encode an epitope that stimulates a 5-fold, 10-fold, 20-fold,

30-fold, 40-fold, or 50-fold or greater immune response relative to another epitope encoded in the same cassette in a vaccine composition administered to a subject, where each antigen is capable of stimulating an immune response in the subject. In another example, the cassette does not encode an epitope that stimulates a 100-fold, 200-fold, 300-fold, 400-fold, or 500-fold or greater immune response relative to another epitope encoded in the same cassette in a vaccine composition administered to a subject, where each antigen is capable of stimulating an immune response in the subject. In another example, the cassette does not encode an epitope that stimulates a 1000-fold, 2000-fold, 3000-fold, 4000-fold, or 5000-fold or greater immune response relative to another epitope encoded in the same cassette in a vaccine composition administered to a subject, where each antigen is capable of stimulating an immune response in the subject. In another example, the cassette does not encode an epitope that results in a 10,000-fold or greater immune response relative to another epitope encoded in the same cassette in a vaccine composition administered to a subject, where each antigen is capable of stimulating an immune response in the subject.

V.B. Immune Modulators

[0368] Vectors described herein, such as C68 vectors described herein or alphavirus vectors described herein, can comprise a nucleic acid which encodes at least one antigen and the same or a separate vector can comprise a nucleic acid which encodes at least one immune modulator. An immune modulator can include a binding molecule (e.g., an antibody such as an scFv) which binds to and blocks the activity of an immune checkpoint molecule. An immune modulator can include a cytokine, such as IL-2, IL-7, IL-12 (including IL-12 p35, p40, p70, and/or p70-fusion constructs), IL-15, or IL-21. An immune modulator can include a modified cytokine (e.g., pegIL-2). Vectors can comprise an antigen cassette and one or more nucleic acid molecules encoding an immune modulator.

[0369] Illustrative immune checkpoint molecules that can be targeted for blocking or inhibition include, but are not limited to, CTLA-4, 4-1BB (CD137), 4-1BBL (CD137L), PDL1, PDL2, PD1, B7-H3, B7-H4, BTLA, HVEM, TIM3, GAL9, LAG3, TIM3, B7H3, B7H4, VISTA, KIR, 2B4 (belongs to the CD2 family of molecules and is expressed on all NK, T6, and memory CD8+(ap) T cells), CD160 (also referred to as BY55), and CGEN-15049. Immune checkpoint inhibitors include antibodies, or antigen binding fragments thereof, or other binding proteins, that bind to and block or inhibit the activity of one or more of CTLA-4, PDL1, PDL2, PD1, B7-H3, B7-H4, BTLA, HVEM, TIM3, GAL9, LAG3, TIM3, B7H3, B7H4, VISTA, KIR, 2B4, CD160, and CGEN-15049. Illustrative immune checkpoint inhibitors include Tremelimumab (CTLA-4 blocking antibody), anti-OX40, PD-L1 monoclonal Antibody (Anti-B7-H1; MEDI4736), ipilimumab, MK-3475 (PD-1 blocker), Nivolumab (anti-PD1 antibody), CT-011 (anti-PD1 antibody), BY55 monoclonal antibody, AMP224 (anti-PDL1 antibody), BMS-936559 (anti-PDL1 antibody), MPLDL3280A (anti-PDL1 antibody), MSB0010718C (anti-PDL1 antibody) and Yervoy/ipilimumab (anti-CTLA-4 checkpoint inhibitor). Antibody-encoding sequences can be engineered into vectors such as C68 using ordinary skill in the art. An exemplary method is described in Fang et al., Stable antibody expression at therapeutic levels using the 2A

peptide. *Nat Biotechnol.* 2005 May; 23(5):584-90. Epub 2005 Apr. 17; herein incorporated by reference for all purposes.

V.C. Additional Considerations for Vaccine Design and Manufacture

V.C.1. Determination of a Set of Peptides that Cover All Tumor Subclones

[0370] Truncal peptides, meaning those presented by all or most tumor subclones, can be prioritized for inclusion into a vaccine.⁵³ Optionally, if there are no truncal peptides predicted to be presented and immunogenic with high probability, or if the number of truncal peptides predicted to be presented and immunogenic with high probability is small enough that additional non-truncal peptides can be included in a vaccine, then further peptides can be prioritized by estimating the number and identity of tumor subclones and choosing peptides so as to maximize the number of tumor subclones covered by a vaccine.⁵⁴

V.C.2. Antigen Prioritization

[0371] After all of the above antigen filters are applied, more candidate antigens may still be available for vaccine inclusion than the vaccine technology can support. Additionally, uncertainty about various aspects of the antigen analysis may remain and tradeoffs may exist between different properties of candidate vaccine antigens. Thus, in place of predetermined filters at each step of the selection process, an integrated multi-dimensional model can be considered that places candidate antigens in a space with at least the following axes and optimizes selection using an integrative approach.

- [0372]** 1. Risk of auto-immunity or tolerance (risk of germline) (lower risk of auto-immunity is typically preferred)
 - [0373]** 2. Probability of sequencing artifact (lower probability of artifact is typically preferred)
 - [0374]** 3. Probability of immunogenicity (higher probability of immunogenicity is typically preferred)
 - [0375]** 4. Probability of presentation (higher probability of presentation is typically preferred)
 - [0376]** 5. Gene expression (higher expression is typically preferred)
 - [0377]** 6. Coverage of HLA genes (larger number of HLA molecules involved in the presentation of a set of antigens may lower the probability that a tumor will escape immune attack via downregulation or mutation of HLA molecules)
 - [0378]** 7. Coverage of HLA classes (covering both HLA-I and HLA-II may increase the probability of therapeutic response and decrease the probability of tumor escape)
- [0379]** Additionally, optionally, antigens can be deprioritized (e.g., excluded) from the vaccination if they are predicted to be presented by HLA alleles lost or inactivated in either all or part of the patient's tumor or infected cell. HLA allele loss can occur by either somatic mutation, loss of heterozygosity, or homozygous deletion of the locus. Methods for detection of HLA allele somatic mutation are well known in the art, e.g. (Shukla et al., 2015). Methods for detection of somatic LOH and homozygous deletion (including for HLA locus) are likewise well described. (Carter et

al., 2012; McGranahan et al., 2017; Van Loo et al., 2010). Antigens can also be deprioritized if mass-spectrometry data indicates a predicted antigen is not presented by a predicted HLA allele.

V.D. Alphavirus

V.D.1. Alphavirus Biology

[0380] Alphaviruses are members of the family *Togaviridae*, and are positive-sense single stranded RNA viruses. Members are typically classified as either Old World, such as Sindbis, Ross River, Mayaro, Chikungunya, and Semliki Forest viruses, or New World, such as eastern equine encephalitis, Aura, Fort Morgan, or Venezuelan equine encephalitis virus and its derivative strain TC-83 (Strauss *Microbial Review* 1994). A natural alphavirus genome is typically around 12 kb in length, the first two-thirds of which contain genes encoding non-structural proteins (nsPs) that form RNA replication complexes for self-replication of the viral genome, and the last third of which contains a subgenomic expression cassette encoding structural proteins for virion production (Frolov *RNA* 2001).

[0381] A model lifecycle of an alphavirus involves several distinct steps (Strauss *Microbial Review* 1994, Jose *Future Microbiol* 2009). Following virus attachment to a host cell, the virion fuses with membranes within endocytic compartments resulting in the eventual release of genomic RNA into the cytosol. The genomic RNA, which is in a plus-strand orientation and comprises a 5' methylguanylate cap and 3' polyA tail, is translated to produce non-structural proteins nsP1-4 that form the replication complex. Early in infection, the plus-strand is then replicated by the complex into a minus-strand template. In the current model, the replication complex is further processed as infection progresses, with the resulting processed complex switching to transcription of the minus-strand into both full-length positive-strand genomic RNA, as well as the 26S subgenomic positive-strand RNA containing the structural genes. Several conserved sequence elements (CSEs) of alphavirus have been identified to potentially play a role in the various RNA replication steps including; a complement of the 5' UTR in the replication of plus-strand RNAs from a minus-strand template, a 51-nt CSE in the replication of minus-strand synthesis from the genomic template, a 24-nt CSE in the junction region between the nsPs and the 26S RNA in the transcription of the subgenomic RNA from the minus-strand, and a 3' 19-nt CSE in minus-strand synthesis from the plus-strand template.

[0382] Following the replication of the various RNA species, virus particles are then typically assembled in the natural lifecycle of the virus. The 26S RNA is translated and the resulting proteins further processed to produce the structural proteins including capsid protein, glycoproteins E1 and E2, and two small polypeptides E3 and 6K (Strauss 1994). Encapsidation of viral RNA occurs, with capsid proteins normally specific for only genomic RNA being packaged, followed by virion assembly and budding at the membrane surface.

V.D.2. Alphavirus as a Delivery Vector

[0383] Alphaviruses (including alphavirus sequences, features, and other elements) can be used to generate alphavirus-based delivery vectors (also be referred to as alphavirus

vectors, alphavirus viral vectors, alphavirus vaccine vectors, self-replicating RNA (srRNA) vectors, or self-amplifying RNA (samRNA) vectors). Alphaviruses have previously been engineered for use as expression vector systems (Pushko 1997, Rheme 2004). Alphaviruses offer several advantages, particularly in a vaccine setting where heterologous antigen expression can be desired. Due to its ability to self-replicate in the host cytosol, alphavirus vectors are generally able to produce high copy numbers of the expression cassette within a cell resulting in a high level of heterologous antigen production. Additionally, the vectors are generally transient, resulting in improved biosafety as well as reduced induction of immunological tolerance to the vector. The public, in general, also lacks pre-existing immunity to alphavirus vectors as compared to other standard viral vectors, such as human adenovirus. Alphavirus based vectors also generally result in cytotoxic responses to infected cells. Cytotoxicity, to a certain degree, can be important in a vaccine setting to properly stimulate an immune response to the heterologous antigen expressed. However, the degree of desired cytotoxicity can be a balancing act, and thus several attenuated alphaviruses have been developed, including the TC-83 strain of VEE. Thus, an example of an antigen expression vector described herein can utilize an alphavirus backbone that allows for a high level of antigen expression, stimulates a robust immune response to antigen, does not stimulate an immune response to the vector itself, and can be used in a safe manner. Furthermore, the antigen expression cassette can be designed to stimulate different levels of an immune response through optimization of which alphavirus sequences the vector uses, including, but not limited to, sequences derived from VEE or its attenuated derivative TC-83.

[0384] Several expression vector design strategies have been engineered using alphavirus sequences (Pushko 1997). In one strategy, a alphavirus vector design includes inserting a second copy of the 26S promoter sequence elements downstream of the structural protein genes, followed by a heterologous gene (Frolov 1993). Thus, in addition to the natural non-structural and structural proteins, an additional subgenomic RNA is produced that expresses the heterologous protein. In this system, all the elements for production of infectious virions are present and, therefore, repeated rounds of infection of the expression vector in non-infected cells can occur.

[0385] Another expression vector design makes use of helper virus systems (Pushko 1997). In this strategy, the structural proteins are replaced by a heterologous gene. Thus, following self-replication of viral RNA mediated by still intact non-structural genes, the 26S subgenomic RNA provides for expression of the heterologous protein. Traditionally, additional vectors that expresses the structural proteins are then supplied in trans, such as by co-transfection of a cell line, to produce infectious virus. A system is described in detail in U.S. Pat. No. 8,093,021, which is herein incorporated by reference in its entirety, for all purposes. The helper vector system provides the benefit of limiting the possibility of forming infectious particles and, therefore, improves biosafety. In addition, the helper vector system reduces the total vector length, potentially improving the replication and expression efficiency. Thus, an example of an antigen expression vector described herein can utilize an alphavirus backbone wherein the structural proteins are replaced by an antigen cassette, the resulting vector both

reducing biosafety concerns, while at the same time promoting efficient expression due to the reduction in overall expression vector size.

V.D.3. Alphavirus Production In Vitro

[0386] Alphavirus delivery vectors are generally positive-sense RNA polynucleotides. A convenient technique well-known in the art for RNA production is in vitro transcription IVT. In this technique, a DNA template of the desired vector is first produced by techniques well-known to those in the art, including standard molecular biology techniques such as cloning, restriction digestion, ligation, gene synthesis (e.g., chemical and/or enzymatic synthesis), and polymerase chain reaction (PCR). The DNA template contains a RNA polymerase promoter at the 5' end of the sequence desired to be transcribed into RNA. Promoters include, but are not limited to, bacteriophage polymerase promoters such as T3, T7, or SP6. The DNA template is then incubated with the appropriate RNA polymerase enzyme, buffer agents, and nucleotides (NTPs). The resulting RNA polynucleotide can optionally be further modified including, but limited to, addition of a 5' cap structure such as 7-methylguanosine or a related structure, and optionally modifying the 3' end to include a polyadenylate (polyA) tail. The RNA can then be purified using techniques well-known in the field, such as phenol-chloroform extraction or column purification (e.g., chromatography-based purification).

V.D.4. Delivery Via Lipid Nanoparticle

[0387] An important aspect to consider in vaccine vector design is immunity against the vector itself (Riley 2017). This may be in the form of preexisting immunity to the vector itself, such as with certain human adenovirus systems, or in the form of developing immunity to the vector following administration of the vaccine. The latter is an important consideration if multiple administrations of the same vaccine are performed, such as separate priming and boosting doses, or if the same vaccine vector system is to be used to deliver different antigen cassettes.

[0388] In the case of alphavirus vectors, the standard delivery method is the previously discussed helper virus system that provides capsid, E1, and E2 proteins in trans to produce infectious viral particles. However, it is important to note that the E1 and E2 proteins are often major targets of neutralizing antibodies (Strauss 1994). Thus, the efficacy of using alphavirus vectors to deliver antigens of interest to target cells may be reduced if infectious particles are targeted by neutralizing antibodies.

[0389] An alternative to viral particle mediated gene delivery is the use of nanomaterials to deliver expression vectors (Riley 2017). Nanomaterial vehicles, importantly, can be made of non-immunogenic materials and generally avoid stimulating immunity to the delivery vector itself. These materials can include, but are not limited to, lipids, inorganic nanomaterials, and other polymeric materials. Lipids can be cationic, anionic, or neutral. The materials can be synthetic or naturally derived, and in some instances biodegradable. Lipids can include fats, cholesterol, phospholipids, lipid conjugates including, but not limited to, polyethyleneglycol (PEG) conjugates (PEGylated lipids), waxes, oils, glycerides, and fat soluble vitamins.

[0390] Lipid nanoparticles (LNPs) are an attractive delivery system due to the amphiphilic nature of lipids enabling

formation of membranes and vesicle like structures (Riley 2017). In general, these vesicles deliver the expression vector by absorbing into the membrane of target cells and releasing nucleic acid into the cytosol. In addition, LNPs can be further modified or functionalized to facilitate targeting of specific cell types. Another consideration in LNP design is the balance between targeting efficiency and cytotoxicity. Lipid compositions generally include defined mixtures of cationic, neutral, anionic, and amphipathic lipids. In some instances, specific lipids are included to prevent LNP aggregation, prevent lipid oxidation, or provide functional chemical groups that facilitate attachment of additional moieties. Lipid composition can influence overall LNP size and stability. In an example, the lipid composition comprises dilynoleylmethyl-4-dimethylaminobutyrate (MC3) or MC3-like molecules. MC3 and MC3-like lipid compositions can be formulated to include one or more other lipids, such as a PEG or PEG-conjugated lipid, a sterol, or neutral lipids.

[0391] Nucleic-acid vectors, such as expression vectors, exposed directly to serum can have several undesirable consequences, including degradation of the nucleic acid by serum nucleases or off-target stimulation of the immune system by the free nucleic acids. Therefore, encapsulation of the alphavirus vector can be used to avoid degradation, while also avoiding potential off-target effects. In certain examples, an alphavirus vector is fully encapsulated within the delivery vehicle, such as within the aqueous interior of an LNP. Encapsulation of the alphavirus vector within an LNP can be carried out by techniques well-known to those skilled in the art, such as microfluidic mixing and droplet generation carried out on a microfluidic droplet generating device. Such devices include, but are not limited to, standard T-junction devices or flow-focusing devices. In an example, the desired lipid formulation, such as MC3 or MC3-like containing compositions, is provided to the droplet generating device in parallel with the alphavirus delivery vector and other desired agents, such that the delivery vector and desired agents are fully encapsulated within the interior of the MC3 or MC3-like based LNP. In an example, the droplet generating device can control the size range and size distribution of the LNPs produced. For example, the LNP can have a size ranging from 1 to 1000 nanometers in diameter, e.g., 1, 10, 50, 100, 500, or 1000 nanometers. Following droplet generation, the delivery vehicles encapsulating the expression vectors can be further treated or modified to prepare them for administration.

V.E. Chimpanzee Adenovirus (ChAd)

V.E.1. Viral Delivery with Chimpanzee Adenovirus

[0392] Vaccine compositions for delivery of one or more antigens (e.g., via an antigen cassette) can be created by providing adenovirus nucleotide sequences of chimpanzee origin, a variety of novel vectors, and cell lines expressing chimpanzee adenovirus genes. A nucleotide sequence of a chimpanzee C68 adenovirus (also referred to herein as ChAdV68) can be used in a vaccine composition for antigen delivery (See SEQ ID NO: 1). Use of C68 adenovirus derived vectors is described in further detail in U.S. Pat. No. 6,083,716, which is herein incorporated by reference in its entirety, for all purposes. ChAdV68-based vectors and delivery systems are described in detail in US App. Pub. No. US20200197500A1 and international patent application

publication WO2020243719A1, each of which is herein incorporated by reference for all purposes.

[0393] In a further aspect, provided herein is a recombinant adenovirus comprising the DNA sequence of a chimpanzee adenovirus such as C68 and an antigen cassette operatively linked to regulatory sequences directing its expression. The recombinant virus is capable of infecting a mammalian, preferably a human, cell and capable of expressing the antigen cassette product in the cell. In this vector, the native chimpanzee E1 gene, and/or E3 gene, and/or E4 gene can be deleted. An antigen cassette can be inserted into any of these sites of gene deletion. The antigen cassette can include an antigen against which a primed immune response is desired.

[0394] In another aspect, provided herein is a mammalian cell infected with a chimpanzee adenovirus such as C68.

[0395] In still a further aspect, a novel mammalian cell line is provided which expresses a chimpanzee adenovirus gene (e.g., from C68) or functional fragment thereof.

[0396] In still a further aspect, provided herein is a method for delivering an antigen cassette into a mammalian cell comprising the step of introducing into the cell an effective amount of a chimpanzee adenovirus, such as C68, that has been engineered to express the antigen cassette.

[0397] Still another aspect provides a method for stimulating an immune response in a mammalian host to treat cancer. The method can comprise the step of administering to the host an effective amount of a recombinant chimpanzee adenovirus, such as C68, comprising an antigen cassette that encodes one or more antigens from the tumor against which the immune response is targeted.

[0398] Still another aspect provides a method for stimulating an immune response in a mammalian host to treat or prevent a disease in a subject, such as an infectious disease. The method can comprise the step of administering to the host an effective amount of a recombinant chimpanzee adenovirus, such as C68, comprising an antigen cassette that encodes one or more antigens, such as from the infectious disease against which the immune response is targeted.

[0399] Also disclosed is a non-simian mammalian cell that expresses a chimpanzee adenovirus gene obtained from the sequence of SEQ ID NO: 1. The gene can be selected from the group consisting of the adenovirus E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4 and L5 of SEQ ID NO: 1.

[0400] Also disclosed is a nucleic acid molecule comprising a chimpanzee adenovirus DNA sequence comprising a gene obtained from the sequence of SEQ ID NO: 1. The gene can be selected from the group consisting of said chimpanzee adenovirus E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4 and L5 genes of SEQ ID NO: 1. In some aspects the nucleic acid molecule comprises SEQ ID NO: 1. In some aspects the nucleic acid molecule comprises the sequence of SEQ ID NO: 1, lacking at least one gene selected from the group consisting of E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4 and L5 genes of SEQ ID NO: 1.

[0401] Also disclosed is a vector comprising a chimpanzee adenovirus DNA sequence obtained from SEQ ID NO: 1 and an antigen cassette operatively linked to one or more regulatory sequences which direct expression of the cassette in a heterologous host cell, optionally wherein the chimpanzee adenovirus DNA sequence comprises at least the cis-elements necessary for replication and virion encapsidation, the cis-elements flanking the antigen cassette and regulatory sequences. In some aspects, the chimpanzee adenovirus

DNA sequence comprises a gene selected from the group consisting of E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4 and L5 gene sequences of SEQ ID NO: 1. In some aspects the vector can lack the E1A and/or E1B gene.

[0402] Also disclosed herein is an adenovirus vector comprising: a partially deleted E4 gene comprising a deleted or partially-deleted E4orf2 region and a deleted or partially-deleted E4orf3 region, and optionally a deleted or partially-deleted E4orf4 region. The partially deleted E4 can comprise an E4 deletion of at least nucleotides 34,916 to 35,642 of the sequence shown in SEQ ID NO:1, and wherein the vector comprises at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1. The partially deleted E4 can comprise an E4 deletion of at least a partial deletion of nucleotides 34,916 to 34,942 of the sequence shown in SEQ ID NO:1, at least a partial deletion of nucleotides 34,952 to 35,305 of the sequence shown in SEQ ID NO:1, and at least a partial deletion of nucleotides 35,302 to 35,642 of the sequence shown in SEQ ID NO:1, and wherein the vector comprises at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1. The partially deleted E4 can comprise an E4 deletion of at least nucleotides 34,980 to 36,516 of the sequence shown in SEQ ID NO:1, and wherein the vector comprises at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1. The partially deleted E4 can comprise an E4 deletion of at least nucleotides 34,979 to 35,642 of the sequence shown in SEQ ID NO:1, and wherein the vector comprises at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1. The partially deleted E4 can comprise an E4 deletion of at least a partial deletion of E4orf2, a fully deleted E4orf3, and at least a partial deletion of E4orf4. The partially deleted E4 can comprise an E4 deletion of at least a partial deletion of E4orf2, at least a partial deletion of E4orf3, and at least a partial deletion of E4orf4. The partially deleted E4 can comprise an E4 deletion of at least a partial deletion of E4orf1, a fully deleted E4orf2, and at least a partial deletion of E4orf3. The partially deleted E4 can comprise an E4 deletion of at least a partial deletion of E4orf2 and at least a partial deletion of E4orf3. The partially deleted E4 can comprise an E4 deletion between the start site of E4orf1 to the start site of E4orf5. The partially deleted E4 can be an E4 deletion adjacent to the start site of E4orf1. The partially deleted E4 can be an E4 deletion adjacent to the start site of E4orf2. The partially deleted E4 can be an E4 deletion adjacent to the start site of E4orf3. The partially deleted E4 can be an E4 deletion adjacent to the start site of E4orf4. The E4 deletion can be at least 50, at least 100, at least 200, at least 300, at least 400, at least 500, at least 600, at least 700, at least 800, at least 900, at least 1000, at least 1100, at least 1200, at least 1300, at least 1400, at least 1500, at least 1600, at least 1700, at least 1800, at least 1900, or at least 2000 nucleotides. The E4 deletion can be at least 700 nucleotides. The E4 deletion can be at least 1500 nucleotides. The E4 deletion can be 50 or less, 100 or less, 200 or less, 300 or less, 400 or less, 500 or less, 600 or less, 700 or less, 800 or less, 900 or less, 1000 or less, 1100 or less, 1200 or less, 1300 or less, 1400 or less, 1500 or less, 1600 or less, 1700 or less, 1800 or less, 1900 or less, or 2000 or less nucleotides. The E4 deletion can be 750 nucleotides or less. The E4 deletion can be at least 1550 nucleotides or less.

[0403] The partially deleted E4 gene can be the E4 gene sequence shown in SEQ ID NO:1 that lacks at least nucleotides 34,916 to 35,642 of the sequence shown in SEQ ID

NO:1. The partially deleted E4 gene can be the E4 gene sequence shown in SEQ ID NO:1 that lacks the E4 gene sequence shown in SEQ ID NO:1 and that lacks at least nucleotides 34,916 to 34,942, nucleotides 34,952 to 35,305 of the sequence shown in SEQ ID NO:1, and nucleotides 35,302 to 35,642 of the sequence shown in SEQ ID NO:1. The partially deleted E4 gene can be the E4 gene sequence shown in SEQ ID NO:1 and that lacks at least nucleotides 34,980 to 36,516 of the sequence shown in SEQ ID NO:1. The partially deleted E4 gene can be the E4 gene sequence shown in SEQ ID NO:1 and that lacks at least nucleotides 34,979 to 35,642 of the sequence shown in SEQ ID NO:1. The adenovirus vector having the partially deleted E4 gene can have a cassette, wherein the cassette comprises at least one payload nucleic acid sequence, and wherein the cassette comprises at least one promoter sequence operably linked to the at least one payload nucleic acid sequence. The adenovirus vector having the partially deleted E4 gene can have one or more genes or regulatory sequences of the ChAdV68 sequence shown in SEQ ID NO: 1, optionally wherein the one or more genes or regulatory sequences comprise at least one of the chimpanzee adenovirus inverted terminal repeat (ITR), E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence shown in SEQ ID NO: 1. The adenovirus vector having the partially deleted E4 gene can have nucleotides 2 to 34,916 of the sequence shown in SEQ ID NO:1, wherein the partially deleted E4 gene is 3' of the nucleotides 2 to 34,916, and optionally the nucleotides 2 to 34,916 additionally lack nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1 corresponding to an E1 deletion and/or lack nucleotides 27,125 to 31,825 of the sequence shown in SEQ ID NO:1 corresponding to an E3 deletion. The adenovirus vector having the partially deleted E4 gene can have nucleotides 35,643 to 36,518 of the sequence shown in SEQ ID NO:1, and wherein the partially deleted E4 gene is 5' of the nucleotides 35,643 to 36,518. The adenovirus vector having the partially deleted E4 gene can have nucleotides 2 to 34,916 of the sequence shown in SEQ ID NO:1, wherein the partially deleted E4 gene is 3' of the nucleotides 2 to 34,916, the nucleotides 2 to 34,916 additionally lack nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1 corresponding to an E1 deletion and lack nucleotides 27,125 to 31,825 of the sequence shown in SEQ ID NO:1 corresponding to an E3 deletion. The adenovirus vector having the partially deleted E4 gene can have nucleotides 2 to 34,916 of the sequence shown in SEQ ID NO:1, wherein the partially deleted E4 gene is 3' of the nucleotides 2 to 34,916, the nucleotides 2 to 34,916 additionally lack nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1 corresponding to an E1 deletion and lack nucleotides 27,125 to 31,825 of the sequence shown in SEQ ID NO:1 corresponding to an E3 deletion, and have nucleotides 35,643 to 36,518 of the sequence shown in SEQ ID NO:1, and wherein the partially deleted E4 gene is 5' of the nucleotides 35,643 to 36,518.

[0404] The partially deleted E4 gene can be the E4 gene sequence shown in SEQ ID NO:1 that lacks at least nucleotides 34,916 to 35,642 of the sequence shown in SEQ ID NO:1, nucleotides 2 to 34,916 of the sequence shown in SEQ ID NO:1, wherein the partially deleted E4 gene is 3' of the nucleotides 2 to 34,916, the nucleotides 2 to 34,916 additionally lack nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1 corresponding to an E1 deletion and lack nucleotides 27,125 to 31,825 of the sequence shown in

SEQ ID NO:1 corresponding to an E3 deletion, and have nucleotides 35,643 to 36,518 of the sequence shown in SEQ ID NO:1, and wherein the partially deleted E4 gene is 5' of the nucleotides 35,643 to 36,518.

[0405] Also disclosed herein is a host cell transfected with a vector disclosed herein such as a C68 vector engineered to expression an antigen cassette. Also disclosed herein is a human cell that expresses a selected gene introduced therein through introduction of a vector disclosed herein into the cell.

[0406] Also disclosed herein is a method for delivering an antigen cassette to a mammalian cell comprising introducing into said cell an effective amount of a vector disclosed herein such as a C68 vector engineered to expression the antigen cassette.

[0407] Also disclosed herein is a method for producing an antigen comprising introducing a vector disclosed herein into a mammalian cell, culturing the cell under suitable conditions and producing the antigen.

V.E.2. E1-Expressing Complementation Cell Lines

[0408] To generate recombinant chimpanzee adenoviruses (Ad) deleted in any of the genes described herein, the function of the deleted gene region, if essential to the replication and infectivity of the virus, can be supplied to the recombinant virus by a helper virus or cell line, i.e., a complementation or packaging cell line. For example, to generate a replication-defective chimpanzee adenovirus vector, a cell line can be used which expresses the E1 gene products of the human or chimpanzee adenovirus; such a cell line can include HEK293 or variants thereof. The protocol for the generation of the cell lines expressing the chimpanzee E1 gene products (Examples 3 and 4 of U.S. Pat. No. 6,083,716) can be followed to generate a cell line which expresses any selected chimpanzee adenovirus gene.

[0409] An AAV augmentation assay can be used to identify a chimpanzee adenovirus E1-expressing cell line. This assay is useful to identify E1 function in cell lines made by using the E1 genes of other uncharacterized adenoviruses, e.g., from other species. That assay is described in Example 4B of U.S. Pat. No. 6,083,716.

[0410] A selected chimpanzee adenovirus gene, e.g., E1, can be under the transcriptional control of a promoter for expression in a selected parent cell line. Inducible or constitutive promoters can be employed for this purpose. Among inducible promoters are included the sheep metallothionine promoter, inducible by zinc, or the mouse mammary tumor virus (MMTV) promoter, inducible by a glucocorticoid, particularly, dexamethasone. Other inducible promoters, such as those identified in International patent application publication WO95/13392, incorporated by reference herein can also be used in the production of packaging cell lines. Constitutive promoters in control of the expression of the chimpanzee adenovirus gene can be employed also.

[0411] A parent cell can be selected for the generation of a novel cell line expressing any desired C68 gene. Without limitation, such a parent cell line can be HeLa [ATCC Accession No. CCL 2], A549 [ATCC Accession No. CCL 185], KB [CCL 17], Detroit [e.g., Detroit 510, CCL 72] and WI-38 [CCL 75] cells. Other suitable parent cell lines can be obtained from other sources. Parent cell lines can include CHO, HEK293 or variants thereof, 911, HeLa, A549, LP-293, PER.C6, or AE1-2a.

[0412] An E1-expressing cell line can be useful in the generation of recombinant chimpanzee adenovirus E1 deleted vectors. Cell lines constructed using essentially the same procedures that express one or more other chimpanzee adenoviral gene products are useful in the generation of recombinant chimpanzee adenovirus vectors deleted in the genes that encode those products. Further, cell lines which express other human Ad E1 gene products are also useful in generating chimpanzee recombinant Ads.

V.E.3. Recombinant Viral Particles as Vectors

[0413] The compositions disclosed herein can comprise viral vectors, that deliver at least one antigen to cells. Such vectors comprise a chimpanzee adenovirus DNA sequence such as C68 and an antigen cassette operatively linked to regulatory sequences which direct expression of the cassette. The C68 vector is capable of expressing the cassette in an infected mammalian cell. The C68 vector can be functionally deleted in one or more viral genes. An antigen cassette comprises at least one antigen under the control of one or more regulatory sequences such as a promoter. Optional helper viruses and/or packaging cell lines can supply to the chimpanzee viral vector any necessary products of deleted adenoviral genes.

[0414] The term “functionally deleted” means that a sufficient amount of the gene region is removed or otherwise altered, e.g., by mutation or modification, so that the gene region is no longer capable of producing one or more functional products of gene expression. Mutations or modifications that can result in functional deletions include, but are not limited to, nonsense mutations such as introduction of premature stop codons and removal of canonical and non-canonical start codons, mutations that alter mRNA splicing or other transcriptional processing, or combinations thereof. If desired, the entire gene region can be removed.

[0415] Modifications of the nucleic acid sequences forming the vectors disclosed herein, including sequence deletions, insertions, and other mutations may be generated using standard molecular biological techniques and are within the scope of this invention.

V.E.4. Construction of the Viral Plasmid Vector

[0416] The chimpanzee adenovirus C68 vectors useful in this invention include recombinant, defective adenoviruses, that is, chimpanzee adenovirus sequences functionally deleted in the E1a or E1b genes, and optionally bearing other mutations, e.g., temperature-sensitive mutations or deletions in other genes. It is anticipated that these chimpanzee sequences are also useful in forming hybrid vectors from other adenovirus and/or adeno-associated virus sequences. Homologous adenovirus vectors prepared from human adenoviruses are described in the published literature [see, for example, Kozarsky I and II, cited above, and references cited therein, U.S. Pat. No. 5,240,846].

[0417] In the construction of useful chimpanzee adenovirus C68 vectors for delivery of an antigen cassette to a human (or other mammalian) cell, a range of adenovirus nucleic acid sequences can be employed in the vectors. A vector comprising minimal chimpanzee C68 adenovirus sequences can be used in conjunction with a helper virus to produce an infectious recombinant virus particle. The helper virus provides essential gene products required for viral infectivity and propagation of the minimal chimpanzee

adenoviral vector. When only one or more selected deletions of chimpanzee adenovirus genes are made in an otherwise functional viral vector, the deleted gene products can be supplied in the viral vector production process by propagating the virus in a selected packaging cell line that provides the deleted gene functions in trans.

V.E.5. Recombinant Minimal Adenovirus

[0418] A minimal chimpanzee Ad C68 virus is a viral particle containing just the adenovirus cis-elements necessary for replication and virion encapsidation. That is, the vector contains the cis-acting 5' and 3' inverted terminal repeat (ITR) sequences of the adenoviruses (which function as origins of replication) and the native 5' packaging/enhancer domains (that contain sequences necessary for packaging linear Ad genomes and enhancer elements for the E1 promoter). See, for example, the techniques described for preparation of a "minimal" human Ad vector in International Patent Application WO96/13597 and incorporated herein by reference.

V.E.6. Other Defective Adenoviruses

[0419] Recombinant, replication-deficient adenoviruses can also contain more than the minimal chimpanzee adenovirus sequences. These other Ad vectors can be characterized by deletions of various portions of gene regions of the virus, and infectious virus particles formed by the optional use of helper viruses and/or packaging cell lines.

[0420] As one example, suitable vectors may be formed by deleting all or a sufficient portion of the C68 adenoviral immediate early gene E1a and delayed early gene E1b, so as to eliminate their normal biological functions. Replication-defective E1-deleted viruses are capable of replicating and producing infectious virus when grown on a chimpanzee adenovirus-transformed, complementation cell line containing functional adenovirus E1a and E1b genes which provide the corresponding gene products in trans. Based on the homologies to known adenovirus sequences, it is anticipated that, as is true for the human recombinant E1-deleted adenoviruses of the art, the resulting recombinant chimpanzee adenovirus is capable of infecting many cell types and can express antigen(s), but cannot replicate in most cells that do not carry the chimpanzee E1 region DNA unless the cell is infected at a very high multiplicity of infection.

[0421] As another example, all or a portion of the C68 adenovirus delayed early gene E3 can be eliminated from the chimpanzee adenovirus sequence which forms a part of the recombinant virus.

[0422] Chimpanzee adenovirus C68 vectors can also be constructed having a deletion of the E4 gene. Still another vector can contain a deletion in the delayed early gene E2a.

[0423] Deletions can also be made in any of the late genes L1 through L5 of the chimpanzee C68 adenovirus genome. Similarly, deletions in the intermediate genes IX and IVa2 can be useful for some purposes. Other deletions may be made in the other structural or non-structural adenovirus genes.

[0424] The above discussed deletions can be used individually, i.e., an adenovirus sequence can contain deletions of E1 only. Alternatively, deletions of entire genes or portions thereof effective to destroy or reduce their biological activity can be used in any combination. For example, in one exemplary vector, the adenovirus C68 sequence can have

deletions of the E1 genes and the E4 gene, or of the E1, E2a and E3 genes, or of the E1 and E3 genes, or of E1, E2a and E4 genes, with or without deletion of E3, and so on. As discussed above, such deletions can be used in combination with other mutations, such as temperature-sensitive mutations, to achieve a desired result.

[0425] The cassette comprising antigen(s) be inserted optionally into any deleted region of the chimpanzee C68 Ad virus. Alternatively, the cassette can be inserted into an existing gene region to disrupt the function of that region, if desired.

V.E.7. Helper Viruses

[0426] Depending upon the chimpanzee adenovirus gene content of the viral vectors employed to carry the antigen cassette, a helper adenovirus or non-replicating virus fragment can be used to provide sufficient chimpanzee adenovirus gene sequences to produce an infective recombinant viral particle containing the cassette.

[0427] Useful helper viruses contain selected adenovirus gene sequences not present in the adenovirus vector construct and/or not expressed by the packaging cell line in which the vector is transfected. A helper virus can be replication-defective and contain a variety of adenovirus genes in addition to the sequences described above. The helper virus can be used in combination with the E1-expressing cell lines described herein.

[0428] For C68, the "helper" virus can be a fragment formed by clipping the C terminal end of the C68 genome with SspI, which removes about 1300 bp from the left end of the virus. This clipped virus is then co-transfected into an E1-expressing cell line with the plasmid DNA, thereby forming the recombinant virus by homologous recombination with the C68 sequences in the plasmid.

[0429] Helper viruses can also be formed into poly-cation conjugates as described in Wu et al, J. Biol. Chem., 264: 16985-16987 (1989); K. J. Fisher and J. M. Wilson, Biochem. J., 299:49 (Apr. 1, 1994). Helper virus can optionally contain a reporter gene. A number of such reporter genes are known to the art. The presence of a reporter gene on the helper virus which is different from the antigen cassette on the adenovirus vector allows both the Ad vector and the helper virus to be independently monitored. This second reporter is used to enable separation between the resulting recombinant virus and the helper virus upon purification.

V.E.8. Assembly of Viral Particle and Infection of a Cell Line

[0430] Assembly of the selected DNA sequences of the adenovirus, the antigen cassette, and other vector elements into various intermediate plasmids and shuttle vectors, and the use of the plasmids and vectors to produce a recombinant viral particle can all be achieved using conventional techniques. Such techniques include conventional cloning techniques of cDNA, in vitro recombination techniques (e.g., Gibson assembly), use of overlapping oligonucleotide sequences of the adenovirus genomes, polymerase chain reaction, and any suitable method which provides the desired nucleotide sequence. Standard transfection and co-transfection techniques are employed, e.g., CaPO4 precipitation techniques or liposome-mediated transfection methods such as lipofectamine. Other conventional methods employed include homologous recombination of the viral

genomes, plaquing of viruses in agar overlay, methods of measuring signal generation, and the like.

[0431] For example, following the construction and assembly of the desired antigen cassette-containing viral vector, the vector can be transfected in vitro in the presence of a helper virus into the packaging cell line. Homologous recombination occurs between the helper and the vector sequences, which permits the adenovirus-antigen sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant viral vector particles.

[0432] The resulting recombinant chimpanzee C68 adenoviruses are useful in transferring an antigen cassette to a selected cell. In in vivo experiments with the recombinant virus grown in the packaging cell lines, the E1-deleted recombinant chimpanzee adenovirus demonstrates utility in transferring a cassette to a non-chimpanzee, preferably a human, cell.

V.E.9. Use of the Recombinant Virus Vectors

[0433] The resulting recombinant chimpanzee C68 adenovirus containing the antigen cassette (produced by cooperation of the adenovirus vector and helper virus or adenoviral vector and packaging cell line, as described above) thus provides an efficient gene transfer vehicle which can deliver antigen(s) to a subject in vivo or ex vivo.

[0434] The above-described recombinant vectors are administered to humans according to published methods for gene therapy. A chimpanzee viral vector bearing an antigen cassette can be administered to a patient, preferably suspended in a biologically compatible solution or pharmaceutically acceptable delivery vehicle. A suitable vehicle includes sterile saline. Other aqueous and non-aqueous isotonic sterile injection solutions and aqueous and non-aqueous sterile suspensions known to be pharmaceutically acceptable carriers and well known to those of skill in the art may be employed for this purpose.

[0435] The chimpanzee adenoviral vectors are administered in sufficient amounts to transduce the human cells and to provide sufficient levels of antigen transfer and expression to provide a therapeutic benefit without undue adverse or with medically acceptable physiological effects, which can be determined by those skilled in the medical arts. Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, direct delivery to the liver, intranasal, intravenous, intramuscular, subcutaneous, intradermal, oral and other parental routes of administration. Routes of administration may be combined, if desired.

[0436] Dosages of the viral vector will depend primarily on factors such as the condition being treated, the age, weight and health of the patient, and may thus vary among patients. The dosage will be adjusted to balance the therapeutic benefit against any side effects and such dosages may vary depending upon the therapeutic application for which the recombinant vector is employed. The levels of expression of antigen(s) can be monitored to determine the frequency of dosage administration.

[0437] Recombinant, replication defective adenoviruses can be administered in a "pharmaceutically effective amount", that is, an amount of recombinant adenovirus that is effective in a route of administration to transfect the desired cells and provide sufficient levels of expression of the selected gene to provide a vaccinal benefit, i.e., some measurable level of protective immunity. C68 vectors comprising an antigen cassette can be co-administered with

adjuvant. Adjuvant can be separate from the vector (e.g., alum) or encoded within the vector, in particular if the adjuvant is a protein. Adjuvants are well known in the art.

[0438] Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, intranasal, intramuscular, intratracheal, subcutaneous, intradermal, rectal, oral and other parental routes of administration. Routes of administration may be combined, if desired, or adjusted depending upon the immunogen or the disease. For example, in prophylaxis of rabies, the subcutaneous, intratracheal and intranasal routes are preferred. The route of administration primarily will depend on the nature of the disease being treated.

[0439] The levels of immunity to antigen(s) can be monitored to determine the need, if any, for boosters. Following an assessment of antibody titers in the serum, for example, optional booster immunizations may be desired

VI. Therapeutic and Manufacturing Methods

[0440] Also provided is a method of inducing a tumor specific immune response in a subject, vaccinating against a tumor, treating and/or alleviating a symptom of cancer in a subject by administering to the subject one or more antigens such as a plurality of antigens identified using methods disclosed herein.

[0441] In some aspects, a subject has been diagnosed with cancer or is at risk of developing cancer. A subject can be a human, dog, cat, horse or any animal in which a tumor specific immune response is desired. A tumor can be any solid tumor such as breast, ovarian, prostate, lung, kidney, gastric, colon, testicular, head and neck, pancreas, brain, melanoma, and other tumors of tissue organs and hematological tumors, such as lymphomas and leukemias, including acute myelogenous leukemia, chronic myelogenous leukemia, chronic lymphocytic leukemia, T cell lymphocytic leukemia, and B cell lymphomas. A cancer can be non-small cell lung cancer (NSCLC).

[0442] An antigen can be administered in an amount sufficient to stimulate a CTL response. An antigen can be administered in an amount sufficient to stimulate a T cell response. An antigen can be administered in an amount sufficient to stimulate a B cell response. An antigen can be administered in an amount sufficient to stimulate both a T cell response and a B cell response.

[0443] An antigen can be administered alone or in combination with other therapeutic agents. Therapeutic agents can include those that target an infectious disease organism, such as an anti-viral or antibiotic agent.

[0444] In addition, a subject can be further administered an anti-immunosuppressive/immunostimulatory agent such as a checkpoint inhibitor. For example, the subject can be further administered an anti-CTLA antibody or anti-PD-1 or anti-PD-L1. Blockade of CTLA-4 or PD-L1 by antibodies can enhance the immune response to cancerous cells in the patient. In particular, CTLA-4 blockade has been shown effective when following a vaccination protocol.

[0445] The optimum amount of each antigen to be included in a vaccine composition and the optimum dosing regimen can be determined. For example, an antigen or its variant can be prepared for intravenous (i.v.) injection, sub-cutaneous (s.c.) injection, intradermal (i.d.) injection, intraperitoneal (i.p.) injection, intramuscular (i.m.) injection. Methods of injection include s.c., i.d., i.p., i.m., and i.v. Methods of DNA or RNA injection include i.d., i.m., s.c., i.p.

and i.v. Other methods of administration of the vaccine composition are known to those skilled in the art.

[0446] A vaccine can be compiled so that the selection, number and/or amount of antigens present in the composition is/are tissue, cancer, infectious disease, and/or patient-specific. For instance, the exact selection of peptides can be guided by expression patterns of the parent proteins in a given tissue or guided by mutation or disease status of a patient. The selection can be dependent on the specific type of cancer, the specific infectious disease, the status of the disease, the goal of the vaccination (e.g., preventative or targeting an ongoing disease), earlier treatment regimens, the immune status of the patient, and, of course, the HLA-haplotype of the patient. Furthermore, a vaccine can contain individualized components, according to personal needs of the particular patient. Examples include varying the selection of antigens according to the expression of the antigen in the particular patient or adjustments for secondary treatments following a first round or scheme of treatment.

[0447] A patient can be identified for administration of an antigen vaccine through the use of various diagnostic methods, e.g., patient selection methods described further below. Patient selection can involve identifying mutations in, or expression patterns of, one or more genes. Patient selection can involve identifying the infectious disease of an ongoing infection. Patient selection can involve identifying risk of an infection by an infectious disease. In some cases, patient selection involves identifying the haplotype of the patient. The various patient selection methods can be performed in parallel, e.g., a sequencing diagnostic can identify both the mutations and the haplotype of a patient. The various patient selection methods can be performed sequentially, e.g., one diagnostic test identifies the mutations and separate diagnostic test identifies the haplotype of a patient, and where each test can be the same (e.g., both high-throughput sequencing) or different (e.g., one high-throughput sequencing and the other Sanger sequencing) diagnostic methods.

[0448] For a composition to be used as a vaccine for cancer or an infectious disease, antigens with similar normal self-peptides that are expressed in high amounts in normal tissues can be avoided or be present in low amounts in a composition described herein. On the other hand, if it is known that the tumor or infected cell of a patient expresses high amounts of a certain antigen, the respective pharmaceutical composition for treatment of this cancer or infection can be present in high amounts and/or more than one antigen specific for this particularly antigen or pathway of this antigen can be included.

[0449] Compositions comprising an antigen can be administered to an individual already suffering from cancer. In therapeutic applications, compositions are administered to a subject in an amount sufficient to stimulate an effective CTL response to the tumor antigen and to cure or at least partially arrest symptoms and/or complications. An amount adequate to accomplish this is defined as "therapeutically effective dose." Amounts effective for this use will depend on, e.g., the composition, the manner of administration, the stage and severity of the disease being treated, the weight and general state of health of the patient, and the judgment of the prescribing physician. It should be kept in mind that compositions can generally be employed in serious disease states, that is, life-threatening or potentially life threatening situations, especially when the cancer has metastasized. In such cases, in view of the minimization of extraneous

substances and the relative nontoxic nature of an antigen, it is possible and can be felt desirable by the treating physician to administer substantial excesses of these compositions.

[0450] For therapeutic use, administration can begin at the detection or surgical removal of tumors, or begin at the detection or treatment of an infection. This can be followed by boosting doses until at least symptoms are substantially abated and for a period thereafter, or immunity is considered to be provided (e.g., a memory B cell or T cell population, or antigen specific B cells or antibodies are produced).

[0451] The pharmaceutical compositions (e.g., vaccine compositions) for therapeutic treatment are intended for parenteral, topical, nasal, oral or local administration. A pharmaceutical compositions can be administered parenterally, e.g., intravenously, subcutaneously, intradermally, or intramuscularly. The compositions can be administered at a site of surgical excision to stimulate a local immune response to a tumor. The compositions can be administered to target specific infected tissues and/or cells of a subject. Disclosed herein are compositions for parenteral administration which comprise a solution of the antigen and vaccine compositions are dissolved or suspended in an acceptable carrier, e.g., an aqueous carrier. A variety of aqueous carriers can be used, e.g., water, buffered water, 0.9% saline, 0.3% glycine, hyaluronic acid and the like. These compositions can be sterilized by conventional, well known sterilization techniques, or can be sterile filtered. The resulting aqueous solutions can be packaged for use as is, or lyophilized, the lyophilized preparation being combined with a sterile solution prior to administration. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions, such as pH adjusting and buffering agents, tonicity adjusting agents, wetting agents and the like, for example, sodium acetate, sodium lactate, sodium chloride, potassium chloride, calcium chloride, sorbitan monolaurate, triethanolamine oleate, etc.

[0452] Antigens can also be administered via liposomes, which target them to a particular cells tissue, such as lymphoid tissue. Liposomes are also useful in increasing half-life. Liposomes include emulsions, foams, micelles, insoluble monolayers, liquid crystals, phospholipid dispersions, lamellar layers and the like. In these preparations the antigen to be delivered is incorporated as part of a liposome, alone or in conjunction with a molecule which binds to, e.g., a receptor prevalent among lymphoid cells, such as monoclonal antibodies which bind to the CD45 antigen, or with other therapeutic or immunogenic compositions. Thus, liposomes filled with a desired antigen can be directed to the site of lymphoid cells, where the liposomes then deliver the selected therapeutic/immunogenic compositions. Liposomes can be formed from standard vesicle-forming lipids, which generally include neutral and negatively charged phospholipids and a sterol, such as cholesterol. The selection of lipids is generally guided by consideration of, e.g., liposome size, acid lability and stability of the liposomes in the blood stream. A variety of methods are available for preparing liposomes, as described in, e.g., Szoka et al., *Ann. Rev. Biophys. Bioeng.* 9; 467 (1980), U.S. Pat. Nos. 4,235, 871, 4,501,728, 4,501,728, 4,837,028, and 5,019,369.

[0453] For targeting to the immune cells, a ligand to be incorporated into the liposome can include, e.g., antibodies or fragments thereof specific for cell surface determinants of the desired immune system cells. A liposome suspension can

be administered intravenously, locally, topically, etc. in a dose which varies according to, inter alia, the manner of administration, the peptide being delivered, and the stage of the disease being treated.

[0454] For therapeutic or immunization purposes, nucleic acids encoding a peptide and optionally one or more of the peptides described herein can also be administered to the patient. A number of methods are conveniently used to deliver the nucleic acids to the patient. For instance, the nucleic acid can be delivered directly, as “naked DNA”. This approach is described, for instance, in Wolff et al., *Science* 247: 1465-1468 (1990) as well as U.S. Pat. Nos. 5,580,859 and 5,589,466. The nucleic acids can also be administered using ballistic delivery as described, for instance, in U.S. Pat. No. 5,204,253. Particles comprised solely of DNA can be administered. Alternatively, DNA can be adhered to particles, such as gold particles. Approaches for delivering nucleic acid sequences can include viral vectors, mRNA vectors, and DNA vectors with or without electroporation.

[0455] The nucleic acids can also be delivered complexed to cationic compounds, such as cationic lipids. Lipid-mediated gene delivery methods are described, for instance, in 9618372WOAWO 96/18372; 9324640WOAWO 93/24640; Mannino & Gould-Fogerite, *BioTechniques* 6(7): 682-691 (1988); U.S. Pat. No. 5,279,833 Rose U.S. Pat. No. 5,279,833; 9106309WOAWO 91/06309; and Felgner et al., *Proc. Natl. Acad. Sci. USA* 84: 7413-7414 (1987).

[0456] Antigens can also be included in viral vector-based vaccine platforms, such as vaccinia, fowlpox, self-replicating alphavirus, marabavirus, adenovirus (See, e.g., Tatsis et al., *Adenoviruses, Molecular Therapy* (2004) 10, 616-629), or lentivirus, including but not limited to second, third or hybrid second/third generation lentivirus and recombinant lentivirus of any generation designed to target specific cell types or receptors (See, e.g., Hu et al., *Immunization Delivered by Lentiviral Vectors for Cancer and Infectious Diseases, Immunol Rev.* (2011) 239(1): 45-61, Sakuma et al., *Lentiviral vectors: basic to translational, Biochem J.* (2012) 443(3):603-18, Cooper et al., *Rescue of splicing-mediated intron loss maximizes expression in lentiviral vectors containing the human ubiquitin C promoter, Nucl. Acids Res.* (2015) 43 (1): 682-690, Zufferey et al., *Self-Inactivating Lentivirus Vector for Safe and Efficient In Vivo Gene Delivery, J. Virol.* (1998) 72 (12): 9873-9880). Dependent on the packaging capacity of the above mentioned viral vector-based vaccine platforms, this approach can deliver one or more nucleotide sequences that encode one or more antigen peptides. The sequences may be flanked by non-mutated sequences, may be separated by linkers or may be preceded with one or more sequences targeting a subcellular compartment (See, e.g., Gros et al., *Prospective identification of neoantigen-specific lymphocytes in the peripheral blood of melanoma patients, Nat Med.* (2016) 22 (4):433-8, Stronen et al., *Targeting of cancer neoantigens with donor-derived T cell receptor repertoires, Science.* (2016) 352 (6291):1337-41, Lu et al., *Efficient identification of mutated cancer antigens recognized by T cells associated with durable tumor regressions, Clin Cancer Res.* (2014) 20(13): 3401-10). Upon introduction into a host, infected cells express the antigens, and thereby stimulate a host immune (e.g., CTL) response against the peptide(s). Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Pat. No. 4,722,848. Another vector is BCG (*Bacille Calmette Guérin*). BCG vectors are described in

Stover et al. (*Nature* 351:456-460 (1991)). A wide variety of other vaccine vectors useful for therapeutic administration or immunization of antigens, e.g., *Salmonella typhi* vectors, and the like will be apparent to those skilled in the art from the description herein.

[0457] A means of administering nucleic acids uses minigene constructs encoding one or multiple epitopes. To create a DNA sequence encoding the selected CTL epitopes (minigene) for expression in human cells, the amino acid sequences of the epitopes are reverse translated. A human codon usage table is used to guide the codon choice for each amino acid. These epitope-encoding DNA sequences are directly adjoined, creating a continuous polypeptide sequence. To optimize expression and/or immunogenicity, additional elements can be incorporated into the minigene design. Examples of amino acid sequence that could be reverse translated and included in the minigene sequence include: helper T lymphocyte, epitopes, a leader (signal) sequence, and an endoplasmic reticulum retention signal. In addition, MHC presentation of CTL epitopes can be improved by including synthetic (e.g. poly-alanine) or naturally-occurring flanking sequences adjacent to the CTL epitopes. The minigene sequence is converted to DNA by assembling oligonucleotides that encode the plus and minus strands of the minigene. Overlapping oligonucleotides (30-100 bases long) are synthesized, phosphorylated, purified and annealed under appropriate conditions using well known techniques. The ends of the oligonucleotides are joined using T4 DNA ligase. This synthetic minigene, encoding the CTL epitope polypeptide, can then be cloned into a desired expression vector.

[0458] Purified plasmid DNA can be prepared for injection using a variety of formulations. The simplest of these is reconstitution of lyophilized DNA in sterile phosphate-buffer saline (PBS). A variety of methods have been described, and new techniques can become available. As noted above, nucleic acids are conveniently formulated with cationic lipids. In addition, glycolipids, fusogenic liposomes, peptides and compounds referred to collectively as protective, interactive, non-condensing (PINC) could also be complexed to purified plasmid DNA to influence variables such as stability, intramuscular dispersion, or trafficking to specific organs or cell types.

[0459] Also disclosed is a method of manufacturing a vaccine, comprising performing the steps of a method disclosed herein; and producing a vaccine comprising a plurality of antigens or a subset of the plurality of antigens.

[0460] Antigens disclosed herein can be manufactured using methods known in the art. For example, a method of producing an antigen or a vector (e.g., a vector including at least one sequence encoding one or more antigens) disclosed herein can include culturing a host cell under conditions suitable for expressing the antigen or vector wherein the host cell comprises at least one polynucleotide encoding the antigen or vector, and purifying the antigen or vector. Standard purification methods include chromatographic techniques, electrophoretic, immunological, precipitation, dialysis, filtration, concentration, and chromatofocusing techniques.

[0461] Host cells can include a Chinese Hamster Ovary (CHO) cell, NSO cell, yeast, or a HEK293 cell. Host cells can be transformed with one or more polynucleotides comprising at least one nucleic acid sequence that encodes an antigen or vector disclosed herein, optionally wherein the

isolated polynucleotide further comprises a promoter sequence operably linked to the at least one nucleic acid sequence that encodes the antigen or vector. In certain embodiments the isolated polynucleotide can be cDNA.

VII. Antigen Use and Administration

[0462] A vaccination protocol can be used to dose a subject with one or more antigens. A priming vaccine and a boosting vaccine can be used to dose the subject. Vaccination methods, protocols, and schedules that can be used include, but are not limited to, those described in international application publication WO2021092095, herein incorporated by reference for all purposes.

[0463] A priming vaccine, can be based on C68 (e.g., the sequences shown in SEQ ID NO:1 or 2) or SAM (e.g., the sequences shown in SEQ ID NO:3 or 4). A boosting vaccine can also be based on C68 (e.g., the sequences shown in SEQ ID NO:1 or 2) or SAM (e.g., the sequences shown in SEQ ID NO:3 or 4).

[0464] Each vector in a prime/boost strategy typically includes a cassette that includes antigens. Cassettes can include about 1-50 antigens, separated by spacers such as the natural sequence that normally surrounds each antigen or other non-natural spacer sequences such as AAY. Cassettes can also include MHCII antigens such as tetanus toxoid antigen and PADRE antigen, which can be considered universal class II antigens. Cassettes can also include a targeting sequence such as a ubiquitin targeting sequence. In addition, each vaccine dose can be administered to the subject in conjunction with (e.g., concurrently, before, or after) an immune modulator. Each vaccine dose can be administered to the subject in conjunction with (e.g., concurrently, before, or after) a checkpoint inhibitor (CPI). CPI's can include those that inhibit CTLA4, PD1, and/or PDL1 such as antibodies or antigen-binding portions thereof. Such antibodies can include tremelimumab or durvalumab. Each vaccine dose can be administered to the subject in conjunction with (e.g., concurrently, before, or after) a cytokine, such as IL-2, IL-7, IL-12 (including IL-12 p35, p40, p70, and/or p70-fusion constructs), IL-15, or IL-21. Each vaccine dose can be administered to the subject in conjunction with (e.g., concurrently, before, or after) a modified cytokine (e.g., pegIL-2).

[0465] A priming vaccine can be injected (e.g., intramuscularly) in a subject. Bilateral injections per dose can be used. For example, one or more injections of ChAdV68 (C68) can be used (e.g., total dose 1×10^{12} viral particles); one or more injections of SAM vectors at low vaccine dose selected from the range 0.001 to 1 ug RNA, in particular 0.1 or 1 ug can be used; or one or more injections of SAM vectors at high vaccine dose selected from the range 1 to 100 ug RNA, in particular 10 or 100 ug can be used.

[0466] A vaccine boost (boosting vaccine) can be injected (e.g., intramuscularly) after prime vaccination. A boosting vaccine can be administered about every 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10 weeks, e.g., every 4 weeks and/or 8 weeks after the prime. Bilateral injections per dose can be used. For example, one or more injections of ChAdV68 (C68) can be used (e.g., total dose 1×10^{11} viral particles); one or more injections of SAM vectors at low vaccine dose selected from the range 0.001 to 1 ug RNA, in particular 0.1 or 1 ug can be used; or one or more injections of SAM vectors at high vaccine dose selected from the range 1 to 100 ug RNA, in particular 10 or 100 ug can be used.

[0467] Anti-CTLA-4 (e.g., tremelimumab) can also be administered to the subject. For example, anti-CTLA4 can be administered subcutaneously near the site of the intramuscular vaccine injection (ChAdV68 prime or SAM low doses) to ensure drainage into the same lymph node. Tremelimumab is a selective human IgG2 mAb inhibitor of CTLA-4. Target Anti-CTLA-4 (tremelimumab) subcutaneous dose is typically 70-75 mg (in particular 75 mg) with a dose range of, e.g., 1-100 mg or 5-420 mg.

[0468] In certain instances an anti-PD-L1 antibody can be used such as durvalumab (MEDI 4736). Durvalumab is a selective, high affinity human IgG1 mAb that blocks PD-L1 binding to PD-1 and CD80. Durvalumab is generally administered at 20 mg/kg i.v. every 4 weeks.

[0469] Immune monitoring can be performed before, during, and/or after vaccine administration. Such monitoring can inform safety and efficacy, among other parameters.

[0470] To perform immune monitoring, PBMCs are commonly used. PBMCs can be isolated before prime vaccination, and after prime vaccination (e.g. 4 weeks and 8 weeks). PBMCs can be harvested just prior to boost vaccinations and after each boost vaccination (e.g. 4 weeks and 8 weeks).

[0471] Immune responses, such as T cell responses and B cell responses, can be assessed as part of an immune monitoring protocol. For example, the ability of a vaccine composition described herein to stimulate an immune response can be monitored and/or assessed. As used herein, "stimulate an immune response" refers to any increase in a immune response, such as initiating an immune response (e.g., a priming vaccine stimulating the initiation of an immune response in a naïve subject) or enhancement of an immune response (e.g., a boosting vaccine stimulating the enhancement of an immune response in a subject having a pre-existing immune response to an antigen, such as a pre-existing immune response initiated by a priming vaccine). T cell responses can be measured using one or more methods known in the art such as ELISpot, intracellular cytokine staining, cytokine secretion and cell surface capture, T cell proliferation, MHC multimer staining, or by cytotoxicity assay. T cell responses to epitopes encoded in vaccines can be monitored from PBMCs by measuring induction of cytokines, such as IFN-gamma, using an ELISpot assay. Specific CD4 or CD8 T cell responses to epitopes encoded in vaccines can be monitored from PBMCs by measuring induction of cytokines captured intracellularly or extracellularly, such as IFN-gamma, using flow cytometry. Specific CD4 or CD8 T cell responses to epitopes encoded in the vaccines can be monitored from PBMCs by measuring T cell populations expressing T cell receptors specific for epitope/MHC class I complexes using MHC multimer staining. Specific CD4 or CD8 T cell responses to epitopes encoded in the vaccines can be monitored from PBMCs by measuring the ex vivo expansion of T cell populations following 3H-thymidine, bromodeoxyuridine and carboxyfluoresceine-diacetate-succinimidylester (CFSE) incorporation. The antigen recognition capacity and lytic activity of PBMC-derived T cells that are specific for epitopes encoded in vaccines can be assessed functionally by chromium release assay or alternative colorimetric cytotoxicity assays.

[0472] B cell responses can be measured using one or more methods known in the art such as assays used to determine B cell differentiation (e.g., differentiation into plasma cells), B cell or plasma cell proliferation, B cell or

plasma cell activation (e.g., upregulation of costimulatory markers such as CD80 or CD86), antibody class switching, and/or antibody production (e.g., an ELISA). Antibodies can also be assessed for function, such as assessed for neutralizing ability.

[0473] Disease status of a subject can be monitored following administration of any of the vaccine compositions described herein. For example, disease status may be monitored using isolated cell-free DNA (cfDNA) from a subject. In addition, the efficacy of a vaccine therapy may be monitored using isolated cfDNA from a subject. cfDNA minotoring can include the steps of: a. isolating or having isolated cfDNA from a subject; b. sequencing or having sequenced the isolated cfDNA; c. determining or having determined a frequency of one or more mutations in the cfDNA relative to a wild-type germline nucleic acid sequence of the subject, and d. assessing or having assessed from step (c) the status of a disease in the subject. The method can also include, following step (c) above, d. performing more than one iteration of steps (a)-(c) for the given subject and comparing the frequency of the one or more mutations determined in the more than one iterations; and f. assessing or having assessed from step (d) the status of a disease in the subject. The more than one iterations can be performed at different time points, such as a first iteration of steps (a)-(c) performed prior to administration of the vaccine composition and a second iteration of steps (a)-(c) is performed subsequent to administration of the vaccine composition. Step (c) can include comparing: the frequency of the one or more mutations determined in the more than one iterations, or the frequency of the one or more mutations determined in the first iteration to the frequency of the one or more mutations determined in the second iteration. An increase in the frequency of the one or more mutations determined in subsequent iterations or the second iteration can be assessed as disease progression. A decrease in the frequency of the one or more mutations determined in subsequent iterations or the second iteration can be assessed as a response. In some aspects, the response is a Complete Response (CR) or a Partial Response (PR). A therapy can be administered to a subject following an assessment step, such as where assessment of the frequency of the one or more mutations in the cfDNA indicates the subject has the disease. The cfDNA isolation step can use centrifugation to separate cfDNA from cells or cellular debris. cfDNA can be isolated from whole blood, such as by separating the plasma layer, buffy coat, and red bloods. cfDNA sequencing can use next generation sequencing (NGS), Sanger sequencing, duplex sequencing, whole-exome sequencing, whole-genome sequencing, de novo sequencing, phased sequencing, targeted amplicon sequencing, shotgun sequencing, or combinations thereof, and may include enriching the cfDNA for one or more polynucleotide regions of interest prior to sequencing (e.g., polynucleotides known or suspected to encode the one or more mutations, coding regions, and/or tumor exome polynucleotides). Enriching the cfDNA may include hybridizing one or more polynucleotide probes, which may be modified (e.g., biotinylated), to the one or more polynucleotide regions of interest. In general, any number of mutations may be monitored simultaneously or in parallel.

VIII. Isolation and Detection of HLA Peptides

[0474] Isolation of HLA-peptide molecules was performed using classic immunoprecipitation (IP) methods

after lysis and solubilization of the tissue sample (55-58). A clarified lysate was used for HLA specific IP.

[0475] Immunoprecipitation was performed using antibodies coupled to beads where the antibody is specific for HLA molecules. For a pan-Class I HLA immunoprecipitation, a pan-Class I CR antibody is used, for Class II HLA-DR, an HLA-DR antibody is used. Antibody is covalently attached to NHS-sepharose beads during overnight incubation. After covalent attachment, the beads were washed and aliquoted for IP. (59, 60) Immunoprecipitations can also be performed with antibodies that are not covalently attached to beads. Typically this is done using sepharose or magnetic beads coated with Protein A and/or Protein G to hold the antibody to the column. Some antibodies that can be used to selectively enrich MHC/peptide complex are listed below.

Antibody Name	Specificity
W6/32	Class I HLA-A, B, C
L243	Class II - HLA-DR
Tu36	Class II - HLA-DR
LN3	Class II - HLA-DR
Tu39	Class II - HLA-DR, DP, DQ

[0476] The clarified tissue lysate is added to the antibody beads for the immunoprecipitation. After immunoprecipitation, the beads are removed from the lysate and the lysate stored for additional experiments, including additional IPs. The IP beads are washed to remove non-specific binding and the HLA/peptide complex is eluted from the beads using standard techniques. The protein components are removed from the peptides using a molecular weight spin column or C18 fractionation. The resultant peptides are taken to dryness by SpeedVac evaporation and in some instances are stored at -20 C prior to MS analysis.

[0477] Dried peptides are reconstituted in an HPLC buffer suitable for reverse phase chromatography and loaded onto a C-18 microcapillary HPLC column for gradient elution in a Fusion Lumos mass spectrometer (Thermo). MS1 spectra of peptide mass/charge (m/z) were collected in the Orbitrap detector at high resolution followed by MS2 low resolution scans collected in the ion trap detector after HCD fragmentation of the selected ion. Additionally, MS2 spectra can be obtained using either CID or ETD fragmentation methods or any combination of the three techniques to attain greater amino acid coverage of the peptide. MS2 spectra can also be measured with high resolution mass accuracy in the Orbitrap detector with targeted method known as parallel reaction monitoring. In targeted PRM, specific peptide precursor ions are isolated in the Orbitrap detector and all resulting HCD fragmentation ions are scanned across the elution of the peptide peak. This enables both peptide identification and quantitation of endogenous peptide in the presence of a co-injected stable isotopically labeled peptide standard.

[0478] MS2 spectra from each analysis are searched against a protein database using Comet (61, 62) and the peptide identification are scored using Percolator (63-65). Additional sequencing is performed using PEAKS studio (Bioinformatics Solutions Inc.) and other search engines or sequencing methods can be used including spectral matching and de novo sequencing (97). Targeted MS1 and MS2 spectra are processed through Skyline (104).

VIII.B.1. MS Limit of Detection Studies in Support of Comprehensive HLA Peptide Sequencing

[0479] Using the peptide YVYVADVAAK (SEQ ID NO: 101) it was determined what the limits of detection are using different amounts of peptide loaded onto the LC column. The amounts of peptide tested were 1 μmol, 100 fmol, 10 fmol, 1 fmol, and 100 amol. (Table 1) These results indicate that the lowest limit of detection (LoD) is in the attomol range (10⁻¹⁸), that the dynamic range spans five orders of magnitude, and that the signal to noise appears sufficient for sequencing at low femtomol ranges (10-15).

TABLE 1

Peptide m/z	Loaded on Column	Copies/Cell in 1e9cells
566.830	1 pmol	600
562.823	100 fmol	60
559.816	10 fmol	6
556.810	1 fmol	0.6
553.802	100 amol	0.06

IX. Presentation Model

[0480] Presentation models can be used to identify likelihoods of peptide presentation in patients. Various presentation models are known to those skilled in the art, for example the presentation models described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1 and US20110293637, and international patent application publications WO/2018/195357, WO/2018/208856, and WO2016187508, each herein incorporated by reference, in their entirety, for all purposes.

X. Training Module

[0481] Training modules can be used to construct one or more presentation models based on training data sets that generate likelihoods of whether peptide sequences will be presented by MHC alleles associated with the peptide sequences. Various training modules are known to those skilled in the art, for example the presentation models described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1, and international patent application publications WO/2018/195357 and WO/2018/208856, each herein incorporated by reference, in their entirety, for all purposes. A training module can construct a presentation model to predict presentation likelihoods of peptides on a per-allele basis. A training module can also construct a presentation model to predict presentation likelihoods of peptides in a multiple-allele setting where two or more MHC alleles are present.

XI. Prediction Module

[0482] A prediction module can be used to receive sequence data and select candidate antigens in the sequence data using a presentation model. Specifically, the sequence data may be DNA sequences, RNA sequences, and/or protein sequences extracted from tumor tissue cells of patients, infected cells patients, or infectious disease organisms themselves. A prediction module may identify candidate neoantigens that are mutated peptide sequences by comparing sequence data extracted from normal tissue cells of a patient with the sequence data extracted from tumor tissue cells of the patient to identify portions containing one or more

mutations. A prediction module may identify candidate antigens that are pathogen-derived peptides, virally-derived peptides, bacterially-derived peptides, fungally-derived peptides, and parasitically-derived peptides, such as by comparing sequence data extracted from normal tissue cells of a patient with the sequence data extracted from infected cells of the patient to identify portions containing one or more infectious disease organism associated antigens. A prediction module may identify candidate antigens that have altered expression in a tumor cell or cancerous tissue in comparison to a normal cell or tissue by comparing sequence data extracted from normal tissue cells of a patient with the sequence data extracted from tumor tissue cells of the patient to identify improperly expressed candidate antigens. A prediction module may identify candidate antigens that are expressed in an infected cell or infected tissue in comparison to a normal cell or tissue by comparing sequence data extracted from normal tissue cells of a patient with the sequence data extracted from infected tissue cells of the patient to identify expressed candidate antigens (e.g., identifying expressed polynucleotides and/or polypeptides specific to an infectious disease).

[0483] A presentation module can apply one or more presentation model to processed peptide sequences to estimate presentation likelihoods of the peptide sequences. Specifically, the prediction module may select one or more candidate antigen peptide sequences that are likely to be presented on tumor HLA molecules or infected cell HLA molecules by applying presentation models to the candidate antigens. In one implementation, the presentation module selects candidate antigen sequences that have estimated presentation likelihoods above a predetermined threshold. In another implementation, the presentation model selects the N candidate antigen sequences that have the highest estimated presentation likelihoods (where N is generally the maximum number of epitopes that can be delivered in a vaccine). A vaccine including the selected candidate antigens for a given subject can be injected into the subject to stimulate immune responses.

XI.B.Cassette Design Module

XI.B.1 Overview

[0484] A cassette design module can be used to generate a vaccine cassette sequence based on selected candidate peptides for injection into a patient. Various cassette design modules are known to those skilled in the art, for example the cassette design modules described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1, and international patent application publications WO/2018/195357 and WO/2018/208856, each herein incorporated by reference, in their entirety, for all purposes.

[0485] A set of therapeutic epitopes may be generated based on the selected peptides determined by a prediction module associated with presentation likelihoods above a predetermined threshold, where the presentation likelihoods are determined by the presentation models. However it is appreciated that in other embodiments, the set of therapeutic epitopes may be generated based on any one or more of a number of methods (alone or in combination), for example, based on binding affinity or predicted binding affinity to HLA class I or class II alleles of the patient, binding stability

or predicted binding stability to HLA class I or class II alleles of the patient, random sampling, and the like.

[0486] Therapeutic epitopes may correspond to selected peptides themselves. Therapeutic epitopes may also include C- and/or N-terminal flanking sequences in addition to the selected peptides. N- and C-terminal flanking sequences can be the native N- and C-terminal flanking sequences of the therapeutic vaccine epitope in the context of its source protein. Therapeutic epitopes can represent a fixed-length epitope. Therapeutic epitopes can represent a variable-length epitope, in which the length of the epitope can be varied depending on, for example, the length of the C- or N-flanking sequence. For example, the C-terminal flanking sequence and the N-terminal flanking sequence can each have varying lengths of 2-5 residues, resulting in 16 possible choices for the epitope.

[0487] A cassette design module can also generate cassette sequences by taking into account presentation of junction epitopes that span the junction between a pair of therapeutic epitopes in the cassette. Junction epitopes are novel non-self but irrelevant epitope sequences that arise in the cassette due to the process of concatenating therapeutic epitopes and linker sequences in the cassette. The novel sequences of junction epitopes are different from the therapeutic epitopes of the cassette themselves.

[0488] A cassette design module can generate a cassette sequence that reduces the likelihood that junction epitopes are presented in the patient. Specifically, when the cassette is injected into the patient, junction epitopes have the potential to be presented by HLA class I or HLA class II alleles of the patient, and stimulate a CD8 or CD4 T-cell response, respectively. Such reactions are often times undesirable because T-cells reactive to the junction epitopes have no therapeutic benefit, and may diminish the immune response to the selected therapeutic epitopes in the cassette by antigenic competition.⁷⁶

[0489] A cassette design module can iterate through one or more candidate cassettes, and determine a cassette sequence for which a presentation score of junction epitopes associated with that cassette sequence is below a numerical threshold. The junction epitope presentation score is a quantity associated with presentation likelihoods of the junction epitopes in the cassette, and a higher value of the junction epitope presentation score indicates a higher likelihood that junction epitopes of the cassette will be presented by HLA class I or HLA class II or both.

[0490] In one embodiment, a cassette design module may determine a cassette sequence associated with the lowest junction epitope presentation score among the candidate cassette sequences.

[0491] A cassette design module may iterate through one or more candidate cassette sequences, determine the junction epitope presentation score for the candidate cassettes, and identify an optimal cassette sequence associated with a junction epitope presentation score below the threshold.

[0492] A cassette design module may further check the one or more candidate cassette sequences to identify if any of the junction epitopes in the candidate cassette sequences are self-epitopes for a given patient for whom the vaccine is being designed. To accomplish this, the cassette design module checks the junction epitopes against a known database such as BLAST. In one embodiment, the cassette design module may be configured to design cassettes that avoid junction self-epitopes.

[0493] A cassette design module can perform a brute force approach and iterate through all or most possible candidate cassette sequences to select the sequence with the smallest junction epitope presentation score. However, the number of such candidate cassettes can be prohibitively large as the capacity of the vaccine increases. For example, for a vaccine capacity of 20 epitopes, the cassette design module has to iterate through ~1018 possible candidate cassettes to determine the cassette with the lowest junction epitope presentation score. This determination may be computationally burdensome (in terms of computational processing resources required), and sometimes intractable, for the cassette design module to complete within a reasonable amount of time to generate the vaccine for the patient. Moreover, accounting for the possible junction epitopes for each candidate cassette can be even more burdensome. Thus, a cassette design module may select a cassette sequence based on ways of iterating through a number of candidate cassette sequences that are significantly smaller than the number of candidate cassette sequences for the brute force approach.

[0494] A cassette design module can generate a subset of randomly or at least pseudo-randomly generated candidate cassettes, and selects the candidate cassette associated with a junction epitope presentation score below a predetermined threshold as the cassette sequence. Additionally, the cassette design module may select the candidate cassette from the subset with the lowest junction epitope presentation score as the cassette sequence. For example, the cassette design module may generate a subset of ~1 million candidate cassettes for a set of 20 selected epitopes, and select the candidate cassette with the smallest junction epitope presentation score. Although generating a subset of random cassette sequences and selecting a cassette sequence with a low junction epitope presentation score out of the subset may be sub-optimal relative to the brute force approach, it requires significantly less computational resources thereby making its implementation technically feasible. Further, performing the brute force method as opposed to this more efficient technique may only result in a minor or even negligible improvement in junction epitope presentation score, thus making it not worthwhile from a resource allocation perspective. A cassette design module can determine an improved cassette configuration by formulating the epitope sequence for the cassette as an asymmetric traveling salesman problem (TSP). Given a list of nodes and distances between each pair of nodes, the TSP determines a sequence of nodes associated with the shortest total distance to visit each node exactly once and return to the original node. For example, given cities A, B, and C with known distances between each other, the solution of the TSP generates a closed sequence of cities, for which the total distance traveled to visit each city exactly once is the smallest among possible routes. The asymmetric version of the TSP determines the optimal sequence of nodes when the distance between a pair of nodes are asymmetric. For example, the “distance” for traveling from node A to node B may be different from the “distance” for traveling from node B to node A. By solving for an improved optimal cassette using an asymmetric TSP, the cassette design module can find a cassette sequence that results in a reduced presentation score across the junctions between epitopes of the cassette. The solution of the asymmetric TSP indicates a sequence of therapeutic epitopes that correspond to the order in which the epitopes should be concatenated in a cassette to mini-

mize the junction epitope presentation score across the junctions of the cassette. A cassette sequence determined through this approach can result in a sequence with significantly less presentation of junction epitopes while potentially requiring significantly less computational resources than the random sampling approach, especially when the number of generated candidate cassette sequences is large. Illustrative examples of different computational approaches and comparisons for optimizing cassette design are described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1, and international patent application publications WO/2018/195357 and WO/2018/208856, each herein incorporated by reference, in their entirety, for all purposes.

[0495] Shared (neo)antigen sequences for inclusion in a shared antigen vaccine and appropriate patients for treatment with such vaccine can be chosen by one of skill in the art, e.g., as described in U.S. application Ser. No. 17/058,128, herein incorporated by reference for all purposes. Mass spectrometry (MS) validation of candidate shared (neo) antigens can be performed as part of the selection process.

Additional Embodiments

[0496] Below are examples of specific embodiments:

[0497] Embodiment 1. An antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x-(E^N_n)_y)_z$$

[0498] wherein E represents a nucleotide sequence comprising a distinct epitope-encoding nucleic acid sequence,

[0499] n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,

[0500] E^N represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n,

[0501] for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and

[0502] z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given E^N , or a combination thereof, and

[0503] at least one of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encodes a EGFR-associated MHC class I neoepitope.

[0504] Embodiment 2. The composition of embodiment 1, wherein at least 2 of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neoepitopes.

[0505] Embodiment 3. The composition of embodiment 1, wherein at least 3 of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neoepitopes.

[0506] Embodiment 4. The composition of embodiment 1, wherein at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 of the distinct epitope-

encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neoepitopes.

[0507] Embodiment 5. The composition of any one of embodiments 1-4, wherein each of the distinct epitope-encoding nucleic acid sequences comprising the at least two iterations encode distinct EGFR-associated MHC class I neoepitopes.

[0508] Embodiment 6. The composition of any one of embodiments 1-5, wherein one or more of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitopes comprises at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations.

[0509] Embodiment 7. The composition of any one of embodiments 1-5, wherein each of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitopes comprises at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations.

[0510] Embodiment 8. The composition of any one of embodiments 1-5, wherein one or more of the nucleic acid sequences encoding the distinct EGFR-associated MHC class I neoepitopes comprises at least 4 iterations.

[0511] Embodiment 9. The composition of any one of embodiments 1-5, wherein each of the nucleic acid sequences encoding the distinct EGFR-associated MHC class I neoepitopes comprises at least 4 iterations.

[0512] Embodiment 10. The composition of any one of embodiments 1-9, wherein the EGFR-associated MHC class I neoepitope is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof.

[0513] Embodiment 11. The composition of any one of embodiments 1-9, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope.

[0514] Embodiment 12. The composition of embodiment 11, wherein the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57).

[0515] Embodiment 13. The composition of embodiment 11, wherein the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRAK (SEQ ID NO: 57).

[0516] Embodiment 14. The composition of any one of embodiments 1-9, wherein the EGFR-associated MHC class I neoepitope comprises a T790M MHC class I epitope.

[0517] Embodiment 15. The composition of embodiment 14, wherein the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76).

[0518] Embodiment 16. The composition of embodiment 14, wherein the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76).

- [0519] Embodiment 17. The composition of any one of embodiments 1-9, wherein the EGFR-associated MHC class I neoepitope comprises a E746-A750 deletion MHC class I epitope.
- [0520] Embodiment 18. The composition of embodiment 17, wherein the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).
- [0521] Embodiment 19. The composition of embodiment 17, wherein the E746-A750 deletion MHC class I epitope is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).
- [0522] Embodiment 20. The composition of any one of embodiments 1-19, wherein the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.
- [0523] Embodiment 21. The composition of embodiment 20, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.
- [0524] Embodiment 22. The composition of embodiment 20, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.
- [0525] Embodiment 23. The composition of any one of embodiments 1-19, wherein the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.
- [0526] Embodiment 24. The composition of embodiment 20, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.
- [0527] Embodiment 25. The composition of embodiment 20, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.
- [0528] Embodiment 26. The composition of any one of embodiments 1-25, wherein $x=1$, $n=0$, and E_x encodes the EGFR-associated MHC class I neoepitope.
- [0529] Embodiment 27. The composition of any one of embodiments 1-26, wherein one or more of the distinct epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 3, at least 4, at least 5, at least 6, at least 7 iterations, or at least 8 iterations.
- [0530] Embodiment 28. The composition of any one of embodiments 1-26, wherein the at least one distinct epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 8 iterations.
- [0531] Embodiment 29. The composition of any one of embodiments 1-26, wherein the at least one distinct epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 4 iterations.
- [0532] Embodiment 30. The composition of any one of embodiments 1-29, wherein $x=1$, $n=0$, $z=4$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57).
- [0533] Embodiment 31. The composition of any one of embodiments 1-29, wherein $x=1$, $n=0$, $z=8$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57).
- [0534] Embodiment 32. The composition of any one of embodiments 1-31, wherein each E or EN independently comprises a nucleotide sequence described, from 5' to 3', by the formula (L5b-Nc-L3d),
- [0535] wherein N comprises the distinct epitope-encoding nucleic acid sequence associated with each E or EN, where $c=1$,
- [0536] L5 comprises a 5' linker sequence, where $b=0$ or 1, and
- [0537] L3 comprises a 3' linker sequence, where $d=0$ or 1.
- [0538] Embodiment 33. The composition of embodiment 32, wherein
- [0539] each N encodes an epitope 7-15 amino acids in length,
- [0540] L5 is a native 5' linker sequence that encodes a native N-terminal amino acid sequence of the epitope, and wherein the 5' linker sequence encodes a peptide that is at least 2 amino acids in length, and
- [0541] L3 is a native 3' linker sequence that encodes a native C-terminal amino acid sequence of the epitope, and wherein the 3' linker sequence encodes a peptide that is at least 2 amino acids in length, and
- [0542] optionally wherein each of the epitope-encoding nucleic acid sequences encodes a polypeptide that is between 12 and 35 amino acids in length.
- [0543] Embodiment 34. The composition of any one of embodiments 1-33, wherein each E and EN encodes an epitope at least 7 amino acids in length.
- [0544] Embodiment 35. The composition of any one of embodiments 1-33, wherein each E and EN encodes an epitope 7-15 amino acids in length.
- [0545] Embodiment 36. The composition of any one of embodiments 1-35, wherein each E and EN is a nucleotide sequence at least 21 nucleotides in length.
- [0546] Embodiment 37. The composition of any one of embodiments 1-35, wherein each E and EN is a nucleotide sequence 75 nucleotides in length.
- [0547] Embodiment 38. A composition for delivery of an antigen expression system, comprising:
- [0548] the antigen expression system,
- [0549] wherein the antigen expression system comprises one or more vectors,

- [0550] the one or more vectors comprising:
- [0551] (a) a vector backbone, wherein the backbone comprises:
- [0552] (i) at least one promoter nucleotide sequence, and
- [0553] (ii) optionally, at least one polyadenylation (poly(A)) sequence; and
- [0554] (b) a cassette, wherein the cassette comprises:
- [0555] (i) at least one antigen-encoding nucleic acid sequence, comprising:
- [0556] (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and
- [0557] wherein each of the epitope-encoding nucleic acid sequences comprises;
- [0558] (A) optionally, a 5' linker sequence, and
- [0559] (B) optionally, a 3' linker sequence;
- [0560] (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and
- [0561] (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence; (iv) optionally, at least one nucleic acid sequence encoding a GP GPG amino acid linker sequence (SEQ ID NO:56); and
- [0562] (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone,
- [0563] wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and
- [0564] wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.
- [0565] Embodiment 39. A composition for delivery of an antigen expression system, comprising:
- [0566] the antigen expression system,
- [0567] wherein the antigen expression system comprises one or more vectors,
- [0568] the one or more vectors comprising:
- [0569] (a) a vector backbone, wherein the backbone comprises:
- [0570] (i) at least one promoter nucleotide sequence, and
- [0571] (ii) at least one polyadenylation (poly(A)) sequence; and
- [0572] (b) a cassette, wherein the cassette comprises:
- [0573] (i) at least one antigen-encoding nucleic acid sequence, comprising:
- [0574] (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, the EGFR-associated MHC class I neoepitope is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof, and
- [0575] wherein each of the epitope-encoding nucleic acid sequences comprises;
- [0576] (A) optionally, a 5' linker sequence, and
- [0577] (B) optionally, a 3' linker sequence;
- [0578] (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence;
- [0579] (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence;
- [0580] (iv) optionally, at least one nucleic acid sequence encoding a GP GPG amino acid linker sequence (SEQ ID NO:56); and
- [0581] (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone,
- [0582] wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and
- [0583] wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope.
- [0584] Embodiment 40. The composition of embodiment 39, wherein the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRK (SEQ ID NO: 57).
- [0585] Embodiment 41. The composition of embodiment 39, wherein the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRK (SEQ ID NO: 57).
- [0586] Embodiment 42. The composition of embodiment 39, wherein the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76).
- [0587] Embodiment 43. The composition of embodiment 39, wherein the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76).
- [0588] Embodiment 44. The composition of embodiment 39, wherein the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).
- [0589] Embodiment 45. The composition of embodiment 39, wherein the E746-A750 deletion MHC class I epitope is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).
- [0590] Embodiment 46. A composition for delivery of an antigen expression system, comprising:
- [0591] the antigen expression system,
- [0592] wherein the antigen expression system comprises one or more vectors,
- [0593] the one or more vectors comprising:
- [0594] (a) a vector backbone, wherein the vector backbone comprises a chimpanzee adenovirus vector, optionally wherein the chimpanzee adenovirus vector is a ChAdV68 vector, or an alphavirus vector, optionally wherein the alphavirus vector is a Venezuelan equine encephalitis virus vector; and
- [0595] (b) a cassette, optionally wherein the cassette is integrated between a native promoter nucleotide sequence native to the vector backbone and a poly

- (A) sequence, optionally wherein the poly(A) sequence is native to the vector backbone, wherein the cassette comprises:
- [0596] (i) at least one antigen-encoding nucleic acid sequence, comprising:
- [0597] (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, the epitope-encoding nucleic acid sequence optionally comprising:
- [0598] (A) a MHC class I epitope encoding nucleic acid sequence, wherein the MHC class I epitope encoding nucleic acid sequence encodes a MHC class I epitope 7-15 amino acids in length,
- [0599] (B) a 5' linker sequence, wherein the 5' linker sequence encodes a native N-terminal amino acid sequence of the MHC class I epitope, and wherein the 5' linker sequence encodes a peptide that is at least 3 amino acids in length,
- [0600] (C) a 3' linker sequence, wherein the 3' linker sequence encodes a native C-terminal acid sequence of the MHC class I epitope, and wherein the 3' linker sequence encodes a peptide that is at least 3 amino acids in length, and
- [0601] wherein the cassette is operably linked to the native promoter nucleotide sequence, wherein each of the epitope-encoding nucleic acid sequences encodes a polypeptide that is between 12 and 35 amino acids in length, and wherein each 3' end of each epitope-encoding nucleic acid sequence is linked to the 5' end of the following epitope-encoding nucleic acid sequence with the exception of the final epitope-encoding nucleic acid sequence in the cassette; and
- [0602] (ii) at least two MHC class II epitope-encoding nucleic acid sequences comprising:
- [0603] (I) a PADRE MHC class II sequence (SEQ ID NO:48),
- [0604] (II) a Tetanus toxoid MHC class II sequence (SEQ ID NO:46),
- [0605] (III) a first nucleic acid sequence encoding a GPGPG (SEQ ID NO:56) amino acid linker sequence linking the PADRE MHC class II sequence and the Tetanus toxoid MHC class II sequence,
- [0606] (IV) a second nucleic acid sequence encoding a GPGPG (SEQ ID NO:56) amino acid linker sequence linking the 5' end of the at least two MHC class II epitope-encoding nucleic acid sequences to the epitope-encoding nucleic acid sequences,
- [0607] (V) optionally, a third nucleic acid sequence encoding a GPGPG (SEQ ID NO:56) amino acid linker sequence at the 3' end of the at least two MHC class II epitope-encoding nucleic acid sequences;
- [0608] (iii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and
- [0609] wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the native promoter nucleotide sequence, and
- [0610] wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.
- [0611] Embodiment 47. The composition of any one of embodiments 38-46, wherein an ordered sequence of each element of the cassette is described in the formula, from 5' to 3', comprising:
- $$\text{Pa}-(\text{L5b-Nc-L3d})\text{X}-(\text{G5e-U}_f)\text{Y-G3g}$$
- [0612] wherein,
- [0613] P comprises the second promoter nucleotide sequence, where a=0 or 1,
- [0614] N comprises one of the distinct epitope-encoding nucleic acid sequences, where c=1,
- [0615] L5 comprises the 5' linker sequence, where b=0 or 1,
- [0616] L3 comprises the 3' linker sequence, where d=0 or 1,
- [0617] G5 comprises one of the at least one nucleic acid sequences encoding a GPGPG (SEQ ID NO:56) amino acid linker, where e=0 or 1,
- [0618] G3 comprises one of the at least one nucleic acid sequences encoding a GPGPG (SEQ ID NO:56) amino acid linker, where g=0 or 1,
- [0619] U comprises one of the at least one MHC class II epitope-encoding nucleic acid sequence, where f=1,
- [0620] X=1 to 400, where for each X the corresponding Nc is an epitope-encoding nucleic acid sequence, and
- [0621] Y=0, 1, or 2, where for each Y the corresponding U_f is an MHC class II epitope-encoding nucleic acid sequence.
- [0622] Embodiment 48. The composition of embodiment 47, wherein for each X the corresponding Nc is the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.
- [0623] Embodiment 49. The composition of embodiment 47 or 48, wherein for each Y the corresponding U_f is a distinct MHC class II epitope-encoding nucleic acid sequence.
- [0624] Embodiment 50. The composition of any one of embodiments 47-49, wherein
- [0625] a=0, b=1, d=1, e=1, g=1, h=1, X=10, Y=2,
- [0626] the at least one promoter nucleotide sequence is a single native promoter nucleotide sequence native to the vector backbone,
- [0627] the at least one polyadenylation poly(A) sequence is a poly(A) sequence of at least 100 consecutive A nucleotides provided by the vector backbone,
- [0628] each N encodes an epitope 7-15 amino acids in length,
- [0629] L5 is a native 5' linker sequence that encodes a native N-terminal amino acid sequence of the epitope, and wherein the 5' linker sequence encodes a peptide that is at least 3 amino acids in length,
- [0630] L3 is a native 3' linker sequence that encodes a native C-terminal amino acid sequence of the epitope, and wherein the 3' linker sequence encodes a peptide that is at least 3 amino acids in length,
- [0631] U is each of a PADRE class II sequence and a Tetanus toxoid MHC class II sequence,
- [0632] the vector backbone comprises a chimpanzee adenovirus vector, optionally wherein the chimpanzee adenovirus vector is a ChAdV68 vector, or an alphavirus vector, optionally wherein the alphavirus

vector is a Venezuelan equine encephalitis virus vector, optionally wherein the native promoter nucleotide sequence is a 26S promoter when the vector backbone comprises an alphavirus vector, and

- [0633] each of the MHC class II epitope-encoding nucleic acid sequences encodes a polypeptide that is between 12 and 35 amino acids in length.
- [0634] Embodiment 51. The composition of any one of embodiments 38-50, wherein the at least two iterations is at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations.
- [0635] Embodiment 52. The composition of any one of embodiments 38-50, wherein the at least two iterations is at least 8 iterations.
- [0636] Embodiment 53. The composition of any one of embodiments 38-50, wherein the at least two iterations is between 2-3, between 2-4, between 2-5, between 2-6, between 2-7, or between 2-8 iterations.
- [0637] Embodiment 54. The composition of any one of embodiments 38-50, wherein the at least two iterations is 7 iterations or less, 6 iterations or less, 5 iterations or less, 4 iterations or less, or 3 iterations or less.
- [0638] Embodiment 55. The composition of any one of embodiments 38-54, wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of at least two distinct epitope-encoding nucleic acid sequences.
- [0639] Embodiment 56. The composition of any one of embodiments 38-54, wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, or at least 10 distinct epitope-encoding nucleic acid sequences.
- [0640] Embodiment 57. The composition of any one of embodiments 38-56, wherein the at least two iterations are separated by at least one separate distinct epitope-encoding nucleic acid sequence.
- [0641] Embodiment 58. The composition of any one of embodiments 38-56, wherein the at least two iterations are separated by at least 2 separate distinct epitope-encoding nucleic acid sequences.
- [0642] Embodiment 59. The composition of any one of embodiments 38-56, wherein the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 75 nucleotides.
- [0643] Embodiment 60. The composition of any one of embodiments 38-56 wherein the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 150 nucleotides, at least 300 nucleotides, or at least 675 nucleotides.
- [0644] Embodiment 61. The composition of any one of embodiments 38-56, wherein the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 50 nucleotides, at least 100 nucleotides, at least 200 nucleotides, at least 250 nucleotides, at least 350 nucleotides, at least 400 nucleotides, at least 450 nucleotides, at least 500 nucleotides, at least 700 nucleotides, at least 700 nucleotides, at least 750 nucleotides, at least 800 nucleotides, at least 900 nucleotides, or at least 1000 nucleotides.
- [0645] Embodiment 62. The composition of any one of embodiments 38-56, wherein the at least two iterations, inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 10 nucleotides, at least 15 nucleotides, at least 20 nucleotides, at least 25 nucleotides, at least 30 nucleotides, at least 35 nucleotides, at least 40 nucleotides, at least 45 nucleotides, at least 50 nucleotides, at least 55 nucleotides, at least 60 nucleotides, at least 65 nucleotides, or at least 70 nucleotides.
- [0646] Embodiment 63. The composition of any one of embodiments 38-62, wherein the at least one antigen-encoding nucleic acid sequence is described, from 5' to 3', by the formula:
- $$(E_x-(EN)_y)z$$
- [0647] wherein,
- [0648] E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences,
- [0649] n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,
- [0650] EN represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n,
- [0651] for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and
- [0652] z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given EN, or a combination thereof.
- [0653] Embodiment 64. The composition of any one of embodiments 38-63, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope.
- [0654] Embodiment 65. The composition of embodiment 64, wherein the EGFR_L858R MHC class I epitope comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57).
- [0655] Embodiment 66. The composition of embodiment 64, wherein the EGFR_L858R MHC class I epitope is the amino acid sequence KITDFGRAK (SEQ ID NO: 57).
- [0656] Embodiment 67. The composition of any one of embodiments 38-63, wherein the EGFR-associated MHC class I neoepitope comprises a T790M MHC class I epitope.
- [0657] Embodiment 68. The composition of embodiment 67, wherein the T790M MHC class I epitope comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76).
- [0658] Embodiment 69. The composition of embodiment 67, wherein the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76).
- [0659] Embodiment 70. The composition of any one of embodiments 38-63, wherein the EGFR-associated MHC class I neoepitope comprises a E746-A750 deletion MHC class I epitope.
- [0660] Embodiment 71. The composition of embodiment 70, wherein the E746-A750 deletion MHC class I epitope comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).

- [0661] Embodiment 72. The composition of embodiment 70, wherein the E746-A750 deletion MHC class I epitope is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).
- [0662] Embodiment 73. The composition of any one of embodiments 38-72, wherein the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.
- [0663] Embodiment 74. The composition of embodiment 38, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.
- [0664] Embodiment 75. The composition of embodiment 38, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope.
- [0665] Embodiment 76. The composition of any one of embodiments 38-72, wherein the at least one antigen-encoding nucleic acid sequence encodes at least each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.
- [0666] Embodiment 77. The composition of embodiment 38-72, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 4 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.
- [0667] Embodiment 78. The composition of embodiment 38-72, wherein the at least one antigen-encoding nucleic acid sequence encodes at least 8 iterations of each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.
- [0668] Embodiment 79. The composition of any one of the above embodiments, $x=1$, $n=0$, and E_x encodes the EGFR-associated MHC class I neoepitope.
- [0669] Embodiment 80. The composition of any one of the above embodiments, wherein the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 2, at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations.
- [0670] Embodiment 81. The composition of any one of the above embodiments, wherein the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 8 iterations.
- [0671] Embodiment 82. The composition of any one of the above embodiments, wherein the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope comprises at least 4 iterations.
- [0672] Embodiment 83. The composition of any one of the above embodiments, wherein $x=1$, $n=0$, $z=4$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57).
- [0673] Embodiment 84. The composition of any one of the above embodiments, wherein $x=1$, $n=0$, $z=8$, and E_x encodes the EGFR-associated MHC class I neoepitope, wherein the EGFR-associated MHC class I neoepitope comprises a EGFR_L858R MHC class I epitope comprising the amino acid sequence KITDFGRAK (SEQ ID NO: 57).
- [0674] Embodiment 85. The composition of any one of the above embodiments, wherein the at least two iterations comprises a number of iterations, or z comprises a number, sufficient to stimulate a greater immune response relative to an antigen-encoding nucleic acid sequence comprising a single iteration of the at least one epitope-encoding nucleic acid sequence.
- [0675] Embodiment 86. The composition of any one of the above embodiments, wherein the at least two iterations comprises a number of iterations, or z comprises a number, sufficient to stimulate an immune response, and a single iteration of the at least one epitope-encoding nucleic acid sequence is insufficient to stimulate the immune response or insufficient to stimulate a detectable immune response.
- [0676] Embodiment 87. The composition of embodiments 85 or 86, wherein the immune response is an expansion of epitope-specific T cells following in vivo immunization with the composition for delivery of the antigen expression system.
- [0677] Embodiment 88. The composition of embodiments 85 or 86, wherein the immune response is increased activation of epitope-specific T cells and/or increased epitope-specific killing by epitope-specific T cells following in vivo immunization with the composition for delivery of the antigen expression system.
- [0678] Embodiment 89. The composition of any one of the above embodiments, wherein the composition further comprises a nanoparticulate delivery vehicle.
- [0679] Embodiment 90. The composition of embodiment 89, wherein the nanoparticulate delivery vehicle is a lipid nanoparticle (LNP).
- [0680] Embodiment 91. The composition of embodiment 90, wherein the LNP comprises ionizable amino lipids.
- [0681] Embodiment 92. The composition of embodiment 91, wherein the ionizable amino lipids comprise MC3-like (dilinoleylmethyl-4-dimethylaminobutyrate) molecules.
- [0682] Embodiment 93. The composition of any of embodiments 89-92, wherein the nanoparticulate delivery vehicle encapsulates the antigen expression system.
- [0683] Embodiment 94. The composition of any one of the above embodiments, wherein the cassette is integrated between the at least one promoter nucleotide sequence and the at least one poly(A) sequence.
- [0684] Embodiment 95. The composition of any one of the above embodiments, wherein the second promoter is absent and the at least one promoter nucleotide sequence is operably linked to the antigen-encoding nucleic acid sequence.
- [0685] Embodiment 96. The composition of any one of the above embodiments, wherein the one or more vectors comprise one or more +-stranded RNA vectors.
- [0686] Embodiment 97. The composition of embodiment 96, wherein the one or more +-stranded RNA vectors comprise a 5' 7-methylguanosine (m7g) cap.

- [0687] Embodiment 98. The composition of embodiment 96 or 97, wherein the one or more +stranded RNA vectors are produced by in vitro transcription.
- [0688] Embodiment 99. The composition of any one of the above embodiments, wherein the one or more vectors are self-replicating within a mammalian cell.
- [0689] Embodiment 100. The composition of any one of the above embodiments, wherein the backbone comprises at least one nucleotide sequence of an Aura virus, a Fort Morgan virus, a Venezuelan equine encephalitis virus, a Ross River virus, a Semliki Forest virus, a Sindbis virus, or a Mayaro virus.
- [0690] Embodiment 101. The composition of any one of the above embodiments, wherein the backbone comprises at least one nucleotide sequence of a Venezuelan equine encephalitis virus.
- [0691] Embodiment 102. The composition of embodiment 100 or 101, wherein the backbone comprises at least sequences for nonstructural protein-mediated amplification, a 26S promoter sequence, a poly(A) sequence, a nonstructural protein 1 (nsP1) gene, a nsP2 gene, a nsP3 gene, and a nsP4 gene encoded by the nucleotide sequence of the Aura virus, the Fort Morgan virus, the Venezuelan equine encephalitis virus, the Ross River virus, the Semliki Forest virus, the Sindbis virus, or the Mayaro virus.
- [0692] Embodiment 103. The composition of embodiment 100 or 101, wherein the backbone comprises at least sequences for nonstructural protein-mediated amplification, a 26S promoter sequence, and a poly(A) sequence encoded by the nucleotide sequence of the Aura virus, the Fort Morgan virus, the Venezuelan equine encephalitis virus, the Ross River virus, the Semliki Forest virus, the Sindbis virus, or the Mayaro virus.
- [0693] Embodiment 104. The composition of embodiment 102 or 103, wherein sequences for nonstructural protein-mediated amplification are selected from the group consisting of: an alphavirus 5' UTR, a 51-nt CSE, a 24-nt CSE, a 26S subgenomic promoter sequence, a 19-nt CSE, an alphavirus 3' UTR, or combinations thereof.
- [0694] Embodiment 105. The composition of any one of embodiments 102-104, wherein the backbone does not encode structural virion proteins capsid, E2 and E1.
- [0695] Embodiment 106. The composition of embodiment 105, wherein the cassette is inserted in place of structural virion proteins within the nucleotide sequence of the Aura virus, the Fort Morgan virus, the Venezuelan equine encephalitis virus, the Ross River virus, the Semliki Forest virus, the Sindbis virus, or the Mayaro virus.
- [0696] Embodiment 107. The composition of embodiment 100 or 101, wherein the Venezuelan equine encephalitis virus comprises the sequence of SEQ ID NO:3 or SEQ ID NO:5.
- [0697] Embodiment 108. The composition of embodiment 100 or 101, wherein the Venezuelan equine encephalitis virus comprises the sequence of SEQ ID NO:3 or SEQ ID NO:5 further comprising a deletion between base pair 7544 and 11175.
- [0698] Embodiment 109. The composition of embodiment 108, wherein the backbone comprises the sequence set forth in SEQ ID NO:6 or SEQ ID NO:7.
- [0699] Embodiment 110. The composition of embodiment 108 or 109, wherein the cassette is inserted at position 7544 to replace the deletion between base pairs 7544 and 11175 as set forth in the sequence of SEQ ID NO:3 or SEQ ID NO:5.
- [0700] Embodiment 111. The composition of embodiment 106-110, wherein the insertion of the cassette provides for transcription of a polycistronic RNA comprising the nsP1-4 genes and the at least one antigen-encoding nucleic acid sequence, wherein the nsP1-4 genes and the at least one antigen-encoding nucleic acid sequence are in separate open reading frames.
- [0701] Embodiment 112. The composition of any one of the above embodiments, wherein the backbone comprises at least one nucleotide sequence of a chimpanzee adenovirus vector.
- [0702] Embodiment 113. The composition of embodiment 112, wherein the chimpanzee adenovirus vector is a ChAdV68 vector, optionally wherein the ChAdV68 vector comprises a ChAdV68 vector backbone comprising:
- [0703] the sequence set forth in SEQ ID NO:1;
- [0704] the sequence set forth in SEQ ID NO:1, except that the sequence is fully deleted or functionally deleted in at least one gene selected from the group consisting of the chimpanzee adenovirus E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence set forth in SEQ ID NO:1, optionally wherein the sequence is fully deleted or functionally deleted in: (1) E1A and E1B; (2) E1A, E1B, and E3; or (3) E1A, E1B, E3, and E4 of the sequence set forth in SEQ ID NO:1;
- [0705] a gene or regulatory sequence obtained from the sequence of SEQ ID NO:1, optionally wherein the gene is selected from the group consisting of the chimpanzee adenovirus inverted terminal repeat (ITR), E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence set forth in SEQ ID NO:1;
- [0706] a partially deleted E4 gene comprising a deleted or partially-deleted E4orf2 region and a deleted or partially-deleted E4orf3 region, and optionally a deleted or partially-deleted E4orf4 region;
- [0707] at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1 and further comprising: (1) an E1 deletion of at least nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1, (2) an E3 deletion of at least nucleotides 27,125 to 31,825 of the sequence shown in SEQ ID NO:1, and (3) an E4 deletion of at least nucleotides 34,916 to 35,642 of the sequence shown in SEQ ID NO:1; optionally wherein the antigen cassette is inserted within the E1 deletion;
- [0708] the sequence set forth in SEQ ID NO:68, optionally wherein the antigen cassette is inserted within the E1 deletion;
- [0709] one or more deletions between base pair number 577 and 3403 or between base pair 456 and 3014, and optionally wherein the vector further comprises one or more deletions between base pair 27,125 and 31,825 or between base pair 27,816 and 31,333 of the sequence set forth in SEQ ID NO:1; or

- [0710] one or more deletions between base pair number 3957 and 10346, base pair number 21787 and 23370, and base pair number 33486 and 36193 of the sequence set forth in SEQ ID NO:1, and
- [0711] optionally wherein the cassette is inserted in the ChAdV vector backbone at the E1 region, E3 region, and/or any deleted AdV region that allows incorporation of the cassette.
- [0712] Embodiment 114. The composition of any one of the above embodiments, wherein the at least one promoter nucleotide sequence is the native 26S promoter nucleotide sequence encoded by the backbone.
- [0713] Embodiment 115. The composition of any one of the above embodiments, wherein the at least one promoter nucleotide sequence is an exogenous RNA promoter.
- [0714] Embodiment 116. The composition of any one of the above embodiments, wherein the second promoter nucleotide sequence is a 26S promoter nucleotide sequence.
- [0715] Embodiment 117. The composition of any one of the above embodiments, wherein the second promoter nucleotide sequence comprises multiple 26S promoter nucleotide sequences, wherein each 26S promoter nucleotide sequence provides for transcription of one or more of the separate open reading frames.
- [0716] Embodiment 118. The composition of any one of the above embodiments, wherein one or more of the cassettes are at least 100, 200, 300, 400, 500, 600, 700, 800, or 900 nucleotides in length.
- [0717] Embodiment 119. The composition of any one of the above embodiments, wherein one or more of the cassettes are at least 1000, 2000, 3000, 4000, 5000, 6000, 7000, 8000, 9000, or 10000 nucleotides in length.
- [0718] Embodiment 120. The composition of any one of the above embodiments, wherein one or more of the cassettes is at least 3500 nucleotides in length.
- [0719] Embodiment 121. The composition of any one of the above embodiments, wherein one or more of the cassettes is at least 6000 nucleotides in length.
- [0720] Embodiment 122. The composition of any one of the above embodiments, wherein at least one of the at least one antigen-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that is presented by MHC class I on a cell surface, optionally a tumor cell surface.
- [0721] Embodiment 123. The composition of any one of the above embodiments, wherein each epitope-encoding nucleic acid sequence is linked directly to one another.
- [0722] Embodiment 124. The composition of any one of the above embodiments, wherein at least one of the at least one epitope-encoding nucleic acid sequences is linked to a distinct epitope-encoding nucleic acid sequence with a nucleic acid sequence encoding a linker.
- [0723] Embodiment 125. The composition of embodiment 124, wherein the linker links two MHC class I sequences or an MHC class I sequence to an MHC class II sequence.
- [0724] Embodiment 126. The composition of embodiment 125, wherein the linker is selected from the group consisting of: (1) consecutive glycine residues, at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 residues in length; (2) consecutive alanine residues, at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 residues in length; (3) two arginine residues (RR); (4) alanine, alanine, tyrosine (AAY); (5) a consensus sequence at least 2, 3, 4, 5, 6, 7, 8, 9, or 10 amino acid residues in length that is processed efficiently by a mammalian proteasome; and (6) one or more native sequences flanking the antigen derived from the cognate protein of origin and that is at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or 2-20 amino acid residues in length.
- [0725] Embodiment 127. The composition of embodiment 124, wherein the linker links two MHC class II sequences or an MHC class II sequence to an MHC class I sequence.
- [0726] Embodiment 128. The composition of embodiment 127, wherein the linker comprises the sequence GPGPG (SEQ ID NO:56).
- [0727] Embodiment 129. The composition of any one of the above embodiments, wherein at least one sequence of the at least one epitope-encoding nucleic acid sequences is linked, operably or directly, to a separate or contiguous sequence that enhances the expression, stability, cell trafficking, processing and presentation, and/or immunogenicity of the at least one epitope-encoding nucleic acid sequences of epitope encoded therefrom.
- [0728] Embodiment 130. The composition of embodiment 129, wherein the separate or contiguous sequence comprises at least one of: a ubiquitin sequence, a ubiquitin sequence modified to increase proteasome targeting (e.g., the ubiquitin sequence contains a Gly to Ala substitution at position 76), an immunoglobulin signal sequence (e.g., IgK), a major histocompatibility class I sequence, lysosomal-associated membrane protein (LAMP)-1, human dendritic cell lysosomal-associated membrane protein, and a major histocompatibility class II sequence; optionally wherein the ubiquitin sequence modified to increase proteasome targeting is A76.
- [0729] Embodiment 131. The composition of any one of the above embodiments, wherein at least one of the at least one epitope-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that has increased binding affinity to its corresponding MHC allele relative to the translated, corresponding wild-type nucleic acid sequence.
- [0730] Embodiment 132. The composition of any one of the above embodiments, wherein at least one of the at least one epitope-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that has increased binding stability to its corresponding MHC allele relative to the translated, corresponding wild-type nucleic acid sequence.
- [0731] Embodiment 133. The composition of any one of the above embodiments, wherein at least one of the at least one epitope-encoding nucleic acid sequences encodes a polypeptide sequence or portion thereof that has an increased likelihood of presentation on its corresponding MHC allele relative to the translated, corresponding wild-type nucleic acid sequence.
- [0732] Embodiment 134. The composition of any one of the above embodiments, wherein the at least one alteration comprises a point mutation, a frameshift

mutation, a non-frameshift mutation, a deletion mutation, an insertion mutation, a splice variant, a genomic rearrangement, or a proteasome-generated spliced antigen.

[0733] Embodiment 135. The composition of any one of the above embodiments, wherein the tumor is selected from the group consisting of: lung cancer, melanoma, breast cancer, ovarian cancer, prostate cancer, kidney cancer, gastric cancer, colon cancer, testicular cancer, head and neck cancer, pancreatic cancer, bladder cancer, brain cancer, B-cell lymphoma, acute myelogenous leukemia, adult acute lymphoblastic leukemia, chronic myelogenous leukemia, chronic lymphocytic leukemia, T cell lymphocytic leukemia, non-small cell lung cancer, and small cell lung cancer.

[0734] Embodiment 136. The composition of any one of the above embodiments, wherein the tumor is non-small cell lung cancer (NSCLC).

[0735] Embodiment 137. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequence comprises at least 2-10, 2, 3, 4, 5, 6, 7, 8, 9, or 10 epitope-encoding nucleic acid sequences.

[0736] Embodiment 138. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequence comprises at least 11-20, 15-20, 11-100, 11-200, 11-300, 11-400, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or up to 400 epitope-encoding nucleic acid sequences.

[0737] Embodiment 139. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequence comprises at least 2-400 epitope-encoding nucleic acid sequences and wherein at least two of the epitope-encoding nucleic acid sequences encode polypeptide sequences or portions thereof that are presented by MHC class I on a cell surface, optionally a tumor cell surface.

[0738] Embodiment 140. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequence comprises at least 2-10, 2, 3, 4, 5, 6, 7, 8, 9, or 10 antigen-encoding nucleic acid sequences.

[0739] Embodiment 141. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequence comprises at least 11-20, 15-20, 11-100, 11-200, 11-300, 11-400, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or up to 400 antigen-encoding nucleic acid sequences.

[0740] Embodiment 142. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequence comprises at least 2-400 antigen-encoding nucleic acid sequences and wherein at least two of the antigen-encoding nucleic acid sequences encode polypeptide sequences or portions thereof that are presented by MHC class I on a cell surface, optionally a tumor cell surface.

[0741] Embodiment 143. The composition of the above embodiments, wherein at least two of the epitope-encoding nucleic acid sequences encode polypeptide sequences or portions thereof that are presented by MHC class I on a cell surface, optionally a tumor cell surface.

[0742] Embodiment 144. The composition of any one of the above embodiments, wherein when administered

to the subject and translated, the EGFR-associated MHC class I neoepitope is presented on antigen presenting cells resulting in an immune response targeting EGFR-associated MHC class I neoepitope on the tumor cell surface.

[0743] Embodiment 145. The composition of any one of the above embodiments, wherein the at least one antigen-encoding nucleic acid sequences when administered to the subject and translated, EGFR-associated MHC class I neoepitope is presented on antigen presenting cells resulting in an immune response targeting EGFR-associated MHC class I neoepitope tumor cell surface, and optionally wherein the expression of each of the at least one antigen-encoding nucleic acid sequences is driven by the at least one promoter nucleotide sequence.

[0744] Embodiment 146. The composition of any one of the above embodiments, wherein each epitope-encoding nucleic acid sequence encodes a polypeptide sequence between 8 and 35 amino acids in length, optionally 9-17, 9-25, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 or 35 amino acids in length.

[0745] Embodiment 147. The composition of any one of the above embodiments, wherein the at least one MHC class II epitope-encoding nucleic acid sequence is present.

[0746] Embodiment 148. The composition of any one of the above embodiments, wherein the at least one MHC class II epitope-encoding nucleic acid sequence is present and comprises at least one MHC class II epitope-encoding nucleic acid sequence that comprises at least one alteration that makes the encoded peptide sequence distinct from the corresponding peptide sequence encoded by a wild-type nucleic acid sequence.

[0747] Embodiment 149. The composition of any one of the above embodiments, wherein the at least one MHC class II epitope-encoding nucleic acid sequence is 12-20, 12, 13, 14, 15, 16, 17, 18, 19, 20, or 20-40 amino acids in length.

[0748] Embodiment 150. The composition of any one of the above embodiments, wherein the at least one MHC class II epitope-encoding nucleic acid sequence is present and comprises at least one universal MHC class II antigen-encoding nucleic acid sequence, optionally wherein the at least one universal sequence comprises at least one of Tetanus toxoid and PADRE.

[0749] Embodiment 151. The composition of any one of the above embodiments, wherein the at least one promoter nucleotide sequence or the second promoter nucleotide sequence is inducible.

[0750] Embodiment 152. The composition of any one of the above embodiments, wherein the at least one promoter nucleotide sequence or the second promoter nucleotide sequence is non-inducible.

[0751] Embodiment 153. The composition of any one of the above embodiments, wherein the at least one poly(A) sequence comprises a poly(A) sequence native to the backbone.

[0752] Embodiment 154. The composition of any one of the above embodiments, wherein the at least one poly(A) sequence comprises a poly(A) sequence exogenous to the backbone.

- [0753] Embodiment 155. The composition of any one of the above embodiments, wherein the at least one poly(A) sequence is operably linked to at least one of the at least one antigen-encoding nucleic acid sequences.
- [0754] Embodiment 156. The composition of any one of the above embodiments, wherein the at least one poly(A) sequence is at least 20, at least 30, at least 40, at least 50, at least 60, at least 70, at least 80, or at least 90 consecutive A nucleotides.
- [0755] Embodiment 157. The composition of any one of the above embodiments, wherein the at least one poly(A) sequence is at least 100 consecutive A nucleotides.
- [0756] Embodiment 158. The composition of any one of the above embodiments, wherein the cassette further comprises at least one of: an intron sequence, a woodchuck hepatitis virus posttranscriptional regulatory element (WPRE) sequence, an internal ribosome entry sequence (IRES) sequence, a nucleotide sequence encoding a 2A self-cleaving peptide sequence, a nucleotide sequence encoding a Furin cleavage site, or a sequence in the 5' or 3' non-coding region known to enhance the nuclear export, stability, or translation efficiency of mRNA that is operably linked to at least one of the at least one antigen-encoding nucleic acid sequences.
- [0757] Embodiment 159. The composition of any one of the above embodiments, wherein the cassette further comprises a reporter gene, including but not limited to, green fluorescent protein (GFP), a GFP variant, secreted alkaline phosphatase, luciferase, a luciferase variant, or a detectable peptide or epitope.
- [0758] Embodiment 160. The composition of embodiment 159, wherein the detectable peptide or epitope is selected from the group consisting of an HA tag, a Flag tag, a His-tag, or a V5 tag.
- [0759] Embodiment 161. The composition of any one of the above embodiments, wherein the one or more vectors further comprises one or more nucleic acid sequences encoding at least one immune modulator.
- [0760] Embodiment 162. The composition of embodiment 161, wherein the immune modulator is an anti-CTLA4 antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof.
- [0761] Embodiment 163. The composition of embodiment 162, wherein the antibody or antigen-binding fragment thereof is a Fab fragment, a Fab' fragment, a single chain Fv (scFv), a single domain antibody (sdAb) either as single specific or multiple specificities linked together (e.g., camelid antibody domains), or full-length single-chain antibody (e.g., full-length IgG with heavy and light chains linked by a flexible linker).
- [0762] Embodiment 164. The composition of embodiment 162 or 163, wherein the heavy and light chain sequences of the antibody are a contiguous sequence separated by either a self-cleaving sequence such as 2A or IRES; or the heavy and light chain sequences of the antibody are linked by a flexible linker such as consecutive glycine residues.
- [0763] Embodiment 165. The composition of embodiment 161, wherein the immune modulator is a cytokine.
- [0764] Embodiment 166. The composition of embodiment 165, wherein the cytokine is at least one of IL-2, IL-7, IL-12, IL-15, or IL-21 or variants thereof of each.
- [0765] Embodiment 167. The composition of any one of the above embodiments, wherein at least one epitope-encoding nucleic acid sequence is selected by performing the steps of:
- [0766] (a) obtaining at least one of exome, transcriptome, or whole genome nucleotide sequencing data from a tumor, wherein the nucleotide sequencing data is used to obtain data representing peptide sequences of each of a set of antigens;
- [0767] (b) inputting the peptide sequence of each antigen into a presentation model to generate a set of numerical likelihoods that each of the antigens is presented by one or more of the MHC alleles on a cell surface, optionally a tumor cell surface, the set of numerical likelihoods having been identified at least based on received mass spectrometry data; and
- [0768] (c) selecting a subset of the set of antigens based on the set of numerical likelihoods to generate a set of selected antigens which are used to generate the at least one epitope-encoding nucleic acid sequence.
- [0769] Embodiment 168. The composition of any one of the above embodiments, wherein each of the epitope-encoding nucleic acid sequences is selected by performing the steps of:
- [0770] (a) obtaining at least one of exome, transcriptome, or whole genome nucleotide sequencing data from a tumor, wherein the nucleotide sequencing data is used to obtain data representing peptide sequences of each of a set of antigens;
- [0771] (b) inputting the peptide sequence of each antigen into a presentation model to generate a set of numerical likelihoods that each of the antigens is presented by one or more of the MHC alleles on a cell surface, optionally a tumor cell surface, the set of numerical likelihoods having been identified at least based on received mass spectrometry data; and
- [0772] (c) selecting a subset of the set of antigens based on the set of numerical likelihoods to generate a set of selected antigens which are used to generate the at least 20 epitope-encoding nucleic acid sequences.
- [0773] Embodiment 169. The composition of embodiment 167, wherein a number of the set of selected antigens is 2-20.
- [0774] Embodiment 170. The composition of embodiment 167-169, wherein the presentation model represents dependence between:
- [0775] (a) presence of a pair of a particular one of the MHC alleles and a particular amino acid at a particular position of a peptide sequence; and
- [0776] (b) likelihood of presentation on a cell surface, optionally a tumor cell surface, by the particular one of the MHC alleles of the pair, of such a peptide sequence comprising the particular amino acid at the particular position.
- [0777] Embodiment 171. The composition of embodiment 167-170, wherein selecting the set of selected antigens comprises selecting antigens that have an

increased likelihood of being presented on the cell surface relative to unselected antigens based on the presentation model, optionally wherein the selected antigens have been validated as being presented by one or more specific HLA alleles.

[0778] Embodiment 172. The composition of embodiment 167-171, wherein selecting the set of selected antigens comprises selecting antigens that have an increased likelihood of being capable of inducing a tumor-specific or infectious disease-specific immune response in the subject relative to unselected antigens based on the presentation model.

[0779] Embodiment 173. The composition of embodiment 167-172, wherein selecting the set of selected antigens comprises selecting antigens that have an increased likelihood of being capable of being presented to naïve T cells by professional antigen presenting cells (APCs) relative to unselected antigens based on the presentation model, optionally wherein the APC is a dendritic cell (DC).

[0780] Embodiment 174. The composition of embodiment 167-173, wherein selecting the set of selected antigens comprises selecting antigens that have a decreased likelihood of being subject to inhibition via central or peripheral tolerance relative to unselected antigens based on the presentation model.

[0781] Embodiment 175. The composition of embodiment 167-174, wherein selecting the set of selected antigens comprises selecting antigens that have a decreased likelihood of being capable of inducing an autoimmune response to normal tissue in the subject relative to unselected antigens based on the presentation model.

[0782] Embodiment 176. The composition of embodiment 167-175, wherein exome or transcriptome nucleotide sequencing data is obtained by performing sequencing on a tumor cell or tissue, an infected cell, or an infectious disease organism.

[0783] Embodiment 177. The composition of embodiment 176, wherein the sequencing is next generation sequencing (NGS) or any massively parallel sequencing approach.

[0784] Embodiment 178. The composition of any one of the above embodiments, wherein the cassette comprises junctional epitope sequences formed by adjacent sequences in the cassette.

[0785] Embodiment 179. The composition of embodiment 178, wherein at least one or each junctional epitope sequence has an affinity of greater than 500 nM for MHC.

[0786] Embodiment 180. The composition of embodiments 178 or 179, wherein each junctional epitope sequence is non-self.

[0787] Embodiment 181. The composition of any one of the above embodiments, wherein each of the MHC class I epitopes is predicted or validated to be capable of presentation by at least one HLA allele present in at least 5% of a population.

[0788] Embodiment 182. The composition of any one of the above embodiments, wherein each of the MHC class I epitopes is predicted or validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 0.01% in a population.

[0789] Embodiment 183. The composition of any one of the above embodiments, wherein each of the MHC class I epitopes is predicted or validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 0.1% in a population.

[0790] Embodiment 184. The composition of any one of the above embodiments, wherein the EGFR-associated MHC class I neoepitope is validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 1% in a population.

[0791] Embodiment 185. The composition of any one of the above embodiments, wherein the EGFR-associated MHC class I neoepitope is validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 10% in a population.

[0792] Embodiment 186. The composition of any one of the above embodiments, wherein the EGFR-associated MHC class I neoepitope is validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 14% in a population.

[0793] Embodiment 187. The composition of any one of embodiments 184-186, wherein the at least one HLA allele is HLA A*03:01 and/or HLA A*11:01.

[0794] Embodiment 188. The composition of any one of embodiments 184-187, wherein the population is a Chinese Hubei Han population.

[0795] Embodiment 189. The composition of any one of the above embodiments, wherein the cassette does not encode a non-therapeutic MHC class I or class II epitope nucleic acid sequence comprising a translated, wild-type nucleic acid sequence, wherein the non-therapeutic epitope is predicted to be displayed on an MHC allele of the subject.

[0796] Embodiment 190. The composition of embodiment 189, wherein the non-therapeutic predicted MHC class I or class II epitope sequence is a junctional epitope sequence formed by adjacent sequences in the cassette.

[0797] Embodiment 191. The composition of embodiments 178-190, wherein the prediction is based on presentation likelihoods generated by inputting sequences of the non-therapeutic epitopes into a presentation model.

[0798] Embodiment 192. The composition of any one of embodiments 178-191, wherein an order of the at least one antigen-encoding nucleic acid sequences in the cassette is determined by a series of steps comprising:

[0799] (a) generating a set of candidate cassette sequences corresponding to different orders of the at least one antigen-encoding nucleic acid sequences;

[0800] (b) determining, for each candidate cassette sequence, a presentation score based on presentation of non-therapeutic epitopes in the candidate cassette sequence; and

[0801] (c) selecting a candidate cassette sequence associated with a presentation score below a predetermined threshold as the cassette sequence for an antigen vaccine.

- [0802] Embodiment 193. A pharmaceutical composition comprising the composition of any one of the above embodiments and a pharmaceutically acceptable carrier.
- [0803] Embodiment 194. The composition of embodiment 193, wherein the composition further comprises an adjuvant.
- [0804] Embodiment 195. The pharmaceutical composition of embodiment 193 or 194, wherein the composition further comprises an immune modulator.
- [0805] Embodiment 196. The pharmaceutical composition of embodiment 195, wherein the immune modulator is an anti-CTLA4 antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof.
- [0806] Embodiment 197. An isolated nucleotide sequence or set of isolated nucleotide sequences comprising the cassette of any of the above composition embodiments and one or more elements obtained from the sequence of SEQ ID NO:3 or SEQ ID NO:5, optionally wherein the one or more elements are selected from the group consisting of the sequences necessary for nonstructural protein-mediated amplification, the 26S promoter nucleotide sequence, the poly(A) sequence, and the nsP1-4 genes of the sequence set forth in SEQ ID NO:3 or SEQ ID NO:5, and optionally wherein the nucleotide sequence is cDNA.
- [0807] Embodiment 198. The isolated nucleotide sequence of embodiment 197, wherein the sequence or set of isolated nucleotide sequences comprises the cassette of any of the above composition embodiments inserted at position 7544 of the sequence set forth in SEQ ID NO:6 or SEQ ID NO:7.
- [0808] Embodiment 199. The isolated nucleotide sequence of embodiment 197 or 198, further comprising:
- [0809] a) a T7 or SP6 RNA polymerase promoter nucleotide sequence 5' of the one or more elements obtained from the sequence of SEQ ID NO:3 or SEQ ID NO:5; and
 - [0810] b) optionally, one or more restriction sites 3' of the poly(A) sequence.
- [0811] Embodiment 200. The isolated nucleotide sequence of embodiment 197, wherein the cassette of any of the above composition embodiments is inserted at position 7563 of SEQ ID NO:8 or SEQ ID NO:9.
- [0812] Embodiment 201. A vector or set of vectors comprising the nucleotide sequence of embodiments 197-200.
- [0813] Embodiment 202. An isolated cell comprising the nucleotide sequence or set of isolated nucleotide sequences of embodiments 197-201, optionally wherein the cell is a BHK-21, CHO, HEK293 or variants thereof, 911, HeLa, A549, LP-293, PER.C6, or AE1-2a cell.
- [0814] Embodiment 203. A kit comprising the composition of any of the above composition embodiments and instructions for use.
- [0815] Embodiment 204. A method for treating a subject with cancer, the method comprising administering to the subject the composition of any of the above composition embodiments or any of the above the pharmaceutical composition embodiments.
- [0816] Embodiment 205. The method of embodiment 204, wherein the at least one epitope-encoding nucleic acid sequence is derived from the tumor of the subject with cancer or from a cell or sample of the infected subject.
- [0817] Embodiment 206. The method of embodiment 204, wherein the at least one epitope-encoding nucleic acid sequence are not derived from the tumor of the subject with cancer or from a cell or sample of the infected subject.
- [0818] Embodiment 207. A method for stimulating an immune response in a subject, the method comprising administering to the subject the composition of any of the above composition embodiments or any of the above pharmaceutical compositions.
- [0819] Embodiment 208. The method any of embodiments 204-207, wherein the subject expresses at least one HLA allele predicted or known to present the MHC class I epitope.
- [0820] Embodiment 209. The method of any of embodiments 204-208, wherein the composition is administered intramuscularly (IM), intradermally (ID), subcutaneously (SC), or intravenously (IV).
- [0821] Embodiment 210. The method of any of embodiments 204-208, wherein the composition is administered intramuscularly.
- [0822] Embodiment 211. The method of any of embodiments 204-210, the method further comprising administration of one or more immune modulators, optionally wherein the immune modulator is administered before, concurrently with, or after administration of the composition or pharmaceutical composition.
- [0823] Embodiment 212. The method of embodiment 211, wherein the one or more immune modulators are selected from the group consisting of: an anti-CTLA4 antibody or an antigen-binding fragment thereof, an anti-PD-1 antibody or an antigen-binding fragment thereof, an anti-PD-L1 antibody or an antigen-binding fragment thereof, an anti-4-1BB antibody or an antigen-binding fragment thereof, or an anti-OX-40 antibody or an antigen-binding fragment thereof.
- [0824] Embodiment 213. The method of embodiment 211 or 212, wherein the immune modulator is administered intravenously (IV), intramuscularly (IM), intradermally (ID), or subcutaneously (SC).
- [0825] Embodiment 214. The method of embodiment 213, wherein the subcutaneous administration is near the site of the composition or pharmaceutical composition administration or in close proximity to one or more vector or composition draining lymph nodes.
- [0826] Embodiment 215. The method of any one of embodiments 204-214, further comprising administering to the subject a second vaccine composition.
- [0827] Embodiment 216. The method of embodiment 215, wherein the second vaccine composition is administered prior to the administration of the composition or the pharmaceutical composition of any one of embodiments 204-214.

- [0828] Embodiment 217. The method of embodiment 215, wherein the second vaccine composition is administered subsequent to the administration of the composition or the pharmaceutical composition of any one of embodiments 204-214.
- [0829] Embodiment 218. The method of embodiment 216 or 217, wherein the second vaccine composition is the same as the composition or the pharmaceutical composition of any one of embodiments 204-214.
- [0830] Embodiment 219. The method of embodiment 216 or 217, wherein the second vaccine composition is different from the composition or the pharmaceutical composition of any one of embodiments 204-214.
- [0831] Embodiment 220. The method of embodiment 219, wherein the second vaccine composition comprises a chimpanzee adenovirus vector encoding at least one antigen-encoding nucleic acid sequence.
- [0832] Embodiment 221. The method of embodiment 220, wherein the at least one antigen-encoding nucleic acid sequence encoded by the chimpanzee adenovirus vector is the same as the at least one antigen-encoding nucleic acid sequence of any of the above composition embodiments.
- [0833] Embodiment 222. A method of manufacturing the one or more vectors of any of the above composition embodiments, the method comprising:
- [0834] (a) obtaining a linearized DNA sequence comprising the backbone and the cassette;
- [0835] (b) in vitro transcribing the linearized DNA sequence by addition of the linearized DNA sequence to an in vitro transcription reaction containing all the necessary components to transcribe the linearized DNA sequence into RNA, optionally further comprising in vitro addition of the m7g cap to the resulting RNA; and
- [0836] (c) isolating the one or more vectors from the in vitro transcription reaction.
- [0837] Embodiment 223. The method of manufacturing of embodiment 222, wherein the linearized DNA sequence is generated by linearizing a DNA plasmid sequence or by amplification using PCR.
- [0838] Embodiment 224. The method of manufacturing of embodiment 223, wherein the DNA plasmid sequence is generated using one of bacterial recombination or full genome DNA synthesis or full genome DNA synthesis with amplification of synthesized DNA in bacterial cells.
- [0839] Embodiment 225. The method of manufacturing of embodiment 222, wherein isolating the one or more vectors from the in vitro transcription reaction involves one or more of phenol chloroform extraction, silica column based purification, or similar RNA purification methods.
- [0840] Embodiment 226. A method of manufacturing the composition of any of the above composition embodiments for delivery of the antigen expression system, the method comprising:
- [0841] (a) providing components for the nanoparticulate delivery vehicle;
- [0842] (b) providing the antigen expression system; and
- [0843] (c) providing conditions sufficient for the nanoparticulate delivery vehicle and the antigen expression system to produce the composition for delivery of the antigen expression system.
- [0844] Embodiment 227. The method of manufacturing of embodiment 226, wherein the conditions are provided by microfluidic mixing.
- [0845] Embodiment 228. A method for treating a subject with a disease, optionally wherein the disease is cancer or an infection, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:
- $$(E_x-(EN)_y)z$$
- [0846] wherein,
- [0847] E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences,
- [0848] n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,
- [0849] EN represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n,
- [0850] for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and
- [0851] z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given EN, or a combination thereof, and
- [0852] at least one of the at least one distinct epitope-encoding nucleic acid sequences comprising at least two iterations encodes a EGFR-associated MHC class I neoepitope.
- [0853] Embodiment 229. A method for treating a subject with a disease, optionally wherein the disease is cancer, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen expression system, comprising:
- [0854] the antigen expression system,
- [0855] wherein the antigen expression system comprises one or more vectors,
- [0856] the one or more vectors comprising:
- [0857] (a) a vector backbone, wherein the backbone comprises:
- [0858] (i) at least one promoter nucleotide sequence, and
- [0859] (ii) optionally, at least one polyadenylation (poly(A)) sequence; and
- [0860] (b) a cassette, wherein the cassette comprises:
- [0861] (i) at least one antigen-encoding nucleic acid sequence, comprising:
- [0862] (1) at least one epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and
- [0863] wherein each of the epitope-encoding nucleic acid sequences comprises;
- [0864] (A) optionally, a 5' linker sequence, and
- [0865] (B) optionally, a 3' linker sequence;
- [0866] (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and

- [0867] (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence;
- [0868] (iv) optionally, at least one nucleic acid sequence encoding a GP GPG amino acid linker sequence (SEQ ID NO:56); and
- [0869] (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone,
- [0870] wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and
- [0871] wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.
- [0872] Embodiment 230. The method of any one of embodiments 228 or 229, wherein the at least one epitope-encoding nucleic acid sequence is derived from a tumor of the subject with cancer.
- [0873] Embodiment 231. The method any one of embodiments 228 or 229, wherein the at least one epitope-encoding nucleic acid sequence are not derived from a tumor of the subject with cancer.
- [0874] Embodiment 232. A method for stimulating an immune response in a subject, the method comprising the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:
- $$(E_x-(EN)_y)_z$$
- [0875] wherein,
- [0876] E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences,
- [0877] n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,
- [0878] EN represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n,
- [0879] for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and
- [0880] z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given EN, or a combination thereof, and
- [0881] at least one of the at least one distinct epitope-encoding nucleic acid sequences comprising at least two iterations encodes a EGFR-associated MHC class I neoepitope.
- [0882] Embodiment 233. A method for stimulating an immune response in a subject, the method comprising the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises:
- [0883] an antigen expression system, comprising:
- [0884] the antigen expression system,
- [0885] wherein the antigen expression system comprises one or more vectors,
- [0886] the one or more vectors comprising:
- [0887] (a) a vector backbone, wherein the backbone comprises:
- [0888] (i) at least one promoter nucleotide sequence, and
- [0889] (ii) optionally, at least one polyadenylation (poly(A)) sequence; and
- [0890] (b) a cassette, wherein the cassette comprises:
- [0891] (i) at least one antigen-encoding nucleic acid sequence, comprising:
- [0892] (I) at least one epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and
- [0893] wherein each of the epitope-encoding nucleic acid sequences comprises;
- [0894] (A) optionally, a 5' linker sequence, and
- [0895] (B) optionally, a 3' linker sequence;
- [0896] (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and
- [0897] (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence;
- [0898] (iv) optionally, at least one nucleic acid sequence encoding a GP GPG amino acid linker sequence (SEQ ID NO:56); and
- [0899] (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone,
- [0900] wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and
- [0901] wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope.
- [0902] Embodiment 234. The method any of embodiments 228-233, wherein the subject expresses at least one HLA allele predicted or known to present the EGFR-associated MHC class I neoepitope.
- [0903] Embodiment 235. The method any of embodiments 228-233, wherein the subject expresses at least one HLA allele predicted or known to present the at least one epitope sequence, and wherein the at least one epitope sequence comprises an epitope known or suspected to be presented by MHC class I on a surface of a cell, wherein the at least one epitope sequence predicted or known to be presented comprises the EGFR-associated MHC class I neoepitope.
- [0904] Embodiment 236. The method of embodiment 235, wherein the surface of the cell is a tumor cell surface.
- [0905] Embodiment 237. The method of embodiment 236, wherein the cell is a tumor cell selected from the group consisting of: lung cancer, melanoma, breast cancer, ovarian cancer, prostate cancer, kidney cancer, gastric cancer, colon cancer, testicular cancer, head and neck cancer, pancreatic cancer, brain cancer, B-cell

lymphoma, acute myelogenous leukemia, chronic myelogenous leukemia, chronic lymphocytic leukemia, T cell lymphocytic leukemia, non-small cell lung cancer, and small cell lung cancer.

[0906] Embodiment 238. The method of embodiment 235, wherein the cell is a non-small cell lung cancer (NSCLC) tumor cell.

[0907] Embodiment 239. A method for inducing an immune response in a subject, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence described, from 5' to 3', by the formula:

$$(E_x-(ENn)y)z$$

[0908] wherein,

[0909] E represents a nucleotide sequence comprising at least one of the at least one distinct epitope-encoding nucleic acid sequences,

[0910] n represents the number of separate distinct epitope-encoding nucleic acid sequences and is any integer including 0,

[0911] EN represents a nucleotide sequence comprising the separate distinct epitope-encoding nucleic acid sequence for each corresponding n,

[0912] for each iteration of z: x=0 or 1, y=0 or 1 for each n, and at least one of x or y=1, and

[0913] z=2 or greater, wherein the antigen-encoding nucleic acid sequence comprises at least two iterations of E, a given EN, or a combination thereof, and

[0914] at least one of the at least one distinct epitope-encoding nucleic acid sequences comprising at least two iterations encodes a EGFR-associated MHC class I neoepitope, and

[0915] wherein the subject expresses at least one HLA allele predicted or known to present the at least one EGFR-associated MHC class I neoepitope.

[0916] Embodiment 240. A method for inducing an immune response in a subject, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein

[0917] the antigen-based vaccine comprises:

[0918] an antigen expression system, comprising:

[0919] the antigen expression system,

[0920] wherein the antigen expression system comprises one or more vectors,

[0921] the one or more vectors comprising:

[0922] (a) a vector backbone, wherein the backbone comprises:

[0923] (i) at least one promoter nucleotide sequence, and

[0924] (ii) optionally, at least one polyadenylation (poly(A)) sequence; and

[0925] (b) a cassette, wherein the cassette comprises:

[0926] (i) at least one antigen-encoding nucleic acid sequence, comprising:

[0927] (I) at least one epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, and

[0928] wherein each of the epitope-encoding nucleic acid sequences comprises;

[0929] (A) optionally, a 5' linker sequence, and

[0930] (B) optionally, a 3' linker sequence;

[0931] (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence; and

[0932] (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence;

[0933] (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and

[0934] (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone,

[0935] wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence,

[0936] wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequence encoding the EGFR-associated MHC class I neoepitope, and

[0937] wherein the subject expresses at least one HLA allele predicted or known to present the at least one EGFR-associated MHC class I neoepitope.

[0938] Embodiment 241. The method of any of embodiments 228-240, wherein the antigen expression system comprises any one of the antigen expression systems in any one of embodiments 1-192.

[0939] Embodiment 242. The method of any of embodiments 228-240, wherein the antigen-based vaccine comprises any one of the pharmaceutical compositions in any one of embodiments 193-206.

[0940] Embodiment 243. The method of any of embodiments 228-242, wherein the antigen-based vaccine is administered as a priming dose.

[0941] Embodiment 244. The method of any of embodiments 228-243, wherein the antigen-based vaccine is administered as one or more boosting doses.

[0942] Embodiment 245. The method of embodiment 244, wherein the boosting dose is different than the priming dose.

[0943] Embodiment 246. The method of embodiment 245, wherein:

[0944] a) the priming dose comprises a chimpanzee adenovirus vector and the boosting dose comprises an alphavirus vector; or

[0945] b) the priming dose comprises an alphavirus vector and the boosting dose comprises a chimpanzee adenovirus vector.

[0946] Embodiment 247. The method of embodiment 244, wherein the boosting dose is the same as the priming dose.

[0947] Embodiment 248. The method of any one of embodiments 244-247, wherein the injection site of the one or more boosting doses is as close as possible to the injection site of the priming dose.

[0948] Embodiment 249. The method of any one of the above method embodiments, further comprising determining or having determined the HLA-haplotype of the subject.

[0949] Embodiment 250. The method of any one of the above method embodiments, wherein the antigen-

based vaccine is administered intramuscularly (IM), intradermally (ID), subcutaneously (SC), or intravenously (IV).

- [0950] Embodiment 251. The method of any one of the above method embodiments, wherein the antigen-based vaccine is administered intramuscularly (IM).
- [0951] Embodiment 252. The method of embodiment 251, wherein the IM administration is administered at separate injection sites.
- [0952] Embodiment 253. The method of embodiment 252, wherein the separate injection sites are in opposing deltoid muscles.
- [0953] Embodiment 254. The method of embodiment 253, wherein the separate injection sites are in gluteus or rectus femoris sites on each side.
- [0954] Embodiment 255. The method or composition of any of the above embodiments, wherein the antigen-encoding nucleic acid sequence encodes a peptide comprising the amino acid sequence shown in SEQ ID NO: 62.
- [0955] Embodiment 256. The method or composition of any of the above embodiments, wherein the antigen-encoding nucleic acid sequence encodes a peptide comprising the amino acid sequence shown in SEQ ID NO: 61.
- [0956] Embodiment 257. The method or composition of any of the above embodiments, wherein the at least one promoter sequence is a CMV, SV40, EF-1, RSV, PGK, HSA, MCK or EBV promoter sequence.
- [0957] Embodiment 258. The method or composition of any of the above embodiments, wherein the at least one promoter sequence is a regulatable promoter, optionally wherein the regulatable promoter is a tetracycline (TET) repressor protein (TET_r) controlled promoter, optionally wherein the regulatable promoter comprises multiple TET operator (TET_o) sequences 5' or 3' of a RNA polymerase binding sequence of the promoter.
- [0958] Embodiment 259. The method or composition of any of the above embodiments, wherein P comprises a CMV-derived promoter sequence, optionally wherein the CMV-derived promoter sequence comprises a TET_r controlled CMV-derived promoter.

XIII. Example Computer

[0959] A computer can be used for any of the computational methods described herein. One skilled in the art will recognize a computer can have different architectures. Examples of computers are known to those skilled in the art, for example the computers described in more detail in U.S. Pat. No. 10,055,540, US Application Pub. No. US20200010849A1, and international patent application publications WO/2018/195357 and WO/2018/208856, each herein incorporated by reference, in their entirety, for all purposes.

XIV. Examples

[0960] Below are examples of specific embodiments for carrying out the present invention. The examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way. Efforts have been made to ensure accuracy with respect to numbers used (e.g., amounts, temperatures, etc.), but some experimental error and deviation should, of course, be allowed for.

[0961] The practice of the present invention will employ, unless otherwise indicated, conventional methods of protein chemistry, biochemistry, recombinant DNA techniques and pharmacology, within the skill of the art. Such techniques are explained fully in the literature. See, e.g., T. E. Creighton, *Proteins: Structures and Molecular Properties* (W.H. Freeman and Company, 1993); A. L. Lehninger, *Biochemistry* (Worth Publishers, Inc., current addition); Sambrook, et al., *Molecular Cloning: A Laboratory Manual* (2nd Edition, 1989); *Methods In Enzymology* (S. Colowick and N. Kaplan eds., Academic Press, Inc.); *Remington's Pharmaceutical Sciences*, 18th Edition (Easton, Pennsylvania: Mack Publishing Company, 1990); Carey and Sundberg *Advanced Organic Chemistry 3rd Ed.* (Plenum Press) Vols A and B (1992).

XIV.A. Evaluation of Cassettes with Repeated EGFR Neopeptides

[0962] Through vaccination, multiple class I MHC restricted neoantigens that stimulate the corresponding cellular immune response(s) can be delivered. Several vaccine cassettes were engineered to encode neopeptides, specifically an EGFR-associated neopeptide having a L858R mutation, as a single gene product where the epitopes were embedded within their natural, surrounding peptide sequence. Various cassette designs feature multiple iterations (copies) of an EGFR neopeptide.

XVI.B. EGFR Neopeptide Evaluation Materials and Methods Antigens

[0963] The epitope-containing 25mer, 26mer, and 32mer amino acid sequences (i.e., epitope flanked by native N and C terminal amino acid linkers) used in the examples below are presented in Table 2A were used as described below. The antigen-encoding sequences of the cassettes for the various constructs were constructed by directly linking (iterating) each 25mer/26mer sequence to each other (i.e., no additional amino acids in between consecutive 25mer/26mer sequences) in the order and number described in the examples below. The cassettes containing the full-length antigen-encoding sequences containing the iterated EGFR L858R epitopes linked together are presented in Table 2B. The complete exogenous nucleotide insertions into the vectors include from 5' to 3': a Kozak sequence (GCCACC), nucleotides encoding three amino acids MAG (ATGGCCGGG), one of the cassette sequences of Table 2B, nucleotides encoding a universal MHC class II antigens tetanus toxoid and PADRE with a N-terminal GP₃PG (SEQ ID NO:56) linker, and two stop codons (TAATGA).

TABLE 2A

EGFR Neopeptide Cassette Sequences		
Antigen Name	Sequence	SEQ ID NO:
EGFR L858R 9 mer Epitope	KITDFGRAK	57
EGFR L858R 25 mer	KTPQHVKITDFGRAKLLGAEKEYH	58

TABLE 2A-continued

EGFR Neoepitope Cassette Sequences		
Antigen Name	Sequence	SEQ ID NO:
EGFR L858R 26 mer	KTPQHVKITDFGRAKLLGAEKEYHA	59
EGFR L858R 8 mer Epitope	ITDFGRAK	88
EGFR L858R 10 mer Epitope	KITDFGRAKL	89
EGFR L858R 9 mer Epitope #2	ITDFGRAKL	90
EGFR L858R 32 mer	KTPQHVKITDFGRAKLLGAEKEYHAE GGKVP	74
EGFR T790M 9 mer Epitope #1	STVQLIMQL	75
EGFR T790M 9 mer Epitope #2	LTSTVQLIM	76
EGFR T790M 25 mer #1	LGICLTSTVQLIMQLMPFGCLLDYV	77
EGFR T790M 25 mer #2	GICLTSTVQLIMQLMPFGCLLDYVR	78
EGFR T790M 26 mer	LGICLTSTVQLIMQLMPFGCLLDYVR	79
EGFR T790M 29 mer	CRLGLGICLTSTVQLIMQLMPFGCLLDYV R	81
EGFR T790M 8 mer Epitope	TVQLIMQL	91
EGFR E746-A750Del 9 mer Epitope	PVAIKTSPK	82
EGFR E746-A750Del 8 mer Epitope	VAIKTSPK	83
EGFR E746-A750Del 11 mer Epitope	KIPVAIKTSPK	84
EGFR E746-A750Del 24 mer	EKVKIPVAIKTSPKANKEILDEAY	85
EGFR E746-A750Del 25 mer	GEKVKIPVAIKTSPKANKEILDEAY	86
EGFR E746-A750Del 36 mer	EKVKIPVAIKTSPKANKEILDEAYVMAS VDNPHVCR	87
EGFR E746-A750Del 10 mer Epitope	AIKTSPKANK	92
Tetanus toxoid and PADRE with GPGPG (SEQ ID NO: 56) linkers (bold)	GPGPG AKFVAAWTLKAAAG GPGPG QYI KANSKFIGITEL GPGPG	60

TABLE 2B

Full-Length EGFR-Neopeptide Sequences in Cassettes
L858R x4 Cassette AA; 3x 26AA, 1x25AA: Total size 103 AA (SEQ ID NO: 61) KTPQHVKITDFGRAKLLGAEKEYHAKTPQHVKITDFGRAKLLGAEKEYHAKTPQ HVKITDFGRAKLLGAEKEYHAKTPQHVKITDFGRAKLLGAEKEYH
L858R x8 Cassette AA; 7x 26AA, 1x25AA: Total size 205 AA (SEQ ID NO: 62) KTPQHVKITDFGRAKLLGAEKEYHAKTPQHVKITDFGRAKLLGAEKEYHAKTPQ HVKITDFGRAKLLGAEKEYHAKTPQHVKITDFGRAKLLGAEKEYHAKTPQHVKI

TABLE 2B-continued

Full-Length EGFR-Neopeptide Sequences in Cassettes
TDFGRAKLLGAEKEYHAKTPQHVKITDFGRAKLLGAEKEYHAKTPQHVKITDFG RAKLLGAEKEYHAKTPQHVKITDFGRAKLLGAEKEYH L858R x4 Cassette NT; 3x 26AA, 1x25AA: Total size 103 AA (SEQ ID NO: 63) AAAACGCCACAACACGTCAAGATCACAGACTTTGGTCGTGCAAAGCTATTAGGT GCCGAAGAAAAAGAGTACCACGCCAAAACACCTCAACATGTGAAGATTACCGA TTTTGGGCGGGCGAACTCCTAGGCGCTGAAGAGAAGGAATACCACGCGAAGA CGCCGCAACATGTTAAAAATAACGATTTTCGGCCGCGCGAAGCTCCTTGGCGCGG AGGAGAAAGAAATATCACGCAAGACACACAGCAGTGAATCACTGACTTC GGTCCGCGCAAACCTACTGGGCGCTGAGGAAAAGAGTATCAC L858R x8 Cassette NT; 7x 26AA, 1x25AA: Total size 205 AA (SEQ ID NO: 64) AAAACCCCTCAGCAGCTAAAGATAACGATTTTCGGCCGCGCAAGTTGCTGGGT GCAGAAAGAAAAAGAGTACCATGCTAAAACCTCCCGCATGTGAAGATTACTGACTTTG GACGCGCAAGAGCTCCTCGGGCGCGAAGAGAAGGAGTACCACGCCAAAACACCG CAGCAGCTCAAGATTACCGATTTTCGGTCGGGCTAAGTTACTGGGAGCGGAAGAG AAAGAATATCACGCAAGAGACTCCGCAACACGTGAAAATCACGGACTTCGGACGT GCCAAGCTGTTGGGGCTGAAGAAAAGGAGTATCACGCGAAAACGCCCTCAACA TGTTAAGATCACTGATTTTGAAGAGCGAAACTTCTAGGTGCTGAGGAGAAAGA GTATCATGCGAAGACCCCAACATGTAAAAATAACCGACTTTGGGCGGGCGGAA GTTGTAGGAGCAGAGGAGAAGGAATATCAT L858R & T790M, 2x4 Cassette AA; Total size 213 AA (SEQ ID NO: 69) LGICLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGI CLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLT STVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLTSTV QLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYH L858R & T790M, 2x4 Cassette NT; Total size 213 AA (SEQ ID NO: 70) CTTGTATTGCTTACATCGACCGTCCAACTCATAATGCAACTTATGCCGTTTCG GATGCTGCTGGATTATGTGCGGAAAACCTCCACAACATGTGAAAATAACGGACT TTGGTCGTGCGAAACTATTGGGCGCGGAGAAAAGAGTACCATTGCCGCTCC TTGGGATTGTCTTACGCTACGGTTCAGTTGATTATGCAATTGATGCCTTTCCGGC TGTCTCCTGGACTATGTGAGAAAACCCCTCAGCATGTTAAATCACTGATTTTCG GAAGAGCCAAACTCTTAGGTGAGAGAGAAAGAAATACCACTGCGCCTTTTGG GTATATGTCTCACGAGCACCGTTACGCTGATCATGCAGTTAATGCCATTCGGGTG TCTACTCGACTACGTCGGAAGACTCCCCAACACGTCAAAATTACGGATTTTGGC CGTGCAAGAGCTACTTGGCGCGGAGGAAAAGGAATATCACTGCAAGCTGTTGGGA ATCTGTCTAACGTCGACTGTACAATAATTATGCAGCTCATGCCCTTTGGCTGTT TGCTCGATTACGTGCGTAAACGCCCGAGCAGCTTAAGATCACAGACTTCGGGC GGGCAAACTACTCGGTGCGGAGGAGAAGGAGTATCAC L858R & T790M, 2x8 Cassette AA; Total size 429 AA (SEQ ID NO: 71) LGICLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGI CLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLT STVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLTSTV QLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLTSTVQLI MQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLTSTVQLIMQ LMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLTSTVQLIMQLMP FGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHCRLLGICLTSTVQLIMQLMPFGC LLDYVRKTPQHVKITDFGRAKLLGAEKEYH L858R & T790M, 2x8 Cassette NT; Total size 429 AA (SEQ ID NO: 72) TTGGGCATTGCTTACCTCTACTGTCCAGCTCATTATGCAGTTAATGCCCTTCG GGTGCCTACTCGATTACGTACGGAAGACGCCACAACACGTGAAAATTACAGATT TCGGACGCGCTAAGTTGCTAGGAGCAGAGAGAAAAGAAATACCACTGTAGATTGC TTGGTATTGCGCTACCACTGTACAACTTATAATGCAGTTGATGCCGTTCCGG ATGCTCTGCTGGATTATGTGAGAAAGACGCCGAGCAGCTTAAATAACCGATT TGGGCGCGCAAGTTACTCGGAGCGGAGGAAAAGGAATATCACTGCAGACTGCT AGGGATTGTTGACATCCACTGTGCAGCTAATCATGCAATTAATGCCATTCCGGT TGCTCTTAGATTATGTGCGCAAGACACACAGCAGCTCAAAATTACTGATTTTG GCCGGCTAAGCTACTCGGCGCTGAAGAAAAGGAGTACCCTGCCGACTGTTGG GAATTTGTCTGACAAGCACGGTGCAATTGATCATGCAGCTTATGCCTTTTGGCTG CCTCCTTGATTACGTGCGTAAACCCCCCAGCAGCTCAAAATCACGGATTTTCGG CCGAGCAAACTGCTGGGCGCGAAGAAAAGAGTATCATGTGCGCTGCTCGG AATATGCTGACCTCCACAGTTACGCTCATAATGCAACTCATGCCGTTTGGGTGT CTGTTGGAAGTACGTGAGAAAACACCCCAACATGTGAAGATTACCGACTTTGGC AGAGCCAAGCTTCTAGGCGCAGAGGAGAAAGAGTACCATTGCCGCTCTTCGGG ATCTGTCTCACGCTACGGTCCAGTTAATTATGCAGCTCATGCCCTTTGGTGTCT CCTCGACTACGTGAGAAAACCTCTCAGCATGTCAAGATCACAGACTTCGGCAG GGCAAGCTCTGGGGCTGAGGAGAAGGAATACCACTGTGATGCTGCTGCTGAT ATGTCTTACCAGCACCGTCCAACATCATGCAACTGATGCCATTGGATGCTTA

TABLE 2B-continued

Full-Length EGFR-Neopeptide Sequences in Cassettes
CTGGACTATGTCGGGAAGACTCCGCAACATGTTAAGATAACGGACTTCGGTCGA GCGAAATTGCTCGGGGCGGAAGAGAAGGAGTATCACTGTAGGCTTCTGGGCATC TGCCTTACCTCAACCGTACAGCTGATTATGCAACTAATGCCTTTCGGGTGTCTGC TAGACTATGTGAGGAAGACCCCTCAACATGTAAAGATCACTGACTTCGGGCGGG CGAAGCTGTTAGGAGCGGAGGAAAAAGAAATATCAT L858R, T790M & E746-A750 DEL., 3x8 Cassette AA; Total size 733 AA (SEQ ID NO: 73) LGICLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHAEGGK VPEVKIPVAIKTSPKANKEILDEAYVMASVDNPHVCRGICLTSTVQLIMQLMPFGC LLDYVRKTPQHVKITDFGRAKLLGAEKEYHAEGGKVPKVKIPVAIKTSPKANKEI LDEAYVMASVDNPHVCRGICLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRA KLLGAEKEYHAEGGKVPKVKIPVAIKTSPKANKEILDEAYVMASVDNPHVCRGIC LTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHAEGGKVPK VKIPVAIKTSPKANKEILDEAYVMASVDNPHVCRGICLTSTVQLIMQLMPFGCLLD YVRKTPQHVKITDFGRAKLLGAEKEYHAEGGKVPKVKIPVAIKTSPKANKEILDE AYVMASVDNPHVCRGICLTSTVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLL GAEKEYHAEGGKVPKVKIPVAIKTSPKANKEILDEAYVMASVDNPHVCRGICLT TVQLIMQLMPFGCLLDYVRKTPQHVKITDFGRAKLLGAEKEYHAEGGKVPKVKI PVAIKTSPKANKEILDEAYVMASVDNPHVCRGICLTSTVQLIMQLMPFGCLLDYVR TPQHVKITDFGRAKLLGAEKEYHAEGGKVPKVKIPVAIKTSPKANKEILDEAY L858R, T790M & E746-A750 DEL., 3x8 Cassette NT; Total size 733 AA (SEQ ID NO: 93) TTAGGGATATGCCTCACTTCGACCGTTTACGCTTATAATGCAGTTGATGCCTTTCG GCTGCCTTCTAGATTACGTACGTAAAAACACACACACGTAAAGATAACGGACT TTGGTCGCGCAAAATTATTAGGAGCTGAGGAGAAGGAGTACCATGCGGAAGGG GGGAAAGTTCCGGAAGAAAGTAAAAATTCCTGTCGCCATCAAGACCGAGCCGAA AGCGAAACAAAGAGATCCTAGATGAAGCTTATGTGATGGCTTCGGTAGATAATCC CCACGTCTGTTCGGGCACTTTGCCTAAGTAGCACGGTTCAATTGATTATGCAGCTC ATGCCATTTCGGGTGTCTGCTAGACTATGTTAGAAAAACGCGCAACACGTTAAA ATTACGGATTTCGGCGGTGCGCAAAATTCCTGGGCGCTGAAGAGAAAGAAATATCAT GCTGAAGCGGAAAGGTACCGGAGAAAGTAAAAATCCCGTTGCTATAAAGAC TTCGCCCTAAAGCAATAAGGAGATTCTGGACGAGGCTTACGTAATGGCGAGTGT GGATAACCTCACGTATGCAGGGGATTTGCTTGACATCCACTGTGCAACTAATT ATGCAATTGATGCCATTTGGGTGCTTGTGGACTACGTACGGAAGACACCCCAA CACGTGAAGATTACTGACTTCGGAAGAGCGAAGTTACTTGGTGCAGAGGAGAAA GAGTACACGCGGAGGGCGGCAAGGTCCAGAAAAGGTAAAGATCCAGTGGC CATTAACCTCTCCTCAAGGCGAATAAGAGATACTTGACGAAGCATACGTGAT GGCGTCGGTGGACAATCCGATGTATGCCGGGAATCTGCTGACGTCCACCGT ACAGCTCATCATGCAGTTAATGCCTTTGGCTGTCTCCTGGACTATGTACGAAAG ACTCCACAGCAGTCAAAATCACCGATTTTGGGCGCGCAAGCTGCTTGGGGCC GAAGAGAAGGAATACCATGCCGAGGGAGGGAAGGTGCTGAAAAGGTTAAGAT TCCCGTTGCCATAAAAAAGTTCGCAAAAGCTAATAAGGAAATCCTTGATGAGG CTATGTAATGGCATCCGTGCAACACCCACACGTTTGTGCGGCATATGCTTTACA AGTACTGTCCAATGATCATGCAACTCATGCCGTTTCGGATGTCGTTGGATTATG TGCGGAAACCCCGCAGCATGTCAAGATTACGACTTCGGCAGGGCGAAGCTCC TAGGAGCCGAGGAAAGGAGTATCACGCTGAGGGTGGAAAAGTCCCCGAGAAG GTCAAGATCCCGTCGCGATCAAAACAGTCCCAAGCAAAACAGGAGATCTTG GACGAAGCTACGTTATGGCCAGCGTAGACAATCCACATGTGTGTCGTTGGGATC TGCTCTACAGTACGTTACAATTGATAATGCAACTATGCTCCCTTTGGATGCTCC TTGACTATGTCCGGAAGACGCTCATGATGTAAAAATAACAGACTTTGGACGTG CGAAACTGCTGGGGCGGAGGAAAAAGAAATACACGCGGAGGGGGCAAGT CCAGAGAAGGTGAAAATTCCTGTCGCAATCAAAACGAGTCCGAAGGCAAAATA AGAAATTTTAGACGAGGCGTACGTATGGCTCTGTGCGATAACCCGCACGTGTG CCGTGGTATATGCTTAACGTCAACAGTTCAACTCATAATGCAGCTGATGCCCTTC GGTTGTCTCTTAGACTACGTTTCGCAAACTCCCCAGCATGTTAAGATCACTGATT TCGGACGGGCAAAATTTGTTGGAGCGGAAGAAAAAGAGTATCACGCAGAGGGC GGTAAAGTACCTGAGAAAGTCAAGATACCCGTGGCGATTAAAGACCTCGCCCAAG GCTAACAAGAAATACTAGACGAAGCGTATGTATGGCAAGCGTTGACAAACCC CATGTCTGCGCGGAATTTGTCTGACGACACCGTGCATTAATCATGCAGCTAA TGCCGTTTGGTTGCTGCTGACTACGTGCGCAAGACCCCTCAACATGTGAAGAT CACAGATTTTCGGGCGGGCAAGTTATTGGGGCGAGAAAGGAATATCACG CCGAAGGAGGTAAAGTTCCCGAAAAAGTAAATACCGGTAGCGATAAAGACG AGCCCTAAGGCCAACAGGAATTTCTGACGAGGCATAT L858R, T790M & E746-A750 DEL. V2, 3x8 Cassette AA; Total size 609 AA (SEQ ID NO: 94) LGICLTSTVQLIMQLMPFGCLLDYTPQHVKITDFGRAKLLGAEKEYHAEGGGEKV KIPVAIKTSPKANKEILDEAYGICLTSTVQLIMQLMPFGCLLDYTPQHVKITDFGRAK LLGAEKEYHAEGGGEKVIPVAIKTSPKANKEILDEAYGICLTSTVQLIMQLMPFG CLLDYTPQHVKITDFGRAKLLGAEKEYHAEGGGEKVIPVAIKTSPKANKEILDEA YGICLTSTVQLIMQLMPFGCLLDYTPQHVKITDFGRAKLLGAEKEYHAEGGGEKV KIPVAIKTSPKANKEILDEAYGICLTSTVQLIMQLMPFGCLLDYTPQHVKITDFGRAK LLGAEKEYHAEGGGEKVIPVAIKTSPKANKEILDEAYGICLTSTVQLIMQLMPFG

TABLE 2B-continued

Full-Length EGFR-Neopeptide Sequences in Cassettes
CLLDYTPQHVKITDFGRKLLGAEKEYHAEGGGKVKIPVAIKTSPKANKEILDEA YIGICLTSTVQLIMQLMPPGCLLDYTPQHVKITDFGRKLLGAEKEYHAEGGGKVK KIPVAIKTSPKANKEILDEAYIGICLTSTVQLIMQLMPPGCLLDYTPQHVKITDFGRK LLGAEKEYHAEGGGKVKIPVAIKTSPKANKEILDEAY L858R, T790M & E746-A750 DEL. #2, 3x8 Cassette NT; Total size 609AA (SEQ ID NO: 95) CTTGGAATCTGCTTGACTTCAACCGTGCAGTTGATAATGCAACTTATGCCGTTTCG GTTGCTTGCTAGATTACACGCCGCGCATGTTAAGTCACTGACTTTGGAAGAG CAAAGCTTCTAGGGGCGAAGAGAAAGAGTACCATGCCGAAGGAGGCGGGGAA AAGGTCAAGATTCCCGTAGCCATCAAAACAAGTCCAAAGGCCAATAAAGAAAT CCTTGATGAGGCTTACGGCATATGCCTAACATCAACAGTCCCAATTAATGCA GTTAATGCCCTTTCGGGTGCCTGCTCGATTATACGCCCCAACACGTCAAATAATACA GACTTTGGCAGGGCAAAATTTGCTGGGAGCGGAGGAAAAAGAGTATCACGCAGA GGGGGGCGGAGAAAAGGTTAAATCCCGGTGGCAATAAAACACGCCGGAAGG CGAACAAAAGAAATACTGGATGAAGCGTACGGGATTTGTCTCACTAGCACCGTAC AGTTAATCATGCAACTGATGCCCTTCGGCTGTCTTCTGGATTATACCCCTCAGCA CGTGAATAATCAGAGATTTTGGCCGCGCAAACTACTAGGAGCGGAGGAGAGG AATACCATGCAGAAGGGGTGGTGAAAAAGTGAAGATACCACTTGCAGTTAAG ACGAGCCCTAAAGCTAACAAAGAGATTCTTGACGAAGCTTATGGGATCTGCCTC ACCTCTACCGTCCAGCTGATTATGCAGCTCATGCCCTTTGGTTGTTTATTAGACT ACACCCCAACAATGTAATAAATACCGGACTTCGGCAGAGCTAAATATTAGGGG CAGAGGAGAAAAGAAATACACGCTGAAGGTGGCGGCGAGAAAGTAAAGATCCCC GTCGCAATTAATACTTCAACCAAGCAATAAGGAGATTTTAGATGAGGCATAC GGTATCTGTCTAACGTCGACGGTTCAACTTATATGCAATGATGCCGTTTGGGT GTCTCCTGGACTACACTCCACAGCAGTAAAGATAACCGATTTTCGTCGGGCGA AGTTACTTTGGCGCGAAGAAAAGGAGTACCACGCGAGGGCGGGGGCGAAAAG GTAAAGATTCGGTGTGAATCAAGACGTCACCTAAGGCTAATAAGGAAATATTG GATGAGGCGTATGGTATTGTTTGACATCGACTGTGACGCTTATAATGCAGCTGA TGCCATTTGGATGTTTACTCGACTATATCCCGACATGTCAAATAACTGATTT CGGCCGGGCCAAATTTATGGGCGCAGAGAAAAGGAATATCACGCGGAGGGTG GAGGGGAGAAAAGTTAAATTTCAAGTGCCTATCAAGACCTCTCCAAAAGCCAAACA AGGAAATCTTGAGCAGGCGCTACGGAATATGTCTTACGCTCTACTGTACAACCTGA TCATGCAGCTAATGCCATTCGGATGCCCTCTTGACTACACACCTCAACACGTTAA GATTACGGATTTTGGTCGAGCCAAACTGCTCGGAGCTGAGGAGAAAGGAGTATCA TGCGGAAGGCGCGGTGAGAAAGTCAAATCCCTGTTGCCATAAAGACTAGCCC CAAGGCAACAAGGAGATACATAGTGAAGCCTATGGCATTTCCTGACTAGTAC AGTGAACATAATTATGCAACTCATGCCCTTTGGCTGCCTTTCTGATTATACACCG CAACATGTGAAAATTACCGACTTTGGGCGTGCAGAACTCTTAGGTGCTGAAGAA AAAGAATATCATGCTGAGGAGGAGGAGAGAGGTGAAAATACCGGTGGCTAT AAAAACGTCGCCGAAAGCGAATAAAGAGATCTCGATGAAGCATAC

Adenoviral Vectors

[0964] A modified ChAdV68 vector for the antigen expression system was generated based on AC_000011.1 with E1 (nt 577 to 3403) and E3 (nt 27,125-31,825) sequences deleted and the corresponding ATCC VR-594 (Independently sequenced Full-Length VR-594 C68 SEQ ID NO:10) nucleotides substituted at five positions. The full-length ChAdV68 AC_000011.1 sequence with corresponding ATCC VR-594 nucleotides substituted at five positions is referred to as “ChAdV68.5WTnt” (SEQ ID NO:1). Antigen cassettes under the control of the CMV promoter/enhancer were inserted in place of deleted E1 sequences. A representative ChAdV68 vector containing 20 model antigens in an antigen cassette is “ChAdV68.5WTnt. MAG25mer” (SEQ ID NO:2). The vectors featuring antigen cassettes described below having the MAG25mer cassette can be replaced by the antigen cassettes described above, e.g., in Table 2B.

[0965] An additional modified ChAdV68 vector (“chAd68-Empty-E4 deleted” SEQ ID NO:68) for the antigen expression system was generated based on AC_000011.1 with E1 (nt 577 to 3403), E3 (nt 27,125-31,825), and E4 region (nt 34,916 to 35,642) sequences deleted and the corresponding ATCC VR-594 (Independently sequenced Full-Length VR-594 C68 SEQ ID NO:10)

nucleotides substituted at five positions. The full-length ChAdV68 AC_000011.1 sequence with corresponding ATCC VR-594 nucleotides substituted at five positions is referred to as “ChAdV68.5WTnt” (SEQ ID NO:1). Antigen cassettes (e.g., in Table 2B) under the control of a CMV promoter/enhancer including a TET response region (“CMT”) were inserted in place of deleted E1 sequences. The TET response region includes two iterations of the 19 bp TET operator (TETo) sequence (TCCCTATCAGTGA-TAGAGA; SEQ ID NO:66) linked together with a two-nucleotide spacer. The TET response region is downstream (3') of a full-length CMV promoter and upstream (5') of the start of the cassette location (see SEQ ID NO:67).

Adenoviral Production in 293F Cells

[0966] ChAdV68 virus production was performed in 293F cells grown in 293 FreeStyle™ (ThermoFisher) media in an incubator at 8% CO₂. On the day of infection cells were diluted to 10⁶ cells per mL, with 98% viability and 400 mL were used per production run in 1 L Shake flasks (Corning). 4 mL of the tertiary viral stock with a target MOI of >3.3 was used per infection. The cells were incubated for 48-72 h until the viability was <70% as measured by Trypan blue. The infected cells were then harvested by centrifugation, full speed bench top centrifuge and washed in 1xPBS, re-

centrifuged and then re-suspended in 20 mL of 10 mM Tris pH7.4. The cell pellet was lysed by freeze thawing 3× and clarified by centrifugation at 4,300×g for 5 minutes.

Adenoviral Production in 293F Cells with Regulated Promoter

[0967] A TETr-regulated viral expression system was established to minimize transcription of nucleic acids encoded in a cassette, such as an antigen encoding cassette in a vaccine, during viral production. The general strategy follows:

[0968] 293F cells expressing a TET repressor protein (TETr) repress expression of the vaccine cassette by binding to the TET operator sequence upstream of a minimal CMV promoter

[0969] Transcription of the cassette sequence facilitates Adenovirus production without the influence of cassette expression

[0970] Once administered in vivo, no repressor is present, and transcription of the cassette can proceed unimpeded

Adenoviral Purification by CsCl Centrifugation

[0971] Viral DNA was purified by CsCl centrifugation. Two discontinuous gradient runs were performed. The first to purify virus from cellular components and the second to further refine separation from cellular components and separate defective from infectious particles.

[0972] 10 mL of 1.2 (26.8 g CsCl dissolved in 92 mL of 10 mM Tris pH 8.0) CsCl was added to polyallomer tubes. Then 8 mL of 1.4 CsCl (53 g CsCl dissolved in 87 mL of 10 mM Tris pH 8.0) was carefully added using a pipette delivering to the bottom of the tube. The clarified virus was carefully layered on top of the 1.2 layer. If needed more 10 mM Tris was added to balance the tubes. The tubes were then placed in a SW-32Ti rotor and centrifuged for 2 h 30 min at 10° C. The tube was then removed to a laminar flow cabinet and the virus band pulled using an 18 gauge needle and a 10 mL syringe. Care was taken not to remove contaminating host cell DNA and protein. The band was then diluted at least 2× with 10 mM Tris pH 8.0 and layered as before on a discontinuous gradient as described above. The run was performed as described before except that this time the run was performed overnight. The next day the band was pulled with care to avoid pulling any of the defective particle band. The virus was then dialyzed using a Slide-a-Lyzer™ Cassette (Pierce) against ARM buffer (20 mM Tris pH 8.0, 25 mM NaCl, 2.5% Glycerol). This was performed 3×, 1 h per buffer exchange. The virus was then aliquoted for storage at -80° C.

Adenoviral Viral Assays

[0973] VP concentration was performed by using an OD 260 assay based on the extinction coefficient of 1.1×10^{12} viral particles (VP) is equivalent to an Absorbance value of 1 at OD260 nm. Two dilutions (1:5 and 1:10) of adenovirus were made in a viral lysis buffer (0.1% SDS, 10 mM Tris pH 7.4, 1 mM EDTA). OD was measured in duplicate at both dilutions and the VP concentration/mL was measured by multiplying the OD260 value X dilution factor X 1.1×10^{12} VP.

[0974] An infectious unit (IU) titer was calculated by a limiting dilution assay of the viral stock. The virus was initially diluted 100× in DMEM/5% NS/1× PS and then

subsequently diluted using 10-fold dilutions down to 1×10^{-7} . 100 μ L of these dilutions were then added to 293A cells that were seeded at least an hour before at 3e5 cells/well of a 24 well plate. This was performed in duplicate. Plates were incubated for 48 h in a CO₂ (5%) incubator at 37° C. The cells were then washed with 1×PBS and were then fixed with 100% cold methanol (-20° C.). The plates were then incubated at -20° C. for a minimum of 20 minutes. The wells were washed with 1×PBS then blocked in 1×PBS/0.1% BSA for 1 h at room temperature. A rabbit anti-Ad antibody (Abcam, Cambridge, MA) was added at 1:8,000 dilution in blocking buffer (0.25 ml per well) and incubated for 1 h at room temperature. The wells were washed 4× with 0.5 mL PBS per well. A HRP conjugated Goat anti-Rabbit antibody (Bethyl Labs, Montgomery Texas) diluted 1000× was added per well and incubated for 1 h prior to a final round of washing. 5 PBS washes were performed and the plates were developed using DAB (Diaminobenzidine tetrahydrochloride) substrate in Tris buffered saline (0.67 mg/mL DAB in 50 mM Tris pH 7.5, 150 mM NaCl) with 0.01% H₂O₂. Wells were developed for 5 min prior to counting. Cells were counted under a 10× objective using a dilution that gave between 4-40 stained cells per field of view. The field of view that was used was a 0.32 mm² grid of which there are equivalent to 625 per field of view on a 24 well plate. The number of infectious viruses/mL can be determined by the number of stained cells per grid multiplied by the number of grids per field of view multiplied by a dilution factor 10. Similarly, when working with GFP expressing cells fluorescent can be used rather than capsid staining to determine the number of GFP expressing virions per mL.

SAM Vectors

[0975] A RNA alphavirus backbone for the antigen expression system was generated from a self-replicating Venezuelan Equine Encephalitis (VEE) virus (Kinney, 1986, Virology 152: 400-413) by deleting the structural proteins of VEE located 3' of the 26S sub-genomic promoter (VEE sequences 7544 to 11,175 deleted; numbering based on Kinney et al 1986; SEQ ID NO:6). To generate the self-amplifying mRNA ("SAM" or "samRNA") vector, the deleted sequences are replaced by antigen sequences. A representative SAM vector containing 20 model antigens is "VEE-MAG25mer" (SEQ ID NO:4). The vectors featuring the antigen cassettes described having the MAG25mer cassette can be replaced by the antigen cassettes described above, e.g., in Table 2B.

In Vitro Transcription to Generate SAM

[0976] For in vivo studies: SAM vectors were generated as "AU-SAM" vectors. A modified T7 RNA polymerase promoter (TAATACGACTCACTATA (SEQ ID NO: 102), which lacks the canonical 3' dinucleotide GG, was added to the 5' end of the SAM vector to generate the in vitro transcription template DNA (SEQ ID NO:65; 7544 to 11,175 deleted without an inserted antigen cassette). Reaction conditions are described below:

[0977] 1× transcription buffer (40 mM Tris-HCL [pH7.9], 10 mM dithiothreitol, 2 mM spermidine, 0.002% Triton X-100, and 27 mM magnesium chloride) using final concentrations of 1× T7 RNA polymerase mix (E2040S); 0.025 mg/mL DNA transcription template (linearized by restriction digest); 8 mM CleanCap

Reagent AU (Cat. No. N-7114) and 10 mM each of ATP, cytidine triphosphate (CTP), GTP, and uridine triphosphate (UTP)

[0978] Transcription reactions were incubated at 37° C. for 2 hr and treated with final 2 U DNase I (AM2239)/0.001 mg DNA transcription template in DNase I buffer for 1 hr at 37° C.

[0979] SAM was purified by RNeasy Maxi (QIAGEN, 75162)

[0980] Alternatively to co-transcriptional addition of a 5' cap structure, a 7-methylguanosine or a related 5' cap structure can be enzymatically added following transcription using a vaccinia capping system (NEB Cat. No. M2080) containing mRNA 2'-O-methyltransferase and S-Adenosyl methionine.

Immunizations

[0981] For ChAdV68 vaccines, transgenic mice expressing a chimeric HLA-A11:01 (Taconic Model #9660-[CB6F1-Tg(HLA-A*1101/H2-Kb)A11.01]) were injected with 5×10^{10} viral particles (VP), in 100 μ L volume, bilateral intramuscular injection (50 μ L per leg).

[0982] For SAM vaccines, 10 μ g of RNA-LNP complexes in 100 μ L volume were administered as a bilateral intramuscular injection (50 μ L per leg).

Splenocyte Dissociation

[0983] Splenocytes were isolated 14 days post-immunization. Spleens for each mouse were pooled in 3 mL of complete RPMI (RPMI, 10% FBS, penicillin/streptomycin). Mechanical dissociation was performed using the gentleMACS Dissociator (Miltenyi Biotec), following manufacturer's protocol. Dissociated cells were filtered through a 40 micron filter and red blood cells were lysed with ACK lysis buffer (150 mM NH_4Cl , 10 mM KHCO_3 , 0.1 mM Na_2EDTA). Cells were filtered again through a 30 micron filter and then resuspended in complete RPMI. Cells were counted on the Cytoflex LX (Beckman Coulter) using propidium iodide staining to exclude dead and apoptotic cells. Cell were then adjusted to the appropriate concentration of live cells for subsequent analysis.

E_x Vivo Enzyme-Linked Immunospot (ELISpot) Analysis

[0984] ELISPOT analysis was performed according to ELISPOT harmonization guidelines {DOI: 10.1038/nprot.2015.068} with the mouse IFN γ ELISpotPLUS kit (MABTECH). 1×10^5 splenocytes were incubated with 10 μ M of the indicated peptides for 16 hours in 96-well IFN γ antibody coated plates. Spots were developed using alkaline phosphatase. The reaction was timed for 10 minutes and was terminated by running plate under tap water. Spots were counted using an AID vSpot Reader Spectrum. For ELISPOT analysis, wells with saturation >50% were recorded as "too numerous to count". Samples with deviation of replicate wells >10% were excluded from analysis. Spot counts were then corrected for well confluency using the formula: spot count+2x(spot countx% confluence/[100%-% confluence]). Negative background was corrected by subtraction of spot counts in the negative peptide stimulation wells from the antigen stimulated wells. Finally, wells labeled too numerous to count were set to the highest observed corrected value, rounded up to the nearest hundred.

Preparation of SLATE-EGFR Engineered Cell Lines

[0985] The SLATE-EGFR 1x4 and 1x8 cassettes were synthesized as gBlocks (IDT) and cloned into pLX-CMVZeo plasmids by Gibson assembly. Clones were identified and prepared as largescale plasmid preparations. Lentiviruses were generated by transfection of 293FT cells (Thermo, R70007) with 3 μ g of the pLX-SLATE-EGFR 1x4-iZeo, pLX-SLATE-EGFR 1x4-iBlast, pLX-SLATE-EGFR 1x8-iZeo, or pLX-SLATE-EGFR 1x8-iBlast and with 9 μ g of the ViraPower Lentivirus Packaging mix (Thermo K497500) using Lipofectamine 2000 (11668030) according to the manufacturer's instructions. Lentiviruses were harvested at 48 and 72 h post transfection and concentrated using PEG-It™. Parental K562-HLA cells monoallelic for HLA-A*03:01 or HLA-A*11:01 were then infected with decreasing volumes of the concentrated lentiviruses and after 48 h, antibiotic selection was initiated with Zeocin or Blasticidin at 100 μ g/mL. Pools of cells were generated after multiple rounds of selection.

[0986] Cells containing both the single HLA allele and the shared neoantigen cassette were grown to a minimum of 2.5×10^8 cells and pelleted into 50 mL vials for analysis by mass spectrometry. All pellets were washed twice with cold PBS and frozen to allow for processing for mass spectrometry detection of HLA peptides.

[0987] The EGFR T790M 25mer cassette was constructed by synthesizing two complimentary single-stranded DNA oligos (IDT) and annealed to form a double-stranded DNA fragment containing the T790M 25mer with 4 bp overhangs ideal for Golden Gate Assembly. This insert was then cloned into Vector #14, a lentiviral insertion vector with CMV promoter and Blasticidin selection marker, using NEBridge Golden Gate Assembly Kit BsmBI-v2 (New England Biolabs). Clones were identified with Sanger sequencing and scaled up with an endotoxin free midiprep (Genewiz). The C1502 cassette is included in Gritstone's HLA library synthesized and prepped by Twist Bioscience.

[0988] Lentiviruses were generated by transfection of 293T cells using 3 μ g of the EGFR T790M 25mer plasmid prep (Genewiz) or C1502 plasmid prep (Twist), with 9 μ g of ViraPower Lentivirus Packaging Mix (Thermo K497500) and Lipofectamine (Invitrogen 18324010) according to the manufacturer's instructions. Lentiviruses were harvested at 48- and 72-hours post transfection and concentrated using 100K MWCO columns (Pierce 88533). Concentrated lentivirus was titrated using Lenti-X qRT-PCR (Takara 631235) per manufacturer's instructions.

[0989] Parental K562 cells were transduced with 100MOI of the C1502 lentivirus and grown to several million cells. Due to lack of selection marker, fluorescence activated cell sorting was performed to enrich an HLA positive population using a Pacific Blue anti-human HLA-ABC W6/32 antibody (BioLegend 311417).

[0990] These monoallelic K562 C1502 cells were then transfected at 500MOI with the EGFR T790M 25mer in the same manner as above, and after 48 hours antibiotic selection was initiated with 10 μ g/mL Blasticidin S (Gibco A1113903).

[0991] K562 cells now containing both C1502 and the T790M 25mer cassette were grown to a minimum of 4.5×10^8 cells and pelleted into 50 mL vials for analysis by mass spectrometry. All pellets were washed twice with PBS and frozen to allow for processing for mass spectrometry detection of HLA peptides.

Expression Analysis by Taqman qPCR

[0992] Lysate was transferred to a 96-well KingFisher Flex and RNA was extracted using Omega Bio-Tek's Mag-Bind Total RNA 96 Kit with a customized protocol, eluting in 50 μ L of RNA Elution Buffer. The RNA was quantified using Quant-iT Ribogreen RNA Assay Kit from Invitrogen. RNA quality was spot-checked by running an RNA Screen-Tape from Agilent. Extracted RNA (250 ng) was used as template for cDNA synthesis using SuperScript IV VILO Master Mix with ezDNase as per manufacturer protocol.

[0993] qPCR reactions were performed in duplicates using 31.25 ng of cDNA template, 1 $\times$ TaqMan Gene Expression Master Mix and 1 $\times$ custom TaqMan assay Gene Expression probes (gene of interest-HLA or SLATE cassette-PADRE (universal pan DR epitope); TBP housekeeping gene as internal control) from Life Technologies. The qPCR reaction was transferred to a 384-well plate and loaded into the qPCR instrument. Once the run was completed, the Ct values were directly normalized to a housekeeping gene and analyzed using a comparative method to evaluate fold increases or decreases in gene expression relative to the reference cell line sample.

Isolation and Detection of HLA-Peptides by Mass Spectrometry

[0994] Isolation of HLA-peptide molecules was performed using classic immunoprecipitation (IP) methods after lysis and solubilization of the tissue sample (55-58). A clarified lysate was used for HLA specific IP.

[0995] Immunoprecipitation was performed using antibodies coupled to beads where the antibody is specific for HLA molecules. For a pan-Class I HLA immunoprecipitation, a pan-Class I CR antibody is used, W-632. The antibody was covalently attached to NHS-sepharose beads during overnight incubation. After covalent attachment, the beads were washed and aliquoted for IP. (59, 60)

[0996] The clarified tissue lysate was added to the antibody beads for the immunoprecipitation. After immunoprecipitation, the beads were removed from the lysate and the lysate stored for additional experiments, including additional IPs. The IP beads were washed to remove non-specific binding and the HLA/peptide complex is eluted from the beads using standard techniques. The protein components were removed from the peptides using C18 fractionation. The resultant peptides were taken to dryness by SpeedVac evaporation and stored at -20°C prior to MS analysis.

[0997] Dried peptides were reconstituted in an HPLC buffer suitable for reverse phase chromatography and loaded onto a C-18 microcapillary HPLC column for gradient elution in a Fusion Lumos mass spectrometer (Thermo). MS1 spectra of peptide mass/charge (m/z) were collected in the Orbitrap detector at high resolution followed by MS2 lower resolution scans collected in the ion trap detector after HCD fragmentation of the selected ion. MS2 spectra was measured with high resolution mass accuracy in the Orbitrap detector with targeted method known as parallel reaction monitoring. In targeted PRM, specific peptide precursor ions were isolated in the Orbitrap, and all resulting HCD fragmentation ions were scanned across the elution of the peptide peak, allowing both peptide identification and quantitation of endogenous peptide in the presence of a co-injected stable isotopically labeled (SIL) peptide standard.

[0998] Targeted MS1 and MS2 spectra were processed through Skyline (104) and used to determine the ratio of

endogenous (light) to SIL (heavy standard) peptide peak area and subsequently computationally converted to HLA peptide copies per cell.

XVI.C. EGFR Neopeptide Evaluation Results

[0999] Neopeptide and HLA prevalence was assessed across various populations for non-small cell lung cancer (NSCLC). Analysis of the various parameters is described in Li et al. (Oncol Rep. 2017 March; 37(3):1347-1358). Shown in FIG. 1A and FIG. 1B, bottom panels, are HLA and mutation prevalence across various populations. The analysis demonstrated that EGFR L858R is a common shared neoantigen target in NSCLC, particularly in East Asian populations. For example, prevalence estimates of EGFR and L858R (see Li et al.) combined with HLA A*11:01 prevalence (FIG. 1B bottom panel) in East Asian populations yielded a target prevalence of up to 14%, as demonstrated in the top panel. Further, as shown in FIG. 2A, FIG. 2B, and FIG. 2C and summarized in FIG. 1B (top panel), the EGFR L858R neopeptide KITDFGRAK (SEQ ID NO: 57) was validated by mass spectrometry to be presented by HLA A*03:01 (FIG. 2A) and HLA A*11:01 (FIG. 2B), and the EGFR T790M neopeptide STVQLIMQL (SEQ ID NO: 75) was validated by mass spectrometry to be presented by HLA C*15:02 (FIG. 2C). The EGFR T790M neopeptide LSTVQLIM (SEQ ID NO: 96) was also validated by mass spectrometry to be presented by HLA C*15:02 (spectra not shown). The results demonstrate EGFR L858R neopeptide is a compelling cancer vaccine target.

[1000] Vaccine efficacy with cassettes having iterated (repeated) EGFR L858R neopeptides (inclusive of their native flanking sequences) was assessed. Mice engineered to express human HLA-A11:01 were immunized with either 5×10^{10} VP using a ChAdV68 delivery vector or 10 μ g of a samRNA ("SAM") delivery vector encoding the cassettes described below and efficacy was assessed by IFN γ ELISpot stimulated with the EGFR L858R neopeptide KITDFGRAK (SEQ ID NO: 57).

[1001] As illustrated in FIG. 3, a series of ChAdV68 delivery vectors (based on modified "chAd68-Empty-E4deleted" vectors) were designed to assess efficacy of cassettes featuring either 4 iterations ("1 $\times$ 4"; cassette=SEQ ID NO: 61) or 8 iterations ("1 $\times$ 8"; cassette=SEQ ID NO: 62) of the EGFR L858R neopeptide expressed from either a standard unregulated CMV promoter ("UNREG") or under a TET-regulated CMV promoter ("REG"; see CMT system described above), as well as samRNA delivery vectors featuring the EGFR L858R neopeptide cassettes. As demonstrated above, HLA-A11:01 was validated to present the EGFR L858R neopeptide KITDFGRAK (SEQ ID NO: 57). As shown in FIG. 4 and quantified in Table 3, vaccination with vectors featuring multiple iterations of the EGFR L858R neopeptide demonstrated an immune response as assessed by spot forming colonies (SFC) when stimulated with the peptide KITDFGRAK (SEQ ID NO: 57), specifically for SAM vectors featuring 4 or 8 iterations and the ChAd vector featuring 8 iterations, indicating the epitope-encoding sequences in the cassettes led to an antigen-specific immune response against the EGFR L858R neopeptide. Additionally, as shown in FIG. 5 and quantified in Table 4, responses following stimulation with a pool of 38 peptides spanning the 25mer and assessed by SFC demonstrated similar responses as the single peptide stimulation for the various formats. Notably, cassettes featuring 8 iterations in both SAM and ChAd formats demonstrated an increased

antigen-specific immune response against the EGFR L858R neopeptide.

[1002] The response to the universal Class II PADRE antigen was also assessed. As shown in FIG. 6, similar responses were observed across both “1×4” and “1×8” ChAdV68 (“REG” versions) and samRNA delivery vectors, as well as SAM delivery vectors featuring the EGFR L858R neopeptide cassettes indicating the number of encoded iterations did not affect immune responses in a non-specific manner. These results suggest the increased number of iterations encoded within the cassette were responsible for the observed increased response specifically against the EGFR L858R neopeptide.

[1003] Target density of the EGFR L858R neopeptide was also assessed. Single allele cell lines expressing HLA A*03:01 and A*11:01, respectively, were transduced with the “1×4” and “1×8” EGFR L858R epitope expressing cassettes and then matched for expression, as assessed by qPCR (FIG. 7, left panel). Target density of the EGFR L858R was then determined through assessing HLA peptide copies per cell by mass-spectrometry. As shown in FIG. 7 (right panel), target density was higher for cassettes with 8 iterations of the EGFR L858R when compared to cassettes with 4 iterations. As shown in FIG. 8 and quantified in Table 5, this increase in target density was significant when comparing the two cassettes for both single allele cell lines examined across multiple three independent immunoprecipitated replicates from the same respective cell line processed separately for mass-spectrometry analysis.

XIV.D. Further Evaluation of Cassettes with Repeated EGFR Neopeptides

[1004] Additional cassettes with repeated EGFR neopeptides were engineered for evaluation. Specifically, cassettes encoding the EGFR L858R neopeptide together with a EGFR T790M neopeptide or together with both a EGFR T790M neopeptide and a EGFR E746-A750Del were designed with each cassette including 8 iterations of each mutation. A second version (“V2”) of the EGFR L858R neopeptide together with both a EGFR T790M neopeptide and a EGFR E746-A750Del neopeptide was redesigned to minimize junctional epitopes. The MHC class I epitopes, as well as the epitopes embedded within various natural, surrounding peptide sequences for concatenation, are shown in Table 2A. The various full-length EGFR-neopeptide cassettes sequences constructed are shown in Table 2B. MHC presentation prediction scores based on presentation models built using mass-spectrometry training data for various HLA and EGFR neopeptide pairs are shown in Table 3A-C.

TABLE 3A

MHC Presentation Prediction Scores for L858R Epitopes			
Peptide	EDGE_score		
	A*03:01	A*11:01	C*15:02
KITDFGRAK (SEQ ID NO: 57)	0.0013	0.0010	0.0005
ITDFGRAK (SEQ ID NO: 88)	0.0006	0.0005	0.0001

TABLE 3

ELISpot Results (EGFR L858R neopeptide KITDFGRAK(SEQ ID NO: 57))							
	SAM 1 × 4	SAM 1 × 8	ChAd 1 × 4 (REG)	ChAd 1 × 8 (REG)	ChAd 1 × 4 (UNREG)	ChAd 1 × 8 (UNREG)	Naive
# of values	8	8	8	8	8	8	4
Mean	1447	2492	182.8	1454	496.4	604.4	3.75
Std. Deviation	869.0	1845	255.7	842.6	392.9	508.4	7.50
Std. Error of Mean	307.3	652.2	90.41	297.9	138.9	179.7	3.75

TABLE 4

ELISpot Results (EGFR L858R Peptide Pool)							
	SAM 1 × 4	SAM 1 × 8	ChAd 1 × 4 (REG)	ChAd 1 × 8 (REG)	ChAd 1 × 4 (UNREG)	ChAd 1 × 8 (UNREG)	Naive
# of values	7	8	8	8	8	7	4
Mean	2033	2646	202.5	1333	290.4	677.9	1.25
Std. Deviation	1019	1866	299.1	754.1	239.9	456.0	2.50
Std. Error of Mean	385.2	659.6	105.7	266.6	84.82	172.4	1.25

TABLE 5

Copies/cell in Single Allele K562 Cell Lines				
Cassette	Allele			
	A*03:01		A*11:01	
	1 × 4	1 × 8	1 × 4	1 × 8
Process Replicate #1	2798	3353	287	489
Process Replicate #2	3130	6130	400	713
Process Replicate #3	2137	5746	378	549

TABLE 3A-continued

MHC Presentation Prediction Scores for L858R Epitopes			
Peptide	EDGE_score		
	A*03:01	A*11:01	C*15:02
KITDFGRAKL (SEQ ID NO: 89)	5.23E-05	4.20E-05	8.24E-05
ITDFGRAKL (SEQ ID NO: 90)	6.76E-06	2.26E-05	5.85E-05

TABLE 3B

MHC Presentation Prediction Scores for T790M Epitopes			
Peptide	EDGE_score		
	A*03:01	A*11:01	C*15:02
STVQLIMQL (SEQ ID NO: 75)	2.20E-05	0.0014	0.0063
TVQLIMQL (SEQ ID NO: 91)	5.47E-07	2.85E-06	0.0005
LTSTVQLIM (SEQ ID NO: 76)	3.25E-07	4.53E-07	0.001874

TABLE 3C

MHC Presentation Prediction Scores for E746-A750del Epitopes			
Peptide	EDGE_score		
	A*03:01	A*11:01	C*15:02
KIPVAIKTSPK (SEQ ID NO: 84)	0.0015	0.0014	6.56E-08
PVAIKTSPK (SEQ ID NO: 82)	0.0015	0.0018	6.11E-08
AIKTSPKANK (SEQ ID NO: 92)	0.0014	0.0001	—
VAIKTSPK (SEQ ID NO: 83)	0.0004	0.0008	2.79E-07

[1005] The various cassette designs featuring multiple iterations of combined distinct EGFR neoepitopes were evaluated. Vaccine efficacy with cassettes having iterated (repeated) EGFR neoepitopes, inclusive of their native flanking sequences, was assessed. Mice engineered to express human HLA-A*11:01 were immunized with 5×10^{10} VP using a ChAdV68 delivery vector encoding indicated 1×8, 2×8, and 3×8 cassettes indicated (see FIG. 11A top left

panel) and efficacy was assessed by IFN γ ELISpot stimulated with peptide pools containing 38 minimal epitopes (top ranked minimal epitopes were tested individually with similar results, data not shown). As shown in FIG. 11A, the EGFR L858R neoepitope KITDFGRAK (SEQ ID NO: 57) demonstrated immunogenicity for both the 1×8 and 2×8 formats. A version of the 3×8 format (“V2”; SEQ ID NO:94) was designed to reduce potential junctional epitopes, which potentially could also inhibit immunogenicity of the target EGFR neoepitopes, given the original 3×8 design (SEQ ID NO:73) demonstrated reduced immunogenicity for the EGFR L858R neoepitope (data not shown). As shown in FIG. 11B, the EGFR L858R neoepitope KITDFGRAK (SEQ ID NO: 57) demonstrated immunogenicity in the redesigned 3×8 format. Responses for T790M and E19del were not observed for HLA-A*11:01 in any format, including 1×8 formats for T790M and E19del respectively, which suggests low immunogenicity for these neoantigens in HLA-A*11:01. These antigens were not assessed for immunogenicity in mice engineered to express human A*03:01 or C*15:02 alleles, which demonstrated similar or better predicted HLA presentation scores for T790M and E19del neoepitopes (see Tables 3B and 3C). Responses to the PADRE epitope were comparable across all groups, indicating expression generally of the cassettes in all formats. Together, the results demonstrate efficacy for cassettes encoding EGFR L858R neoepitopes across various cassette formats, e.g., cassettes inclusive of additional EGFR neoepitopes, which correlates with mass-spectrometry validation of EGFR L858R neoepitope presentation by HLA A*11:01.

Certain Sequences

[1006] Vectors, cassettes, and antibodies referred to herein are described below and referred to by SEQ ID NO.

Tremelimumab VL (SEQ ID NO: 16)	
Tremelimumab VH (SEQ ID NO: 17)	
Tremelimumab VH CDR1 (SEQ ID NO: 18)	
Tremelimumab VH CDR2 (SEQ ID NO: 19)	
Tremelimumab VH CDR3 (SEQ ID NO: 20)	
Tremelimumab VL CDR1 (SEQ ID NO: 21)	
Tremelimumab VL CDR2 (SEQ ID NO: 22)	
Tremelimumab VL CDR3 (SEQ ID NO: 23)	
Durvalumab (MEDI4736) VL (SEQ ID NO: 24)	
MEDI4736 VH (SEQ ID NO: 25)	
MEDI4736 VH CDR1 (SEQ ID NO: 26)	
MEDI4736 VH CDR2 (SEQ ID NO: 27)	
MEDI4736 VH CDR3 (SEQ ID NO: 28)	
MEDI4736 VL CDR1 (SEQ ID NO: 29)	
MEDI4736 VL CDR2 (SEQ ID NO: 30)	
MEDI4736 VL CDR3 (SEQ ID NO: 31)	
UBA76-25merPDDT nucleotide (SEQ ID NO: 32)	
UBA76-25merPDDT polypeptide (SEQ ID NO: 33)	
MAG-25merPDDT nucleotide (SEQ ID NO: 34)	
MAG-25merPDDT polypeptide (SEQ ID NO: 35)	
UB7625merPDDT_NoSFL nucleotide (SEQ ID NO: 36)	
UB7625merPDDT_NoSFL polypeptide (SEQ ID NO: 37)	
ChAdV68.5WTnt.MAG25mer (SEQ ID NO: 2); AC_000011.1 with E1 (nt 577 to 3403) and E3 (nt 27, 125-31, 825) sequences deleted; corresponding ATCC VR-594 nucleotides substituted at five positions; model neoantigen cassette under the control of the CMV promoter/enhancer inserted in place of deleted E1; SV40 polyA 3' of cassette	
Venezuelan equine encephalitis virus [VEE] (SEQ ID NO: 3) GenBank: L01442.2	
VEE-MAG25mer (SEQ ID NO: 4); contains MAG-25merPDDT nucleotide (bases 30-1755)	

- cont inued

Venezuelan equine encephalitis virus strain TC-83 [TC-83] (SEQ ID NO: 5) GenBank: L01443.1

ATAGCGCGCATGAGAGAGCCAGACCAATTACTACCCAAAATGGAGAAAGTTACGTTGACA
TCAGAGGACAGCCCAATTCCTCAGAGCTTTGCGAGGAGCTTCCCGCATGTTGAGGTAGAAGCCA
AGCAGGTCTAGTAAATGACCAATGCTAAATGCGAGCGGTTTCGATCTGGCTTCAAACTGATCGA
AACGAGGTGGACCATCCGACACGATCTTGACATTTGGAAGTGGCCCGCGGACGAATGTTATTC
TAAGCAAAATGATTTGATGTTGCTCGATGAGATGCGGAAGTCCGACAGATTTGTAAGGAT
GCAATAAGCTGAAGAAAACCTTAAGAAAATAACTGATAAGAAATTGACAAAGAAAATGAAGGA
GCTCGCCCGCTATGAGCGACCTGACCTGGAACCTGACATATGTGCTCCACGACACGAGTC
GTGTCCTACGAGGCAAGTGGCTGTTTACCGAGTATGATAGCGGTTGACGGACCGCAAGTCT
CTATCACCAAGCTCAAGAGGTAGAGTTCGCTACTGATAGGCTTTGACACCAACCCCTTTTATG
TTTAAACAATTGGCTGGAGCATATCCATCATACTCTACCACTGGGCCACGAAACCGTGTAAACGG
CTCGTAACATAGCCATAGCTCTGAGCTTATGAGCGGTCACGTAGAGGATGTCCATTCTTTAG
AAAGAAATATTTGAAACCATCCAAATGTTCTATTCTGTTGCTCGATCCCATCTACCACGAGAAG
AGGGAATTACTGAGGAGCTGGACCTGCGCTGTGATTTCACTTACGTGGCAAGCAAAATTACAT
GTGCTGTGAGACTATAGTTAGTTCGACGGGTACGTCGTTAAAGAAATAGCTATCAGTCCAGGCT
GTATGGGAAGCTTCAGGCTATGCTGTACGATGACCGCGAGGATTTCTGTGTCGAAAGTGACA
GACAACTGAA CGGGAGAGGGTCTCTTTTCCGCTGACGTATGTGCCAGCTACATTTGTGTACC
AAATGACTGGCTACTGGAACAGATGTCAGTGCGGACGCGCAAAACTGCTGGTTGGGCTCA
ACCAGCTATAGTCTCAACGGTCGACCCAGAGAAACCAATACCATGAATAAAATTACTTTTGC
CCGTAGTGCCCAAGCATTTGCTAGTGGGCAAGGAATATAGGAATCAAGAGATCAAGAGATGAAGG
CCACTAGGACTAGAGATAGACATTTAGTCAGGGTGTGTTGGGCTTTTGAAGGCAAGATA
ACATCTATTTTAAAGCCCGCGATACCAACCATCATCAAAATGAACAGCATTTCCACTATTGG
TGCTGCCAGGATAGCAGTAAACATTTGGAGATCGGCTGAGAACAAATCAGGAATGTTAG
AGAGCAAGAGGCGCTCACTCTCATTCGCGGAGGACGTACAAAGAGTAAAGTGCAGCGCG
ATGAGCTTAAGGCTGAAGAGTGCAGGAGGTTGCGCAGCTTACCACCTTTGGCAGCTGATG
TTGAGGAGCCACTCTGGAAGCGATGTGCACTTGATGTTACAAGAGGCTGGGCGCGCTCAGTGG
AGACCTCTGCTGTTGATAAAGTTTACAGCTTACATGGCGAGGCAAGATCGGCTCTTACGCTG
TGCTTTCTCCGAGCTGTACTCAGAGGTGAAAATTATCTTGATCCACCTCTCGCTGAACAGT
CATAGTAAACACACTCTGGCGGAAAGGGGTTATGCCGTGGACCATACCATGTTAAAGTAGT
GGTCCAGAGGACATGCAATACCCGTCAGGACTTCAAGCTCTGAGTGAAGTCCACCATTTGT
GTACACGACGCTGATTCGTAAACAGGTACCTGACCATATTTGCCACACATGGAGGCGCTGAA
CACTGATGAGAAATATTACAACACTGTCAGCCACGACGACGCGCGAATACCTGTACGACAT
CGACAGAAACAGTGCCTCAAGAAACATAGTCTACTGGGCTAGGGCTCACAGGCGAGCTGGTGG
ATCTCTCTTCATGAAATTCGCTACGAGAGTCTGAGAAACGACCGCGCTCTTACCAGTACC
AACATAGGGGTGTA TGCGGTGCCAGGATCAGCAAGTCTGGCATCATTAAGCGCAGTCAACAA
AAAAGATCTAGTGGTGAAGCCCAAGAAAGAAACCTGTGAGAAATTTATAGGACGCTCAAGAAA
TGAAGGGCTGGACGTAATGCCAGAACTGTGAACTCAGTGTCTTGAATGGATGCAAAACCCCG
TAGAGACCTGTATATTGAGAGCTTTTGTGTCATGTCAGTCTCTCAGAGCGCTCATAGCCAT
TATAAGCCTAAAAGGAGTGTCTGCGGGATCCCAAACAGTGGGTTTTTTTAAATGATGTC
CTGAAAGTGCAATTTAAACAGCAATTTGCACAACTCTCCACAAAACATGAGAACGAAATCCGAA
CTAAATCTGTGCTCTGCTCAACTGTTTTCGCAAAAATAAGAAATGAGAACGAAATCCGAA
AGAGACTAAGATTGATGACACTACCGGAGTACAAACCTAAGCAGACGATCTCATTTCTACT
TGTTTCAGAGGTGGGTGAAGTGTGAAATAGATTACAAGGCAACGAAATTAATGACGCGAGT
GCCTCTCAAGGGCTGACCCGTAAAGGTGTGATGCGTTCCGTACAAGGTGAATGAAATCTCTGT
ACCCACCCACCTAGAACATGTGAACGCTCTACTGACCCGACGAGGACCGCATCGTGTGAAA
CACTAGCCGCGGACCCATGGAATAAAACACTGATCCCAAGTACCTGGGAATTTCACTGCCACGA
TAGAGAGTGGCAAGCAGACATGATGTCATATGAGGACATCTTTGGAGAGACCGGACCTACCG
AGCTCTTCAGAAATAGGCAACAGTGTGTTGGCCAAAGCTTTAGTGGCGGTGCTGAAGACCGCTG
GCATAGACATGACACTGACCACTGGAAACCTGTGATTTATTTGAAAACGGAACAAAGTCACTCAG
CAGAGATAGTATTGAACCACTATGCTGAGGTTCTTTGGACTCGATCTGGATCCCGCTCTATTTTCT
GCACCACTGTTCCGTTATCCATTAGGAATATCACTGGGATAACTCCCGCTGCGCTAACATGTACG
GGCTGAATAAAGAAAGTGGTCCGCTAGCTCTCTGCGAGGTACCCCAAACTGCCCTCGGGCAGTTGCCAC

- cont inued

TGGAAGAGTCTATGACATGAACACACTGGTACTGCTGCGCAATATTATGATCCGCGCATAAACCTAGTACCT
GTAAACAGAGAGTGCCTCATGCTTTAGTCTTCACATAATGAACACCCACAGAGTGAATTTTCTCT
CATTCTCAGCAAAATTGAAGGGAGAACTGTCTGTTGTCGGGGAAGTTGTCCGTCCTCCAGGCA
AAATGGTTGAGTGTTCAGACCGGCTGAGGCTACCTTCAGAGCTGGCTGGATTAGGATCC
AGGTGATGTGCCCAATATGACATAATTTTGTATGTGAGACCCCATATAAATACCATCACTAT
CAGCAGTGTGAAGACCATGCGCAATTAGCTTAGCATGTTGACCAAGAACTGTCTGCACTCTGAATC
CCGCGGAAACCTGTGTGACGATAGTTTGTGTTTACGACGGCCAGCGCAAGCATCATTTGGTG
CTATAGCGCGGAGATTCAGATTTCCTCGGATAGCAACCGAACTCCTCACTGAAAGACGGAAG
TTCTGTTGTATTTCATTTGGGTACGTCGCAAGCCGTACGCAACATCTCTTACAAGCTTTTCAACAC
TTGACCAATATTATACAGGTTCCAGACTCCAGAACCGGCTGTCACCCCTCATCATCTGTTGTC
GAGGGATATTGCGACGGCCACCGAAGAGTGAATTAATGCTGTCTAACAGCAAGAGCAACCTG
CGGAGGGGTGTCGGAGCGCTGTATAAGAAATCCCGAAAGCTTCGATTTACAGCCGATCGAAG
TAGGAAAGCGGAGCTGTTCAAGGTGCACTAATATCATTCATGCTGAGGACCAAACTTCA
ACAAGTTTCGAGGTTGAAGTGAAGTGAACAGTGTGAGAGGCTTATGATGCTCATGCTTAAGATTG
TCAACATTAACAAATTACAGTCACTAGCTTCCACTGTTGTCACCGGCACTTTTCCGGGAACAA
AGATCGACTAAACCAATCATTTGAACCTTTGTCAGAGTTTAGCACCACTGATGACATGTAGCC
ATATCTCGAGGAGCAAGAAATGGAAATGACTCTCAAGAAAGAGTGGCTAGGAGAGAGCAGT
GGAGGAGATATGCATATCCAGCACTCTTCAGTGACAGAACCTGTGAGAGCTGTTGAGGGTGA
TCCGAAGAGTTCTTGGCTGGAAGGAGGCTACAGCAAGCATGGCAAACTTTCTCATATTG
GAAGGACCAAGTTTCACCGCGGCGCAAGGATATAGCAAAATTAATGCATGTGCGCCCTGCA
ACGGAGGCCAAATGAGCAGTATGCTATGATATCTCGGAGAGAGCATGAGCAGTATTAGGTGAAA
TGCCCTCGAGAGTCCGAAGCTCCACACCACTAGCACGCTGCTTGTGTCATCCATGCCA
TGACTCCAGAAAGATACAGGCTTAAAGGCTCAGTCCAGAACTTATGATGCTGCTCATCTCTT
TCCATTGCGAGTATAGAACTCACCTGTTGAGAGATCCATGCTCCAGGCTATATTGTTCTCA
CGAAAGTCTGCTGATATATCAAGAGAGTATCTCGGAAACCAACCGGTGAGCAGACT
CCGAGGACTTCGCAAGAACCAATCCACAGAGGAGCAGCTGAACCACTTATAAACCAG
GATGACAGGAGCTAGAGCGCTGAGCGGATCATCATCAAGAGGAAAGAGAGGATAGCATAG
TTTGTCTGAGTGGCCCGACCCACAGGCTGTGCAAGTGTGAGGAGAGCAATTCAGGGCCGCTCT
GTATCTAGTCTCATCTCTGCTCATCTGATCGACTTTGATGTGACAGCTTATCCATCTTGA
CACCCTGAGGGAGCTAGCGTGACCAAGCGGCGCAAGTCAAGCGGAGACTAAGCTTTACTTTCGCAA
GAGTGTGAGTTCTGGCGGAGCCGGTGCCTGCGCTCGAAAGATTTAGGAAACCCCTCACATCCC
GCTCCGCGCACAGAACCCCTCACTTGCCACCCAGCAGGCGCTGCTCGAGAACCCAGCTAGTTTCC
ACCCCGCAGGCGTGAATAGGTTGATCACTAGAGAGGAGCTCGAGGCGCTTACCCTGACGCACT
CCTAGCAGGTCGGTCTCGAGAACCCAGCTGCTGCTCAACCCGCGAGGCGCTTAATAGGGTGAATACA
AGAGAGGAGTTTGAGGCTTCGTAGTACCAACCAATAGCAGTTGATCGGGTGCATACATCTTTT
CCTCCGACACCGGTCAAGGCAATTAACACAAATCAGTAAGGCAAAACGCTGCTATCCGAAGTGG
TGTGAGAGAGCCGAAATTTGAGATTTCGTATGCTCCCGGCTCGHCCAAAGAAAGAAATTC
TACGCAAGAAATTAAGTTGAGATTTCCTACACCTGCTTAACAGAGCAGATACAGTCCAGGAGGTG
AGAAATGAGAGTACCGAACCTGCACTGCTTCTGCAAGGCTAGGGCATTAATGAAGGCAAG
GAAAGTGGAGTGTACCGAACCTGCTGCTTCTGTTCTTGTATTCATCTAGTGTGACCGCTTCT
TCAAGCCCCAAGGTCGAGTGAAGCTGTAGCTGCTTGAAGAGAACTTCCGACTGTGGCTT
CTTACTGTATTAATCCAGAGTACGATGCTATTTGACATGTTGACGAGCTTCACTGCTGTAGAC
ATGCGAGCTTTTGCCCTGAAAGCTGCGGAGCTTCGAAAGAACCTCTATTGGAACCCCAAA
TAGCATTCGGAGTCTTCAGAGCTCAGAACACGCTCCAGAAACGCTTCGAGCTGCCCAAAA
GAAATTCGAATGTCCAGAAATGAGAAATTCGCTGTTTGGATTGCTCGGCGCTTTAATGTGGAATG
CTTCAGAAATATGCTGTAAATGAATATGGGAAACGTTTAAAGAAACCCCATCAGGCTTACT
GAGAAACAGCTTAAATTAATTAATTAAGGAAACCAAGCTGCTGCTCTTTTGGGAAG
ACACATAATTTGAATATTTGAGGAGTACCAATGACAGGTTTGTATGGACTTAAAGAGAGAC
GTGAAGTGAATCCAGGAACAAACATCTGAAGAACGCGCCAGGTACAGGTGATCCAGGCTGCC
GTCCGCTGACACAGCTATCTGTCGGAATCCAGGAGCTCCAGGAGCTGGTTAGGATTAATTCGGTC
CTGCTTCGAAACATCATACGTTTGTATGTCGCTGAAGACTTTGACGCTATTATATAGCCGAGC
ACTTCAGCTCTGGGATTTGTCTCGAAACCTGACATCGCTGCTGTTTGAATAAAGTGAAGACGACG
CATGCTCTGAACCGGTTAATGATCTGGAAGACTTAGGTGTGAGCGAGCTGTTGACGCTGAT

[illegible]

- cont inued

ACTACCGTGTATGTGAATGGAGAACTCCTGTGAAATTCATATGGGTGAAAATACTGACGGTCCGC
TTTCCACAGCTTGGACACCTTTGATCGAAATCTGTCAGTATGTCGGGGAGATCTATAATTATGA
TTTTCTGAGTATGGGGAGGAGCAACAGAGAGATTTGGAGATATACAATCCAGAAACAGTCTCAAG
CTTGATCTGTATGCAATCAACCTAGCTGTGAGAGACCCAAAGCAGGACGATCCACGTGCC
ATACACTCAGGACCTTCGGGTTTCAGCAATGGAAGAAAGATAAGGTCCATCATTTGAAATTTAC
GCCCCCTTGGATGCGAATATATACAACCCCATTCGCGCGAATACTGTGCTGTAGGGTCAATTC
CAATACCTTTGATCTCCGCGCTTCTTCCAGGGTGTGAGAAACCCAGACACTTTTCAGCGC
CGAATCACTCTTAACAGTGGCTGTATTTCCGAGTTTGTGGATCGCACGCTCAAGTACTCG
GCCAGCAAGTCAGGCAAGTCGCGATCTCATGTGCCATCAGGACTGCTACCTTAAAGAGACGCA
GTGAGCTAACCGCAAGGCTCGCGACTCATTTCTCGACCAATAATCAACCCGGAGTTCA
GGCTCCAAATATGACATCATATGTTACGTGCAAGGTGATGTACACCCCGAAAGACATATTGT
GACACCTCAGTATCACGCCCAACATTTACAGCGCGGTGTCAAAACCGCTGGACGTGGTT
AATACCTCTGCTGGAGGATCACCGTAATTAATTAATTTGGCTTGGCTGCTACTATTGTGGCC
ATGTGCTGTGACCAACAGAACTAATTAATACAGCAATTGCAAGCTGCTTACATAGA
ACTCGCGGATGGCATGCCCTTAAATTTTATTTATTTTCTTTTCCGAAATCGGATTT
TGTTTTTAATATTC

VEE Delivery Vector (SEQ ID NO: 6) ; VEE genome with nucleotides 7544-11175 deleted [alphavirus structural proteins

removed]
ATGGggggcgcatgagagaagccagaccaaattacctaccacaaaATGagaagttcacgttgacatcgaggaagacagccattcctcagagctttgcagc
ggagctcccgagtttgagtgagaagcaagcaggtcaatgatagccatgctaatccagagcggttttcgcatctgggttcaaaactgatgaaacggaggtgg
accattccgacacgactcttgacattggaagtcgcccgcgagaattgtattaaagcaagatcatgtattcgaagcaagatgtcgccgagatgcggaaca
gattgtatagttatgcaactaagctgagaagaaactgtgaagaaataactgtataaggaattggaagaaatgaagagctcgcccgctcatgagcaccctgac
ctggaaactgagactatgctccacagcagcagcagtcgctgcctacgaagggcaagtcgctgtttaccagatgtatacgggttgagcagcagcaagtcctat
caccaagcaataaaggaagtagagtcgctactgagtttgacacaccctttttatgtttaagaacttggctggagctatccatcatctaccactgggc
cgagaaacgctgttaacggctcgtaaacatagcctatgagctatgagcttgagcggtcgcaagtadagaggtgctcatttgaagaagatctttgaacccatcc
aaacaatttctatctctgttggctcgaccatccacagagaagaggacttaactgagagctggcactcgctctgtatttcaacttacctggaagcaaatataca
tggcgttgagactatagttgagtcgggtacgctgttaaaagatagctatcagtcaggcctgttgggaagcctcaggtatgctgaagtcagccogc
agggattctgtgctcgaagtgacagacacatgaacgggagaggggtctctttcccgctggacgtatgcccagctatgtgcacaaatgctggaacatgctggaactg
gcaacagatgctcagtcggaagcagcgcgaacaaactgctggttgggctcaacagcgtatagtcgcaacggctcgcaacccagagaacacaaatcccatgaaaaatt
accttttgcctcagtcggcccgagcatttgcctagtggggcaaggaataaaggaagatgaagagtgaaaggccactaggactacgagtagacagttagctg
gggtgtgttgggcttttagaagggcaagataaacatctattataagcgccggtaccacaaacccatcataagtgaaacagcgtattccactattcgtgctgccag
gataggcagtaaacatctggagatcgggctgagaacaaatcaggaaatgttagaggagcaagagcgctcacctctattacggcgaggaagctacaaga
agctaaagtcgacgcagtaggctaaagagtggtgaagccggaggttgccggcagctctaccactttggcagctgtgtgaggaagccactctgggaagc
cgatgtcgactgattgatacagaggtggggcgggctcagtggaagacacctcggtggttgataaaggtaccagctacgctggcgaggaagatcggtcttaccg
ctgtgcttctccgaggtgtaactcaagagtgaaaaattatctgtacccactctcgctgaacaaagctatagtgataacacactctggcgaaaaaggcggttatgcc
gtggaaacataccatggtaagtagtggcgagagggaatgcatacccgctcaggacttcaagctctagtgaaagtcgcccacttggtacaaacyaacgtga
gttcgttaaacaggtacctgcaccatattgccacacatggagagcgctgaacactgtagaagaatattacaaaactgtcaagccagcagcagcagcggaatgc
ctgtacgacatcgacaggaacagtcgctcaagaagaactagtcactgggtcagaggcagctggtggatcctccctccatgaattgctcactagaga
gtctgagaacacgaccagcgtctcttcaagtagtaccacactaggggtggtatggcggtcaggaagctgggactcattaaaagcgagtcacccaaaa
agatctagtggttgagcgcaagaaagaaactgtgcagaattataaggagcgtcaagaaatgaagggtggagctcaatgccagaactgtggaactcagtgctc
ttgaattggatgaacacccctagagacccctgatatgacgaagcttttctgtctatgaggtactctcagagcgtcatagccattaaagcctaaaaaggcagt
gctctggggggtcccaacagctggcggttttttaacatgtagtgcctgaagtgctatttaaccacgagatttcacacagcttcccaaaagcattctctccgcttg
cactaaatctgtgactctgctcactgctgttttacgacaaaaaataagaaacagcgaatccgaagagactaagattgtgtgactaccctaccgagtagtccaaa
cttaagcaggaagcagatctatctcactgtttcaagaggtgggtgaagcagttgaaatagatatacaaggcaacgaataatgacggcagctgctctcaagggtg
accgtcaagggtgctcaggtcaagagtgatgaaatctctgacgacccactcagaacatgtgaactctactgaccccgaggagaccgcat
gctgtggaaacactagcgcggacccatgataaaacactgactgcaacactgactgccaagcttccagctagagagtgccaagcagcatgatgc
catcatgaggcacatcttgagagagaccgacccctaccagctcttcagaataaaggcaaacgtgtgtgggccaaggttttagtcgggtgctgaagaccgtggca
tagacatgaccactgaacaatggaaactgtggattattttgaacccggcaaaagctcactacgagagatagattgaacacactatcgtagggtctcttggactcgat
ctggactccgcttattttctgcacactgttcggttatccataggaataactcctcgtggaatgaactcctcgtcgtggaatgaataaagaagtggtccgt
cagctctctcgaggtgaccacaactgctcgggcagttgccaactggaagagcttatgacatgaacactggtacactcgcaacttatgacccgcataaacctagta
ctcgttaaacagaagactgctcatgcttagtctccacataaagaaacccacagagtgactttcttattcgtcagcaaaattgaagggcagaaactgctcgtgggtgc
ggggaaadgttgcctcccaggcaaaattgggtgactgggtgtgcagcggcgtgaggtcactcagagctcggtggtatttaggcattccaggtgatgtgccaa

-continued

[illegible]

TC-83 Delivery Vector (SEQ ID NO: 7); TC-83 genome with nucleotides 7544-11175 deleted [alphavirus

10-03 Delivery vector (SEQ ID
structural proteins removed)

2
 ATATGGCGCGCATGAGAGAGCCAGACCAATTACTCCAAAATGGAGAAAGTTCACGTTGACA
 TCCAGACAGACGCCCAATTCCTCAGAGTCTTCAGCGGAGCTTCGCGACTTGAAGTAGAGACCA
 CACAGAGTCACGTGATGATGACCTAAATTCGCCAGAGCTTTCGCATCTGCCTCAAAATCGATCGA
 AAACGGAGGTGGACCCATCCGACACAGATCTCTTGACATTGGAAAGTGGCCGCCCGCAGAAATGTTTC
 TAAGCAACAGATCATTTGTTCTCCGATGAGATCTCGGAAATCCGCAAGATATGTTATGATGAT
 GCGCACTAAGCTGAAGAAAACCTGAAGAAATAACTGATAAGGAATGGACAAGAAAATGAAGA
 TCGCCGCCCGCGCATGAGCAGCCCTGACCTGGAAACTGACATATGTGCCTCCACGACGACGAGTC
 TCGTACAGAGGCAAGTCGCTGTTATCCAGGATGTATACCGGCTTCAGCGACCGCAACAAGTCT
 TTATCACCAAGCCAAATAGGGATGTAGTTCGCTACTGAGGTGTTGACACCACCCCTTTATG
 TTTAAGCACTTGGCTGGAGCATTCATCATCATCTACTCCAACTGGGCGCGCAAGAAATGTTTACGG

CTCTGTTAA CATAGGCCATATGCACTCTGACGTTATAGAGCGGTCACGTAGAGGGATGTCCATTCTTAG
 AAGGAGAAAGTATTTGAAAGACATCCAACAATGTCTATTCTTGTGGCTCGAACATACACCAACAGACAA
 AAGGAGCTTATCGAGAGCTGCGACGCTCGTCTGTATTCTACTAGCTCGCAAGCAAAATACAGACAT
 GTCGTCGCTGAGACTATAGTTAGTTCGGA CGGCTACGTCGTTAAAGAATATGCTATACGTCACAGGCTT
 ATGGGAAGCCTCTCAGGCTATGCTTCAATGACGCGAGGAGTCTTGTGCTCGTCAAAATGATGACA
 GACACCAATTTGAA CCGGAGAGGCTTCTTTCCGCTGTAGATGTCACGATACATTGTTGGCTGAC
 AATACAGTGGCATATCTGCAACAGATATCAGTTCGGGACGACGCGCAAAATCTGTTGTTGGCTCA
 ACCAGGHTATGTCGTTACGCTTACGCTCGCACCCAGAGAACAACCATATACATAGAAAATATCTTTGC
 CCCGCTAGTGGCCGAGCATTCTTGTAGTGGGCAAGGAATATAAGAGAGATCAAGAAGATCAAGAAG
 CCCCATAGGATACGAGATAGACATAGACAGATTAGTTCAGGCTGTGTTTGGCTTTTAGAAGGACAGATA
 GCACTCTATTATAGCGCCGGAATACCAAAACCATATCAAAAGTGACACGAAATTTCACTCATTTGC
 TGTCTGCCAGATAGGCAATGACAATTGGAGATCGGGCTGAGAAAGAATACGAAATAATTTAG
 AAGGACACCAAGAGCGCTTCACTCTCTATTACCGCCGAGCACTACAGAAGCTAAGTGCAGCGCG
 ATTAGAGCTTAGAGAGTGTGGTGAAGCGAGGATTCGCGGCACTCTACACCTTTTGGCAGCTGATG
 TGGAGCGCACTGTGGAGCGCACTGTGAAGCGGATGTGCACTGATATCAAGAGCTGGGGCGGCTCAGTG
 GAGACACCTCTGCTGCTTGATAAAGTTTACGACTCGATGCGAGCAAGAATATGCGCTCTTACGCTG
 TGCCTTCTCCGACGCTGTACTAGAGTGAAAAATTTATCTGTGCATCCACTCTGCTGTGAACAGT
 TATGATGATACACACTCTGCGCGAAAAGGGCTTTATCGCTGGAACCACTACATGTTGAATGAAGT
 GGCTGCGAGAGGACATGCAATACCGCTCAGCACTTCAAGCTCTGATGTAAGGATGCCCAATCTGT
 GTTCAACGAACGTGATTTCTAAAACTGCTGCACCATATTGCCACACATGGAGAGCGCTGAA
 CACTGACAGAAATATCGAAATCTGCAATCTGCGACGACGACGACGCGAATATCTGTACGACAT
 CTGACAGGAAACAGTGGCTTCAAGCAATAGTCACTGGCTGAGGCTCACAAGCGAGCTGGTG
 CTGCTCCCTCCATGAACTCGCTACGAGATCTGAGAACAACGACCGCTCTCTACCAAGTACC
 AAAAAACGAGGGTGTTATGGCTGCTCAGGATAGGCAAGTCTGGCATCATTTAAAGAGCGCATCACAA
 AAAAAAGGCTTAGGCTGAGCGCAAGAAAGAAATCTGTGAGAAATCTGTGAGATCTTTGAATGATCA
 AGAAGGCTGAGCTCAATCGACGATCTGAGCATCTGTCGTCCTTTGAATGATCAACACCCCG
 TAGAGACCTGTATATATGACGAAGCTTTTGTGTATGCAAGTACTCTAGAGCGCTCATAGCCAT
 TATATAGA CCTTAAAAAGGAGCTCTCTCGGGGATCCAAACCAAGCTCTTCCACAAGAGCATCTCG
 CTTAAATCTGATCTTGGCTGCTCAACTGTGTTTGA CAAAAAAAATAGAAACAGCAATCGAA
 GAGAGCTAAGATTTGATGATCACTACCGGATCTCAAACTAGACAGCAATATCACTGCTACT
 CTCTTTTACAGGGTGGTGAAGCAGTTGCAAATAGATATCAAAAGGCAACGAAATATGACGGCAGCT
 CGGCTCTCAAGGCTGACCGGTTAAAGGTGTATGCGCTTCGGTACAAGTGAATGAAAATCCTCTGT
 CACGACACCTCACTAGAACATGTGACCTCTACTGACCGAGAGACCGCATCTGTGGAAA
 CACTAGCGGCAACCATGATATAAAACACTGACTCCGCAAGTACCCTGGAAATCTACTGCGCAAGA
 TTAGAGAGTGGCAACGAGCATGATGCCATCAGGCGACATCTTTGGAGAGACCGGACCTTACCG
 CAGCTCTTCAGATTAAGCGAAAGCTGTTTGGCGCAAGGCTTTATGTCGCTGTGAAGACCGCTG
 CAGATAGACATCACTGAACATGGAACACTGTGGAATTTTTCGAACAGCAAAAGTCACTCAG
 CAGAGATAGTATTGAACCAACTATGCTGTGAGTCTTGTGGACTCGATCTGGACTCGGCTATTTTCT
 GGACCACTGTTTGGTATTCATATAGGAATATCACTGGATATCTCCCTCGGCTTAACTAGTACG
 GCTGCAATAGAAAGAGTGTCTGTGCTCTCTCGCAGGTGACCAACTGCTCGCGGAGTGTGCCAC
 TGGGAGAGCTATATGACATGAACACTGTGACATGATGATCGCGCATAAACCTAGTACTCT
 GTTAAACAGAGAGACTGCTCTTAGCTTTAGTCTTCCACCATATATGAACACCCACAGAGTGACTTCTT
 CATCTGTCAAGAAATTTAAGGAGCAATCTCTGGTGGCTGGGAAAGATGCTCGCTCGCAGGCA
 AAAAAATGTTGACTGTTGTTCAGACCGGCTGAGGCTACTCTTAGAGCTCGGCTGGATTTAGGCACTCC
 AAGGATGATGTGCTCCAAATATGACATATTTGTTAATGTAGGAGACCCCATATPAANTACCATCAT
 TATCCCGCGGAACCTCTGTACATAGTATATGTTTACGTTACGTTACAGGCGCACGAAACGATTTGG
 CTATAGCGCGGCAAGTTGAAGTTTCCGGGTATGCAACCCGAAATCTCTACTTGAAGAGACGGAA
 TTTGTTGTTGTTTGAAGTACATGCAAGAGCGCGTACGCAAACTCTCACTTGAAGAGCTTATCAAC
 TTGTGACCAATTTATACAGGTTCTAGACTCTCAGAGCTCAGAGGCGGATGTGCACTCATATACGTGG
 GAGGGGATATTC CAGGCGACGAGGAGTGATTAATAATGCTCTTCACTAGCAAAAGCAACTG
 GAGGAGGCTGTGCGGACGCTGTATAGAAATTTCCCGGAGGCTTCAAGTAAAGGAGTACGAACTGAA

TAGGAAAAGCGCAGTGTCTAAAGGTGCGACTTAACATATCATTTCACTGCCGTAGGACCAAACTTCA
ACAAGATTTCGAGGTTCGAAGGTGACAAAGTTCGAGAGCTTATAGAGTCCATTCGTGAAGATTG
TCCAACTAAATTAACAGTTCAGTATGATTAAGTCCATCTGTGTCCATCGAGTCTTTCGGGAACTG
AGATCGACTAAACCAATCATTTGAAACCAATTCGTGTGACGCTTTAGACACCACTGATGCGATGTAGCC
ATGATTCGACGAGGACAAGAATTTGGGAATGATCTCAAGAACAGTGTGCTTAGGAGAGAGCAGT
GAGAGAGATATGATGCATATCCGACGATCTTCAGTGAACAAGCACTGATCGAGCTGGTAGGTGCA
TCTCCGAGAGGTTCTTTTGGCTGAGGAGAGGGCTACAGACAAGCATGAGCAAACTTCTCATATTTTG
AAGAGGACAAGTCTTCAACGAGCGGCAGAGHATFAGCAGAAAATTAATGTCATGTGGCCCTGTGCA
CGAGAGGCGCATATGACGAGATATGATATATCTCGAAGAGACATGAGCAGATATAGGTGCGAAA
TCCGCTCCGCTCGAAGAGTTCGAGAGCTCCACACCACTACGCACTGCTGTGTGTGTCATCATATGCCA
TGACTTCAGAAAGAGTACAGCGCTTAAAGCCTCATCTCGACAGACAAATTAATGTGTGTCATCTCTT
TCTCATTTGCGAAGTATAGAACTCACTGGTGTGACAGAGTCAATGCTCCAGCTTATATCTTCTCA
CCCCAAGTGCCTCGTATATTCATCCAAAGAGATTAATCTGTGCGAAACACACCGGTAGACAGACT
CCGAGGCACTCGGACAGCAACATCCACAGAGGGACATGTGAACAAACCACTTATTAACGAG
GATGAGACAGAGATGAGACCGCTGAGCGCATCATCGAAGAGAGGAGAGATAGCATTAAG
TTTTTGTGTCAGATGCGCGAACCCACAGCTGTGCAAGTTCGAGGACAGCATTTCACGGCGCCCTCT
GTATCTAGCTCATCTGTGTCATCTCTCATGCACTCGACTTTGATGTGACAGTTTTCATCATCTTGA
CCACTGTGAGGAGTAGCTGACGAGCGGACACGTCGAGCGAGACTTAECTTTACTTGTGCGAAA
GAGATATGAGTTTCTGGCGCACGGTGCCTGCGCTCGAACAGTATTTAGGAACCTTCACATCC
GGCTCCGCGCAAGAACCTGCACTTGCAACCGAGGGCTGCTCGAAGAACCAAGCTAGTTTCC
ACCCGCGCAGGCGTAATAGGTTGATCACTAGAGAGAGCTCGAGCGGCTTACCGTACGCACT
CTAGAGCTGCGCTTCGAGAACAGCACTGTGCTCCAAACCCCGAGGCGTAATAGGTTGATTACA
GAGAGGAGTTTGTAGCGCTTGTAACAACAAACATGACGGTTTGAATCGGGTGATACATCTTTT
CCCTCGACACCGGTCAAGCGGCTTATCAACAAAAATAGTAGGCAAAACGTTGCTATCCGAAGTGG
TGTGTGAGAGAGCAAAATTTGAGATTTGATATGTAATTTGGAAAGCACTTAAAGAAACCCCATCGGCTACT
TCTGGAAGAGAAATTAAGTTTGAATTTCCATTAACATTAAGAAAGGACAAAAGCTCTCTTTTTCGGAA
TCCAGCAAGAAATTAAGTTTGAATTTCCACACCTGTGATCAAGAGACAGTACAGTCCAGAGAGTGG
AGAAACATGAAGACATACAGCTAGACGTTTCTCGAAGCGCTAGGCAATTAATTTGAAGCGAGAAAG
GAAAAGAGGAGTCTACGAGACCTGCTCATCTGTTCTTTTATCATCTAGTGTGACCGTGGCTTT
TCAAGCCCAACGACGCTGAGCGTGAAGCTGTATGACCATGTTTCAAGAAAGAACTTCCGACTGTGGCTT
CTTACTGTATTAATCAAGAGTACAGTGCTATTGACATGTTGACAGGAGCTTCATGCTGTCTAGAC
AGCTGCGATTGCTTCCGTAAGGTGCGAGCTTTCAGAAAGCACTCTGATTTTGGAAACCAACAA
TAGACTGCGAGCTGCTCAGCGATCCAGACAGCTCCAGAAACCTCTGCAAGTGTGCGCAACAAA
GAAATTCGAATGTACGCAATGAGAGAAATGCGCGTATGGAATTCGGCGGCTTTAATGTGGAATG
TCTTAAGAAATATGCTGTATTAATGAATTTGGAAGAACTTAAAGAAACCCCATCGGCTACT
GAGAGAAAGAAACGTTGATAATTAATTAATTAAGAAAGGACAAAAGCTCTCTTTTTCGGAA
ACACATAATTTGATATTTTTCAGAGCATACCAATGGACAGGTTTGTAAATGCACTTAAAGAGAC
GTGAAGTGAATCAACGAGACAAAACATTTGTAAGAACCGCCCAAGGATCAGAGTATCAGGCTGCC
TCCGCTTGAACCAAGCACTGATCTGTGCGAATTCACGAGACCTGGTTAGGAGATTAATTCGGCTG
CTGCTTCGAACTTCATACACTGTTGATATGTCGCTGAAGACTTTGACGCTATATATGCCCAGC
ACTTCCAGCTGGGAGTTGTGTGGAAGATGCACTCGCTGTTTGAATAAAGGTGAGCGACGCG
CATGCTCTGACGGGTTTGAATTTGTAATTTGGAAGACTTAGGTGACGAGCTGTGACGCTGAT
GAGGCGGGCTTCTCGCGCAAAATTTTCATACATATTTGCCCATTAACATTAATTTTCGGAGCCA
TGATGAAATTTGGAATTTCCATCTTTGTGAACACAGCTAATTAATTTGATATTCGAGAGCAG
TGTGTGTGAGAAAGCGGTACCCGATCACTGTGAAGAGCTTATTTAGAGATGACAATTTCTGTGAA
ACAGAGTCAAAATCGHACAAATTAATGGCAGACAGGTGCGCACCTCGTGTGAATTTGGAAGTCAAGAT
TATAGATGCTGTGTGGCGGAGAGAGCGCTTATTTTGTGAGAGGTTTATTTTGTGTGACTTCGGTG
TACCGGCAAGCTGTCGGTGGCAGACCCCTTAAAGAGGCTTTTAAGGTTTGGCAAACTCTGCGCA
ACCGGACAGCTGCGATGACATGATGATGACAGAGAGAGGCAATGCAATGAAGAGTCAACACGTTGGAACCG
AGTGGGTATCTTTTCAGACTGTGACGCACTAGAACTCAAGTATGAAACCGTAGAGAACTTCTCAT
CATAGTATTTGGCCATGATCTACTAGTACGAGTGTAAATCATTTGACTACCTGAGAGGGGCGCT
ATTAATCTCTACGGCTAACCTGAAATGACTACGAGTATACGCGCCAAACATTTTACGCGGGTGT
GAAAAACCGCTGGGACGTGGTTAACTATCCCTGCTGGAGGATACGCGTAATTAATTAATTTGGCTT
GGGTTGGGCTATGATTTGTGGCCATGTAGTGCTGTGCAACAGAGAACTAATTTGAACACAGACA

- continued -

ATTGGCAAGCTGCTTACATAGAACTCGCGCGATTGGCATGCCGCTTAAATTTTATTATTTT
CTTTCTTTTCGAATCGGATTGTTGTTTAAATATTTCAAAAAAATAAAAAAATAAAAAA
AAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAAATAAAAAA
VEE Production Vector (SEQ ID NO: 8); VEE genome with nucleotides 7544-11175 deleted, plus 5' T7-promoter,
plus 3' restriction sites
TAATACGACTACTATAGATGGGCGCATGAGAGAAAGCCGACCAATACCTACCCAAAATGGAGAAAGTTCACTGTGACATCGAG
GAAGACAGCCCATCTCCAGAGTTTGAGCGGCTTCCGAGTTGAGTAGAAGCAAGCAGGTCACTGATAATACCATGCAAGAGCTTTTCGCAT
CTGGCTTCAAACTGATCGAAACGGAGGTGGGACCATCCGACACGATCTTGACATTTGGAAGTGGCCGCGCGAGATGTATCTAAGCACAGTATCATGTATCT
GTCCGATGAGATGTCGGAAGTCCGGAAGATGTAAGTATCAACTAGCTGAAGAAATGTAAAGAAATAACTGATAAGGAATTTGACAAGAAATGAAG
GTACTCGCCGCGCTCATGAGCACCTCGACTGGAATGAGATATGTCTCCACGACGAGTCTGCTCGTACGAAGGCAAGTCGCTTTACACAGGATG
ATACGGGTTGACGGACCGACAGTCTCTATCACAAGCCATGAAGGGAGTTAGAGTCGCTTACTGGATAGGCTTTGACACACCCCTTTATGTTAAGAACTTGGCTG
GAGCATCTCCATCATACTCTACCACTGGGCGACGAACCTGTTAAAGGCTCGTAACTAGGCTTACGCTTGTGAGCGGTCACTGAGAGTCACTGAGAG
CCATCTTAGAAAGAGTATTGAACCACTCAACAATGTTCTATCTGTGGCTGACCATCTACCAAGAGAGGACTTACTGAGAGCTGGCACCTGCGCTG
TATTCACTAAGTGGCAAGCAAAATACACATGTCCGTTGAGACTATAGTGTGCAAGGGTACGCTGTAAAAGAAATAGTATCAGTCCAGGCTGTATGGGAAG
CTTCAGGTATGTCTACGATGAACCGGAGGATCTTGTGTGCAAGTGAACACATGAACGGGAGAGGCTCTCTTCCGTTGCAAGTATAGTGTGCCAG
CTACATGTGACCAATGACTGGCATCTGGCAACAGATGTCAGTGGGACGCGCAAAAACCTGGTGGGTCAACAGCTATAGTGTCAACGCTGCG
ACCCAGAGAAACCAATACCATGAAAAATACCTTTTCCGTTAGTGGCCAGGCACTTGTAGTGGGCAAGAAATATAAGGAAGTCAAGAGATGAAGGCC
ACTAGGACTACGAGTAGAGTATGTCATGGGTGTGTTGGGTTTTGAAGGCCAAGATAACTATCTTAAAGCCCGGATACCCCAACCATCTCAAGTGA
ACAGGATTTCCACTCATCTGCTGCCAGGATAGGCAGTAAACATCTGGAGTCGGGTGAGAACAGATCAGGAAATGTTAGAGGACCAAGAGCGCTC
ACCTCTATACCGCGAGAGTACAAAGACTAAGTGCAGCGCATGAGGTAAAGAGTGGTGAAGCGAGGATGTGGCGCAGCTCTACCACTTTGGC
AGCTGATGTGAGGAGCCACTGTGAAGCCGATGTGACTTGATGTTACAAGGGTGGGCGGCTCAGTGGAGACACCTCGTGGTGTATAAGGTTACCGCT
ACGTTGGGAGGACAAGATCGCTCTACGCTGTCTTCTCCGAGGTGTACTCAAGTGAAGAAATATCTTGCTCCACCTCTCGTGAACAGTCACTAGTGA
AACACTCTGGCCGAAAAAGGGGTATGCGGTGGAACATAACATGGTAAAGTGGTGGCAGGGGACATGCAATACCGTCCAGGACTTTCAAGTCTGAGTGA
AAGTGCACCACTGTGTACAAGCAAGTGAAGTGTAAACAGTACCTGCACCATGTCCACACATGAGGAGCGCTGAACACGATGAAGAAATATCAAAAACTGT
CAAGCCGAGGACGACGCGGAGTACCTGTACGACATCGACGAGAACAGTGGTCAAGAAAGACTAGTCACTGGGTAGGGTCACAGCGAGCTGGTG
GATCTCCTCTCCATGAATTCGCTACGAGAGTCTGAGAACGACGACCGCTCTCTACCAAGTACCAACCTAGGGTGTATGGTGGCAGGATCAGGCAAGTCT
GGCATATAAGCGTCACCAAAAGATCTAGTGTGGAGCCGCAAGAAAGAACTGCAAGAAATATAAGGGACCTCAAGAAATGAAGGGCTGGAC
GTCAATGCGCAAGTGTGAGTCACTGTGTAATGGATGAACCGCCCTAGAGACCTGTATATTGCAAGAGCTTTGTTGTCGACAGTCTCTCAGAGCGCT
CATAGCATATAAGACTAAAAAGGAGTGTCTGGGGATCCCAACAGTGGGTTTTTAACATGATGTGCTGAAGTGCATTTAACCCAGAGATTTGCACACA
AGTCTCCCAAAAGATCTCTCCGCTTGCATTAATCTGTGACTCTGGTCTCAACCTGTTTACGCAAAAAATGAGCAAGAAATCGGAAGAGACTAAGA
TTGTGATGACACTACCGGAGTACCAACCTAAGCAGGACGATCTCATCTCACTGTTTCAAGGGGGTGAAGCAGTGTCAAAATAGATACAAAGGCAACGAAAT
AATGACGGCAGCTGCTCTCAAGGCTGACCGTAAAGTGTGTATGCGGTCGGTACAAGTGAATGAATCTCTGTACGACCACTCAGAACATGTGAACGT
CTACTGCGCCGACGGAGACCGACTGTGTGGAACACTAGCGCGACCATGGATAAACAACCTGACTGCCAGTACCTGGGAATTTCACTGCCACGATA
GAGGAGTGGCAAGCAGAGATGTCATCATGAGGCACATCTTGAGAGACCGGACCTACCGCTTCCAGAAATAGGCAACCTGTGTGGGCCAAGGCTT
TAGTGGCGGTGCTGAAGACCGTGGCATAGACATGACCACTGAACAATGGAACTGTGGATATTTGAACGGCAAAAGTCACTCAGCAGAGATAGTATTGAACC
AACTATGCGTGGGTTCTTGGACTCGATCGGACCTCGGCTATTTCTGACCCACTGCTCGTATCCATAGGAATAATCACTGGGAATACTCCGCTCGCTCAACATG
TACGGGTGAATAAAGAGTGGTCCGCTAGCTCTCCGAGGTACCCCAACTGCTCGGAGTGGCACTGGAAGAGTCTATGACATGAACACTGGTACACTCG
CAATATGATCCGCGATAAAGTCACTGTAAACAGAGACTGCTCATGCTTACTCCACATAATGAACCCCAAGAGTGACTTTCTCATTCTCGCAGCAAA
TTGAAGGGCAGACTGTCTGTGGTGGGGAAGTGTCCGTCGACGCAAAATGGTGTACTGGTGTGACAGCGGCTAGGCTACCTCAGAGCTCGGCTGGA
TTTAGGCATCCGAGTGTGCCCCAATATGACATAATTTGTTAATGAGGACCCCATATAAATACCATCATCAGCTGTGAAGACCATGCCATTAGCTTAGC
ATGTTGACCAAGAAAGTGTCTGATCTGAATCCGCGGAACCTGTGCAGTATAGGTTATGGTACGCTGACGGCCGAGCAAGCATCAATGGTGTATAGCG
GGAGTCAAGTTTCCCGGTTATGCAACCGCAATCTCATTTGAAGAGAGGAAGTCTGTGTATCATTTGGGTACGATCCAGGCGCGTACGCACAATCTTAC
AAGCTTCTCAACCTTACCACTTATACAGTTCCAGCTCCAGACCGCGGATGTGACCTCATCATCTGTTGGTGGGAGGATATTGCAAGGCGGACCGAAG
GAGTGAATAAATGCTGTAAACAGCAAGCAACAACCTGGCGAGGGTGTGCGGAGCGCTGTAAAGAAATCCCGGAAGCTCGATTTACAGCCGATCGAAGTA
GGAAAGCGCACTGGTCAAAAGTGCAGCTAAACATATCATGCTGCGAGGACCACTTCAACAAGTTTCGGAGTTGAAGGTGACCAACAGTGGGCAAGG
TATGAGTCTGATTCAGATTCACAGTAAACATACAAAGTCAAGTGAAGTCCAGTGTCCACCGGCTCTTTCCGGAACCAAGATCGACTAACCACATCAT
GAACCATTTGCTGACAGCTTAGACACCACTGATGCAGATGAGCCATATCTGAGGGACGAAGAAATGGAAATGACTCTCAAGGAAGCAGTGGCTAGGAGAGAA
GCAAGAGTGGCAAACTTCTCAATTTGGAAGGGACCAAGTTCCACGAGGGCCAGGATATAGCAACATTAATGCCATGGCCGTTGCAACGGAGGCC
ATAGAGAGGTATGCATGATATCTCCGAGAGAACGATGAGCAGTATAGTGTGAAATCCCGTGAAGAGTCGGAAGCCTCCACACCACTAGCAGCTGCTTG
CTGTGCAATCCATGCCATGCCAGCAAGAGTACAGCGCTAAAGAGCTACGTCAGCAACAATACGTGTGCTCATCTTCCATGCGCAGGATAGAAATCACTG
GTGTGAGAGAGTCCAAATGCTCCAGCCTATATTGTTCCACGAAAGTGGCTGGTATATTCATCCAAAGGAGTATCTCGTGGAAACACCCCGGTAGACGAGACTCC

[illegible]

TC-83 Production Vector (SEQ ID NO: 9) ; TC-83 genome with nucleotides 7544-11175 deleted, plus 5' T7-promoter, plus 3' restriction sites

[illegible]

- cont inued

AGAAGCTAAGTGTGCGAGCCGATGAGGCTAAGGAGGTGCGTGAAGCCGAGAGTTCGCGCAGCTCT
ACCACCTTTGGCAGCTGATGTTGAGGAGCCCACTCTGGAAGCCGATGTCGACTTGATGTTACAAGAG
GCTGGGGCCGGCTCAGTGGAGACACCTCTGGTGGTGAATAAAGTTACCAGCTACGATGGCGAGGAC
AGATCGGCTTTTACGCTGTGCTTCTCCGAGGTGTATCTCAAGGTGAAAATTTATCTTTCATCC
ACCTCTCGCTGAACAAAGTATGATGATACACACTCTGCGGAAAAGGCGTTATGCGCGTGAAC
CATACCATGGTAAAGTAGTGTGTCAGAGGACATGCAATACCCGTCAGGACTTTCAGAGCTCTGA
GTAAAGTCCCATTTGTATCAACAGCTAGTTCGTAATCAAGGTACCTGCACCATATTTGCCAC
ACATGAGGAGCGCTGAACATGATGAAGAATATTTACAAAATGTCAAGCCAGCGACGACGACG
GCCAATACCTGTACGACATCGACAGAAACAGTGGTCAAGAAAGAACTAGTCACTGGGCTAGGGC
TCACAGGAGGTGGTGGATCTCCCTCCATGAATTTCCCTACGAGTCTGAGAACACGACACGACG
CGCTCTCTTACCAAGTACCAACATAGGGGTGTATGGCTCCAGGATCAGGAAAGTCTGGCATCAT
AAAAGCGAGTCAACAAAAAGATCTAGTGGTGGAGCCCAAGAAAGAAAATGTGCGAGAAATAT
AAGGAGCGTCAAGAAATGAAGGGTGAAGCTGATATGACGAAGTGTGAGTCTAGTCTCTTGA
TGATGCAAAACACCCGTAGAGACCTGTATATGACGAAGCTTTTGTGTTGATGTCAGTCTACTCTC
AGAGCGCTCATAGCCATTAGACCTAAAGGAGTGTCTTGCGGGGATCCCAACAGTGGGT
TTTTTAACATGATGTGCTGAAAGTGCATTTTAAACACGAGATTTGCACAAAGTCTTCCAAAA
GCATCTCTCGCGCTCACTAAATCTGTGACTCGGTCTCTCAACCTTGTTTACACAAAAAATG
AGAACAGAAATCCGAAAGAGACTAGATTGTGATTGACACTACCGGAGTACCAACCTTAGCAG
GAGATCTCATCTACTTCTTTCAGAGGTGGTGAAGCAGTTGCAATAGATTAACAAAGGCAAC
GAAATAATGACGCGCTGCTCTCAAGGCTGACCCCTAAAGGTGTATGCCCTCGGTTCGGTACAG
GTGAATGAAAAATCTCTGTACGACCCACCTCAGAACATGTGAACGTCCTACTGACCCGCAAGGAG
GACCGCATCGTGGGAAAACACTAGCGCGGACCCATGGATAAAAACACTGACTGCCAAGTACCTT
GGAAATTCACCTGACGATAGAGGTGGCAAGCAGACATGATGCCATCATGAGGACATCTTG
GAGAGACCGGACCCCTACCGACGCTTCCAGAAATAGGCAAAATCGTGTGTGGGCCAAGGCTTTAGTG
CCGGTCTGAAGACCGCTGGCATGACATGACCAATGAACCAATGGAACACTGTGGATTAATTTGAA
ACGGAACAAAGCTCACTACGAGAGATAGTATGAACCAATATGCTGAGGTCTTTGGACTCGATC
TGGAATCCGGTCTATTTCTGACCCACTGTTCCGTTATCCATTAGGAATATCACTGGGATAAATCC
CCGTCCGCTAACAATGACGGGTGAATAAAGAGTGGTCCGTCAGCTCTCTCGAGGTACCCACAAC
TGCTCCGGGAGTTCGCAAGTGAAGTCTATGACATGAACACTGGTACACTCGCAATATGATATCC
GGCATAAACCTAGTACTGTAAACAGAGACTGCTCATGCTTTAGTCTCTCCACCATATGAACAC
CCAGAGATGACTTTTCTTCAATTCGTACGAAATGAAGGCGAGAACTGTCTGTGGTGGTGGGGAAA
AGTTGTCCGTCACGCAAAATGTTGACTGTTGTGACACCGGCTGAGGCTACCTTCAGAGCTCG
GCTGGATTTAGGATCCAGGTGATGTGCCCAATATGACATAATATTTAAATGTGAGGACCCCA
TATAAATACATCACTATCAGCAGTGTGAAGCCTGCCCATTAAAGCTTAGCATGTTGACCAAGAAA
GCTTGTGCTGATCTGAACTCCGGCGAACTCTGTGTCAGCATAGGTATGTTACGCTGACAGGCGCA
GCGAAGACTCATTTGTGTGCTATAGCGCGCAGTTCAGTTTCCGGGTAATGCAACCGAAATCCTC
ACTTGAAGAGACGGAAGTCTGTTTGTATTTCAATGGGTACGATCGCAAGGCGGTCACACAAATCCT
TACAAGCTTTTCACTCACTGACCAATTTATACAGTTCACAGCTCCACGAGCCGATGTCGAC
CCTCATATCATGTGTGCGAGGGATATGCGACGCGCACCGAAGGAGTATTAATAATGCTGCTA
ACAGAAAGAACAACTGGCGGAGGGGTGTGGAGCGCTGTATAAGAAATTTCCCGGAAAGCTCG
ATTTACAGCCGATCGAAGTAGGAAAGGCGGCTGTTCAAGGTGACCAACAGTTGGCAGAGGCTTATG
CCGTAGGACCAAACTTCAACAAAGTTTCGAGGTTCAAGGTGACCAACAGTTGGCAGAGGCTTATG
AGTCCATCGTAAATTTCAACAGATAAATTAAGTCAAGTACGAGTTCACCTGTTGTCACCGG
CATTTTTCCGGAAACAAAGATCGATAACCAATCATTAACCATTTGCTGACAGCTTTAGACAC
ACTGATGCGATATGCTAGTACGAGGACCAAGTTTACCAGCGCCCAAGGATATAGCAGAAATTAAT
GCTAGGAGAGACGATGGAGGATATGCATATCCGACGACTTTCAGTGAACAGAACCTGATGCA
GAGCTGGAGGTGATCCGAGAGTCTTTGCTGGAGGAGGCTACAGACACAGCGATGGC
AAAACTTTCTCATTTTGAAGGAGCAAGTTTACCAGCGCCCAAGGATATAGCAGAAATTAAT
GCCATGTGGCCGTTCCAGGAGGCCAATGAGCAGGTATGATGATATCTCCTGGAGAAAGCATG
ACGATATTTAGGAAATGCGCCGAGGTGCGAAGCTCCACACCTAGCTAGCAGCTGCTGCT
TGCTTGTGCTCATCTCTTCCATTTGCCAAGATAGAAATCACTGGTGTGAGAAATCCATGCT
ATTACTGTGTGCTCATCTCTTCCATTTGCCAAGATAGAAATCACTGGTGTGAGAAATCCATGCT
CCAGCCTATATTTGTTCTCACGAAAGTGCCTGCTGATATTCATCCAGGAAAGTATCTCTGCGAAAC

- continued

HLA-A2 (MHC class I) signal peptide (SEQ ID NO: 40) >MHC SignalPep 0-78

HLA-A2 (MHC class I) Trans Membrane domain (SEQ ID NO: 41) >HLA A2 TM Domain 0-201

IgK Leader Seq (SEQ ID NO: 42) >IgK Leader Seq 0-60

Human DC-Lamp (SEQ ID NO: 43) >HumanDCLAMP 0-3178

Mouse LAMP1 (SEQ ID NO: 44) >MouseLamp1 0-1858

Human Lamp1 cDNA (SEQ ID NO: 45) >Human Lamp1 0-2339

Tetanus toxoid nulceic acid sequence (SEQ ID NO: 46)

Tetanus toxoid amino acid sequence (SEQ ID NO: 47)

PADRE nulceotide sequence (SEQ ID NO: 48)

PADRE amino acid sequence (SEQ ID NO: 49)

WPPE (SEQ ID NO: 50) >WPPE 0-593

IRES (SEQ ID NO: 51) >eGFP_IRES_SEAP_Insert 1746-2335

GFP (SEQ ID NO: 52)

SEAP (SEQ ID NO: 53)

Firefly Luciferase (SEQ ID NO: 54)

FMDV 2A (SEQ ID NO: 55)

GPQPG linker (SEQ ID NO: 56)

SAM in vitro transcription template DNA (SEQ ID NO: 65); VEE genome with nucleotides 7544-11175 deleted, plus minimal 5' T7-promoter (Bold Italic)

TAATACGACTCTACTATATGCGCGCGCATGAGAGAGCGCCAGACCAATTACTACCCAAAATGGAGAAAGTTCACTTGACATCGAGGAAG
acagccattctcagagcttgcagcgaggttcccgagtttgaggtagaagccacaggtcactgataatgacctgctaagccagagcgttttcgcactctggc
ttcaaaactgacgaacggaggtggaccatcccgacagctcttgacattggaaagtcgcccgcagaaatgtattcaagcacaaagtatcattgtatctgtccg
atgagatgtgcggaagatccggacagattgtatagatgcaactaagctgaagaaaaactgtaaagaaataactgataaagaaatggacaagaaataaagagct
cgccgcgtcatgagcgacctgacctgaaactgagactatgacctccagcagcagctgctgctcgtaagggcgaagctgctgtttaccaggatgtatagc
cgggtgacggacacgaactctctatcaccaagccaaataagggagttagagtcgctactgtaggctttacacacccctttatgtttaagaaacttggctggagc
ataccatcatacttaccactggcgacgaacccgtttaacggctcgttaacataggctatgagctctgacgttatggagcgtcacgtagagggatgtccatt
cttagaagaagattttgaacacatcccaaatgttctattctctgttggtcgacctctaccacgaagaagggagcttactgagagctggcaccctgcctctgtattt
cactacgtggcaagcaaatcacacatgtcgggtgtagactatagttagttcgacgggtacgtcgttcaagaataagctatcagtcacaggcctgtatgggaagccttc
aggctatgctgtacgatgcacggaggtattcttgctgcaaaagtacacagacacattgaacggggagaggggtctcttttcccggtgacgtatgtgccagctac
attgttgaccaaatgactggcatactgccaacagatgtcagtgaggacgcgcgaataactgctggtgggtcacaacagctatagtcgtcaacggtcgacccc
agagaacacccataccacgaataatcacttttgcctagtgcccaggcattgtcgtagtgggcaaggaataataaggaagatcaagaagatgaaaggccacta
ggagatccactcatctcgtgctgccagataggaagtaaacattggagatcgggctgagacaagaatcaggaataatggttagaggagcacaggagcgtcacc
ttctattacggccgaggaagctacaagaagctaaagtgcgacgcgataggctaaaggagtgctgaagcgcgaggagttgcggcgagctctaccacctttggcagct
gatgttgaggagcccactctgaagccgatgtcgacttgattacaaaggctggggccggctcagtgaggacacacctcgtgggtgataaaggttaccagctacgc

[illegible]

- cont inued

ccatcatagttatggccatgactactctagctagcagtggttaaatcattcagctacgtacgagggggcccccataaactctctacggcTAAacctgaatggactacgactg
Tatcacgcccacaacatttacagccggtgtcaaaaacgggtggacgtgggttaacatccctgctgggaggtacagccgtaattattataattggcttggtgctggcta
ctatttgggccatgtacgtgctgaccacccaaacataattgaatacacagcgaattggcaagctgctctacatagaactcggcgattggcatgcccgccttaaaattt
ttattttattttttctttcttcgcgaatcggattttgttttaattttcAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
19 bp TET operator (TETo) sequence (SEQ ID NO: 66)
TCCTATCAGTGATAGAGA

CMT response region between I-SceI and AsisI sites of ChAdV68 vector backbone. The two iterations of
the 19 bp TETo sequences are bolded. The full-length CMV promoter is italicized (SEQ ID NO: 67)
GACATTGATTATTGACTAGTTGTTAATAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATAT
GGAGTCCCGGTTACATAACTTACGGTAAATGGCCCGCTGGCTGACCCGCCAAACGACCCCGCCCATTTG
ACGTCAATATGACGTATGTCCCATAGTAAGCCCAATAGGGACTTTCATTGACGTCATATGGGTGGAGTAT
TTACGGTAAACTGCCCACTGGCAGTACATCAAGTGTATCATATGCCAAGTCGCCCCCTATTGACGTCAAT
GACGGTAAATGGCCCGCTGGCAATTATGCCAGTACATACCTTACGGGACTTTCCTACTTTGGCAGTACAT
CTACGTAATTAGTATCGCTATTACATGGTGTATGCGGTTTGGCAGTACACCAATGGCGGTGGATAGCGGT
TTGACTCACGGGCAATTCGAAGTCTCCACCCATTGACGTCGAATGGAGTTGTTTTGGCACCCAAATCAAC
GGGACTTTCAAAATGTGTATAACCCCGCTGACGCAATGGCGGTAGCGGTACGGTGGGA
GGTCTATATAAGCAGAGCT**TCCTATCAGTGATAGATCTCCCTATCAGTGATAGAGATC**

ChAdV68-Empty-E4deleted; AC_000011.1 with E1 (nt 577 to 3403), E3 (nt 27,125- 31,825), and E4 region (nt
34,916 to 35,642) sequences deleted and the corresponding ATCC VR-594 (Independently sequenced Full-
Length VR-594 C68 SEQ ID NO: 10) nucleotides substituted at five positions (SEQ ID NO: 68)

REFERENCES

- [1007] 1. Desrichard, A., Snyder, A. & Chan, T. A. Cancer Neoantigens and Applications for Immunotherapy. *Clin. Cancer Res. Off J. Am. Assoc. Cancer Res.* (2015). doi:10.1158/1078-0432.CCR-14-3175
- [1008] 2. Schumacher, T. N. & Schreiber, R. D. Neoantigens in cancer immunotherapy. *Science* 348, 69-74 (2015).
- [1009] 3. Gubin, M. M., Artyomov, M. N., Mardis, E. R. & Schreiber, R. D. Tumor neoantigens: building a framework for personalized cancer immunotherapy. *J. Clin. Invest.* 125, 3413-3421 (2015).
- [1010] 4. Rizvi, N. A. et al. Cancer immunology. Mutational landscape determines sensitivity to PD-1 blockade in non-small cell lung cancer. *Science* 348, 124-128 (2015).
- [1011] 5. Snyder, A. et al. Genetic basis for clinical response to CTLA-4 blockade in melanoma. *N. Engl. J. Med.* 371, 2189-2199 (2014).
- [1012] 6. Carreno, B. M. et al. Cancer immunotherapy. A dendritic cell vaccine increases the breadth and diversity of melanoma neoantigen-specific T cells. *Science* 348, 803-808 (2015).
- [1013] 7. Tran, E. et al. Cancer immunotherapy based on mutation-specific CD4+ T cells in a patient with epithelial cancer. *Science* 344, 641-645 (2014).
- [1014] 8. Hacohen, N. & Wu, C. J.-Y. United States Patent Application: 20110293637-COMPOSITIONS AND METHODS OF IDENTIFYING TUMOR SPECIFIC NEOANTIGENS. (A1). at <appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PG01&p=1&u=/netahtml/PTO/srchnum.html&r=1&f=G&l=50&s1=20110293637.PG.NR.>
- [1015] 9. Lundegaard, C., Hoof, I., Lund, O. & Nielsen, M. State of the art and challenges in sequence based T-cell epitope prediction. *Immunome Res.* 6 Suppl 2, S3 (2010).
- [1016] 10. Yadav, M. et al. Predicting immunogenic tumour mutations by combining mass spectrometry and exome sequencing. *Nature* 515, 572-576 (2014).
- [1017] 11. Bassani-Sternberg, M., Pletscher-Frankild, S., Jensen, L. J. & Mann, M. Mass spectrometry of human leukocyte antigen class I peptidomes reveals strong effects of protein abundance and turnover on antigen presentation. *Mol. Cell. Proteomics MCP* 14, 658-673 (2015).
- [1018] 12. Van Allen, E. M. et al. Genomic correlates of response to CTLA-4 blockade in metastatic melanoma. *Science* 350, 207-211 (2015).
- [1019] 13. Yoshida, K. & Ogawa, S. Splicing factor mutations and cancer. *Wiley Interdiscip. Rev. RNA* 5, 445-459 (2014).
- [1020] 14. Cancer Genome Atlas Research Network. Comprehensive molecular profiling of lung adenocarcinoma. *Nature* 511, 543-550 (2014).
- [1021] 15. Rajasagi, M. et al. Systematic identification of personal tumor-specific neoantigens in chronic lymphocytic leukemia. *Blood* 124, 453-462 (2014).
- [1022] 16. Downing, S. R. et al. U.S. patent application 0120208706-OPTIMIZATION OF MULTIGENE ANALYSIS OF TUMOR SAMPLES. (A1). at <appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PG01&p=1&u=/netahtml/PTO/srchnum.html&r=1&f=G&l=50&s1=20120208706.PG.NR.>
- [1023] 17. Target Capture for NextGen Sequencing-IDT. at <www.idtdna.com/pages/products/nextgen/target-capture>
- [1024] 18. Shukla, S. A. et al. Comprehensive analysis of cancer-associated somatic mutations in class I HLA genes. *Nat. Biotechnol.* 33, 1152-1158 (2015).
- [1025] 19. Cieslik, M. et al. The use of exome capture RNA-seq for highly degraded RNA with application to clinical cancer sequencing. *Genome Res.* 25, 1372-1381 (2015).
- [1026] 20. Bodini, M. et al. The hidden genomic landscape of acute myeloid leukemia: subclonal structure revealed by undetected mutations. *Blood* 125, 600-605 (2015).
- [1027] 21. Saunders, C. T. et al. Strelka: accurate somatic small-variant calling from sequenced tumor-normal sample pairs. *Bioinforma. Oxf Engl.* 28, 1811-1817 (2012).
- [1028] 22. Cibulskis, K. et al. Sensitive detection of somatic point mutations in impure and heterogeneous cancer samples. *Nat. Biotechnol.* 31, 213-219 (2013).
- [1029] 23. Wilkerson, M. D. et al. Integrated RNA and DNA sequencing improves mutation detection in low purity tumors. *Nucleic Acids Res.* 42, e107 (2014).
- [1030] 24. Mose, L. E., Wilkerson, M. D., Hayes, D. N., Perou, C. M. & Parker, J. S. ABRA: improved coding indel detection via assembly-based realignment. *Bioinforma. Oxf Engl.* 30, 2813-2815 (2014).
- [1031] 25. Ye, K., Schulz, M. H., Long, Q., Apweiler, R. & Ning, Z. Pindel: a pattern growth approach to detect break points of large deletions and medium sized insertions from paired-end short reads. *Bioinforma. Oxf Engl.* 25, 2865-2871 (2009).
- [1032] 26. Lam, H. Y. K. et al. Nucleotide-resolution analysis of structural variants using BreakSeq and a breakpoint library. *Nat. Biotechnol.* 28, 47-55 (2010).
- [1033] 27. Frampton, G. M. et al. Development and validation of a clinical cancer genomic profiling test based on massively parallel DNA sequencing. *Nat. Biotechnol.* 31, 1023-1031 (2013).
- [1034] 28. Boegel, S. et al. HLA typing from RNA-Seq sequence reads. *Genome Med.* 4, 102 (2012).
- [1035] 29. Liu, C. et al. ATHLATES: accurate typing of human leukocyte antigen through exome sequencing. *Nucleic Acids Res.* 41, e142 (2013).
- [1036] 30. Mayor, N. P. et al. HLA Typing for the Next Generation. *PLoS One* 10, e0127153 (2015).
- [1037] 31. Roy, C. K., Olson, S., Graveley, B. R., Zamore, P. D. & Moore, M. J. Assessing long-distance RNA sequence connectivity via RNA-templated DNA-DNA ligation. *eLife* 4, (2015).
- [1038] 32. Song, L. & Florea, L. CLASS: constrained transcript assembly of RNA-seq reads. *BMC Bioinformatics* 14 Suppl 5, S14 (2013).
- [1039] 33. Maretty, L., Sibbesen, J. A. & Krogh, A. Bayesian transcriptome assembly. *Genome Biol.* 15, 501 (2014).
- [1040] 34. Pertea, M. et al. StringTie enables improved reconstruction of a transcriptome from RNA-seq reads. *Nat. Biotechnol.* 33, 290-295 (2015).
- [1041] 35. Roberts, A., Pimentel, H., Trapnell, C. & Pachter, L. Identification of novel transcripts in annotated genomes using RNA-Seq. *Bioinforma. Oxf Engl.* (2011). doi:10.1093/bioinformatics/btr355

- [1042] 36. Vitting-Seerup, K., Porse, B. T., Sandelin, A. & Waage, J. spliceR: an R package for classification of alternative splicing and prediction of coding potential from RNA-seq data. *BMC Bioinformatics* 15, 81 (2014).
- [1043] 37. Rivas, M. A. et al. Human genomics. Effect of predicted protein-truncating genetic variants on the human transcriptome. *Science* 348, 666-669 (2015).
- [1044] 38. Skelly, D. A., Johansson, M., Madeoy, J., Wakefield, J. & Akey, J. M. A powerful and flexible statistical framework for testing hypotheses of allele-specific gene expression from RNA-seq data. *Genome Res.* 21, 1728-1737 (2011).
- [1045] 39. Anders, S., Pyl, P. T. & Huber, W. HTSeq—a Python framework to work with high-throughput sequencing data. *Bioinforma. Oxf Engl.* 31, 166-169 (2015).
- [1046] 40. Furney, S. J. et al. SF3B1 mutations are associated with alternative splicing in uveal melanoma. *Cancer Discov.* (2013). doi:10.1158/2159-8290.CD-13-0330
- [1047] 41. Zhou, Q. et al. A chemical genetics approach for the functional assessment of novel cancer genes. *Cancer Res.* (2015). doi:10.1158/0008-5472.CAN-14-2930
- [1048] 42. Maguire, S. L. et al. SF3B1 mutations constitute a novel therapeutic target in breast cancer. *J. Pathol.* 235, 571-580 (2015).
- [1049] 43. Carithers, L. J. et al. A Novel Approach to High-Quality Postmortem Tissue Procurement: The GTEx Project. *Biopreservation Biobanking* 13, 311-319 (2015).
- [1050] 44. Xu, G. et al. RNA CoMPASS: a dual approach for pathogen and host transcriptome analysis of RNA-seq datasets. *PloS One* 9, e89445 (2014).
- [1051] 45. Andreatta, M. & Nielsen, M. Gapped sequence alignment using artificial neural networks: application to the MHC class I system. *Bioinforma. Oxf Engl.* (2015). doi:10.1093/bioinformatics/btv639
- [1052] 46. Jorgensen, K. W., Rasmussen, M., Buus, S. & Nielsen, M. NetMHCstab—predicting stability of peptide-MHC-I complexes; impacts for cytotoxic T lymphocyte epitope discovery. *Immunology* 141, 18-26 (2014).
- [1053] 47. Larsen, M. V. et al. An integrative approach to CTL epitope prediction: a combined algorithm integrating MHC class I binding, TAP transport efficiency, and proteasomal cleavage predictions. *Eur. J. Immunol.* 35, 2295-2303 (2005).
- [1054] 48. Nielsen, M., Lundegaard, C., Lund, O. & Keim, C. The role of the proteasome in generating cytotoxic T-cell epitopes: insights obtained from improved predictions of proteasomal cleavage. *Immunogenetics* 57, 33-41 (2005).
- [1055] 49. Boisvert, F.-M. et al. A Quantitative Spatial Proteomics Analysis of Proteome Turnover in Human Cells. *Mol. Cell. Proteomics* 11, M111.011429-M111.011429 (2012).
- [1056] 50. Duan, F. et al. Genomic and bioinformatic profiling of mutational neoepitopes reveals new rules to predict anticancer immunogenicity. *J. Exp. Med.* 211, 2231-2248 (2014).
- [1057] 51. Janeway's Immunobiology: 9780815345312: Medicine & Health Science Books @Amazon.com. at <www.amazon.com/Janeways-Immunobiology-Kenneth-Murphy/dp/0815345313>
- [1058] 52. Calis, J. J. A. et al. Properties of MHC Class I Presented Peptides That Enhance Immunogenicity. *PLoS Comput. Biol.* 9, e1003266 (2013).
- [1059] 53. Zhang, J. et al. Intratumor heterogeneity in localized lung adenocarcinomas delineated by multiregion sequencing. *Science* 346, 256-259 (2014)
- [1060] 54. Walter, M. J. et al. Clonal architecture of secondary acute myeloid leukemia. *N. Engl. J. Med.* 366, 1090-1098 (2012).
- [1061] 55. Hunt D F, Henderson R A, Shabanowitz J, Sakaguchi K, Michel H, Sevilir N, Cox A L, Appella E, Engelhard V H. Characterization of peptides bound to the class I MHC molecule HLA-A2.1 by mass spectrometry. *Science* 1992, 255: 1261-1263.
- [1062] 56. Zarling A L, Polefrone J M, Evans A M, Mikesch L M, Shabanowitz J, Lewis S T, Engelhard V H, Hunt D F. Identification of class I MHC-associated phosphopeptides as targets for cancer immunotherapy. *Proc Natl Acad Sci USA.* 2006 Oct. 3; 103(40):14889-94.
- [1063] 57. Bassani-Sternberg M, Pletscher-Frankild S, Jensen L J, Mann M. Mass spectrometry of human leukocyte antigen class I peptidomes reveals strong effects of protein abundance and turnover on antigen presentation. *Mol Cell Proteomics.* 2015 March; 14(3): 658-73. doi: 10.1074/mcp.M114.042812.
- [1064] 58. Abelin J G, Trantham P D, Penny S A, Patterson A M, Ward S T, Hildebrand W H, Cobbold M, Bai D L, Shabanowitz J, Hunt D F. Complementary IMAC enrichment methods for HLA-associated phosphopeptide identification by mass spectrometry. *Nat Protoc.* 2015 September; 10(9):1308-18. doi: 10.1038/nprot.2015.086. Epub 2015 Aug. 6
- [1065] 59. Barnstable C J, Bodmer W F, Brown G, Galfre G, Milstein C, Williams A F, Ziegler A. Production of monoclonal antibodies to group A erythrocytes, HLA and other human cell surface antigens—new tools for genetic analysis. *Cell.* 1978 May; 14(1):9-20.
- [1066] 60. Goldman J M, Hibbin J, Kearney L, Orchard K, Th'ng KH. HLA-DR monoclonal antibodies inhibit the proliferation of normal and chronic granulocytic leukaemia myeloid progenitor cells. *Br J Haematol.* 1982 November; 52(3):411-20.
- [1067] 61. Eng J K, Jahan T A, Hoopmann M R. Comet: an open-source MS/MS sequence database search tool. *Proteomics.* 2013 January; 13(1):22-4. doi: 10.1002/pmic.201200439. Epub 2012 Dec. 4.
- [1068] 62. Eng J K, Hoopmann M R, Jahan T A, Egertson J D, Noble W S, MacCoss M J. A deeper look into Comet—implementation and features. *J Am Soc Mass Spectrom.* 2015 November; 26(11):1865-74. doi: 10.1007/s13361-015-1179-x. Epub 2015 Jun. 27.
- [1069] 63. Lukas Kall, Jesse Canterbury, Jason Weston, William Stafford Noble and Michael J. MacCoss. Semi-supervised learning for peptide identification from shotgun proteomics datasets. *Nature Methods* 4:923-925, November 2007
- [1070] 64. Lukas Kall, John D. Storey, Michael J. MacCoss and William Stafford Noble. Assigning confidence measures to peptides identified by tandem mass spectrometry. *Journal of Proteome Research*, 7(1):29-34, January 2008
- [1071] 65. Lukas Kall, John D. Storey and William Stafford Noble. Nonparametric estimation of posterior

- error probabilities associated with peptides identified by tandem mass spectrometry. *Bioinformatics*, 24(16):i42-i48, August 2008
- [1072] 66. Kinney R M, BJ Johnson, VL Brown, DW Trent. Nucleotide Sequence of the 26 S mRNA of the Virulent Trinidad Donkey Strain of Venezuelan Equine Encephalitis Virus and Deduced Sequence of the Encoded Structural Proteins. *Virology* 152 (2), 400-413, 1986 Jul. 30.
- [1073] 67. Jill E Slansky, Frédérique M Rattis, Lisa F Boyd, Tarek Fahmy, Elizabeth M Jaffee, Jonathan P Schneck, David H Margulies, Drew M Pardoll. Enhanced Antigen-Specific Antitumor Immunity with Altered Peptide Ligands that Stabilize the MHC-Peptide-TCR Complex. *Immunity*, Volume 13, Issue 4, 1 Oct. 2000, Pages 529-538.
- [1074] 68. A Y Huang, P H Gulden, A S Woods, M C Thomas, C D Tong, W Wang, V H Engelhard, G Pasternack, R Cotter, D Hunt, D M Pardoll, and E M Jaffee. The immunodominant major histocompatibility complex class I-restricted antigen of a murine colon tumor derives from an endogenous retroviral gene product. *Proc Natl Acad Sci USA*; 93(18): 9730-9735, 1996 Sep. 3.
- [1075] 69. JOHNSON, BARBARA J. B., RICHARD M. KINNEY, CRYSTLE L. KOST AND DENNIS W. TRENT. Molecular Determinants of Alphavirus Neurovirulence: Nucleotide and Deduced Protein Sequence Changes during Attenuation of Venezuelan Equine Encephalitis Virus. *J Gen Virol* 67:1951-1960, 1986.
- [1076] 70. Aarnoudse, C. A., Kruse, M., Konopitzky, R., Brouwenstijn, N., and Schrier, P. I. (2002). TCR reconstitution in Jurkat reporter cells facilitates the identification of novel tumor antigens by cDNA expression cloning. *Int J Cancer* 99, 7-13.
- [1077] 71. Alexander, J., Sidney, J., Southwood, S., Rupert, J., Oseroff, C., Maewal, A., Snoke, K., Serra, H. M., Kubo, R. T., and Sette, A. (1994). Development of high potency universal DR-restricted helper epitopes by modification of high affinity DR-blocking peptides. *Immunity* 1, 751-761.
- [1078] 72. Banu, N., Chia, A., Ho, Z. Z., Garcia, A. T., Paravasivam, K., Grotenbreg, G. M., Bertolotti, A., and Gehring, A. J. (2014). Building and optimizing a virus-specific T cell receptor library for targeted immunotherapy in viral infections. *Scientific Reports* 4, 4166.
- [1079] 73. Cornet, S., Miconnet, I., Menez, J., Lemonnier, F., and Kosmatopoulos, K. (2006). Optimal organization of a polypeptide-based candidate cancer vaccine composed of cryptic tumor peptides with enhanced immunogenicity. *Vaccine* 24, 2102-2109.
- [1080] 74. Depla, E., van der Aa, A., Livingston, B. D., Crimi, C., Allosery, K., de Brabandere, V., Krakover, J., Murthy, S., Huang, M., Power, S., et al. (2008). Rational design of a multiepitope vaccine encoding T-lymphocyte epitopes for treatment of chronic hepatitis B virus infections. *Journal of Virology* 82, 435-450.
- [1081] 75. Ishioka, G. Y., Fikes, J., Hermanson, G., Livingston, B., Crimi, C., Qin, M., del Guercio, M. F., Oseroff, C., Dahlberg, C., Alexander, J., et al. (1999). Utilization of MHC class I transgenic mice for development of minigene DNA vaccines encoding multiple HLA-restricted CTL epitopes. *J Immunol* 162, 3915-3925.
- [1082] 76. Janetzki, S., Price, L., Schroeder, H., Britten, C. M., Welters, M. J. P., and Hoos, A. (2015). Guidelines for the automated evaluation of Elispot assays. *Nat Protoc* 10, 1098-1115.
- [1083] 77. Lyons, G. E., Moore, T., Brasic, N., Li, M., Roszkowski, J. J., and Nishimura, M. I. (2006). Influence of human CD8 on antigen recognition by T-cell receptor-transduced cells. *Cancer Res* 66, 11455-11461.
- [1084] 78. Nagai, K., Ochi, T., Fujiwara, H., An, J., Shirakata, T., Mineno, J., Kuzushima, K., Shiku, H., Melenhorst, J. J., Gostick, E., et al. (2012). Aurora kinase A-specific T-cell receptor gene transfer redirects T lymphocytes to display effective antileukemia reactivity. *Blood* 119, 368-376.
- [1085] 79. Panina-Bordignon, P., Tan, A., Termijtellen, A., Demotz, S., Corradin, G., and Lanzavecchia, A. (1989). Universally immunogenic T cell epitopes: promiscuous binding to human MHC class II and promiscuous recognition by T cells. *Eur J Immunol* 19, 2237-2242.
- [1086] 80. Vitiello, A., Marchesini, D., Furze, J., Sherman, L. A., and Chesnut, R. W. (1991). Analysis of the HLA-restricted influenza-specific cytotoxic T lymphocyte response in transgenic mice carrying a chimeric human-mouse class I major histocompatibility complex. *J Exp Med* 173, 1007-1015.
- [1087] 81. Yachi, P. P., Ampudia, J., Zal, T., and Gascoigne, N. R. J. (2006). Altered peptide ligands induce delayed CD8-T cell receptor interaction—a role for CD8 in distinguishing antigen quality. *Immunity* 25, 203-211.
- [1088] 82. Pushko P, Parker M, Ludwig G V, Davis N L, Johnston R E, Smith J F. Replicon-helper systems from attenuated Venezuelan equine encephalitis virus: expression of heterologous genes in vitro and immunization against heterologous pathogens in vivo. *Virology*. 1997 Dec. 22; 239(2):389-401.
- [1089] 83. Strauss, JH and E G Strauss. The alphaviruses: gene expression, replication, and evolution. *Microbiol Rev*. 1994 September; 58(3): 491-562.
- [1090] 84. Rhème C, Ehrengreuber M U, Grandgirard D. Alphaviral cytotoxicity and its implication in vector development. *Exp Physiol*. 2005 January; 90(1):45-52. Epub 2004 Nov. 12.
- [1091] 85. Riley, Michael K. II, and Wilfred Vermerris. Recent Advances in Nanomaterials for Gene Delivery—A Review. *Nanomaterials* 2017, 7(5), 94.
- [1092] 86. Frolov I, Hardy R, Rice C M. Cis-acting RNA elements at the 5' end of Sindbis virus genome RNA regulate minus- and plus-strand RNA synthesis. *RNA*. 2001 November; 7(11):1638-51.
- [1093] 87. Jose J, Snyder J E, Kuhn R J. A structural and functional perspective of alphavirus replication and assembly. *Future Microbiol*. 2009 September; 4(7):837-56.
- [1094] 88. Bo Li and C. olin N. Dewey. RSEM: accurate transcript quantification from RNA-Seq data with or without a reference genome. *BMC Bioinformatics*, 12:323, August 2011
- [1095] 89. Hillary Pearson, Tariq Daouda, Diana Paola Granados, Chantal Durette, Eric Bonneil, Mathieu Courcelles, Anja Rodenbrock, Jean-Philippe Laverdure, Caroline Côté, Sylvie Mader, Sébastien Lemieux, Pierre Thibault, and Claude Perreault. MHC class I-associated peptides derive from selective regions of the human genome. *The Journal of Clinical Investigation*, 2016,

- [1096] 90. Juliane Liepe, Fabio Marino, John Sidney, Anita Jeko, Daniel E. Bunting, Alessandro Sette, Peter M. Kloetzel, Michael P. H. Stumpf, Albert J. R. Heck, Michele Mishto. A large fraction of HLA class I ligands are proteasome-generated spliced peptides. *Science*, 21, October 2016.
- [1097] 91. Mommen G P., Marino, F., Meiring H D., Poelen, MC., van Gaans-van den Brink, JA., Mohammed S., Heck A J., and van Els C A. Sampling From the Proteome to the Human Leukocyte Antigen-DR (HLA-DR) Ligandome Proceeds Via High Specificity. *Mol Cell Proteomics* 15(4): 1412-1423, April 2016.
- [1098] 92. Sebastian Kreiter, Mathias Vormehr, Niels van de Roemer, Mustafa Diken, Martin Löwer, Jan Diekmann, Sebastian Boegel, Barbara Schrörs, *Fulvia* Vascotto, John C. Castle, Arbel D. Tadmor, Stephen P. Schoenberger, Christoph Huber, Özlem Türeci, and Ugur Sahin. Mutant MHC class II epitopes drive therapeutic immune responses to cancer. *Nature* 520, 692-696, April 2015.
- [1099] 93. Tran E., Turcotte S., Gros A., Robbins P. F., Lu Y. C., Dudley M. E., Wunderlich J. R., Somerville R. P., Hogan K., Hinrichs C. S., Parkhurst M. R., Yang J. C., Rosenberg S. A. Cancer immunotherapy based on mutation-specific CD4+ T cells in a patient with epithelial cancer. *Science* 344(6184) 641-645, May 2014.
- [1100] 94. Andreatta M., Karosiene E., Rasmussen M., Stryhn A., Buus S., Nielsen M. Accurate pan-specific prediction of peptide-MHC class II binding affinity with improved binding core identification. *Immunogenetics* 67(11-12) 641-650, November 2015.
- [1101] 95. Nielsen, M., Lund, O. NN-align. An artificial neural network-based alignment algorithm for MHC class II peptide binding prediction. *BMC Bioinformatics* 10:296, September 2009.
- [1102] 96. Nielsen, M., Lundegaard, C., Lund, O. Prediction of MHC class II binding affinity using SMM-align, a novel stabilization matrix alignment method. *BMC Bioinformatics* 8:238, July 2007.
- [1103] 97. Zhang, J., et al. PEAKS DB: de novo sequencing assisted database search for sensitive and accurate peptide identification. *Molecular & Cellular Proteomics*. 11(4):1-8. Jan. 2, 2012.
- [1104] 98. Jensen, Kamilla Kjaergaard, et al. "Improved Methods for Predicting Peptide Binding Affinity to MHC Class II Molecules." *Immunology*, 2018, doi:10.1111/imm.12889.
- [1105] 99. Carter, S. L., Cibulskis, K., Helman, E., McKenna, A., Shen, H., Zack, T., Laird, P. W., Onofrio, R. C., Winckler, W., Weir, B. A., et al. (2012). Absolute quantification of somatic DNA alterations in human cancer. *Nat. Biotechnol.* 30, 413-421.
- [1106] 100. McGranahan, N., Rosenthal, R., Hiley, C. T., Rowan, A. J., Watkins, T. B. K., Wilson, G. A., Birkbak, N.J., Veeriah, S., Van Loo, P., Herrero, J., et al. (2017). Allele-Specific HLA Loss and Immune Escape in Lung Cancer Evolution. *Cell* 171, 1259-1271.e11.
- [1107] 101. Shukla, S. A., Rooney, M. S., Rajasagi, M., Tiao, G., Dixon, P. M., Lawrence, M. S., Stevens, J., Lane, W. J., Dellagatta, J. L., Steelman, S., et al. (2015). Comprehensive analysis of cancer-associated somatic mutations in class I HLA genes. *Nat. Biotechnol.* 33, 1152-1158.
- [1108] 102. Van Loo, P., Nordgard, S. H., Lingjorde, O. C., Russnes, H. G., Rye, I. H., Sun, W., Weigman, V. J., Marynen, P., Zetterberg, A., Naume, B., et al. (2010). Allele-specific copy number analysis of tumors. *Proc. Natl. Acad. Sci. U.S.A* 107, 16910-16915.
- [1109] 103. Van Loo, P., Nordgard, S. H., Lingjorde, O. C., Russnes, H. G., Rye, I. H., Sun, W., Weigman, V. J., Marynen, P., Zetterberg, A., Naume, B., et al. (2010). Allele-specific copy number analysis of tumors. *Proc. Natl. Acad. Sci. U.S.A* 107, 16910-16915.
- [1110] 104. MacLean, B., Tomazela, D. M., Shulman, N., Chambers, M., Finney, G. L., Frewen, B., Kern, R., Tabb, D. L., Liebler, D. C., MacCoss, M. J., (2010). Skyline: an open source document editor for creating and analyzing targeted proteomics experiments. *Bioinformatics* 26(7), 966-8.

SEQUENCE LISTING

Sequence total quantity: 102
 SEQ ID NO: 1 moltype = DNA length = 36519
 FEATURE Location/Qualifiers
 misc_feature 1..36519
 note = Description of Artificial Sequence: Synthetic polynucleotide
 source 1..36519
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 1

ccatcttcaa	taatatacct	caaacttttt	gtgcgcgtta	atatgc aaat	gaggcggttg	60
aatttgggga	ggaaggcg	tgattggtcg	agggatgagc	gaccgttagg	ggcgggcgga	120
gtgacgtttt	gatgacgtgg	ttgcgaggag	gagccagttt	gcaagttctc	gtgggaaaag	180
tgacgtcaaa	cgaggtgtgg	tttgaacacg	gaaataactca	attttcccg	gctctctgac	240
aggaaatgag	gtgtttctcg	gcggatgcaa	gtgaaaacgg	gccattttcg	cgcgaaaact	300
gaatgaggaa	gtgaaaatct	gagtaatttc	gcgtttatgg	cagggaggag	tatttgcoga	360
gggccgagta	gactttgacc	gattacgtgg	gggtttcgat	taccgtgttt	ttcacctaaa	420
tttccgcgta	cgggtgtcaa	gtccggtgtt	tttacgtagg	tgtcagctga	tcgccagggt	480
atttaaacct	gcgctctcca	gtcaagaggc	cactcttgag	tgccagcgag	aagagttttc	540
tcctccgcgc	gcaggtcag	atctacactt	tgaaagatga	ggcacctgag	agacctgccc	600
gatgagaaaa	tcatactcgc	ttccgggaac	gagattctgg	aactgggtgt	aaatgccatg	660
atgggcgacg	accctccgga	gccccccacc	ccatttgaga	caccttcgct	gcacgatttg	720
tatgatctgg	aggtggatgt	gccccaggac	gatcccaatg	aggagcggtt	aaatgatttt	780
tttagcgatg	ccgcgctgct	agctgccgag	gaggcttcga	gctctagctc	agacagcgac	840
tcttactgc	atacccttag	accggcgaga	ggtgagaaaa	agatccccga	gcttaaaggg	900

-continued

gaagagatgg	acttgccgtg	ctatgaggaa	tgettgcgcc	cgagcgatga	tgaggacgag	960
cagggcgatcc	agaacgcagc	gagccagggg	gtgcaagccg	ccagcgagag	ctttgcgctg	1020
gactgcccgc	ctctgccccg	acacggctgt	aagtctttgt	aatttcacgc	catgaatact	1080
ggagataaag	ctgtgtttgt	tgcactttgc	tatatgagag	cttacaacca	ttgtgtttac	1140
agtaagtgtg	attaagtgtg	acttttagagg	gagggcagaga	gcaggggtgac	tgggcgatga	1200
ctggttttatt	tatgtatatata	tgttctttat	ataggtcccg	tctctgacgc	agatgatgag	1260
acccccacta	caaagtcacc	ttcgtcaccc	ccagaaattg	gcacatctcc	acctgagaat	1320
attgttagac	cagttcctgt	tagagccact	gggaggagag	cagctgtgga	atgtttggat	1380
gacttgctac	aggggtgggt	tgaacctttg	gacttgtgta	cccggaaacg	ccccaggcac	1440
taagtgccac	acatgtgtgt	tacttgagg	tgatgtcagt	atttataggg	tgtggagtgc	1500
aataaaaaat	gtgttgactt	taagtgcgtg	gtttatgact	caggggtggg	gactgtgagt	1560
atataagcag	gtgcagacct	gtgtggttag	ctcagagcgg	catggagatt	tgagcggctc	1620
tggaagactt	tcacaagact	agacagctgc	tagagaacgc	ctcgaacgga	gtctcttacc	1680
tgtggagatt	ctgcttcggg	ggcgacctag	ctaggctagt	ctacagggcc	aaacaggatt	1740
atagtgaaca	atttgagggt	attttgagag	agtgttctgg	tctttttgac	gctcttaact	1800
tgggcatca	gtctcacttt	aaccagagga	tttcgagagc	ccttgatttt	actactctg	1860
gcagaaccac	tcagcagta	gccttttttg	cttttattct	tgacaaatgg	agtcaagaaa	1920
cccatttcag	caggggattac	cagctgggatt	tcttagcagt	agctttgtgg	agaacatgga	1980
agtgccagcg	cctgaatgca	atctccggct	acttgccggt	acagccgcta	gacactctga	2040
ggatcctgaa	tctccaggag	agtccagggt	cagcccaacg	tcgcccagcag	cagcagcagg	2100
aggaggatca	agaagagaaac	ccgagagccg	gcctggaccc	tccggcgagg	gaggaggagt	2160
agctgacctg	tttctgaac	tcgcccgggt	gctgactagg	tcttcgagtg	gtcgggagag	2220
ggggattaa	cgggagaggg	atgatgagac	taatcacaga	actgaactga	ctgtgggtct	2280
gatgagtcgc	aagcgcccag	aaacagtggt	gtggcatgag	gtgcagtcga	ctggcacaga	2340
tgaggtgtcg	gtgatgcact	agaggttttc	tctagaacaa	gtcaagactt	gttgggtaga	2400
gcctgaggat	gattgggagg	tagccatcag	gaattatgcc	aagctggctc	tgaggccaga	2460
caagaagtac	aagattacta	agctgataaa	tatcagaagt	gcctgctaca	tctcagggaa	2520
tggggctgaa	gtggagatct	gtctccagga	aagggtggct	ttcagatgct	gcatgatgaa	2580
tatgtaccgc	ggagtgtgtg	gcattggatgg	ggttaccttt	atgaacatga	gggtcagggg	2640
agatgggtat	aatggcacgg	tctttatggc	caataccaag	ctgacagctc	atggctgctc	2700
cttctttggg	tttaataaca	ctgcacatga	ggcctggggg	caggtcgggtg	tgaggggctg	2760
cagtttttgc	gccaactgga	tgggggtcgt	gggcaggacc	aagagtatgc	tgtccgtgaa	2820
gaaatgcttg	tttgagaggt	gccacctggg	ggtgatgagc	gaggggcgaag	ccagaatccg	2880
ccactgccc	tctaccgaga	cgggctgctt	tgtgctgtgc	aagggcaatg	ctaagatcaa	2940
gcataaatatg	atctgtggag	cctcggaacg	gcgcggctac	cagatgctga	cctgcgccgg	3000
cggaacacgc	catatgctgg	ccaccgtaca	tgtggcttcc	catgctcgca	agccctggcc	3060
cgagttcgag	cacaatgtca	tgaccagggtg	caatatgcat	ctggggtccc	gccgaggcat	3120
gttcatgccc	taccagtgea	acctgaatta	tgtgaagggtg	ctgctggagc	ccgatgccat	3180
gtccagagtg	agcctgacgg	gggtgtttga	catgaatgtg	gaggtgtgga	agattctgag	3240
atatgatgaa	tccaagacca	ggtgccgagc	ctgcgagtgc	ggagggaagc	atgccagggt	3300
ccagcccgtg	tgtgtggatg	tgaacgagga	cctgcgaccc	gatcatttgg	tgttgccctg	3360
caccgggacg	gagttccggt	ccagcgggga	agaatctgac	tagagttagt	agtgttctgg	3420
ggcgggggag	gacctgcatg	agggccagaa	taactgaaat	ctgtgccttt	ctgtgtgttg	3480
cagcagcatg	agcgggaagc	gctcctttga	gggaggggta	ttcagccctt	atctgacggg	3540
gcgtctcccc	tctcggcggg	gagtgcgctc	gaatgtgatg	ggatccacgg	tgagcggccg	3600
gcccgtgcag	cccgcgaact	cttcaacctc	gacctatgca	accctgagct	cttcgtcggt	3660
ggacgcagct	gccgcgcgag	ctgctgcctc	tgcgcgcagc	gccgtgcgcg	gaatggccat	3720
gggcgcggcg	tactacggca	ctctggtggc	caactcgagt	tccaccaata	atcccgccag	3780
cctgaacgag	gagaagctgt	tgtgctgtat	ggcccagctc	gaggccctga	cccagcgccct	3840
gggcgagctg	accagcagg	tggctcagct	gcaggagcag	acgcggggcg	cgggttccac	3900
ggtgaaatcc	aaataaaaaa	tgaatcaata	aataaacgga	gacgggtgtt	gattttaaca	3960
cagagtctga	atctttattt	gatttttctg	gcgcggtagg	ccctggacca	ccggtctcga	4020
tcatgtagca	cccgggtggat	cttttccagg	acccggtaga	gggtgggctt	gatgttgagg	4080
tacatgggca	tgagcccgct	ccgggggtgg	aggtagctcc	attgcagggc	ctcgtgctcg	4140
ggggtggtgt	tgtaaatcac	ccagtcatag	caggggcgca	gggcatgggt	ttgcacaata	4200
tctttgagga	ggagactgat	ggccacgggc	agccctttgg	tgtagggtgt	tacaaatctg	4260
ttgagctggg	agggatgcat	gcggggggag	atgagggtga	tcttgccctg	gatcttgaga	4320
ttggcgatgt	taccgcccag	atcccgcctg	gggttcatgt	tgtgcaggac	caccagcacg	4380
gtgtatccgg	tgcacttggg	gaatttatca	tgcacttggg	aagggaaggg	gtgaaagaat	4440
ttggcgacgc	ctttgtgccc	gcccagggtt	tccatgcact	catccatgat	gatggcgatg	4500
ggcccggtgg	cggcgccctg	ggcaaaagac	tttcgggggt	cggacacatc	atagttgtgg	4560
tccctgggtga	ggatcatcata	ggccatttta	atgaatttgg	ggcggagggt	gcccggactg	4620
gggacaaaag	taccctcgat	cccggggggc	tagttccctc	cacagatctg	catctcccag	4680
gctttgagct	cggagggggg	gatcatgtcc	acctgcgggg	cgataaagaa	cacggtttcc	4740
ggggcggggg	agatgagctg	ggccgaaagc	aagttccgga	gcagctggga	cttgccgcag	4800
ccggtggggc	cgtagatgac	cccgatgacc	ggctgcagg	ggtagttgag	ggagagacag	4860
ctgcgctcct	cccggaggag	ggggggccacc	tcgttcacat	tctgcgcac	gtgcatgttc	4920
tcgcgcacca	gttcgccag	gagggcgtct	ccccccagg	ataggagctc	ctggagcgag	4980
gcgaagtttt	tcagcggctt	gagtcctctg	gccatgggca	ttttggagag	ggtttgtttg	5040
aagagttcca	ggcgggtccc	gagctcggtg	atgtgctcta	cggcatctcg	atccagcaga	5100
ctcctcctgt	tgcgggtttg	ggaacgctgc	gggagttagg	caccagacga	tgggcgtcca	5160
gcgcagccag	ggtccggttc	ttccagggtc	gcagcgtccg	cgctcagggtg	gtctccgtca	5220
cggtagaagg	gtgcgcgcgc	ggctggggcg	ttgcgagggt	gcgcttcagg	ctcatccggc	5280
tggtcgaaaa	ccgctcccga	tccggccctc	gcgcgtcgcc	caggtagcaa	ttgaccatga	5340
gttcgtagtt	gagcgcctcg	gcgcgtggc	ctttggcgcg	gagcttacct	ttggaagtct	5400
gcccgcagcg	gggacagagg	agggacttga	gggcgtagag	cttggggggc	aggaagacgg	5460

-continued

actcgggggc	gtagggcgcc	gcgcgcagc	gggcgcagc	gggtcgcac	tcacgagcc	5520
aggtgaggtc	gggctgggtc	gggtcaaaaa	ccagtttccc	gcccgttctt	ttgatgcgtt	5580
tcttaccttt	ggtctccatg	agctcgtgtc	cccgcctggg	gacaaaagg	ctgtccgtgt	5640
ccccgtagac	cgaactttatg	ggcgcgtcct	cgagcgggtg	gcccgcgttc	tcctcgtaga	5700
ggaaaccccc	ccactctcag	acgaaaagccc	gggtccaggc	cagcacgaag	gagggccacg	5760
gggacgggta	gcggtcgttg	tcaccacgcg	gggtccacct	ttccagggta	tgcaaacaca	5820
tgccccctc	gtccacatcc	aggaaggtga	ttggcttgta	agtgtaggcc	acgtgaccgg	5880
gggtcccgcc	cgggggggta	taaaagggtg	cgggtccctg	ctcgtcccca	ctgtcttccg	5940
gatcgtctgc	caggagcgcc	agctgttggg	gtaggtatcc	cctctcgaag	gcccggcatga	6000
cctcggcact	caggttggtc	gtttctagaa	acgaggagga	tttgatattg	acggtgccgg	6060
cggagatgcc	tttcaagagc	ccctcgtcca	tctggtcaga	aaagacgac	ttttgttgt	6120
cgagcttggt	ggcgaaggag	ccgtagaggg	cgttgggagag	gagcttgccg	atggagcgca	6180
tggtctggtt	ttttctcttg	tcggcgcgct	ccttgccggc	gatgtgagc	tgacgtagc	6240
gcgcgcgcac	gcacttccat	tcgggggaaga	cgggtggtcag	ctcgtcgggc	acgattctga	6300
cctgcgcgac	ccgattatgc	agggtgatga	gggtccacct	gggtgccacc	tcgcccgcca	6360
ggggtcatt	agtccagcag	aggcgtccgc	ccttgccgca	gcagaagggg	ggcagggggt	6420
ccagcatgac	ctcgtcgggg	gggtcggcat	cgtaggtgaa	gatgccgggc	aggaggtcgg	6480
gggtcaaaag	gctgatggaa	gtggccagat	cgtccagggc	agcttgccat	tcgcgcacgg	6540
ccagcgcgcg	ctcgtaggga	ctgagggcg	tgcccagggc	catgggatgg	gtaagcgcgg	6600
aggcgtacat	gccgcagatg	tcgtagacgt	agaggggctc	ctcaggatg	ccgatgtagg	6660
tggggtagca	gcccccccg	cggatgctgg	cgcgcacgta	gtacacagc	tcgtgcgagg	6720
gggcgaggag	ccccggccc	aggttggtgc	gactgggctt	tcggcgccg	tagacgatct	6780
ggcgaaaaat	ggcatgcgag	ttggaggaga	tggtgggctt	ttggaagatg	ttgaagtggg	6840
cgtggggcag	tcgcaccgag	tcgcggatga	agtgggcgta	ggagtcttgc	agcttgccga	6900
cgagctcgcc	ggtgactagg	acgtccagag	cgcagtagtc	gagggtctcc	tgatgatgt	6960
catacttgag	ctgtcccttt	tgtttccaca	gctcgcggtt	gagaaggaa	tcctcgcggt	7020
ccttccagta	ctcttcgagg	gggaacccgt	cctgatctgc	acggtaaag	cctagcatgt	7080
agaaactggt	gacggccttg	taggcgcagc	agcccttctc	cacggggagg	gcgtaggcct	7140
ggcgggcctt	gcgcaggag	gtgtgcgtga	gggcgaaagt	gtccctgacc	atgaccttga	7200
ggaactggtg	cttgaagtcg	atatcgtcgc	agccccctcg	ctcccaggc	tggaagtccg	7260
tgcgcttctt	gtaggcgggg	ttgggcaaa	cgaaagtaac	atcgttgaag	aggatcttgc	7320
ccgcgcgggg	cataaagtgt	cgagtgtatc	ggaaagggtg	gggcacctcg	gcccgttgtt	7380
tgatgacctg	ggcggcgagc	acgatctcgt	cgaagccggt	gatgttgttg	cccacgatgt	7440
agagttccac	gaatcgcgga	cgcccttga	cgtggggcag	ttctctgagc	tcctcgtagg	7500
tgagctcgtc	ggggtcgtcg	agcccggtct	gctcagagcg	ccagtcggcg	agatgggggt	7560
tgggcgggag	gaagggaagt	cagagatcca	cggccagggc	ggtttcgaga	cgggtcccggt	7620
actgacggaa	ctgctgcgcc	acggccattt	tttcgggggt	gacgcagtag	aaggtgcggg	7680
ggtccccgtg	ccagcgatcc	catcttgagc	ggagggcgag	atcaggggag	agctcgacga	7740
gcccgtcgtc	cccgagagag	ttcatgacca	gcgatgaagg	gacgagctgc	ttgccgaagg	7800
accccatcca	ggtgtaggtt	tcacatcgt	aggtaggaa	gagccttctg	gtgcgaggat	7860
gcgagccgat	ggggaagaac	tggtatctct	gccaccaatt	ggagggaatg	ctgttgatgt	7920
gatggaagta	gaaatgccga	cggcgccgcg	aaactcgtg	cttgtgttta	tacaagcggc	7980
cacagtgcct	ccaacgctgc	acgggatgca	cgtgctgcac	gagctgtacc	tgagttcctt	8040
tgacgaggaa	tttcagtggt	aagtggagtc	gtggcgccgt	catctcgtgc	tgtactacgt	8100
cgtggtggtc	ggcctggccc	ttctctgcct	cgtaggtggt	catgctgacg	agcccgccgc	8160
ggaggccagg	ccagacctcg	gcgcgagcgg	gtcggagagc	gaggacgagg	gcgcgaggc	8220
cggagctgtc	cagggtcctg	agacgtcgcg	gagtcaggtc	agtgggcagc	ggcgccgcgc	8280
gggtgacttg	caggagtttt	tcaggggcgc	cggggaggtc	cagatggtac	ttgatctcca	8340
ccgcgcacat	ggtggcgacg	tcgatggctt	gcagggtccc	gtccccctgg	ggtgtgacca	8400
ccgtcccccg	ttctctcttg	ggcggtctgg	gcgacggggg	cggtgcctct	tcctatggta	8460
gaagcggcgg	cgaggagcgc	cgcgcggcgg	caggggcggc	tcggggcccg	gaggcagggg	8520
cggcaggggc	acgtcggcgc	cgcgcgcggg	taggttctcg	tactgcgcgc	ggagaagact	8580
ggcgtgagcg	acgacgcgac	ggttgacgtc	ctggatctga	cgcctctggg	tgaaggccac	8640
gggacccgtg	agtttgaaac	tgaagagag	ttcgacagaa	tcaatctcgg	tatcgttgac	8700
ggcgccctgc	cgcaggatct	cttgacgtc	gcccagtttg	tcctggtagg	cgatctcggt	8760
catgaactgc	tcgatctcct	cctcttgaag	gtctcccgcg	ccggcgccgt	ccacggtggc	8820
cgcgaggtcg	ttggagatgc	ggcccagtag	ctcgagaaag	gcgttcatgc	ccgcctcgtt	8880
ccagacgcgg	ctgtagacca	cgacgccctc	gggatcgccg	gcgcgcatga	ccacctgggc	8940
gaggttgagc	tcacagtggt	gcgtgaagac	cgcgtagttg	cagaggcgct	ggttagaggta	9000
gttgagcgtg	gtggcgatgt	gctcgtgac	gaagaaatac	atgatccagc	ggcggagcgg	9060
catctcgtcg	acgtcgccca	gcgcctccaa	acgttccatg	gcctcgtaaa	agtcacagcg	9120
gaagttgaaa	aaactgggag	tgccgcgcga	gacggtcaac	tcctcctcca	gaagacggat	9180
gagctcggcg	atggtggcgc	gcacctcgcg	ctcgaaggcc	cccgaggagt	cctccacttc	9240
ctctctcttc	tcctccacta	acatctcttc	tactctctcc	tcaggcgcca	gtggtggcgg	9300
gggagggggc	ctgcgtcgcc	ggcggcgcac	gggcagacgg	tcgatgaagc	gctcgatggt	9360
ctcgcccgcg	cggcgctcgca	tggtctcggt	gacggcgccg	ccgtcctcgc	ggggccgcag	9420
cgtgaagacg	ccgcgcgcga	ttctccaggtg	gcccgggggg	ttcccgttgg	gcagggagag	9480
ggcgtgacg	atgcattcta	tcaattgccc	cgtagggact	ccgcgcaagg	acctgagcgt	9540
ctcgagatcc	acgggatctg	aaaaccgctg	aacgaaggct	tcgagccagt	cgcagtcgca	9600
aggtaggctg	agcacggttt	ctctcgccgg	gtcatggttg	ttgggagcgg	ggcgggcgat	9660
gctgctgggt	atgaagttga	aataggcggt	ctgagacgg	cggatggttg	cgaaggacac	9720
caggtctctt	ggcccggttt	gctggatcg	cagacggtcg	gccatgcccc	aggcgtgggt	9780
ctgacacctg	gccaggctct	tgtagtagtc	ctgcatgagc	cgtccacagg	gcacctcctc	9840
ctcgcccgcg	cggccgtgca	tgccggtgag	cccgaagccg	cgtcgggggt	ggacgagcgc	9900
caggtcggcg	acgacgcgct	cggcgaggat	ggcttgctgg	atctgggtga	gggtggtctg	9960
gaagtcacat	aagtcgacga	agcgggtgta	ggctccgggt	ttgatggtgt	aggagcagtt	10020

-continued

ggccatgacg	gaccagtgtg	cgtctctggtg	gcccggagcg	acgagctcgt	ggtacttgag	10080
gcgcgagtag	gcgcgcgtgt	cgaagatgta	gtcgttgtag	gtgcgcacca	ggtactggta	10140
gccgatgag	aagtgcggcg	gcggtctggcg	gtagagcgcg	catcgctcgg	tggcggggcg	10200
gccggggcg	aggctcctga	gcctggtg	gtggtagccg	tagatgtacc	tggacatcca	10260
ggtgatgccg	gcggcggtgg	tggaggcgcg	cgggaactcg	cggacgcggg	tccagatgtt	10320
gcgcagcgcg	aggaaagt	tcatggtggg	cacggtctcg	cccgtgagcg	gcgcgcagtc	10380
gtggtgctc	tatacgggca	aaaacgaaag	cggtcagcgg	ctcgactccg	tggcctggag	10440
gctaagcgaa	cgggttgggc	tgcgcgtgta	ccccgggtcg	aatctcgaat	caggctggag	10500
ccgcagctaa	cgtggtattg	gcactcccgt	ctcgacccaa	gcctgcacca	accctccagg	10560
atacggaggc	gggtcgtttt	gcaacttttt	tttggaggcc	ggatgagact	agtaagcgcg	10620
gaaagcgggc	gaccgcgatg	gctcgctgcc	gtagtctgga	gaagaatcgc	cagggttgcg	10680
ttgcgggtgtg	ccccgggtcg	aggccggcg	gattccgcgg	ctaacgaggg	cgtggctgcc	10740
ccgtcgtttc	caagacccca	tagccagccg	acttctccag	ttacggagcg	agccctctt	10800
ttgttttgtt	tggttttgcc	agatgcattc	cgtactcgcg	cagatgcgcc	cccaccacc	10860
tccaccgcaa	caacagcccc	ctccacagcc	ggcgcttctg	ccccgcggcg	agcagcaact	10920
tccagccacg	accgcccggg	ccgcccgtgag	cggggctgga	cagagttatg	atcaccagct	10980
ggccttgga	gagggcgagg	ggctggcgcg	cctggggcg	tcgtcgccgg	agcggcacc	11040
gcgcgtgcag	atgaaaagg	acgctcgcg	ggcctacgtg	ccaagcaga	acctgttcag	11100
agacaggagc	ggcgaggagc	cagaggagat	gcgcgcggcg	cgggtccacg	cggggcgga	11160
gctgcggcg	ggcctggacc	gaaagagggt	gctgagggac	gaggatttcg	agcgagcga	11220
gctgacgggg	atcagccccg	cgcgcgcgca	cgtggccgcg	gccaaactgg	tcacggcgta	11280
cgagcagacc	gtgaaggagg	agagcaactt	ccaaaaatcc	ttcaacaacc	acgtgcgcac	11340
cctgatcgcg	cgcgaggagg	tgaccctggg	cctgatgcac	ctgtgggacc	tgctggaggc	11400
catcgtgcag	aaccccacca	gcaagccgct	gacggcgcg	ctgttctcgg	tggtgcagca	11460
tagtcgggac	aacgaagcgt	tacgggaggg	gctgctgaat	atcccgagc	ccgaggggcg	11520
ctggctcctg	gacctgggtga	acattctgca	gagcatcgtg	gtgcaggagc	gcgggctgcc	11580
gctgtccgag	aagctggcg	ccatcaactt	ctcggctcgtg	agtttgggca	agtaactacg	11640
taggaagatc	tacaagacc	cgtacgtgcc	catagacaag	gaggtgaaga	tcgacgggtt	11700
ttacatgcgc	atgacctga	aagtgtctgac	cctgagcgac	gatctggggg	tgtaccgcaa	11760
cgacaggatg	caccgtgcgg	tgagcgccag	caggcgggcg	gagctgagcg	accaggagct	11820
gatgcatagt	tgcatagcg	ccctgaccgg	ggccgggacc	gagggggaga	gctactttga	11880
catggggcg	gacctgcact	ggcagcccg	ccgcggggcg	ttggaggcg	cggcaggacc	11940
ctacgtagaa	gaggtggaag	atgaggtgga	caggaggggc	gagtaacctg	aagactgatg	12000
gcgcgaccgt	atttttgcta	gatgcaacaa	caacagccac	ctcctgatcc	cgcgatgcgg	12060
gcggcgctgc	agagccagcc	gtccggcatt	aaactcctcg	acgattggac	ccaggccatg	12120
caacgcatac	tggcgctgac	gacccgcaac	cccgaagcct	ttagacagca	gccccaggcc	12180
aaaccgctct	ccgcatcct	ggaggccgtg	gtgccctcgc	gctccaaacc	cacgcacgag	12240
aaggtcctcg	ccatcgtgaa	cgcgctgggt	gagaacaagg	ccatcccgcg	cgcagaggcc	12300
ggcctggtgt	acaacgcgct	gctggagcgc	gtggcccgct	acaacagcac	caacgtgcag	12360
accaaccttg	accgactgtg	gaccgacgtg	cgcgaggccg	tggcccagcg	cgaagcggtt	12420
caccgcgagt	ccaacctggg	atccatgggt	gcgctgaacg	ccttcctcag	caccagccc	12480
gccaacgtgc	cccggggcca	ggaggactac	accaacttca	tcagcgccct	gcgcctgatg	12540
gtgaccgagg	tgccccagag	cagggtgtac	cagtcggggc	cggactactt	cttccagacc	12600
agtgcccgag	gcttgccagc	cgtgaacctg	agccaggctt	tcaagaactt	gcagggcctg	12660
tggggcgctgc	agggcccggt	cggggaccgc	gcgacgggtg	cgcgcctgct	gacgcggaac	12720
tcgcgcctgc	tgctgctgct	ggtggccccc	ttcacggaca	gcgcgagcat	caaccgcaac	12780
tcgtacctgg	gctacctgat	taacctgtac	cgcgaggcca	tcggccaggg	gcacgtggac	12840
gagcagacct	accaggagat	caccccagctg	agccgcgcgc	tggggccagga	cgaaccgggc	12900
aaactggaag	ccaccctgaa	ctttttgctg	accaaccggg	cgcagaagat	cccccccg	12960
tacgcgctca	gcaccgagga	ggagcgcatc	ctgcgttacg	tgacgcagag	cgtgggcctg	13020
ttcctgatgc	aggagggggc	caccccagc	gcccgcgctg	acatgaccgc	gcgcaacatg	13080
gagccagaga	tgtacggcag	caaccggcg	ttcatcaata	aactgatgga	ctacttgcat	13140
cggggcgccg	ccatgaactc	tgactatttc	accaacgcca	tcctgaatcc	ccactggctc	13200
ccgcgcggcg	gggtctacac	gggcgagtag	gacatgccc	accccaatga	cgggttctctg	13260
tgggacgatg	tgtacgcag	cgtgttctcc	ccccgaccgg	gtgctaacga	gcgccccttg	13320
tggagaagag	aaggcagcga	ccgacgccc	tcctcggcgc	tgtccggccg	caggggtgct	13380
gccgcggcg	tgcccaggcg	cgcagatcct	ttcccagctg	tgccctctc	gctgaacagt	13440
atccgcagca	gcgagctggg	caggatcacg	cgcccgcgct	tgctggggcg	agaggagtag	13500
ttgaatgact	cgctgttgag	acccgagcgg	gagaagaact	ttcccaataa	cgggatagaa	13560
agcctgggtg	acaagatgag	ccgctggaag	acgtatgcgc	aggagcacag	ggacgatccc	13620
cgggcgctgc	agggggccac	gagccggggc	agcgcgcgcc	gtaaacgcgc	gtggcacgac	13680
aggcagcg	gacagatgtg	ggacgatgag	gactccgcgc	acgacagcag	cgtgttgagc	13740
ttgggtggga	gtggtaaccc	gttcgctcac	ctgcgcccc	gtatcgggcg	catgatgtaa	13800
gagaaaccga	aaataaatga	tactaccaca	ggccatggcg	accagcgtgc	gttcgtttct	13860
tcctcgttgt	tggtgtatct	agtagatga	ggcgtgcgta	ccggagggtg	cctcctccct	13920
cgtacgagag	cgtgatgcag	caggcgatgg	cggcgggcg	gatgcagccc	ccgctggagg	13980
ctccttacgt	gcccccgcg	tacctggcg	ctacggaggg	gcggaacagc	attcgttact	14040
cggagctggc	acccttgtac	gataccacc	ggttgtacct	ggtggacaac	aagtcggcg	14100
acatcgctc	gctgaactac	cagaacgacc	acagcaactt	cctgaccacc	gtggtgcaga	14160
acaatgactt	ccccccagc	gagggcagca	cccagacat	caactttgac	gagcgctcgc	14220
ggtggggcg	ccagctgaaa	accatcatgc	acaccaacat	gcccacgtg	aacgagttca	14280
tgtacagcaa	caagttcaag	gcgcgggtga	tggtctcccg	caagaccccc	aatgggggtga	14340
cagtgacaga	ggattatgat	ggtagtccag	atgagctgaa	gtatgaatgg	gtggaatttg	14400
agctgcccc	aggcaacttc	tcgggtgacca	tgaccatcga	cctgatgaac	aacgccaatca	14460
tcgacaatta	ctggggcg	ggcgcgagca	acgggggtgct	ggagagcgac	atcggcggtga	14520
agttcgacac	taggaacttc	aggctgggct	gggaccccg	gaccgagctg	gtcatgccc	14580

-continued

gggtgtacac	caacgagget	ttccatccc	atattgtett	gctgcccgc	tgcggggtgg	14640
acttcaccga	gagcgcctc	agcaacctgc	tgggcattcg	caagaggcag	cccttccagg	14700
aaggcttcca	gatcatgtac	gaggatctgg	aggggggcaa	catccccgcg	ctcctggatg	14760
tcgacgccta	tgagaaaaagc	aaggaggatg	cagcagctga	agcaactgca	gccgtagcta	14820
ccgctctac	cgaggtcagg	ggcgataatt	ttgcaagcgc	cgcagcagtg	gcagcggccg	14880
agggcggtga	aaccgaaagt	aagatagtca	ttcagccggt	ggagaaggat	agcaagaaca	14940
ggagctacaa	cgtactaccg	gacaagataa	acaccgccta	ccgcagctgg	tacctagcct	15000
acaaactatgg	cgaccccag	aagggcggtc	gctcctggac	gctgctcacc	acctcggagc	15060
tcacctgcgg	cgtggagcaa	gtctacttgt	cgtgcccga	catgatgcaa	gacccggtca	15120
cttccgctc	cacgcgtcaa	gttagcaact	acccggtggg	gggcgcgcag	ctcctgccc	15180
ttactctcaa	gagctttctc	aacgagcagg	ccgtctactc	gcagcagctg	cgcgcttca	15240
ctcgtcttac	gcacgtcttc	aaccgcttcc	ccgagaacca	gatcctcgtc	cgcccgcgcg	15300
cgcccacat	taccaccgtc	agtgaaaacg	ttcctgctct	cacagatcac	gggaccctgc	15360
cgctgcgcag	cagtatccgg	ggagtccagc	gcgtgacctg	tactgacgac	agacgcgcga	15420
ctgccccta	cgtctacaag	gcctgggca	tagtcgcgc	gcgcgtcctc	tcgagccgca	15480
cttctaaat	gtccattctc	atctgcacca	gtaataacac	cggttggggc	ctgcgcgcgc	15540
ccagcaagat	gtacggaggc	gctcgcaca	acaccccggt	cgctgcccgc	cgctgcccgc	15600
ggcacttcgc	cgctccctgg	ggcgccctca	agggcccgct	gcggtcgcgc	accacgcctg	15660
acgacgtgat	cgaccaggtg	gtggccgacg	cgcgcaacta	caccccgccc	gccgcgcgcg	15720
ttccaccgt	ggagcgcgtc	atcgacagcg	tgggtggccga	cgcgcccgcg	tacgcccgcg	15780
ccaagagccg	gcggcgcgcg	atcgcccgcc	ggcacccgag	caccccgccc	atcgcgccgc	15840
cgcgagcctt	gctgcgcagg	gccaggcgca	cgggacgcag	ggcctatgct	agggcggcca	15900
gacgcgcgcg	ttcaggcgcc	agcgccggca	ggacccggag	acgcgcggcc	acggcggcgcg	15960
cagcgcccat	cgccagcatg	tcgcgcgcgc	ggcgagggaa	cgtgactagg	gtgcgcgacg	16020
cgccacccg	tgtgcgcgtg	cccgcccgca	cccgcccgcc	tcgcacttga	agatgttcac	16080
ttcgcgatgt	tgatgtgtcc	cagcgccgag	gaggtatgct	aagcgcaaat	tcaaggaaaga	16140
gatgtccag	gtcatcgccg	ctgagatcta	cggccctgct	gtggtgaagg	aggaaagaaa	16200
gccccgcaaa	atcaagcggg	caaaaaagga	gaagaaagtg	atgtggacgg		16260
tttgggtggg	tttgtgcgcg	agtgcgcgcg	cgggcgccgc	gtgcagtgcc	gcggcgcgaa	16320
ggtgcaaccg	gtgctgagac	cgggcaccac	cgtggtcttc	acgcccgcgc	agcgtcccg	16380
caccgcttcc	aagcgtctct	acgacgaggt	gtacggggat	gatgatattc	tggagcaggc	16440
ggccgagcgc	ctggggaggt	ttgcttacgg	caagcgcagc	cgttcgcgac	cgaaggaaaga	16500
ggcggtgtcc	atcccgctgg	accacggcaa	ccccacgccc	agcctcaagc	ccgtgacctt	16560
gcagcagggtg	ctgcgcgacg	cgccgcgcgc	ccggggggtc	aagcgcgagg	gcgaggatct	16620
gtaccccacc	atgcagctga	tggtgcccga	gcgcagaaag	ctggaagacg	tgctggagac	16680
catgaaggtg	gaccgcgacg	tcgagcccga	ggtcaaggtg	cgcccatca	agcaggtggc	16740
ccggggcctg	ggcgtgcaga	cgtggacat	caagattccc	acggagccca	tggaaacgca	16800
gaccgagccc	atgatcaagc	ccagcaccag	caccatggag	gtgcagacgg	atccctggat	16860
gccatcggtc	cctagtgcga	gaccccgccg	caagtacggc	gcggccagcc	tgctgatgcc	16920
caactacgcg	atgcgcgctt	ccatcatccc	cacgcccggc	taccgcggca	cgcgcttcta	16980
ccgcggtcat	accagcagcc	gccgcgcgca	gaccaccact	cgccgcgcgc	gtcgcgcgac	17040
cgccgctgca	accacccctg	cgcccttgtt	gcggagagtg	taccgcgcgc	gcccgcgacc	17100
tttgaccctg	ccgcgcgcgc	gctaccaccc	gagcatcgcc	atttaaaact	tcgcctgctt	17160
tcgagatcaa	tggccctcac	atgccgcctt	cgcgttccca	ttacgggcta	ccgaggaaaga	17220
aaaccgcgcg	gtagaaggct	ggcggggaac	gggatgcgtc	gccaccacca	ccggcgggcg	17280
cgcgccatca	gcaagcgggt	gggggggagg	ttcctgcccg	cgctgatccc	catcatcgcc	17340
ggcgcgatcg	ggcgcatccc	cggcatttgt	tcctgtggcg	tgcaggcctc	tcagcgccac	17400
tgagacacac	ttgaaacat	ctgttaataa	accaatggac	ctgacgctc	ctggtcctgt	17460
gatgtgtttt	ctgagacat	caatttttgc	tcctgtggct	cgcgacacgg		17520
cacgcggccg	ttcatgggca	cctggagcga	catcgccacc	agccaaactga	acggggggcg	17580
cttcaattgg	agcagctctc	ggagcgggct	taagaatttc	gggtccacgc	ttaaaaccta	17640
tggcagcaag	cgtggaagca	gcaccacagg	gcaggcgctg	agggataaag	tgaagagaca	17700
gaacttccag	gcaagaggtg	tcgatgggct	cgccctgggc	atcaacgggg	tgggtggacct	17760
ggccaaaccag	gccgtgcagc	ggcagatcaa	cagccgcctg	gacccggtgc	cgcccgccgcg	17820
ctccgtggag	atgcgcgagg	tgaggaggga	gctgcctccc	ctggacaagc	ggggcgagaa	17880
gcgaccccg	cccgatgcgg	aggagacgct	gctgacgcac	acggacgagc	cgccccccta	17940
cgaggaggcg	gtgaaactgg	gtctgtccac	cacgcggccc	atcgccccc	tggccaccgcg	18000
gggtctgaaa	cccgaaaagc	ccgcgaccct	ggaacttgct	cctcccagc	cttcccgcgc	18060
ctctacagtg	gctaagcccc	tgcgcgcggt	ggcctgtggc	cgcgcgcgac	ccggggggcac	18120
cgcccgccct	cctgcgaact	ggcagagcac	tctgaacagc	atcgtgggtc	tgggagtgca	18180
gagtggtgaa	cgccgcgcgt	gctattaaac	ctaccgtagc	gcttaacttg	cttgtctgtg	18240
tgtgtatgta	ttatgtcgcc	gccgcgcgtg	tcaccagaa	ggaggagtgta	agaggcgctg	18300
cgccgagttg	caagatggcc	accccatcga	tgtgcccga	gtggcgctac	atgcacatcg	18360
ccggacagga	cgcttcggag	tacctgagtc	cgggtctggg	gcagtgtgcc	cgcgccacag	18420
acactactt	cagtctgggg	aaccaagtta	ggaaccccac	ggtggcgccc	acgcacgatg	18480
tgaccaccga	ccgcagccag	cggtgacgc	tgcgcttcgt	gcccggtggc	cgcgaggaca	18540
acactactc	gtacaaaagt	cgctacacgc	tggcgtggg	cgacaaccgc	gtgctggaca	18600
tggccagcac	ctactttgac	atcccgcgcg	tgtgtggatg	ggccctagc	ttcaaacctt	18660
actccggcac	cgctacaac	agtctggccc	ccaagggagc	acccaacact	tgtcagtgga	18720
catataaagc	cgatgggtgaa	actgccacag	aaaaaaccta	tacatagga	aatgcacccg	18780
tcaggggcat	taacatacaga	aaagatggta	ttcaacttgg	aactgacacc	gatgatcagc	18840
caatctacgc	agataaaacc	tatcagcctg	aacctcaagt	gggtgatgct	gaatggcatg	18900
acatcactgg	tactgatgaa	aagtatggag	gcagagctct	taagcctgat	accaaaatga	18960
agccttggtta	tggttctttt	gccaaagccta	ctaataaaga	aggaggtcag	gcaaatgtga	19020
aaacaggaac	aggcactact	aaagaatatg	acatagacat	ggctttcttt	gacaacagaa	19080
gtgcggctgc	tgctggccta	gctccagaaa	ttgttttgta	tactgaaat	gtggatttgg	19140

-continued

aaactccaga	taccatatt	gtatacaaag	caggcacaga	tgacagcagc	tcttctatta	19200
atthgggtca	gcaagccatg	cccaacagac	ctaactacat	tggtttcaga	gacaacttta	19260
tggggtcat	gtactacaac	agcactggca	atatgggggt	gctggcgggt	caggcttctc	19320
agctgaatgc	tgtggttgac	ttgcaagaca	gaaacaccga	gctgtcttac	cagctcttgc	19380
tgactctct	gggtgacaga	acccgttatt	tcagtatgtg	gaatcaggcg	gtggacagct	19440
atgactcctga	tgtgcgcat	attgaaaatc	atggtgtgga	ggatgaactt	cccaactatt	19500
gtttccctct	ggatgtgtt	ggcagaacag	atacttatca	gggaattaa	gctaattgaa	19560
ctgatcaaac	cacatggacc	aaagatgaca	gtgtcaatga	tgctaagtga	ataggcaagg	19620
gtaatccatt	cgccatggaa	atcaacatcc	aagccaacct	gtggaggaa	ttcctctacg	19680
ccaacgtggc	cctgtacctg	cccgaactct	acaagtacac	gccggccaat	gttaccctgc	19740
ccaccaacac	caacacatc	gattacatga	acggcgggt	gggtggcgcc	tcgctgggtg	19800
actcctacat	caacatcggt	ggcgctgggt	cgtgggatcc	catggacaac	gtgaacccct	19860
tcaaccacca	ccgaatgctg	gggctgcgct	accgctccat	gctcctgggc	aacgggcgct	19920
acgtgccctt	ccacatccag	gtgccccaga	aatttttctg	catcaagagc	ctcctgctcc	19980
tgcccggtgc	ctacacatc	gagtggaact	tccgcaagg	cgtaacatg	atcctgcaga	20040
gctccctcgg	caacgacgtg	cgcacggagc	gggctcccat	ctccttcacc	agcatcaacc	20100
tctacgcca	cttcttcccc	atggcgacac	acacggcctc	cacgctcgag	gccatgctgc	20160
gcaacgacac	caacgacag	tccttcaacg	actacctctc	ggcgccaac	atgctctacc	20220
ccatcccgcc	caacgcaacc	aacgtgccca	tctccatccc	ctcgcgcaac	tgggcgccct	20280
tcccggtgctg	gactcttcacg	cgtctcaaga	ccaaggagac	gccctcgctg	ggctccgggt	20340
tcgaccccta	cttcgtctac	tcgggtccca	tccctacctc	cgacggcacc	ttctacctca	20400
accacacctt	caagaaggtc	tccatcacct	tcgactcctc	cgtcagctgg	cccggcaacg	20460
accggtcctt	cagccccaac	gagttcgaaa	tcaagcgcac	cgtcgacggc	gagggctaca	20520
acgtggccca	gtgcaacatg	accaaggact	ggttctcgtg	ccagatgctg	gcccactaca	20580
acatcggtca	ccagggcttc	tacgtgcccg	agggtctaca	ggacgcgatg	tactccttct	20640
tccgcaactt	ccagcccatg	agccgcagg	tggtggacga	ggtaacatc	aaggactacc	20700
aggcgctcac	cctggcctac	cagcacaaca	actcgggtct	cgtcggtac	ctcgcgcca	20760
ccatgcgcca	gggccaagcc	actcccgcca	cccgtctatc	ggcaagagcg		20820
ccgtcacacg	cgtcacccag	aaaaagtctc	tctgcgacag	ggtaactgtg	cgcacccctt	20880
tctccagcaa	cttcagtctc	atgggcggcg	tcaaccgacct	cgcccaagac	atgctctatg	20940
ccaaactccgc	caacgcgcta	gactgaatt	tcgaagtcca	cccatggat	gagtcacacc	21000
ttctctatgt	tgtcttcgaa	gtcttcgacg	tcgtccgagt	gcaccagccc	caccgcggcg	21060
tcatcgaggc	cgtctacctg	cgcacccctt	tctcgccggg	taaccgcaac	acctaagctc	21120
ttgtctcttg	tacgctcttg	cgcggggctc	cggcgagcag	gagctcaggg	ccatcatccg	21180
cgaactgggc	tgccggccct	acttctctgg	caccttcgat	aagcgcttcc	cgggattcat	21240
ggcccgccac	aagctggcct	ggcccatcgt	caacacggcc	ggccgcgaga	ccggggcgga	21300
gcaactggctg	gccttcgctc	ggaaccccg	ctcgaaacac	tgtacctctt	tcgacccctt	21360
gggtttctcg	gacgagcgcc	tcaagcagat	ctaccagttc	gagtaacagg	gcctgctgcg	21420
ccgcagcgcc	ctggccacag	aggacccgtg	cgtcacccctg	gaaaagcca	cccagaccgt	21480
gcagggtccg	cgctcgcccg	cttcggggct	cttctgctgc	atgttctctg	acgccttctg	21540
gcactggccc	gacgcgcccc	tggaacaaga	ccccaccatg	aacttctgta	cggggggtgc	21600
caacgggcat	ctccagtcgc	cccaggtgga	accacccctg	cgccgcaacc	aggaggcgct	21660
ctaccgcttc	ctcaactccc	actccgcta	ctttcgtctc	caccgcggcg	gcacgcagaa	21720
ggccacccgc	ttcgaccgca	tgaatcaaga	catgtaaac	gtgtgtgtat	gttaaatgtc	21780
tttaataaac	agcactttca	tgttacacat	gcactgtaga	tgattttatt	agaaatcgaa	21840
agggttctgc	cgggtctctg	catggcccgc	gggcagggac	acgttgcgga	actggtactt	21900
ggccagccac	ttgaactcgg	ggatcagcag	tttgggcagc	gggtgtcgg	ggaaggagtc	21960
ggctccacag	ttccgctcga	gttgacgggc	ggccagcagg	tcggggcgcg	agatcttgaa	22020
atcgagttg	ggaccccgct	ctcgcccgcg	ggagttgcgg	tacacggggt	tcgacagctg	22080
gaacaccatc	agggccgggt	gcttcacgct	cgcagcacc	gtcgctcg	tgatgctctc	22140
cacgtcgagg	tcctcgccgt	tgcccatccc	gaagggggtc	atcttgacgg	tcgctctcc	22200
catggtgggc	acgcaccccg	gcttgtggtt	gcaatcgca	tgacggggga	tcagcatcat	22260
ctgggctctg	tcggcggtca	tccccgggta	catggccttc	atgaaagcct	ccaattgctt	22320
gaacgcctgc	tgggccttgg	ctccctcggt	gaagaagacc	ccgcaggact	tgctagagaa	22380
ctggttggtg	ggcgaacccg	cgtcgtgcac	gcagcagcgc	gcgtcgttgt	tgccagctg	22440
caccacgctg	gcgccccagc	gggtctgggt	gatcttggtc	cggtcggggt	tctccttcag	22500
cgcgcgctgc	ccgttctcgc	tcgcccacatc	catctcgatc	atgtgctcct	tctggatcat	22560
gggtggtccc	tcgagggcaac	gcagcttgcc	ctcgccctcg	gtgcacccgt	gcagccacag	22620
cgcgcacccg	gtgcactccc	agttcttgtg	ggcgatctgg	gaatgcgcgt	gcacgaagcc	22680
ctgcaggaag	cggcccatca	tggttggtcag	ggtcttgttg	ctagtgaagg	tcagcggaat	22740
gcccgggtgc	tcctcgttga	tgtacagggt	gcagatgcgg	cggtacacct	cgccctgctc	22800
gggcatcagc	tggaaagtgg	ctttcagggtc	ggtctccacg	cggtagcggt	ccatcagcat	22860
agtcatgatt	tccataccct	tctcccaggc	cgagacgatg	ggcaggctca	tagggttctt	22920
caccatcatc	ttagcgctag	cagcccgggc	cagggggctg	ctctcgtcca	gggtctcaaa	22980
gctccgcttg	ccgtctctct	cgggtgattcc	caccgggggg	tagctgaagc	ccacggccgc	23040
cagctcctcc	tcggcctgtc	ttctcgtctc	gctgtcctgg	ctgacgtcct	gcaggaccac	23100
atgcttggtc	ttgcggggtt	tcttcttggt	cggcagcgcc	ggcgagatg	ttggagatgg	23160
cgagggggag	cgcgagttct	cgtcaccac	tactatctct	tcctcttctt	ggtccgaggc	23220
cacgcggcg	taggtatgtc	tcttcggggg	cagaggcgga	ggcgacgggc	tctcgccgcc	23280
gcgacttggt	ggatgggtct	cagagccctt	tcccgcttcg	gggtgctgct	cccggcgcg	23340
ctctgactga	ctctcctcgc	ggccggccat	tgtgttctcc	tagggaggaa	caacaagcat	23400
ggagactcag	ccatcgccaa	cctcgccatc	tgccccacc	gccgacgaga	agcagcagca	23460
gcagaatgaa	agcttaaccg	ccccgcggcc	cagccccgcc	acctccgacg	cggccgctcc	23520
agacatgcaa	gagatggagg	aatccatcga	gattgacctg	ggctatgtga	cggcccgagg	23580
gcacgaggag	gagctggcag	tcgcttttct	acaagaagag	atacaccaag	aacagccaga	23640
gcagggaagca	gagaatgagc	agagtcaggc	tgggctcgag	catgacggcg	actacctcca	23700

-continued

cctgagcggg	ggggaggagc	cgtcatcaaa	gcattctggcc	cggcaggcca	ccatcgtcaa	23760
ggatgcgctg	ctcgaccgca	cggaggtgcc	cctcagcgtg	gaggagctca	gccgcgcta	23820
cgagttgaac	ctcttctcgc	cgcgcgtgcc	ccccaaagcgc	cagcccaatg	gcacctgcga	23880
gccccaaccc	cgctcaact	tctaccgggt	cttcgcgggtg	cccaggagccc	tggccacct	23940
ccacatcttt	ttcaagaacc	aaaagatccc	cgtctcctgc	cgcgccaacc	gcaccgcgc	24000
cgacgccttt	ttcaacctgg	gtccccggcg	ccgcctacct	gatatcgctt	ccttggaaga	24060
ggttcccaag	atcttcgagg	gtctgggcag	cgacgagact	cgggcccgcga	acgtctgca	24120
aggagaaggga	ggagagcatg	agcaccacag	gcacctgggtc	gagttggaag	gcgacaacgc	24180
ggggctggcg	gtgctcaaac	gcacgggtcg	gctgacctat	ttcgctacc	cggtctgaa	24240
cctgcccccc	aaagtcatga	gcgcgggtcat	ggaccagggtg	ctcatcaagc	gcgcgtcgcc	24300
catctccgag	gacgagggca	tgcaagactc	cgaggagggc	aagcccgtgg	tcagcgacga	24360
gcagctggcc	cggtgggtgg	gtcctaatgc	tagtccccag	agtttggaag	agcggcgcaa	24420
actcatgatg	gccgtgggtc	tggtgaccgt	ggagctggag	tgctgcgcgc	gcttcttcgc	24480
cgacgcggag	accctgcgca	aggctcagga	gaacctgcac	tacctcttca	ggcacgggtt	24540
cgtgcgcag	gcctgcgaaga	tctccaacgt	ggagctgacc	aacctggtct	cctacatggg	24600
catcttgca	gacaaccg	tggggcagaa	cgtgctgcac	accacctgc	gcggggaggc	24660
cgggcgcgac	tacatccg	actgcgtcta	cctctacctc	tgccacacct	ggcagacggg	24720
catgggctgt	tggcagcagt	gtctggagga	gcgaacctg	aaagagctct	gcaagctcct	24780
gcagaagaac	ctcaagggtc	tgtggaccgg	gttcgacgag	cgcaaccacc	cctcgacact	24840
ggcgcgacct	atcttcccg	agcgcctcag	gctgacgctg	cgcaaccggc	tgccccactt	24900
tatgagccaa	agcatgttgc	aaaactttcg	ctctttcatc	ctcgaacctg	ccggaactct	24960
gccccccacc	tgtcccgccg	tgccctcgga	cttcgtggcg	ctgaccttcc	gcgagtgcgc	25020
cccgccgctg	tggagccact	gctacctgct	gcgcctggcc	aaactacctg	cctacctc	25080
ggagctgatc	gaggagctca	gcggcgaggg	cctgctcgag	tgccactgcc	gctgcaacct	25140
ctgcacggcg	caccgtctcc	tgccctgcaa	ccccagctg	ctgagcgaga	cccagatcat	25200
cggcaccttc	gagttgcaag	ggccccagca	aggcgagggt	tcagccgcca	aggggggtct	25260
gaaactcacc	ccgggggtgt	ggacctcggc	ctaacttcgc	aagttcgctg	ccgaggacta	25320
ccatcccttc	gagatcaggt	tctacgagga	ccaatcccat	ccgccccagg	ccgagctgtc	25380
ggcctgcgtc	atcaccacag	gggcgcatcct	ggccccaatg	caagccatcc	agaaatcccg	25440
ccaagaattc	ttgctgaaaa	aggggcgcg	ggtctacctc	gacccccaga	ccggtgagga	25500
gctcaacccc	ggcttcccc	aggatgcccc	gaggaaacaa	gaagctgaaa	gtggagctgc	25560
cggccgtgga	ggatttgagg	gaagactggg	agaacagcag	tcaggcgagag	gaggaggaga	25620
tggagggaaga	ctgggacagc	actcaggcag	aggaggacag	cctgcaagac	agtctggagg	25680
aaagacgagga	ggaggcagag	gaggaggtgg	aagaagcagc	cgccgccaaga	ccgtcgtcct	25740
cggcggggga	gaaagcaagc	agcaccggata	ccatctccgc	tcggggctgg	ggctccgctc	25800
gaccacacag	tagatgggag	gagaccggac	gattccccga	ccccaccacc	cagaccggta	25860
agaaggagcg	gcagggatc	aagtcctggc	gggggcacaa	aaacgcatc	gtctcctgct	25920
tgacggcctg	cgggggcaac	atctcttcca	ccggcgcta	cctgctcttc	caccgcgggg	25980
tgaactttcc	ccgcaacatc	ttgcattact	accgtcaact	ccacagcccc	tactacttcc	26040
aagaagaggcg	agcagcagca	gaaaaagacc	agcagaaaac	cagcagctag	aaaatccaca	26100
gcggcgccag	cagggtgact	gaggatcgcg	gcgaacgagc	cgggcgaaac	ccgggagctg	26160
aggaaccgga	tctttccacc	cctctatgcc	atctccaccg	agagtccggg	gcaggagcag	26220
gaactgaaag	tcaagaaccg	ttctctgcgc	tcgctcacc	gcagttgtct	gtatcacaag	26280
agcgaagacc	aacttcagcg	cactctcgag	gacgcggagg	ctctcttcaa	caagtactgc	26340
gcgctcactc	ttaaagagta	gcccgcgccc	gcccagtcgc	agaaaaaggc	gggaattacg	26400
tcactgtgc	ccttcgccct	agccgcctcc	accatcatc	atgagcaaa	agattccacc	26460
gccttcatag	tggagctacc	agccccagat	gggcctggcc	gccgggtgccc	cccaggacta	26520
ctccaccgcg	atgaattggc	tcagcgccgg	gcccgcgatg	atctcaccgg	tgaatgacat	26580
ccgcgcccac	cgaaaccaga	tactctaga	acagtcagcg	ctcaccgcca	cgccccgcaa	26640
tcacctcaat	ccgcgttaatt	ggccccgcgc	cctggtgtac	caggaaattc	cccagcccac	26700
gaccgtacta	cttcgcgag	acgcccaggc	cgaagtccag	ctgactaact	cagggtgtcca	26760
gctggcgggc	ggcgccacc	tgtgtcgta	ccgccccgct	cagggtataa	agcggctgggt	26820
gatccggggc	agaggcacac	agctcaacga	cgaggtgggtg	agctcttcgc	tgggtctgcg	26880
acctgacgga	gtcttccaac	tcgcccggatc	ggggagatct	tccttccgcg	ctcgtcaggc	26940
cgtctgact	ttggagagtt	cgtcctcgca	gccccgctcg	ggtggcatcg	gcactctcca	27000
gttctgtggag	gagttcactc	cctcggtcta	cttcaacccc	ttctccgggt	cccccgcca	27060
ctaccgggac	gagttcatcc	cgaacttcga	gcgcatcagc	gagtcggtg	acgggtacga	27120
ttgaatgtcc	catgggtggc	cagctgacct	agctcggtct	cgacacctgg	accactgcgc	27180
ccgcttccgc	tgccttcgctc	gggactctgc	cgagtttgcc	tactttgagc	tgcgcgagga	27240
gcacctcag	ggccccggcc	acggagtgcg	gatcgctcgc	gaagggggcc	tcgactccca	27300
cctgcttcgg	atcttcagcc	agcgtccgat	cctggtcgag	cgcgagcaag	gacagacct	27360
tctgactctg	tactgcatct	gcaaccaccc	cggcctgcat	gaaagtcttt	gttgtctgct	27420
gtgtactgag	tataataaaa	gctgagatca	gcgactactc	cggacttccg	tgtgttctctg	27480
aatccatcaa	ccagttctttg	ttcttcaccg	ggaacgagac	cgagctccag	ctccagtgt	27540
agccccacaa	gaagtaacctc	acctggtgct	tccagggtc	ccgactcgcc	gttgtcaacc	27600
actgcgacaa	cgacggagtc	ctgctgagcg	gccccgccaa	ccttactttt	tccaccgcga	27660
gaagcaagct	ccagctcttc	caacccttcc	tccccgggac	ctatcagtcg	gtctcgggac	27720
cctgcatca	caacttccac	ctgatccga	ataccacagc	gtcgtccccc	gctactaaca	27780
accaaactaa	cctccacca	cgccaccgctc	gcgaccttcc	tgaatctaat	actaccaccc	27840
acaccggagg	tgagctccga	ggtcaaccaa	cctctgggat	ttactacggc	ccctgggagg	27900
tgggtgggtt	aatagcgcta	ggcctagtgt	cgggtgggct	ttgggtcttc	tgctacctat	27960
acctcccttg	ctgttcgtac	ttagtgggtc	tgtgttgctg	gtttaagaaa	tggggaagat	28020
acccctagt	agctgcgggtg	cgttggtggc	ggtgttgctt	tcgattgtgg	gactggcg	28080
tgccgctgta	gtgaaggaga	aggccgatcc	ctgcttgcac	ttcaatccca	acaaatgcca	28140
gctgagtttt	cagcccgatg	gcaactgggtg	cgcggtactg	atcaagtcgc	gatgggaatg	28200
cgagaacgtg	agaatcgagt	acaataacaa	gactcggaac	aatactctcg	cgtccgtgtg	28260

-continued

gcagcccg	gaccccgagt	ggtacacg	ctctgtcccc	ggtgctgacg	gctccccg	28320
caccgtgaat	aataccttca	tttttgcgca	catgtgcgac	acggtcatgt	ggatgagcaa	28380
gcagtagcat	atgtggcccc	ccacgaagga	gaacatcg	gtcttctcca	tcgcttacag	28440
cctgtgcacg	gcgctaatac	ccgctatcgt	gtgcctgagc	attcacatgc	tcacgcctat	28500
tcgccccaga	aataaatgcc	aaaaagaaaa	acagccataa	cggttttttt	cacacctttt	28560
tcagaccatg	gcctctgtta	aatttttgct	ttattttg	agtcctcattg	ccgtcattca	28620
tggaatgagt	aatgagaaaa	ttactattta	cactggcact	aatcacacat	tgaagggtcc	28680
agaaaaagcc	acagaagt	catggatttg	ttattttaat	gaatcagatg	tatctactga	28740
actctgtgga	aacaataaca	aaaaaaatga	gagcattact	ctcatcaagt	ttcaatgtgg	28800
atctgactta	accctaatta	acatcactag	agactatgta	ggtatgtatt	atggaactac	28860
agcaggcat	tcggacatgg	aattttatca	agtttctgtg	tctgaaccca	ccacgcctag	28920
aatgaccaca	accacaaaaa	ctacacctgt	taccactatg	cagctcacta	ccaataacat	28980
ttttgccatg	cgtcaaatgg	tcacaatatg	cactcaaccc	acccaccca	gtgaggaaat	29040
tcccaaatcc	atgattggca	ttattgttgc	tgtagtgg	tgcagtgtga	tcacgcctt	29100
gtgcatgg	tactatgcct	ctcgtacag	aaagcacaga	ctgaacgaca	agctggaaca	29160
cttactaagt	ggtgaatttt	aattttttag	aacctgaag	atcctaggcc	ttttaatttt	29220
ttctatcatt	acctctgtct	tatgcaattc	tgacaatgag	gacgttactg	tcgttgcg	29280
atcaaatat	acactgaag	gtccagcgaa	gggtatgctt	tcgtgggtatt	gctatttttg	29340
atctgacact	acagaaactg	aattatgcaa	tcttaagaat	ggcaaaattc	aaaattctaa	29400
aattaaacat	tatatatgca	atggtagctga	ctcgatactc	ctcaatatca	cgaatcata	29460
tgtctggcag	tacacctgcc	ctggagatga	tgtctgacgt	atgatttttt	acaaagtaac	29520
tggtgtgat	ccctactctc	cactccacc	caccacaact	actcacacca	cacacacaga	29580
tcaaacgcga	gcagaggagg	cagcaaatgt	agccttgacg	gtccaagaca	gttcatttgt	29640
tggtattacc	cctacacctg	atcagcggtg	tcgggggctg	ctagtacg	gcattgtcgg	29700
tgtgctttcg	ggattagcag	tcataatcat	ctgcatgttc	atttttgctt	gctgctatag	29760
aaggctttac	gcacaaaaat	cagacccact	gctgaacctc	tatgtttaat	tttttccaga	29820
gtcatgaagg	cagtttagcgc	tctagttttt	tgttctttga	ttggcatgt	tttttgcaat	29880
cctattcccta	aaagttagctt	tattaaagat	gtgaatgtta	ctgagggggg	caatgtgaca	29940
ctggttaggtg	tagaggtgtgc	tgaaaacacc	acctggacaa	aataccacct	caatgggtgg	30000
aaagatattt	gcaattggag	tgtattagtt	tatacatgtg	agggagttaa	tcttaccatt	30060
gtcaatgccca	cctcagctca	aaatggtaga	attcaaggac	aaagtgtcag	tgtatcta	30120
gggtatttta	cccaacatc	ttttatctat	gacgttaaa	tcataccact	gcctacgcct	30180
agccaccta	gcactaccac	acagacaacc	cacactacac	agacaaccac	atcacgtaca	30240
ttaaatcagc	taccacacc	tacagcagca	gaggttgcca	gctcgtctgg	ggccgagtg	30300
gcatttttga	tgtgggcccc	atctagcagt	cccactgcta	gtaccaatga	gcagactact	30360
gaatttttgc	ccactgtcga	gagccacacc	acagctacct	ccagtgcctt	ctctagcacc	30420
gccaatctct	cctcgcttcc	ctctacacca	atcagtcctg	ctactactcc	tagcccgct	30480
cctcttccca	ctccctgaa	gcaaacagac	ggcgcatgc	aatggcagat	cacctgtctc	30540
attgtgatcg	gggtggctat	cctggccgtg	ttgctctact	acatctctg	ccgcgcgcat	30600
cccaacgcgc	agcgcaagcc	ggctacaa	cccatcattg	tcgggcagcc	ggagccgctt	30660
caggtggaag	ggggctctaa	gaatcttctc	ttctctttta	cagtatgg	attgaaactat	30720
gattcctaga	caattcttga	tcactattct	tatctgcctc	ctccaagtct	gtgccacct	30780
cgctctgg	gccaacgcca	gtccagactg	tattgggccc	ttgcctcct	acgtgctctt	30840
tgcttccacc	acctgcctct	gtcgtctgag	catagtctgc	ctgcttatca	ccttcttcca	30900
gttcattgac	tggatcttgg	tcgcgctcgc	ctacctgcgc	caccaccccc	agtaaccgca	30960
ccagcgagtg	gcgcggctgc	tcaggctcct	ctgataagca	tgccggctct	gctacttctc	31020
gcgcttctgc	tgttagtgct	cccccgctcc	gtcgaccccc	gggtcccccc	ccagtccccc	31080
gaggaggtcc	gcaaatgcaa	atcccaagaa	ccctggaaat	tcctcaaatg	ctaccgcca	31140
aaatcagaca	tccctccag	ctggatcatg	atcattggga	tcgtgaacat	tctggcctgc	31200
acctctatct	cccttctgat	ttacctctgc	tttgactttg	gttggaaactc	gccagaggcg	31260
ctctatctcc	cgctgaacc	tgacacacca	ccacagcaac	ctcaggcaca	cgcaactacca	31320
ccactacagc	ctaggcca	atacatgccc	atattagact	atgaggccga	gccacagcga	31380
cccatgctcc	ccgctattag	ttacttcaat	ctaaccggcg	gagatgactg	acctactggc	31440
caacaacaac	gtcaacgacc	ttctcctgga	catggacggc	cgcgctcctg	agcagcgact	31500
cgcccaactt	cgcattcgcc	agcagcagga	gagagccgtc	aaggagctgc	aggatgcggt	31560
ggccatccac	cagtgcaga	gaggcatctt	ctgcctgg	aaacaggcca	agatctccta	31620
cgaggctcact	ccaaacgacc	atcgctctct	ctacgagctc	ctgcagcagc	gccagaagtt	31680
cacctgcctg	gtcggagctca	accccatcgt	catcaccacg	cagtcctggc	ataccaagg	31740
gtgcattccac	tgtcctcg	actcccccca	ctgcgtccac	actctgatca	agacctctg	31800
cggcctccgc	gacctctctc	ccatgaacta	atcaccccc	tatccagtga	aataaagatc	31860
atattgatga	tgatttttaca	gaaataaaaa	ataatcattt	gatttgaaat	aaagatataa	31920
tcataattgat	gatttgagtt	taacaaaaaa	ataaagaatc	acttacttga	aatctgatac	31980
caggtctctg	tccatgtttt	ctgccaacac	cacttcactc	ccctcttccc	agctctggtta	32040
ctgcaggccc	cggcgggctg	caaacttcc	ccacacgctg	aaggggatgt	caaattctctc	32100
ctgtccctca	atcttctatt	tatctctcat	cagatgtcca	aaaagcgctg	ccgggtggat	32160
gatgactctg	accocgtcta	ccctacgat	gcagacaacg	caccgacctg	gcccttcatc	32220
aacccccctt	tcgtctcttc	agatggattc	caagagaagc	ccctgggggt	gttgtccctg	32280
cgactggcgc	accocgtcac	caccaagaac	ggggaaatca	ccctcaagct	gggagagg	32340
gtggacctcg	attcctcg	aaaactcatc	tccaacacgc	ccaccaagc	cgccgcccct	32400
ctcagttttt	ccaacaacac	catttccctt	aacatggatc	acccttttta	cactaaagat	32460
ggaaaattat	cttacaagt	ttctccacca	ttaaatatat	tgagaacaag	catttcaaac	32520
acactagctt	taggttttgg	atcaggttta	ggactccgtg	gctctgcctt	ggcagtagac	32580
ttagtctctc	cacttacatt	tgatactgat	ggaaacataa	agcttacctt	agacagaggt	32640
ttgcattgta	caacaggaga	tgcattgaa	agcaacataa	gctgggctaa	aggtttaaaa	32700
tttgagatg	gagccatag	aaccaacatt	ggaaatgggt	tagagtttgg	aagcagtagt	32760
acagaacag	gtgttgatga	tgcttacc	atccaagtta	aacttggatc	tgcccttagc	32820

-continued

tgtgacagta	caggagccat	aatggctggt	aacaaagaag	acgataaact	cactttgtgg	32880
acaacacctg	atccatcacc	aaactgtcaa	atactcgag	aaaatgatgc	aaaactaaca	32940
ctttgcttga	ctaaatgtgg	tagtcaata	ctggccactg	tgctagctct	agttgttaga	33000
agtggaaacc	taaaacccat	tactggcacc	gtaagcagtg	ctcaggtggt	tctacgtttt	33060
gatgcaaacg	gtgttctttt	aacagaacat	tctacactaa	aaaaatactg	ggggataggg	33120
caggagagata	gcatagatgg	cactccatat	accaatgctg	taggattcat	gcccatttta	33180
aaagcttata	caaagtacac	aagttctact	actaaaaata	atatagtagg	gcaagtatac	33240
atgaatggag	atgtttcaaa	acctatgctt	ctcactataa	ccctcaatgg	tactgatgac	33300
agcaacagta	catattcaat	gtcattttca	tacacctgga	ctaataggag	ctatgttgga	33360
gcaacatttg	gggctaactc	ttataccttc	tatacatcgc	ccaagaatg	aacactgtat	33420
cccacccctg	atgccaaacc	ttcccacccc	actctgtgga	acaaactctg	aaacacaaaa	33480
taaaataaag	ttcaagtgtt	ttattgattc	aacagtttta	caggattcga	gcagttattt	33540
ttctccacc	ctcccaggac	atggaataca	ccacctctc	ccccgcaca	gcctgaaca	33600
tctgaatgcc	attggtgatg	gacatgcttt	tggtctccac	gttccacaca	gtttcagagc	33660
gagccagctc	cgggtcggtc	aggagatga	aacctccgc	gcactccgc	atctgcacct	33720
cacagctcaa	cagctgagga	ttgtcctcgg	tggtcgggat	cacggttatc	tggaagaagc	33780
agaagagcgg	cgggtgggaat	ctagtccgc	gaacgggatc	ggcgggtggg	gtcgcacag	33840
gccccgcagc	agtgcgtgcc	gcccgcgctc	cgtaacagctg	ctgtcagggg	ggcccggggc	33900
cagggactcc	ctcagcatga	tgcccacggc	cctcagcatc	agtcgtctgg	tgccggcgggc	33960
gcagcagcgc	atgcggagtc	cgctcaggtc	gctgcagtag	gtgcaacaca	gaaccaccag	34020
gttgttcaac	agtcctatgt	tcacacagct	ccagccgaaa	ctcatcgccg	gaaggatgct	34080
acccacgtgg	ccgtcgtacc	agatcctcag	gtaaatcaag	tggtgcccc	tccagaacac	34140
gctgcccacg	tacatgatct	ccttgggcat	gtggcgggtc	accacctccc	ggtaccacat	34200
cacctctctg	ttgaacatgc	agccccggat	gatcctcgcc	aaccacaggg	ccagcaccgc	34260
cccgcccgc	atgcagcgaa	gagaccccgg	gtcccggcaa	tggaatgga	ggaccaccgc	34320
ctcgtaccgc	tggtatcatc	gggagctgaa	caagtctatg	ttggcacagc	acaggcatat	34380
gctcatgcat	ctcttcagca	ctctcaactc	ctcgggggtc	aaaaccatat	cccagggcac	34440
ggggaaactc	tgacggacag	cgaaccccgc	agaacagggc	aatcctcgca	cagaacttac	34500
attgtgcatg	gacaggggat	cgcaatcagg	cagcaccggg	tgatcctcca	ccagagaagc	34560
gcgggtctcg	gtctcctcac	agcgtggtaa	ggggcccgcc	cgatacgggt	gatggcgggg	34620
cgcggctgat	cgtgttcgcg	accgtgtcat	gatgcagttg	ctttcggaac	tttctgtact	34680
tgctgtagca	gaacctggtc	cgggcgctgc	acaccgatcg	ccggcgccgg	tctcgccgct	34740
tggaacgctc	ggtgttgaaa	ttgtaaaaca	gccactctct	cagaccgtgc	agcagatcta	34800
gggcctcagg	agtgaagcat	atccccat	gcctgatggc	tctgatcaca	tcgaccaccg	34860
tggaatgggc	cagaccacgc	cagatgatgc	aattttgttg	ggtttcggtg	acggcggggg	34920
agggaaagac	aggaagaacc	atgattaaact	tttaatccaa	acggtctcgg	agtaactcaa	34980
aatgaagatc	gcggagatgg	caactctcgc	ccccgctgtg	ttggtggaaa	ataacagcca	35040
ggtcaaaagt	gatacgggtc	tcgagatggt	ccacgggtgc	ttccagcaaa	gcctccacgc	35100
gcacatccag	aaacaagaca	atagcgaaag	cgggaggggt	ctctaattcc	tcaatcatca	35160
tggtacactc	ctgcaccatc	ccagcataat	tttcattttt	ccagccttga	atgattcgaa	35220
ctagttcctg	aggtaaatcc	aagccagcca	tgataaagag	ctcgcgcaga	gcgcctcca	35280
ccggcattct	taagcacacc	ctcataattc	caagatatcc	tgctcctggt	tcacctgcag	35340
cagattgaca	cagggaatag	caaaatctct	gccgcgatcc	ctgagctcct	ccctcagcaa	35400
taactgtaag	tactctttca	tatcctctcc	gaaattttta	gccataggac	caccagggaat	35460
aagatttaggg	caagccacag	tacagataaa	ccgaagtcct	ccccagtgag	cattgcccaca	35520
tgcaagactg	ctataagcat	gctggctaga	cccggtgata	tcttcagat	aactggacag	35580
aaaaatcgcc	aggcaatttt	taagaaaaatc	aacaaaaagaa	aaatcctcca	ggtggacggt	35640
tagagcctcg	ggaacaacga	tgaagtaaat	gcaagcggtg	cgttccagca	tggttagtta	35700
gctgatctgt	agaaaaaaca	aaaatgaaca	ttaaacctag	ctagcctggc	gaacaggtgg	35760
gtaaatcggt	ctctccagca	ccaggcaggc	cacgggggtc	ccggcgccgac	cctcgtaaaa	35820
attgtcgcta	tgattgaaaa	ccatcacaga	gagacgttcc	cggtggccgg	cgtgaatgat	35880
tcgacaagat	gaatacaccc	ccggaacatt	ggcgtccgcg	agtgaaaaaa	agcgcccgag	35940
gaagcaataa	ggcactacaa	tgctcagctc	caagtcacgc	aaagcagatc	catgcggatg	36000
aagcacaaaa	ttctcagggtg	cgtacaaaaa	gtaattactc	ccctcctgca	caggcgagcaa	36060
agcccccgat	ccctccagggt	acacatacaa	agcctcagcg	tccatagctt	accgagcagc	36120
agcacacaa	aggcgcaaga	gtcagagaaa	ggctgagctc	taacctgtcc	acccgctctc	36180
tgctcaatat	atagcccaga	tctacactga	cgtaaggccc	aaagtctaaa	aataccgcc	36240
aaataatcac	acacgcccag	cacacgcccc	gaaacccggtg	acacactcaa	aaaaatacgc	36300
gcacttctct	aaacgcccac	aactgcgctc	atttcgggtg	tcccacgcta	cgtcatcaaa	36360
acacgacttt	caaattccgt	cgaccgttaa	aaacgtcacc	cgccccgccc	ctaacgggtc	36420
cccgtctctc	agccaatcag	cgccccgcat	ccccaaattc	aaacacctca	tttgcattat	36480
aacgcgcaca	aaaagtttga	ggtatatatt	tgatgatgg			36519

SEQ ID NO: 2 moltype = DNA length = 31588
 FEATURE Location/Qualifiers
 misc_feature 1..31588
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
 source 1..31588
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 2
 ccatcttcaa taataacact caaacttttt gtgcgcgtta atatgcaaat gaggcgtttg 60
 aatttgggga ggaagggcgg tgattgggtc agggatgagc gaccgttagg ggcggggcga 120
 gtgacgtttt gatgacgtgg ttgcgaggag gagccagttt gcaagttctc gtgggaaaag 180
 tgacgtcaaa cgaggtgtgg tttgaacacg gaaatactca attttccgcg gctctctgac 240

-continued

aggaaatgag	gtgtttcttg	gcggatgcaa	gtgaaaacgg	gccattttcg	cgcgaaaact	300
gaatgaggaa	gtgaaaatct	gagtaatttc	gcgtttatgg	cagggaggag	tatttgccga	360
gggccgagta	gactttgacc	gattacgtgg	gggtttcgat	taccgtgttt	ttcacctaaa	420
tttccgcgta	cgggtgtcaa	gtccggtggt	tttacgtagg	tgtcagctga	tcgccagggt	480
atttaaacct	gcgctctcca	gtcaagaggc	cactcttgag	tgccagcgag	aagagttttc	540
tcctccgcgc	cgcgagtcag	atctacactt	tgaagtagg	gataacaggg	taatgacatt	600
gattattgac	tagttgttaa	tagtaatcaa	ttacggggtc	attagttcat	agcccatata	660
tggagtccgc	cgttacataa	cttacggtaa	atggcccgcc	tggctgacct	cccaacgacc	720
ccgcccatt	gacgtcaata	atgacgtatg	ttcccatagt	aacgccata	gggactttcc	780
attgacgtca	atgggtggag	tatttacggg	aaactgccc	cttggcagta	catcaagtgt	840
atcatatgcc	aagtcgcccc	cctattgacg	tcaatgacgg	taaatggccc	gcctggcatt	900
atgcccagta	catgacctta	cgggactttc	ctaactggca	gtacatctac	gtattagtca	960
tcgctattac	catggtgatg	cgtttttggc	agtacaccaa	tgggcgtgga	tagcggtttg	1020
actcacgggg	atttccaaag	ctccacccca	ttgacgtcaa	tgggagtttg	ttttggcacc	1080
aaaatcaacg	ggacttttcca	aaatgtcgta	ataaccccgc	cccgttgacg	caaatgggcg	1140
gtaggcgtgt	acggtgggag	gtctatataa	gcagagctcg	tttagtgaac	cgtcagatcg	1200
cctggaacgc	catccacgct	gttttgacct	ccatagaaga	cagcgatcgc	gccaccatgg	1260
ccgggatgtt	ccaggcactg	tccgaaggct	gcacacccta	tgatattaac	cagatgctga	1320
atgtcctggg	agaccaccag	gtctctggcc	tggagcagct	ggagagcatc	atcaacttcg	1380
agaagctgac	cagatggaca	agctccaatg	tgatgcctat	cctgtcccca	ctgaccaagg	1440
gcatcctggg	cttcgtgttt	accctgacag	tgccttctga	gcggggcctg	tcttgcatca	1500
gcgaggcaga	cgaaccacaa	ccagagtcgg	ccaactctgg	cagggagatc	ctgtctcagc	1560
tgtacctgtg	gccccgggtg	acatacact	ccccttctta	cgcctatcac	cagtttcgagc	1620
ggagagccaa	gtacaagaga	cacttcccag	gctttggcca	gtctctgctg	ttcggtacc	1680
ccgtgtacgt	gttcggcgat	tgcgtgcagg	gcgactggga	tgcctccggg	tttagatact	1740
gcgcaccacc	tggatatgca	ctgctgaggt	gtaacgacac	caattattcc	gcctctgctg	1800
cagtggggcg	cctggagggg	cctcgcaatc	aggattggct	gggcgtgcc	aggcagctgg	1860
tgacacgcac	gcaggccatc	cagaacgcag	gcctgtgcac	cctggtggca	atgctggagg	1920
agacaatctt	ctggctgcag	gcctttctga	tggccctgac	cgacagcggc	cccaagacaa	1980
acatcatcgt	ggattcccag	tacgtgatgg	gcattctcaa	gccttcttcc	caggagtttg	2040
tggactggga	gaactgtgag	ccagagctga	attccaccga	tcagccattc	tggcaggcag	2100
gaatcctggc	aaggaaacct	gtgcctatgg	tggccacagt	gcagggccag	aatctgaagt	2160
accagggcca	gagcctggtc	atcagcgcc	ccatcatcgt	gtttaacctg	ctggagctgg	2220
agggcgacta	tcgggacgat	ggcaacgtgt	gggtgcacac	cccactgagc	cccagaacac	2280
tgaacgcctg	gggtgaaggcc	gtggaggaga	agaagggcat	cccagtgac	ctggagctgg	2340
cctccatgac	caatatggag	ctgatgtcta	gcactgtgca	ccagcagggtg	aggacatacg	2400
gaccctgtgt	catgtgcctg	ggaggccctg	tgaccatggt	ggcaggagcc	gtgtggtgta	2460
cagtgccggg	gtcggagctg	ttcagagccg	cccagctggc	caacgatgtg	gtgctgcaga	2520
tcatggagct	gtgcggagca	gcctttcgcc	agggtgtgca	caccacagtg	ccatggccca	2580
atgcctccct	gaccccaacg	tggaaacaatg	agacaacaca	gcctcagatc	gccaactgta	2640
gcgtgtacga	cttcttcctg	tggctgcact	actatagcgt	gagggatacc	ctgtggcccc	2700
gcgtgacata	ccacatgaat	aagtaacgct	atcacatgct	ggagaggcgc	gccaaagtata	2760
agagaggccc	tcggcccaggc	gcaaaagttt	tggcagcatg	gacctgaag	gccgcccggc	2820
gcccggggcc	cggccagtat	atcaaggcta	acagtaagtt	cattggaatc	acagagctgg	2880
gaccgggacc	tggataatga	gtttaaactc	ccatttaaat	gtgaggggta	atgcttcgag	2940
cagacatgat	aagatacaat	gatgagtttg	gacaaaccac	aactagaatg	cagtgaaaaa	3000
aatgctttat	ttgtgaaatt	tgtgatgcta	ttgctttatt	tgtaaacctt	ataagctgca	3060
ataaacaagt	taacaacaac	aattgcattc	attttatggt	tcagggttcag	ggggagatgt	3120
gggaggtttt	ttaaagcaag	taaaacctct	acaaatgtgg	taaaataact	ataacggtcc	3180
tgaagttagc	agttagtagt	gttctggggc	gggggaggac	ctgcatgagg	gccagaataa	3240
ctgaaatctg	tgtctttctg	tgtgttgacg	cagcatgagc	ggaagcggct	cctttgaggg	3300
aggggtattc	agcccttacc	tgaacggggc	ctctccctcc	tgggcgggag	tgcctcagaa	3360
tgtgatggga	ttccacggtg	acggccggcc	cgtgcagccc	gcgaactctt	caacctgac	3420
ctatgcaacc	ctgagctctt	cgtcgttgga	cgcagctgcc	gccgcagctg	ctgcatctgc	3480
cgccagcgcc	gtgcgcgga	tggccatggg	cgccggctac	tacggcactc	tgggtggcaa	3540
ctcgagttcc	accaataatc	ccgccagcct	gaacgaggag	aagctgttgc	tgtgatggc	3600
ccagctcgag	gccttgaccc	agcgcctggg	cagactgacc	cagcaggtgg	ctcagctgca	3660
ggagcagacg	cgggcccgcg	ttgccacggt	gaaatccaaa	taaaaaatga	atcaataaat	3720
aaacggagac	gggtgttgat	tttaacacag	agtctgaatc	tttatttgat	ttttcgcgcg	3780
cggtagggcc	tggaccacgc	gtctcgatca	ttgagcacc	gggtgatctt	ttccaggacc	3840
cggtagaggt	gggcttggtg	gttgaggtac	atgggcatag	gccgctcccg	ggggtggagg	3900
tagctccatt	gcagggcctc	gtgctcgggg	gtgggtgtgt	aaatcaccca	gtcatagcag	3960
gggcgcaggg	catggtgttg	cacaatatct	ttgaggagga	gactgatggc	cacgggcagc	4020
cctttggtgt	aggtgtttac	aaatctgttg	agctgggagg	gatgcacg	gggggagatg	4080
aggtgcacct	tggcctggat	cttgagattg	gcgatgttac	cgccagatc	ccgctggggg	4140
ttcatgttgt	gcaggaccac	cagcacggtg	tatccggtgc	acttggggaa	tttatcatgc	4200
aacttggaag	ggaaggcgtg	aaagaatttg	gcgacgcctt	tgtgcccgcc	cagggttttc	4260
atgcactcat	ccatgatgat	ggcgatgggc	ccgtggggcg	cggcctgggc	aaagacgttt	4320
cgggggtcgg	acacatcata	gttgtgtgtc	tgggtgaggt	catcataggc	cattttaatg	4380
aatttggggc	ggaggggtgc	ggactggggg	acaaaggtac	cctcgatccc	gggggctgag	4440
ttccctcac	agatctgcat	ctcccaggct	ttgactcgg	agggggggat	catgtccacc	4500
tgcggggcga	taaagaacac	gggtttccgg	gcgggggaga	tgaactgggc	cgaagacaag	4560
ttccggagca	gctgggactt	gccgcagccg	gtggggccgt	agatgacccc	gatgaccgcg	4620
tgcaggtggt	agttgaggga	gagacagctg	ccgtcctccc	ggaggagggg	ggccacctcg	4680
tcacatcatc	cgcgcacgtg	catgttctcg	cgcaccagtt	ccgcacggag	gcgctctccc	4740
cccagggata	ggagctcctg	gagcagggcg	aagtttttca	gcggtctgag	tcctgcggcc	4800

-continued

atgggcattt	tggagagggg	ttgttgcaag	agttccaggc	gggtcccagag	ctcgggtgatg	4860
tgctctacgg	catctcgaac	cagcagacac	cctcgttttcg	cgggttgggga	cggctgcggg	4920
agtagggcac	cagacgatgg	gcgtccagcg	cagccagggt	cgggtccttc	cagggtcgca	4980
gcgtccgcgt	cagggtgggt	tccgtcacgg	tgaaggggtg	cgcgcggggc	tgggcgcttg	5040
cgaggggtcg	cttcaggctc	atccgctgg	tcgaaaaccg	ctcccgatcg	gcgcctcgcg	5100
cgtcggccag	gtagcaattg	accatgagtt	cgtagttgag	cgcctcggcc	gcgtggcctt	5160
tggcgcggag	cttacctttg	gaagtctgcc	cgcaggcggg	acagaggagg	gacttgaggg	5220
cgtagagctt	ggggggcagg	aagacggact	cgggggcgta	ggcgtccgcg	cgcagtgagg	5280
cgcagacggt	ctcgcactcc	acgagccagg	tgaagtcggg	ctggtcgggg	tcaaaaacca	5340
gtttcccgcc	gtttcttttt	atcggtttct	tacctttggt	ctccatgagc	tctgtctccc	5400
gctgggtgac	aaagagcgctg	tccgtgtccc	cgtagaccga	ctttatgggc	cggctcctcga	5460
gcgggtgtgcc	gcggtctctc	tcttagagga	accccgccca	ctccgagacg	aaagcccggg	5520
tccagggccag	cacgaaggag	gccacgtggg	acgggtagcg	gtcgttgtcc	accagcgggt	5580
ccaccttttc	cagggtatgc	aaacacatgt	ccccctcgtc	cacatccagg	aagggtgattg	5640
gcttgtaagt	gtaggccacg	tgaccggggg	tcccgccggg	gggggtataa	aagggtgcgg	5700
gtccctgctc	gtcctcactg	tcttcggat	cgtgtccag	gagcgcagc	tgttggggta	5760
ggatattccct	ctcgaaggcg	ggcatgacct	cggcactcag	gttgtcagtt	tctagaaacg	5820
aggaggattt	gatattgacg	gtcccgccgg	agatgccttt	caagagcccc	tctgtccatct	5880
ggtcagaaaa	gacgatcttt	ttgttgtcga	gcttggtggc	gaaggagccg	tagagggcgt	5940
tggagaggag	cttggcgatg	gagcgcattg	tctggttttt	tctcttgtcg	gcgcgctcct	6000
tggcggcgat	gttgagctgc	acgtactcgc	gcgcacacga	cttccatcgc	gggaagacgg	6060
tggtcagctc	gtcgggcaag	attctgacct	gccagccccc	attatgcagg	gtgatgaggt	6120
ccacactggt	ggccacctcg	ccgcgcaggg	gctcattagt	ccagcagagg	cgtccgcccc	6180
tgcgcgagca	gaaggggggg	agggggtcca	gcatacctc	gtcggggggg	tgcgcacgca	6240
tggtagaat	tccgggcagg	aggtcggggg	caaagtagct	gatggaagtg	gccagatcgt	6300
ccagggcagc	gttccattcg	cgcacggcca	gcgcgcgctc	gtagggaactg	agggggcgctc	6360
cccagggcat	gggatgggta	agcgcggagg	cgtacatgcc	gcagatgtcg	tagacgtaga	6420
ggggctcctc	gaggtagccg	atgtaggtgg	ggtagcagcg	cccccccgcg	atgctggcgc	6480
gcacgtatgc	atacagctcg	tgcgaggggg	cagggagccc	cgggcccagg	ttgggtgcgc	6540
tgggcttttc	ggcgcggtag	acgatctggc	ggaaaaagcg	atgcgagttg	gaggagatgg	6600
tgggcttttg	gaagatggcg	aagtgggctg	ggggcagtcg	gaccgagtcg	cggatgaagt	6660
ggggttagga	gtcttgacg	ttggcgacga	gctcggcggt	gactaggacg	tccagagcgc	6720
agtagtcgag	gggtctctgg	atgatgtcat	acttgagctg	tcccttttgt	ttccacagct	6780
cgcggttgag	aaggaactct	tcgcggtcct	tccagtaact	ttcgaggggg	aaccgcctct	6840
gatctgcacg	gttaagagcct	agcatgtaga	actggttgac	ggccttgtag	gcgcagcagc	6900
ccttctccac	ggggagggcg	taggcctggg	cggccttgcg	cagggaggtg	tgcgtgaggg	6960
cgaaggtgtc	cctgaacctg	acttgaggga	actggtgctt	gaagtgcata	tctgcgcagc	7020
ccccctgctc	ccagagctgg	aagtccgtgc	gcttcttgta	ggcgggggtg	ggcaaaagcga	7080
aagttaacatc	gttgaagagg	atcttgcccc	cgcggggcat	aaagtgcga	gtgatgcgga	7140
aagggtgggg	cacctcggcg	cggttgttga	tgacctgggc	ggcgagcagc	atctcgtcga	7200
agccgttgat	gttgtgccc	acgatgtaga	gttccacgaa	tgcgggacgg	cccttgacgt	7260
ggggcagttt	cttgagctcc	tcttaggtga	gctcgtcggg	gtcgtgagc	cctgtgctgt	7320
cgaagcggca	tgcggcgaga	tgggggttgg	cgcggaggaa	ggaagtccag	agatccacgg	7380
ccagggcggt	ttgcagacgg	tcccgtact	gacggaaactg	ctgcccagac	gccatttttt	7440
cgggggtgac	gcagtagaag	gtcgggggtg	ccccgtgcca	gcgacccat	ttgagctgga	7500
gggcgagatc	gagggcgagc	tgcagagccc	ggctcgtccc	ggagagtttc	atgaccagca	7560
tgaaggggac	gagctgcttg	ccgaaggacc	ccatccaggt	gtagggttcc	acatcgtagg	7620
taggaaagag	cctttcgggtg	cgaagatgcg	agccgatggg	gaagaaactg	atctcctgcc	7680
accaatttga	ggaattgctg	ttgatgtgat	ggaagtagaa	atgcgcagcg	cgcgcggaac	7740
actcgtgctt	gtgtttatag	aagcggccac	agtgcctcga	acgctgcacg	ggatgcacgt	7800
gctgcacgag	ctgtacctga	gttcccttga	caggaatttt	cagtggaag	tggagtcgtg	7860
gcgcctgcac	ctcgtgctgt	actacgtcgt	ggtggtcggc	ctggccctct	tctgcctcga	7920
tgggtggtcat	gctgacgagc	ccgcgcggga	ggcaggtcca	gacctcggcg	cgaagcgggtc	7980
ggagagcgag	gacgagggcg	cgcagggccg	agctgtccag	ggctcgtgag	cgtgcgggag	8040
tcaaggtcagt	gggcagcgcg	ggcgcgcggt	tgaattgcag	gagtttttcc	agggcgcgcg	8100
ggaggtccag	atggtacttg	atctccaccg	cgcattgggt	ggcgacgtcg	atggcttgca	8160
gggtcccgtg	ccccgtgggt	gtgaccaccg	tccccggtt	cttcttgggc	ggctggggcg	8220
acggggcgcg	tgcctcttcc	atgggttagaa	cgcggcgcgga	ggacgcgcgc	cgggcggcgag	8280
gggcggctcg	gggcccggag	gcagggggcg	cagggggcag	tgcggcgccg	gcgcgggtag	8340
gttctggtac	tgcgcccggga	gaagactggc	gtgagcgacg	acgcgacggg	tgacgtcctg	8400
gatctgacgc	ctctgggtga	agccacgggg	accctgtagt	ttgaacctga	aagagagttc	8460
gacagaatca	atctcgggtat	cgttgacggc	ggcctgcgcg	aggaatctct	gcacgtcgcc	8520
cgaattgtcc	tggtaggcga	tctcggtcac	gaactgctcg	atctcctcct	cttgaagggtc	8580
tccgcggccg	gcgcgctcca	cgggtggcgc	gaggtcgttg	gagatgcggc	ccatgagctg	8640
cgaagaaggcg	ttcatgcccc	cctcgttcca	gacgcggctg	tagaccacga	cgcctcgggg	8700
atcgcggggcg	cgcgatgacca	cctgggcgag	gttgagctcc	acgtggcgcg	tgaagaccgc	8760
gtagttgcag	aggcgctggg	agaggtagtt	gagcgtggtg	gcgatgtgct	cgggtgacga	8820
gaaatacatg	atccagcgcg	ggagcggcat	ctcgtgacg	tgcgccagcg	cctccaaacg	8880
ttccatggcc	tctgaaaaag	ccacggcgaa	gttgaaaaac	tggaagttgc	gcgcggagac	8940
ggtaaacctc	tcctccagaa	gacggatgag	ctcggcgatg	gtggcgcgca	cctcgcgctc	9000
gaagcccccc	gggagttcct	ccacttctct	ttcttctctc	tccactaaca	tctcttctac	9060
ttcttctca	ggcggcgagtg	gtggcggggg	agggggcgctg	cgtcgcggcg	ggcgacgggg	9120
cagacggctg	atgaagcgct	cgtatgtctc	gcccgcggcg	cgtcgcagtg	tctcgtgac	9180
ggcgcgcccg	tcctcgcggg	gcccgcagct	gaagacggcg	cgcgcgcatc	ccaggtggcc	9240
gggggggtcc	cgttggggca	gggagagggc	gctgacgatg	catcttatca	attgccccgt	9300
agggactccg	cgcaaggacc	tgagcgtctc	gagatccacg	ggatctgaaa	accgctgaac	9360

-continued

gaaggtctcg	agccagtcgc	agtgcgaagg	taggctgagc	acggtttctt	ctggcggggtc	9420
atgttggttg	ggagcggggc	gggcgatgct	gctggtgatg	aagttgaaat	aggcggttct	9480
gagacggcgg	atggtggcga	ggagcaccag	gtctttgggc	ccggcttgct	ggatgcgcag	9540
acggtcggcc	atgccccagg	cgtggctctg	acacctggcc	aggctctgtg	agtagtctcg	9600
catgagccgc	tcacggggca	cctcctctct	gcccgcgcgg	ccgtgcatgc	gcgtgagccc	9660
gaagccgcgc	tggggctgga	cgagcgccag	gtcggcgacg	acgcgctcgg	cgaggatggc	9720
ttgctggatc	tgggtgaggg	tggctctgaa	gtcatcaaa	tcgacgaagc	ggtggtaggc	9780
tcgggtgttg	atggtgtagg	agcagttggc	catgacggac	cagttgacgg	tctggtgggc	9840
cgagcgacgc	agctcgtggt	acttgaggcg	cgagtaggcg	cgctgtgcga	agatgtatgc	9900
ggtgcagggt	cgcaccagg	actggtagcc	gatgaggaag	tgcggcggcg	gctggcggta	9960
gagcggccat	cgctcgggtg	cgggggcgcc	gggcgcgagg	tcctcgagca	tgggtcgggt	10020
gtagccgtag	atgtacctgg	acatccaggt	gatgccggcg	gcggtggtgg	aggcgcgcgg	10080
gaactcgcgg	acgcgggttc	agatgttgcg	cagcggcagg	aagtagttca	tggtagggcac	10140
ggctcggggc	gtgagggcgg	cgcagtcgtg	gatgctctat	acgggcaaaa	acgaaagcgg	10200
tcagcggctc	gactccgtgg	cctggaggct	aagcgaaacg	ggtgggtcgc	gcgtgtaccc	10260
cggttcgaat	ctcgaatcag	gctggagccg	cagctaacgt	ggtattggca	ctcccgctct	10320
gaaccaagcc	tcaccaaac	ctccaggata	cggaggcggg	tcgttttgca	actttttttt	10380
ggaggccgga	tgagactagt	aagcgcggaa	agcggccgac	cgcgatggct	cgctgcgcta	10440
gtctggagaa	gaatcgccag	ggttgcggtg	cggttgcccc	cggttcgagg	ccggccggat	10500
tcggcggtta	acgagggcgt	ggctgcggcg	tcgtttccaa	gaacccatag	ccagccgact	10560
tcctcagtta	cggagcgagc	cctctctttg	ttttgtttgt	ttttgcgaga	tgcatcccg	10620
actgcggcag	atgcgcggcg	accacccctc	acgcgaacaa	cagcccccct	cacagccggc	10680
gcttctgccc	ccgcccagc	agcaacttcc	agccacgacc	gcccggcgcc	ccgtgagcgg	10740
ggctggacag	agttatgatc	accagctggc	cttggaagag	ggcgaggggc	tggcgcgcc	10800
ggggcgctcg	tcgcgcggag	ggcaccggcg	cgtgcagatg	aaaaggagac	ctcgcgaggc	10860
ctacgtgccc	aagcagaacc	tgttcagaga	caggagcggc	gaggagcccg	aggagatgcg	10920
cgcgcccgcg	ttccacgcgg	ggcgggagct	cgccgcggcg	ctggaccgaa	agagggtgct	10980
gagggacgag	gatttcgag	cggacgagct	gacggggatc	agcccccgcg	gcgcgcacgt	11040
ggccgcggcc	aacctgggtc	cggcgtaaca	gcagaccgtg	aaggagagga	gcaacttcca	11100
aaaactcctc	aacaaccacg	tcgcgaccct	gatcgcgcgc	gaggaggtga	ccctggggc	11160
gatgcacctg	tgggacgtgc	tggaggccat	cgtgcagaac	cccaccagca	agccgctgac	11220
ggcgacgctg	ttctgtgtgg	tgacgcatag	tcgggacaac	gaagcgttca	gggagggcgt	11280
gctgaatatc	accgagcccg	aggggcgctg	gctcctggac	ctggtgaaca	ttctgcagag	11340
catcgtggtg	caggagcgcg	ggctgcgcgt	gtccgagaag	ctggcgccca	tcaacttctc	11400
ggtgctgagt	ttgggcaagt	actacgctag	gaagatctac	aagaccccg	acgtgccc	11460
agacaaggag	gtgaagatcg	acgggtttta	catgcgcgat	accctgaaag	tgctgaccct	11520
gagcgacgat	ctgggggtgt	accgcaacga	caggatgcac	cgtgcggtga	gcgccagcag	11580
gcgcgcgag	ctgagcgacc	aggagctgat	gcatagtctg	cagcggggcc	tgaccggggc	11640
cgggaccgag	ggggagagct	actttgacat	gggcgcggac	ctgcactggc	agcccagccg	11700
ccgggccttg	gaggcgccgg	caggacccta	cgtagaagag	gtggacgatg	aggtggacga	11760
ggagggcgag	tacctggaa	actgatggcg	cgaccgtatt	tttgctagat	gcaacaaaca	11820
cagccacctc	ctgatcccg	gatgcggcg	gcgctgcaga	gccagccgct	cggcattaac	11880
tcctcggacg	atggaccoca	ggccatgcaa	cgcatcatgg	cgctgacgac	ccgcaacccc	11940
gaagccttta	gacagcagcc	ccaggccaac	cggctctcgg	ccatcctgga	ggcgggtggt	12000
ccctcgcgct	ccaacccccc	gcacgagaag	gtcctggcca	tcgtgaaacg	gctggtggag	12060
aacaaggcca	tcgcggcgca	cgaggccggc	ctggtgtaca	acgcgctgct	ggagcgcgtg	12120
gcccgcctaca	acagcaccaa	cgtgcagacc	aacctggacc	gcattggtgac	cgacgtgcgc	12180
gagggccgtg	cccagcgaga	gcgggtccac	cgcgagtgca	acctgggatc	catggtggcg	12240
ctgaacgcct	tcctcagcac	ccagcccgcc	aacgtgcccc	ggggcaggga	ggactacacc	12300
aaacttcata	gcgcccctgc	cctgatgggt	accgaggtgc	ccagagcgga	ggtgtaccag	12360
tcggggcgcg	actactctct	ccagaccagt	cgccagggtc	tgacagccgt	gaacctgagc	12420
aggctttcca	gaaacttgca	gggcctgtgg	ggcgtgcagg	cccgggtcgg	ggaccgcgcg	12480
acgggtgcga	gcctgctgac	gccgaactcg	cgccgtgctc	tgctgctggt	ggcccccttc	12540
acggacagcg	gcagcatcaa	cgcgaactcg	tacctgggct	acctgattaa	cctgtaccgc	12600
gagggccatc	gccaggcgca	cagacctaacc	aggagatcac	ccacgtgagc		12660
gcgcgccctg	gccaggacga	cccgggcaac	ctgggaagcca	ccctgaactt	tttctgaccc	12720
aaccgggtcg	agaagatccc	gccccagtag	gcgctcagca	ccgaggagga	gcgcacccct	12780
cggtacgtgc	agcagagcgt	gggcctgttc	ctgatgcagg	agggggccac	ccccagcgcc	12840
gcgctcgaca	tgaccgcgcg	caacatggag	cccagcatgt	acgcccagca	ccgcccggtc	12900
atcaataaac	tgatggacta	cttgcatcgg	gcggccgcca	tgaactctga	ctatttcacc	12960
aacgccatcc	tgaatcccca	cgcgctcccg	ccgcgggggt	tctacacggg	cgagtacgac	13020
atgcccgcacc	ccaatgacgg	gttccctgtg	gacgatgtgg	acagcagcgt	gttctccccc	13080
cgaccgggtg	ctaacgagcg	ccccttgtgg	aagaagggaag	gcagcgaccg	acgcccggtc	13140
tcggcgctgt	ccggcccgga	gggtgctgcc	gcggcggtgc	ccgaggccgc	cagtctcttc	13200
ccgagcttgc	cctctcgct	gaacagtatc	cgcagcagcg	agctgggcag	gatcacgcgc	13260
ccgcgccttg	tgggcgaaga	ggagtacttg	aatgactcgc	tggtgagacc	cgagcgggag	13320
aagaacttcc	ccaataacgg	gatagaaagc	ctgggtggaca	agatgagccg	ctggaagacg	13380
tatgcgcagg	agcacaggga	cgatcccccg	gcgtcgcagg	gggcccagag	ccggggcagc	13440
gcccggcgta	aacgcgggtg	gcacgacagg	cagcggggag	agatgtggga	cgatgaggac	13500
tcggccgacg	acagcagcgt	gttggaactt	ggtgggagtg	gtaacccggt	cgctcacctg	13560
cgcccccgta	tcgggcgcac	gatgtaagag	aaaccgaaaa	taaatgatac	tcaccaaggc	13620
catggcgacc	agcgtgcgtt	cgtttctctc	ctgtgtgtgt	tgatctagat	atgatgaggc	13680
gtgcgtaccc	ggagggtcct	cctccctcgt	acgagagcgt	gatgcagcag	gcgatggcgg	13740
cggcgcgcat	gcagcccccg	ctggagggtc	cttactgtgc	cccgcggtag	ctggcgccca	13800
cggagggcg	gaacagcatt	cgttactcgg	agctggcacc	cttgtacgat	accacccggt	13860
tgtacctggt	ggacaacaag	tcggcgggaca	tcgcctcgct	gaactaccag	aacgaccaca	13920

-continued

gcaacttctc	gaccaccgtg	gtgcagaaca	atgacttcac	ccccacggag	gccagacccc	13980
agaccatcaa	ctttgacgag	cgctcgcggt	ggggcggcca	gctgaaaacc	atcatgcaca	14040
ccaacatgcc	caacgtgaac	gagttcatgt	acagcaacaa	gttcaaggcg	cgggtgatgg	14100
tctcccgcaa	gaccccaat	gggggtgacag	tgacagagga	ttatgatggt	agtcaggatg	14160
agctgaagta	tgaatgggtg	gaatttgagc	tgcccgaagg	caacttctcg	gtgaccatga	14220
ccatcgacct	gatgaacaac	gccatcatcg	acaattactt	ggcgggtggg	cggcagaacg	14280
gggtgctgga	gagcgacatc	ggcgtgaagt	tcgacactag	gaacttcagg	ctgggctggg	14340
accccgtagc	cgagctggtc	atgcccgggg	tgtacaccaa	cgaggctttc	catcccga	14400
ttgtcttgct	gcccgggtgc	gggggtggact	tcaccgagag	cgcctcagc	aaactgctgg	14460
gcattcgcaa	gaggcagccc	ttccaggaag	gcttccagat	catgtacgag	gatctggagg	14520
ggggcaacat	ccccgcgctc	ctggatgtcg	acgcctatga	gaaaagcaag	gaggatgcag	14580
cagctgaagc	aaactgcagcc	gtagctaccg	cctctaccga	ggtcaggggc	gataattttg	14640
caagcgccgc	agcagtgcca	gcggccgagg	cggctgaaac	cgaaagtaag	atagtcattc	14700
agccgggtga	gaaggatagc	aagaacagga	gctacaacgt	actaccggac	aagataaaca	14760
ccgcctaccg	cagctgtgtac	ctagcctaca	actatggcga	ccccgagaag	ggcgtgcgct	14820
cctggacgct	gctcaccacc	ctggacgtca	cctgcggcgt	ggagcaagtc	tactggtcgc	14880
tgcccgcacat	gatgcaagac	cgggtcacct	tcgcctccac	gcgtcaagtt	agcaactacc	14940
cgggtgggtgg	cgccgagctc	ctgcccgtct	actccaagag	cttcttcaac	gagcaggccg	15000
tctactcgca	cgaactggcg	gccttcacct	cgttacgca	cgtcttcaac	cgcttcccgc	15060
agaaaccgat	cctcgtccgc	ccgcccgcgc	ccaccattac	caccgtcagt	gaaaacgttc	15120
ctgctctcac	agatcacggg	accctgcccgc	tgccgagcag	tatccgggga	gtccagcgcg	15180
tgaccgttac	tgaagccaga	gcgcgcaact	gcccctacgt	ctacaaggcc	ctgggcatag	15240
tcgcccgcgc	cgtcctctcg	agccgcacct	tctaactgtc	cattctcatc	tcgcccagta	15300
ataaacccgg	ttggggcctg	cgccgcgcca	gcaagatgta	cggaggcgct	cgccaacgct	15360
ccacgcaaca	cccctggcgc	gtgcgcgggc	acttccgcgc	tcctggggc	gccctcaagg	15420
gcccgcgtgc	gtgcgcgacc	accgtcgacg	acgtgatcga	ccagggtggg	gccgacgcgc	15480
gcaactacac	ccccgcgcgc	gcgcccgtct	ccaccgtgga	cgccgtcatc	gacagcgtgg	15540
tgccgcgacg	gcgcgggtac	gcccgcgcca	agagccggcg	gcggcgcatc	gcccgcgggc	15600
acccgagcac	cccgcgcatg	cgccgcggcg	gagccttgct	gcgcaggggc	agggcgacgg	15660
gacgcagggc	catgctcagg	gcggccagac	gcgcgggttc	agggcgccag	gcccgcaggga	15720
cccgagagcg	gcgcggccag	gcggccgagc	cggccatcgc	cagcatgtcc	gcggcgccgc	15780
gagggaacgt	gtactgggtg	cgcgacgcgc	ccaccgggtg	gcgcgtgcc	gtgcgcaccc	15840
gccccctcgc	caactgaaga	tgttcacttc	gcgatgttga	tgtgtcccag	cggcgaggag	15900
gaagtccaag	gcgaatttca	aggaagagat	gctccaggtc	atcgccctgc	agatctacgg	15960
ccctgcggtg	gtgaaggagg	aaagaagacc	ccgcaaaatc	aagcgggtca	aaaaggagaa	16020
aaagggaaga	gaaagtgatg	tggacgggatt	ggtggagttt	gtgcgcgagt	tcgccccccg	16080
gcggcgcgctg	cagtggcgcg	ggcggaagggt	gcaaccggtg	ctgagaccgc	gcaccaccgt	16140
ggctctcacg	cccggcgagc	gctccggcac	cgcttccaa	cgctcctacg	acgagggtga	16200
cggggatgat	gatattctcg	agcaggcggc	cgagcgccgc	ggcgagtttg	cttacggcaa	16260
gcgcagccgt	tcgcgaccga	aggaagaggg	ggtgtccatc	ccgctggacc	acggcaaccc	16320
cacgcgagc	ctcaagcccg	tgaccttgca	gcaggtgctg	ccgaccgcgc	cgccgcgcgc	16380
gggggttcaag	cgcgaggggcg	aggatctgta	ccccaccatg	cagctgatgg	tgcccgaagc	16440
ccagaagctg	gaagcagctg	tggagaccat	gaaggtggac	ccggacgtgc	agcccagagt	16500
caaggtgcgg	cccatcaagc	aggtggcccc	gggcctgggc	gtgcagaccg	tggacatcaa	16560
gattcccacg	gagcccatgg	aaacgcagac	cgagcccatg	atcaagccca	gcaccagcac	16620
catggaagtg	cagacgggatc	cctggatgcc	atcggtcctc	agtccaagac	cccggcgcaa	16680
gtacggcgcg	gccagcctgc	tgatgcccc	ctacgcgctg	catccttcca	tcacccccac	16740
gcggggctac	cgcggcacgc	gcttctaccg	cggctatacc	agcagccgc	gcccgaagac	16800
caccactcgc	cgccgcgctc	gcgcgaccgc	cgtgcgaacc	acccttgccc	ccctgggtgc	16860
gagagtgtac	cgccgcggcc	gcgcacctct	gaccctgcgc	cgccgcgcgc	accaccgcag	16920
catcgccatt	taaaacttgc	cctgctttgc	agatcaatgg	ccctccatgc	ccgcttctgc	16980
gttcccatat	cgggctaccg	aggaagaaaa	ccgcgcgcta	gaaggctggc	ggggaacggg	17040
atgctgcgc	accaccaccg	gcggcgggcg	gccatcagca	agcgggtggg	gggaggcttc	17100
ctgcccgcgc	tgatccccat	catcgccgcg	gcgatcgggg	cgatccccgc	cattgcttcc	17160
gtggcgggtg	aggcctctca	gcgcactga	gacacacttg	gaaacatctt	gtaataaacc	17220
aatggactct	gagctcctg	gtcctgtgat	gtgttttctg	agacagatgg	aagacatcaa	17280
tttttcgtcc	ctggctccgc	gacacggcac	gcggccgttc	atgggcacct	ggagcgacat	17340
cggcaccagc	caactgaacg	ggggcgccct	caattggagc	agtctctgga	gcgggcttaa	17400
gaatttcggg	tcacgcctta	aaacctatgg	cagcaaggcg	tggaaacagca	ccacagggca	17460
ggcgtgaggg	gataagctga	aagagcagaa	cttccagcag	aagggtggcg	atgggctcgc	17520
ctcgggcac	aacgggggtg	tggacctggc	caaccaggcc	gtgcagcggc	agatcaacag	17580
ccgctgggac	ccggtgcccgc	ccgcccggctc	cgtggagatg	ccgcagggtg	aggaggagct	17640
gctccccctg	gacaagcggg	gcgagaagcg	accccgcgcc	gatcgggagg	agacgctgct	17700
gacgcacacg	gacgagccgc	ccccgtacga	ggaggcggtg	aaactgggtc	tgcccaccac	17760
gcggcccatc	gcgcccctgg	ccaccggggg	gctgaaaccc	gaaaagcccg	cgaccctgga	17820
cttgctcctc	ccccagcctt	ccgcgccctc	tacagtggct	aagcccctgc	cgccggtggc	17880
cgtggccccc	gcgcgacccg	ggggcaccgc	ccgcctcat	gcgaactggc	agagcactct	17940
gaacagcatc	gtgggtctgg	gagtgacag	tgtgaagcgc	cgccgctgct	attaaaccta	18000
ccgtagcgct	taacttgctt	gtctgtgtgt	gtatgtatta	tgtcgccgc	gccgctgtcc	18060
accagaagga	ggagtgaaga	ggcgctgcgc	cgagttgcaa	gatggccacc	ccatcgatgc	18120
tgcccagatg	ggcgtacatg	cacatcgccg	gacaggacgc	ttcggagtac	ctgagtcagg	18180
gtctgggtga	gtttgcccgc	gccacagaca	cctacttcag	tctggggaac	aagtttagga	18240
accccacggt	ggcggccacg	cacgatgtga	ccaccgaccg	cagccagcgg	ctgacgctgc	18300
gcttcgtgct	cgtggaccgc	gaggacaaca	cctactcgta	caaagtgcgc	tacacgctgg	18360
ccgtgggcga	caaccgcgct	ctggacatgg	ccagcaccta	ctttgacatc	cgccgctgct	18420
tggatcgggg	ccctagcttc	aaacctact	ccggcaccgc	ctacaacagt	ctggccccc	18480

-continued

agggagcacc	caacacttgt	cagtggacat	ataaagccga	tggatgaaact	gccacagaaa	18540
aaacctat	atattggaat	gcacccgtgc	agggcattaa	catcacaaaa	gatgggtattc	18600
aaacttgaac	tgacaccgat	gatcagccaa	tctacgcaga	taaaacctat	cagcctgaac	18660
ctcaagtggg	tgatgtgaa	tggcatgaca	tcaactggtac	tgatgaaaag	tatggaggca	18720
gagctcttaa	gcctgatacc	aaaatgaagc	cttggttatgg	ttcttttgcc	aagcctacta	18780
ataaagaagg	aggtcaggca	aatgtgaaaa	caggaacagg	cactactaaa	gaatatgaca	18840
tagacatggc	tttctttgac	aacagaagtg	cggctgctgc	tggcctagct	ccagaaattg	18900
ttttgtat	tgaaaattgt	gatttggaaa	ctccagatac	ccatatgtga	tacaaagcag	18960
gcacagatga	cagcagctct	tctattaatt	tgggtcagca	agccatgccc	aacagaccta	19020
actacattgg	tttcagagac	aactttatcg	ggctcatgta	ctacaacagc	actggcaata	19080
tgggggtgct	ggcgggtcag	gcttctcagc	tgaatgctgt	ggttgacttg	caagacagaa	19140
acaccgagct	gtcctaccag	ctcttgcttg	actctctggg	tgacagaaac	cggatatttca	19200
gtatgtgaa	tcaggcgggtg	gacagctatg	atcctgatgt	gcgcattatt	gaaaatcatg	19260
gtgtggaggga	tgaacttccc	aactattgtt	tccctctgga	tgtctgtggc	agaacagata	19320
cttatcagggg	aattaaaggct	aatggaactg	atcaaacacc	atggacaaa	gatgacagtg	19380
tcaatgatgc	taatgagata	ggcaagggtg	atccattcgc	catggaaatc	aacatccaag	19440
ccaacctgtg	gaggaaacttc	ctctacgcc	acgtggccct	gtacctgccc	gactcttaca	19500
agtacacgcc	ggccaatggt	acccctgccc	ccaacaccaa	cacctacgat	tacatgaacg	19560
gcgggtgggt	ggcgccctgc	ctggtggact	cctacatcaa	catcggggcg	cgctggtcgc	19620
tggatcccat	ggacaacgtg	aaacccttca	accaccaccg	caatgcgggg	ctgcgctacc	19680
gtcccatgct	cctgggcaac	ggcgctacg	tgccttcca	catccagggtg	ccccagaaat	19740
ttttcgccat	caagagcctc	ctgctcctgc	cgggtccta	cacctacgag	tggaaacttcc	19800
gcaaggagct	caacatgatc	ctgcagagct	ccctcgccaa	cgacctgcgc	acggacgggg	19860
cctccatctc	cttcaccagc	atcaacctct	acgccacctt	cttccccatg	gcgcacaaca	19920
cgccctccac	gctcgaggcc	atgctgcgca	acgacaccaa	cgaccagtcc	ttcaacgact	19980
acctctcgcc	ggccaacatg	ctctacccca	tcccgcccaa	cgccaccaac	gtgcccatct	20040
ccatccccctc	gcgcaactgg	gcccgccttc	gcggctggtc	cttcacgcgt	ctcaagacca	20100
aggagacgcc	ctcgctgggc	tcgggttctg	accctactt	cgtctactcg	ggctccatcc	20160
ctacactcga	ggcaccttc	tacctcaacc	acaccttcaa	gaagggtctc	atcaccttcg	20220
actctctcgt	cagctggccc	ggcaacgacc	ggctcctgac	gcccacagag	ttcgaaatca	20280
agcgacccgt	cgacggcgag	ggctacaacg	tggcccagtg	caacatgacc	aaggactgggt	20340
tccgtgtcca	gatgctggcc	cactacaaca	tgggtacca	gggtctctac	gtgcccgagg	20400
gtacaaggga	ccgcatgtac	tccttcttcc	gcaacttcca	gcccagtagc	cgccagggtg	20460
tggacgaggt	caactacaag	gactaccagg	ccgtcacct	ggcctaccag	cacaacaact	20520
cgggcttctg	ggctacctc	gcgcccacca	tgcgcccagg	ccagccctac	cccgccaact	20580
acccctaccc	gctcatcggc	aagagcgccg	tcaccagcgt	caccagaaa	aagttcctct	20640
gcgacagggt	catgtggcgc	atccccctct	ccagcaactt	catgtccatg	ggcgcgctca	20700
ccgacctcgg	ccagaaacatg	ctctatgcca	actccgccca	cgcgctagac	atgaatttcg	20760
aagtgcagcc	catggatgag	tcacccttc	tctatgttgt	cttcgaagtc	ttcgacgtcg	20820
tcgagtgca	ccagcccacc	tcgaggcgtc	ctacctgcgc	acccttctct	20880	
cggccggtaa	cgccaccacc	taagctcttg	cttcttgcaa	gccatggccg	cgggtctccg	20940
cgagcaggag	ctcagggcca	tcctccgcga	cctgggtgcg	gggcccact	tccctgggac	21000
cttcgataag	gatttcccgg	gattctatgg	cccgacacaag	ctggcctgag	ccatcgtcaa	21060
cacggccggc	cgcgagaccg	ggggcgagca	ctggctggcc	ttcgccctgga	acccgcgctc	21120
gaacacctgc	tacctcttcg	acccttcggg	gttctcggac	gagcgctca	agcagatcta	21180
ccagttcag	tacgagggcg	tgcctgcgcg	cagcgccctg	gccaccgagg	accgctgcgt	21240
caccttgaa	aagtcacccc	agaccgtgca	gggtccgcgc	tcggccgcct	gcgggctctt	21300
ctgctgcatg	ttcttgcaag	ccttcgtgca	ctggcccagc	cgccccatgg	acaagaaccc	21360
cacctgaac	ttgctgacgg	gggtgccccaa	cggcatgctc	cagtcgcccc	aggtggaacc	21420
cacctgcgc	cgcaaccagg	aggcgtctca	cgcttctctc	aaactccact	ccgcctactt	21480
tgcgtccca	cgcgccgcga	tcgagaaggc	caccgccttc	gaccgcgatga	atcaagacat	21540
gtaaacctg	tgtgtatgtt	aaatgtcttt	aataaacagc	actttcatgt	tacacatgca	21600
tctgagatga	tttatattaga	aatcgaaagg	gttctgcggg	gtctcggcat	ggcccgcggg	21660
cagggacacg	ttgcggaact	ggtaacttgg	cagccacttg	aaactcgggga	tcagcagttt	21720
gggcagcggg	gtgtcgggga	aggagtccgt	ccacagcttc	cgcgtcagtt	gcagggcggc	21780
cagcaggtcg	ggcgccggaga	tcttgaaatc	gcagttggga	cccgcgttct	gcgcggggga	21840
gttgcggtac	acgggggttg	agcactggaa	caccatcagg	gcgggtgct	tcacgctcgc	21900
cagcacccgc	gcgtccgtga	tgctctccac	gtcgaggtcc	tcggcgttgg	ccatcccga	21960
gggggtcatc	ttgcaggtct	gccttcccat	gggtgggcag	caccggggct	tgtggttgca	22020
atcgagtg	agggggatca	gcatcatctg	ggcctgggtc	gcgttcatcc	ccgggtacat	22080
ggccttcag	aaagcctcca	attgcctgaa	cgctgctg	gccttgctc	cctcggtgaa	22140
gaagaccccg	caggacttgc	tagagaactg	gttggtggcg	caccggcgct	cgtgcacgca	22200
gcagcgcgcg	tcgttgttgg	ccagctgcac	cacgctgcgc	cccagcggt	tctgggtgat	22260
cttggcccg	tgggggttct	ccttcagcgc	gcgctgcccg	ttctcgtcgc	ccacatccat	22320
ctgatcatg	tgctccttct	ggatcatggt	ggtccgctgc	aggcaaccgca	gcttgccctc	22380
ggcctcggtg	caccggtgca	gccacagcgc	gcaccgggtg	cactccaggt	tcttgtgggc	22440
gatctgggaa	tgccggtgca	cgaagccctg	caggaaagcg	cccacatg	tggtcagggt	22500
ctgttgctca	tggaaggtca	gcgggaatgc	gcgggtgctc	tcgttgatgt	acaggtgga	22560
gatgcggcgg	tacacctcgc	cctgctcggg	catcagctgg	aagtggcctt	tcaggctcgg	22620
ctccacgcgg	tagcgggtcca	tcagcatagt	catgatttcc	atacccttct	cccaggccga	22680
gacgatgggc	aggctcatag	ggttcttcc	catcatctta	gcgctagcag	ccgcggccag	22740
ggggctgcgc	tgcctcagg	tctcaaaagt	ccgcttgccg	tccttctcgg	tgateccgac	22800
cggggggtag	ctgaagccca	cggccgcag	ctcctcctcg	gcctgtcttt	cgtcctcgt	22860
gtcctggctg	acgtcctgca	ggaccacatg	cttggtcttg	cgggggttct	tcttggggcg	22920
cagcggcgcg	ggagatgttg	gagatggcga	gggggagcgc	gagttctcgc	tcaccactac	22980
tatctcttcc	tcttcttgg	ccgaggccac	gcggcggtag	gtatgtctct	tcggggcgag	23040

-continued

aggcggaggc	gacgggctct	cgcgcgcgcg	acttggcgga	tggetggcag	agcccccttc	23100
gcgttcgggg	gtgcgcctccc	ggcggcgctc	tgactgactt	cctccgcggc	cggccattgt	23160
gtttctctag	ggaggaaaca	caagcatgga	gactcagcca	tcgccaacct	cgcctctctc	23220
ccccaccgcc	gacgagaagc	agcagcagca	gaatgaaagc	ttaaccgccc	cgcgcgccag	23280
ccccgccacc	tcgcagcggg	cgcgtcccaga	catgcaagag	atggaggaaat	ccatcgagat	23340
tgacctgggc	tatgtgacgc	cgcgcggagca	cgaggaggag	ctggcagctc	gcttttcaca	23400
agaagagata	caccaagaac	agccagagca	ggaagcagag	aatgagcaga	gtcaggctgg	23460
gctcgagcat	gacggcgact	acctccacct	gagcgggggg	gaggagcgcg	tcataagca	23520
tctggcccg	caggccacca	tcgtcaagga	tgcgctgctc	gaccgcaccg	aggtgcccc	23580
cagcgtggag	gagctcagcc	gcgcctacga	gttgaacctc	ttctgcgcgc	gcgtgcccc	23640
caagcgccag	cccaatggca	cctgcgagcc	caaccgcgcg	ctcaacttct	acccggtctt	23700
cgcggtgccc	gaggccctgg	ccacctacca	catcttttct	aagaaccaaa	agatccccgt	23760
ctcctgcgcg	gccaaaccga	ccgcgcgcga	cgccttttct	aacctgggtc	cgcgcgcgcg	23820
ctacctgat	atgcctcct	tggaagaggt	tcaccaagatc	ttcgagggtc	tgggcagcga	23880
cgagactcgg	gcccgcgaacg	ctctgcaagg	agaaggaggga	gagcatgagc	accacagcgc	23940
cctggtcgag	ttggaaggcg	acaacgcgcg	gctggcggtg	ctcaaacgca	cggtcgagct	24000
gaaccttttc	gcctaccggg	ctctgaacct	gccccccaaa	gtcatgagcg	cggtcagtga	24060
ccagggtgctc	atcaagcgcg	cgtcgcccat	ctccgaggac	gagggcagtc	aagactccga	24120
ggagggcaag	cccgtggtca	gcgacgagca	gctggcccg	tggtcggtc	ctaagtctag	24180
tcgccagagt	ttggaagagc	ggcgcaaaat	catgatggcc	gtggtcctgg	tgaccgtgga	24240
gctggagtgc	ctgcgcgcgt	tcttcgcgca	cgcggagacc	ctgcgcaagg	tcgaggagaa	24300
cctgcactac	ctcttcaggc	acgggttcgt	gcgcagggcc	tgcaagatct	ccaactgga	24360
gctgaccaac	ctggtctcct	acatgggcat	cttgacagag	aacgcgctgg	ggcagaacgt	24420
gctgcacacc	acctctgcgc	gggaggcccg	gcgcgactac	atccgcgact	gcgtctacct	24480
ctacctctgc	cacacctggc	agacgggcat	ggcgctgtgt	cagcagtgct	tgaggagca	24540
gaacctgaaa	gagctctgca	agctcctgca	gaagaacctc	aagggtctgt	ggaccgggtt	24600
cgacgagcgc	accaccgcct	cggacctggc	cgacctcatt	ttccccgagc	gcctcagggt	24660
gacgctgcgc	aacggcctgc	cgaatttat	gagccaaaag	atgttgcaaa	actttcgctc	24720
tttcatcttc	gaacgctcgc	gaatcctgct	cgccacctgc	tcgcgcgtgc	cctcggaactt	24780
cgtgcgcgtg	accttcgcgc	agtgcgcgcg	gccgctgtgg	agccactgct	acctgctgcg	24840
cctggccaac	tacttgccct	accactcgga	cgtgacagag	gacgtcagcg	gcgaggccct	24900
gctcgagtgc	cactgcgcgt	gcaacctctg	cacgcgcgac	cgtccctgg	cctgcaaccc	24960
ccagctgctg	agcgagaccc	agatcatcgg	caccttcgag	ttgcaagggc	ccagcggaag	25020
cgagggttca	gcccgaagg	ggggtctgaa	actcaaccgc	gggctgtgga	cctcgcccta	25080
cttgcgcaag	ttcgtgcgcg	aggactacca	tcctctcgag	atcagggtct	acgaggacca	25140
atcccatcgc	cccaggccgc	agctgtcggc	ctgcgtcatc	accagggggg	cgatcctggc	25200
ccaattgcaa	gcccaccaga	aatccgcgca	agaattcttg	ctgaaaaagg	gccgcggggg	25260
ctacctcgac	ccccagaccg	gtgaggagct	caaccccgcc	ttccccagg	atgccccgag	25320
gaaaaaagaa	gctgaaagt	gagctgcgcg	ccgtggaggga	tttggaggaa	gactggggaga	25380
acagcagtc	ggcagaggag	gaggagatgg	aggaagactg	ggacagcact	caggcagagg	25440
aggacagcct	ccaagacagt	ctggaggaga	acgaggaggga	ggcagaggag	gagggtggaag	25500
aagcagccgc	cgccagaccg	tcgtcctcgg	cggggggagaa	agcaagcagc	acggatacca	25560
tctccgctcc	gggtcggggg	cccgctcgac	cacacagtag	atgggacgag	accggacgat	25620
tcgccgaacc	caccaccagc	accggttaag	aggagcggca	gggatacaag	tcctggccgg	25680
ggcacaaaaa	cgccatcgct	tctgtcttgc	aggcctgcgg	gggcaacatc	tccttcaccc	25740
ggcgctacct	gctcttcac	gcgggggtga	actttcccg	caacatcttg	cattactacc	25800
gtcacctcca	cagccctac	tacttccaa	aagaggcagc	agcagcagaa	aaagaccagc	25860
agaaaaaccag	cagctagaaa	atccacagcg	gcggcagcag	gtggactgag	gatcgccggc	25920
aaacgagccgg	cgcaaacccg	ggagctgagg	aaccggatct	ttcccacct	ctatgccatc	25980
ttccagcaga	gtcgggggca	ggagcaggaa	ctgaaagtca	agaaccgttc	tctgcgctcg	26040
ctcacccgcga	gttgtctgta	tcacaagagc	gaagaccaac	ttcagcgcac	tctcgaggac	26100
gccagggctc	gttccaacaa	gtactgcgcg	ctcactctta	aagagttagc	cgcgcgccgc	26160
cagtcgcaga	aaaaggcggg	aattacgtca	cctgtgcctc	tcgcctcagc	cgcctccacc	26220
catcatcatg	agcaaaagaga	ttcccacgct	ttacatgtgg	agctaccagc	cccagatggg	26280
ctcggccgct	gggtgcgcgc	aggactactc	caccgcagtg	aattggctca	gcgcggggcc	26340
cgcgatgac	tcacgggtga	atgacatccg	cgcgcccgca	aaccagatac	tcctagaaca	26400
gtcagcgctc	accgccacgc	cccgcaatca	cctcaatccg	cgtaatgggc	ccgcgcgcct	26460
gggtgtaccag	gaaattcccc	agcccacgac	cgtactactt	ccgcgagacg	cccaggccga	26520
agtcacagtg	actaaactcag	gtgtccagct	ggcggggcgc	gccaccctgt	gtcgtcaccc	26580
ccccgctcag	gggtataaag	ggctgtgtgat	ccggggcgaga	ggcacacagc	tcaacgacga	26640
gggtgtgagc	tcttcgctgg	gtctgcgacc	tgacggagtc	ttccaactcg	ccggatcggg	26700
gagatcttcc	ttcacgcctc	gtcaggccgt	cctgactttg	gagagttcgt	cctcgcagcc	26760
ccgctcgggt	ggcatcgcca	ctctccagtt	cgtggaggag	ttcactccct	cggttctactt	26820
caaccccttc	tcgggttccc	cgggcacta	cccgagcag	ttcatcccga	acttcgacgc	26880
catcagcgag	tcggtggagc	gctacgattg	aaactaatca	cccccttatc	cagtgaaata	26940
aagatcatat	tgatgatgat	tttacagaaa	taaaaaataa	tcatttgatt	tgaataaag	27000
atacaatcat	attgatgatt	tgagtttaac	aaaaaaataa	agaatcactt	acttgaaatc	27060
tgataccagg	tctctgtcca	tgttttctgc	caacaccact	tcactccctc	cttccagct	27120
ctggtaactgc	aggccccggc	gggctgcaaa	cttctctcac	acgctgaagg	ggatgtcaaa	27180
ttcctcctgt	ccctcaatct	tcattttatc	ttctatcaga	tgtccaaaaa	gcgcgtccgg	27240
gtggatgatg	acttcgaccc	ctctacccc	tacgatgcag	acaacgcacc	gacggtgccc	27300
ttcatcaacc	ccccctctgt	ctcttcagat	ggattccaag	agaagccctc	gggggtgttg	27360
tcctcgcgac	tgcccgaccc	cgtcaccacc	aagaacgggg	aaatcaccct	caagctggga	27420
gaggggggtg	acctcgatct	ctcgggaaaa	ctcatctcca	acacggccac	caaggccgcc	27480
gccccctcca	gtttttccaa	caacacacat	tcctttaaca	tggtatcccc	cttttacact	27540
aaagatggaa	aattatcctt	acaagtttct	ccaccattaa	atatactgag	aaaagcattt	27600

-continued

ctaaacacac	tagcttttagg	ttttggatca	ggtttaggac	tccgtggctc	tgccttgcca	27660
gtacagttag	tctctccact	tacatttgat	actgatggaa	acataaagct	taccttagac	27720
agaggtttgc	atgtttacaac	aggagatgca	attgaaagca	acataagctg	ggctaagagt	27780
ttaaaatttg	aagatggagc	catagcaacc	aacattggaa	atgggttaga	gtttgaagc	27840
agtagtacag	aaacaggtgt	tgatgatgct	tacccaatcc	aagttaaact	tgatctggc	27900
cttagctttg	acagtacagg	agccataatg	gctggtaaca	aagaagacga	taaaactcact	27960
ttgtggacaa	cacctgatcc	atcaccaaac	tgtcaaatac	tgcgagaaaa	tgatgcaaaa	28020
ctaacacttt	gcttgactaa	atgttgtagt	caaatactgg	ccactgtgtc	agtcttagtt	28080
gtaggaagtg	gaaacctaaa	ccccattact	ggcacgcgtaa	gcagtgtctc	ggtgtttcta	28140
cgttttgatg	caaacggtgt	tcttttaaca	gaacattcta	cactaaaaaa	atactggggg	28200
tataggcagg	gagatagcat	agatggcact	ccatatacca	atgctgtagg	attcatgccc	28260
aattttaaag	cttatccaaa	gtcacaaaag	tctactacta	aaaataatat	agtagggcaa	28320
gtatacatga	atggagatgt	ttcaaaacct	atgcttctca	ctataacctc	caatggtagt	28380
gatgacagca	acagtacata	ttcaatgtca	ttttcataca	cctggactaa	tggaagctat	28440
gttggagcaa	catttggggc	taactcttat	acctctcat	acatcgccca	agaatgaaca	28500
ctgtatccca	ccctgcatgc	caaccccttc	cacccactc	tgtggaacaa	actctgaaac	28560
acaaaataaaa	ataaagtcca	agtgttttat	tgattcaaca	gttttacagg	attcgagcag	28620
ttatttttcc	tccacctccc	caggacatgg	aatacaccac	cctctccccc	cgcacagcct	28680
tgaaacatcg	aatgccattg	gtgatggaca	tgcttttggt	ctccacgttc	cacacagttt	28740
cagagcgcagc	agctctcggt	tcggtcaggg	agatgaaacc	ctccgggcac	tcccgcactc	28800
gcacctcaca	gctcaacagc	tgaggattgt	cctcggtggt	cgggatcacg	gttatctgga	28860
agaagcgaaa	gagcggcggt	gggaatcata	gtccgcgaac	gggatcggtc	ggtggtgtcg	28920
catcaggccc	cgcagcagtc	gctgcgcg	ccgctccgtc	aagctgctgc	tcagggggtc	28980
cgggtccagg	gactccctca	gcattgatgc	cacggccctc	agcatcagtc	gtctggtgctg	29040
gcgggcgcag	cagcgcagtc	ggatctcgct	caggctcgctg	cagtacgtgc	aacacagaa	29100
caccaggttg	ttcaacagtc	catagttcaa	cacgctccag	ccgaaactca	tcgcgggaag	29160
gatgtacacc	acgtggccgt	cgtaccagat	cctcaggtaa	atcaagtgtg	gccccctcca	29220
gaacacgctg	cccacgtaca	tgatctcctt	gggcatgtgg	cggttcacca	cctcccggta	29280
ccacatcacc	ctctggttga	acatgcagcc	ccggatgata	ctgcggaaac	acaggggccag	29340
caccgccccg	cccgcacatg	agcgaagaga	ccccgggtcc	cggcaatggc	aatggaggac	29400
ccaccgctcg	taccgtgga	tcatctggga	gctgaacaag	tctatgttgg	cacagcacag	29460
gcataatgctc	atgcactctc	tcagcactct	caactcctcg	ggggtcaaaa	ccatatccca	29520
gggcacgggg	aactcttgca	ggacagcgaa	ccccgcagaa	cagggcaatc	ctgcacaga	29580
acttacattg	tgatggaca	gggtatcgca	atcaggcagc	accgggtgat	cctccaccag	29640
agaagcgcgg	gtctcggtct	cctcacagcg	tggttaagggg	cccggccgag	acgggtgatg	29700
gcgggacgcg	gctgatcggt	ttcgcgaccg	tgctcatgat	cagttgcttt	cggacatttt	29760
cgtacttgct	gtagcagaac	ctggtccggg	cgtgcacac	cgatgcgcgg	cggcgggtctc	29820
ggcgttgga	acgtctcggt	ttgaaattgt	aaaaacagcca	ctctctcaga	ccgtgcagca	29880
gatctagggc	ctcaggagtg	atgaagatcc	catcatgcct	gatggctctg	atcacatcga	29940
ccaccgtgga	atggggcaga	cccagccaga	tgatgcaatt	ttgttgggtt	tcgggtgacgg	30000
cggggggagg	aagaacagga	agaaccatga	ttaaacttta	atccaaacgg	tctcggagta	30060
cttcaaaatg	aagatcgcg	agatggcacc	tctcgccccc	gctgtgttgg	tggaataata	30120
cagccaggtc	aaaggtgata	cggttctcga	gatgttcac	ggtggcttcc	agcaaaagcct	30180
ccacgcgcac	atccagaaac	aagacaatag	cgaagcggg	agggttctct	aattcctcaa	30240
tcatcatggt	acactcctgc	accatcccca	gataattttc	attttccag	ccttgaatga	30300
ttcgaaactg	cgcacaagc	aaatccaagc	cagccatgat	aaagagctcg	cgcagagcgc	30360
cctccaccgg	cattcttaag	cacacccctc	taattccaag	atattctgct	cctgggttcac	30420
ctgcagcaga	ttgacaagcg	gaatatcaaaa	atctctgccc	cgatccctga	gctcctccct	30480
cagcaataac	tgtaagtact	ctttcatatc	ctctccgaaa	tttttagcca	taggaccacc	30540
aggaataaga	ttagggcaag	ccacagtaca	gataaaccca	agtcctcccc	agtgagcatt	30600
gccaatgca	agactgctat	aagcatgctg	gctagaccgc	gtgatattct	ccagataaact	30660
ggacagaaaa	tcgcccaggc	aatttttaag	aaaatcaaca	aaagaaaaat	cctccagggtg	30720
gacgtttaga	gcctcgggaa	caacgatgaa	gtaaatgcaa	ccgggtgcgt	ccagcatggt	30780
tagttagctg	atctgtagaa	aaaacaaaaa	tgaacattaa	accatgctag	cctggcggaac	30840
agggtgggtaa	atcggttctc	ccagcaccag	gcaggccacg	gggtctccgg	cgcgaccctc	30900
gtaaaaaatg	tcgctatgat	tgaaaacccat	cacagagaga	cgttcccggt	ggcggcgctg	30960
aatgattcga	caagatgaat	acacccccgg	aacattggcg	tcgcgcagtg	aaaaaaagcg	31020
cccaggaag	caataaggca	ctacaatgct	cagttctcaag	tcagcaaaag	cgatgccatg	31080
cggatgaagc	acaaaattct	cagggtgcgt	caaaatgtaa	ttactccctc	cctgcacagg	31140
cagcaaaagc	cccgatccct	ccaggtagac	atacaaaagc	tcacgcgtcca	tagcttaaccg	31200
agcagcagca	cacaacaggc	gcaagagtc	gagaaaggct	gagctctaac	ctgtccacc	31260
gctctctgct	caatatatag	cccagatcta	cactgacgta	aaggccaaag	tctaaaaata	31320
ccgccaat	aatcacacac	gcccagcaca	cgcccagaaa	ccggtgacac	actcaaaaaa	31380
atcgcgcac	tctctcaaac	gccccaaact	gcccgtcattt	ccgggttccc	acgctacgtc	31440
atcaaaacac	gactttcaaa	ttccgtcgac	cgttaaaaac	gtcacccggc	ccgcccctaa	31500
cgggtcgccg	tctctcagcc	aatcagcgcc	ccgcatcccc	aaattcaaac	acctcatttg	31560
catattaacg	cgcacaaaaa	gttttagg				31588

SEQ ID NO: 3 moltype = DNA length = 11447
 FEATURE Location/Qualifiers
 source 1..11447
 mol_type = other DNA
 organism = Venezuelan equine encephalitis virus

SEQUENCE: 3
 atgggcggcg catgagagaa gccacagca attacctacc caaaatggag aaagttcacg 60
 ttgacatcga ggaagacagc ccattcctca gagctttgca gcggagcttc ccgagtttg 120

-continued

aggtagaagc	caagcaggtc	actgataatg	accatgctaa	tgccagagcg	ttttcgcate	180
tggcttcaaa	actgatcgaa	acggagggtg	acccatccga	cacgatcctt	gacattggaa	240
gtgcgcccc	ccgcagaatg	tattctaagc	acaagtatca	ttgtatctgt	ccgatgagat	300
gtgcggaaga	tccggacaga	ttgtataagt	atgcaactaa	gctgaagaaa	aactgtaagg	360
aaataaactga	taaggaattg	gacaaagaaa	tgaaggagct	cgcgcgcgtc	atgagcgacc	420
ctgacctgga	aactgagact	atgtgcctcc	acgacgacga	gtcgtgtcgc	tacgaagggc	480
aagtcgctgt	ttaccaggat	gtatacgcg	ttgacggacc	gacaagtctc	tatcaccaag	540
ccaataagg	agttagatgc	gcctactgga	taggctttga	caccacccct	tttatgttta	600
agaacttgcc	tggagcatat	ccatcatact	ctaccaactg	ggccgacgaa	accgtgttaa	660
cggctcgtaa	cataggccta	tgcagctctg	acgttatgga	gcggtcacgt	agagggatgt	720
ccattcttag	aaagaagtat	ttgaaacctat	ccaacaatgt	tctattctct	gttggctcga	780
ccatctacca	cgagaagagg	gacttactga	ggagctggca	cctgcgcgtc	gtatttcaact	840
tacgtggcaa	gcaaaattac	acatgtcgg	gtgagactat	agttagtgtc	gacgggtacg	900
tcggttaaa	aatagctatc	agtcacggcc	tgtatgggaa	gccttcaggc	tatgctgcta	960
cgatgcacc	cgagggattc	ttgtgctgca	aagtgcacga	cacattgaac	ggggagaggg	1020
tctcttttcc	cgtgtgcacg	tatgtgccag	ctacattgtg	tgaccaaatg	actggcatac	1080
tggcaacaga	tgtcagtcgc	gacgacgcgc	aaaaactgct	ggttgggctc	aaaccagcga	1140
tagtcgtcaa	cggtcgaccc	cagagaaaca	ccaataccat	gaaaaattac	cttttgcccc	1200
tagtggccca	ggcatttgct	aggtgggcaa	aggaatataa	ggaagatcaa	gaagatgaaa	1260
ggccactagg	actacagatg	agacagttag	tcatgggggtg	ttgttgggct	tttagaaggc	1320
acaagataac	atctatttat	aagcgcgccg	ataccctaac	catcatcaaa	gtgaacagcg	1380
atttccactc	attcgtgctg	ccaggatag	gcagttaaac	attggagatc	gggctgagaa	1440
caagaatcag	gaaaaatgta	gaggagccga	aggagccgctc	acctctcatt	accgcgaggg	1500
acgtacaaga	agctaagtgc	gcagccgatg	aggctaagga	ggtgcgtgaa	gccgagggagt	1560
tgcgcgcagc	tctaccacct	ttggcagctg	atgttgagga	gccactctcg	gaagccgatg	1620
tgcacttgat	gttacaagag	gctggggccg	gctcagtgga	gacacctcgt	ggcttgataa	1680
aggttaccag	ctacgctggc	gaggacaaga	tccgctctta	cgctgtgctt	tctccgcagg	1740
ctgtactcaa	gagtgaaaaa	ttatcttgca	tccacctctc	cgctgaacaa	gtcatagtga	1800
taacacactc	tggccgaaaa	gggcgtttatg	ccgtggaacc	ataccatggt	aaagtagtgg	1860
tgccagaggg	acatgcaata	cccgtccagg	actttcaagc	tctgagtga	agtgccacca	1920
ttgtgtacaa	cgaacgtgag	ttcgtaaaca	ggtacctgca	ccatattgcc	acacatggag	1980
gagcgtcga	cactgatgaa	gaatattaca	aaactgtcaa	gccagcgag	cacgacggcg	2040
aatacctgta	cgacatcgac	aggaacacgt	cgctcaagaa	agaactagtc	actgggctag	2100
ggctcacagg	cgtcctgggt	gatcctccct	tccatgaatt	cgctacgag	agtctgagaa	2160
cacgaccagc	cgtcctctac	caagtaccaa	ccataggggt	gtatggcggt	ccaggatcag	2220
gcaagtctgg	catcattaaa	agcgcagtc	ccaaaaaaga	tctagtgggt	agcgccaaga	2280
aaagaaaactg	tacagaaaat	ataaggagcg	tcaagaaaat	gaaaggcgctg	gacgtcaatg	2340
ccagaactgt	ggactcagtg	ctcttgaatg	gatgcaaaaa	cccgttagag	acctgtata	2400
ttgacgaagc	ttttgcttgt	catgcaggta	ctctcagagc	gctcatagcc	attataagac	2460
ctaaaaaggc	agtgctctgc	ggggatccca	aacagtgccg	tttttttaac	atgatgtgcc	2520
tgaagtgcga	ttttaaccac	gagatttgca	cacaagctct	ccacaaaagc	atctctcgcc	2580
gttgactaaa	atctgtgact	tcggctgctc	caacctgtgt	ttacgacaaa	aaaatgagaa	2640
cgaggaatcc	gaaagagact	aagattgtga	ttgacactac	cggcagtagc	aaacctaaag	2700
aggacgatct	cattctcact	tgtttcagag	gggtgggtgaa	gcagttgcaa	atagattaca	2760
aaggcaacga	aaatgatgac	gcagctgcct	ctcaagggct	gaccctgaaa	gggtgtgatg	2820
ccgttcggtg	caaggtgaat	gaaaatcctc	tgtacgcacc	cacctcagaa	catgtgaacg	2880
tctactgtac	ccgcacggag	gaccgcacgc	tgtgaaaaac	actagccggc	gacccatgga	2940
aaaaaacact	gactgccaag	tacctgggga	atttcaactgc	cacgatagag	gagtggaagc	3000
cagagcatga	tgcctcatgt	agggcacatc	tggagagacc	ggacctacc	gacgtcttcc	3060
agaataaggc	aaacgtgtgt	tgggccaagg	ctttagtgtc	gggtgctgaag	accgctggca	3120
tagacatgac	cactgaacaa	tgggaacactg	tggattattt	tgaacgggac	aaagctcact	3180
cagcagagat	agtattgaac	caactatgcg	tgaggttctt	tggactcgat	ctggactccg	3240
gtctattttc	tgcacccact	gttccgttat	ccattaggaa	taatcactgg	gataactccc	3300
cgtcgcttaa	catgtacggg	ctgaataaag	aagtgggtccg	tcagctctct	cgcaggtacc	3360
cacaactgcc	tggggcagtt	gccaactgaa	gagtcctatga	catgaacact	ggtacactgc	3420
gcaattatga	tccgcgcata	aaacctagtc	ctgtaaacag	aagactgcct	catgctttag	3480
tctccacca	taatgaacac	ccacagagtg	acttttcttc	attcgtcagc	aaattgaagg	3540
cgagaactgt	cctgggtggt	ggggaaaaag	tgtccgtccc	aggcaaaatg	ggtgactggt	3600
tgtcagaccg	gcttgaggct	accttcagag	ctcggtcgga	tttaggcac	ccagggtgatg	3660
tgcccaata	tgacataata	tttggttaag	tgaggacccc	atataaatac	catcactatc	3720
agcagtgtag	agaccatgct	attaagctta	gcattgtgac	caagaaagct	tgtctgcac	3780
tgaatcccg	cggaaacctgt	gtcagcatag	gttatgggta	cgctgacagg	gccagcgaaa	3840
gcatcattgg	tgtatagcg	cggcagttca	agttttcccg	ggatgcaaaa	ccgaaatcct	3900
cacttgaaga	gacggaagtt	ctgtttgtat	tcattgggta	cgatcgcaag	gcccgtacgc	3960
acaactctta	caagctttca	tcaaccttga	ccaacattta	tacaggttcc	agactccacg	4020
aagccggatg	tgcacctcca	tatcatgtgg	tgcagagggga	tattgcccag	gccaccgaag	4080
gagtgattat	aaatgtcgt	aacagcaaa	gacaacctgg	cggaggggtg	tgcggagcgc	4140
tgtataagaa	attcccggaa	agcttcgatt	tacagccgat	cgaagtagga	aaagccgcac	4200
tgggtcaaagg	tgcagctaaa	catatcattc	atgccgtagg	accaaacttc	aaacaaagtt	4260
cggaggttga	aggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aagattgtca	4320
acgataacaa	tacaagtcca	gtagcgattc	cactgttgtc	caccggcatc	ttttccggga	4380
acaaagatcg	actaacccaa	tcattgaacc	atgtgtgtac	agcttttagac	accactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaaat	gactctcaag	gaagcagtg	4500
ctaggagaga	agcagtgagg	gagatatgca	tatccgacga	ctcttcagtg	acagaacctg	4560
atgcagagct	gggtgagggg	caccggaaga	gttctttggc	tggaaagga	ggctacagca	4620
caagcgatgg	caaaactttc	tcatatttgg	aagggaacca	gtttccaccg	gcggccaagg	4680

-continued

atatagcaga	aattaatgcc	atgtggcccg	ttgcaacgga	ggccaatgag	caggtatgca	4740
tgtatatcct	cgagagaaagc	atgagcagta	ttaggtcga	atgcccgcg	gaagagtcgg	4800
aagcctccac	accacctagc	acgctgcctt	gcttgtgcat	ccatgccatg	actccagaaa	4860
gagtagacgc	cctaaaagcc	tcacgtccag	aacaaattac	tgtgtgctca	tcctttccat	4920
tgccgaagta	tagaatcact	ggtgtgcaga	agatccaatg	ctcccagcct	atattgttct	4980
caccgaaagt	gcctgcgctat	attcatccaa	ggaagtatct	cgtaggaaca	ccaccggtag	5040
acgagactcc	ggagccatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cacttataac	cgaggatgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tagcataagt	ttgctgtcag	atggcccgcac	ccaccaggtg	ctgcaagtcg	5220
aggcagacat	tcacgggccc	ccctctgtat	ctagctcatc	ctggtccatt	cctcatgcat	5280
ccgactttga	tgtggcagct	ttatccatac	ttgacaccct	ggaggggagct	agcgtgacca	5340
gcggggcaac	gtcagccgag	actaactcct	acttcgcaaa	gagtatggag	tttctggcgc	5400
gaccgggtgc	tgcgcctcga	acagtattca	ggaacccctcc	acatcccgtc	ccgcgcacaa	5460
gaacacccgc	acttgcaccc	agcagggcct	gctcgagaac	cagcctagtt	tcaccccgcg	5520
caggcggtgaa	taggggtgatc	actagagagg	agctcgaggc	gcttaccccc	tcacgcactc	5580
ctagcaggtc	ggtctcgaga	accagcctgg	tctccaaccc	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacggttt	gatgcgggtg	5700
catacatcct	ttcctccgac	accggtcaag	ggcatattaca	acaaaaatca	gtaaggcaaa	5760
ccggtgctatc	cgaagtgggt	ttggagagga	ccgaattgga	gatttcgtat	gccccgcgcc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagctcc	aggaagggtgg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcgaagg	cctagggcatt	tatttgaagg	cagaaggaaa	agtgagagtc	taccgaaccc	6000
tgcactcctgt	tccttttgtat	tcacttagtg	tgaaccgtgc	cttttcaagc	cccaaggctc	6060
cagtggaagc	ctgtaacgcc	atgttgaaag	agaactttcc	gactgtggct	tcttactgta	6120
ttattccaga	gtacgtagcc	tatttggaca	tggttgacgg	agcttcacgc	tgcttagaca	6180
ctgccagttt	ttgccctgca	aaagctgcga	gctttccaaa	gaaacactcc	tatttggaac	6240
ccacaatacgc	atcggcagtg	ccttcagcga	tcacagaacac	gctccagaac	gtcctggcag	6300
ctgccacaaa	aagaaattgc	aatgtcacgc	aatgagagaa	attgcccgta	ttggattcgg	6360
cggcctttaa	tgtggaatgc	ttcaagaaat	atgcgtgtaa	taatgaatat	tgggaaacgt	6420
ttaagaaaaa	cccacatcagg	cttactgaag	aaaacgtggt	aaattacatt	accaaatata	6480
aaggacaaaa	agctgctgct	ctttttgcga	agacacataa	tttgaatatg	ttgcaggaca	6540
taccaatgga	caggtttgta	atggacttaa	agagagacgt	gaaagtgact	ccaggaaaca	6600
aacatactga	agaacggccc	aaggtagacg	tgatccaggc	tgccgatccg	ctagcaacag	6660
cgtatctgtg	cggaaatcgc	cgagagctgg	ttaggagatt	aaatgcccgc	ctgcttccga	6720
acatttcatac	actgtttgat	atgtcggctg	aagactttga	cgctattata	gccgagcact	6780
tcaccgctgg	ggatttgtgt	ctggaaactg	acatcgcgct	gtttgatata	agttaggagc	6840
acgcacatggc	ctgcacggcg	ttaatgattc	tggaagactt	aggtgtggac	gcagagctgt	6900
tgaagctgat	tgaggcggtc	ttcggcgaaa	tttcatcaat	acattttgcc	actaaaaacta	6960
aatttaaat	cggagccatg	atgaaatctg	gaatgttcct	cacactgttt	gtgaacacag	7020
tcatatacat	tgtaatcgca	agcagagtgt	tgagagaacg	gctaacccga	tcaccatgtg	7080
cagcattcat	tggagatgac	aatatcgtga	aaggagtcac	atcggacaaa	ttaatggcag	7140
acaggtgcgc	cacctgtgtg	aatatggaag	tcaagattat	agatgctgtg	gtgggcgaga	7200
aagcgccctta	tttctgtgga	gggtttattt	tgtgtgactc	cgtagccggc	acagcgtgcc	7260
gtgtggcaga	ccccctaaaa	aggctgttta	agcttggcaa	acctctggca	gcagacgatg	7320
aaactgatga	tgacaggaga	agggcattgc	atgaagagtc	aacacgcgtg	aaccgagtg	7380
gtattctttc	agagctgtgc	aaggcagtag	aatcaaggta	tgaaccgcga	ggaacttcca	7440
tcatagttat	ggccatgact	actctagcta	gcagtgttaa	atcattcagc	tacctgagag	7500
gggcccctat	aaactctcac	ggctaacctg	aatggactac	gacatagtct	agtcgcgcaa	7560
gatgttcccg	ttccagccaa	tgtatccgat	gcagccaatg	ccctatcgca	accggttcgc	7620
ggccccgcgc	aggccctggt	ttcccagaa	cgaccccttt	ctggcgatgc	aggtgcagga	7680
attaaccgcg	tcgatggcta	acctgacgtt	caagcaacgc	cgggacgcgc	cacctgaggg	7740
gccatccgct	aagaaaccga	agaaggaggg	ctcgcaaaaa	cagaaagggg	gaggccaaag	7800
gaagaagaag	aagaaccaag	ggaagaagaa	ggctaagaca	ggggccgcta	atccgaaggc	7860
acagaatgga	aacaagaaga	agaccaacaa	gaaaccaggc	aagagacagc	gcatggtcat	7920
gaaattggaa	tctgacaaga	cgttcccaat	catgttggaa	gggaagataa	acggctacgc	7980
ttgtgtggtc	ggagggaagt	tattcaggcc	gatgcattgt	gaaggcaaga	tcgacaacga	8040
cgttctggcc	gcgcttaaga	cgaagaaaag	atccaaatac	gatcttgagt	atgcagatgt	8100
gccacagaa	atgcgggccc	atacattcaa	atacaccat	gagaaacccc	aaggctatta	8160
cagctggcat	catggagcag	tccaatatga	aaatgggcgt	ttcacggctc	cgaaggaggt	8220
tggggccaag	ggagacagcg	gacgacccat	tctggataac	cagggacggg	tggtcgctat	8280
tgtgtcggga	ggtgtgaaatg	aaggatctag	gacagccctt	tcagtcgta	tgtggaacga	8340
gaaggggagt	accgtgaagt	atactccgga	gaactcgag	caatggtcac	tagtgaccac	8400
catgtgtctg	ctgcgcaatg	tgcagttccc	atgtgtctca	ccaccaattt	gctacgacag	8460
aaaaccagca	gagactttgg	ccatgctcag	cgttaacgtt	gacaaccccg	gctacgatga	8520
gctgtcgga	gcagctgtta	agtgcgcccg	aaggaaaagg	agatccaccc	aggagctgtt	8580
taaggagat	aagctaaccg	gcccttacat	ggccagatgc	atcagatgtg	cagttgggag	8640
ctgccatagt	ccaatagcaa	tcgaggcagt	aaagagcgac	gggcacgagc	gttatgttag	8700
acttcagact	tcctcgagct	atggcctgga	ttcctccggc	aacttaagg	gcaggacat	8760
gcggtatgac	atgcacggga	ccattaaaga	gataccacta	catcaagtgt	cactccatac	8820
atctcgcccg	tgtcacattg	tggatgggca	cggttatttc	ctgttgccca	ggtgcccgcc	8880
gggggactcc	atcaccatgg	aatttaagaa	agattccgct	acacactcct	gctcggtgcc	8940
gtatgaagt	aaatttaate	ctgttaggcag	agaactctat	actcatcccc	cagaacacgg	9000
agtagagcaa	gcgtgccaag	tctacgcaca	tgatgcacag	aacagaggag	cttatgtcga	9060
gatgcacctc	ccgggctcag	aagtggacag	cagtttggtt	tccttgagcg	gcagttcagt	9120
caccgtgaca	cctcctgttg	ggactagcgc	cctgggtgaa	tgcgagtgtg	gcggcaca	9180
gatctccgag	accatcaaca	agacaaaaca	gttcagccag	tgcaacaaga	aggagcagtg	9240

-continued

cagagcatat	cggetgcaga	acgataagtg	ggtgtataat	tctgacaaac	tgcccaaagc	9300
agcgggagcc	accttaaaag	gaaaactgca	tgtcccattc	ttgctggcag	acggcaaatg	9360
caccgtgcct	ctagcaccag	aacctatgat	aacctttggt	ttcagatcag	tgtcactgaa	9420
actgcacct	aagaatccca	catatctaac	cacccgcaa	cttgetgatg	agcctcacta	9480
cacgcacgag	ctcatatctg	aaccagctgt	taggaatttt	accgtcaccc	aaaaaggggtg	9540
ggagtttgta	tggggaaacc	accgcgcgaa	aaggttttgg	gcacaggaaa	cagcaccocgg	9600
aaatccacat	gggtaccgc	acgaggtgat	aactcattat	taccacagat	accctatgtc	9660
caccatcctg	ggtttgtaa	tttgtgccgc	cattgcaacc	gtttccgttg	cagcgtctac	9720
ctggctgttt	tgcagatcta	gagttgcgtg	cctaactcct	taccggctaa	cacctaacgc	9780
taggatacca	ttttgtctgg	ctgtgctttg	ctgcgccgcg	actgcccggg	ccgagaccac	9840
ctgggagtc	ttggatcacc	tatggaacaa	taaccaacag	atgttctgga	ttcaattgct	9900
gatccctctg	ggccgcttga	tcgtagtgtg	tcgctgtctc	aggtgcgtgt	gctgtgtcgt	9960
gcctttttta	gtcatggccg	gcgcgcgagg	cgccggcgcc	tacgagcacg	cgaccacgat	10020
gcggagccaa	gcgggaatct	cgtataacac	tatagtcaac	agagcaggct	acgcaccact	10080
ccctatcagc	ataacaccaa	caaagatcaa	gctgatacct	acagtgaact	tggagtacgt	10140
cacctgccac	tacaaaacag	gaatggattc	accagccatc	aaatgctgcg	gatctcagga	10200
atgcaactca	acttacaggc	ctgatgaaca	gtgcaaaagt	ttcacagggg	tttaccogtt	10260
catgtgggggt	ggtgcatatt	gcttttgcca	cactgagaac	acccaagtca	gcaaggccta	10320
ctgaatgaaa	tctgacgact	gccttgccga	tcatgctgaa	gcatataaag	cgcacacagc	10380
cgcagtgcag	gcgttctcca	acatcacagt	gggagaacac	tctattgtga	ctaccgtgta	10440
tgtgaatgga	gaaactcctg	tgaatttcaa	tggggtcaaa	ttaactgcag	gtccgctttc	10500
cacagcttgg	acaccctttg	atcgcaaaat	cgtgcagtat	gccggggaga	tctataatta	10560
tgattttctc	gagtatgggg	caggacaacc	aggagcattt	ggagatatac	aatccagaac	10620
agtctcaagc	tcagatctgt	atgccaatac	caacctagtg	ctgcagagac	ccaaagcagg	10680
agcgatccac	gtgccatcac	ctcaggcacc	ttcgggtttt	gagcaatgga	agaaagataa	10740
agctccatca	ttgaaattta	ccgccccttt	cggatgcgaa	atatatacaa	accccattcg	10800
cgccgaaaaa	tgtgctgtgt	ggccaattcc	attagccttt	gacattcccc	acgccttgtt	10860
caccaggggtg	tcagaaacac	ggacactttc	agcggccgaa	tgcactctta	acgagtgcgt	10920
gtattcttcc	gactttgggtg	ggatcgccac	ggtcaagtac	tcggccagca	agtcaggcaa	10980
gtgcgcagtc	catgtgccat	cagggaactgc	taccctaaaa	gaagcagcag	tcgagctaac	11040
cgagcaagggtg	tcggcgacta	tccatttctc	gaccgcgaat	atccaccggg	agttcagggt	11100
ccaaatagtc	acatcatatg	ttactgtgca	aggtgatgtg	cacccccgga	aagaccatat	11160
tgtgacacac	cctcagatct	acgcccacaa	atttacagcc	cggtgtgcaa	aaaccgcgtg	11220
gacgtggtta	acatccctgc	tgggaggatc	agccgttaatt	attataattg	gcttgggtgct	11280
ggctactatt	gtggccatgt	acgtgctgac	caaccagaaa	cataattgaa	tacagcagca	11340
attggcaagc	tgcttacata	gaactcgccg	cgattggcat	gccgccttaa	aattttttat	11400
ttattttttc	ttttcttttc	cgaatcggtg	tttgttttta	atatttc		11447

SEQ ID NO: 4 moltype = DNA length = 9577
FEATURE Location/Qualifiers
misc_feature 1..9577
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..9577
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 4

atgggcgccg	catgagagaa	gccagacca	attacctacc	caaaatggag	aaagttcacg	60
ttgacatcga	ggaagacagc	ccattccctca	gagcttttga	gcggagcttc	ccgcagtttg	120
aggtagaagc	caagcaggtc	actgataatg	accatgctaa	tgccagagcg	ttttcgcctc	180
tggcttcaaa	actgatcgaa	acggagggtg	accatccga	cacgatcctt	gacattggaa	240
gtgcgcgccg	ccgcagaagt	tattctaagc	acaagtatca	ttgtatctgt	ccgatgagat	300
gtgcggaaga	tccggacaga	ttgtataagt	atgcaactaa	gctgaagaaa	aaactgaagg	360
aaataactga	taaggaattg	gacaagaaaa	tgaaggagct	cgccgcctgc	atgagcgacc	420
ctgacctgga	aactgagact	atgtgcctcc	acgacgacga	gtcgtgtcgc	tacgaagggc	480
aagtgcgtgt	ttaccaggat	gtatacggcg	ttgacggacc	gacaagtctc	tatcaccaag	540
ccaataagggt	agtttagagtc	gcctactgga	taggctttga	caccaccctc	tttatgttta	600
agaacttggt	tggagcatat	ccatcatact	ctaccaactg	ggccgacgaa	accgtgttaa	660
cggtcgttaa	cataggccta	tgcagctctg	acgttatgga	gcggtcacgt	agagggatgt	720
ccattcttag	aaagaagtat	ttgaaacat	ccaacaatgt	tctattctct	gttggctcga	780
ccatctacca	cgagaagagc	gacttactga	ggagctggca	cctgccgtct	gtatttcaat	840
tacgtggcaa	gcaaaattac	acatgtcggg	gtgagactat	agttagtgtc	gacgggtacg	900
tcgttaaaa	aatagctatc	agtcacaggc	tgtatgggaa	gccttcaggc	tatgctgcta	960
cgatgcacc	cgagggattc	tttgtctgca	aagtgcagca	cacattgaac	ggggagaggg	1020
tctcttttcc	cgtgtgcacg	tatgtgccag	ctacattgtg	tgaccaaatg	actggcatatc	1080
tggcaacaga	tgtcagtgcg	gacgacgcgc	aaaaactgct	ggttgggctc	aaccagcgta	1140
tagtgcgtcaa	cggtgcgacc	cagagaaaaa	ccaataccat	gaaaaattac	cttttgccc	1200
tagtggccca	ggcatttgct	agggtggcaa	aggaatataa	ggaagatcaa	gaagatgaaa	1260
ggccactagg	actacgagat	agacagttag	tcatgggggtg	ttgttgggct	tttagaaggc	1320
acaagataac	atctatttat	aagcgcggcg	ataccacaa	catcatcaaa	gtgaacagcg	1380
atttccactc	attcgtgctg	ccaggatag	gcagtaaac	attggagatc	gggctgagaa	1440
caagaatcag	gaaaatgtta	gaggagccac	acctctcatt	accgcggagg		1500
acgtacaaga	agctaagtgc	gcagccgatg	aggctaaggga	ggtgcgtgaa	gccgaggagt	1560
tgccgcgacg	tctaccacct	ttggcagctg	atgttgagga	gcccactctg	gaagccgatg	1620
tcgacttgat	gttacaagag	gctggggccg	gctcagtgga	gacacctcgt	ggcttgataa	1680
aggttaccag	ctacgctggc	gaggacaaga	tcggctctta	cgctgtgctt	tctccgcagg	1740

-continued

ctgtactcaa	gagtgaaaaa	ttatcttgca	tccacctct	cgctgaacaa	gtcatagtga	1800
taacacactc	tggcgaaaa	gggcgttatg	ccgtggaacc	ataccatggg	aaagttagtg	1860
tgccagaggg	acatgcaata	cccgccagg	actttcaagc	tctgagtga	agtgccacca	1920
ttgtgtacaa	cgaacgtgag	ttcgtaaaca	ggtacctgca	ccatattgcc	acacatggag	1980
gagcgctgaa	cactgatgaa	gaatattaca	aaactgtcaa	gcccagcgag	cacgacggcg	2040
aatacctgta	cgacatcgac	aggaaacagt	cgctcaagaa	agaactagtc	actgggctag	2100
ggctcacagg	cgagctgggtg	gatccctccct	tccatgaatt	cgccacgag	agtctgagaa	2160
cacgaccagc	cgctccctac	caagtaccaa	ccataggggt	gtatggcggtg	ccaggatcag	2220
gcaagtcttg	catcattaaa	agcgcagtca	ccaaaaaaga	tctagtgggtg	agcgccaaga	2280
aagaaaaactg	tgcagaaatt	ataagggacg	tcaagaaaat	gaaagggctg	gacgtcaatg	2340
ccagaactgt	ggactcagtg	ctcttgaatg	gatgcaaaaca	cccgtagag	acctgtata	2400
ttgacgaagc	ttttgcttgt	catgcaggta	ctctcagagc	gctcatagcc	attataagac	2460
ctaaaaaggc	agtgcctg	ggggatccca	aacagtgcgg	tttttttaac	atgatgtgcc	2520
tgaagtgcga	ttttaaccac	gagatttgca	cacaagctct	ccacaaaagc	atctctcgcc	2580
gttgactaaa	atctgtgact	tcggctgctct	caacctgtgt	ttacgacaaa	aaaatgagaa	2640
cgacgaatcc	gaaagagact	aagattgtga	ttgacactac	cggcagtagc	aaacctaaagc	2700
aggacgatct	cattctcact	tgtttcagag	gggtgggtgaa	gcagttgcaa	atagattaca	2760
aaggcaacga	aataatgacg	gcagctgcct	ctcaaggggt	gaccogtaaa	gggtgtgatg	2820
ccgttcggta	caaggtgaat	gaaaatcctc	tgtacgcacc	cacctcagaa	catgtgaacg	2880
tcctactgac	ccgacaggag	gacgcgatcg	tgtggaaaac	actagccggc	gacccatgga	2940
taaaaacact	gactgcaag	taccctggga	atttctactg	cacgatagag	gagtggaag	3000
cagagcatga	tgccatcatg	aggcacatct	tggagagacc	ggacctacc	gacgtcttcc	3060
agaataaggc	aaacgtgtgt	tgggccaagg	cttttagtgc	gggtgctgaag	accgtggca	3120
tagacatgac	cactgaacaa	tggaaactgt	tggatttatt	tgaacggagc	aaagctcact	3180
cagcagagat	agtattgaac	caactatg	tggactgct	tggaactgat	ctggactccg	3240
gtctatttct	tgcaccact	gttccgttat	ccattaggaa	taactactgg	gataactccc	3300
cgctgcctaa	catgtacggg	ctgaataaag	aagtgggtccg	tcagctctct	cgaggtacc	3360
cacaactgcc	tccggcagtt	gccactggaa	gagtcctatga	catgaacact	ggtacactgc	3420
gcaattatga	tcgcgcata	aaactagtac	ctgtaaacag	aagactgcct	catgctttag	3480
tcctccacca	tactgaacac	ccacagagtg	acttttcttc	attcgctcagc	aaattgaagg	3540
cgagaactgt	ccgtgtgtgt	ggggaaaaag	tgtccgtccc	aggcaaaatg	gttgactggt	3600
tgtcagacgt	gcctgaggt	accttcagag	ctcggtgga	tttaggcac	ccaggtgatg	3660
tgcccaata	tgacataata	ttgttaatg	tgaggacccc	atataaatac	catcactatc	3720
agcagtgtga	agaccatgcc	attaaagctta	gcattgtgac	caagaaagct	tgtctgcatc	3780
tgaatcccg	ggaaactgt	gtcagcatag	gttatgggtta	cgctgacagg	gccagcgaaa	3840
gcacatttgg	tgctatagcg	cggcagttca	agttttcccg	ggatgcaaaa	ccgaaatcct	3900
caactgaaga	caagggaatt	tcattgtgat	tcattgggta	cgatcgcaag	gcccgtacgc	3960
acaaacttta	caagcttta	tcaaccttta	ccaaacttta	tacaggttcc	agactccacg	4020
aagccggatg	tgcacctca	tatcatgtgg	tgcgagggga	tattgccaag	gccaccgaag	4080
gagtgattat	aaatgcgtgt	aacagcaaa	gacaaactgg	cggagggggtg	tgccgagcgc	4140
tgtataagaa	attcccgaa	agcttcgatt	tacagccgat	cgaagttaga	aaagccgac	4200
tgggtcaagg	tgcagctaaa	catatcattc	atgcgctagg	acaaacttc	aaacaaagtt	4260
cggaggttga	aggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aagattgtca	4320
acgataacaa	ttacaagtca	gtagcgattc	cactgttgtc	caccggcatc	ttttccggga	4380
acaaagatcg	actaacccaa	tcattgaacc	atttctgac	agctttagac	accactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaaat	gactctcaag	gaagcagtg	4500
ctaggagaga	agcagtgag	gagatatgca	tatccgacga	ctcttcagtg	acagaaacctg	4560
atgcagagct	ggtaggggtg	catccgaaga	gttctttggc	tggaaaggag	ggctacagca	4620
caagcgatgg	caaaactttc	tcatatttgg	aagggaacaa	gtttccaccg	gcggccaagg	4680
atatagcaga	aattaatgcc	atgtggcccg	tgtcaacgga	ggccaatgag	caggatagca	4740
tgtatatcct	cggagaagc	atgagcagta	ttaggtcgaa	atgcccgcgc	gaagagtcgg	4800
aagctccac	accacctagc	acgtgcctt	gcttgtgcat	ccatgcccag	actccagaaa	4860
gagtagacgc	cctaaaagcc	tcacgtccag	aacaaattac	tgtgtgctca	tcctttccat	4920
tgccgaagta	tagaatcact	gggtgacga	agatccaatg	ctcccagcct	atattgtct	4980
caccgaagtg	gcctgcgtat	attcatccaa	ggaagtatct	cgtggaaaca	ccaccgtag	5040
acgagactcc	ggagccatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cacttataac	cgaggatgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tagcataaag	ttgctgtcag	atggcccagc	ccaccagggtg	ctgcaagtcg	5220
aggcagacat	tcacgggccc	ccctctgtat	ctagctcatc	ctgggtccatt	cctcatgcat	5280
ccgactttga	tgtggacagt	ttatccatac	ttgacacctc	ggagggagct	agcgtgacca	5340
gcggggcaac	gtcagccgag	actaactctt	acttcgcaaa	gagtagggag	tttctggcgc	5400
gaccgggtgcc	tgccgctcga	acagatttca	ggaacctccc	acatcccgc	ccgcgcacaa	5460
gaacaccgtc	acttgacccc	agcagggcct	gctcgagaac	cagcctagtt	tcacccccgc	5520
caggcggtgaa	taggggtgatc	actagagagg	agctcgaggc	gcttaccgcc	tcacgcactc	5580
ctagcaggtc	ggctctcgaga	accagcctgg	tctccaaacc	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacgggtt	gatgcgggtg	5700
catacatctt	ttctctcgac	accggtcaag	ggcattttaca	acaaaaatca	gtaaggcaaa	5760
cggtgctatc	cgaagtgggtg	ttggagagga	ccgaattgga	gatttctgat	gccccgcgc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagtc	aggaaaggtg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcagg	cctagggcct	tatttgaagg	cagaaggaaa	agtggaagtc	taccgaaccc	6000
tgcactcctgt	tcctttgtat	tcactatagt	tgaacggtgc	cttttcaagc	cccaaggctg	6060
cagtggaagc	ctgtaacgcc	atgttgaaag	agaactttcc	gactgtggct	tcttactgta	6120
ttattccaga	gtacgatgcc	tatttggaca	tgggtgacgg	agcttcatgc	tgttagaca	6180
ctgccagttt	ttgccctgca	aagctgcgca	gctttccaaa	gaaacactcc	tatttggaa	6240
ccacaatacg	atcgccagtg	ccttcagcga	tccagaacac	gctccagaac	gtcctggcag	6300

-continued

```

ctgccacaaa aagaatttgc aatgtcacgc aaatgagaga attgcccgtg ttggattcgg 6360
cggccttttaa tgtggaatgc ttcaagaaat atgctgtgtaa taatgaatat tgggaacgt 6420
ttaaagaaaaa ccccatcagg cttactgaag aaaacgtggg aaattacatt accaaattaa 6480
aaggacaaaa agctgtctgt ctttttgcga agacacataa tttgaatatg ttgcaggaca 6540
taccaatgga caggtttgtg atggacttaa agagagacgt gaaagtgact ccaggaacaa 6600
aacatactga agaacggccc aaggtagcagg tgatccaggc tgccgatccg ctagcaacag 6660
cgtatctgtg cggaaatccac cgagagctgg ttaggagatt aaatgctgtc ctgcttccga 6720
acattcatcac actgtttgat atgtcggctg aagactttga cgctattata gccgagcact 6780
tccagcctgg ggatttgtgt ctggaactg acatcgctgc gtttgataaa agtgaggacg 6840
acgccatggc tctgaccggc ttaatgattc tggaaagact aggtgtggac gcagagctgt 6900
tgagctgtat tgaggcggtc ttccggcga aatctcatca acatttgccc actaaaacta 6960
aatttaaat cggagccatg atgaaatctg gaatgttcct cacactgttt gtgaacacag 7020
tcattaacat tgaatcgca agcagagtgt tgagagaacg gctaaccgga tcccatgtg 7080
cagcattcat tggagatgac aatatcgtag aaggagtcaa atcggacaaa ttaatggcg 7140
acaggtgcgc cactgtgttg aatatggaag tcaagattat agatgctgtg gtggcgaga 7200
aagcgctta tttctgtgga ggggttattt tgtgtgactc cgtgaccggc acagcgtgcc 7260
gtgtggcaga cccctaaaaa aggtctgtta agcttggcaa accttggca gcagacgatg 7320
aacatgatga tgacaggaga agggcattgc atgaagagtc aacacgctgg aaccgagtgg 7380
gtattcttct agagctgtgc aaggcagtag aatcaaggta tgaaacgcta ggaacttcca 7440
tcatagttat ggcatgact actctagcta gcagtgttaa atcattcagc tacctgagag 7500
gggcccctat aactctctac ggctaacctg aatggactac gactctagaa tagtctttaa 7560
ttaagccacc atggcaggca tgtttcaggc gctgagcgaa ggctgcaccc cgtatgat 7620
taaccagatg ctgaacgtgc tggggcgatc tcaggtctca ggcttgagc agcttgagag 7680
tataatcaac tttgaaaaac tgactgaatg gaccagttct aatgttatgc ctatcctgtc 7740
tcctctgaca aagggcatcc tgggttctgt gtttaccctg accgtgcctt ctgagagagg 7800
acttagctgc attagcgaag cggatgcgac caccgccgaa agcgcgaaac tgggcgaaga 7860
aattctgagc cagctgtatc ttggccaag ggtgacctac cattccccta gttatgctta 7920
ccaccaattt gaaagcagag ccaaatataa aagacacttc cccggctttg gccagagcct 7980
gctgtttggc taccctgtgt acgtgttcgg cgattgcgtg caggggcgat gggatgcgat 8040
tcgctttcgc tattgcgcgc cgcggggcta tgcgctgctg cgctgcaacg ataccaacta 8100
tagcgtctcg ttggtgtgtg gggccctaga aggaccagg aatcaggact ggcttgggtg 8160
cccaagacaa cttgtaactc ggatgcaggc tattcagaat gccggcgctg gtaccctggt 8220
ggccatgctg gaagagacaa tcttctggct gcaagcgttt ctgatggcgc tgaccgatag 8280
cggcccgaaa accaacatta ttgtgtaga ccagtatgtg atgggcatta gcaaaccgag 8340
ctttcaggaa tttgtggatt gggaaaaacg ctgaacagca ccgatcagcc 8400
gttttggcaa gccggaatcc tggccagaaa tctggtgcct atggtggcca cagtgcaggg 8460
ccagaacctg aagtaccagg gttactcact agtcatctct gcttctatca ttgtcttcaa 8520
cctgctggaa ctggaagggtg attatcgaga tgatggcaac gtgtgggtgc ataccccgct 8580
gagcccgcg cccctgaacg cgtgggtgaa agcgggtgaa gaaaaaaaag gtattccagt 8640
tcacctagag ctggccagta tgaccaacat ggagctcatg agcagttatg tgcacagca 8700
ggtcagacaa tacggccccc tgttcatgtg tctcggcgga ctgcttacia tgggtggctg 8760
tgctgtgtgg ctgacagtg cagtgtctga gctgttccgg gccgcgcagc tggccaacga 8820
cgtggtctct cagatcctg agctttgttg tgcagcgttt cgcagaggtg gccataccac 8880
cgtgccgtgg ccgaacgcga gccctgacccc gaaatggaa aacgaaaacca cccagcccca 8940
gatcgccaac tgcagcgtgt atgacttttt tgtgtggctc cattattatt ctgttcgaga 9000
cacactttgg ccaagggtga cctaccatat gaacaaatat gcgtatcata tgcgtgaaag 9060
acgagccaaa tataaaaagag gaccaggacc tggcgctaaa tttgtggccc cctggacact 9120
gaaagccgct gctggctctg gacctggcca gtacatcaag gccaacagca agttcatcgg 9180
catcacgcaa ctccggaccg gaccaggctg atgattcgaa cggccgtatc accgccaaac 9240
atttacagcc gcggtgtcaa aaaccgcgtg gacgtgggta acatccctgc tgggaggatc 9300
agccgtaat attataattg gcttggtgct ggctactatt gtggccatgt acgtgctgac 9360
caaccagaaa cataattgaa tacagcagca attggcaagc tgcttacata gaactcgcgg 9420
cgattggcat gccgccttaa aattttttt ttattttttc ttttcttttc cgaatcggat 9480
tttgttttta atatttcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 9540
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 9577

```

```

SEQ ID NO: 5      moltype = DNA length = 11446
FEATURE
source            Location/Qualifiers
                  1..11446
                  mol_type = other DNA
                  organism = Venezuelan equine encephalitis virus

```

```

SEQUENCE: 5
atagcggcgc catgagagaa gccacagcca attacctacc caaaatggag aaagtccacg 60
ttgacatcga ggaagacagc ccattcctca gagctttgca gccgagcttc ccgcagtttg 120
aggtagaagc caagcaggtc actgataatg accatgctaa tgcagagcgc ttttcgcatc 180
tggcttcaaa actgatcgaa acggagggtg acccatccga cacgatcctt gacattggaa 240
tgcgccccc cgcgagaatg tattctaaag acaagtatca ttgtatctgt ccgatgagat 300
gtgcgggaag tccggacaga ttgtataagt atgcaactaa gctgaagaaa aactgtaagg 360
aaataactga taagggaattg gacaagaaaa tgaaggagct cgccgcgcgc atgagcgacc 420
ctgacctgga aactgagact atgtgcctcc acgacgagca gtcgtgtcgc tacgaagggc 480
aagtgcgtgt ttaccaggat gtatacgcgg ttgacggacc gacaagtcct tatcaccaag 540
ccaataaggg agtttagatc gcctactgga taggctttga caccaccctt tttatgttta 600
agaacttggc tggagcatat ccatcatact ctaccaactg ggccgacgaa accgtgttaa 660
cggctcgtaa cataggccta tgcagctctg acgttatgga gcggtcacgt agagggatgt 720
ccattcttag aaagaagtat ttgaaacctat tctattctct gttggctcga 780
ccatctacca cgagaagagg gacttactga ggagctggca cctgcgctct gtatttctact 840

```

-continued

tacgtggcaa	gcaaaattac	acatgtcggt	gtgagactat	agttagtgtc	gacgggtacg	900
tcgttaaaag	aataagctatc	agtcacaggcc	tgtatgggaa	gccttcaggc	tatgctgcta	960
cgatgcaccc	cgaggggattc	ttgtgctgca	aagtgcacaga	cacattgaac	ggggagaggg	1020
tctcttttcc	cgtgtgcacg	tatgtgccag	ctacattgtg	tgaccaaatg	actggcatac	1080
tggcaacaga	tgtcagtcg	gacgacgcgc	aaaaactgct	ggttgggctc	aaccagcgta	1140
tagtcgtcaa	cggtcgcacc	cagagaaaca	ccaataccat	gaaaaattac	cttttgcccc	1200
tagtggccca	ggcatttgct	aggtggggcaa	aggaatataa	ggaagatcaa	gaagatgaaa	1260
ggccactagg	actacgagat	agacagttag	tcatgggggtg	ttgttgggct	tttagaaggc	1320
acaagataac	atctatttat	aagcgcgccg	atacccaaac	catcatcaaa	gtgaacacgc	1380
atttccactc	attcgtgctg	cccaggatag	gcagtaaacac	attggagatc	gggctgagaa	1440
caagaatcag	gaaaatgtta	gaggagcaca	aggagccctc	acctctcat	accgccgagg	1500
acgtacaaga	agctaagtgc	gcagccgatg	aggctaagg	ggtgcgtgaa	gccgaggagt	1560
tgccgcgcgc	tctaccacct	ttggcagctg	atggtgagga	gccactctg	gaagccgatg	1620
tcgacttgat	gttacaagag	gctggggccg	gctcagtgga	gacacctcgt	ggcttgataa	1680
aggttaccag	ctacgatggc	gaggacaaga	tcggctctta	cgctgtgctt	tctccgcagg	1740
ctgtactcaa	gagtgaaaaa	ttatcttgca	tccacctct	cgctgaacaa	gtcatagtga	1800
taacacactc	tggccgaaaa	gggcgttatg	ccgtgggaacc	ataccatggt	aaagtgtggg	1860
tgccagaggg	acatgcaata	cccgccagg	actttcaagc	tctgagtga	agtgccacca	1920
ttgtgtacaa	cgaacgtgag	ttcgtaaaca	ggtacctgca	ccatattgcc	acacatggag	1980
gagcgtgtaa	cactgatgaa	gaatattaca	aaactgtcaa	cccagcgag	cacgacggcg	2040
aatacctgta	cgacatcgac	aggaaacagt	cgctcaagaa	agaactagtc	actgggctag	2100
ggctcacagg	cgactgggtg	gatcctccct	tccatgaatt	cgctacgag	agtctgagaa	2160
cacgaccagc	cgtcccttac	caagtaccaa	ccataggggt	gtatggcggtg	ccaggatcag	2220
gcaagtctgg	catcattaaa	agcgcagtc	ccaaaaaaga	tctagtgggtg	agcgccaaga	2280
aagaaaaactg	tgacgaaatt	ataaggagcg	tcaagaaat	gaaagggtcg	gacgtcaatg	2340
ccagaactgt	ggactcagtg	ctcttgaatg	gatgcaaaaca	cccgtagag	acctgtata	2400
ttgacgaagc	ttttgcttgt	catgcaggtg	ctctcagagc	gctcatagcc	attataagac	2460
ctaaaaaggc	agtgctctgc	ggggatccca	aacagtgcgg	tttttttaac	atgatgtgcc	2520
tgaagtgca	ttttaaacca	gagatttgca	cacaagctct	ccacaaaagc	atctctcgcc	2580
gttgactaaa	atctgtgact	tcggctgctc	caacctgtt	ttacgacaaa	aaaatgagaa	2640
cgacgaatcc	gaaagtgact	aagattgtga	ttgacactac	cggcagtagc	aaacctaaagc	2700
aggacgatct	catctcact	tgtttcagag	gggtgggtgaa	gcagttgcaa	atagattaca	2760
aaggcaacga	aataatgacg	gcagctgcct	ctcaagggct	gacctgtaa	gggtgtgatg	2820
ccgttcggtg	caagggtgaa	gaaaatcctc	tgtacgcacc	cacctcagaa	catgtgaacg	2880
tccactgac	ccgcacggag	gaccgcacg	tgtggaaaac	actagccggc	gacctatgga	2940
taaaaacact	gactgccaag	tacctgggga	atttactg	cacgatagag	gagtgccaag	3000
cagagcatga	tgccatcatc	aggcacatct	tggagagacc	ggacctacc	gacgtcttcc	3060
agaataaggc	aaacgtgtgt	tggggcaagg	cttttagtgc	gggtgctga	accgtggca	3120
tagacatgac	cactgaacaa	tggaaactg	tggattattt	tgaacggagc	aaagctcact	3180
cagcagagat	agattgaac	caactatg	tgaggttctt	tggactcgat	ctggactccg	3240
gtctatttcc	tgcacctact	gttccgttat	ccattagga	taactactgg	gataactccc	3300
cgctgcctaa	catgtacggg	ctgaataaag	aagtggtccg	tcagctctct	cgaggtacc	3360
cacaactgcc	tcgggcgact	gcaactggaa	gagtcctatg	catgaacact	ggtacactgc	3420
gcaattatga	tccgcgcata	aacctagtac	ctgtaaacag	aagactgcct	catgctttag	3480
tccctccacca	tactgaacac	ccacagagtg	acttttcttc	attcgtcagc	aaattgaagg	3540
gcagaactgt	cctgggtggtc	ggggaaaaag	tgtccgtccc	aggcaaaatg	ggtgactggg	3600
tgtcagaccg	gcctgaggct	accttcagag	ctcggtcgga	tttaggcac	ccagggtgatg	3660
tgcccaata	tgacataata	ttgttgaatg	tgaggacccc	atataaatac	catcactatc	3720
agcagtggtg	agaccatg	attaagctta	gcattgtgac	caagaaaagt	tgtctgcatc	3780
tgaatcccg	cggaaactgt	gtcagcatag	gttatgggta	cgctgacagg	gccagcgaaa	3840
gcatcattgg	tgctatagcg	cggcagttca	agttttcccg	ggatgcaaaa	ccgaaatcct	3900
cacttgaaga	caggggaatt	ctgtttgtat	tcaattgggta	cgatcgcaag	gcccgtaacg	3960
acaatcctta	caagctttca	tcaaccttga	ccaaccttta	tacaggttcc	agactccacg	4020
aagccggatg	tgcacctca	tatcatgtgg	tgcaggggga	tattgccacg	gccaccgaag	4080
gagtgattat	aaatgctgct	aacagcaaa	gacaacctgg	cggagggggtg	tgccgagcgc	4140
tgtataagaa	attcccgaa	agcttcgatt	tacagccgat	cgaagtagga	aaagcgcgac	4200
tgggtcaagg	tgcagctaaa	catatcattc	atgccgtagg	accaaaactc	aacaaagttt	4260
cggagggttg	agggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aagattgtca	4320
acgataacaa	ttacaagtca	gtagcgattc	cactgttgtc	caccggcatc	ttttccggga	4380
acaaagatcg	actaacccaa	tcattgaacc	atttctgac	agcttttagc	accactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaaat	gactctcaag	gaagcactgg	4500
ctaggagaga	agcagtgagg	gagatagca	tatccgacga	ctcttcagtg	acagaacctg	4560
atgcagagct	ggtaggggtg	catccgaaga	gttctttggc	tggaaaggaa	ggctacagca	4620
caagcgatgg	caaaactttc	tcatatttgg	aagggaacca	gtttccaccg	gcggccaagg	4680
atatagcaga	aattaatgcc	atgtggcccg	ttgcaacgga	ggccaatgag	caggtatgca	4740
tgtatatcct	cggagaaaagc	atgagcagta	ttaggtcgaa	atgcccgcgc	gaagagtcgg	4800
aagcctccac	accacctagc	acgctgcctt	gcttgtgcat	ccatgccatg	actccagaaa	4860
gagtagacgc	cctaaaagcc	tcacgtccag	aacaaattac	tgtgtgctca	tcctttccat	4920
tgccgaagta	tagaatcact	gggtgtgcaga	agatccaatg	ctcccagcct	atattgttct	4980
caccgaaagt	gcctgcgtat	attcatccaa	ggaagtatct	cgtggaaaaca	ccaccggtag	5040
acgagactcc	ggagcaatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cacttataac	cgaggatgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tagcataagt	ttgctgtcag	atggcccgac	ccaccaggtg	ctgcaagtcg	5220
aggcagacat	tcacggggcg	cctctgtgat	ctagctcatc	ctggtccatt	cctcatgcat	5280
ccgactttga	tgtgggacag	ttatccatac	ttgacacct	ggaggggagct	agcgtgacca	5340
gccccggcaac	gtcagccgag	actaactctt	acttcgcaaa	gagtatggag	tttctggcgc	5400

-continued

gaccggtgcc	tgcgcctcga	acagtattca	ggaacccctcc	acatcccgcct	ccgcgcacaa	5460
gaacaccgtc	acttgcaacc	agcagggcct	gctcgagaac	cagcctagtt	tccaccccg	5520
caggcgtaga	tagggtagtc	actagagagg	agctcgaggc	gcttaccocg	tcacgcactc	5580
ctagcaggtc	ggtctcgaga	accagcctgg	tctccaacc	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacggttt	gatgcgggtg	5700
catacatctt	ttcctccgac	accggtcaag	ggcatattaca	acaaaaatca	gtaaggcaaa	5760
cggtgctatc	cgaagtgggtg	ttggagagga	ccgaattgga	gatttcgtat	gccccgcgcc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagtc	aggaaggtgg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcaagg	cctagggcct	tatttgaagg	cagaaggaaa	agtggagtgc	taccgaaccc	6000
tgcctcctgt	tcctttgtat	tcacttagtg	tgaaccgtgc	cttttcaagc	cccaaggctg	6060
cagtggaagc	ctgtaacgcc	atgttgaaag	agaactttcc	gactgtggct	tcttactgta	6120
ttattccaga	gtacgatgcc	tatttggaca	tggttgacgg	agcttcacgc	tgcttagaca	6180
ctgccagttt	ttgccctgca	aagctgcgca	gctttccaaa	gaaacactcc	tatttggaa	6240
ccacaatacg	atcggcagtg	ccttcagcga	tccagaacac	gctccgaac	gtcctggcag	6300
ctgccacaaa	aagaatttgc	aatgtcacgc	aatgagaga	attgcccgta	ttggattcgg	6360
cggcctttaa	tgtgggaatgc	ttcaagaaat	atgcgtgtaa	taatgaatat	tgggaaacgt	6420
ttaaagaaaa	cccacatcagg	cttactgaag	aaaacgtggt	aaattacatt	accaaataa	6480
aaggacaaaa	agctgctgct	cttttgcga	agacacataa	ttgaatatg	ttgcaggaca	6540
taccaatgga	caggtttgta	atggacttaa	agagagacgt	gaaagtgact	ccaggaaaca	6600
aacatactga	agaacggccc	aaggtacagg	tgatccaggc	tgccgatccg	ctagcaacag	6660
cgtatctgtg	cggaaatccac	cgagagctgg	ttaggagatt	aaatgcggtc	ctgcttccga	6720
acattcctac	actgtttgat	atgtcggctg	aagactttga	cgctattata	gccgagcact	6780
tcacgcctgg	ggatttgtgt	ctggaaactg	acatcgctgc	gtttgataaa	agtgaggacg	6840
acgcctatgg	cattgacggc	ttaatgattc	tggaagactt	aggtgtggac	gcagagctgt	6900
tgacgctgat	tgaggcgctt	ttcggcgaaa	tttcatcaat	acatttggcc	actaaaaacta	6960
aatttaaat	cggagccatg	atgaaatctg	gaatgttcct	cacactgttt	gtgaacacag	7020
tcatatacat	tgtaatcgca	agcagagtgt	tgagagaacg	gctaaccgga	tcaccatgtg	7080
cagcattcat	tgagatcgac	aatatcgtag	aaggagtaa	atcggacaaa	ttaatggcag	7140
acagggtcgc	cacctgtgtg	aatatggaag	tcaagattat	agatgctgtg	gtggcgagag	7200
aagcgccctta	tttctgtgga	gggtttattt	tgtgtgactc	cgtgaccggc	acagcgtgcc	7260
gtgtggcaga	ccccctaaaa	aggctgttta	agcttggcaa	acctctggca	gcagacgatg	7320
aacatgatga	tgacaggaga	agggcattgc	atgaagagtc	aacacgctgg	aaccgagtg	7380
gtattctttc	agagctgtgc	aaggcagtag	aatcaaggta	tgaaccgcta	ggaacttcca	7440
tcatagttat	ggccatgact	actctagcta	gcagtgttaa	atcattcagc	tacctgagag	7500
gggcccctat	aaactctctac	ggctaaccctg	aatggactac	gacatagtct	agtcgcccaa	7560
gatgttcccg	ttccagccaa	tgtatccgat	gcagccaatg	ccctatcgca	accgcttcgc	7620
ggcccccgcc	aggccctggt	tccccagaa	cgaccccttt	ctggcgatgc	aggtgcaggga	7680
attaaccgcg	tcgatggcta	acctgacgct	caagcaacgc	cgggacgcgc	cacctgaggg	7740
ggcctccgct	aagaaccgca	agaaggaggg	ctcgcaaaaa	cagaaagggg	gagggccaagg	7800
gaagaagaag	aagaaccaag	ggagaagaa	ggctaagaca	gggcccgccta	atccgaaggc	7860
acagaatgga	aacaagaaga	agaccaacaa	gaaaccaggc	aagagacagc	gcattggtcat	7920
gaaattggaa	tctgacaata	cgttcccaat	catgttggaa	gggaagataa	acggctacgc	7980
ttgtgtggtc	ggagggaagt	tattcaggcc	gatgcattgt	gaaggcaaga	tcgacaaaga	8040
cgttctggcc	gcgcttaaga	cgaagaaagc	atccaaatac	gatcttgagt	atgcagatgt	8100
gccacagaac	atcgggcgcc	atacattcaa	atacaccat	gagaaacccc	aaggctatta	8160
cagctggcat	catggagcag	tccaatatga	aaatgggcgt	ttcacggctg	cgaaggaggt	8220
tggggccaag	ggagacagcg	gacgacccat	tctgataaac	cagggacggg	tggtgcctat	8280
tgtgtctgga	ggtgtgaaag	aaggatctag	gacagccctt	tcagtcgta	tgtggaacga	8340
gaaggggagt	accgtgaagt	atactccgga	gaaactgcag	caatggctac	tagtaccac	8400
catgtgtctg	ctcgccaatg	tgacgttccc	atgtgtctca	ccaccaattt	gctacgacag	8460
aaaaaccaga	gagactttgg	ccatgctcag	cgttaacgct	gacaaacccg	gctacgatga	8520
gctgtggaa	gcagctgtta	agtgcgccgg	aaggaaaagg	agatccaccg	aggagctgtt	8580
taatgagtat	aagctaacgc	gcccttacat	ggccagatgc	atcagatgtg	cagttgggag	8640
ctgccatagt	ccaatagcaa	tcgaggcagt	aaagagcgac	gggcacgacg	gttatgttag	8700
acttcagact	tcctcgcagt	atggcctgga	ttcctccggc	aaactaaagg	gcaggaccat	8760
gcggtatgac	atgcacggga	ccattaaaga	gataccacta	catcaagtgt	cactctatac	8820
atctcgcccg	tgtcacattg	tggtatggca	cgggtatttc	ctgcttgcca	ggtgcccgcc	8880
aggggactcc	atcaccatgg	aatttaagaa	agattccgct	agacactcct	gctcggtgcc	8940
gtatgaagtg	aaatttaatc	ctgttaggcag	agaactctat	actcatcccc	cagaacacgg	9000
agtagagcaa	ccgtgccaag	tctacgcaca	tgatgcacag	aacagaggag	cttatgtcga	9060
gatgcacctc	ccgggctcag	aagtggacag	cagtttggtt	tccttgagcg	gcagttcagt	9120
caccgtgaca	cctcctgatg	ggactagcgc	cctggtgga	tgcgagtggt	gcggcacaaa	9180
gatctccgag	accatcaaca	agacaaaaca	gttcagccag	tgacaaaaga	aggagcagtg	9240
cagagcatat	cgctgcaga	acgataaagt	ggtgtataat	tctgacaaac	tgcccaaaag	9300
agcgggagcc	accttaaaag	gaaaactgca	tgtcccatct	ttgctggcag	acggcaaatg	9360
caccgtgcct	ctagcaccag	aacctatgat	aaccttcggt	ttcagatcag	tgctactgaa	9420
actgcaccct	aagaatccca	catatcta	caccgcgcaa	cttgctgatg	agcctcacta	9480
cacgcacgag	ctcatatctg	aaccagctgt	taggaatttt	accgtcaccg	aaaaagggtg	9540
ggagtttgta	tggggaaacc	accgcggcaa	aaggttttgg	gcacaggaaa	cagcaccggg	9600
aaatccacat	gggtctaccg	acgaggtgat	aactcattat	taccacagat	acctatgtc	9660
caccatcctg	ggtttgcata	ttgtgcccgc	cattgcaaac	gtttccggtt	cagcgtctac	9720
ctggctgttt	tgagatctta	gagttgcgtg	cctaactcct	taccggctaa	cacctaacgc	9780
taggatacca	ttttgtctgg	ctgtgctttg	ctgcgcccg	actgccccgg	ccgagaccac	9840
ctgggagctc	ttggatcacc	tatggaacaa	atgttctgga	ttcaattgct		9900
gatccctctg	gccgccttga	tcgtagtgc	tcgcctgctc	aggtgcgtgt	gctgtgtcgt	9960

-continued

```

gctttttta gtcattggcgc gcgcgcgcagg cgcgcgcgcgc tacgagcagc cgaccacgat 10020
gcccagccaa gtcgggaatct cgtataaacac tatagtcaac agagcaggct acgcaccact 10080
ccctatcagc ataacaccaa caaagatcaa gctgatacct acagtgaact tggagtacgt 10140
cacctgccac taaaaaacag gaatggattc accagccatc aaatgctgcg gatctcagga 10200
atgcactcca acttacaggc ctgatgaaca gtgcaaaagtc ttcacagggg tttaccogtt 10260
catgtgggggt ggtgcatatt gcttttgcca cactgagaac acccaagtca gcaaggccta 10320
cgtaatgaaa tctgacgact gccttgccga tcatgctgaa gcatataaag cgcacacagc 10380
ctcagtgagc gcgttcctca acatcacagt gggagaacac tctattgtga ctaccgtgta 10440
tgtgaatgga gaaactcctg tgaatttcaa tggggtcaaa ataactgcag gtcgcgtttc 10500
cacagcttgg acaccccttg atcgcaaaat cgtgcagtat gccggggaga tctataatta 10560
tgattttcct aggtatgggg caggacaacc aggagcattt ggagatatac aatccagaac 10620
agtctcaagc tctgatctgt atgccaatc caacctagtg ctgcagagac ccaaagcagg 10680
agcgatccac gtgccataca ctcaggccacc ttcgggtttt gagcaatgga agaaagataa 10740
agctccatca ttgaaattta ccgccccttt cggatgcgaa atatatacaa accccattcg 10800
cgccgaaaaa tgtgctgtag ggccaattcc attagccttt gacattcccc acgccttggt 10860
caccagggtg tcagaaacac ggacactttc agcggccgaa tgcactctta acgagtgcgt 10920
gtattcttcc gactttgggt ggatcgccac ggtcaagtac tcggccagca agtcaggcaa 10980
gtgcgcagtc catgtgccat cagggactgc taccctaaaa gaagcagcag tcgagctaac 11040
cgagcaaggg tcggcgactc gccatttctc gaccgcgaat atccaccgg agttcaggct 11100
ccaaatatgc acatcatatg ttacgtgcaa aggtgattgt caccctccga aagaccatac 11160
tgtgacacac cctcagatc acgcccacaa atttacagcc cgggtgtcaa aaaccgcgtg 11220
gacgtggtta acatccctgc tgggaggatc agccgttaatt attataattg gcttggtgct 11280
ggctactatt tgggcatatg acgtgctgac caaccagaaa cataattgaa tacagcagca 11340
attggcaagc tgcttacata gaactcgccg cgtattggcat gccgccttaa aatttttatt 11400
ttatttttct tttcttttcc gaatcggatt ttgtttttaa tatttc 11446

```

```

SEQ ID NO: 6      moltype = DNA length = 7895
FEATURE
misc_feature      Location/Qualifiers
                  1..7894
                  note = Description of Artificial Sequence: Synthetic
                  polynucleotide
source            1..7895
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 6
atgggcggcg catgagagaa gccagacca attacctacc caaaatggag aaagttcacg 60
tgacatcga ggaagacagc ccattcctca gagctttgca gcggagcttc ccgcagtttg 120
aggtagaagc caagcaggtc actgataatg acctgctaa tgccagagcg ttttcgcac 180
tggcttcaaa actgatcgaa agcggagggtg acccatccga cagcatcctt gacattggaa 240
gtgcgcccgc ccgagaaatg tattctaagc acaagtatca ttgtatctgt ccgatgagat 300
gtgcggaaga tccggacaga ttgtataagt atgcaactaa gctgaagaaa aactgtaagg 360
aaataactga taaggaattg gacaagaaaa tgaaggagct cgccgcgcgc atgagcgacc 420
ctgacctgga aactgagact atgtgcctcc acgacgacga gtcgtgtcgc tacgaagggc 480
aagtcgctgt ttaccaggat gtatacgcgg ttgacggacc gacaagtctc tatcaccacg 540
ccaataaggg agtttagagc gccacttgga taggctttga caccaccctt tttatgttta 600
agaaacttggc tggagcatat ccatcatact ctaccaactg ggccgacgaa accgtgttaa 660
cggtcgttaa cataggccta tgcagctctg acgttatgga gcggtcacgt agagggatgt 720
ccattcttag aaagaagtat ttgaaacat ccaacaatgt tctattctct gttggctcga 780
ccatctacca cgagaagagg gacttactga ggagctggca cctgcccgtt gtatttcact 840
tacgtggcaa gcaaaattac acatgtcggg gtgagactat agttagtgtc gacgggtacg 900
tcgttaaaag aatagctatc agtccaggcc tgtatgggaa gccttcaggc tatgctgcta 960
cgatgcacgc caggggattc ttgtgtcgca aagtgcacga cacattgaac ggggagaggg 1020
tctcttttcc cggtgtgcag tatgtgccag ctacattgtg tgaccaaattg actggcatac 1080
tggcaacaga tgtcagtgcc gacgacgcgc aaaaactgct ggttgggctc aaccagcgta 1140
tagtcgtcaa cggtcgcacc cagagaaaaa ccaataccat gaaaaattac cttttgccc 1200
tagtggccca ggcatttctt aggtggggca aggaatataa ggaagatcaa gaagatgaaa 1260
ggccactagg actacgagat agacagttag tcatgggggt ttgttgggtt tttagaaggc 1320
acaagataac atctatttat aagcgcccgc ataccacaa catcatcaaa gtgaacagcg 1380
atttccactc attcgtgctg cccaggatag gcagtaaacac attggagatc gggctgagaa 1440
caagaatcag gaaaatgtta gaggagcaca aggagccgtc acctctcatt accgccagg 1500
acgtacaaga agctaagtgc gcagccgatg aggtcaaggga ggtgcgtgaa gccgaggagt 1560
tgccgcgcgc tctaccacct ttggcagctg atgttgagga gcccactctg gaagccgatg 1620
tcgacttgat gttacaagag gctggggccg gctcagtgga gacacctcgt ggcttgataa 1680
aggttaccag ctacgtggc gaggacaaga tcggctctta cgctgtgctt tctccgcagg 1740
ctgtactcaa gagtgaaaaa ttatcttgca tccacctctc cgctgaacaa gtcatagtga 1800
taacacactc tggccgaaaa gggcgttatg ccgtggaacc ataccatggt aaagttagtg 1860
tgccagaggg acatgcaata ccggtccagg accttcaagc tctgagtga agtgccacca 1920
ttgtgtacaa cgaacgtgag ttctgtaaca ggtacctgca ccatattgcc acacatggag 1980
gagcgctgaa cactgatgaa gaatattaca aaactgtcaa gccagcgag cagcagggcg 2040
aatacctgta cgacatcgac aggaacacgt gcgtcaagaa agaactagtc actgggctag 2100
ggctcacagg cgagctgggt gatcctccct tccatgaatt cgctacgag agtctgagaa 2160
cacgaccagc cgtctcttac caagtaccaa ccataggggt gtatggcggt ccaggatcag 2220
gcaagtcttg catcattaaa agcgcagtc ccaaaaaaga tctagtgggt agcgccaaga 2280
aagaaaaact gcagaaatt ataaggagcg tcaagaaaaa gaaagggctg gacgtcaatg 2340
ccgaactgtg ggaactcagtg cttctgaatg gatgcaaaac cccgtagag accctgtata 2400
ttgacgaagc ttttgcttgt catgcaggta ctctcagagc gctcatagcc attataagac 2460

```

-continued

ctaaaaaggc	agtgtctctgc	ggggatccca	aacagtgcgg	tttttttaac	atgatgtgcc	2520
tgaaagtgca	ttttaaccac	gagatttgca	cacaagtctt	ccacaaaagc	atctctcgcc	2580
gttgactaa	atctgtgact	tccgtcgtct	caacctgtt	ttacgacaaa	aaaatgagaa	2640
cgacgaatcc	gaaagagact	aagattgtga	ttgacactac	cggcagtacc	aaacctaacg	2700
aggacgatct	cattctcact	tgtttcagag	ggtgggtgaa	gcagttgcaa	atagattaca	2760
aaggcaacga	aataatgacg	gcagctgcct	ctcaagggct	gaccctgaaa	ggtgtgtatg	2820
ccgttcggta	caaggtgaat	gaaaaatcct	tgtacgcacc	cacctcagaa	catgtgaacg	2880
tcctaactgac	ccgcacggag	gaccgcacat	tgtggaaaac	actagccggc	gacctatgga	2940
taaaaacact	gactgccaa	tacctggga	atttactgc	cacgatagag	gagtggcaag	3000
cagagcatga	tgccatcatg	aggcacatct	tggagagacc	ggacctacc	gacgtcttcc	3060
agaataaggc	aaacgtgtgt	tgggccaaag	ctttagtccc	ggtgtcgaag	accgctggca	3120
tagacatgac	cactgaacaa	tggaaactg	tggattat	tgaacggac	aaagctcact	3180
cagcagagat	agtattgaac	caactatgcg	tgaggttctt	tggactcgat	ctggactccg	3240
gtctattttc	tgaccactac	gttccgttat	ccattaggaa	taactactgg	gataaactccc	3300
cgctgcctaa	catgtacggg	ctgaataaag	aagtgggtccg	tcagctctct	cgaggtacc	3360
cacaactgcc	tccggcagtt	gccactggaa	gagttctatga	catgaacact	ggtacactgc	3420
gcaattatga	tcgcgcgata	aacctagtac	ctgtaaacag	aagactgcct	catgctttag	3480
tcctccacca	taatagaacac	ccacagagtg	acttttcttc	attcgtcagc	aaattgaagg	3540
gcagaactgt	ccctgggtgc	ggggaaaaag	tgtccgtccc	aggcaaaatg	gttgaactggt	3600
tgtcagacgg	gctcagagct	accttcagag	ctcggctgga	tttaggcac	ccaggtgatg	3660
tgcccaata	tgacataata	tttgtaatg	tgaggacccc	atataaatac	catcactatc	3720
agcagtgatga	agaccatgcc	attaagctta	gcattgtgac	caagaaagct	tgtctgcac	3780
tgaatcccg	ggaaactgt	gtcagcatag	gttatggta	cgctgacagg	gccagcgaaa	3840
gcatcattgg	tgctatagcg	cggcagttca	agttttcccg	ggatgcaaa	ccgaaactct	3900
cacttgaaga	caagggaagt	ctgtttgtat	tcattgggta	cgatcgcaag	gccgtacgc	3960
acaactctta	gaagctttca	tcacacttga	ccaacattta	tacaggttcc	agactccacg	4020
aagccggatg	tgcacctca	tatcatgtgg	tgcaggggga	tattgccacg	gccaccgaag	4080
gagtgattat	aaatgctgtc	aacagcaaa	gacaacctgg	cggagggggtg	tgcggagcgc	4140
tgtataagaa	attcccgaaa	agcttcgatt	tacagccgat	cgaagtagga	aaagcgcgac	4200
tggtaaaagg	tgcagctaaa	catatcattc	atgcgcgtag	accaaaactc	aaacaaagtt	4260
cggaggttga	aggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aagattgtca	4320
acgataacaa	tacaagtca	gtagcgattc	cactgttgtc	caccggcatc	ttttccggga	4380
acaaagatcg	actaacccaa	tcattgaacc	atttctgac	agctttagac	accaactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaat	gactctcaag	gaagcagtg	4500
ctaggagaga	agcagtgag	gagatatgca	tatccgacga	ctcttcagtg	acagaacctg	4560
atgcagagct	ggtgaggggt	catccgaaga	gttctttggc	tggaaaggaag	ggctacagca	4620
caagcgatgg	caaaaacttc	tcataatttg	aagggaacaa	gtttaccacg	gcggccaagg	4680
atatagcaga	aaattaatgcc	atgtggcccg	tgtcaacgga	ggccaatgag	cagggtatgca	4740
tgtatatcct	cggagaagac	atgagcagta	ttaggtcgaa	atgcccgcgc	gaagagtcgg	4800
aaagctccac	accactagc	acgtgcctt	gcttgtgcat	ccatgcatgc	actccagaaa	4860
gagtacagcg	cctaaaagcg	tcacgtccag	aacaaattac	tgtgtgctca	tcctttccat	4920
tgccgaagta	tagaatcact	ggtgtgcaga	agatccaatg	ctcccagcct	atattgttct	4980
caccgaagtg	attcatccaa	ggaagtatct	cgtggaaaca	ccaccggtag		5040
acgagactcc	ggagccatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cacttataac	cagaggtgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tgcataaagt	tgtctgtcag	atggcccgac	ccaccaggtg	ctgcaagtgc	5220
aggcagacat	tcacgggccc	ccctctgtat	ctagctcatc	ctgggtccatt	cctcatgcat	5280
cgactttga	tgtggacagt	ttatccatac	ttgacacctc	ggagggagct	agcgtgacca	5340
gcggggcaac	ctcagctcag	actaactctt	acttcgcaaa	gagtatggag	tttctggcgc	5400
gaccgggtgcc	tgcgcctcga	acagatttca	ggaacctctc	acatcccgct	ccgcgcacaa	5460
gaacacgcgc	acttgcaccc	agcagggcct	gctcagaaac	cagcctagtt	tcacccccgc	5520
caggcgtgaa	tagggtagatc	actagagagg	agctcgaggc	gcttaccgcc	tcacgcactc	5580
ctagcaggtc	ggtctcgaga	accagcctgg	tctccaaccc	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacggttt	gatgcgggtg	5700
catacatctt	ttcctccgac	accggtcaag	ggcatttaca	acaaaaatca	gtaaggcaaa	5760
cgggtgctatc	cgaagtggg	ttggagagga	ccgaattgga	gatttctgat	gccccgcgcc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagtc	aggaaggtgg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcaagg	cctagggcac	tatttgaagg	cagaaggaaa	agtgagtgct	taccgaacct	6000
tgcactcctgt	tcctttgtat	tcacttagtg	tgaacgcgtc	cttttcaagc	cccaaggctg	6060
cagtggaagc	ctgtaacgccc	atgttgaagg	agaactttcc	gactgtggct	tcttactgta	6120
ttattccaga	gtacgatgcc	tatttggaca	tgggtgacgg	agcttcatgc	tgttagaca	6180
ctgccagttt	ttgccctgca	aagctgcgca	gctttccaaa	gaaacactcc	tatttggaac	6240
ccacaatacg	atcggcagtg	ccttcagcga	tccagaacac	gctccagaac	gtcctggcag	6300
ctgccacaaa	aagaaattgc	aatgtcacgc	aaatgagaga	attgcccgtg	ttggattcgg	6360
cggcctttaa	tgtggaatgc	ttcaagaaat	atgcgtgtaa	taatgaatat	tgggaaacgt	6420
ttaaagaaaa	cccacatcag	cttactgaag	aaaacgtgg	aaattacatt	accaaattaa	6480
aaggacaaaa	agctgctgct	ctttttcgga	agacacataa	tttgaatatg	ttgcaggaca	6540
taccaatgga	caggtttgta	atggacttaa	agagagacgt	gaaagtgact	ccaggaaaca	6600
aacatactga	agaacgcccc	aaggtacagg	tgatccaggc	tgccgatccg	ctagcaacag	6660
cgtatctgtg	cggaaatccac	cgagagctgg	ttaggagatt	aaatgcggtc	ctgcttccgc	6720
acattcatac	actgtttgat	atgtcggctg	aagactttga	cgctattata	gccagcact	6780
tcacgcctgg	ggatttgtgt	ctggaactg	acatcgcgtc	gtttgataaa	agtgaggacg	6840
acgccatggc	tctgacccgg	ttaatgattc	tggaaagact	aggtgtggac	gcagagctgt	6900
tgacgtgat	tgagggggct	ttcggcaaaa	tttcatcaat	acatttgccc	actaaaacta	6960
aattttaaatt	cggagccatg	atgaaatctg	gaatgttcct	cacactgttt	gtgaacacag	7020

-continued

tcattaacat	tgtaatcgca	agcagagtgt	tgagagaacg	gctaaccgga	tcaccatgtg	7080
cagcattcat	tggagatgac	aatatcgtga	aaggagtcaa	atcggacaaa	ttaatggcag	7140
acagggtgcg	cacctgtgtg	aatatggaag	tcaagattat	agatgctgtg	gtgggcgaga	7200
aagcgcccta	tttctgtgga	gggttttatt	tgtgtgactc	cgtgaccggc	acagcgtgcc	7260
gtgtggcaga	ccccctaaaa	aggctgttta	agcttggcaa	acctctggca	gcagacgatg	7320
aacatgatga	tgacaggaga	aggcgattgc	atgaagagtc	aacacgctgg	aaccgagtgg	7380
gtattctttc	agagctgtgc	aaggcagtag	aatcaaggta	tgaaaccgta	ggaactcca	7440
tcatagttat	ggccatgact	actctagcta	gcagtgttaa	atcattcagc	tacctgagag	7500
gggcccctat	aactctctac	ggctaacctg	aatggactac	gacgtatcac	gccccaaacat	7560
ttacagccgc	ggtgtcaaaa	accgcgtgga	cgtggttaac	atccctgctg	ggaggatcag	7620
ccgtaattat	tataattggc	ttggtgctgg	ctactattgt	ggccatgtac	gtgctgacca	7680
accagaaaca	taattgaata	cagcagcaat	tggcaagctg	cttacctaga	actcgcggcg	7740
attggcatgc	cgcttaaaaa	tttttatttt	attttttctt	ttcttttccg	aatcggattt	7800
tgtttttaat	atttcaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	7860
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaa			7895

SEQ ID NO: 7 moltype = DNA length = 7894
FEATURE Location/Qualifiers
misc_feature 1..7893
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..7894
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 7

ataggcggcg	catgagagaa	gcccagacca	attacctacc	caaaatggag	aaagttcacg	60
ttgacatcga	ggaagacagc	ccattcctca	gagcttttga	gcggagcttc	ccgcagtttg	120
aggtagaagc	caagcaggtc	actgataatg	accatgctaa	tgccagagcg	ttttcgcatc	180
tggcttcaaa	actgatcgaa	acggagggtg	acccatccga	cacgatctct	gacattggaa	240
gtgcgcccgc	ccgcagaatg	tattctaagc	acaagtatca	ttgtatctgt	ccgatgagat	300
gtgcggaaga	tccggacaga	ttgtataagt	atgcaactaa	gctgaagaaa	aactgtaagg	360
aaataaactga	taagggaattg	gacaagaaaa	tgaaggagct	cgccgcgctc	atgagcgacc	420
ctgacctgga	aactgagact	atgtgcctcc	acgacgacga	gtcgtgtcgc	tacgaagggc	480
aagtgcgtgt	ttaccaggat	gtatacgcgg	ttgacggacc	gacaagtctc	tatcaccaag	540
ccaataagggt	agtttagatc	gcctactgga	taggctttga	caccacccct	tttatgttta	600
agaactctgg	tggagcatat	ccatcatact	ctaccaactg	ggccgacgaa	accgtgttaa	660
cggtctgtaa	cataggccta	tcagctcttg	acgttatgga	gcggtcacgt	agagggatgt	720
ccattcttag	aaagaagtat	ttgaaacct	ccaacaatgt	tctattctct	gttggetcga	780
ccatctacca	cgagaagagg	gacttactga	ggagctggca	cctgcgctct	gtatttcaact	840
tacgtggcaa	gcaaaatatt	acatgtcgtg	gtgagactat	agttagtgtc	gacgggtacg	900
tcgttaaaag	aatagctatc	agtcacggcc	tgtatgggaa	gccttcaggc	tatgctgcta	960
cgatgcaccg	cgagggatcc	ttgtgctgca	aagtgcacga	cacattgaac	ggggagaggg	1020
ttctcttttc	cgctgtgcacg	ttgtgccaac	ctacattgtg	tgaccaaatg	actggcatac	1080
tggcaacaga	tgtcagtgcg	gacgacgcgc	aaaaactgct	gggtgggctc	aaccagcgta	1140
tagtcgtcaa	cggtgcgacc	cagagaaaca	ccaataccat	gaaaaattac	cttttgcccc	1200
tagtggccca	ggcatttgtc	atgtgggcaa	aggaatataa	ggaagatcaa	gaagatgaaa	1260
ggccactagg	actacgagat	agacagttag	tcatgggggtg	ttgttgggct	tttagaaggc	1320
acaagataac	atctatttat	aagcgcgccg	ataccctaac	catcatcaaa	gtgaacagcg	1380
atttccactc	attcgtgcgt	cccaggatag	gcagttaaac	attggagatc	gggctgagaa	1440
caagaatcag	gaaaaatgta	gaggagcaca	aggagccctc	acctctcatt	accgcgaggg	1500
acgtacaaga	agctaaagtgc	gcagccgatg	aggctaagga	gggtgcgtgaa	gccgaggagt	1560
tgccgcgacg	cttaccacct	ttggcagctg	atgttgagga	gccactctcg	gaagccgatg	1620
tcgacttgat	gttacaagag	gctggggccg	gctcagtggg	gacacctcgt	ggcttgataa	1680
aggttaccag	ctacgatggc	gaggacaaga	tcggctctta	cgctgtgctt	tctccgcagg	1740
ctgtaactca	gagtgaaaaa	ttatcttgca	tccacctctc	cgctgaacaa	gtcatagtga	1800
taacacactc	tggccgaaaa	gggcgttatg	ccgtggaacc	ataccatggt	aaagttagtg	1860
tgccagaggg	acatgcaata	cccgtccagg	actttcaagc	tctgagtga	agtgccacca	1920
ttgtgtacaa	cgaacgtgag	ttcgtaaaca	ggtacctgca	ccatattgcc	acacatggag	1980
gagcgtgtaa	cactgatgaa	gaatattaca	aaactgtcaa	gcccagcgag	cacgacggcg	2040
aatacctgta	cgacatcgac	aggaaaacagt	gcgtcaagaa	agaactagtc	actgggctag	2100
ggctcacagg	cgaactgggtg	gatccctcct	tccatgaatt	cgctacgag	agtctgagaa	2160
cacgaccagc	cgctccttac	caagtaccaa	ccataggggtg	gtatggcgtg	ccaggatcag	2220
gcaagtcttg	catcattaaa	agcgcagtc	ccaaaaaaga	tctagtgggtg	agcgccaaga	2280
aagaaaaactg	tgacagaaat	ataagggacg	tcaagaaaaa	gaaagggctg	gacgtcaatg	2340
ccagaactgt	ggactcagtg	ctcttgaatg	gatgcaaaaca	cccgttagag	acctgtata	2400
ttgacgaagc	ttttgcttgt	catgcaggta	ctctcagagc	gctcatagcc	attataagac	2460
ctaaaaaggc	agtgtctctg	ggggatccca	aacagtcggg	tttttttaac	atgatgtgcc	2520
tgaaagtgca	ttttaaccac	gagatttgca	cacaagtctt	ccacaaaagc	atctctcgcc	2580
gttgactcaa	atctgtgact	tcggctcgtc	caaccttgtt	ttacgacaaa	aaaaatgagaa	2640
gcagcaatcc	gaaagagact	aagatttgtga	ttgacactac	cggcagtagc	aaacctaaagc	2700
aggacgatct	cattctcact	gttttcagag	gggtgggtgaa	gcagtgtgaa	atagattaca	2760
aaggcaacga	aataatgacg	gcagctgcct	ctcaagggct	gacccgtaaa	gggtgtgatg	2820
ccgttcggta	caagggtgaat	gaaaaatcctc	tgtacgcacc	cacctcagaa	catgtgaacg	2880
tcctactgac	ccgcacggag	gaccgcacgt	tgtggaaaaa	actagccggc	gacccatgga	2940
taaaaacact	gactgccaag	taccctggga	atttcactgc	cacgatatag	gagtggaaga	3000
cagagcatga	tgccatcatg	aggcacatct	tggagagacc	ggaccttacc	gacgtcttcc	3060

-continued

agaataaggc	aaacgtgtgt	tgggccaagg	cttttagtgcc	ggtgctgaag	accgctggca	3120
tagacatgac	cactgaacaa	tggaaacactg	tggatttattt	tgaacaggac	aaagctcact	3180
cagcagagat	agtattgaac	caactatgcg	tgaggttctt	tggactcgat	ctggactccg	3240
gtctatttcc	tgcaccactg	gttccgttat	ccattagga	taactactgg	gataactccc	3300
cgctcgctaa	catgtacggg	ctgaataaaag	aagtgggtccg	tcagctctct	cgcaggtacc	3360
cacaactgcc	tcggggcagtt	gccactggaa	gagctctatga	catgaacact	ggtagactgc	3420
gcaattatga	tccgcgcata	aacctagtac	ctgtaaacag	aagactgcct	catgctttag	3480
tcctccacca	taatgaacac	ccacagagtg	acttttcttc	attcgtcagc	aaattgaagg	3540
gcagaactgt	cctgggtggtc	ggggaaaaagt	tgtccgtccc	aggcaaaatg	gttgactgggt	3600
tgtcagaccg	gcttgagggt	accttcagag	ctcggctgga	tttaggcac	ccaggtgatg	3660
tgcccaataa	tgacataata	ttgtttaatg	tgaggacccc	atataaatac	catcactatc	3720
agcagtggtg	agaccatgcc	attaagctta	gcattgtgac	caagaaagct	tgtctgcac	3780
tgaatcccg	cggaaactgt	gtcagcatag	gttatggta	cgctgacagg	gccagcgaaa	3840
gcatcattgg	tgtctacggg	cggcagttca	agttttcccg	ggtagcaaaa	ccgaaatcct	3900
cacttgaaga	gacgggaagt	ctgtttgtat	tcattgggta	cgatcgcaag	gcccgtacgc	3960
acaatcctta	caagctttca	tcaaccttga	ccaacattta	tacaggttcc	agactccacg	4020
aagccggatg	tgcaccttca	tatcatgtgg	tgcgagggga	tattgcccacg	gccaccgaag	4080
gagtgattat	aaatgctgct	aacagcaaaag	gacaacctgg	cggagggggtg	tgccgagcgc	4140
tgtataagaa	attcccgga	acgttcgatt	tacagccgat	cgaagttaga	aaagcgcgac	4200
tggtaaaagg	tgcagctaaa	catatcattc	atgccgtagg	accaaacttc	aaacaaagt	4260
cggaggttga	aggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aaagtgtgca	4320
acgataacaa	ttacaagtca	gtagcgattc	cactgttgtc	caccggcatc	tttccggga	4380
acaaagatcg	actaaaccaa	tcattgaacc	atgtgtgtac	agcttttagac	accactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaaat	gactctcaag	gaagcagtg	4500
ctaggagaga	agcagtgagg	gagatatgca	tatccgacga	ctcttcagtg	acagaacctg	4560
atgcagagct	ggtaggggtg	catccgaaga	gttcttttggc	tggaagggaag	ggctacagca	4620
caagcgatgg	caaaacttcc	tcataattgg	aagggaacca	gtttccaccg	gcgcccaagg	4680
atatagcaga	aattaatgccc	atgtggcccc	ttgcaacgga	ggccaatgag	caggtatgca	4740
tgtatatcct	cggagaaagg	atgagcagta	ttaggtcgaa	atgccccgtc	gaagagtccg	4800
aagcctccac	accacctagc	acgctgcctt	gcttgtgtac	ccatgccact	actccagaaa	4860
gagtaacgcg	ctcaaaagcc	tcacgtccag	aacaaattac	tgtgtgtctca	tcctttccat	4920
tgccgaagta	tagaatcact	gggtgtgcaga	agatccaatg	ctcccagcct	atattgttct	4980
caccgaaagt	gcctgcgtat	attcatccaa	ggaagtatct	cggtgaaaca	ccaccggtag	5040
acgagactcc	ggagccatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cactataaac	cgaggatgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tagcataaag	tgtctgtcag	atggccccgac	ccaccagggtg	ctgcaagtccg	5220
agcgagacat	tcacgggccc	ccctctgtat	ctagctcatc	ctggctcatt	cctcatgcat	5280
cgcactttga	tgtggacagt	ttatccatac	ttgacacctc	ggagggagct	agcgtgacca	5340
gcggggcaac	gtcagccgag	actaaactct	acttcgcaaa	gagtagggag	tttctggcgc	5400
gaccggtgcc	tgcgcctcga	acagtatcca	ggaacctccc	acatcccgtc	ccgcgcacaa	5460
gaacaccgtc	acttgcaccc	agcaggggct	gctcgagaa	cagcctagt	tcacccccgc	5520
caggcgtaga	taggggtgat	actagagagg	agctcgaggc	gcttaccccc	tcacgcactc	5580
ctagcaggtc	gggtctcgaga	accagcctgg	ctctcaaccc	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacggttt	gatgcgggtg	5700
catatcatct	ttcttcgcac	accggtcaag	ggcattttaca	acaaaaatca	gtaaggcaaa	5760
cgggtgctatc	cgaagtgggtg	ttggagagga	ccgaatttga	gatttcgtat	gccccgcgcc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagctc	aggaagggtg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcgaagg	cctgaaggct	tatttgaagg	cagaaggaaa	agtggaagtgc	taccgaaccc	6000
tgcactcctgt	tcctttgtat	tcactatagt	tgaaccgtgc	cttttcaagc	cccaaggctg	6060
cagtggaagc	ctgtaacgccc	atgttgaaag	agaactttcc	gactgtgggt	tccttactgta	6120
ttattccaga	gtacagatgcc	tatttggaca	tgggtgacgg	agcttcacgc	tgcttagaca	6180
ctgccagttt	tgtccctgca	aaagctcgca	gctttccaaa	gaaacactcc	tatttggaa	6240
ccacaatacg	atcgggcagtg	ccttcagcga	tccagaacac	gctccagaac	gtcctggcag	6300
ctgccacaaa	aagaaaattgc	aatgtcacgc	aaatgagaga	attgcccgtg	ttggatttcg	6360
cggcctttaa	tgtggaatgc	ttcaagaaat	atgcgtgtaa	taatgaatat	tgggaaacgt	6420
ttaaagaaaa	ccccatcagg	cttactgaag	aaaacgtggg	aaattacatt	accaaataa	6480
aaggacacaaa	agctgctgct	ctttttgcga	agacacataa	tttgaatatg	ttgcaggaca	6540
taccaatgga	caggtttgtg	atggacttaa	agagagacgt	gaaagtgact	ccaggaaaca	6600
aacatactga	agaacggccc	aaggtacagg	tgatccaggc	tgccgatccg	ctagcaacag	6660
cgtatctgtg	cggaaatccac	cgagagctgg	ttaggagatt	aaatgcgggtc	ctgcttccga	6720
acattcctac	cgtgtttgat	atgtcggctg	aagactttga	cgctattata	gccgagcact	6780
tcacgcctgg	ggatttgtgt	ctggaaactg	acatcgctgc	gtttgataaa	agtgaggagc	6840
acgcatggc	tctgaccgcg	ttaatgattc	tggaaagact	aggtgtggac	gcagagctgt	6900
tgacgtgat	tgaggcggtc	ttcggcgaaa	tttcatcaat	acattttgcc	actaaaacta	6960
aatttaaat	cggagccatg	atgaaatctg	gaatgttcct	cacactgttt	gtgaacacag	7020
tcattaacat	tgtaatcgca	agcagaggtg	tgagagaaag	gctaaccgga	tcaccatgtg	7080
cagcatctcat	tggagatgac	aatatcgtga	aaggagtcac	atcggacaaa	ttaatggcag	7140
acaggtgcgc	cacctgggtg	aatatggaag	tcaagattat	agatgctgtg	gtgggagaga	7200
aagcgcttca	tttctgtgga	gggtttattt	tgtgtgactc	cgtgaccggc	acagcgtgcc	7260
gtgtggcaga	ccccctaaaa	aggtctgtta	agcttggcaa	acctctggca	gcagacgatg	7320
aaatgatgga	tgacaggaga	agggcattgc	atgaagagtc	aacacgctgg	aaacaggtgg	7380
gtattctttc	agagctgtgc	aaggcagtag	aatcaaggtg	tgaacccgta	ggaacttcca	7440
tcatagttat	ggccatgact	actctagcta	gcaggtgtta	atcattcagc	tacctgagag	7500
ggggccctat	aactctctac	aatggactac	gacgtatcac	gccccaacat		7560
ttacagccgc	gggtgtcaaaa	accgcgtgga	cgtggttaac	atccctgctg	ggaggatcag	7620

-continued

ccgtaattat	tataattggc	ttggtgctgg	ctactattgt	ggccatgtac	gtgctgacca	7680
accagaaaca	taattgaata	cagcagcaat	tggcaagctg	cttacataga	actcgcggcg	7740
attggcatgc	cgccttaaaa	tttttatttt	atttttcttt	tcttttcoga	atcggttttt	7800
gtttttaata	tttcaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	7860
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaa			7894

SEQ ID NO: 8 moltype = DNA length = 7928
FEATURE Location/Qualifiers
misc_feature 1..7927
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..7928
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 8

taatacgaact	cactatagga	tgggcggcgc	atgagagaag	cccagaccaa	ttacctacce	60
aaaatggaga	aagttcacgt	tgacatcgag	gaagacagcc	cattcctcag	agctttgcag	120
cggagcttcc	cgcagtttga	ggtagaagcc	aagcagggtca	ctgataatga	ccatgctaata	180
gccagagcgt	tttcgcatct	ggcttcaaaa	ctgatcgaaa	cggaggtgga	cccatccgac	240
acgatacctg	acattggaag	tgcgcccgc	cgcagaatgt	attctaagca	caagtatcat	300
tgtatctgtc	cgatgagatg	tgcggaagat	ccggacagat	tgtataagta	tgcaactaag	360
ctgaagaaaa	actgtaagga	aataactgat	aaggaattgg	acaagaaaat	gaaggagctc	420
gccgccgtca	tgagcgaccc	tgacctggaa	actgagacta	tgtgcctcca	cgacgacgag	480
tcgtgtcgct	acgaaggcca	agtcgctgtt	taccaggatg	tatacgcggt	tgacggaccg	540
acaagtctct	atcaccgaag	caataaggga	gttagagtcg	cctactggat	aggctttgac	600
accaccccct	ttatgtttaa	gaacttggct	ggagcatatc	catcatactc	taccaactgg	660
gccgacgaaa	ccgtgttaac	ggctcgtaac	ataggcccat	gcagctctga	cgttatggag	720
cgggtcacgta	gagggatgtc	catctttaga	aagaagtatt	tgaaccatc	caacaatggt	780
ctattctctg	ttggctcgac	catctaccac	gagaagaggg	acttactgag	gagctggcac	840
ctgcgcgtctg	tatttcaact	acgtggcaag	caaaattaca	catgtcgggt	tgagactata	900
gttagttgcg	acgggtgact	cggttaaaaga	atagctatca	gtccaggcct	gtatgggaag	960
ccttcaggct	atgctgtctac	gtatgcaccgc	gagggattct	tgtgctgcaa	agtgacagac	1020
acattgaacg	gggagagggt	ctcttttccc	gtgtgcacgt	atgtgccagc	tacatttgtgt	1080
gaccaaata	ctggcatact	ggcaacagat	gtcagtgccg	acgacgcgca	aaaactgctg	1140
gttgggctca	accagcgtat	agtcgtcaac	ggtcgcaccc	agagaaacac	caataaccatg	1200
aaaaattacc	ttttgcccg	agtgcccag	gcatttgcta	gggtgggcaa	ggaatataag	1260
gaagatcaag	aagatgaaag	gccactagga	ctacgagata	gacagttagt	catgggggtgt	1320
tgttgggctt	ttagaaggca	caagataaca	tctatttata	agcgcgccga	tacccaaacc	1380
atcatcaaa	tgaacacgca	ttccactca	tctgtgctgc	ccaggatagg	cagtaaacaca	1440
ttggagatcg	ggctgagaac	aaagtgttag	aggagcacaa	ggagccgtca		1500
cctctcatta	ccgcgcagga	cgtacaagaa	gctaagtgcc	cagccgatga	ggctaaggag	1560
gtgcgtgaag	cagaggagtt	gcgcgcagct	ctaccacctt	tggcagctga	tgtttagggag	1620
ccactctcgg	aagccgatgt	cgacttgatg	ttacaagagg	ctggggcccg	ctcagtggag	1680
acacctcgtg	gcttgataaa	ggttaccagc	tacgctggcg	aggacaagat	cggctctttac	1740
gctgtgcttt	ctccgcaggc	tgtactcaag	agtgaaaaat	tatcttgcat	ccacctctc	1800
gctgaacaag	tcatatgact	aacacactct	ggccgaaaag	ggcgttatgc	cgtggaacca	1860
taccatggta	aagtagtggt	gccagaggga	catgcaatac	ccgtccagga	ctttcaagct	1920
ctgagtgaag	gtgcccccat	tgtgtacaac	gaacgtgagt	tcgtaaaacg	gtacctgcac	1980
catattgcc	cacatggagg	agcgtggaac	actgatgaag	aattattaca	aactgtcaag	2040
cccagcgagc	acgacggcga	atacctgtac	gacatcgaca	ggaaacagtg	cgtcaagaaa	2100
gaactagtca	ctgggctagg	gctcacaggc	gagctgggtg	atccctccct	ccatgaattc	2160
gcctacgaga	gtctgagaa	acgacagcc	gctccttacc	aagtaccaac	cataggggtg	2220
tatggcgtgc	caggatcagg	caagtctggc	atcattaaaa	gcgcagtcac	caaaaaagat	2280
ctagtgtgga	gcgccaagaa	agaaaactgt	gcagaaatta	taagggacgt	caagaaaatg	2340
aaagggtcgg	acgtcaatgc	cagaactgtg	gactcagtcg	tcttgaatgg	atgcaaacac	2400
cccgtagaga	ccctgtatat	tgacgaagct	tttgcttgtc	atgcagggtac	tctcagagcg	2460
ctcatagcca	ttataagacc	taaaaaggca	gtgctctcgc	gggatcccaa	acagtgcggt	2520
ttttttaaca	tgatgtgcct	gaaagtgcac	tttaaccacg	agatttgcac	acaagtcttc	2580
cacaaaagca	tctctgcgcg	ttgcactaaa	tctgtgactt	cggctcgtctc	aaacttggtt	2640
tacgacaaaa	aaatgagaac	gacgaatccg	aaagagacta	agatttgtgat	tgacactacc	2700
ggcagtagca	aactcaagca	ggacgatctc	attctcaact	gtttcagagg	gtgggtgaag	2760
cagttgcaaa	tagattacaa	aggcaacgaa	ataatgacgg	cagctgcctc	tcaagggctg	2820
acccgtaaa	gtgtgtatgc	cgttcgggtac	aaggtgaatg	aaaatcctct	gtacgcaccc	2880
acctcagaac	atgtgaacgt	cctactgacc	cgcacggagg	accgcatcgt	gtggaaaaca	2940
ctagccggcg	accatggat	aaaaacactg	actgcacaag	acctgggaa	tttcaactgcc	3000
acgatagagg	agtggcaagc	agagcatgat	gccatcatga	ggcacatctt	ggagagaccg	3060
gacctaccg	acgtcttcca	gaataaggca	aacgtgtggt	gggccaaggc	tttagtgccg	3120
gtgctgaaga	ccgtggcat	agacatgacc	actgaacaat	ggaacactgt	ggattatttt	3180
gaaacggaca	aagctcactc	agcagagata	gtattgaacc	aactatgcgt	gaggttcttt	3240
ggactcgatc	tggactccgg	tctattttct	gcacccactg	tccggttatc	catttaggaat	3300
aatcactggg	ataactcccc	atgtacgggc	tgaataaaga	agtgtccgt		3360
cagctctctc	gcaggtaacc	acaaactgcct	cgggcagttg	ccactggaag	agtcctatgac	3420
atgaacactg	gtacactgcg	caattatgat	ccgcgcataa	acctagtacc	tgtaaacaga	3480
agactgcctc	atgcttttagt	cctccaccat	aatgaacacc	cacagagtga	cttttcttca	3540
tcgtcagca	aattgaaggg	cagaactgtc	ctgggtggtcg	gggaaaagt	gtccgtccca	3600
ggcaaatagg	ttgactgggt	gtcagaccgg	cctgaggcta	ccttcagagc	tcggctggat	3660

-continued

ttaggcaccc	caggtgatgt	gccccaaat	gacataaat	ttgttaatt	gaggacccca	3720
tataaataacc	atcaactatca	gcagtggtgaa	gacctatgcca	ttaagcttag	catgttgacc	3780
aagaaagcctt	gtctgcacat	gaatcccgcc	ggaacctgtg	tcagcatagg	ttatgtgtac	3840
gctgacaggg	ccagcgaaag	catcattggt	gctatagcgc	ggcagttcaa	gttttcccg	3900
gtatgcacac	cgaaatcctc	acttgaagag	acggaagttc	tggttgatt	catgggtac	3960
gatcgcaagg	cccgtacgca	caatccttac	aagctttcat	caaccttgac	caacatttat	4020
acaggttcca	gactccacga	agccggatgt	gcacctcat	atcatgtggt	gcgaggggat	4080
attgccacgg	ccacogaagg	agtgtattata	aatgctgcta	acagcaagg	acaacctggc	4140
ggaggggtgt	gcgagcgct	gtataagaaa	ttcccgaaa	gcttcgatt	acagcgatc	4200
gaagtaggaa	aagcgcgat	ggtcaaaggt	gcagctaaac	atattcattca	tgccgtagga	4260
ccaaacttca	acaaagtttc	ggaggttgaa	ggtgacaaac	agttggcaga	ggcttatgag	4320
tcctatcgcta	agattgtcaa	cgataacaat	tacaagtcag	tagcgattcc	actgtgtgcc	4380
accggcatct	tttccgggaa	caaagatcga	ctaaccat	cattgaacca	ttgtctgaca	4440
gctttagaca	ccactgatgc	agatgtagcc	atatactgca	gggacaagaa	atgggaaatg	4500
actctcaagg	aagcagtggt	taggagagaa	gcagtgagg	agatattgcat	atccgacgac	4560
ttctcagtga	cagaacctga	tgacagagctg	gtgaggggtgc	atccgaagag	ttctttggct	4620
ggaagggaagg	gctacagcac	aagcgatggc	aaaactttct	catatttggga	agggacccaag	4680
tttccaccagg	cgggcaagga	tatagcagaa	attaatgcca	tggtggccgt	tgcaacggag	4740
gccaatgagc	aggtatgcat	gtatatcctc	ggagaaagca	tgagcagtat	taggtcgaaa	4800
tgcccgctcg	aagatgcgga	agcctccaca	ccacctagca	cgttcgcttg	cttgtgcatc	4860
catgccatga	ctccagaaag	agtacagcgc	ctaaaagcct	cacgtccaga	acaaattact	4920
gtgtgctcat	cctttccatt	gccgaagtat	agaatcactg	gtgtgcagaa	gatccaatgc	4980
tcacagccta	tattgtttct	accgaaagt	cctgcgtata	ttcatccaag	gaagtattct	5040
gtggaacac	caccggtaga	cgagactccg	gagccatcgg	cagagaacca	atccacagag	5100
gggacacctg	aacaaccacc	actataaacc	gaggatgaga	ccaggactag	aacgcctgag	5160
ccgatcctca	tcgaagagga	agaagaggat	agcataagtt	tgctgtcaga	tgcccgacc	5220
caccaggtgc	tgcaagtcca	ggcagacatt	cacgggcccgc	cctctgtatc	tagctcatcc	5280
tggtccattc	ctcatgcatc	cgactttgat	gtggacagtt	tatccatact	tgacaccctg	5340
gagggagcta	gcgtgaccag	cggggcaacg	tcagccgaga	ctaaacttta	cttcgcgaag	5400
agtatggagt	ttctggcgcg	accggtgcct	gcgcctcgaa	cagtatccag	gaacctccca	5460
catcccgctc	cccgcaacag	aacaccgtca	cttgacacca	gcagggcctg	ctcgagaacc	5520
agcctagttt	ccaccccgcc	agggctgaat	aggggtgatca	ctagagagga	gctcgaggcg	5580
cttaccctcg	cacgcactcc	tagcaggtcg	gtctcgagaa	ccagccctggt	ctccaacccg	5640
ccaggcgtaa	ataggtgat	tacaagagag	gagtttgagg	cgttcgtagc	acaacaacaa	5700
tgacgggttg	atgcggtg	atacatcttt	tcctccgaca	ccgggtcaagg	gcattttcaa	5760
caaaaatcag	taaggcaaac	ggtgctatcc	gaagtgggtg	tgagagagac	cgaattggag	5820
atttcgtatg	cccgcgcct	cgaccaagaa	aaagaagaat	tactacgcaa	gaaattacag	5880
ttaaatccca	cacctgctaa	cagaagcaga	taccagtcca	ggaaggtgga	gaacatgaaa	5940
gccataaacg	ctagacgtat	tctgcaaggc	ctagggcatt	atttgaaggc	agaaggaaaa	6000
gtggagtgct	accgaacct	gcctctgttt	cctttgtatt	catctagtgt	gaacctgtgc	6060
ttttcaagcc	ccaaggtcgc	agtggaagcc	tgtaacgcca	tggtgaaaga	gaactttccg	6120
actgtggctt	cttactgtat	tattccagag	tacgatgcct	atttggacat	gggtgacgga	6180
gcttcattgc	gcttagacac	tgccagtttt	tgccctgcaa	agctgcgcag	ctttccaaag	6240
aaacactcct	atttgaagcc	cacaatacga	tcggcagtcg	cttcagcgat	ccagaacacg	6300
ctccagaaag	tcctggcagc	tgccacaaaa	agaaattgca	atgtcacgca	aatgagagaa	6360
ttgcccgtat	tggaattcggc	ggcctttaat	gtggaatgct	tcaagaaata	tgctgttaat	6420
aatgaatatt	gggaaacggt	taagaaaaac	cccatcaggg	ttactgaaga	aaacgtggta	6480
aattacatta	ccaaattaaa	aggacaaaaa	gctgctgtct	tttttgcgaa	gacacataat	6540
ttgaatatgt	tcgagagcat	accaatggac	aggtttgtta	tggaacttaa	gagagacgtg	6600
aaagtgaatc	caggaacaaa	acatactgaa	gaacggccca	aggtacaggt	gatccaggct	6660
gocgatccgc	tagcaacagc	gtatctgtgc	ggaatccacc	gagagctggt	taggagatta	6720
aatgcggctc	cgtttccgaa	cattcataca	ctgtttgata	tgctggctga	agactttgac	6780
gctattatag	ccgagcactt	ccagcctggg	gattgtgttc	tggaactga	catcgcgctg	6840
tttgataaaa	tgtaggacga	cgccatggct	ctgacccgct	taatgattct	ggaagactta	6900
ggtgtggacg	cagagctggt	gacgctgatt	gagcgcgctt	tcggcgaaat	ttcatcaata	6960
catttgccca	ctaaaaactaa	atttaaatc	ggagccatga	tgaaatctgg	aatgttctct	7020
acactgtttg	tgaacacagt	cattaacatt	gtaatcgcaa	gcagagtggt	gagagaacgg	7080
ctaaccggat	caccatgtgc	gagattcatt	ggagatgaca	atatcgtgaa	aggagtcaaa	7140
tcggacaaat	taattggcaga	caggtgcgct	acctgggtga	atatgggaagt	caagattata	7200
gatgtctggt	tgggcgagaa	agcgccttat	ttctgtggag	gggttatatt	gtgtgactcc	7260
gtgacccgca	cagcgtgcgc	gtggcgagac	cccctaaaaa	ggctgtttaa	gcttgccaaa	7320
cctctggcag	cagacgatga	acatgatgat	gacaggagaa	gggcattgca	tgaagagtca	7380
acacgctgga	accgagtggg	tattctttca	gagctgtgca	aggcagtaga	atcaagggtat	7440
gaaacccgtag	gaacttccat	catagttatg	gccatgacta	ctctagctag	cagtgtttaa	7500
tcattcagct	acctgagagg	ggcccttata	actctctacg	gctaacctga	atggactacg	7560
acgtatcacg	cccaaacatt	tacagccgcg	gtgtcaaaaa	ccgctgggac	gtggtaaca	7620
tcctctgctg	gaggatcagc	cgtaattatt	ataattggct	tggtgctggc	tactattgtg	7680
gccatgtacg	tgctgaccaa	ccagaacacat	aattgaatac	agcagcaatt	ggcaagctgc	7740
ttacatagaa	ctcggcgcca	ttggcatgcc	gccttaaaat	ttttatttta	ttttttcttt	7800
tcctttccga	atcggttttt	gtttttaata	tttcaaaaaa	aaaaaaaaaa	aaaaaaaaaa	7860
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaatacgtg	7920
gtttaaac						7928

SEQ ID NO: 9
 FEATURE
 misc_feature

moltype = DNA length = 7927
 Location/Qualifiers
 1..7926

-continued

note = Description of Artificial Sequence: Synthetic polynucleotide

source 1..7927

mol_type = other DNA

organism = synthetic construct

SEQUENCE: 9

taatacgact	cactatagga	tagggcggcg	atgagagaag	cccagaccaa	ttacctaccc	60
aaaatggaga	aagttcacgt	tgacatcgag	gaagacagcc	cattcctcag	agctttgcag	120
cggagcttcc	cgcagtttga	ggtagaagcc	aagcagggtca	ctgataatga	ccatgtcta	180
gcccagagcgt	tttcgcatct	ggcttcaaaa	ctgatcgaaa	cggaggttga	cccatccgac	240
acgataccttg	acattggaag	tgcgcccgc	cgcagaatgt	attctaagca	caagtatcat	300
tgtatctgtc	cgatgagatg	tgcggaagat	cggacagat	tgtataagta	tgcaactaag	360
ctgaagaaaa	actgtaagga	aataactgat	aaggaattgg	acaagaaaat	gaaggagctc	420
gcccgcgtca	tgagcgaccc	tgacctggaa	actgagacta	tgtgcctcca	cgacgacgag	480
tcgtgtcgct	acgaagggca	agtcgctgtt	taccaggatg	tatacgcggt	tgacggaccg	540
acaagtctct	atcaccaagc	caataaggga	gttagagtcg	cctactggat	aggctttgac	600
accacccctt	ttatgtttaa	gaacttggct	ggagcatatc	catcatactc	taccaactgg	660
gcccagcaaaa	ccgtgttaac	ggctcgtaac	ataggcctat	gcagctctga	cgttatggag	720
cggtcacgta	gagggatgtc	catctctaga	aagaagtatt	tgaaccatc	caacaatgtt	780
ctattctctg	ttggctcgac	catctaccac	gagaagaggg	acttactgag	gagctggcac	840
ctgcgcgtctg	tatttcaact	acgtggcaag	caaaattaca	catgtcgggt	tgagactata	900
gttagttgcy	acgggtacgt	cgttaaaaga	atagctatca	gtccaggcct	gtatgggaag	960
ccttcaggct	atgctgtctac	gatgcaccgc	gagggattct	tgtgctgcaa	agtgcacagc	1020
acattgaacg	gggagaggggt	ctcttttccc	gtgtgcacgt	atgtgccagc	tacatttgtt	1080
gaccaaata	ctggcatcgt	ggcaacagat	gtcagtgccg	acgacgcgca	aaaactgctg	1140
gttgggctca	accagcgat	agtcgtcaac	ggtcgcaccc	agagaaaacac	caataccatg	1200
aaaaattacc	ttttgcccgt	agtcggcccag	gcatttgcta	ggtgggcaaa	ggaatataag	1260
gaagatcaag	aagatgaaag	gccactagga	ctacgagata	gacagttagt	catgggggtg	1320
tgttgggctt	ttagaaggca	caagataaaca	tctatttata	agcgcctgga	tacccaaacc	1380
atcatcaaa	tgaacacgca	ttccactca	tctgtgctgc	ccaggatagg	cagtaaacaca	1440
ttggagatcg	ggctgagaac	aaagaatcagg	aaaatgttag	aggagcacaa	ggagccgtca	1500
cctctcatta	ccgcgcagga	cgtacaagaa	gctaagtgcc	cagccgatga	ggctaaggag	1560
gtgcgtgaag	ccgaggagtt	gcgcgcagct	ctaccacctt	tggcagctga	tggttagggag	1620
ccactctctg	aagccgatgt	cgaactgatg	ttacaagagg	ctggggccgg	ctcagtgagg	1680
acacctctgt	ctgtgataaa	ggttaccagc	tacgatggcg	aggacaagat	cggctctttac	1740
gctgtgcttt	ctccgcaggg	tgtactcaag	agtgaaaaat	tatcttgcat	ccaccctctc	1800
gctgaacaag	tcatagtgat	aacacactct	ggccgaaaag	ggcgttatgc	cgtggaacca	1860
taccatggta	aagtagtggt	gccagaggga	catgcaatac	ccgtccagga	ctttcaagct	1920
ctgagtgaaa	gtgccaccat	tgtgtacaac	gaacgtgagt	tcgtaaacag	gtacctgcac	1980
catattgcca	cacatggagg	agcgtgaac	actgatgaag	aattatacaa	aactgtcaag	2040
cccagcgagc	acgacggcga	atacctgtac	gacatcgaca	ggaaacagtg	cgtcaagaaa	2100
gaactagtca	ctggggtagg	gctcacaggc	gagctgggtg	atcctccctt	ccatgaattc	2160
gcctacgaga	gtctgagaa	acgacagcc	gctccttacc	aagtaccaac	catagggggtg	2220
tatggcgtgc	caggatcagg	caagctctgc	atcattaaaa	gcgcagtcac	caaaaaagat	2280
ctagtggtga	gcgccaagaa	agaaaaactgt	gcagaaatta	taagggaagc	caagaaaatg	2340
aaagggtctg	acgtcaatgc	cagaactgtg	gactcagtcg	tcttgaaatg	atgcaaaacac	2400
cccgtagaga	ccctgtatat	tgacgaagct	tttgettgtc	atgcaggtag	tctcagagcg	2460
ctcatagcca	ttataagacc	taaaaaggca	gtgctctgcg	gggaccccaa	acagtgccgt	2520
ttttttaaca	ttagtgctct	gaaagtgcac	tttaaccacg	agatttgcac	acaagtcttc	2580
cacaaaagca	tctctgcgcg	ttgcactaaa	tctgtgactt	cggctcgtctc	aaacttggtt	2640
tacgacaaaa	aaatgagaac	gacgaatccg	aaagagacta	agatttgtgat	tgacactacc	2700
ggcagtgaaa	aacctaaagca	ggacgatctc	attctcaact	gtttcagagg	gtgggtgaag	2760
cagttgcaaa	tagattacaa	aggcaacgaa	ataatgacgg	cagctgcctc	tcaagggtcg	2820
acccgtaaa	gtgtgtatgc	cgttcggtag	aagggtgaatg	aaaatcctct	gtacgcaccc	2880
acctcagaac	atgtgaacgt	cctactgacc	cgcacggagg	accgcatcgt	gtggaaaaca	2940
ctagccggcg	acccatggat	aaaaaacactg	actgccaaagt	accctgggaa	tttcaactgcc	3000
acgatagagg	agtggaagc	agagcatgat	gccatcatga	ggcacatctt	ggagagaccg	3060
gacctacccg	acgtctttcca	gaataaggca	aacgtgtgtt	gggccaaggc	tttagtgccg	3120
gtgctgaaga	ccgctggcat	agacatgacc	actgaacaat	ggaacactgt	ggattatatt	3180
gaaacggaca	aagctcactc	agcagagata	gtattgaacc	aactatgcgt	gagggtcttt	3240
ggactcgatc	tggactccgg	tctattttct	gcacccaactg	ttccgttatc	cattaggaat	3300
aatcactggg	ataactcccc	gtcgcctaac	atgtacgggg	tgaataaaga	agtggtccgt	3360
cagctctctc	gcaggtagcc	acaactgcct	cgggcagttg	ccactggaag	agtcctatgac	3420
atgaacactg	gtacactgcy	caattatgat	ccgcgcataa	accctagtacc	tgtaaacaga	3480
agactgcctc	atgctttagt	cctccaccat	aatgaacacc	cacagagtga	cttttcttca	3540
ttcgtcagca	aattgaagg	cagaactgtc	ctgggtggtc	gggaaaagtt	gtccgtccca	3600
ggcaaaatcg	ttgactgggt	gtcagaccgg	cctgaggcta	ccttcagagc	tcggctggat	3660
ttaggcatcc	cagggtgatgt	gcccaaatat	gtgttaatgt	gtgttaatgt	gaggacccca	3720
tataaatacc	atcactatca	gcagtggtga	gaccatgcca	ttaaagcttag	catgttgacc	3780
aagaaagctt	gtctgcatct	gaatcccgcc	ggaacctgtg	tcagcatagg	ttatggttac	3840
gctgaacagg	gcagcgaag	catcattggt	gctatagcgc	ggcagttcaa	gttttcccgg	3900
gtatgcaaac	cgaatcctc	acttgaagag	acggaagttc	tggttgtatt	cattgggtac	3960
gatcgcaagg	cccgtacgca	caatccttac	aagctttcat	caaccttgac	caacatttat	4020
acaggttcca	gactccacga	agccggatgt	gcacctctat	atcatgtggt	gcgaggggat	4080
attgccacgg	ccacccgaag	agtgattata	aatgctgcta	acagcaaaag	acaacctggc	4140
ggaggggtgt	gcggagcgct	gtataagaaa	ttcccggaaa	gcttcgattt	acagccgatc	4200

-continued

```

gaagtaggaa aagcgcgact ggtcaaaggt gcagctaaac atatcattca tgcgtagga 4260
ccaaacttca acaaagtttc ggaggttgaa ggtgacaaac agttggcaga ggcttatgag 4320
tccatcgcta agattgtcaa cgataacaat tacaagtcag tagcgattcc actgtgtgcc 4380
accggcatct tttccgggaa caaagatcga ctaacccaat cattgaacca tttgtgaca 4440
gctttagaca ccaactgatgc agatgtagcc atatactgca gggacaagaa atgggaaatg 4500
actctcaagg aagcagtggc taggagagaa gcagtgagg agatattgcat atccgacgac 4560
tcttcagtga cagaacctga tgcagagctg gtgaggggtc atccgaagag tcttttggtc 4620
ggaagggaag gctacagcac aagcgatggc aaaactttct catatttgga agggaccaag 4680
tttcaccagg cggccaagga tatagcagaa attaatgcca tgtggcccg tgcacaggag 4740
gccaatgagc aggtatgcat gtatatcttc ggagaaagca tgagcagtat taggtcgaaa 4800
tgcccgcgtc aagagtcgga agcctccaca ccactagca cgtgccttg cttgtgcatt 4860
catgccatga ctccagaag agtacagcgc ctaaaagcct cactgccaga acaattact 4920
gtgtgctcat cctttccatt gccgaagtat agaactactg gtgtgcagaa gatccaatgc 4980
tcccagccta tcttgttctc accgaaagtg cctgcgtata ttcattccaag gaagtattct 5040
gtggaacac caccggtaga cgagactccg gagccatcgg cagagaacca atccacagag 5100
gggacacctg aacaaccacc actataaacc gaggatgaga ccaggactag aacgcctgag 5160
ccgatcatca tcgaagagga agaagaggat agcataagtt tgcgtgcaga tggcccgacc 5220
caccaggtgc tgcaagtcga ggcagacatt caccggccgc cctctgtatc tagctcatcc 5280
tgggtccattc tcatgcatc cgactttgat gtggacagtt tatccactact tgacacctg 5340
gaggagagcta gcgtgaccag cggggcaacg tcagccgaga ctaactctta cttcgcaaa 5400
agtatggagt tctcgccgag accggtgcct gcgcctcgaa cagtattcag gaacctcca 5460
catcccgctc cgcgcacaa aacaccgtca cttgcaccca gcagggcctg ctcgagaacc 5520
agcctagatt ccaccccgcg aggcgtgaat aggggtgatca ctagagagga gctcgaggcg 5580
cttaccgccg caccgactcc tagcaggtcg gtctcgagaa ccagcctggt ctccaaccgg 5640
ccaggcgtaa atagggtgat tacaagagag gagtgtgagg cgttcgtagc acaacaaca 5700
tgacgggttg atcggggtgc atacatcttt tctccgaca ccggtcaagg gcatttaca 5760
caaaaatcag taaggcaaac ggtgctatcc gaagtgggtg tggagaggac cgaattggag 5820
atttcgtatg ccccgccctc cgaccaagaa aaagaagaat tactacgcaa gaaattacag 5880
ttaaatccca caccctgctaa cagaagcaga taccagtcca ggaaggtgga gaacatgaaa 5940
gccataacag ctagacgtat tctgcaaggc ctagggcatt atttgaaggc agaaggaaaa 6000
gtggagtgcct accgaacctc gcatcctggt cctttgtatt catctagtgt gaaccgtgcc 6060
ttttcaagcc ccaaggtcgc agtgggaagc tgtaacgcca tgttgaaaga gaactttccg 6120
actgtgggctt cttactgtat tattccagag tacgatgcct atttgacat ggttgacgga 6180
gcttcattgc gcttcagac tgccagtttt tgccctgcaa agctgcgcag ctttccaaag 6240
aaacactcct atttggaaac cacaatacga tgggcagtg cttcagcgt ccagaacacg 6300
ctccagaaag tctcgccagc tgccacaaaa agaaattgca atgtcacgca aatgagagaa 6360
ttgcccgtat tggattcggc ggcctttaat gtggaatgct tcaagaaata tgcgtgtaat 6420
aatgaatatt gggaaacggt taaagaaaa cccatcaggc ttaactgaaga aaacgtggta 6480
aattacatta ccaaatataa aggacaaaaa gctgctgtct tttttcgaa gacacataat 6540
ttgaatatgt tcaggacat accaatggac aggtttgtta tggacttaa gagagacgtg 6600
aaagtgaactc caggaacaaa acatactgaa gaacggccca aggtacaggt gatccaggct 6660
gcccagccgc tagcaacagc gtatctgtgc ggaatccacc gagagctggt taggagatta 6720
aatgcccgtc cgttccgaa cattcataca ctgtttgata tgcggctga agactttgac 6780
gctattatag ccgagcactt ccagcctggg gattgtgttc tggaaactga catcgcgctg 6840
tttgataaaa ctgaggacga cgcctaggct ctgaccgcgt taatgattct ggaagactta 6900
ggtgtggacg cagagctggt gacgctgatt gaggcggcct tcggcgaaat tcatcaata 6960
catttgccca ctaaaaactaa atttaaatc ggagccatga tgaaatctgg aatgttctc 7020
acactgtttg tgaacacagt cattaacatt gtaatcgcaa gcagagtggt gagagaacgg 7080
ctaaccggat caccatgctt agcattcatt ggagatgaca atatcgtgaa aggagtcaaa 7140
tcggacaaat taatggcaga caggtgcgcc acctgggtga atatggaagt caagattata 7200
gatgtctggg tgggcgagaa agcgccttat tctgtggag ggtttatctt gtgtgactcc 7260
gtgaccggca cagcgtgcac tgtggcagac cccctaaaaa ggctgtttaa gcttgccaaa 7320
cctctggcag cagacgtatg acatgatgat gacaggagaa gggcattgca tgaagagtca 7380
acacgctgga accgagtggt tattctttca gagctgtgca aggcagtaga atcaagggtat 7440
gaaaccgtag gaactttcat catagttagt gccatgacta ctctagctag cagtgtttaa 7500
tcattcagct acctgagagg gggccctata actctctacg gctaacctga atggactacg 7560
acgtatcacg cccaaacatt tacagccgcg gtgtcaaaaa ccgctgggac gtgggttaaca 7620
tcccgtctgg gaggatcagc cgttaattatt ataattggct tgggtgctgg tactattgtg 7680
gocatgtacg tgcgtaccaa ccagaaacat aattgaatac agcagcaatt ggcaagctgc 7740
ttacatagaa ctgcggcgca ttggcatgcc gccttaaaat ttttatttta tttttctttt 7800
cttttccgaa tcggattttg tttttaatat ttcaaaaaaa aaaaaaaaaa 7860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaatacgtag 7920
tttaaac 7927

```

```

SEQ ID NO: 10      moltype = DNA length = 36519
FEATURE            Location/Qualifiers
misc_feature       1..36519
                    note = Description of Artificial Sequence: Synthetic
                    polynucleotide
source             1..36519
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 10
ccatcttcaa taatataacct caaacttttt gtgcgcgtta atatgcaaat gaggcgtttg 60
aatttgggga ggaaggcggt tgattggctg agggatgagc gaccgttagg ggcggggcga 120
gtgacgtttt gatgacgtgg ttgcgaggag gaggcagttt gcaagttctc gtgggaaaaa 180

```

-continued

tgacgtcaaa	cgaggtgtgg	tttgaacacg	gaaatactca	attttcccgc	gctctctgac	240
aggaaatgag	gtgtttcttg	gcggatgcaa	gtgaaaacgg	gccatttttcg	cgcgaaaact	300
gaatgaggaa	gtgaaaatct	gagtaatttc	gcgtttatgg	caggaggagg	tattttgccga	360
gggcccagta	gactttgacc	gattacgtgg	gggtttcgat	taccgtgttt	ttcacctaaa	420
tttccgcgta	cggtgtcaaa	gtccggtgtt	tttactgagg	tgtcagctga	tcgccagggt	480
attttaaact	gcgcctctcca	gtcaagaggc	cactcttgag	tgccagcgag	aagagttttc	540
tcctccgcgc	cgcgagtcag	atctacactt	tgaagatga	ggcacctgag	agacctgccc	600
gatgagaaaa	tcatactgcg	ttccgggaac	gagattctgg	aactgggtgt	aaatgccatg	660
atgggcccagc	accctccgga	gccccccacc	ccatttgaga	caccttcgct	gcacgatattg	720
tatgatctgg	agggtggatgt	gcccaggagc	gatcccaatg	aggaggcggt	aaatgatttt	780
tttagcgcag	ccgcgctgct	agctgcgcag	gaggcttcga	gctctagctc	agacagcgac	840
tccttactgc	atacccttag	accgcgcaga	ggtgagaaaa	agatccccga	gcttaagggt	900
gaagagatgg	acttgcgctg	ctatgaggaa	tgcttgcccc	cgagcgatga	tgaggacgag	960
caggcgatcc	agaaacgcagc	gagccaggga	gtgcaagccg	ccagcgagag	ctttgcgctg	1020
gactgcccgc	ctctgcccgg	acacggctgt	aagtcttgtg	aatttcacgc	catgaataact	1080
ggagataaag	ctgtgttgtg	tgcactttgc	tatatgagag	cttaacaacca	ttgtgtttac	1140
agtaagtgtg	attaagtgtg	acttttagagg	gaggcagaga	gcagggtgac	tgggcgatga	1200
ctggtttatt	tatgtatata	tgttctttat	ataggtcccg	tctctgacgc	agatgatgag	1260
acccccacta	caaagtcacac	ttcgtcaccc	ccagaaattg	gcacatctcc	acctgagaat	1320
attgttagac	cagttctctgt	tagagccact	gggaggagag	cagctgtgga	atgtttggat	1380
gacttgctac	aggggtgggt	tgaacctttg	gacttgtgta	cccggaaacg	ccccaggcac	1440
taagtgccac	acatgtgtgt	ttacttgagg	tgatgtcagt	atttataggg	tgtggagtgc	1500
aataaaaaat	gtgttgactt	taagtgcgtg	gtttatgact	caggggtggg	gactgtgagt	1560
atataagcag	gtgcagacct	gtgtggttag	ctcagagcgg	catggagatt	tgagcggctc	1620
tggaagactt	tcacaagact	agacagctgc	tagagaacgc	ctcgaacgga	gtctcttacc	1680
tgtggagatt	ctgcttcggt	ggcgacctag	ctaggctagt	ctacagggcc	aaacaggatt	1740
atagtgaaca	atttgagggt	attttgagag	agtgttctgg	tctttttgac	gctcttaact	1800
tgggcatcca	gtctcacttt	aaccagagga	tttcgagagc	ccttgatttt	actactcctg	1860
gcagaaccac	tgcagcagta	gccttttttg	cttttattct	tgacaaaatg	agtcagaaga	1920
cccatttcag	cagggtttac	cagctggatt	tcttagcagt	agctttgtgg	agaacatgga	1980
agtgccagcg	ctcgaatgca	atctccggtc	acttgccggt	acagccgcta	gacactctga	2040
ggatcctgaa	tctccaggag	agtcccaggg	cacgccaaacg	tcgccagcag	cagcagcagg	2100
aggaggatca	agaagagaac	ccgagagccg	gcctggaccc	tccggcggag	gaggaggagt	2160
agctgacctg	tttccatgaac	tgccgcgggt	gctgactagg	tcttcagagt	gtcgggagag	2220
ggggattaa	cgggagaggg	atgatgagac	taatcacaga	actgaactga	ctgtgggtct	2280
gatgagtcgc	aagcgcaccg	aaacagtggt	gtggcatgag	gtgcagtcga	ctggcacaga	2340
tgaggtgtcg	gtgatgcatg	agagggttttc	tctagaacaa	gtcaagactt	gttggttaga	2400
gcctgaggat	gattgggagg	tagccatcag	gaattatgcc	aaagctggctc	tgaggccaga	2460
caagaagtac	aagattacta	agctgataaa	tatcagaat	gcctgctaca	tctcagggaa	2520
tggggctgaa	gtggagactt	gtctccagga	aagggtggct	ttcagatgct	gcattgatga	2580
tatgtacccg	ggagtgtgtg	gcctggatgg	ggttaccttt	atgaacatga	gggttcagggg	2640
agatgggtat	aatggcacgg	tctttatggc	caataccaag	ctgacagctc	atggctgctc	2700
cttctttggg	tttaataaca	cttcacatga	ggcctggggg	caggtcggtg	tgaggggctg	2760
cagtttttca	gccaactgga	tgggggtcgt	gggcaggacc	aagagtatgc	tgtccgtgaa	2820
gaaatgcttg	tttgagaggt	gccacctggg	ggtgatgagc	gagggcgaag	ccagaatccg	2880
ccactgcgcg	tctacccaga	cgggctgctt	tgtgctgtgc	aagggcaatg	ctaagatcaa	2940
gcataaatg	atctgtggag	cctcggacga	gcgcggctac	cagatgctga	cctgcgccgg	3000
cgggaacagc	catatgtctg	ccaccgtaca	tgtggcttcc	catgctcgca	agccctggcc	3060
cgagttcgag	cacaatgtca	tgaccagggt	caatatgcat	ctggggtccc	gccgaggcat	3120
gttcatgccc	taccagtcca	acctgaatta	tgtgaagggt	ctgctggagc	ccgatgccat	3180
gtccagagtg	agcctgacgg	gggtgtttga	catgaatgtg	gaggtgtgga	agattctgag	3240
atatgatgaa	tccaagacca	ggtgccgagc	ctgcagatgc	ggagggaagc	atgccaggtt	3300
ccagcccggt	tgtgtggatg	tgacggagga	cctgcgaccc	gatcattttg	tgttgccctg	3360
caccgggacg	gagttcgggt	ccagcgggga	agaatctgac	tagagttagt	agtgttctgg	3420
ggcgggggag	gacctgcatg	agggccagaa	taactgaaat	ctgtgctttt	ctgtgtgttg	3480
cagcagcatg	agcgggaagc	gctcccttga	gggaggggta	ttcacgccct	atctgacggg	3540
gcgtctcccc	tcctggggcg	gagtgcgta	gaatgtgatg	ggatccacgg	tgagcggccg	3600
gcccgtgcag	cccgcgaact	cttcaaccct	gacctatgca	accctgagct	cttcgtcgtt	3660
ggacgcagct	gcccgcgcag	ctgctgcctc	tgcgccagc	gcccgtgcgc	gaatggccat	3720
gggcccggcg	tactacggca	ctctggtggc	caactcgagt	tcacccaata	atcccggccg	3780
cctgaacgag	gagaagctgt	tgtctctgat	ggcccagctc	gaggccttga	cccagcgcc	3840
gggagagctg	accagcagg	tggctcagct	gcaggagcag	acgcgggccc	cggttgccac	3900
ggtgaaatcc	aaataaaaaa	tgaatcaata	aataaacgga	gacgggtgtt	gattttaaca	3960
cagagtctga	atctttattt	gatttttcgc	gcgcggtagg	ccctggacca	ccggtctcga	4020
tcattgagca	cccgggtggt	cttttcagg	accgggtaga	ggtgggcttg	gatgttgagg	4080
tacatgggca	tgagcccgct	ccgggggtgg	aggtagctcc	attgcagggc	ctcgtgctcg	4140
ggggtgggtg	tgtaaatcac	ccagtcatag	caggggcgca	gggcatgggt	ttgcacaata	4200
tccttgagga	ggagactgat	agcccttttg	tgtagggtgt	tacaaatctg		4260
ttgagctggg	agggatgcat	gcggggggag	atgagggtga	tcttgccctg	gatcttgaga	4320
tggcgatgt	taccgcccag	atccgcctcg	gggttcattg	tgtgcaggac	caccagcagc	4380
gtgtatccgg	tgcacttggg	gaatttatca	tgcacttggg	aagggaaggc	gtgaaagaat	4440
ttggcgacgc	ctttgtgccc	gcccagggtt	tccatgcact	catccatgat	gatggcgatg	4500
ggcccggtgg	cggcgccctg	ggcgaagacg	tttcgggggt	cggacacatc	atagttgtgg	4560
tcctgggtga	ggtcatcata	ggccatttta	atgaatttgg	ggcgaggggg	gccggactgg	4620
gggacaaaag	taccctcgat	cccggggggc	tagttccctc	cacagatctg	catctcccag	4680
gctttgagct	cggagggggg	gatcatgtcc	acctgcgggg	cgataaagaa	cacggtttcc	4740

-continued

ggggcggggg	agatgagctg	ggccgaaagc	aagttccgga	gcagctggga	cttgccgcag	4800
ccgggtggggc	cgtagatgac	cccgatgacc	ggctgcaggt	ggtagttgag	ggagagacag	4860
ctgccgtcct	cccggaggag	ggggggccacc	tcgttcatca	tctcgcgcac	gtgcatgttc	4920
tcgcgcacca	gttccgccag	gaggcgctct	ccccccaggg	ataggagctc	ctggagcgag	4980
gcgaagtttt	tcagcggctt	gagtcctgtc	gccatgggca	ttttggagag	ggtttgttgc	5040
aagagttcca	ggcgggtcca	gagctcgggt	atgtgtctta	cggcatctcg	atccagcaga	5100
cctctcgtt	tcgcgggttg	ggacggctgc	gggagtaggg	caccagacga	tgggcgtcca	5160
gcgcagccag	ggtcoggtcc	ttccagggtc	gcagcgtccg	cgtcagggtg	gtctccgtca	5220
cggtagaagg	gtgcgcgcgc	ggctgggcgc	ttgcgagggg	gcgttcagg	ctcatccgcg	5280
tggtcgaaaa	ccgctcccca	tcggcgccct	gcgcgtcggc	caggtagcaa	ttgaccatga	5340
gttcgtagtt	gagcgctcgc	gccgcgtggc	ctttggcgcg	gagcttacct	ttggaagtct	5400
gccccagggc	gggacagagg	agggacttga	gggcgttaga	cttggggcgg	aggaaagcgg	5460
actcgggggc	gtaggcgtcc	gcgcgcagct	gggcgcagac	ggctcgcac	tcacgcagcc	5520
aggtaggttc	gggctggctg	gggtcaaaaa	ccagtttccc	gccgttcttt	ttgatcgtt	5580
tcttaccttt	ggctcccatg	agctcgtgtc	cccgcgtggg	gacaaagagg	ctgtcccggt	5640
ccccgtagac	cgactttatg	ggcgggtcct	cgagcgggtg	gccgcgggtc	tcctcgtaga	5700
ggaaacccgc	ccactccgag	acgaaagccc	gggtccaggc	cagcacgaag	gaggccacgt	5760
gggacgggta	gcggctcgtt	tcaccacagc	gggtccacct	ttccagggta	tgcaaacaca	5820
tgtccccctc	gtccacatcc	aggaaggtga	ttggcttgta	agtgtaggcc	acgtgaccgg	5880
gggtccccgc	gtggggggta	taaaagggtg	cgggtccctg	ctcgtcccca	ctgtcttccg	5940
gacgctgtc	caggagcgcc	agctgttggg	gtaggtattc	cctctcgaa	gcgggcatga	6000
cctcggcact	caggtttgtc	gtttctagaa	acgaggagga	tttgatatgt	acggtgccgg	6060
cggagatgcc	tttcaagagc	ccctcgtcca	ctcgttcaga	aaagacgatc	tttttgttgt	6120
cgagcttggt	ggcgaaaggag	ccgttagagg	cgttgagag	gagcttgccg	atggagcgca	6180
tggtctgggt	ttttctcttg	tcggcgcgct	ccttgccggc	gatgttgagc	tgcacgtact	6240
cgcgcgccac	gcacttccat	tcggggaaga	cggtaggtcag	ctcgtcgggc	acgattctga	6300
cctgcaccgc	ccgattatgc	agggtgatga	gggtccacct	gggtgccacc	tcgcgcgcga	6360
ggggctcatt	agtcocagcg	aggcgtccgc	ccttgccgca	gcagaagggg	ggcagggggg	6420
ccagcatgac	ctcgtcgggg	gggtcggcat	cgatgggtgaa	gatgccgggc	aggaggtcgg	6480
ggtaaaagta	gctgatggaa	gtggccagat	cgtccagggc	agcttgccat	tcgcgcacgg	6540
ccagcgcgcg	ctcgtaggga	ctgagggggc	tgccccaggg	catgggatgg	gtaagcgcgg	6600
aggcgtacat	cccgcagatg	tcgtagacgt	agagggggctc	ctcagggatg	ccgatgtagg	6660
tggggtagca	gcgcgccccc	cggatgctgg	cgcgcacgta	gtcatcacgc	tcgttcgagg	6720
gggcgaggag	cccggggccc	aggttggtgc	gactgggctt	ttcggcgccg	tagacgatct	6780
ggcgaaaaat	ggcatgcgag	ttggaggaga	tggtgggcct	ttggaagatg	ttgaagtggg	6840
cgtggggcag	tcgcaccgag	tcgcggatga	agtgggcgta	ggagtcttgc	agcttgccga	6900
cgagctcggc	ggtgactagg	acgtccagag	cgcagtagtc	gagggctctc	tgatgatgt	6960
catacttgag	ctgtcccttt	tgtttccaca	gctcgcgggt	gagaaggaa	tcctcgcggt	7020
ccttccagta	ctcttcgag	gggaacccgt	cctgatctgc	acggtaagag	cctagcatgt	7080
agaaactggt	gacggccttg	tagggcgagc	agcccttctc	cacggggagg	gcgtaggcct	7140
gggcggccct	gcgcaggagg	gtgtgcgtga	gggcgaaagt	gtccctgacc	atgaccttga	7200
ggaaactggt	cttgaagtgc	atatcgtcgc	agccccctcg	ctcccagagc	tggaagtccg	7260
tgcgcttctt	gtaggcgggg	ttgggcaaa	cgaaagtaac	atcgttgaag	aggatcttgc	7320
ccgcgcgggg	cataaagtgt	cgagtgtatg	ggaaagggtg	gggcacctcg	gcccggttgt	7380
tgatgacctg	ggcgggcgagc	acgatctcgt	cgaagccggt	gatgttgtgg	cccacgatgt	7440
agagttccac	gaaatcccgga	cgcccttga	cgtggggcag	ttctctgagc	tcctcgtagg	7500
tgagctcgtc	gggggtcgtg	agcccggtct	gctcagagcg	ccagtcggcg	agatgggggt	7560
tgggcgggag	gaagggaagt	cagagatcca	cggccagggc	ggtttcgaga	cgggtcccggt	7620
actgacggaa	ctgctgcccg	acggccattt	tttcgggggt	gacgcagtag	aaggtgcggg	7680
ggtccccgtg	ccagcgtacc	catttgagct	ggagggcgag	atcgagggcg	agctcgacga	7740
gccggtcgtc	cccggagagt	ttcatgacca	gcataaagg	gacgagctgc	ttgccgaagg	7800
acccatccca	gggttaggtt	tcacatcgt	aggtagagaa	gagcccttcg	gtgcgaggat	7860
gcgagccgat	ggggaagaac	tggatctcct	gccaccaatt	ggaggaatgg	ctgttgatgt	7920
gatggaagta	gaaatgccga	cggcgccgcg	aacactcgtg	cttgtgttta	tacaagcggc	7980
cacagtgctc	gcaacgctgc	acgggatgca	cgtgctgcac	gagctgtacc	tgagttcctt	8040
tgacgaggaa	tttcagtggt	aagtggagtc	gtggcgccct	catctcgtgc	tgtactacgt	8100
cgtggtggtc	ggcctggccc	tcctctgcct	cgtggtgggt	catgctgacg	agcccgccgc	8160
ggaggcaggt	ccagacctcg	gcgcgagcgg	gtcggagagc	gaggacgagg	gcgcgcaggc	8220
cggagctgtc	cagggtcctg	agacgtcgcg	gagtcaggtc	agtgggcagc	ggcggcgccg	8280
ggttgacttg	caggagtttt	tcaggggcgc	cggggaggtc	cagatggtac	ttgatctcca	8340
ccgcgcattt	gtggcgagc	tcgatggctt	gcagggtccc	gtgcccctgg	ggtgtgacca	8400
ccgtcccccg	ttttctcttg	ggcggtgggg	gcgacggggg	cggtgctctc	tcctatggta	8460
gaagcggcgg	cgaggacgcg	cgcgcggcgg	caggggcggc	tcggggcccg	gaggcagggg	8520
cggcaggggc	acgtcggcgc	cgcgcgcggg	taggttctgg	tactgcccc	ggagaagact	8580
ggcgtgagcg	acgacgcgac	ggttgacgtc	ctggatctga	cgctctgggg	tgaagccac	8640
gggacccgtg	agtttgaacc	tgaagagag	ttcgacagaa	tcaatctcgg	tatcgttgac	8700
ggcgccctgc	cgcaggatct	cttgacgtc	gcccagagtg	tcctggtagg	cgatctcggg	8760
catgaactgc	tcgatctcct	cctcttgaag	gtctcccgcg	ccggccgcgt	ccacggtggc	8820
cgcgaggtcg	ttggagatgc	ggcccatgag	ctgcgagaag	gcgttcatgc	ccgctcgtt	8880
ccagacgcgg	cttagagcca	cgaacccctc	gggatcgcgg	gcgcgcatga	ccacctgggc	8940
gaggttgagc	tcacgtggc	gcgtgaagac	cgcgtagttg	cagaggcgct	ggtagaggta	9000
gttgagcgtg	gtggcgatgt	gctcgggtac	gaagaaatgc	atgacccagc	ggcgagatcg	9060
catctcgtcg	acgtcgccca	gcgcctccaa	acgttccatg	gcctcgtaaa	agtcacgcgc	9120
gaagttgaaa	aactgggagt	tcgcgcgcga	gacggtcaac	tcctcctcca	gaagacggat	9180
gagctcggcg	atggtggcgc	gcacctcgcg	ctcgaaagcc	cccgggaggt	cctccacttc	9240
ctcttcttcc	tcctccacta	acatctcttc	tacttctctc	tcaggcgcca	gtggtggcgg	9300

-continued

gggagggggc	ctgcgtcgcc	ggcggcgcc	gggcagacgg	tcgatgaagc	gctcgatggt	9360
ctgcgcgcgc	cggcgctcgca	tggctctcggt	gacggcgcg	ccgtctcgc	ggggccgcag	9420
cgtgaagacg	ccgcgcgcga	tctccaggtg	gcccgggggg	tcccctgtg	gcagggagag	9480
ggcgctgacg	atgcacatcta	tcaattgccc	cgtagggact	ccgcgcgaag	acctgagcgt	9540
ctcgagatcc	acgggatctg	aaaaccgctg	aacgaaggct	tcgagccagt	cgcagtcgca	9600
aggtaggctg	agcacgggtt	cttctggcgg	gtcatgttg	ttgggagcgg	ggcgggcat	9660
gctgctgggt	atgaagttga	aataggcgg	tctgagacgg	cggatggtgg	cgaggagcac	9720
caggctcttg	ggcccggtt	gctggatg	cagacggctg	gccatgccc	aggcgtggtc	9780
ctgacacctg	gccaggctct	tgtagtagtc	ctgcatgagc	cgctccacgg	gcacctcctc	9840
ctcgcccgcg	cggccgtgca	tgcgcgtgag	cccgaagccg	cgctgggggt	ggacgagcgc	9900
caggctcgcg	acgacgcgct	cggcgaggat	ggcttgctgg	atctgggtga	gggtggtctg	9960
gaagtcacat	aagtcgacga	agcgggtgta	ggctccggtg	ttgatggtgt	aggagcagtt	10020
ggccatgacg	gaccagttga	cggctggtg	gcccggacgc	acgagctcgt	ggtacttgag	10080
gcgcgagttag	gcgcggtgtg	cgaagatgta	gtcgttgca	gtgcgaccca	ggtactggtg	10140
gcccagatgag	aagtgcggcg	gcggctggcg	gtagagcgcg	catcgctcgg	tggcgggggc	10200
gcccggcgcg	aggctcctga	gcatggtg	gtggtagccg	tagatgtacc	tggacatcca	10260
gggtgatg	gcgcggtg	tggaggcg	cgggaactcg	cggacgcgg	tccagatggt	10320
gcgcagcgcg	aggaagtagt	tcatggtggg	cacggtctg	cccgtgagcg	gcgcgcagtc	10380
gtggatgctc	tatacgggca	aaaacgaaag	cggtcagcgg	ctcgactccg	tggcctggag	10440
gctaagcgaa	cgggttgggc	tgcgcgtgta	ccccgggtcg	aatctcgaa	cagggtggag	10500
ccgcagctaa	cgtgggtattg	gcaactcccg	ctcgacccaa	gcctgcacca	acctccag	10560
atacggaggc	gggtcggttt	gcaacttttt	ttggaggcc	ggatgagact	agtaagcgcg	10620
gaaagcgggc	gaccgcgatg	gctcgctgcc	gtagtctgga	gaagaatcgc	cagggttg	10680
ttgcgggtgtg	ccccgggttc	aggccggccg	gattccgcgg	ctaacgagg	cgtggctgcc	10740
ccgtcggttc	caagacccca	tagccagccg	acttctccag	ttacggagcg	agccctctt	10800
ttgttttgtt	tgtttttgcc	agatgcattc	cgtactcg	cagatgcgc	cccaccacc	10860
tccaccgcaa	caacagcccc	ctccacagcc	ggcgcttctg	ccccgcgcc	agcagcaact	10920
tccagccacg	accgcccg	ccgcgtgag	cgggctgga	cagagttag	atcacagct	10980
ggccttgga	agggcgagg	ggctggcg	ctggggcg	tcgtcgccg	agcggcacc	11040
gcgcgtgcag	atgaaaagg	acgctcgca	ggcctacgtg	cccaagcaga	acctgttcag	11100
agacaggagc	ggcgaggagc	cgaggagat	gcgcgcggcc	cggttccacg	cggggcgga	11160
gctgcgcgcg	ggcctggacc	gaaagagggt	gctgagggac	gaggatttcg	agggcgacga	11220
gctgacgggg	atcagccccg	gcgcgcgcga	cgtggccgcg	gccaaactgg	tcacggcgta	11280
cgagcagacc	gtgaaggagg	agagcaactt	ccaaaaatcc	ttcaaccaacc	acgtgcgcac	11340
cctgatcgcg	gcgcaggagg	tgaccctggg	cctgatgcac	ctgtgggacc	tgttggaggc	11400
catcgctgcag	aaccccccca	gcaagccgct	gacggcgca	ctgttctcgt	tgggtgcagca	11460
tagtcgggac	aacgaagcgt	tacgggaggg	gctgctgaat	atcaccgagc	ccgaggggcg	11520
ctggctcctg	gacctggtga	acattctgca	gagcatcgtg	gtgcaggagc	gcgggctgcc	11580
gctgtccgag	aagctggcgg	ccatcaactt	ctcggtcgtg	agtttgggca	agtaactacgc	11640
taggaagatc	tacaagaccc	cgtactgtcc	catagacaag	gaggtgaaga	tcgacgggtt	11700
ttacatgcgc	atgacctga	agtgctgac	cctgagcgac	gatctggggg	tgtaccgcaa	11760
cgacaggatg	caccgtgcgg	tgagcgccag	caggcgccg	gagctgagcg	accaggagct	11820
gatgcatagt	ctgcagcggg	ccctgaccgg	ggccgggacc	gagggggaga	gctactttga	11880
catggggcgc	gacctgcact	ggcagcccg	ccgcggggcc	ttggaggcgg	cggcaggacc	11940
ctacgtagaa	gaggtggacg	atgaggtgga	cgaggaggcg	gagtaacctg	aagactgatg	12000
gcgcgacgtg	atttttgcta	gatgcaacaa	caacagccac	ctcctgatcc	cgcgatgcgg	12060
ggcgcgctgc	agagccagcc	gtccggcatt	aactcctcgg	acgatggac	ccaggccatg	12120
caacgcacat	tgccgctgac	gacccgcaac	cccgaagcct	ttagacagca	gccccaggcc	12180
aaaccggctc	ggccactcct	ggaggccggt	gtgccctcgc	gctccaaacc	cacgcacgag	12240
aaggctcctg	ccatcgtgaa	cgcgctgggt	gagaacaagg	ccatcccgcg	cgacgaggcc	12300
ggcctggtgt	acaacgcgct	gctggagcgc	gtggcccgct	acaacagcac	caacgtgcag	12360
accaacctgg	accgcactgt	gaccgacgtg	cgcgaggccg	tggcccgagc	cgagcgggtt	12420
caccgcgagt	ccaacctggg	atccatggtg	gcgctgaacg	ccttctcag	caccagccc	12480
gccaacgtgc	cccggggcca	ggaggactac	accaacttca	tcagcgccct	gcgcctgatg	12540
gtgaccgagg	tgccccagag	cagggtgtac	cagtccgggc	cggactactt	cttccagacc	12600
agtgcccgag	gcttgccagc	cgtgaaacct	agccaggctt	tcaagaactt	gcagggctctg	12660
tggggcgctg	agggcccggt	cggggaccgc	gcgacgggtg	cgagcctgct	gacgcggaac	12720
tcgcgcctgc	gtctgctgct	gtctggcccc	ttcacggaca	gcgcgacat	caaccgcaac	12780
tcgtacctgg	gctacctgat	taacctgtac	cgcgaggcca	tcggccaggc	gcacgtggac	12840
gagcagacct	accaggagat	cacccacgtg	agccgcgccc	tgggccaggga	cgacccgggc	12900
aaacctggaag	ccaccctgaa	ctttttgctg	accaaccgg	cgcagaagat	cccccccg	12960
tacgcgctca	gcaccgagga	ggagcgcac	ctgcgttacg	tgacgcagag	cgtgggctctg	13020
ttcctgatgc	aggagggggc	cacccccagc	gcccgcgctc	acatgacgcg	gcgcaacatg	13080
gagcccgagc	tgtacgcccag	caaccgccc	ttcatcaata	aactgatgga	ctacttgcat	13140
ggggcgccgc	ccatgaactc	tgactatttc	accaacgcca	tcctgaatcc	ccactggctc	13200
ccgcgcgcgg	ggtttctacac	gggcgagtag	gacatgcccc	accccaatga	cgggttctctg	13260
tgggacgatg	tggacagcag	cgtgttctcc	ccccgacggg	gtgctaacga	gcgccccttg	13320
tgggaagagg	aaggcagcga	cgcagccccc	tcctcgggcg	tgtccggccg	cgagggtgct	13380
ggccgcggcg	tgcggcaggc	cgccagtcct	ttcccgagct	tgccttctc	gctgaacagt	13440
atccgcagca	gcgagctggg	caggatcacg	gcgccgcgct	tgctgggcga	agaggagtac	13500
ttgaatgact	cgtgtttgag	acccgagcgg	gagaagaact	tcccccaata	cgggatagaa	13560
agcctgggtg	acaagatgag	ccgctggaag	acgtatgcgc	aggagcacag	ggacgatccc	13620
cgggcgctcg	agggggccac	gagccggggc	agccgcgccc	gtaaacgcgc	gtggcacgac	13680
aggcagcggg	gacagatgtg	ggacgatgag	gactccgcgc	acgacagcag	cgtgttgga	13740
ttgggtggga	gtggtaacct	gtcgcctcac	ctgcgcccc	gtatcgggcg	catgatgtaa	13800
gagaaaccca	aaataaatga	tactaccaa	ggccatggcg	accagcgtgc	gttcgtttct	13860

-continued

tctctgttgt	tgttgtatct	agtatgatga	ggcgtgcgta	cccggagggt	cctcctccct	13920
cgtacgagag	cgtgatgcag	caggcgatgg	cggcgggcggc	gatgcagccc	ccgctggagg	13980
ctccttacgt	gcccccgcg	tacctggcgc	ctacggagggt	gcggaacagc	attcgttact	14040
cggagctggc	acctttgtac	gataccaccc	ggttgtacct	ggtggacaac	aagtcggcgg	14100
acatcgccct	gctgaactac	cagaacgacc	acagcaactt	cctgaccacc	gtggtgcaga	14160
acaatgactt	cacccccacg	gaggccagca	cccagaccat	caactttgac	gagcgctcgc	14220
ggtggggcgg	ccagctgaaa	accatcatgc	acaccaacat	gcccacgtg	aacgagttca	14280
tgtacagcaa	caagttcaag	gcgcgggtga	tggctctccg	caagaccccc	aatgggggtga	14340
cagtgacaga	ggattatgat	ggtagtccag	atgagctgaa	gtatgaatgg	gtggaatttg	14400
agctgccca	aggcaacttc	tcggtgacca	tgaccatcga	cctgatgaac	aacgccatca	14460
tcgacaatta	cttggcggtg	gggcggcaga	acggggtgct	ggagagcgac	atcggcggtga	14520
agttcgacac	taggaacttc	aggctgggct	gggaccccg	gaccgagctg	gtcatgcccg	14580
gggtgtacac	caacgaggtc	ttccatcccc	atattgtctt	gctgccccgc	tcgggggtgg	14640
acttcaccga	gagcgcctc	agcaacccgc	tgggcattcg	caagaggcag	cccttccagg	14700
aaggcttcca	gatcatgtac	gaggatctgg	aggggggcaa	catccccgcg	ctcctggatg	14760
tcgacgccta	tgagaaaagc	aaggaggatg	cagcagctga	agcaactgca	gccgtagcta	14820
cgcctctac	cagaggtcag	ggcgataatt	ttgcaagcgc	cgcagcagtg	gcagcggccg	14880
aggcggtcga	aaccgaagt	aagatagtca	ttcagccggt	ggagaaggat	agcaagaaca	14940
ggagctacaa	cgtactaccg	gacaagataa	acaccgccta	ccgcagctgg	tacctagcct	15000
acaactatgg	cgacccccag	aagggcggtg	gctcctggac	gctgctcacc	acctcggacg	15060
tcactcgccg	cgtggagcaa	gtctactggt	cgtgccccga	catgatgcaa	gacccgggtca	15120
ccttcgcgtc	cacgcgtcaa	gttagcaact	accgggtggt	gggcgcggag	ctcctgcccc	15180
tctactccaa	gagcttcttc	aacgagcagg	ccgtctactc	gcagcagctg	cgcgccttca	15240
cctcgttac	gcacgtcttc	aacgcgttcc	ccgagaacca	gatcctcgtc	cgcgcccccc	15300
cgccaccat	taccaccgtc	agtgaaaacg	ttcctgctct	cacagatcac	gggaccctgc	15360
cgtcgccag	cagtatccgg	ggagtccagc	gcgtgaccgt	tactgacgcc	agacgccgca	15420
cctgcccccta	cgtctacaag	gccttgggca	tagtcgcgcc	gcgcgtcctc	tcgagccgca	15480
ccttctaata	gtccattctc	atctcgccca	gtaataaacac	cgggtggggc	ctgcgcgcgc	15540
ccagcaagat	gtacggaggc	gctcgccaac	gctccacgca	acaccccggt	cgcgtgcgcg	15600
ggcacttcgc	cgtccctcgg	ggcgccctca	agggcccggt	gcggtcgccg	accacccgtc	15660
acgacgtgat	cgaccagggt	gtggccgacg	cgcgcacaata	cacccccgcg	gccgcgcccg	15720
tctccaccgt	ggacgcgcgc	atcgacacgc	tgggtggccga	cgcgcgcggg	tacgcccccg	15780
ccaagagcgc	gcggcgccgc	atcgccccgc	ggcacccgag	cacccccgcg	atgcgcgcgg	15840
cgcgagcctt	gctgcgcagg	gcccagcgca	cgggacgcag	ggcctgctc	agggcgccca	15900
gacgcgcggc	ttcaggcgcc	agcgccggca	ggacccggag	acgcgcggcc	acggcgccgg	15960
cagcgcccat	cgccagcatg	tcgccccccg	ggcgagggaa	cgtgactagg	gtgcgcgacg	16020
ccgcacccgg	tgtgcgcgtg	cccgtcgcga	cccgcccccc	tcgcaactga	agatgttcac	16080
ttcgcgatgt	tgatgtgtcc	cagcgccgag	gaggatgtcc	aagcgcaaat	tcaagggaaga	16140
gatgtccag	gtcatcgccg	ctgagatcta	cggccctcgc	gtggtgaagg	aggaaagaaa	16200
gccccgcaaa	atcaagcggg	tcaaaaaggaa	caaaaaggaa	gaagaaagtg	atgtggacgg	16260
attggtggag	tttgtgcggc	agttcgcccc	ccggcgccgc	gtgcagtggc	gcggggcgaa	16320
ggtgcaaccg	gtgctgagac	ccggcaccac	cgtggtcttc	acgcgccggc	agcgtcccg	16380
caaccgttcc	aagcgtcctc	gcgacgaggt	gtacggggat	gatgatattc	tggagcaggc	16440
ggccgagcgc	ctggggcaggt	ttgcttacgg	caagcgcagc	cgttcgcgac	cgaagggaaga	16500
ggcggtgtcc	atcccgctgg	accacggcaa	ccccacgccg	agcctcaagg	ccgtgacctt	16560
gcagcaggtg	ctgcgcagccg	cgccgcggcg	ccggggggtc	aagcgcgagg	gcgaggatct	16620
gtacccccac	atgcagctga	tgggtgcccc	gcgcgcagaa	ctggaagacg	tgtggagac	16680
catgaaggtg	gacccggagc	tcgagcccca	ggtcaaggtg	cggcccatca	agcaggtggc	16740
cccgggcctg	ggcgtgcaga	cctgtggacat	caagattccc	acggagccca	tggaaaacgca	16800
gaccgagccc	atgatcaagc	ccagcaccag	caccatggag	gtgcagacgg	atccctggat	16860
gccatcggtc	cctagtgcga	gaccccgccg	caagtacggc	gcggccagcc	tgctgatgcc	16920
caactacgcg	ctgcatcctt	ccatcatccc	cacgcggggc	taccgcggca	cgcgcttcta	16980
ccgcgggtcat	accagcagcc	gccgcgcgca	gaccaccact	cgccgcgcgc	gtcgcgcgac	17040
cgccgctgca	accacccctg	ccgccttggt	gcggagagtg	taccgcgcgc	gccgcgcacc	17100
tctgaccctg	ccgcgcgcgc	gctaccaccc	gagcatcgcc	atttaaaact	tcgcctgctt	17160
tcagatcaa	tggccctcac	atgcgcctt	cgcgttccca	ttacgggcta	ccgagggaaga	17220
aaaccgcgcc	gtagaaggct	ggcggggaac	gggatgcgtc	gccaccacca	ccggcgggcg	17280
cgcgccatca	gcaagcggtt	ggggggaggc	ttcctgcccc	cgtgatccc	catcatcgcc	17340
gcggcgatcg	ggcgatcccc	cggcattgct	tcctggcgcg	tgaggccctc	tcagcggcac	17400
tgagacacac	ttggaaacat	cttgtaataa	accaatggac	tctgacgctc	ctggtcctgt	17460
gatgtgtttt	cgtagacaga	tggaaagacat	caatttttgc	tcctggctc	cgcgacacgg	17520
cacgcggccg	ttcatgggca	cctggagcga	catcgccacc	agccaaactga	acggggggcg	17580
cttcaattgg	agcagtctct	ggagcgggct	taagaatttc	gggtccacgc	ttaaaaccta	17640
tggcagcaag	gcgtggaaca	gcaccacagg	gcaggcgctg	agggataagc	tgaagagca	17700
gaacttccag	cagaaggtgg	tcgatgggct	cgcctcgggc	atcaacgggg	tgggtgaacct	17760
ggccaaccag	gccgtgcagc	ggcagatcaa	cagccgcctg	gacccggtgc	cgcccgccgg	17820
ctccgtggag	atgcgcgagg	tggaggagga	gctgcctccc	ctggacaagc	ggggcgagaa	17880
gcgacccccg	cccgatcgcg	aggagacgct	gctgacgcac	acggacgagc	cgcccccgta	17940
cgaggaggcg	gtgaaactgg	gtctgcccac	cacgcggccc	atcgcccccc	tggccaccgg	18000
ggtgctgaaa	cccgaaaagc	ccgcgaccct	ggaacttgct	cctccccagc	cttccccccc	18060
ctctaacagt	gctaaagccc	tgcccgcggt	ggcgtggccc	cgcgcgcgac	ccggggggc	18120
cgcgcgcctc	catcggaact	ggcagagcac	tctgaacagc	atcgtgggtc	tgggagtgc	18180
gagtgtgaag	cgcgcgcgct	gctattaaac	ctaccgtagc	gcttaacttg	cttctctgtg	18240
tgtgtatgta	ttatgtcgcc	gccgcgcgct	tccaccagaa	ggaggagtga	agaggcgctg	18300
cgcgagttg	caagatggc	accccatcga	tgctgcccc	gtggcgctac	atgcacatcg	18360
ccggacagga	cgtctcgagg	tacctgagtc	cgggtctggt	gcagtttgcc	cgcgcacag	18420

-continued

acacctactt	cagctctggg	aacaagttta	ggaacccac	ggtggcgccc	acgcacgatg	18480
tgaccaccga	ccgcagccag	cggctgacgc	tgcgcttcgt	gcccggtggac	cgcgaggaca	18540
acacctactc	gtacaaaagt	cgtacacgc	tggccgtggg	cgacaaccgc	gtgctggaca	18600
tggccagcac	ctactttgac	atccgcggcg	tgctggatcg	gggcccctagc	ttcaaaccct	18660
actccggcac	cgcctacaac	agtctggccc	ccaagggagc	acccaacact	tgtcagtggg	18720
catataaagc	cgatgggtgaa	actgccacag	aaaaaaccta	tacatatgga	aatgcacccg	18780
tgcagggcat	taacatcaca	aaagatggta	ttcaacttgg	aactgacacc	gatgatcagc	18840
caatctacgc	agataaaaacc	tatcagcctg	aaacctcaagt	gggtgatgct	gaatggcatg	18900
acatcactgg	tactgatgaa	aagtatggag	gcagagctct	taagcctgat	accaaaatga	18960
agccttggtt	tggttctttt	gccaagccta	ctaataaaga	aggaggtcag	gcaaatgtga	19020
aaacaggaac	aggcactact	aaagaatatg	acatagacat	ggctttcttt	gacaacagaa	19080
gtgcggctgc	tgtcggccta	gctccagaaa	ttgttttgta	tactgaaaat	gtggatttgg	19140
aaactccaga	tacctatatt	gtatacaaag	caggcacaga	tgacagcagc	tcttctatta	19200
atthgggtga	ccaagccatg	cccaacagac	ctaactacat	tggtttcaga	gacaacttta	19260
tcgggctcat	gtactacaac	agcactggca	atatgggggt	gctggccggt	caggcttctc	19320
agctgaatgc	tgtggttgac	ttgcaagaca	gaaacaccga	gctgtcctac	cagctcttgc	19380
ttgactctct	gggtgacaga	accgggtatt	tcagtatgtg	gaatcaggcg	gtggacagct	19440
atgatcctga	tgtgcgcat	attgaaaatc	atggtgtgga	ggatgaactt	cccaactatt	19500
gtttccctct	ggatgctgtt	ggcagaacag	atacttatca	gggaattaa	gctaatggaa	19560
ctgatcaaac	ccatgggacc	aaagatgaca	gtgtcaatga	tgctaagtga	ataggcaagg	19620
gtaatccatt	cgcctaggaa	atcaacatcc	aagccaacct	gtggaggaa	ttcctctacg	19680
ccaacgtggc	cctgtacctg	cccgaactct	acaagtacac	gccggccaat	gttaccctgc	19740
ccaccaacac	caacacctac	gattacatga	acggccgggt	ggtggcgccc	tcgctggtgg	19800
actcctacat	caacatcggt	gcgcgctggt	cgtcggatcc	catggacaac	gtgaacccct	19860
tcaaccacca	ccgcaatgcg	gggctgcgct	accgctccat	gctcctgggc	aacgggcgct	19920
acgtgccctt	ccacatccag	gtgccccaga	aattttctgc	catcaagagc	ctcctgctcc	19980
tgcgcgggtc	ctacacctac	gagtggaact	tccgcaagga	cgtcaacatg	atcctgcaga	20040
gctccctcgg	caacgcactc	cgcacggagc	gggctcccat	ctccttcacc	agcatcaacc	20100
tctacgccac	cttcttcccc	atggcgacac	acacggcctc	cacgctcgag	gccatgctgc	20160
gcaacgcac	caacgcacag	tccctcaacg	actacctctc	ggcgcccaac	atgctctacc	20220
ccatcccggc	caacgcacac	aacgtgccca	tctccatccc	ctcgcgcaac	tggccgcgct	20280
tccgcggctg	gtccttcacg	cgtctcaaga	ccaaggagac	gccctcgctg	ggctccgggt	20340
tgcagcccta	cttcgtctac	tccggctcca	tccctacctc	cgacggcacc	ttctacctca	20400
accacacctt	caagaaggtc	tccatcacct	tcgactcctc	cgtcagctgg	cccggcaacg	20460
accggctcct	gacgcccaac	gagttcgaaa	tcaagcgcac	cgtcgacggc	gagggctaca	20520
acgtggccca	gtgcaaatgt	accaaggact	ggttctcgtg	ccagatgctg	gcccactaca	20580
acatcggtca	ccagggcttc	tacgtgcccg	agggctacaa	ggaccgcatg	tactccttct	20640
tccgcaactt	ccagcccatg	agccgccagg	tggtggacga	ggtcaactac	aaggactacc	20700
agggcgctac	cctggcctac	cagcacaca	actcgggctt	cgtcggctac	ctcgcccca	20760
ccatgcgcca	gggcccagcc	taccccgcac	actaccctca	cccgtctatc	ggcaagagcg	20820
ccgtcacccg	cgtcacccag	aaaaagttcc	tctgcgacag	ggtcatgtgg	cgcacccctc	20880
tctccagcaa	cttcagtctc	atgggcgcgc	tccaccagct	cggccgaaac	atgctctatg	20940
ccaactccgc	ccacgcgcta	gacatgaatt	tcgaagtcca	cccattggat	gagtcacacc	21000
ttctctatgt	tgtcttcgaa	gtcttcgacg	tcgtccgagt	gcaccagccc	caccgcggcg	21060
tcatcgaggc	cgtctacctg	cgcacccctc	tctcggccgg	taaccgcacc	acctaatgct	21120
ttgcttcttg	caagccactg	ccgcgggctc	cggcgagcag	gagctcaggg	ccatcatccg	21180
cgaactgggc	tgcgggccc	acttctctgg	caccttcgat	aagcgcttcc	cgggattcat	21240
ggccccgcac	aagctggcct	gcccctatct	caacacggcc	ggccgcgaga	ccggggcgga	21300
gcactggctg	gaccttcgct	ggaacccgcg	ctcgaaacac	tgtacctctc	tcgacccctt	21360
cgggttctcg	gcgcagcgcc	tcaagcagat	ctaccagttc	gagtaacagg	gcctgctgcg	21420
ccgcagcgcc	ctggccaccc	aggaccgctg	cgtcacccct	gaaaagtcca	cccagaccgt	21480
gcagggtcgc	cgctcggccg	cctgcgggct	cttctgctgc	atgttctctg	acgccttctg	21540
gcactggccc	gacggcccca	tggacaagaa	ccccaccatg	aaacttctga	cgggggtgcc	21600
caacggcatg	ctccagtcgc	cccaggtgga	accacccctg	cgcgcgaacc	aggaggcgct	21660
ctaccgcttc	ctcaactccc	actccgcta	ctttcgtctc	caccgcgcgc	gcacgcagaa	21720
ggccaccgccc	ttcgaccgca	tgaatcaaga	catgtaaaac	gtgtgtgtat	gttaaatgtc	21780
tttaataaac	agcactttca	tgttacacat	gcactgtaga	tgattttatt	agaaatcgaa	21840
aggggttctg	cggttctcgg	catggcccgc	gggcagggac	acgttgcgga	actggtaact	21900
ggccagccac	ttgaactcgg	ggatcagcag	tttgggcagc	gggtgtcggg	ggaaggagtc	21960
ggtccacagc	ttccgcgtca	gttgacgggc	gcccagcagg	tcgggcgcgg	agatcttgaa	22020
atcgcagttg	ggagcccgct	tctgcgcgcg	ggagttgcgg	tacacggggg	tcagcactgc	22080
gaacaccatc	agggccgggt	gcttcacgct	cgcgcagacc	gtcgcgtcgg	tgatgctctc	22140
cacgtcgagg	tcctcggcgt	tggccatccc	gaaggggggt	atcttgacgg	tctgccttcc	22200
catggtgggc	acgcaccccg	gcttgtgggt	gcaatcgacg	tcgaggggga	tcagcatcat	22260
ctgggccttg	tcggcgcttc	tccccgggta	catggccttc	atgaaagcct	ccaattgcct	22320
gaacgcctgc	tgggccttgg	ctccctcggt	gaagaagacc	ccgcaggact	tgctagagaa	22380
ctggttggtg	gcgcaccccg	cgtcgtgcac	gcagcagcgc	gcgtcgttgt	tggccagctg	22440
caccacgctg	gcgccccagc	ggttctgggt	gatcttgccc	cggtcggggg	tctccttcag	22500
cgcgcgctgc	ccgttctcgc	tcgccacatc	catctcgatc	atgtgctcct	tctggatcat	22560
ggtgtgccc	tgcaggcacc	gcagcttgcc	ctcggcctcg	gtgcacccgt	gcagccacag	22620
cgcgcacccg	gtgcactccc	agttcttctg	ggcgatctgg	gaatgcgcgt	gcacgaagcc	22680
ctgcaggaa	ggcccccatca	tgggtgtcag	ggtcttcttg	ctagtgaagg	tcagcggagt	22740
gcccgcgtgc	tcctcgttga	tgtacagggt	gcagatgcgg	cggtaacact	cgcctgcttc	22800
gggcacacgc	tgaaggttgg	ctttcaggtc	ggtctccacg	cggtagcggt	ccatcagcat	22860
agtcatgatt	tcataaccct	tctcccaggc	cgagacgatg	ggcaggctca	taggggttct	22920
caccatcatc	ttagcgctag	cagccgcggc	cagggggctc	ctctcgtcca	gggtctcaaa	22980

-continued

gctccgcttg	ccgctectct	cgttgatccg	caccgggggg	tagctgaage	ccacggccgc	23040
cagctcctcc	tggcoctgtc	tttgcctctc	gctgtcctgg	ctgacgtcct	gcaggaccac	23100
atgcttggto	ttgcgggggt	tcttcttggg	cggcagcgcc	ggcgagatg	ttggagatgg	23160
cgagggggag	cgcgagttct	cgtccaccac	tactatctct	tctcttctct	ggtccgaggc	23220
cacgcggcgg	taggtatgtc	tcttcggggg	cagaggcgga	ggcgacgggc	tctcgccgcc	23280
gcgacttggc	ggatggctgg	cagagccctc	tccgcgttcg	gggtgctgct	cccgcgggcg	23340
ctctgactga	cttcctccgc	ggcgggcat	tgtgttctcc	tagggaggaa	caacaagcat	23400
ggagactcag	ccatcgccaa	cctcgccatc	tgcctccacc	ggcgacgaga	agcagcagca	23460
gcagaatgaa	agcttaaccg	cccgcccgcc	cagcccccgc	acctccgacg	cggccgtccc	23520
agacatgcaa	gagatggagg	aatccatcga	gattgacctg	ggctatgtga	cgcgcgggga	23580
gcacgaggag	gagctggcag	tgcgcttttc	acaagaagag	atacaccga	aacagccaga	23640
gcaggaagca	gagaatgagc	agagtccagg	tgggctcgag	catgacggcg	actacctcca	23700
cctgagcggg	ggggaggagc	cgtctatcaa	gcacttgccc	cggcaggcca	ccatcgtaaa	23760
ggatgcctgt	ctcgaccgca	cggaggtgcc	cctcagcggt	gaggagctca	gcccgcctca	23820
cgagttgaac	ctcttctcgc	cgcgcgtgcc	ccccaaagcg	cagcccaatg	gcacctgcga	23880
gccccaccgg	cgcctcaact	tctaccgggt	cttcgcggtg	cccgaggccc	tggccacctc	23940
ccacatcttt	ttcaagaacc	aaaagatccc	cgtctcctgc	cgcgccaacc	gcaccgcgcg	24000
cgacgccctt	ttcaacctgg	gtccccggcg	ccgcctacct	gatctgcctc	ccttggaaga	24060
ggttcccaag	atcttcgagg	gtctgggcag	cgacgagact	cgggcgcgca	acgctctgca	24120
aggagaagga	ggagagcatg	agcaccacag	gcacctgggt	gagttggaag	gcgacaacgc	24180
gcggctggcg	gtgctcaaac	gcacggtcga	gctgacctat	ttcgccctacc	cggctctgaa	24240
cctgcccccc	aaagtctatga	gcgcggtcat	ggaccaggtg	ctcatcaagc	gcgcgtcgcc	24300
catctccgag	gacgagggca	tgcgaagact	caggaggggc	aagcccgtgg	tcagcgacga	24360
gcagctggcc	cggctggctgg	gtcctaatgc	tagtccccag	agtttggaag	agcggcgcaa	24420
actcatgatg	cccgtggctg	tggtgacctg	ggagctggag	tgcctgcgcc	gcttcttcgc	24480
cgacgcggag	accctgcgca	aggtcgagga	gaacctgcac	tacctcttca	ggcacgggtt	24540
cgtgcgccag	gcctgcgaaga	tctccaacgt	ggagctgacc	aaacctggtc	cctacatggg	24600
catcttgac	gagaaccgcc	tggggcagaa	cgtgctgcac	accacctgcg	gcggggaggc	24660
ccggcgcgac	tacatccgcg	actgcgtcta	cctctacctc	tgcacacctc	ggcagacggg	24720
catggggcgt	tggcagcagt	gtctggagga	gcgaacctg	aaagagctct	gcaagctcct	24780
gcgaagaac	ctcaagggtc	gttcgacgag	cgcaccaccg	cctcggaact	24840	
ggccgacctc	atcttcccg	agcgcctcag	gctgacgctg	cgcaacggcc	tgcctgactt	24900
tatgagccaa	agcatgttgc	aaaactttcg	ctctttctac	ctcgaaacct	ccggaactct	24960
gccccgccac	tgtctccgcg	tgccctcgga	cttcgtgcgc	ctgaccttcc	gcgagtgccc	25020
cccgccgctg	tggagccact	gctacctgct	gcgcctggcc	aactacctgg	cctacctcct	25080
ggagctgatc	gaggagctca	gcggcgaggg	cctgctcgag	tgccactgcc	gctgcaacct	25140
ctgcacgccg	caccgtctcc	ggccctgcaa	ccccagctg	ctgagcgaga	cccagatcat	25200
cggcaccctc	gagttgcaag	ggcccgagga	aggcgagggt	tcagcccgca	aggggggtct	25260
gaaactcacc	ccggggctgt	ggacctcgcc	ctaacttcgc	aagttctgtc	ccgaggacta	25320
ccatcccttc	gagatcaggt	tctacgagga	ccaatcccat	ccgcccgaag	ccgagctgtc	25380
ggcctgcgtc	atcaccagag	gggcgatcct	ggcccaattg	caagccatcc	agaaatcccg	25440
ccaagaatc	ttgctgaaaa	agggcgcggg	ggtctacctc	gaaccccgca	ccggtgagga	25500
gctcaacccc	ggcttcccc	gaggaaaaca	gaagctgaaa	gtggagctgc	25560	
cgcccgctga	ggatttggag	agaagactgg	agaacagcag	tcaggcgagag	gaggaggaga	25620
tggagggaaga	ctgggacagc	actcaggcag	aggaggacag	cctgcaagac	agctctggagg	25680
aagacgagga	ggaggcagag	gaggaggtgg	aagaagcagc	cgccgcgaga	ccgtcgtcct	25740
cggcggggga	gaaagcaagc	agcacgggata	ccatctccgc	tccgggtcgg	ggtcccgctc	25800
gaccacacag	tagatgggag	gagaccggac	gattccccga	ccccaccacc	cagaccgggt	25860
agaaggagcg	gcagggatag	aagtcctggc	gggggcacaa	aaacgcatc	gtctcctgct	25920
tgcagggcgt	cgggggcaac	atctccttca	ccggcgctca	cctgctcttc	caccgcgggg	25980
tgaactttcc	ccgcaacatc	ttgcattact	accgtcaact	ccacagcccc	tactacttcc	26040
aagaagaggc	agcgagagca	gaaaaagacc	agcagaaaac	cagcagctag	aaaatccaca	26100
ggcgcgccag	caggtggact	gaggatcgcg	gcgaacgagc	cggcgcaaac	ccgggagctg	26160
aggaaccgga	tctttccacc	cctctatgcc	atcttccagc	agagtccggg	gcaggagcag	26220
gaactgaaa	tcaagaaccg	ttctctgcgc	tcgctcacc	gcagttgtct	gtatcacaag	26280
agcgaagacc	aacttcagcg	cactctcgag	gacgcgagg	ctctcttcaa	caagtactgc	26340
gcgctcactc	ttaagagtag	gcccgcgccc	gcccagtcgc	agaaaaaggc	gggaatttac	26400
tcactgtgtc	ccttcgcccc	agccgctccc	accatcatc	atgagcaaa	agattccacc	26460
gccttacatg	tggagctacc	agcccccagat	gggcctggcc	gcccgtgcgc	cccaggacta	26520
ctccaccgcg	atgaattggc	tcagcgccgg	gcccgcgatg	atctcaccgg	tgaatgacat	26580
ccgcgcccac	cgaaaccaga	tactctaga	acagtcagcg	ctcaccgcca	cgccccgcaa	26640
tcacctcaat	ccgcgtaatt	ggcccgccgc	cctggtgtac	caggaaattc	cccagcccac	26700
gaccgtacta	cttcgcgag	acgcccaggc	cgaagtccag	ctgactaact	caggtgtcca	26760
gctggcgggc	ggcgccaccc	tgtgtcgtca	ccgccccgct	cagggtataa	agcggctggt	26820
gatccggggc	agaggcacac	agctcaacga	cagagtggtg	agctcttcgc	tgggtctcgc	26880
acctgacgga	gtcttccaac	tcgcccggatc	ggggagatct	tccttcacgc	ctcgtcaggc	26940
cgtctgact	ttggagagtt	cgtcctcgca	gcccgcgctg	gggtggcatg	gcactctcca	27000
gttcgtgga	gagttcactc	cctcggtcta	cttcaacccc	ttctccggct	cccccgccca	27060
ctaccgggac	gagttcatcc	cgaacttcga	cgccatcagc	gagtcgggtg	acggctacga	27120
ttgaatgtcc	catgggtggc	cagctgacct	agctcggctt	cgacacctgg	accactgcgc	27180
ccgcttcgcg	gtcttcgcgc	gggactctgc	cgagtttgcc	tactttgagc	tgcccagagga	27240
gcaccctcag	ggcccgccgc	acggagtgcg	gatcgtcgtc	gaaggggggc	tcgactccca	27300
cctgcttcgg	atcttcagcc	agcgtccgat	cctggtcgag	cgcgagcaag	gacagacctc	27360
ttgactctg	tactgcatct	gcaaccaccc	cggcctgcat	gaaagttctt	gttgtctgct	27420
gtgtactgag	tataataaaa	gctgagatca	gcgactactc	cggacttccg	tgtgttccgt	27480
aatccatcaa	ccagttcttt	ttcttcaccg	ggaacgagac	cgagctccag	ctccagtgta	27540

-continued

agccccacaa	gaagtacctc	acctggctgt	tccagggctc	cccgatcgcc	gttgtaacc	27600
actgcgacaa	cgacggagtc	ctgctgagcg	gccctgccaa	ccttactttt	tccaccgca	27660
gaagcaagct	ccagctcttc	caacccttcc	tcccggggac	ctatcagtcg	gtctcgggac	27720
cctgcccata	cactctccac	ctgatcccg	ataccacagc	gtcgtcccc	gctactaaca	27780
accaaactaa	cctccaccaa	cgccacgctc	gcgacotttc	tgaatctaata	actaccaccc	27840
acaccggagg	tgagctccga	ggccaaccaa	cctctgggat	ttactacggc	ccctgggagg	27900
tgggtgggtt	aatagcgcta	ggcctagttg	cggtggggct	tttgggtctc	tgctacctat	27960
acctcccttg	ctgttcgtac	ttagtgggtg	tgtgttgctg	gtttaagaaa	tggggaagat	28020
ccccctagtg	agctgcggtg	cgctgggtgg	gggtgtgctt	togattgtgg	gactggggcg	28080
tgcggtgta	gtgaaggaga	aggccgatcc	ctgcttgcac	ttcaatccca	acaaatgcca	28140
gctgagtttt	cagcccgatg	gcaatcggtg	cgcggtactg	atcaagtgcg	gatgggaatg	28200
cgagaacgtg	agaatcgagt	acaataacaa	gactcgggac	aataactctg	cgcccggtg	28260
gcagcccggtg	gaccccgagt	ggtacaccgt	ctctgtcccc	gggtctgacg	gctccccg	28320
caccgtgaat	aatactttca	tttttgcgca	catgtgcgac	acggctcatg	ggatgagcaa	28380
gcagtacgat	atgtggcccc	cccggaagga	gaacatcgtg	gtcttctcca	tcgcttacag	28440
cctgtgcacg	gcgctaatac	ccgctatcgt	gtgcctgagc	attcacatgc	tcacgcgtat	28500
tcgccccaga	aataatgcgc	aaaaagaaaa	acagccataa	cgtttttttt	cacacctttt	28560
tcagaccatg	gcctctgtta	aatttttgct	tttatttgct	agtcctcattg	ccgtcattca	28620
tggaatgagt	aatgagaaaa	ttactattta	cactggcact	aatcacacat	tgaaaggtcc	28680
agaaaaagcc	acagaagttt	catgggtattg	ttattttaata	gaatcagatg	tatctactga	28740
actctgtgga	aacaataaca	aaaaaaatga	gagcattact	ctcatcaagt	ttcaatgtgg	28800
atctgactta	accctaatta	acatcactag	agactatgta	ggatgtatt	atggaactac	28860
agcaggcatt	tcggacatgg	aattttatca	agtttctgtg	tctgaaccca	ccacgcctag	28920
aatgaccaca	accacaaaaa	ctacacctgt	taccactatg	cagctcacta	ccaataacat	28980
ttttgccatg	cgtaaatagg	taacaatatg	cactcaaccc	acccaccca	gtgaggaaat	29040
tcccaaatcc	atgattggca	ttattgttgc	tgtagtgggtg	tgcatgttga	tcacgcctt	29100
gtgcattggtg	tactatgcct	tctgtacacg	aaagcacaga	ctgaacgaca	agctggaaca	29160
cttactaagt	gttgaatttt	aatttttttag	aaccatgaag	atcctaggcc	ttttaatttt	29220
ttctatcatt	acctctgtct	tatgcaattc	tgacaatgag	gacgttactg	tcgttgtcgg	29280
atcaaatat	acactgaag	gtccagcgaa	gggtatgctt	tcgtgggtatt	gctatttttg	29340
atctgacact	acagaaactg	aattatgcaa	tcttaagaat	ggcaaaatc	aaaattctaa	29400
aattaaacat	tatatatgca	atgggtactga	tctgatactc	ctcaatatca	cgaatcata	29460
tgctggcagtg	tacacctgcc	ctggagatga	tgtctgacag	atgatttttt	acaaagtaac	29520
tggtgttgat	ccactccacc	caccacaact	actcacacca	cacacacaga	29580	
tcaaacccga	gcagaggagg	cagcaaatgt	agccttgacg	gtccaagaca	gttcatttgt	29640
tggtcattacc	cctacacctg	atcagcggtg	tccggggctg	ctagtacagc	gcattgtcgg	29700
tgtgctttcg	ggattagcag	tcataatcat	ctgcatgttc	atttttgctt	gctgctatag	29760
aaggttttac	gcacaaaaat	cagacccact	gctgaacctc	tatgtttaat	tttttccaga	29820
gtcatgaagg	cagttagcgc	tctagttttt	tgttctttga	ttggcatgtg	tttttgcaat	29880
cctatttcta	agtttagctt	tattaaagat	gtgaatgtta	ctgagggggg	caatgtgaca	29940
ctggtaggtg	tagagggtgc	tgaaaacacc	acctgggcaa	aataaccact	caatgggtgg	30000
aaagattatt	gcaattggag	tgtattagtt	tatacatgtg	agggagttaa	tcttaccatt	30060
gtcaatgccca	cctcagctca	aaatggtaga	attcaaggac	aaagtgtcag	tgtatctaata	30120
gggtatttta	cccaacatac	ttttatctat	gacgttaaa	tcataaccact	gcctacgcct	30180
agcccaccta	gcactaccac	acagacaacc	cacactacac	agacaaccac	atacagtaca	30240
ttaaatcagc	ctacaccacc	tcacagcaga	gaggttgcca	gctcgtctgg	ggctcgagtg	30300
gcatttttga	tgttggcccc	atctagcagt	cccactgcta	gtaccaatga	gcagactact	30360
gaatttttgt	ccactgtcga	gagccacacc	acagctacct	ccagtgcctt	ctctagcacc	30420
gcgaatctct	cctcgctttc	ctctacacca	atcagtcctg	ctactactcc	tagccccgct	30480
cctcttccca	ctccctgaa	gcaaacagac	ggcggtatgc	aatggcagat	cacctgtctc	30540
attgtgatcg	ggttggctcat	cctggccgtg	ttgctctact	acatcttctg	ccgcgcgcat	30600
cccaacgcgc	accgcaagcc	ggctctacaag	cccatcattg	tcgggcagct	ggagccgctt	30660
caggtggaag	gggtgtctaa	gaatcttctc	ttctctttta	cagtatgggtg	attgaaactat	30720
gattcctaga	caattcttga	tcactattct	tatctgcctc	ctccaagtct	gtgccacctt	30780
cgctctgggtg	gccaacgcca	gtccagactg	tattggggcc	ttgcctcct	acgtgctctt	30840
tgcttccacc	acctgcactc	gctgctgtag	catagtctgc	ctgcttatca	ccttcttcca	30900
gttcattgac	tggatctttg	tgcgcatcgc	ctacctgcgc	caccaccccc	agtaaccgca	30960
ccagcgagtg	gcgcggtcgc	tcaggctcct	ctgataagca	tgcggtctct	gctacttctc	31020
gcgcttctgc	tgttagtgct	cccccgctcc	gtcgaccccc	gggtccccac	ccagtcccc	31080
gaggagggtc	gcaaatgcaa	attccaagaa	ccctgggaaat	tcctcaaatg	ctaccgcca	31140
aaatcagaca	tgcatccag	ctggatcatg	atcattggga	tcgtgaacat	ctcggcctgc	31200
acctctatct	cctttgtgat	ttacccctgc	tttgactttg	gttggaactc	gccagaggcg	31260
ctctatctcc	cgctgaacc	tgacacacca	ccacagcaac	ctcaggcaca	cgcaactacca	31320
ccactacagc	ctaggccaca	atacatgccc	atattagact	atgaggccga	gccacagcga	31380
cccatgctcc	cgcctattag	ttactcaat	ctaaccggcg	gagatgactg	accactggc	31440
caacaacaac	gtcaacgacc	ttctcctgga	catggacggc	cgccctcgg	agcagcgact	31500
cgcccaactt	cgcattcgcc	agcagcagga	gagagccgtc	aaggagctgc	aggatgcggt	31560
ggccatccac	cagtgcaaga	gaggcatctt	ctgcctgggtg	aaacaggcca	agatctccta	31620
cgaggtcact	ccaaacgacc	atcgctctc	ctacgagctc	ctgcagcagc	gccagaagtt	31680
cacctgcctg	gtcggagtca	accccatcgt	catcaccacg	cagtcctggcg	ataccaaggg	31740
gtgcataccac	tgcctcgcg	actccccga	ctgcgtccac	actctgatca	agaccctctg	31800
cggcctccgc	gacctctctc	ccatgaacta	atcaccccc	tatccagtga	aataaagatc	31860
atattgatga	tgattttaca	gaaataaaaa	ataatcattt	gatttgaaat	aaagatacaa	31920
tcataattgat	gatttgagtt	taacaaaaaa	ataaagaatc	acttacttga	aatctgatac	31980
caggtctctg	tccatgtttt	ctgccaacac	cacttcaact	ccctcttccc	agctctggta	32040
ctgcaggccc	cggcgggctg	caaacttctt	ccacacgctg	aaggggatgt	caaattctct	32100

-continued

ctgtccctca	atcttctatt	tatcttctat	cagatgtcca	aaaagcgcgt	ccgggtggat	32160
gatgacttcg	accccgctta	ccctacgat	gcagacaacg	caccgacgt	gcccttcac	32220
aacccccct	tctctcttc	agatggattc	caagagaagc	ccctgggggt	gttgtccctg	32280
cgactggcgg	accccgctac	caaccaagaac	ggggaaatca	ccctcaagct	gggagagggg	32340
gtggacctcg	attcctcggt	aaaactcctc	tccaacacgg	ccaccaaggc	cgccgcccct	32400
ctcaggtttt	ccaacaacac	catttccctt	aacatggatc	acccctttta	cactaaagat	32460
ggaaaattat	ccttacaagt	ttctccacca	ttaaatatac	tgagaacaag	cattctaaac	32520
acactagctt	taggtttttg	atcaggttta	ggactccgtg	gctctgcctt	ggcagtacag	32580
ttagtctctc	cacttacatt	tgatactgat	ggaaacataa	agcttacctt	agacagaggt	32640
ttgcatgtta	caacaggaga	tgcaattgaa	agcaacataa	gctgggctaa	aggtttaaaa	32700
tttgaagatg	gagccatagc	aaccaacatt	ggaaatgggt	tagagtttgg	aagcagtagt	32760
acagaaacag	gtgttgatga	tgcttaccct	atccaagtta	aacttggatc	tgcccttagc	32820
tttgacagta	caggagccat	aatggctggg	aacaagaag	acgataaact	cactttgtgg	32880
acaaacacct	atccatcacc	aaactgtcaa	atactcgcat	aaaatgatgc	aaaactaaca	32940
ctttgcttga	ctaaatgtgg	tagtcaataa	ctggccactg	tgctcagctt	agttgttaga	33000
agtggaaacc	taaaaccctat	tactggcacc	gtaagcagtg	ctcaggtgtt	tctacgtttt	33060
gatgcaaacg	gtgttctttt	aacagaacat	tctacactaa	aaaaatctg	ggggtatagg	33120
caggggagata	gcataagatg	cactccatct	accaaagctg	taggattcat	gcccatttta	33180
aaagcttatc	caaggtcaca	aagtcttact	actaaaaata	atatagtagg	gcaagtatac	33240
atgaatggag	atgttttcaa	acctatgctt	ctcactataa	ccctcaatgg	tactgatgac	33300
agcaacagta	catattcaat	gtcattttca	tacacctgga	ctaagtgga	ctatgttgga	33360
gcaacatttg	gggtacatgc	ttatcccttc	tcatacatcg	cccaagaatg	aacactgtat	33420
cccacccctg	atgccaaccc	ttcccacccc	actctgtgga	acaaactctg	aaacacaaaa	33480
taaaataaag	ttcaagtggt	ttattgattc	aacagtttta	caggattcga	gcagttattt	33540
ttctccacc	ctcccaggac	atggaatata	ccaccctctc	ccccgcaca	gccttgaaca	33600
tctgaatgcc	attggtgatg	gacatgcttt	tggtctccac	gttccacaca	gtttcagagc	33660
gagccagctc	cggttcgggtc	aggggagatg	aacccctccg	gcactcccg	atctgcacct	33720
cacagctcaa	cagctgagga	ttgtctcgg	tggtcgggat	cacgggtatc	tggaagaagc	33780
agaaagcggg	cggtgggaat	catagtcctg	gaacgggatc	ggcggtgggt	gtcgcactag	33840
gccccgcagc	agtcgctgcc	gcccgcgctc	cgctcaagctg	ctgctcaggg	ggctccgggtc	33900
cagggactcc	ctcagcatga	tgcccacggc	cctcagcatc	agtcgctcgg	tgccgcgggc	33960
gcagcagcgc	atgcggatct	gcctcaggtc	gctgcagtag	gtgcaacaca	gaaccaccag	34020
gttgttcaac	agctccatag	tcacacacgt	ccagccgaaa	ctcatcgctg	gaaggatgct	34080
acccacgtgg	cgtctgtacc	agatctctag	gtaaatcaag	tggtgcccc	tccagaacac	34140
gctgcccacg	tacatgatct	ccttgggcat	gtggcggttc	accacctccc	ggtaccacat	34200
ccccctctgg	ttgaacatgc	agccccggat	gatcctcggt	aaccacaggg	ccagcaccgc	34260
cccgcccgc	atgcagcaga	gagaccggcg	gtcccggcaa	tggaatgga	ggaccaccgc	34320
ctcgtaccgg	tggtacatct	gggagctgaa	caagtctatg	ttggcacagc	acaggcatat	34380
gctcatgcac	ctcttcagca	ctctcaactc	ctcgggggtc	aaaaccatat	cccagggcac	34440
ggggaaactc	ctcaggacag	cgaacccggc	agaacagggc	aatcctcgca	cagaacttac	34500
atttgtcatg	gacagggtat	cgcaatcagg	cagcaccggg	tgatcctcca	ccagagaagc	34560
gcggtgtctg	gtctcctcac	agcgtggtaa	gggggcccgc	cgatacgggt	gatggcgagg	34620
cgcggtgat	cgtgttcggg	acgtgtctat	gatgcagttg	ctttcggaac	ttttcgtact	34680
tgctgtagca	gaacctgggt	cggtgcgtgc	acaccgatcg	ccggcgcggt	tctcgcgct	34740
tggaacgctc	gggtgtgaaa	ttgtaaaaca	gccactctct	cagaccgtgc	agcagatcta	34800
gggctcagg	agtatgaag	atccatcat	gcctgatggc	tctgatcaca	tcgaccaccg	34860
tggaatgggc	cagaccacgc	cagatgatgc	aattttgttg	gggttcgggt	acggcggggg	34920
agggaaagac	aggaagaacc	atgattaaat	tttaatccaa	acggtctcgg	agtaactcaa	34980
aatgaagatc	gccgagatgg	cacctctcgc	ccccgctgtg	ttggtggaaa	ataacagcca	35040
ggtcaaaagt	gatacgggtc	tcgagatggt	ccacgggtgc	ttccagcaaa	gcctccacgc	35100
gcacatccag	aaacaagaca	atagcgaaag	cgggaggggt	ctctaattcc	tcaatcatca	35160
tggtacacct	ctgcaccatc	ccagataaat	tttcatTTTT	ccagccttga	atgattcgaa	35220
ctagttcctg	aggtaaatcc	aagccagcca	tgataaaag	ctcgcgcaga	gcgccctcca	35280
ccggcattct	taagcacacc	ctcataattc	caagatattc	tgctcctggt	tcacctgcag	35340
cagattgaca	agcgggaatg	caaaatctct	gcccgcgatc	ctgagctcct	ccctcagcaa	35400
taactgtaag	tactctttca	tatctctctc	gaaattttta	gccataggac	caccagggaat	35460
aagattaggg	caagccacag	tacagataaa	ccgaagtcc	ccccagtgag	catttgccaaa	35520
tgcaagactg	ctataagcat	cctggctaga	cccgggtgata	tcttcagat	aactggacag	35580
aaaaatcgcc	aggcaatttt	taagaaaaat	aacaaaaagaa	aaatcctcca	ggtggacggt	35640
tagagcctcg	ggaacaacga	tgaagtaaat	gcaagcgggt	cggtccagca	tggttagtta	35700
gctgatctgt	agaaaaaaca	aaaaatgaaca	ttaaacctag	ctagcctggc	gaacagggtg	35760
gtaaatcggt	ctctccagca	ccaggcaggc	cacgggggtc	ccggcgcgac	cctcgtaaaa	35820
attgtcgcta	tgattgaaaa	ccatcacaga	gagacgttcc	cggtggcggg	cgtgaatgat	35880
tcgacaagat	gaatacacc	ccggaacatt	ggcgtccggc	agtgaaaaaa	agcgcggcag	35940
gaagcaataa	ggcaatacaa	tgctcagctc	caagtccagc	aaagcgatgc	catgcccgatg	36000
aagcacaaaa	ttctcagggt	cgtacaaaat	gtaattactc	ccctcctgca	caggcagcaa	36060
agcccccgat	ccctccagggt	acacatacaa	agcctcagcg	tccatagctt	accgagcagc	36120
agcacacaac	aggcgcaaga	gtcagagaaa	ggctgagctc	taacctgtcc	accgctctc	36180
tgctcaatat	atagcccaga	tctacactga	cgtaaggccc	aaagtctaaa	aatacccgcc	36240
aaataatcac	acacgcccag	cacacgccc	gaaacgggtg	acacactcaa	aaaaatacgc	36300
gcacttcctc	aaacgcccga	aactgcccgt	atttcgggtg	tcccacgcta	cgctcatcaa	36360
acacgacttt	caaattccgt	cgaccgttaa	aaacgtcacc	cgccccgcgc	ctaacggctc	36420
cccgctctct	agccaatcag	cgcccccgat	ccccaaattc	aaacacctca	tttgcatatt	36480
aacgcgcaca	aaaagtttga	ggtatattat	tgatgatgg			36519

-continued

FEATURE Location/Qualifiers
misc_feature 1..31867
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..31867
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 11

```

ccatcttcaa taatatacct caaacttttt gtgcgcgtta atatgcaaat gaggcgtttg 60
aatttgggga ggaagggcgg tgatttggtcg agggatgagc gaccgttagg ggcggggcga 120
gtgacgtttt gatgacgtgg ttgcgaggag gagccagttt gcaagttctc gtgggaaaag 180
tgacgtcaaa cgaggtgtgg tttgaacacg gaaatactca attttccgc gctctctgac 240
aggaaatgag gtgtttctgg gcggatgcaa gtgaaaacgg gccattttcg cgcgaaaact 300
gaatgaggaa gtgaaaatct gagtaatttc gcgtttatgg cagggaggag tatttgccga 360
gggcgcagta gactttgacc gattacgtgg gggtttcgat taccgtgttt ttcacctaaa 420
tttccgcgta cgggtgcaaa gtccggtgtt ttacgtagg tgcagctga tcgccagggt 480
atttaaaccct gcgctctcca gtcaagaggc cactcttgag tgccagcgag aagagttttc 540
tctccgcgcg cgcgagtcag atctacactt tgaaagttag gataacaggg taatgacatt 600
gattattgac tagttgttaa tagtaatcaa ttacggggtc attagttcat agcccatata 660
tggagtcccg cggtacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 720
cccgccattt gacgtcaata atgacgtatg ttcccatagt aacgccataa gggactttcc 780
attgacgtca atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt 840
atcatatgcc aagtcgcgcc cctattgacg tcaatgacgg taaatggccc gcttggtcatt 900
atgcccgata catgacctta cgggactttc ctacttgcca gtacatctac gtattagtca 960
tcgctattac catggtgatg cggttttggc agtacaccaa tgggcgtgga tagcgttttg 1020
actcacgggg atttccaaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 1080
aaaatcaacg ggactttcca aaatgtcgta ataaccgcc cccgttgacg caaatgggcy 1140
gtaggcgtgt acggtgggag gtctatataa gcagagctcg tttagtgaac cgtcagatcg 1200
cctggaacgc ctccacgctt gttttgacct ccatagaaga cagcgatcgc gccaccattg 1260
tgagcaaggg cgaggagctg ttaccggggg tgggtgccat cctggtcgag ctggacggcg 1320
acgtaaacgg cacaacgttc agcgtgtccg gcgagggcga gggcgatgcc acctacggca 1380
agctgacctt gaagtctatc tgccaccacc gcaagctgcc cgtgccctgg cccaccctcg 1440
tgaccacctt gacctacggc gtgcagtgct tcagccgcta ccccgaccac atgaagcagc 1500
acgacttctt caagtccgcc actgccgaag gctacgtcca ggagcgacc atcttcttca 1560
aggacgacgg caactacaag acccgcgccg aggtgaagtt cgagggcgac accctggtga 1620
accgcatcga gctgaagggc atcgacttca aggagggcgg caacatcctg gggcacaagc 1680
tggagtacaa ctacaacagc cacaacgtct atatcatggc cgacaagcag aagaacggca 1740
tcaagggtga cttcaagatc cgcacacaac tcgaggacgg cagcgtgcag ctgcgcgacc 1800
actaccagca gaacaccccc atcgcgacg gccccgtgct gctgcccgac aaccactacc 1860
tgagcaccca gtcgcctctc agcaaaagacc ccaacgagaa gcgcgatcac atggtcttgc 1920
tggagtctgt gaccgcgcgc gggatcactc tcggcatgga cgagctttac aagtagtgag 1980
tttaaaactc catttaaatg tgaagggtta tgcctcgagc agacatgata agatacattg 2040
atgagtttgg caaaacaca actagaatgc agtgaaaaaa atgctttatt tgtgaaattt 2100
gtgatgctat tgctttattt gtaaccatta taagctgcaa taaacaagtt aacaacaaca 2160
attgcattca ttttatgttt cagggttcagg gggagatgtg ggaggttttt taaagcaagt 2220
aaaaactcta caaatgtggt taaataacta taacggctct aaggtagcga gtgagtgtg 2280
ttctggggcg ggggaggacc tgcattgagg ccagaataac tgaaatctgt gcttttctgt 2340
gtgttgacgc agcatgagcg gaagcggctc ctttgaggga ggggtattca gcccttatct 2400
gacggggcgt ctccctcctt gggcgggagt gcgtcagaat gtgatgggat ccacggttga 2460
cggcggggcc gtgcagcccg cgaactcttc aacctgacc tatgcaaccc tgagctcttc 2520
gtcgttgga cagcgtcgcc cgcgagctgc tgcactcgcc gccagcgccg tcgcgcggaat 2580
ggccatgggc gccggctact aggcactctt ggtggccaac tcgagttcca ccaataatcc 2640
gcccagctcg accagaggag agctgttctt gctgatggcc cagctcgagg ccttgaccca 2700
gcgcctgggc gagctgaccc agcaggtggc tcagctgcag gagcagacgc gggccgcggt 2760
tgccacggtg aaatccaaat aaaaaatgaa tcaataaata aacggagacg gttgttgatt 2820
ttaacacaga gtctgaatct ttatttgatt ttctgcgcgc ggtaggccct ggaccaccgg 2880
tctcgatcat tgagcacccg gtggatcttt tccaggaccc ggtagaggtg ggcttggtg 2940
ttgaggtaca tggacatgac cccgtcccgg ggggtggagg agctccattg caggggcctc 3000
tgctcggggg ttggtgtgta aatcacccag tcatagcagg ggcgcagggc atggtgttgc 3060
acaatatctt tgaggaggag actgatggcc accggcagcc ctttggtgta ggtgtttaca 3120
aatctgttga gctggagggg atgcctgcgg ggggagatga ggtgcactct ggcttggtatc 3180
ttgagattgg cgtgtttacc gccagatccc cgcctggggt tcatgttgtg caggaccacc 3240
agcacggtgt atccggtgca cttggggaat ttatcatgca acttggaagg gaaggcgtga 3300
aagaatttgg cgacgccttt gtgcccgccc aggttttcca tgcactcatc catgatgatg 3360
gcgatgggccc cgtgggcggc ggcctgggca aagacgtttc gggggtcgga cacatcatag 3420
ttgtggtctc gggtaggttc atcataggcc attttaatga atttggggcg gagggtgccg 3480
gactggggga caaaggatcc ctgcgtcccg ggggcgtagt tccctcaca gatctgcacc 3540
tcccaggctt tgagctcgga gggggggatc atgtccacct gcggggcgat aaagaacacg 3600
gtttccgggg cgggggagat gagctgggccc gaaagcaagt tccggagcag ctgggacttg 3660
ccgcagccgg tggggcgcta gatgaccccg atgaccggtc gcagggtgga gttgaggggag 3720
agacagctgc cgtcctcccg gaggaggggg gccacctcgt tcatcatctc gcgcacgtgc 3780
atgtctctcg gcaccagttc cgcacggagg cgctctcccc ccagggatag gagctcctgg 3840
agcagggcga agtttttcag cggcttgagt ccgtcggcca tgggcatttt ggagagggtt 3900
tgttgcaaga gttccaggcg gtcccagagc tcggtgatgt gctctacggc atctcgatcc 3960
agcagacctc cgtgttctcg gggttgggac ggctgcggga gtagggcacc agacgatggg 4020
cgtccagcgc agccagggtc cgtcctctcc agggctcgag cgtccgcgtc aggggtggtc 4080

```

-continued

ccgtcacggt	gaaggggtgc	gcgcggggt	gggcgcttc	gaggggtgcgc	ttcaggtca	4140
tccggtcggt	cgaaaaccgc	tcccgatcgg	cgccctgcgc	gtcggccagg	tagcaattga	4200
ccatgagttc	gtagttgagc	gcctcggccg	cgtggccttt	ggcgcggagc	ttacctttgg	4260
aagtctgccc	gcaggcggga	cgaggagggg	acttgagggc	gtagagcttg	ggggcgagga	4320
agacggactc	gggggcgtag	gcgtccgcgc	cgcagtgggc	gcagacggtc	tcgcactcca	4380
cgagccaggt	gaggtcgggc	tggtcggggg	caaaaaccag	tttccgcgcg	ttctttttga	4440
tgcgtttctt	acctttggtc	tccatgagct	cgtgtccccc	ctgggtgaca	aagaggtcgt	4500
ccgtgtcccc	gtagaccgac	tttatggggc	ggtcctcgag	cggtgtgcgc	cggtcctcct	4560
cgtagaggaa	ccccgcccac	tccgagacga	aagcccggtt	ccaggccagc	acgaaggagg	4620
ccacgtggga	cggttagcgg	tcgtttgtcc	ccagcgggtc	caccttttcc	agggtatgca	4680
aacacatgtc	ccccctcgcc	acatccagga	agggtattgg	cttgtaagtg	tagggcacgt	4740
gaccgggggt	ccccggccgg	gggggataaa	agggtgcggg	tccctgctcg	tcctcactgt	4800
cttccggatc	gctgtccagg	agcgcagct	gttggggtag	gtattccctc	tcgaaggcgg	4860
gctgacctc	gagcactcag	ttgtcagttt	ctagaaacga	ggaggatttg	atattgacgg	4920
tgcggcgga	gatgccttcc	aagagccctc	cgtccatctg	gtcagaaaag	acgatctttt	4980
tgttgtcgag	cttgggtggc	aaggagccgt	agagggcggt	ggagaggagc	ttggcgatgg	5040
agcgcatggt	ctggtttttt	tccttgcgg	cgcgctcctt	ggcgggcagc	ttgagctgca	5100
cgtactcgcg	cgccacgcac	ttccattcgg	ggaagacggt	ggtcagctcg	tcgggcacga	5160
ttctgacctg	cgagcccgga	ttatgcaggg	tgatgaggtc	cacactgggt	gccacctcgc	5220
cgcgaggggg	ctcattagtc	cagcagaggg	gtccgcccct	gcgcgagcag	aaggggggca	5280
gggggtccag	catgacctcg	tcgggggggt	cggcatcgat	ggtagaatg	ccgggcagga	5340
ggtcgggggt	aaagtagctg	atggaagtgg	ccagatcgct	cagggcagct	tgcatttcgc	5400
gcacggccag	cgcgctctcg	tagggactga	ggggcggtcc	ccagggcatg	ggatgggtaa	5460
gcgcggaggc	gtacatgcgc	cagatgtcgt	agacgtagag	gggtccctcg	aggatgccga	5520
tgtaggtggg	gtagcagcgc	ccccgcggga	tgtggcgcg	cacgtagtca	tacagctcgt	5580
gcgagggggc	gaggagcccc	ggggccaggt	tgggtcgcact	gggcttttcg	gcgcggtaga	5640
cgatctggcg	gaaaatggca	tgcgagttgg	aggagatggt	gggccttttg	aagatgttga	5700
agtgggctg	gggcagtcgc	accgagtcgc	ggatgaagtg	ggcgtaggag	tcttgacgtc	5760
tggcgacgag	ctcggcggtg	actaggacgt	ccagagcgca	gtagtcgagg	gtctcctgga	5820
tgatgtcata	cttgagctgt	cccttttgtt	tcacacgtc	gcggttgaga	aggaaactct	5880
cgcggtcctt	ccagtaactc	tcagggggga	accgctcctg	atctgcacgg	taagagccta	5940
gcatgtagaa	ctggttgacg	gccttgtagg	cgcagcagcc	cttctccacg	gggagggcgt	6000
aggcctgggc	ggccttgcgc	agggaggtgt	gcgtgagggc	gaaagtgtcc	ctgaccatga	6060
ccttgaggaa	ccgtgtgctt	aagtcgatat	cgtcgacgcc	cccctgctcc	cagagctgga	6120
agtcctgtcg	cttctttagt	gcgggggttg	gcaaagcgaa	agtaacatcg	ttgaagagga	6180
tcttgcccg	gcggggcata	aagttgcgag	tgatgcggaa	aggttggggc	acctcgggcc	6240
ggttgttgat	gacctggggc	gcgagcacga	tctcgtcgaa	gccgttgatg	tttggtgcca	6300
cgatgtagag	ttccacgaat	cgcggacggc	ccttgacgtg	gggcagtttc	ttgagctcct	6360
cgtaggtgag	ctcgtcgggg	tcgctgagcc	cgtgctgtc	gagcgccag	tcggcgagat	6420
gggggttggc	gcggaggaag	gaatccagga	gatccacggc	cagggcgggt	tgcagacggt	6480
cccggtactg	acggaaactgc	tgcccgacgg	ccatttttcc	gggggtgacg	cagtagaagg	6540
tgcgggggtc	cccggtccag	cgtatccatt	tgagctggag	ggcgagatcg	agggcgagct	6600
cgacgagccg	gtcgtccccc	gagagtttca	tgaccagcat	gaaggggacg	agctgcttgc	6660
cgaaggaccc	catccagggt	taggtttcca	catcgtaggt	gaggaagagc	ctttcgggtc	6720
gaggtatcga	gcccgtgggg	aagaaactgga	tctcctgcca	ccaattggag	gaatggctgt	6780
tgatgtgatg	gaagttagaaa	tgccgacggc	gcgcgcaaca	ctcgtgcttg	tgtttataca	6840
agcggccaca	gtgctcgcaa	cgtgcacgg	gatgcacgtg	ctgcacgagc	tgtacctgag	6900
tcccttgac	gaggaaatttc	agtgggaagt	ggagtcgtgg	cgcctgcac	tcgtgctgta	6960
ctacgtcgtg	gtggtcgggc	tggccctcct	ctgcctcgat	ggtggtcatg	ctgacgagcc	7020
cgcgcgggag	gcaggtccag	acctcgggcg	gagcgggtcg	gagagcgagg	acgagggcgc	7080
gcaggccgga	gctgtccagg	gtcctgagac	gctgcggagt	caggtcagtg	ggcagcgggc	7140
gcgcgcggtg	gacttgcaag	agtttttcca	gggcgcgcgg	gaggtccaga	tggtagttga	7200
tctccaccgc	gccattgggt	gcgacgtcga	tggcttgacg	gggtccctgc	ccctgggggt	7260
tgaccaccgt	cccccgtttc	ttcttggggc	gctggggcga	cgggggcggt	gcctcttcca	7320
tgggttagaag	cggcgccgag	gacgcgcgc	ggcgggcagg	ggcggtcagg	ggcccgagg	7380
cagggggggc	agggggcagc	ggcgcccgcg	cgcgggtagg	ttctggtagt	gcgcccggag	7440
aagactggcg	tgagcgacga	cgcgacgggt	gacgtcctgg	atctgacgcc	tctgggtgaa	7500
ggccacggga	cccgtgagtt	tgaacctgaa	agagagttcg	acagaatcaa	tctcggtatc	7560
gttgacggcg	gcctgcgcga	ggatctcttg	cacgtcgccc	gagttgtcct	ggtaggcgat	7620
ctcggtcatg	aactgctcga	tctcctcctc	ttgaaggtct	cgcgggcggg	cgcgctccac	7680
gggtgcgcgc	aggtcgttgg	agatgcggcc	catgagctgc	gagaaggcgt	tcatgcccgc	7740
ctcgttccag	acgcggctgt	agaccacgac	gccctcgggg	tcgcggggcg	gcatgaccac	7800
ctgggcgagg	ttgagctcca	cgtggcgcg	gaagaccgcg	tagttgcaga	ggcgtgggta	7860
gaggtagttg	agcgtggtgg	cgatgtgtc	ggtagacgaag	aaatacatga	tcagcgggcg	7920
gagcggcatc	tcgctgacgt	cgcacagcgc	ctccaaacgt	tccatggcct	cgtaaaagtc	7980
cacggcgaa	ttgaaaaact	gggagtttgc	gcgcgagacg	gtcaactcct	cctccagaag	8040
acggatgagc	tccggcatgg	tggcgcgcac	ctcgcgctcg	aaggcccccg	ggagtctcct	8100
caactctcct	tctcctcct	ccactaacat	ctctctact	tctcctcag	gcggcgatgg	8160
tggcggggga	gggggctcgc	gtcgcggcg	gcgcacgggc	agacggtcga	tgaagcgctc	8220
gatggtctcg	cgcgcggcgc	gtcgcaggtt	ctcggtgacg	gcgcgcccgt	cctcgcgggg	8280
ccgcagcgctg	aagacgcgcg	cgcgcacttc	caggtggccg	gggggggtccc	cgttgggcag	8340
ggagaggcg	ctgacgatgc	atcttatcaa	ttgcccctga	gggactccgc	gcaaggacct	8400
gagcgtctcg	agatccacgg	gatctgaaaa	ccgtgaaacg	aaggcttcga	gccagtcgca	8460
gtcgaaggt	aggctgagca	cggttttctc	tggcgggtca	tgttggtttg	gagcggggcg	8520
ggcagatcgt	ctggtgatga	agttgaaata	ggcggttctg	agacggcgga	tggtagcgag	8580
gagcaccagg	tctttggggc	cggcttgcgt	gatgcgcaga	cggtcggcca	tgccccaggc	8640

-continued

gtggtcctga	cacctggcca	ggtccttgta	gtagtcctgc	atgagccgct	ccacggggcac	8700
ctcctcctcg	cccgcgcggc	cgtgcatgcg	cgtgagcccg	aagccgcgct	ggggctggac	8760
gagcgccagg	tccgcgcagc	cgcgctcggc	gaggatggct	tgctggatct	gggtgagggt	8820
ggtctggaag	tcatcaaaat	cgacgaagcg	gtggtaggct	ccggtgttga	tggtgtagga	8880
gcagttggcc	atgacggacc	agttgacggg	ctgggtggcc	ggacgcacga	gctcgtggta	8940
cttgaggcgc	gagtaggcgc	gcgtgtcgaa	gatgtagtcg	ttgcaggctg	gcaccaggta	9000
ctggtagccg	atgaggaagt	gcggcgccgc	ctggcggtag	agcggccatc	gctcggtgcc	9060
gggggcgcgc	ggcgcgaggt	cctcgagcat	ggtgcgggtg	tagccgtaga	tgtacctgga	9120
catccagggt	atgcgcgcgc	cgggtggtga	ggcgcgcggg	aactcgcgga	cgcggttcca	9180
gatgttgccg	agcggcagga	agtagtccat	ggtgggcacg	gtctggcccg	tgaggcgcgc	9240
gcagtcgtgg	atgctctata	cgggcaaaaa	cgaaagcggg	cagcggctcg	actccgtggc	9300
ctggaggcta	agcgaacggg	ttgggctgcg	cgtgtacccc	ggttcgaatc	tcgaatcagg	9360
ctggagccgc	agctaacgtg	gtattggcac	tcccgtctcg	acccaagcct	gcaccaaccc	9420
tccaggatac	ggaggcgggt	cgttttgcaa	cttttttttg	gaggccggat	gagactagta	9480
agcgcggaaa	gcggccgacc	gcgatggctc	gctgcgtagt	tctggagaag	aatcgcagg	9540
gttgcggtgc	ggtgtgcccc	ggttcgaggg	cgcccggtat	ccgcggctaa	cgaggcggtg	9600
gctgccccgt	cgtttccaag	accccatagc	cagccgactt	ctccagtta	ggagcgagcc	9660
cctcttttgc	tttgtttggt	tttgccagat	gcacccgta	ctgcggcaga	tgcccccca	9720
ccaccctcca	cgcgaacaa	agccccctcc	acagccggcg	cttctgcccc	cgccccagca	9780
gcaacttcca	gccacgacgc	ccgcggccgc	cgtgagcggg	gctggacaga	gttatgatca	9840
ccagctggcc	ttggaagagg	gcgaggggct	ggcgccgctg	ggggcgctcg	cgcgggagcg	9900
gcaccgcgcg	gtgcagatga	aaagggacgc	tcgcgagggc	tacgtgcccc	agcagaacct	9960
gttcagagac	aggagcgggt	aggagcccca	ggagatgcgc	gcggcccggt	tccacgcggg	10020
gcgggagctg	cgccgcggcc	tggaaccgaa	gaggggtgctg	agggagcagg	atttcgaggc	10080
ggacgagctg	acggggatca	gccccgcgcg	cgccgacgtg	gcccgggcca	acctggtcac	10140
ggcgtagcag	cagaccgtga	aggagagag	caacttccaa	aaatccctca	acaaccacgt	10200
gcgcaccctg	atcgccgcgc	aggaggtgac	cctgggcctg	atgcacctgt	gggacctgct	10260
ggaggccatc	gtgcagaacc	ccaccagcaa	gcccgtgacg	gcgcagctgt	tcttggtggt	10320
gcagcatagt	cgggacaaac	aaagcgttcg	ggaggcgctg	ctgaatatca	ccgagcccca	10380
gggcccgtgg	ctcctggacc	tgttgaaatc	tctgcagagc	atcgtggtgc	aggagcgccg	10440
gctgccgctg	tccgagaagc	ggcgggccat	caacttctcg	gtgctgagtt	tgggcaagta	10500
ctacgctagg	aagatctaca	agaccccgta	cgtgcccata	gacaaggagg	tgaagatcga	10560
cgggttttac	atgcgcgatg	ccctgaaaat	gctgacccctg	agcgacgatc	tgggggtgta	10620
ccgcaacgac	aggatgcaac	gtgcggtgag	gcgcagcagg	cgccgcgagc	tgagcgacca	10680
ggagctgatg	catagtctgc	agcggggccc	gaccggggcc	gggaccgagg	gggagagcta	10740
ctttgacatg	ggcgcggacc	tgcaactggca	gcccagccgc	cgggccttgg	aggcgccgcg	10800
aggaccctac	gtagaagagg	tggaagatga	ggtggacgag	gagggcgagt	acctggaaga	10860
ctgatggcgc	gacgcgtatt	ttgctagatg	caacaacaac	agccacctcc	tgatcccgcg	10920
atgcggggcg	cgctgcagag	ccagccgctc	ggcatatact	cctcggaaga	ttggagccag	10980
gccatgcaac	gcacatggc	gctgacgacc	cgcaaccccg	aagcctttag	acagcagccc	11040
caggccaacc	ggctctcggc	catcctggag	gcccgtggtg	cctcgcgctc	caacccccag	11100
cacgagaagg	tcttggccat	cgtgaacgcg	ctgggtgaga	acaaggccat	ccgcggcgac	11160
gaggccggcc	tggtgtacaa	cgcgctgctg	gagcgcgctg	cccgtacaaa	cagcaccacac	11220
gtgcagacca	acctggaccg	catggtgacc	gacgtgcgcg	agggcgtggc	ccagcgcgag	11280
cggttccacc	gcgagtcctc	cctgggatcc	atgggtgcgc	tgaacgcctt	cctcagcacc	11340
cagcccgcca	acgtgccccg	gggcccaggag	gaactacacca	acttcacag	cgccctgcgc	11400
ctgatggtga	ccgaggtgcc	ccagagcgag	gtgtaccagt	ccgggcccga	ctacttcttc	11460
cagaccagtc	gccagggcct	gcagaccgtg	aacctgagcc	aggtcttcaa	gaacttgag	11520
ggcctgtggg	gcctgtgggc	cccggtcggg	gaccgcgcga	cggtgtcgag	cctgctgagc	11580
ccgaactcgc	gcctgctgct	gctgctgggt	gcccccttca	cggaacgcgg	cagcatcaac	11640
cgcaactcgt	acctgggcct	cctgattaac	ctgtaccgcg	agggccatcg	ccaggcgcac	11700
gtggacgagc	agacctacca	ggaagatcac	cacgtgagcc	gcgccctggg	ccaggacgac	11760
ccgggcaacc	tggaagccac	cctgaacttt	ttgctgacca	accggctcgca	gaagatcccg	11820
ccccagtagc	cgctcagcac	cgaggaggag	cgcacccctg	gttacctgca	gcagagcgtg	11880
ggcctgttcc	tgatgcaggga	ggggggccacc	cccagcccg	cgctcgacat	gaccgcgcgc	11940
aaatggagc	ccagcatgta	cgccagcaac	cgcccgctca	tcaataaaat	gatggactac	12000
ttgcatcggg	cgcccgccat	gaactctgac	tatttcacca	acgccatcct	gaatccccac	12060
tggttccgc	cgccgggggt	ctacacgggc	gagtagcaca	tgcccgaacc	caatgacggg	12120
ttcctgtggg	acgatgtgga	cagcagcgtg	ttctcccccc	gaccgggtgc	taacgagcgc	12180
cccttgttgg	agaagggaag	cagcgaccga	cgcccgctcc	cggcgctgct	cgcccgcgag	12240
gggtgctggc	cgccgggtgc	cgagcccgcc	agtcctttcc	cgagcttgcc	cttctcgctg	12300
aacagtatcc	gcagcagcga	gctgggcagg	atcacgcgcc	cgcgcttgc	gggcgaagag	12360
gagtagctga	atgactcgct	gttgagaccc	gagcgggaga	agaacttccc	caataacggg	12420
atagaaagcc	tggtggacaa	gatgagccgc	tggaagacgt	atgcgcagga	gcacagggac	12480
gatccccggg	cgtcgcaagg	ggccacgagc	cggggcagcg	cgcccgctaa	acgccggtgg	12540
cacgacagcg	agcggggaca	gatgtgggac	gatgaggact	ccgcccagca	cagcagcgtg	12600
ttggacttgg	gtgggagtg	taaccgcgtc	gctcacctgc	gcccccgat	cgggcgcatg	12660
atgtaagaga	aaccgaaaat	aaatgatact	caccaaggcc	atggcgacca	gcgtgcgttc	12720
gtttcttctc	tgttgttgtt	gtatctagta	tgatgaggcg	tgcgtacccc	gagggtcctc	12780
ctcccctgta	cgagagcgtg	atgcagcagg	cgatggcgcc	ggcgggcgatg	cagccccccg	12840
ttgaggctcc	ttacgtgccc	cccggttacc	tggcgccctc	ggagggcgcc	aacagcattc	12900
gttactcgga	gctgggaccc	ttgtacgata	ccaccgggtt	gtacctgggtg	gacaaacaat	12960
cgccggacat	cgctcgcgtg	aactaccaga	acgaccacag	caacttctctg	accaccggtg	13020
tgcaagaaca	tgacttcacc	cccacggagg	ccagacccca	gaccatcaac	tttgacgagc	13080
gctcgcggtg	ggcgggccag	ctgaaaacca	tcatgcacac	caacatgccc	aacgtgaacg	13140
agttcatgta	cagcaacaag	ttcaaggcgc	gggtgatggt	ctcccgcaag	acccccaatg	13200

-continued

gggtgacagt	gacagaggat	tatgatggta	gtcaggatga	gctgaagtat	gaatgggtgg	13260
aatttgagct	gcccgaaggc	aactttctcg	tgaccatgac	catcgacctg	atgaacaacg	13320
ccatcatcga	caattacttg	gcggtggggc	ggcagaacgc	ggtgctggag	agcgacatcg	13380
gcgtgaagtt	cgacactagg	aacttcaggc	tgggctggga	ccccgtgacc	gagctggtea	13440
tgcccggggt	gtacaccaac	gaggctttcc	atcccgatat	tgtcttgctg	cccggctcgc	13500
gggtggactt	caccgagagc	cgctcagca	acctgctggg	cattcgcaag	aggcagccct	13560
tccaggaagg	cttccagatc	atgtacgagg	atctggaggg	gggcaacatc	cccgcgctcc	13620
tggatgtcga	cgctatgag	aaaagcaagg	aggatgcagc	agctgaagca	actgcagccg	13680
tagctaccgc	ctctaccgag	gtcaggggcg	ataattttgc	aagcgccgca	gcagtggcag	13740
cgcccgaggc	ggctgaaacc	gaaagtaaga	tagtcattca	gccggctggg	aaggatagca	13800
agaacaggag	ctacaacgta	ctaccggaca	agataaacac	cgctaccgca	agctggtagc	13860
tagctacaaa	ctatggcgac	cccaggaagg	gcgtgcgctc	ctggacgctg	ctcaccacct	13920
cggacgtcac	ctgcggcggtg	gagcaagtct	actggtcgct	gcccgcacatg	atgcaagacc	13980
cggtcacctt	cgctccacgc	cgtcaagtta	gcaactaccc	ggtgggtggg	gcccagctcc	14040
tgcccgctta	ctccaagagc	ttcttcaacg	agcaggccgt	ctactcgca	cagctgcgcg	14100
ccttcacctc	gcttacgcac	gtctcaacc	gcttcccga	gaaccagatc	ctcgtccgcc	14160
cgcccgcgcc	caccattacc	accgtcagtg	aaaacgttcc	tgtcttcaca	gatcacggga	14220
ccctgccgct	gcgcagcagt	atccggggag	tccagcgctg	gaccggtact	gacgcagac	14280
gcccgcacctg	cccctacgtc	tacaaggccc	tgggcatagt	cgccgcgcgc	gtctctcga	14340
gcccgcacct	ctaaatgtcc	attctcatct	cgcccagtaa	taaacaccgtt	tggggcctgc	14400
gcgcgcccag	caagatgtac	ggaggcgctc	gccaacgctc	cacgcaaac	cccgtgcgcg	14460
tgccggggca	cttcgcgcgt	ccctggggcg	ccctcaaggg	cgcgctgccc	tcgcgcacca	14520
cgtgcagcga	cgtgatcgac	cagggtgggtg	ccgacgcgcg	caactacacc	cccgcgcgcg	14580
cgcccgcttc	caccgtggac	gcccgtcatc	acagcgtggt	ggccgcagcg	cgccggtacg	14640
cccgcgccaa	gagcggcgcg	cgccgcacatc	cccgcgccga	ccggagcacc	cccgcacatg	14700
gcgcggcgcg	agccttgcgt	cgccggggca	ggcgccacgg	acgcaggggc	atgctcaggg	14760
cgcccgagcg	cgccggttca	ggcgccagcg	ccggcaggac	ccggagacgc	gcggccacgg	14820
cggcggcagc	ggccatcgcc	agcatgtccc	gcccgcggcg	agggaaacgtg	tactgggtgc	14880
gcgacgcgcg	caccgggtgtg	cgcggtgccc	tgccgacccg	ccccctcgc	acttgaagat	14940
gttccacttc	cgatgtgtat	gtgtcccagc	ggcgaggagg	atgtccaaag	gcaaatccaa	15000
ggaagagatg	ctccaggtca	tgcgcctga	gatctacggc	cctgcggtgg	tgaaggagga	15060
aagaaagccc	cgcaaaatca	agcgggtcaa	aaaggacaaa	aaggaagaag	aaagtatgt	15120
ggacggattg	gtggagtttg	tgcgcgagtt	cgcccccgcg	cgccgcgtgc	agtggcgccg	15180
gcggaagggtg	caaccgggtg	tgagccccgc	caccaccgtg	gtcttcacgc	ccggcgagcg	15240
ctccggcacc	gcttccaaag	gctcctacga	cgaggtgtac	ggggatgatg	atattctgga	15300
gcaggcgccc	gagcgccgtg	gcgagtttgc	ttacggcgaag	cgacgcccgt	ccgcacccgaa	15360
ggaagaggcg	gtgtccatcc	cgtcggacca	cgccaacccc	acgcgagccc	tcagaccctg	15420
gaccttgacg	cagggtgctgc	cgaccgcggc	gcccgcgcgc	gggttcaagc	gcgagggcga	15480
ggatctgtac	cccaccatgc	agctgatggt	gcccgaagcg	cagaagctgg	aagacgtgct	15540
ggagaccatg	aaggtggacc	cggacgtgca	gcccaggtgc	aaggtgcggc	ccatcaagca	15600
ggtggccccg	ggcctggggg	tgccagaccg	ggacatcaag	attcccacgg	agcccatgga	15660
aacgcagacc	gagcccatga	tcaagcccag	caccagcacc	atggaggtgc	agacggatcc	15720
ctggatgccca	tcggctccca	gtccgaagacc	ccggcgcaag	tacggcgccg	ccagccctgct	15780
gatgccccac	tacgcgctgc	atccctccat	catccccacg	ccgggctacc	gcggcacgcg	15840
cttctaccgc	ggtcatacca	gcagccgcgc	ccgcaagacc	accactcgcc	gcccgcgctc	15900
ccgcaccgcc	gctgcaacca	ccctgcgcgc	cctgggtgccc	agagtgtacc	gcccgcggccg	15960
cgcacctctg	accctgcccgc	gcgcgcgcta	ccaccgcagc	atcgccattt	aaactttcgc	16020
ctgctttgca	gatcaatggc	cctccacatgc	cgcccttcgcg	ttcccattac	gggctaccga	16080
ggaagaaaaac	cgcgcgctag	aaggctggcg	gggaacggga	tgctgcgcca	ccaccaccgg	16140
cggcgccgcg	ccatcagcaa	gcgggtgggg	ggaggtctcc	tgccgcgcgt	gatccccatc	16200
atcgcccgcg	cgatcggggc	gatccccggc	attgcttccg	tgccggtgca	ggcctctcag	16260
cgccactgag	acacacttgg	aaacatcttg	taataaaacca	atggactctg	acgctcctgg	16320
tcctgtgatg	tgttttcgta	gacagatgga	agacatcaat	ttttcgtccc	tggtcccgcg	16380
acacggcaccg	cgcccggttca	tgggcacctg	gagcgacatc	ggcaccagcc	aactgaacgg	16440
ggcgcccttc	aattggagca	gtctctggag	cgggcttaag	aatttcgggt	ccacgcctaa	16500
aaacctatggc	agcaaggcgt	ggaacagcac	cacagggcag	gcgctgaggg	ataagctgaa	16560
agagcagaac	ttccagcaga	aggtggtcga	tgggctcgcc	tcgggcatca	acggggtggt	16620
ggacctggcc	aaccaggccg	tgccagcgga	gatcaacagc	cgccctggacc	cggtgcgcc	16680
cgcgggctcc	gtggagatgc	cgcaggtgga	ggaggagctg	cctcccccgg	acaagcgggg	16740
cgagaagcga	ccccgccccg	atcgcgagga	gacgctgctg	acgcacacgg	acgagccgcc	16800
ccgtacagag	gagcggttga	aactgggtct	gcccaccacg	cgcccccacg	cgccccgggc	16860
caccgggggtg	ctgaaaaccg	aaaagcccg	gaccttgagc	ttgcctctcc	cccagccttc	16920
cgccccctct	acagtggtca	agccccctgc	gcccgtggcc	gtggcccgcg	cgccagcccg	16980
gggcaccgcc	cgccctcatg	cgaactggca	gagcactctg	aacagcatcg	tgggtctggg	17040
agtgacaggt	gtgaagcgcc	gcccgtgcta	ttaaacctac	cgtagcgctt	aacttgcttc	17100
tcctgtgtgtg	tatgtattat	gtccgcgcgc	ccgctgtcca	ccagaaggag	gagtgaagag	17160
gcgctgcgcc	gagttgcaag	atggccaccc	catcgatgct	gcccagatgg	gcgtacatgc	17220
acatcgccgg	acaggacgct	tcggagtacc	tgagtccggg	tctggtgcag	tttgcccgcg	17280
ccacagacac	ctacttcagt	ctgggggaaca	agtttaggaa	ccccacgggtg	gcgcccacgc	17340
acgatgtgac	caccgaccgc	agccagcggc	tgcagctcg	cttcgctccc	gtggaccgcg	17400
aggacaacac	ctactctgtac	aaagtgcgct	acacgctggc	cgtgggagca	aaccgcgtgc	17460
tggacatggc	cagcacctac	tttgacatcc	gcggcgctgt	ggatcggggc	cctagcttca	17520
aacctacttc	cggcaccgcc	tacaacagtc	tggcccccaa	gggagcacc	aaccttgttc	17580
agtggacata	taaagccgat	ggtgaaactg	ccacagaaaa	aacctatata	tatggaaatg	17640
caccggtgca	gggcattaac	atcacaaaag	atggtattca	acttggaact	gacaccgatg	17700
atcagccaat	ctacgcagat	aaaacctatc	agcctgaacc	tcaagtggtg	gatgctgaat	17760

-continued

ggcatgacat	cactgggtact	gatgaaaagt	atggaggcag	agctcttaag	cctgatacca	17820
aaatgaagcc	ttgttatggg	tcttttgcca	agcctactaa	ttaaagaagga	ggtaaggcaa	17880
atgtgaaaac	aggaaacagg	actactaaag	aatatgacat	agacatggct	ttctttgaca	17940
acagaagtgc	ggctgtgtgt	ggcctagctc	cagaaattgt	tttgtatact	gaaaatgtgg	18000
atttggaaaac	tcagatacc	catattgtat	acaaagcagg	cacagatgac	agcagctctt	18060
ctattaattt	gggtcagcaa	gccatgccca	acagacctaa	ctacattggt	ttcagagaca	18120
actttatcgg	gctcatgtac	tacaacagca	ctggcaatat	gggggtgctg	gccggtcagg	18180
ctttcagct	gaatgctgtg	gttgacttgc	aagacagaaa	caccgagctg	tctaccagc	18240
tcttgcttga	ctctctgggt	gacagaacct	ggatatctcag	tatgtggaat	caggcgggtg	18300
acagctatga	tcttgatgtg	cgcattattg	aaaatcatgg	tgtggaggat	gaacttcca	18360
actattgttt	ccctctggat	gctgttgcca	gaacagatac	ttatcaggga	attaaggcta	18420
atggaaactga	tcaaacacaca	tggaccaaag	atgacagtgt	caatgatgct	aatgagatag	18480
gcaagggttaa	tcattctcgc	atggaaatca	acatccaagc	caacctgtgg	aggaaacttc	18540
tctacgccaa	cgtggcctcg	tacctgcccg	actcttataa	gtacacgcgc	gccaatgtta	18600
ccctgccac	caacaccaac	acctacgatt	acatgaacgg	ccgggtgggtg	gcccctcgc	18660
tggtggactc	ctacatcaac	atcggggcgc	gctggtcgtc	ggatcccatg	gacaacgtga	18720
accccttcaa	ccaccaccgc	aatgcggggc	tgcgctaccg	ctccatgctc	ctgggcaacg	18780
ggcgctacgt	gcccttccac	atccagggtg	cccagaaatt	tttcgcctac	aagagcctcc	18840
tgcctctgcc	cgggtgctac	acctacgagt	ggaacttccg	caaggacgtc	aacatgatcc	18900
tgacagagtc	cctcggcaac	gacctgcgca	cggacggggc	ctccatctcc	ttcaccagca	18960
tcaacctcta	cgccaccttc	ttcccatagg	cgcacaacac	ggctccacg	ctcgaggcca	19020
tgcgcgcaa	cgaacaccaac	gaccagtctc	tcaacgacta	cctctcggcg	gccaaactgc	19080
tctaccccat	cggggccaac	gccaccaacg	tgcccatctc	catccctcgc	cgcaactggg	19140
cgcccttcgc	cgggtgtgtc	ttcacgcgtc	tcaagaccaa	ggagacgcgc	tgcgtgggct	19200
cgggttctga	cccctacttc	gtctactcgg	gctccatccc	ctacctcgac	ggcacctctc	19260
acctcaacca	caccttcaag	aagggtctcca	tcaccttcga	ctcctccgtc	agctggcccg	19320
gcaacgacgc	gctcctgacg	cccacagagt	tcgaaatcaa	gcgcaccgtc	gacggcgagg	19380
gctacaacgt	ggcccagtcg	aacatgacca	aggactgggt	cctgggtccg	atgctggccc	19440
actacaacat	ggctaccagc	ggcttctacg	tgcccagagg	ctacaaggac	cgcatgtact	19500
ccttcttcgc	caacttccag	cccatgagcc	gccagggtgt	ggacgaggtc	aactacaagg	19560
actaccaggc	cgtcaccctg	gctaccagc	acaacaactc	gggtctcgtc	ggctacctcg	19620
cggccaccat	gcgccagggc	cagccctacc	ccgccaaacta	ccctaccctc	ctcatcgcca	19680
agagcgccgt	caccagcgtc	accagaaaaa	agttctcctg	cgacagggtc	atgtggcgca	19740
tcccctcttc	cagcaacttc	atgtccatgg	gcgcgctcac	cgacctcggc	cagaacatgc	19800
tctatgccaa	ctccgcccac	gcgctagaca	tgaatttctga	agtcgacccc	atggatgagt	19860
ccacccttct	ctatgttgtc	ttcgaagtct	tcgacgtcgt	ccgagtgcaac	cagccccacc	19920
gcggcgctcat	cagggcgcgc	tacctgcgca	cccccttctc	ggcggttaac	gccaccacct	19980
aaagctttgc	ttcttgcaag	ccatggccgc	gggtcccgcc	gagcaggagc	tcagggccat	20040
catccgcgac	ctggggtgcg	ggccctactt	cctggggacc	ttcgataaag	gcttcccggg	20100
atctcatggc	ccgcacaagc	tgccctgcgc	catcgtcaac	acggccggcc	gcgagaccgg	20160
gggcgagcac	tggttgccct	tcgcttgaaa	ccgcgctcgc	aacacctgct	acctcttctga	20220
cccttccggg	ttctcggacg	agcgccctcaa	gcagatctac	cagttcagag	acgagggcct	20280
gctgcgcgcg	agcgccctgg	ccaccgagga	ccgctgcgtc	acctggaaa	agtcaccaca	20340
gaccgtgcag	gggtccgcgt	cggccgcctg	cgggtctctc	tgctgcatgt	tcttgcaacg	20400
cttcgtgcac	tgcccgacc	ggcccatgga	caagaacccc	acctgaact	tgctgacggg	20460
gggtccccaa	ggcatgctcc	agtcgcccc	ggtggaaccc	acctgcgcgc	gcaaccagga	20520
ggcgctctac	cgtctctctc	actccactc	cgcctacttt	cgctccacc	gcgcgcgcac	20580
cgagaaggcc	accgctctcg	accgcatgaa	tcaagacatg	taaacctgtg	gtgtatgtta	20640
aatgtcttta	ataaacagca	ctttcatggt	acacatgcat	ctgagatgat	ttatattaga	20700
atcgaaaggg	ttctgcgggg	tctcggcatg	gcccgcgggc	agggaacagt	tcgggaactg	20760
gtacttgccc	agccacttga	actcggggat	cagcagtttg	ggcagcgggg	tgtcggggaa	20820
ggagtccgtg	cacagcttcc	gcgtcagttg	cagggcgcgc	agcaggtcgg	gcgcggagat	20880
cttgaaatcg	cagttgggac	ccgcgttctg	cgcgcgggag	ttgcggtaca	cgggggttga	20940
gcactggaaac	accatcaggg	cggggtgctt	cacgctcgcc	agcacgctcg	cgtcgggtgat	21000
gctctccacg	tcgaggtcct	cgcggttgcc	catcccgaa	ggggtcatct	tcgaggtctg	21060
ccttcccatg	gtggggcacgc	acccgggctt	gtggttgcaa	tcgcagtgca	gggggatcag	21120
catcatctgg	gcctgggtcgg	cgttcacccc	cgggtacatg	gccttcatga	aagcctccaa	21180
ttgcctgaac	gcctctgggg	ccttggtccc	ctcgggtgaag	aagacccgcg	aggacttgct	21240
agagaactgg	ttggtggcgc	acccggcgct	gtgcacgcag	cagcgcgctg	cgttggtggc	21300
cagctgcacc	acgctgcgcc	cccagcggtt	ctgggtgatc	ttggcccggt	cgggggttctc	21360
cttcagcgcg	cgtcgcgcgt	tctcgcctcg	cacatccatc	tcgatcatgt	gctccttctg	21420
gatcatgggt	gtcccggtga	ggcaccgcag	cttgccctcg	gcctcgggtg	acccgtgcag	21480
ccacagcgcg	caccgggtgc	actcccagtt	cttggtggcg	atctgggaat	gcgcgtgcac	21540
gaagccctgc	aggaagcgcc	ccatcatggt	ggtcagggtc	ttgttgctag	tgaaggtcag	21600
cggaatgcgc	cgttgctcct	cgttgatgta	cagggtggcag	atgcggcggt	acacctgcgc	21660
ctgctcgggc	atcagctgga	agttagcttt	caggctcggt	tcacgcgggt	agcggctcat	21720
agcatagtc	atgatttcca	taccttctc	ccaggccgag	acgatgggca	ggctcatagg	21780
gttcttcacc	atcatcttag	cgtctagcag	cgcggccagg	gggtcgctct	cgtccagggt	21840
ctcaaagctc	cgttgcccg	ccttctcgg	gatccgcacc	ggggggtagc	tgaagcccac	21900
ggcgccacgc	tctcctcctg	cctgctcttc	gtcctcgctg	tcttggtgta	cgtcctgcag	21960
gaccacatgc	ttggtcttgc	gggggttctt	cttgggcggc	agcggcggcg	gagatgttgg	22020
agatggcgag	ggggagcgcg	agttctcgtc	caccactact	atctcttctc	cttcttgggt	22080
cgaggccacg	cggcggtagg	tatgtctctt	cgggggcaga	ggcgaggagc	acgggctctc	22140
gcccgcgcga	cttggcggtg	ggctggcaga	gccccttcgc	cgttcggggg	tgcgctcccg	22200
cgggcgctct	gactgacttc	ctcccgggc	ggccattgtg	ttctcctagg	gaggaacaac	22260
aagcatggag	actcagccat	cgccaacctc	gccatctgcc	cccacgcgcg	acgagaagca	22320

-continued

gcagcagcag	aatgaaagct	taaccgcccc	gccgcccagc	cccgccacct	ccgacgcggc	22380
cgtcccagac	atgcaagaga	tggagggaatc	catcgagatt	gacctgggct	atgtgacgcc	22440
cgcggagcac	gaggaggagc	tggcagtgcg	cttttcacaa	gaagagatac	accaagaaca	22500
gccagagcag	gaagcagaga	atgagcagag	tcaggctggg	ctcgagcatg	acggcgacta	22560
cctccacctg	agcggggggg	aggacgcgct	catcaagcat	ctggcccggc	aggccaccat	22620
cgtcaaggat	gcgctgtctg	accgcaccga	ggtgcccctc	agcgtggagg	agctcagccg	22680
cgcttacgag	tgaacctctt	ctcgcgcgcg	cgtgcccccc	aagcgcgcgc	ccaatggcac	22740
ctgcgagccc	aaccgcgcgc	tcaacttcta	cccggtcttc	gcggtgcccg	aggccctggc	22800
caacctaccac	atctttttca	agaaccaaaa	gatccccgtc	tcctgcccgc	ccaaccgcac	22860
ccgcgcgcac	gcccttttca	acctgggttc	cggcgcgcgc	ctacctgata	tcgctctctt	22920
ggaaagaggt	cccaagatct	tcgagggtct	gggcagcgac	gagactcggg	ccgcgaacgc	22980
tctgcaaggga	gaaggaggag	agcatgagca	ccacagcgcc	ctggtcgagt	tggaaaggcga	23040
caacgcgcgg	ctggcgggtgc	tcaaacgcac	ggtcgagctg	acctatttcg	cctaccgggc	23100
tctgaacctg	ccccccaaag	tcatgagcgc	ggtcatggac	caggtgctca	tcaagcgcgc	23160
gtcgcccatc	tccgaggacg	agggcagatg	agactccgag	gagggcaagc	ccgttggtcag	23220
cgacgagcag	ctggcccggg	ggctgggttc	taatgctagt	cccagagatt	tggaaagagcg	23280
gcgcaaaact	atgatggccc	tggtcctggt	gaccgtggag	ctggagtgcc	tgccgcgctt	23340
cttcgcgcac	gcggagaccc	tgccgaaggt	cgaggagaac	ctgcactacc	tcttcaggca	23400
cgggttcgtg	ccgcaggcct	gcaagatctc	caacgtggag	ctgaccaacc	tggtctctca	23460
catgggcatc	tggcacgaga	accgcctggg	gcagaacgtg	ctgcacacca	ccctgcgcgc	23520
ggaggcccg	cgcgactaca	tccgcgactg	cgtctacctc	tacctctgcc	acacctggca	23580
gacgggcatg	ggcgtgtggc	agcagtgtct	ggaggagcag	aacctgaaag	agctctgcaa	23640
gctcctcgag	aagaacctca	agggtctgtg	gaccgggttc	gacgagcgca	ccacctcctc	23700
ggacctggcc	gacctcaatt	tccccgagcg	cctcaggctg	acgtcgcgca	acggcctgcc	23760
cgactttatg	agccaaagca	tgttgcaaaa	ctttcgctct	tctatcctcg	aacgctcccg	23820
aatcctgccc	gccacctgct	ccgcgctgcc	ctcggaactc	gtgcccgtga	ccttcgcgga	23880
gtgccccccg	ccgctgtgga	gccactgcta	cctgctgcgc	ctggccaact	acctggccta	23940
ccactcggac	gtgatcgagg	acgtcagcgg	cggaggcctg	ctcgagtgcc	actgcccgtg	24000
caacctctgc	acgcgcgacc	gctcccggcg	ctgcaacccc	cagctgctga	gcgagaccga	24060
gatcatcgcc	accttcgagt	tgcgaaggcc	cagcgaaagg	gagggttcag	ccgccaaagg	24120
gggtctgaaa	ctcaccocgg	ggctgtggac	ctcgccctac	tgcgcgaagt	tcgtgcccga	24180
ggactaccat	cccttcgaga	tcagggtcta	cgaggaccaa	tcccatccgc	ccaaggccga	24240
gctgtcggcc	tgcgctcatc	cccagggggc	gatcctggcc	caattgcaag	ccatccagaa	24300
atcccgcgca	gaattcttgc	tgaaaaaggg	ccgcggggtc	tacctcgacc	cccagaccgg	24360
tgaggagctc	aaacccggct	tccccagga	tgccccgagg	aaacaagaag	ctgaaagtgg	24420
agctgccgcc	cgtggaggat	tggagggaag	actgggagaa	cagcagtcag	gcagaggagg	24480
aggagatgga	ggaagactgg	gacagcactc	aggcagagga	ggacagcctg	caagacagtc	24540
tggagggaaga	cgaaggaggag	gcagaggagg	agggtggaaga	agcagccgcc	gccagaccgt	24600
cgtcctcgcc	gggggagaaa	gcaagcagca	cggataccat	ctccgctccg	ggtcgggggtc	24660
ccgctcgacc	acacagtaga	ggggacgaga	ccggacgatt	cccgaacccc	accaccacga	24720
ccggtaaaga	ggagcggcag	ggatacaagt	cctggcgggg	gcacaaaaac	gccatcgtct	24780
cctgtctgca	ggcctgcggg	ggcaacatct	ccttcacccc	gcgctacctg	ctcttccacc	24840
gcgggggtgaa	ctttcccgcg	aacatcttgc	attactaccg	tcacctccac	agccctact	24900
acttccaaga	agaggcagca	gcagcagaaa	aagaccagca	gaaaaaccgc	agctagaaaa	24960
tcacacagcg	cggcagcagg	tggactgagg	atcgccggca	acgagccggc	gcaaaccccg	25020
gagctgagga	accggactct	tcccaccctc	tatgccatct	tcacgacagc	tcggggggcag	25080
gagcaggaac	tgaagtcaca	gaaccgttct	ctgcgctcgc	tcaccccgag	ttgtctgtat	25140
cacaagagcg	aagaccaact	tcagcgcact	ctcgaggacg	ccgaggctct	cttcaacaag	25200
tactgcgcgc	tcactcttaa	agagttagccc	gcgcgcgcgc	agtgcgagaa	aaaggcggga	25260
attacgtcac	ctgtgcctct	cgccttagcc	gcctccaccc	atcatcatga	gcaaaagagat	25320
tcccacgcct	tacatgtgga	gctaccagcc	ccagatgggc	ctggccgcgc	gtgcccgcga	25380
ggactactcc	accgcgatga	attggctcag	cgcggggccc	gcgatgatct	cacgggtgaa	25440
tgacatccgc	gcccaccgaa	accagatact	cctagaacag	tcagcgtcga	ccgcccacgc	25500
ccgcaatcac	ctcaatccgc	gtaattggcc	cgcgcgcctg	gtgtaccagg	aaattcccga	25560
cccaacgacc	gtactacttc	cgcgagacgc	ccaggccgaa	gtccagctga	ctaactcagg	25620
tgtccagctg	gcggggcgcg	ccacctgtg	tcgtcacccg	cccgcctcagg	gtataaagcg	25680
gctggtgatc	cggggcagag	gcacacagct	caacgacgag	gtggtgagct	cttcgctggg	25740
tctgcgacct	gacggagctc	tccaaactcg	cggatcgggg	agatcttctt	tcacgcctcg	25800
tcaggccgtc	ctgactttgg	agagtctcgt	ctcgcagccc	cgctcgggtg	gcatcggcac	25860
tctccagttc	gtggaggagt	tcactccctc	ggtctacttc	aacctctctt	ccggctcccc	25920
cggccactac	ccgacagagt	tcatccgaa	cttcgacgcc	atcagcgagt	cgttgagcgg	25980
ctacgattga	atgtcccatg	gtggcgccgc	tgacctagct	cggcttcgac	acctggacca	26040
ctgcgcgcgc	tccgctgctc	tcgctcggga	tctgcgcgag	tttgctact	ttgagctgcc	26100
cgaggagcac	cctcagggcc	cggcccacgg	agtgcggatc	gtcgtcgaag	ggggcctcga	26160
ctccacactg	cttcggatct	tcagccagcg	tcgatcctg	gtcgagcgcg	agcaaggaca	26220
gacctctctg	actctgtact	gcactctgaa	ccaccccggc	ctgcatgaaa	gtctttgttg	26280
tctgtgtgtg	actgagtata	ataaaaagctg	agatcagcga	ctactccgga	cttcggtgtg	26340
ttcctgaatc	catcaaccag	tctttgttct	tcaaccggaa	cgagaccgag	ctccagctcc	26400
agtgtagacc	ccacaagaag	tacctcacct	ggctgttcca	gggtcccccg	atcgccgttg	26460
tcaaccactg	cgacaacgac	ggagtctctg	ttagcggccc	tgccaaacct	actttttcca	26520
cccgagaaag	caagctccag	ctcttccaac	ccttctctcc	cgggacctat	cagtgcgtct	26580
cgggaccctg	ccatcacacc	ttccacctga	tccgaatac	cacagcgtcg	ctccccgcta	26640
ctaacaacca	aactaacctc	caccaacgcc	accgtcgcga	cggccacaat	acatgcccac	26700
attagactat	gaggccgagc	cacagcgacc	catgctcccc	gctattagtt	acttcaatct	26760
aaaccggcga	gatgactgac	ccactggcca	acaacaacgt	caacgacctt	ctcctggaca	26820
tggacggccg	cgctcgggag	cagcgactcg	cccaactctg	cattcgccag	cagcaggaga	26880

-continued

gagcgcgtcaa	ggagctgcag	gatgcgggtgg	ccatccacca	gtgcaagaga	ggcatcttct	26940
gcctgggtgaa	acaggccaag	atctcctacg	aggtcactcc	aaacgaccat	cgctctcct	27000
acgagctcct	gcagcagcgc	cagaagttca	cctgcctggt	cggagtcac	cccatcgta	27060
taccaccgca	gtctggcgat	accaaggggt	gcactccactg	ctcctgcgac	tccccgact	27120
gcgtccacac	tctgatcaag	acccctctcg	gcctccgcga	cctcctcccc	atgaactaat	27180
cacccccccta	tccagtgaaa	taaagatcat	attgatgatg	attttacaga	aataaaaaat	27240
aatcatttga	tttgaaataa	agatacaatc	atattgatga	tttgagttaa	acaaaaaaat	27300
aaagaatcac	ttacttgaaa	tctgatacca	ggtctctgtc	catgttttct	gccaacacca	27360
cttcactccc	ctcttcccag	ctctggtact	gcaggccccc	gcgggctgca	aacttcctcc	27420
acacgctgaa	ggggatgtca	aattcctcct	gtccctcaat	cttcatttta	tcttctatca	27480
gatgtccaaa	aagcgcgtcc	gggtggatga	tgacttcgac	cccgtctacc	cctacgatgc	27540
agacaacgca	ccgaccgtgc	ccttcacata	cccccccttc	gtctcttcag	atggattcca	27600
agagaagccc	ctgggggtgt	tgctccctgc	actggccgac	cccgtcacca	ccaagaacgg	27660
ggaaatcacc	ctcaagctgg	gagaggggg	ggacctcgat	tctcgggaa	aactcatctc	27720
caacacggcc	accaagggcg	cgccccctct	cagtttttcc	aacaacacca	ttcccttaa	27780
catggatcac	cccttttaca	ctaaagatgg	aaaattatcc	ttacaagtgt	ctccaccatt	27840
aaatatactg	agaacaagca	ttctaacaac	actagcttta	ggttttggat	caggtttagg	27900
actccgtggc	tctgccttgg	cagtacagtt	agtctctcca	cttacatttg	atactgatgg	27960
aaacataaag	cttacccttag	acagaggttt	gcattgttaca	acaggagatg	caattgaaag	28020
caacataaag	tgggctaaag	gtttaaaatt	tgaagatgga	gccatagcaa	ccaacattgg	28080
aaatgggtta	gagtttggaa	gcagtagtac	agaaacaggt	gttgatgatg	cttacccaat	28140
ccaagttaaa	cttggatctg	gccttagctt	tgacagtaca	ggagccataa	tggctggtaa	28200
caaaagaagac	gataaaactca	ctttgtggac	aacacctgat	ccatcaccaa	actgtcaaat	28260
actcgcagaa	aatgatgcaa	aaactaacact	ttgcttgact	aaatgtggta	gtcaataact	28320
ggccactgtg	tcagtccttag	tgttaggaag	tggaaacctc	aacccattta	ctggcaccgt	28380
aagcagtgct	caggtgtttc	tgacgttttg	tgcaaacggg	gttcttttaa	cagaacattc	28440
tacactaaaa	aaataactggg	ggatagggca	gggagatagc	atagatggca	ctccatatac	28500
caatgctgta	ggattcatgc	caattttaa	agcttatcca	agtcacaaa	gttctctac	28560
taaaaataat	atagttaggg	aagtatacat	gaatggagat	gtttcaaaac	ctatgcttct	28620
cactataacc	ctcaatggta	ctgatgacag	caacagtaca	tattcaatgt	cattttcata	28680
cacctggact	aatggaagct	atgttggagc	aacatttggg	gctaactctt	ataccttctc	28740
atacatcgcc	caagaatgaa	cactgtatcc	cacctgcat	gccaacctt	ccccccccc	28800
tctgtggaac	aaactctgaa	acacaaaaata	aaataaagt	caagtgtttt	attgattcaa	28860
cagttttaca	ggattcgcag	ctttattttt	cctccacct	cccaggacat	ggaatacacc	28920
accctctccc	cccgcacagc	cttgaacatc	tgaatgccat	tggtgatgga	catgcttttg	28980
gtctccacgt	tccacacagt	ttcagagcga	gccagttctg	ggtcggtcag	ggagatgaaa	29040
ccctccgggc	actcccgcat	gtgcacctca	cagctcaaca	gctgaggatt	gtctcggtg	29100
gtcgggatca	cggttatctg	gaagaagcag	aagagcggcg	gtgggaaatca	tagtccgcga	29160
acgggatcgg	ccggtgtgtg	cgcatacagg	cccgcagcag	tcgctgcgcg	cgccgctcgg	29220
tcaagctgct	gctcaggggg	tcggggtcca	gggactccct	cagcatgatg	cccacggccc	29280
tcagcatcag	tcgctctgtg	cgccggggcg	agcagcgcat	gcggatctcg	ctcaggtcgc	29340
tgcatgtacg	gcaacacaga	accaccaggt	tgttcaacag	tccatagtcc	aaacagctcc	29400
agccgaactc	catcgccgga	aggatgctac	ccacgtggcc	gtcgtaccag	atcctcaggt	29460
aaatcaagtg	gtgccccctc	cagaacacgc	tgcccacgta	catgatctcc	ttgggcattg	29520
ggcgtgtcac	cacctcccg	taccacatca	ccctctggtt	gaacatgcag	ccccggatga	29580
tcctcggaac	ccacggggc	agcacccgccc	cgcccgccat	gcagcgaaga	gacccgggtg	29640
cccggaatg	gcaatggagg	accacccgct	cgtaccctg	gatcatctgg	gagctgaaac	29700
agttcatggt	ggcacagcac	aggcatatgc	tcatgcatct	cttcagcact	ctcaactcct	29760
ggggggtcaa	aacctatcc	cagggcacgg	ggaactcttg	caggacagcg	aaccccgag	29820
aacagggcaa	tctctgcaca	gaaactacat	tgtgcattgga	caggggtatcg	caatcaggca	29880
gcaccgggtg	atctctcaac	agagaagcgc	gggtctcggt	ctctccacag	cgtggttaag	29940
gggcgcggcg	atccgggtga	tggcgggacg	cggtctgatcg	tgttcgcgac	cgtgtcatga	30000
tcaggttgct	ttcgggacatt	ttcgtagctg	ctgtagcaga	acctgggtccg	ggcgctgcac	30060
accgatcgcc	ggcggcggtc	tcggcgcttg	gaacgctcgg	tgttgaaatt	gtaaaacagc	30120
cactctctca	gcacgtgcag	cagatctagg	gcctcaggag	tgatgaagat	cccatcatgc	30180
ctgatggctc	tgatcacatc	gaccaccgtg	gaatgggcca	gacccagcca	gatgatgcaa	30240
ttttgttggg	tttcgggtgac	ggcgggggag	ggaagaacag	gaagaacat	gattaaactt	30300
taatccaaac	ggtctcggag	tacttcaaaa	tgaagatcgc	ggagatggca	cctctcgccc	30360
ccgctgtgtt	ggtggaaaaat	aacagccagg	tcaaagggtga	tacgggtctc	gagatgttcc	30420
acggtggctt	ccagcaaaag	ctcccgcgcg	acatccagaa	acaagacaat	agcgaagcgc	30480
ggagggttct	ctaattctctc	aactcatcatg	ttactactcct	gcaccatccc	cagataaattt	30540
tcatttttcc	agccttgaat	gatttcgaact	agttcgtgag	gtaaatccaa	gccagccatg	30600
ataaagagct	cgcgacagagc	gcctccacc	ggcattctta	agcacacct	cataattcca	30660
agatattctg	ctcctggttc	acctgcagca	gattgacaag	cggaaatata	aaatctctgc	30720
cgcatccct	gagctcctcc	ctcagcaata	actgtaagta	ctctttcata	tctctccga	30780
aattttttagc	cataggacca	ccaggaataa	gattagggca	agccacagta	cagataaacc	30840
gaagtctccc	ccagttagca	ttgccaaaatg	caagactgct	ataagcatgc	tggctagacc	30900
cggtgatata	ttccagataa	ctggacagaa	aatcgcccag	gcaattttta	agaaaaatcaa	30960
caaaagaaaa	atcctccagg	tggacgttta	gagcctcggg	aacaacgatg	aagtaaatgc	31020
aagcgggtcg	ttccagcatg	gttagtttagc	tgatctgtag	aaaaacaaa	aatgaacatt	31080
aaacctatgc	agcctggcga	acaggtgggt	aaatcgttct	ctccagcacc	aggcaggcca	31140
cggggtctcc	ggcgcgaccc	tcgtaaaaat	tgtcgtatg	attgaaaaac	atcacagaga	31200
gacgttcccg	gtggccggcg	tgaatgattc	gacaagatga	atacaccccc	ggaacattgg	31260
cgtcccgag	tgaaaaaaag	cgcccgagga	agcaataaag	cactacaatg	ctcagttcca	31320
agtcagcaaa	agcgatgcca	tgcggatgaa	gcacaaaatt	ctcaggtgcg	tacaaaatgt	31380
aattactccc	ctcctgcaca	ggcagcaaa	ccccgatcc	ctccaggtac	acatacaaa	31440

-continued

cctcagcgtc	catagcttac	cgagcagcag	cacacaacag	gcgcaagagt	cagagaaagg	31500
ctgagctcta	acctgtccac	ccgctctctg	ctcaatatat	agcccagatc	tacactgacg	31560
taaaggccaa	agtctaaaa	tacccgccaa	ataatcacac	acgcccagca	cacgcccaga	31620
aaccgggtgac	ccactcaaaa	aaatacgcgc	acttcctcaa	acgcccacaa	ctgccgtcat	31680
ttccgggttc	ccacggtacg	tcataaaaa	acgactttca	aattccgtcg	accgttaaaa	31740
acgtcaccgc	ccccgccctc	aacggtcgcc	cgtctctcag	ccaatcagcg	ccccgcatcc	31800
ccaaattcaa	acacctcatt	tgcattattaa	cgcgcacaaa	aagtttgagg	tatatatttg	31860
atgatgg						31867

SEQ ID NO: 12 moltype = DNA length = 32788
FEATURE Location/Qualifiers
misc_feature 1..32788
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..32788
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 12

ccatcttcaa	taataatacct	caaacttttt	gtgcgcgtta	atatgcaaat	gaggcgtttg	60
aatttgggga	ggaaggcg	tgattggtcg	agggatgagc	gaccgttagg	ggcgggcgga	120
gtgacgtttt	gatgacgtgg	ttgcgaggag	gagccagttt	gcaagttctc	gtgggaaaag	180
tgacgtcaaa	cgagggtgtg	ttgaaacacg	gaaatactca	attttccgcg	gctctctgac	240
aggaatatgag	gtgtttctgg	gcggatgcaa	gtgaaaacgg	gccattttcg	cgcgaaaact	300
gaatgaggaa	gtgaaaatct	gagtaatttc	gcgtttatgg	caggggaggag	tatttgccga	360
gggcccagta	gactttgacc	gattacgtgg	gggtttcgat	taccgtgttt	ttcacctaaa	420
tttcgcgtga	cggtgtcaaa	tcccggtgtt	tttacgtagg	tgctcagctga	tcgccagggt	480
atttaaacct	gcgctctcca	gtcaagaggc	cactcttgag	tgccagcgag	aagagttttc	540
tcctccgcgc	cgcgagtcag	atctacactt	tgaaagtagg	gataaacagg	taatgacatt	600
gattattgac	tagttgttaa	tagtaataca	ttacggggtc	attagttcat	agcccatata	660
tgaggttccg	cgttacataa	cttacggtaa	atggcccgcg	tggtcgaccg	cccaacgacc	720
cccgccatt	gacgtcaata	atgacgtatg	ttcccatagt	aacgccataa	gggactttcc	780
attgacgtca	atgggtggag	tattttacgt	aaactgccca	cttggcagta	catcaaggtg	840
atcatatgcc	aagtcggccc	cctattgacg	tcaatgacgg	taaatggccc	gcctggcatt	900
atgccagta	catgacctta	cgggactttc	ctacttgcca	gtacatctac	gtattagtca	960
tcgctattac	catggtgatg	cggttttgcc	agtacaccaa	tgggcgtgga	tagcggtttg	1020
actcacgggg	atttccaagt	ctccacccca	ttgacgtcaa	tgggagtttg	ttttggcacc	1080
aaaatcaacg	ggactttcca	aaatgtcgta	ataaccccgc	ccggttgacg	caaatgggcg	1140
gtaggcgtgt	acgggtggag	gtctatataa	gcagagctcg	tttagtgaac	cgtcagatcg	1200
cctggaacgc	catccacgct	gttttgacct	ccatagaaga	cagcgatcgc	gccaccatgg	1260
ccgggatgtt	ccaggcagct	tccgaaggct	gcacacccta	tgatattaac	cagatgctga	1320
atgtcctggg	agaccaccag	gtctctggcc	tggaagcagc	ggagagcatc	atcaacttcg	1380
agaagctgac	cgagtggaca	agctccaatg	tgatgcctat	cctgtcccca	ctgaccaagg	1440
gcatcctggg	cttcgtgttt	accctgacag	tgcccttctga	gcggggcctg	tcttgcatca	1500
gcgaggcaga	cgcaaccaca	ccagagtcgg	ccaatctggg	cgaggagatc	ctgtctcagc	1560
tgtacctgtg	gcccgggggt	acatacact	ccccttctta	cgctatcac	cagttcgagc	1620
ggagagccaa	gtacaagaga	cacttcccag	gctttggcca	gtctctgctg	ttcggctacc	1680
ccgtgtacgt	gttcggcgat	tgctgtcagg	gcgaactggga	tgccatccgg	tttagatact	1740
gcgcaccacc	tggatatgca	ctgctgaggt	gtaacgcac	caattattcc	gcctgctggt	1800
cagtgggcgc	cctggagggc	cctcgcaatc	aggattggct	gggcgtgcca	aggcagctgg	1860
tgacacgcat	gcaggccatc	cagaacgcag	gcctgtgcac	cctgggtgga	atgctggagg	1920
agacaatctt	ctggctcgag	gcctttctga	tggccctgac	cgacagcggc	cccaagacaa	1980
acatcatcgt	ggattcccag	tacgtgatgg	gcatctccaa	gccttcttcc	caggagtttg	2040
tggactggga	gaacgtgagc	ccagagctga	attccaccga	tcagccattc	tggcaggcag	2100
gaatcctggc	aaggaaacctg	gtgcctatgg	tggccacagt	gcaggggccag	aatctgaagt	2160
accagggcca	gagcctgggtc	atcagcgctc	ccatcatcgt	gtttaacctg	ctggagctgg	2220
agggcgacta	tcgggacgat	ggcaacgtgt	gggtgcacac	cccactgagc	cccagaacac	2280
tgaacgcctg	ggtgaaggcc	gtggaggaga	agaagggcat	cccagtgcac	ctggagctgg	2340
cctccatgac	caatatggag	ctgatgtcta	gcatcgtgca	ccagcagggtg	aggacatacg	2400
gaccctgtgt	catgtgcctg	ggaggcctgc	tgaccatggt	ggcaggagcc	gtgtggctga	2460
cagtgcgggt	gctggagctg	ttcagagccg	cccagctggc	caacgatgtg	gtgctgcaga	2520
tcattggagct	gtgcggagca	gcctttcgcc	agggttgcca	caccacagtg	ccatggccca	2580
atgcctccct	gacccccaa	tggaaacaatg	agacaacaca	gcctcagatc	gccaactgta	2640
gcgtgtacga	cttcttcgtg	tggtgcact	actatagcgt	gagggatacc	ctgtggcccc	2700
gcgtgacata	ccacatgaat	aagtacgcct	atcacatgct	ggagaggcgc	gccaagtata	2760
agagaggccc	tggcccaggc	gcaaaagtgtg	tggcagcatg	gacctgaag	gcccgcggcg	2820
gcccgcggcc	cggccagtat	atcaaggcta	acagtaagtt	cattggaatc	acagagctgg	2880
gacccgagcc	tggataatga	gtttaaactc	ccatttaaat	gtgaggggta	atgcttcgag	2940
cagacatgat	aagatacatt	gatgagtttg	gacaaaccac	aactagaatg	cagtgaaaaa	3000
aatgctttat	ttgtgaaatt	tgtgatgcta	ttgctttatt	tgttaaccatt	ataagctgca	3060
ataaacaagt	taacaacaac	aattgcattc	attttatggt	tcagggttcag	ggggagatgt	3120
gggagggttt	ttaaagcaag	taaaacctct	acaaatgtgg	taaaataact	ataacggtcc	3180
taaggtagcg	agtgtagtagt	gttctggggc	gggggaggac	ctgcatgagg	gccagaataa	3240
ctgaaatctg	tgcttttctg	tgtgttcgag	cagcatgagc	ggaagcggct	cctttgaggg	3300
aggggtatct	agcccttate	tgacggggcg	tctccctccc	tgggcgggag	tgctgcagaa	3360
tggtatggga	tccacgtggg	acggccggcc	cgtgcagccc	gcgaactctt	caacctgac	3420
ctatgcaacc	ctgagctctt	cgtcgttgga	cgcagctgcc	gccgcagctg	ctgcatctgc	3480

-continued

cgccagcgcc	gtgcgcggaa	tggccatggg	cgccggctac	tacggcactc	tggtagccaa	3540
ctcgagttcc	accaataatc	ccgccagcct	gaacgaggag	aagctgttgc	tgctgatggc	3600
ccagctcgag	gccttgaccc	agcgccctggg	cgagctgacc	cagcaggtgg	ctcagctgca	3660
ggagcagacg	cggggcccg	ttgccacggg	gaaatccaaa	taaaaaatga	atcaataaat	3720
aaacggagac	gggtgtgtgat	tttaacacag	agtctgaatc	tttatattgat	ttttcgcgcg	3780
cggtagggccc	tggaccacgc	gtctcgatca	ttgagcacc	gggtgatctt	ttccaggacc	3840
cggtagaggt	gggcttgat	gttgaggtac	atgggcata	gcccgtcccc	ggggtggagg	3900
tagctccatt	gcagggcctc	gtgctcgggg	gtgggtgtgt	aaatcaccca	gtcatagcag	3960
gggcgcaggg	catggtgttg	cacaatatct	ttgaggagga	gactgatggc	cacgggcagc	4020
cctttgtgtg	aggtgtttac	aaatctgttg	agctgggagg	gatgcacgcg	gggggagatg	4080
aggtgcattc	tggcctggat	cttgagattg	gcgatgttac	cgcccagatc	ccgctcgggg	4140
ttcatgttgt	gcaggaccac	cagcacgggtg	tatccgggtg	acttggggaa	tttatcatgc	4200
aaattggaag	ggaaggcgtg	aaagaatttg	gcgacgcctt	tgtgcccgcc	caggttttcc	4260
atgcactcat	ccatgatgat	ggcgatgggc	ccgtgggcgg	cgccctgggc	aaagacgttt	4320
cggggggtcgg	acacatcata	gttggtgttc	tgggtgaggt	catcataggc	cattttaaatg	4380
aatttggggc	agaggggtgc	ggactggggg	acaaaggtac	cctcgatccc	gggggctag	4440
ttccctccac	ggatctgcac	ctcccaggct	ttgagctcgg	agggggggat	catgtccacc	4500
tgcggggcga	taaagaacac	gggttccggg	gcgggggaga	tgagctgggc	cgaagcaag	4560
ttccggagca	gctgggactt	gccgcagccg	gtggggccgt	agatgacccc	gatgaccggc	4620
tgacgggtgt	agttgaggga	gagacagctg	ccgtccctcc	ggaggagggg	ggccacctcg	4680
ttcatcatct	cgccgcagtg	catgttctcg	cgcaccagtt	ccgcaggag	gcgctctccc	4740
cccagggata	ggagctcccg	gagcgaggcg	aaagttttca	gcggttgag	tccgtcggcc	4800
atgggcattt	tggagagggt	ttgttgcaag	agttccaggc	ggtcccagag	ctcggtgatg	4860
tgctctacgg	catctcgatc	cagcagacct	cctcgtttcg	cgggttgga	cggctcgggg	4920
agtagggcac	cagacgatgg	gcgtccagcg	cagccagggt	ccggtccttc	cagggtcgca	4980
gcgtccgcgt	cagggtggtc	tccgtcacgg	tgaagggggtg	cgcccggggc	tgggcgcttg	5040
cgagggtgcg	cttcaggctc	atccggctcg	tcgaaaaccg	ctcccgatcg	gcgcccctcg	5100
cgtcggccag	gtagcaattg	accatgagtt	cgtagttgag	cgctcggcc	gcgtggcctt	5160
tggcgcgga	cttacccttg	gaagctctgc	cgcaggcggg	acagaggagg	gacttgaggg	5220
cgtagagctt	ggggggcagg	aagacggact	cgggggcgta	ggcgtccgcg	ccgcagtggtg	5280
cgacagcggt	ctcgcactcc	cagccacagg	tgaggtcggg	ctggtcgggg	tcaaaaaacca	5340
gtttcccgcc	gttctttttg	atgcgtttct	tacctttgtt	ctccatgagc	tctgtctccc	5400
gctgggtgac	aaagaggctg	tccgtgtccc	cgtagaccga	ctttatgggc	cggctcctga	5460
gcggtgtgcc	gcggtctctc	tcgtagagga	accccgcaca	ctccgagacg	aaagcccggg	5520
tccaggccag	cacgaaggag	gccacgtggg	acgggtagcg	gtcgttgtcc	accagcggtg	5580
ccaccttttc	cagggtatgc	aaacacatgt	cccctctctc	cacatccagg	aaggtgattg	5640
gcttgtaagt	gtaggccaag	tgaccggggg	tcccggccgg	gggggctata	aaggggtcgg	5700
gtccctgtct	gtctcactcg	tcttccggat	cgtgtgtccg	gagcgccagc	tgttggggta	5760
ggtattccct	ctcgaaggcg	ggcatgacct	cggcactcag	gttgctcagtt	tctagaaacg	5820
aggaggattt	gatattgacg	gtgcggcgcg	agatgccttt	caagagcccc	tctgtccatt	5880
ggtcagaaaa	gacgatcttt	ttgttgtcga	gcttggtggc	gaaggagccg	tagaggggct	5940
tggagaggag	cttggcgatg	gagcgcacgt	tctggttttt	ttcctgtctg	gcgcgctcct	6000
tggcggcgat	gttgagctcg	acgtactcgc	gcgcacacga	cttccattcg	gggaagacgg	6060
tggtcagctc	gtcgggcacg	attctgacct	gccagccccg	attatgcagg	gtgatgaggt	6120
ccacactggt	ggccacctcg	cgcgcagggg	gctcattagt	ccagcagagg	cgtccgcctc	6180
tgcgcgagca	gaaggggggg	aggggggtcca	gcatgacctc	gtcggggggg	tccgcatcga	6240
tggtagaatg	gcccgggcagg	aggtcggggg	caaagtagct	gatgggaagt	gccagatcgt	6300
ccaggggcag	ttgccattcg	cgcacggcca	gcgcgctctc	gtagggactg	agggggcggtg	6360
cccaggggcat	gggatgggta	agcgcggagg	cgtacatgcc	gcagatgtcg	tagacgtaga	6420
ggggctctct	gaggatgcgc	atgtagggtg	ggtagcagcg	cccccccgcg	atcgtggcgc	6480
gcacgtagtc	atacagctcg	tgcgaggggg	caggaggccc	cggggcccagg	ttggtgacac	6540
tgggcttttc	ggcgcggtag	acgatctggc	ggaaaatggc	atgcgagttg	gaggagatgg	6600
tgggcttttg	gaagatgttg	aaagtgggct	ggggcagtcg	gaccgagtcg	cggatgaagt	6660
gggcttagga	gtcttgcagc	ttggcgacga	gctcggcggt	gactaggacg	tccagagcgc	6720
agtagtcag	ggtctcctcg	atgatctcat	acttgagctg	tcccttttgt	ttccacagct	6780
cgcggttgag	aaaggaactc	tccggtctct	tccagttact	ttcgaggggg	aaaccgtcct	6840
gatctgcacg	gtaagagcct	agcatgtaga	actggttgac	ggccttgtag	gcgcagcagc	6900
ccttctccac	ggggagggcg	taggcctggg	cggccttcgc	cagggaggtg	tgcgtgaggg	6960
cgaaggtgtc	cctgaccatg	accttgagga	actggtgctt	gaagtgcata	tgcgtgcagc	7020
ccccctgctc	ccagagctgg	aagtcctgtg	gcttcttgta	ggcgggggtg	ggcaaaagcga	7080
aaagtaacatc	gttgaagagg	atcttgcgcc	cgcggggcat	aaagttgcga	gtgatgcgga	7140
aaagttgggg	cacctcggcc	cggttgttga	tgacctgggc	ggcgagcagc	atctcgtcga	7200
agccgttgat	gttgtggccc	acgatgtaga	gttccacgaa	tcgcggacgg	cccttgacgt	7260
ggggcagttt	cttgagctcc	tcttaggtga	gctcgtcggg	gtcgtgagc	ccgtgctgct	7320
cgcgcgcca	gtcggcgaga	tgggggttgg	cgcggaggaa	ggaagtccag	agatccacgg	7380
ccaggggcgt	ttgcagacgg	tcccggtact	gacggaaactg	ctgcccagacg	gccatttttt	7440
cgggggtgac	gcagtagaag	gtgcgggggt	ccccgtgcc	gcgatcccat	ttgagctgga	7500
gggcgagatc	gagggcgagc	tcgacgagcc	ggctgtcccc	ggagagtttc	atgaccagca	7560
tgaaggggac	gagctgcttg	cgaaggagcc	ccatccaggt	gtaggtttcc	acatcgtagg	7620
tgaggaaag	ccttccgggtg	cagagatgcg	agccgatggg	gaagaaactg	atctcctgcc	7680
accaattgga	ggaatggctg	ttgatgtgat	ggaagttagaa	atgcgcagcg	cgcgcggaac	7740
actcgtgctt	gtgtttatgc	aagcggccac	agtgtctcga	acgtgtcagc	ggatgcacgt	7800
gctgcacgag	ctgtacctga	gttcccttga	caggaatttt	cagtggaag	tggagtcgtg	7860
gcgcctgcac	ctcgtgctgt	actacgtcgt	ggtggtcggc	ctggccctct	tctgctcga	7920
tggtagtcac	gctgagcagg	cgcgcgggga	ggcaggtcca	gacctcggcg	cgcgcgggtc	7980
ggagagcgag	gacgagggcg	cgcaggcccg	agctgtccag	ggctcgtaga	cgtgcgggag	8040

-continued

tcaggtcagt	gggcagcggc	ggcgcgcggt	tgacttgcag	gagtttttcc	agggcgcgcg	8100
ggaggtccag	atggtacttg	atctccaccg	cgccattggg	ggcgacgtcg	atggcttgca	8160
gggtcccgtg	cccttggggg	gtgaccaccg	tcccccgttt	cttcttgggc	ggctggggcg	8220
acggggggcg	tgctcttctc	atggttagaa	gcggcgggcg	ggacgcgcgc	cggcgggcag	8280
ggcggggtcg	gggcggcgag	gcagggggcg	cagggggcacg	tcggcgcgcg	gcgcgggtag	8340
gttctgggtac	tgccggcgga	gaagactggc	gtgagcgacg	acgcgcaggt	tgacgtcctg	8400
gatctgacgc	ctctgggtga	aggccacggg	acccgtgagt	ttgaacctga	aagagagttc	8460
gacagaatca	atctcggtat	cgttgacggc	ggcctgcccg	aggatctctt	gcacgtcgcc	8520
cgagttgtcc	tggtaggcga	tctcggtcat	gaactgctcg	atctcctcct	cttgaaggtc	8580
tcgcggggcg	gcgcgctcca	cggtagggcg	gaggtcggtg	gagatgcggc	ccatgagctg	8640
cgagaaggcg	ttcatgcccc	cctcgttcca	gacgcggctg	tagaccacga	cgcctcggg	8700
atcgcgggcg	cgcgatgacca	cctggggcag	gttgagctcc	acgtggcgcg	tgaagaccgc	8760
gtagttgcag	aggcgctggt	agaggtagtt	gagcgtggtg	gcgatgtgct	cggtagacga	8820
gaaatacatg	atccagcggc	ggagcgggcat	ctcgctgacg	tcgcccagcg	cctccaaacg	8880
ttccatggcc	tcgtaaaaagt	ccacggcgaa	gttgaaaaac	tgggagttgc	gcgcggagac	8940
ggtcaactcc	tcctccagaa	gacggatgag	ctcgcgcatg	gtggcgcgca	cctcgcgctc	9000
gaaggcccc	gggagtctct	ccacttccct	ttcttctctc	tcacttaaca	tctctttac	9060
ttcttctcga	ggcgcgagtg	gtggcggggg	agggggcgctg	cgtcgccggc	ggcgacggg	9120
cagacggtcg	atgaagcgct	cgatggtctc	gccgcggcgg	cgtcgcatgg	tctcggtgac	9180
ggcgcgcccg	tgctcgccgg	gccgcagcgt	gaagacggcg	cgcgcgatct	ccaggtaggc	9240
gggggggtcc	ccgttgggca	gggagagggc	gctgacgatg	catcttatca	attgccccgt	9300
agggactccg	cgcaaggacc	tgagcgtctc	gagatccacg	ggatctgaaa	accgctgaac	9360
gaaggcttcg	agccagtctc	agtccgaagg	taggctgagc	acggtttctt	ctggcggtgc	9420
atggttggtg	ggagcggggc	gggcgatgct	gctggtgatg	aagttgaaat	aggcggttct	9480
gagacggcgg	atggtggcga	ggagcaccag	gtctttgggc	ccggttgcgt	ggatgcgcag	9540
acggtcgccc	atgcccacgg	cgtggtcctg	acacctggcc	aggtccttgt	agtagtccgt	9600
catgagccgc	tcacggggca	cctcctcctc	gcccgcgcg	ccgtgcatgc	gcgtgagccc	9660
gaagccgcgc	tggggctgga	cgagcgccag	gtcgcgacg	acgcgctcgg	cgaggatggc	9720
ttgctggatc	tggttgaggg	tggtctggaa	gtcatcaaa	tcgacgaagc	ggtgtagggc	9780
tcgggtgttg	atggtgttag	agcagttggc	catgacggac	cagttgacgg	tctggtggcc	9840
cggacgcacg	agctcgtggt	acttgaggcg	cgagtaggcg	cgcgtgtcga	agatgtagtc	9900
ggtgcaggtg	cgcaccaggt	actggttagcc	gatgaggaag	tgcgggcgcg	gctggcggtg	9960
gagcgggcat	cgctcggtgg	cggggcgccc	gggcgcgagg	tcctcgagca	tggtgcgggtg	10020
gtagccgtag	atgtacctgg	acatccaggt	gatgccggcg	gcggtggtgg	aggcgcgcg	10080
gaactcgcg	acgcggttcc	agatgttgcg	cagcgggcag	aagtagttca	tggtggggac	10140
ggtctggccc	gtgaggcgcg	cgcagtcgtg	gatgctctat	acgggcaaaa	acgaaagcgg	10200
tcagcggctg	gactccgtgg	cctggaggct	aagcgaaacg	gttgggctgc	gcgtgtaccc	10260
cgggtcgaat	ctcgaaatcag	gctggagccg	cagctaaacg	ggtattggca	ctcccgtctc	10320
gacccaagcc	tgacccaacc	ctccaggata	cggaggcggg	tcgttttgca	actttttttt	10380
ggaggccgga	tgagactagt	aagcgcgga	agcgcccgac	cgcgatggct	cgctgcccga	10440
gtctggagaa	gaatcgccag	ggttgctgtg	cgggttgccc	cggttcgagg	ccggcgggat	10500
tcgcgggtta	acgagggcgt	ggctgccccg	tcgtttccaa	gaccccatag	ccagccgact	10560
ttctcagtta	cggagcgagc	ccctcttttg	ttttgtttgt	ttttgcccga	tgcatcccgt	10620
actgcggcag	atgcgcccc	accacccctc	accgcaacaa	cagccccctc	ccagccggcg	10680
gcttctgccc	ccgccccagc	agcaacttcc	agccacgacc	gcccgcgccg	ccgtgagcgg	10740
ggctggacag	agttatgac	accagctggc	cttggaaagag	ggcgaggggc	tgccgcgcct	10800
ggggcgctcg	tgcccgagc	ggcaccgcg	cgtgcagatg	aaaagggagc	ctcgcgaggc	10860
ctacgtgccc	aagcagaacc	tgttcagaga	caggagcgcg	gaggagcccc	aggagatgcg	10920
cgcggcccg	ttccacggcg	ggcgggagct	gcggcgcgcg	ctggaccgaa	agagggtgct	10980
gagggacgag	gatttcgagg	cggacgagct	gacggggatc	agcccccgcg	gcgcgcacgt	11040
ggccgcggcg	aacctgtgca	cggcgtacga	gcagaccgtg	aaggaggaga	gcaacttcca	11100
aaaaatcctc	aacaaccaac	tgcgaccctc	gatcgcgcg	gaggaggtga	ccctggggcct	11160
gatgcacctg	tgggacctgc	tggaggccat	cgtgcagaac	cccaccagca	agccgctgac	11220
ggcgcgctcg	ttcctggtgg	tgacgatag	tcgggacaa	gaagcgttca	gggagggcgt	11280
gctgaatatc	accgagcccc	aggcgcgctg	gctcctggac	ctggtgaaca	ttctgcagag	11340
catcgtggtg	caggagcgcg	ggctgcccgt	gtccgagaag	ctggcgccca	tcaacttctc	11400
ggtgctgagt	ttggggcaag	actacgctag	gaagatctac	aagaccccg	acgtgcccac	11460
agacaaggag	tggaagatcg	acgggtttta	catgcgcgatg	accctgaaag	tgctgacct	11520
gagcgacgat	ctgggggtgt	accgcaacga	caggatgcac	cgtgcggtga	gcgccagcag	11580
gcggcgcgag	ctgagcgacc	aggagctgat	gcatagtctg	cagcgggccc	tgaccggggc	11640
cgggaccgag	ggggagagct	actttgacat	ggcgcgggac	ctgcactggc	agcccagcgc	11700
ccgggccttg	gagggcgcg	caggacccta	cgtagaagag	gtggacgatg	aggtggacga	11760
ggagggcgag	tacctggaag	actgatggcg	cgaccgtatt	tttgctagat	gcaacaacaa	11820
cagccacctc	ctgatccccg	gatgcggggc	gcgctgcaga	gccagccgct	cggcattaac	11880
tcctcgagcg	attggaccca	ggccatgcaa	cgcatactgg	cgtgacgac	ccgcaacccc	11940
gaagccttta	gacagcagcc	ccaggccaac	cggctctcgg	ccatcctgga	ggcgtggtg	12000
ccctcgcgct	ccaaccccac	gcacgagaag	gtcctggcca	tcgtgaacgc	gctggtggag	12060
aacaaggcca	tcgcggcgga	caggggcgcg	ctgggtgaca	acgcgctgct	ggagcgcgctg	12120
gcccgcctaca	acagcaccac	cgtgcagacc	aacctggacc	gcataggtgac	cgacgtgcgc	12180
gagggccgtg	cccagcgcca	gcgggttccac	cgcgagctca	acctgggatc	catggtggcg	12240
ctgaacgcct	tcctcagcac	caacgcccc	aaactgcccc	ggggccagga	ggactacacc	12300
aaacttcac	gcgccttcgg	cctgatggtg	accgaggtgc	cccagagcga	ggtgtaccag	12360
tcggggcgcg	actacttctt	ccagaccagt	cgcagggcgt	tgacagccgt	gaacctgagc	12420
caggctttca	agaacttgca	gggcctgtgg	ggcgtgcagg	ccccggctcg	ggaccgcgcg	12480
acggtgtcga	gcctgctgac	gcgcaactcg	cgcctgctgc	tgctgctggt	ggcccccttc	12540
acggacagcg	gcagcatcaa	ccgcaactcg	tacctgggct	acctgattaa	cctgtaccgc	12600

-continued

gaggccatcg	gccaggcgca	cgtggacgag	cagacctacc	aggagatcac	ccacgtgagc	12660
cgccgcoctgg	gccaggacga	cccgggcaac	ctggaagcca	ccctgaactt	tttgctgacc	12720
aaccggctcgc	agaagatccc	gccccagtac	gcgctcagca	ccgaggagga	gcgcatcctg	12780
cgttacgtgc	agcagagcgt	gggcctgttc	ctgatgcagg	agggggccac	ccccagcgcc	12840
gcgctcgaca	tgaccgcgcg	caacatggag	cccagcatgt	acgccagcaa	ccgcccggtc	12900
atcaataaac	tgatggacta	cttgcatcgg	gcggccgcga	tgaactctga	ctatttcacc	12960
aacgccatcc	tgaatcccca	gttgctccc	ccgccggggg	tctacacggg	cgagtaacga	13020
atgcccgacc	ccaatgacgg	gttctctgtg	gacgatgtgg	acagcagcgt	gttctccccc	13080
cgaccgggtg	ctaacgagcg	ccctctgtgg	aagaagggaag	gcagcgaccg	acgcccggtc	13140
tcggcgctgt	ccggcccgca	gggtgctgcc	gcggcggtgc	ccgaggccgc	cagtctcttc	13200
ccgagcttgc	ctttctcgct	gaacagtatc	gcagcagcgg	agctgggcag	gatcacgcgc	13260
ccgcgcttgc	tgggcggaaga	ggagtacttg	aatgactcgc	tggtgagacc	cgagcgggag	13320
aagaacttcc	ccaataacgg	gatagaaagc	ctggtggaca	agatgagccg	ctggaagacg	13380
tatgcgcagg	agcacaggga	cgatccccc	gcgtcgacgg	gggcccagag	ccggggcagc	13440
gcccggcgta	aacggccggtg	gcacgacagg	cagcggggac	agatgtggga	cgatgaggac	13500
tcggccgacg	acagcagcgt	gttggaactg	gggtgggagt	gtaaccctgt	cgctcacctg	13560
cgcccgcgta	tcggggcgcat	gatgtaaagc	aaaccgaaaa	ttaatgatac	tcaccaggcg	13620
catggcgacc	agcgtgcgct	cgtttcttct	ctgtgtgtgt	tgatctatgt	atgatgaggc	13680
gtgcgtaccc	ggagggtcct	cctccctcgt	acgagagcgt	gatgcagcag	gcgatggcgg	13740
cgggggcgat	agcggccccc	ctggagggtc	cttactgtgc	cccgcgttac	ctggcgccca	13800
cgaggggggcg	gaacagcatt	cgttactcgg	agctggcacc	cttgtagcat	accaccgggt	13860
tgtacctggt	ggacaacaag	tcggcggaaca	tcgctcgtct	gaactaccag	aacgaccaca	13920
gcaacttctc	gaccacgctg	gtgcagaaca	atgaacttcc	ccccaggag	gccagcacc	13980
agaccatcaa	ctttgacgag	cgctcgccgt	ggggcgggca	gctgaaaacc	atcatgcaca	14040
ccaaatgcc	caacgtgaac	gagttcatgt	acagcaacaa	gttcaaggcg	cggtgatgg	14100
tctcccgcaa	gacccccaat	ggggtgacag	tgacagagga	ttatgatgg	agtcaggatg	14160
agctgaagta	tgaatgggtg	gaatttgagc	tgcccgaagg	caacttctcg	gtgacctga	14220
ccatcgacct	gatgaacaac	gccatcatcg	acaattactt	ggcggtgggg	cggcagaacg	14280
gggtgctgga	gagcgacatc	ggcggtgaagt	tcgacactag	gaacttcagg	ctgggctggg	14340
accccgtagc	cgagctgggtc	atgcccgggg	tgtacaccaa	cgaggtcttc	catcccgcata	14400
ttgtcttgct	gcccgggtgc	ggggtggact	tcaccgagag	ccgctcagc	aacctgctgg	14460
gcatctcgaa	gaggcagccc	ttccagggaag	gcttccagat	catgtacgag	gatctggagg	14520
ggggcaacat	cccgcgctc	ctggatgtcg	acgcctatga	gaaaagcaag	gaggatgcag	14580
caagtgaaag	aactgcagcc	gtagctaccg	cctctaccga	ggtcaggggc	gataattttg	14640
caagcgccgc	agcagtgcca	gcggccgagg	cggtgaaac	cgaaagtaag	atagtcattc	14700
agccgggtga	gaaggatagc	aagaacagga	gctacaacgt	actaccggac	aagataaaca	14760
ccgcctacgg	cagctggtac	ctagcctaca	actatggcga	ccccgagaag	ggcgtgcgct	14820
cctggacgct	gctcaccacc	tcgggacgtc	cctgcccgtg	ggagcaagtc	tactggctgc	14880
tgcccgcacat	gatgcaagac	ccgggtcacct	tcgcctccac	gcgtcaagtt	agcaactacc	14940
cggtgggtggg	cgccgagcct	gctcccgtct	actccaagag	cttcttcaac	gagcaggcct	15000
tctactcgca	gcagctgcgc	gccttcacct	cgcttacgca	cgcttccaac	cgcttcccgc	15060
agaaccagat	cctcgctccg	ccgcccgcgc	ccaccattac	caccgtcagt	gaaaacggtc	15120
ctgctctcac	agatcacggg	accctgccgc	tgccgagcag	tatccgggga	gtccagcgcg	15180
tgaccgttac	tgacgcccga	cgccgcacct	gcccctacgt	ctacaaggcc	ctgggcatag	15240
tcgcccgcgc	cgtcctcctg	agccgcacct	tctaactgtc	cattctcatc	tcgcccagta	15300
ataacaccgg	ttggggccctg	cgccgcgccca	gcaagatgta	cggaggcgct	cgccaacgct	15360
ccacgcaaca	cccgcgtgcg	gtgcgcgggc	acttcgcgc	tcctgggggc	gcccctcaagg	15420
gcccgcgtcg	gtgcgcgacc	accgtcgacg	acgtgatcga	ccagggtggg	gccgacgcgc	15480
gcaactcac	cccgcgcgc	gcgcgcgctc	ccaccgtgga	cgccgtcatc	gacagctggg	15540
tgccgcgacg	gcgcgcgtac	gcccgcgcca	agagccggcg	gcggcgcatc	gcccgcggcg	15600
accggagcac	cccgcgcgat	cgccgcggcg	gagccttgct	gcgcaggggc	aggcgcaacg	15660
gacgcaggcg	catgctcagg	gcggccagac	gcgcgggttc	aggcgccagc	gccggcagga	15720
cccggagacg	gcgcggccag	gcggcgggcg	cgcccatcgc	cagcatgtcc	cgcccgcggc	15780
gagggaaacgt	gtactgggtg	cgccgacggc	ccaccgggtg	gcgcgtgccc	gtgcgcaccc	15840
gccccctcgc	cacttgaaga	tgttcaactc	gcgatgttga	tgtgtcccag	cgccgaggag	15900
gatgtccaa	cgcaaatcca	aggaagagat	gctccaggtc	atcgccctg	agatctacgg	15960
ccctgcggtg	gtgaaggagg	aaagaaagcc	ccgcaaaatc	aagcggtgca	aaaaggacaa	16020
aaaggaaagaa	gaaagtgatg	tggaaggatt	ggtggagttt	gtgcgcgagt	tcgccccccg	16080
gcggcgcgctg	cagtggcgcg	ggcggaagg	gcaaccgggtg	ctgagaccgc	gcaccaccgt	16140
ggtcttcacg	cccggcgagc	gctccggcac	cgcttccaag	cgctcctacg	acgaggtgta	16200
cggggatgat	gcatattctg	agcaggcgcg	cgagcgccgt	ggcgagtttg	cttacggcaa	16260
gcgcagccgt	tcgcgaccga	aggaagaggc	ggtgtccatc	ccgctggacc	acggcacaacc	16320
cacgcgcagc	ctcaagcccg	tgaccttgca	gcaggtgctg	ccgaccgcgg	cgccgcggcg	16380
ggggttcaag	gcgcgaggcg	aggatctgta	ccccaccatg	cagctgatgg	tgccccagcg	16440
ccagaagctg	gaagacgtgc	tggagaccat	gaaggtggac	ccggacgtgc	agcccagagt	16500
caaggtgcgg	cccataaagc	aggtggcccc	gggcctgggg	gtgcagaccg	tggaatcaaa	16560
gattcccacg	gagcccatgg	aaacgcagac	cgagcccatg	atcaagccca	gcaccagcac	16620
catggaggtg	cagacggatc	cctggatgcc	atcggtcctc	agtccaagac	cccggcgcaa	16680
gtacggcgcg	gccagcctgc	tgatgcccga	ctacgcgctg	catccttcca	tcacccccac	16740
gcggggctac	cgccggcacgc	gcttctaccg	cggtcatacc	agcagccgcc	gcccgaagac	16800
caccactcgc	cgccgcgcgc	gcgcacccgc	cgctgcaacc	acccttgccc	ccctggtgcg	16860
gagagtgtac	cgccgcgggc	gcgcacccct	gaccctggcg	cgccgcgcgt	accaccggag	16920
catcgccatt	taactttctg	cctgctttgc	agatcaatgg	ccctcacatg	ccgcttctgc	16980
gttcccatta	cgggctaccg	aggaagaaaa	ccgcgcgcta	gaaggctggc	ggggaacggg	17040
atgcgtcgcc	accaccacgc	gcggcgggcg	gccatcagca	agcgggtggg	gggaggttcc	17100
ctgcccgcgc	tgatcccatc	catcgccgcg	gcgatcgggg	cgatccccgg	catgtcttcc	17160

-continued

gtggcggtgc	aggcctctca	gcgccactga	gacacacttg	gaaacatctt	gtaataaacc	17220
aatggactct	gacgctcctg	gtcctgtgat	gtgttttctg	agacagatgg	aagacatcaa	17280
tttttcgtcc	ctggctccgc	gacacggcac	gcggccgctt	atgggcacct	ggagcgacat	17340
cggcaccagc	caactgaacg	ggggcgccct	caattggagc	agtctctgga	gcgggcttaa	17400
gaatttcggg	tccacgctta	aaacctatgg	cagcaaggcg	tggaaacagc	ccacagggca	17460
ggcgctgagg	gataagctga	aagagcagaa	cttccagcag	aaggctggcg	atgggctcgc	17520
ctcgggcatc	aacgggggtg	tggacctggc	caaccaggcc	gtgcagcgcc	agatcaacag	17580
cgcctgggac	ccggtgcgcg	ccgccggctc	cgtggagatg	ccgcaggtgg	aggaggagct	17640
gcctccccctg	gacaagcggg	gcgagaagcg	accccgcctc	gatgcggagg	agacgctgct	17700
gacgcacacg	gacgagccgc	ccccgtacga	ggaggcgggtg	aaactgggtc	tgccccacc	17760
gcggcccatc	gcgccccctg	ccaccggggg	gctgaaaccc	gaaaagcccg	cgaccctgga	17820
cttgctcctc	ccccagcctt	ccgcgccctc	tacagtggct	aagccccctg	cgccggtggc	17880
cgtggcccg	gcgcgacccg	ggggcaccgc	ccgccctcat	gcgaactggc	agagcactct	17940
gaacagcatc	gtgggtctgg	gagtgacag	tgtagaagcg	cgccgctgct	attaaacct	18000
ccgtagcgct	taacttgctt	gtctgtgtgt	gtatgtatta	tgtcgccgc	gcccgtgtcc	18060
accagaagga	ggagtgaaga	ggcgcgctcg	cgagtgtcaa	gatggccacc	ccatcgatgc	18120
tgccccagtg	ggcgtaacatg	cacatcgccg	gacaggacgc	tccggagtac	ctgagtcctg	18180
gtctgggtga	gtttgcccgc	gccacagaca	cctacttcag	tctggggaac	aagtttagga	18240
acccacacgt	ggcgcccaacg	cacgatgtga	ccaccgaccg	cagccagcgg	ctgacgctgc	18300
gcttcgtgcc	ctgggacccg	gaggacaaca	cctactcgta	caaagtgcgc	tacacgctgg	18360
ccgtggggcga	caaccgcgtg	ctggacatgg	ccagcaccta	ctttgacatc	cgccgctgct	18420
tggtcggggg	ccctagcttc	aaacctact	ccggcaccgc	ctacaacagt	ctggccccc	18480
agggagcacc	caacacttgt	cagtggacat	ataaagccga	tggtgaaact	gccacagaaa	18540
aaacctatac	atatggaat	gcaccctgtg	agggcattaa	catcacaaaa	gatggatttc	18600
aaacttgaac	tgacaccgat	gatcagccaa	tctacgcaga	taaaacctat	cagcctgaac	18660
ctcaagtggg	tgatgtcgaa	tggcatgaca	tcaactggta	tgatgaaaag	tatggaggca	18720
gagctcttaa	gcctgatacc	aaaatgaagc	cttgttatgg	ttcttttgcc	aagcctacta	18780
ataaagaagg	aggtcaggca	aatgtgaaaa	caggaaacag	cactactaaa	gaatatgaca	18840
tagacatggc	ttcttttgac	aacagaagtg	cggtctgtgc	tggcctagct	ccagaaattg	18900
ttttgtatac	tgaaaatgtg	gttttgaaaa	ctccagatag	ccatattgta	tacaaagcag	18960
gcacagatga	cagcagctct	tctattaatt	tgggtcagca	agccatgccc	aacagacct	19020
actacattgg	tttcagagac	aaactttatg	ggctcatgta	ctacaacagc	actggcaata	19080
tgggggtgct	ggccggtcag	gcttctcagc	tgaatgctgt	gggtgacttg	caagacagaa	19140
acaccgagct	gtcctaccag	ctcttctgtg	actctctggg	tgacagaaac	cggtatttca	19200
gtatgtgaa	tcaggcggtg	gacagctatg	atcctgatgt	gcgcattatt	gaaaaatcatg	19260
gtgtggaggga	tgaactctcc	aaactattgt	tccctctgga	tgcgtgtggc	agaacagata	19320
cttatcaggg	aattaaggct	atggaaactg	atcaaacacc	atggacaaaa	gatgacagtg	19380
tcaatgatgc	taatgagata	ggcaagggtg	atccattcgc	catggaaatc	aacatccaag	19440
ccaacctgtg	gaggaaactc	ctctacgcc	acgtggccct	gtacctgccc	gactcttaca	19500
agtacacgcc	ggccaatgtt	accctgccca	ccaacaccaa	cacctacgat	tacatgaacg	19560
gcgggggtgt	ggcgccctcg	ctgggtggact	cctacatcaa	catcgggggg	cgctggctgc	19620
tggatcccat	ggacaacgtg	aaaccttcca	accaccaccg	caatgcgggg	ctgcgctacc	19680
gctccatgct	gctgggcaac	ggcgcgctacg	tgcccttcca	catccagggtg	ccccagaaat	19740
ttttcgccat	caagagcctc	ctgctcctgc	ccgggtccta	cacctacgag	tggaaacttc	19800
gcaaggagct	caacatgatc	ctgcagagct	ccctcgccaa	cgacctgcgc	acggacgggg	19860
cctccatctc	cttcaccagc	atcaacctct	acgccacctt	cttccccatg	gcgcacaa	19920
cggcctccac	gctcgaggcc	atgctgcgca	acgacaccaa	cgaccagttc	ttcaacgact	19980
acctctcggc	ggccaacatg	ctctacccca	tcccgcccaa	cgccaccaac	gtgcccactc	20040
ccatccccct	gcgcaactgg	gccgccttcc	gcggctgggtc	cttcacgcgt	ctcaagacca	20100
aggagacgcc	ctcgtcggtg	tcgggggttcg	accctactt	cgtctactcg	ggctccatcc	20160
cctacctcga	cggcaccttc	taactcaacc	acacctcaa	gaagggtctc	atcaccttcg	20220
actcctcgtg	cagctggccc	ggcaacgacc	ggctcctgac	gcccaacgag	ttcgaaatca	20280
agcgcaccgt	cgcggcgag	ggctacaacg	tggcccagtg	caacatgacc	aaggactggg	20340
tcttggtcca	gatgctggcc	cactacaaca	tcggctacca	gggcttctac	gtgcccaggg	20400
gctacaagga	cgcgatgtac	tcttcttccc	gcaacttcca	gcccagtgag	cgccaggtgg	20460
tggacgaggt	caactacaag	gactaccagg	ccgtcaccct	ggcctaccag	cacaacaact	20520
cgggctctgt	cggctacctc	gcgcccacca	tgcgccaggg	ccagccctac	cccgcaca	20580
acccctaccg	gctctcggc	aagagcgccg	tcaccagcgt	caccagaaaa	aagttcctct	20640
gcgacagggt	catgtggcgc	atccccctct	ccagcaactt	catgtccatg	ggcgcgctca	20700
ccgacctcgg	ccagaacatg	ctctatgcca	actccgccca	cgcgctagac	atgaatttgc	20760
aaagtgcacc	catggatgag	tcacaccttc	tctatgttgt	cttcgaagtc	ttcgacgtcg	20820
tccgagtcca	ccagccccac	cgcggcgctca	tcgaggccgt	ctacctgcgc	acccccctct	20880
cggccggtaa	cgccaccacc	taagctcttg	cttcttgcaa	gccatggccg	cgggctccgg	20940
cgagcaggag	ctcagggccca	tcatcccgga	cctgggctgc	gggcccact	tcttgggcac	21000
cttcgataag	cgtctccggg	gattcatggc	ccgcacaaag	ctggcctgcg	ccatcgtcaa	21060
cacggccggc	cgcgagaccg	ggggcgagca	ctggctggcc	ttcgccctgga	acccgcgctc	21120
gaacacctgc	tacctcttcg	accccttcgg	gttctcggac	gagcgctcca	agcagatcta	21180
ccagttcgag	tacgagggcc	tgctcgccg	cagcgccctg	gccaccgagg	accgctcgct	21240
cacctgggaa	aagtcacacc	agaccgtgca	gggtccgcgc	tcggcccgct	gcgggctctt	21300
ctgctgcatg	ttcttgcaag	ccttcgtgca	ctggcccgac	cgccccatgg	acaagaaccc	21360
caccatgaac	ttgctgacgg	gggtgccccaa	cggcatgctc	cagtcgcccc	aggtggaacc	21420
cacctcgccg	cgcacaccag	aggcgctcta	ccgcttcttc	aaactcccact	ccgctacttt	21480
tcgctccca	cgcgcgcgca	tcgagaaggc	caccgccttc	gaccgcatga	atcaagacat	21540
gtaaaccgtg	tgtgtatgtt	aaatgtcttt	aataaacagc	actttctatg	tacacatgca	21600
ctgagatga	tttatttga	aatcgaaagg	gttctgcccg	gtctcgccat	ggcccgccgg	21660
cagggacacg	ttgcggaact	ggtacttggc	cagccacttg	aactcgggga	tcagcagttt	21720

-continued

gggcagcggg	gtgtcgggga	aggagtccgt	ccacagcttc	cgcgtcagtt	gcagggcgcc	21780
cagcaggtcg	ggcgcggaga	tcttgaaatc	gcagttggga	cccgcgttct	gcgcgcggga	21840
gttgcggtac	acgggggttc	agcactggaa	caccatcagg	gccgggtgct	tcacgcctcg	21900
cagcaccgtc	gcgtcgggtg	tgtctccac	gtcagaggtc	tcggcgttgg	ccatcccgaa	21960
gggggtcatc	ttgcaggtct	gccttcccat	ggtgggcacg	caaccgggct	tgtggttgca	22020
atcgagtcg	agggggatca	gcatactctg	ggcctgggtc	gcgttcatcc	ccgggtacat	22080
ggccttcag	aaagcctcca	attgctgaa	cgctgctgg	gccttggctc	cctcggtgaa	22140
gaagaccccg	caggacttgc	tagaagactg	gttgggtggc	caaccggcgt	cgtgcacgca	22200
gcagcgcgcg	tcgttgttgg	ccagctgcac	cacgcgtcgc	cccagcgggt	tctgggtgat	22260
cttgcccg	tcgggggttc	ccttcagcgc	gcgtgcgcg	ttctcgtctg	ccacatccat	22320
ctcgatcatg	tgtccttctt	ggatcatggt	ggtcccgctg	aggcaccgca	gcttgccctc	22380
ggcctcgggtg	caaccgtgca	gccacagcgc	gcacccgggtg	cactcccggt	tcttgtgggc	22440
gatctgggaa	tgcgcgtgca	ggaagccctg	caggaagcgc	cccatcatgg	tggtcagggt	22500
cttgttgcta	gtgaagtgca	gcggaatgcc	gcggtgctcc	tcgttgatgt	acagggtggca	22560
gatgcggcgg	tacacctcgc	cctgctcggg	catcagctgg	aagttggctt	tcagggtcgt	22620
ctccacgcgg	tacgggtcca	tcagcatagt	catgatttcc	atacccttct	cccaggccga	22680
gacgatgggc	aggctcatag	ggttcttcc	catcatctta	gcgctagcag	ccgcggccag	22740
gggggtcgctc	tcgtccaggg	tctcaaagct	ccgcttgccg	tccttctcgg	tgatccgcac	22800
cggggggtag	ctgaagccca	ggccgccag	ctcctcctcg	gcctgtcttt	cgtcctcgct	22860
gcctcggctg	acgtcctgca	ggaccacatg	cttggctctt	cgggggttct	tcttggggcg	22920
cagcggcggc	ggagatgttg	gagatggcga	gggggagcgc	gagttctcgc	tcaccactac	22980
tatctcttcc	tcttcttgg	ccgagccac	gcggcggtag	gtatgtctct	tcggggcgag	23040
aggcggaggc	gacgggctct	cgccgcgcgc	acttggcgga	tggctggcag	agcccttctc	23100
gcgttcgggg	gtgcgctccc	ggcggcgctc	tgaactgact	cctccgcggc	cggccattgt	23160
gcttctctag	ggaggaacaa	caagcatgga	gactcagcca	tcgccaacct	cgcctatcgc	23220
ccccaccgcc	cagcagagca	agcagcagca	gaatgaaagc	ttaaccgccc	cgcccccag	23280
ccccgccacc	tcgcagcggg	ccgtcccgga	catgcaagag	atggaggaa	ccatcgagat	23340
tgaactgggc	tatgtgacgc	cgcggagca	cgaggaggag	ctggcagtcg	gcttttcaca	23400
agaagagata	caccaagaac	agccagagca	ggaagcagag	aatgagcaga	gtcaggcttg	23460
gctcgagcat	gacggcgact	acctccacct	gagcgggggg	gaggacgcgc	tcataagca	23520
tctggcccg	caggccacca	tgcctaaaga	tgcgctgctc	gaccgcaccg	aggtgcccc	23580
cagcgtggag	gagctcagcc	gcgcctacga	gttgaacctc	ttctcgcgcg	gcgtgcccc	23640
caagcgccag	cccaatggca	cctgcgagcc	caaccgcgcg	ctcaacttct	accgggtctt	23700
cgcgggtgcc	gaggccctgg	ccacttacca	catcttttct	aagaacccaa	agatccccgt	23760
ctcctgcgcg	gccaaaccgca	ccgcgcgcga	cgcccttttc	aacctgggtc	ccggcgcccg	23820
cctacctgat	atcgccctct	tggaaagagt	tcaccaagatc	ttcgagggtc	tgggcagcga	23880
cgagactcgg	gccgcgaacg	ctctgcaagg	agaaggagga	gagcatgagc	accacagcgc	23940
cctgggtcag	ttggaaggcg	acaacgcgcg	gctggcgggtg	ctcaaacgca	cggctcagct	24000
gacccatttc	gcctaccggg	ccttgaacct	gccccccaaa	gtcatgagcg	cggctcatgga	24060
ccaggtgctc	atcaagcgcg	ctcgcgccat	ctccgaggac	gagggcagtc	aagatccga	24120
ggaggggcaag	cccgttggtca	gcgacagagca	gctggcccg	tggctgggtc	ctaagtctag	24180
tcccagagtg	ttggaagagc	ggcgcaaaact	catgatggcc	gtggtcctgg	tgaccgtgga	24240
gctggagtg	ctgcgcgcgt	tcttcgccga	cgcggagacc	ctgcgcaagg	tcgaggagaa	24300
cctgcactac	ctcttcaggc	acgggttctg	gcgcccaggc	tgcaagatct	ccaactgga	24360
gctgaccaac	ctgtgtctct	acatgggcat	cttgacagag	aaccgcctgg	ggcagaacct	24420
gctgcacacc	acctgcgcgc	gggaggcccg	gcgcgactac	atccgcgact	gcgtctacct	24480
ctacctctgc	cacacctggc	agacgggcat	gggctgtgtg	cagcagtgct	tggaggagca	24540
gaacctgaaa	gagctctgca	agctcctgca	gaagaacctc	aagggtctgt	ggaccggggt	24600
cgacgagcgc	accacgcctc	cggacctggc	cgacctattt	ttccccgagc	gcctcaggct	24660
gcgcgtgcgc	aacggcctgc	cgacttttat	gagccaaaagc	atgttgcaaa	actttcgctc	24720
tttcatctct	gaacgctcgc	gaatcctgct	cgccacctgc	tcgcgcgtgc	cctcggactt	24780
cgtgcccgtg	accttcgcgc	agtgcccccc	gcgcgtgtgg	agccactgct	acctgctgcg	24840
cctggccaac	tacctggcct	accactcgga	cgtgatcgag	gacgtcagcg	gcgagggcct	24900
gctcgagtg	cactgcgcgt	gcaacctctg	cacgcgcgac	cgctccctgg	cctgcaacct	24960
ccagctgctg	agcgagaccc	agatcatcgg	caccttcgag	tgcaaggggc	ccagcgaagg	25020
cgagggttca	gccgccaaag	gggggtctgaa	actcaccgcc	gggctgtgga	cctcgcccta	25080
cttgcgcaag	ttcgtgcgcg	aggactacca	tcccttcgag	atcagggtct	acgaggacca	25140
atcccatccg	cccaaggccg	agctgtcgcc	ctgcgtcatc	accagggggg	cgatcctggc	25200
ccaattgcaa	gccatccaga	aatcccgcca	agaattcttg	ctgaaaaagg	gcgcgggggt	25260
ctacctcgac	ccccagaccg	gtgaggagct	caaccccggc	ttccccagg	atgccccgag	25320
gaaaacaagaa	gctgaaagtg	gagctgcgcg	ccgtggagga	tttggaggaa	gactgggaga	25380
acagcagtc	ggcagaggag	gaggagatgg	aggaagactg	ggacagcact	caggcagagg	25440
aggacagcct	gcaagacagt	ctggagggaag	acgaggagga	ggcagaggag	gaggtggaag	25500
aagcagccgc	cgccagaccg	tcgtctcgg	cggggggaaa	agcaagcagc	acggatacca	25560
tctccgctcc	gggtcggggt	cccgcctcg	cacacagtag	atgggacgag	accggacgat	25620
tcccgaaccc	caccacccag	accggttaaga	aggagcggca	gggatacaag	tcttgccggg	25680
ggcacaaaaa	cgccatcgct	tctgtcttgc	aggcctgcgc	gggcaacatc	tccttcaccc	25740
ggcgtacctc	gccttctcac	cgcgggggtga	actttccccg	caacatcttg	cattactacc	25800
gtcacctcca	cagcccttac	tacttccaag	aagaggcagc	agcagcagaa	aaagaccagc	25860
agaaaaccag	cagctagaaa	atccacagcg	gcggcagcag	gtggactgag	gatcgccggc	25920
aacgagccgg	cgcaaacccg	ggagctgagg	aaccggatct	ttcccacctc	ctatgccatc	25980
ttccagcaga	gtcgggggca	ggagcaggaa	ctgaaaagtc	agaaccgttc	tctgcgctcg	26040
ctcaccgccg	gttgtctgta	tcacaagagc	gaagaccaac	ttcagcgcac	tctcgaggac	26100
gcccagggctc	tcttcaacaa	gtactgcgcg	ctcactctta	aagagttagc	cgccgccgccc	26160
cagtgcgaga	aaaaggcggg	aattacgtca	cctgtgcctc	tcgcccagc	cgctccacc	26220
catcatcatg	agcaaaagaga	ttcccacgcc	ttacatgtgg	agctaccagc	cccagatggg	26280

-continued

cctggcgcgc	gggtgcgcgc	aggactactc	cacccgcgatg	aattgggtca	gcgcggggcc	26340
cgcgatgac	tcacgggtga	atgacatccg	cgcccaccga	aaccagatac	tcctagaaca	26400
gtcagcgctc	accgccacgc	cccgcaatca	cctcaatccg	cgtaattggc	ccgcgccctc	26460
gggtgtaccg	gaaattcccc	agcccacgac	cgtactactt	ccgcgagacg	cccaggccga	26520
agtcacagctg	actaacctag	gtgtccagct	ggcggggcgc	gccacctgt	gtcgtcaccg	26580
ccccgctcag	gggtataaagc	gggtgggtgat	ccggggcaga	ggcacacagc	tcaacgacga	26640
gggtggtagc	tcttcgctgg	gtctgcgacc	tgacggagtc	ttccaactcg	ccggatcggg	26700
gagatcttcc	ttcacgcctc	gtcaggccgt	cctgaacttg	gagagttcgt	cctcgcagcc	26760
ccgctcgggt	ggcatcgcca	ctctccagtt	cgtggaggag	ttcactccct	cggtctactt	26820
caaccccttc	tccggctccc	cggccacta	cccgacgag	ttcatcccg	acttcgacgc	26880
catcagcgag	tcggtggagc	gctacgattg	aatgtcccat	gggtggcgag	ctgacctagc	26940
tcggcttcga	caacctggacc	actgccgcgc	cttcgcgtgc	ttcgctcggg	atctcgcga	27000
gtttgcttac	tttgagctgc	ccgaggagca	ccctcagggc	ccggcccacg	gagtgcggat	27060
cgtcgtcgaa	gggggctcgc	actcccacct	gcttcggatc	ttcagccagc	gtccgacct	27120
ggtcgagcgc	gagcaaggac	agacccttct	gactctgtac	tgactctgca	accaccccgc	27180
cctgcacgaa	agtccttgtt	gtctgctgtg	tactgagtat	aataaaagct	gagatcagcg	27240
actactccgg	acttcctgtg	gttctcgaat	ccatcaacca	gtctttgttc	ttcacggga	27300
acgagaccga	gctccagctc	cagtgttaagc	cccacaagaa	gtacctcacc	tggtctgtcc	27360
agggctcccc	gactcgcgtt	gtcaaccact	gcgacaacga	cggagtcctg	ctgagcggcc	27420
ctgccaaact	tacttttttc	acccgcagaa	gcaagctcca	gctcttccaa	cccttctctc	27480
ccgggacctc	tcagtgctgc	tcgggacctc	gccatcacac	cttccacctg	atcccgaata	27540
ccacagcgtc	gtccccgcgt	actaaacacc	aaactaacct	ccaccaacgc	cacgctcgcg	27600
acggccacaa	tacatgccca	tattagacta	tgaggccgag	ccacagcgac	ccatgctccc	27660
cgctattagt	tacttcaatc	taaccggcgc	agatgactga	cccactggcc	aacaacacgc	27720
tcaacgacct	tctcctggac	atggacggcc	gcgcctcgga	gcagcgactc	gcccacttcc	27780
gcattcgcca	gcagcaggag	agagcgtgca	aggagctgca	ggatgcgggtg	gccatccacc	27840
agtgcgaag	aggcatcttc	tgctcgtgga	aacaggccaa	gatctctac	gaggtcactc	27900
caaacgacca	tcgcctcttc	tacgagctcc	tgacgcagcg	ccagaagtcc	acctgcctgg	27960
tcggagtcaa	ccccactcgc	atcacccagc	agtctggcga	taccaagggg	tgcatccact	28020
gctcctcgca	ctccccgcac	tcggtccaca	ctctgatcaa	gacctctgc	ggcctccgcg	28080
acctctctcc	catgaactaa	tcaccccttt	atccagtga	ataaagatca	tattgatgat	28140
gattttacag	aaataaaaaa	taatcatttg	atttgaaata	aagatacaat	catattgatg	28200
atttgagttt	aacaaaaaaa	taagaatca	cttacttgaa	atctgatacc	aggtctctgt	28260
ccatgttttc	tgccaacacc	acttactctc	cctcttccca	gctctggtac	tgacggcccc	28320
ggcgggctgc	aaacttcctc	cacacgctga	aggggatgtc	aaattcctcc	tgctccctca	28380
tcttcatttt	atctctctac	agatgtccaa	aaagcgcgtc	cggttggtatg	atgacttcga	28440
ccccgtctac	ccctacgatg	cagacaacgc	accgacccgtg	ccctctcatc	acccccctt	28500
cgtctcttca	gatggatttc	aagagaagcc	cctgggggtg	ttgtccctgc	gactggccga	28560
ccccgtcacc	accaagaacg	gggaatcac	cctcaagctg	ggagaggggg	tggaacctga	28620
ttcctcgga	aaactctatc	ccaacacgcg	caccaaggcc	gcccgcctcc	tcagtttttc	28680
caacaacacc	atttccctta	acatggatca	ccccctttac	actaaagatg	gaaaattatc	28740
cttacaagtt	tctccacct	taaatatact	gagaacaagc	attctaaca	cactagcttt	28800
aggttttga	taaggttttag	gaactcgtgg	ctctgccttg	gcagtacagt	tagtctctcc	28860
acttacattt	gatactgatg	gaacataaaa	gcttacctta	gacagaggtt	tgcatgttac	28920
aacaggagat	gcaattgaaa	gcaacataag	ctgggctaaa	gggttataat	ttgaagatgg	28980
agccatagca	accaacatg	gaaatgggtt	agagtttga	agcagtagta	cagaaacagg	29040
tggtgatgat	gcttacccaa	tccaagttaa	acttggtatc	ggccttagct	ttgacagtac	29100
aggagccata	atggctggta	acaagaaga	cgataaaact	actttgtgga	caacacctga	29160
tcacatcaca	aactgtcaaa	taactcgaga	aaatgatgca	aaactaacac	tttgtgtgac	29220
taaatgtggt	agtcacaaat	tgccactgt	gtcagttcta	gttgtaggaa	gtggaacct	29280
aaacccctat	actggcaccg	taagcagtcg	tcaggtgttt	ctacgttttg	atgcaaacgg	29340
tggtctttta	acagaacatt	ctacactaaa	aaaatactgg	gggtataggg	agggagatag	29400
catagatggc	actccatata	ccaatgctgt	aggattcatg	cccaatttaa	aagcttatcc	29460
aaagtccaaa	agttctacta	ctaaaaataa	tatagttagg	caagtataca	tgaatggaga	29520
tgtttcacaaa	cctatgcttc	tcactataac	cctcaatgg	actgatgaca	gcaacagtac	29580
atattcaatg	tcattttcat	acacctggac	taatggaagc	tatgttgagg	caacatttgg	29640
ggctaactct	tataccttct	catacatcgc	ccaagaatga	acactgtatc	ccacctgca	29700
tgccaaacct	tcccacccca	ctctgtgga	caaactctga	aacacaaaat	aaaataaagt	29760
tcaagtgttt	tattgattca	acagttttac	aggattcgag	cagttatttt	tcctccaccc	29820
tcccaggaca	tggaatacac	cacctctctc	ccccgcacag	ccttgaacat	ctgaatgcca	29880
ttgggtgatgg	acatgctttt	ggtctccacg	ttccacacag	tttcagagcg	agccagttct	29940
gggtcggtca	gggagatgaa	accctccggg	cactcccgca	ctctgcacct	acagctcaac	30000
agctgaggat	tgtcctcggt	ggtcgggatc	acgggttatc	ggaagaagca	gaagagcggc	30060
ggtgggaatc	atagtcgcgc	aacgggatcg	gcccgtgggtg	tcgcacacgg	ccccgcagca	30120
gtcgtcgccg	ccgcgcctcc	gtcaagctgc	tgctcagggg	gtccgggtcc	agggactccc	30180
tcagcatgat	gcccacgggc	ctcagcatca	gtcgtctggt	gcggcggggc	cagcagcgca	30240
tgccgatctc	gctcaggctg	ctgcagtagc	tgcaacacag	aaccaccagg	ttgttcaaca	30300
gtccatagtt	caacacgctc	cagccgaaac	tcctcgcggg	aaggatgcta	cccacgtggc	30360
cgtcgtacca	gatcctcagg	taaatcaagt	ggtgccccct	ccagaacacg	ctgcccacgt	30420
acatgatctc	cttgggcatg	tgccggttca	ccacctcccg	gtaccacatc	accctctggt	30480
tgaaacatga	gcccgggatg	atcctgcgga	accacagggc	cagcacccgc	ccgcccggca	30540
tcagcgcaag	agaccccggg	tcccggcaat	ggcaatggag	gacccacgcg	tcgtacccgt	30600
ggatcatctg	ggagctgaac	aagtctatgt	tgccacacga	caggcatatg	ctcatgcac	30660
tcttcagcac	tctcaactcc	tcgggggtca	aaaccatata	ccagggcacg	gggaactctt	30720
gcaggacagc	gaaccccgcg	gaacagggca	atcctcgcac	agaacttaca	ttgtgcattg	30780
acagggtatc	gcaatcaggc	agcaccgggt	gatcctccac	cagagaagcg	cgggtctcgg	30840

-continued

tctctcaca	gcgtggtaag	ggggccggcc	gatacgggtg	atggcgggac	gcggctgate	30900
gtgttcgcga	ccgtgtcatg	atgcagttgc	tttcgggacat	tttcgtactt	gctgtagcag	30960
aacctgggtcc	gggcgctgca	caccgatcgc	cggcgccggt	ctcgcgcgtt	ggaacgctcg	31020
gtgttgaaat	tgtaaaacag	ccactctctc	agaccgtgca	gcagatctag	ggcctcagga	31080
gtgatgaaga	tcctcatcatg	cctgatggct	ctgatccacat	cgaccacggt	ggaatgggccc	31140
agacccgacc	agatgatgca	attttgttgg	gtttcgggtga	cggcggggga	gggaagaaca	31200
ggaagaacca	tgattaactt	ttaatccaaa	cggctcggga	gtacttcaaa	atgaagatcg	31260
cggagatggc	acctctcgcc	cccgtgtgt	tgggtgaaaa	taacagccag	gtcaaagggtg	31320
atacggttct	cgagatgttc	cacgggtggct	tccagcaaaag	cctccacgcg	cacatccaga	31380
aacaagacaa	tagcgaaagc	gggagggttc	tctaattcct	caatcatcat	gttacactcc	31440
tgaccatcc	ccagataaatt	ttcatttttc	cagccttgaa	tgattcgaac	tagttcgtga	31500
ggtaaatcca	agccagccat	gataaagagc	tcgcgcagag	cgccctccac	cggcatttctt	31560
aagcacaccc	tcataatttc	aagatattct	gctcctggtt	cacctgcagc	agattgacaa	31620
gcggaatatac	aaaatctctg	cccgcatccc	tgagctcctc	cctcagcaat	aactgtaagt	31680
actctttcat	atctctctcg	aaatttttag	ccataggacc	accaggaata	agattagggc	31740
aagccacagt	acagataaac	cgaagtccct	cccagtgcgc	attgccaaat	gcaagactgc	31800
tataagcatg	ctggctagac	ccgggtgatat	cttccagata	actggacaga	aaatcgccca	31860
ggcaattttt	aagaaaatca	acaaaagaaa	aatcctccag	gtggacgttt	agagcctcgg	31920
gaacaacgat	gaagtaaatg	caagcgggtg	gttccagcat	ggtagtttag	ctgatctgta	31980
gaaaaaacaa	aaatgaacat	taaacatgc	tagcctggcg	aacaggtggg	taaatcggtc	32040
tctccagcac	caggcaggcc	acggggtctc	cggcgcgacc	ctcgtaaaaa	ttgtcgctat	32100
gattgaaaaac	catcacagag	agacgttccc	ggtggccggc	gtgaatgatt	cgacaagatg	32160
aatacacccc	cggaaacttg	gcgtcccgca	gtgaaaaaaa	gcgcccagg	aagcaataag	32220
gcactacaat	gctcagctc	aagtcagca	aagcgatgcc	atgcgtagta	agcacaataa	32280
tctcaggtgc	gtacaaaatg	taattactcc	cctcctgcac	aggcagcaaa	gcccccgatc	32340
cctccaggta	cacatacaaa	gcctcagcgt	ccatagctta	cagagcagca	gcacacaaca	32400
ggcgcaagag	tcagagaaag	gctgagctct	aacctgtcca	cccgtctctc	gctcaatata	32460
tagccccgat	ctacactgac	gtaaaaggcca	aagtctaaaa	ataccgcgca	aataatcaca	32520
cacgcccagc	acacgcccag	aaaccgggtg	cacactcaaa	aaaatacggc	cacttctctca	32580
aacgcccaca	actgcccgtc	ttccgggtt	cccacgtac	gtcatcaaaa	cacgactttc	32640
aaattccgtc	gaccgttaaa	aacgtcaccc	gccccgcccc	taacggtcgc	ccgtctctca	32700
gccaatcagc	gccccgcac	cccaaatcca	aacacctcat	ttgcatatta	acgcgcacaa	32760
aaagtttgag	gtatattatt	gatgatgg				32788

SEQ ID NO: 13 moltype = DNA length = 30684
FEATURE Location/Qualifiers
misc_feature 1..30684
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..30684
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 13

ccatcttcaa	taataatcct	caaacttttt	gtgcgcgtta	atatgcaaat	gaggcgtttg	60
aatttgggga	ggaagggcgg	tgattggtcg	agggatgagc	gaccgttagg	ggcggggcga	120
gtgacgtttt	gtgacgtggg	ttgcgaggag	gagccagttt	gcaagttctc	gtgggaaaag	180
tgacgtcaaa	cgagggtgtg	tttgaacacg	gaaatactca	attttcccg	gctctctgac	240
aggaatagag	gtgtttctgg	gcggatgcaa	gtgaaaacgg	gccattttcg	cgcgaaaact	300
gaatgaggaa	gtgaaaatct	gagtaatttc	gcgtttatgg	caggaggagg	tatttgccga	360
gggcccagta	gactttgacc	gattacgtgg	gggtttcgat	taccgtgttt	ttcacctaaa	420
tttccgcgta	cggtgtcaaa	gtccggtgtt	tttactgagg	tgctcagctg	tcgccagggt	480
atttaaacct	cgcctctcca	gtcaagagcc	cactcttgag	tgccagcgag	aagagttttc	540
tcctccgcgc	gcgagtcag	atctacactt	tgaaagtagg	gataaacagg	taatgacatt	600
gattattgac	tagttgttaa	tagtaatcaa	ttacggggtc	attagttcat	agcccatata	660
tggagttccg	cgttacataa	cttacggtaa	atggcccgc	tggctgacgc	cccaacgacc	720
ccgcccattt	gacgtcaata	atgacgtatg	ttcccatagt	aacgccaata	gggactttcc	780
attgacgtca	atgggtggag	tatttacggg	aaactgccca	cttggcagta	catcaaggtg	840
atcatatgcc	aagtcggccc	cctattgacg	tcaatgacgg	taaatggccc	gcttggcatt	900
atgcccgata	catgacctta	cgggactttc	ctacttgcca	gtacatctac	gtattagtca	960
tcgctattac	catggtgatg	cggttttggc	agtacaccaa	tgggcgtgga	tagcgggttg	1020
actcacgggg	atttccaaat	ctccacccca	ttgacgtcaa	tgggagtttg	ttttgcaacc	1080
aaaatcaacg	ggactttcca	aaatgtcgta	ataaccccgc	cccgttgacg	caaatgggcg	1140
gtaggcgtgt	acggtgggag	gtctatataa	gcagagctcg	tttagtgaa	cgtcagatcg	1200
cctggaacgc	catccacgct	gttttgacct	ccatagaaga	cagcgatcgc	gccaccatgg	1260
tgagcaaggg	cgaggagctg	ttcaccgggg	tgggtcccat	cctggtcgag	ctggacggcg	1320
acgtaaacgg	ccacaagtct	agcgtgtccg	gcgaggggcg	ggcgatgcc	acctacggca	1380
agctgacctc	gaagttcatc	tgaccaccgc	gcaagctgcc	cgtgccctgg	cccaccctcg	1440
tgaccacctc	gacctacggc	gtgcagtgct	tcagccgcta	ccccgaccac	atgaagcagc	1500
acgacttctt	caagtccgcc	atgcccgagg	gctacgtcca	ggagcgcacc	atcttcttca	1560
aggacgacgg	caactacaag	accgcggcgg	agggtgaagt	cgagggcgac	accctgggtg	1620
accgcatcga	gctgaagggc	atcgacttca	aggaggacgg	caacatcctg	gggcacaaag	1680
tggagtacaa	ctacaacagc	cacaacgtct	atatcatggc	cgacaagcag	aagaacggca	1740
tcaaggtgaa	cttcaagatc	cgccacaaca	tcgaggacgg	cagcgtgcag	ctcgcgcacc	1800
actaccagca	gaacaccccc	atcgccgacg	gccccgtgct	gctgcccgcg	aaccactacc	1860
tgagcaccca	gtccgcctcg	agcaaaagac	ccaacgagaa	gcgcgatcac	atggtcctgc	1920
tggagttcgt	gaccgcggcc	gggatcactc	tcggcatgga	cgagctttac	aagtagtgag	1980

-continued

tttaaaactcc	cattttaaatg	tgagggttaa	tgettccagc	agacatgata	agatacattg	2040
atgagtttgg	acaaaccaca	actagaatgc	agtgaaaaa	atgctttatt	tgtgaaattt	2100
gtgatgctat	tgtcttattt	gtaaccatta	taagctgcaa	taaacaagtt	aacaacaaca	2160
attgcattca	ttttatgttt	caggttcagg	gggagatgtg	ggaggttttt	taaagcaagt	2220
aaaacctcta	caaatgtggt	aaaaaacta	taacggtcct	aaggtagcga	gtgagtagtg	2280
ttctggggcg	ggggaggacc	tgcatgaggg	ccagaataac	tgaaatctgt	gcttttctgt	2340
gtgttgacgc	agcatgagcg	gaagcggctc	ctttgagggg	ggggtattca	gcccttatct	2400
gacggggcgt	ctccctcctc	gggcgggagt	gcgtcagaat	gtgatgggat	ccacggtgga	2460
cggccggccc	gtgcagcccg	cgaactcttc	aaacctgacc	tatgcaaccc	tgagctcttc	2520
gtcgttgga	gcagctgccc	ccgcagctgc	tgcactctgc	gccagcgccc	tgcccggaat	2580
ggccatgggc	gccggctact	acggcactct	ggtggccaac	tcgagttcca	ccaataatcc	2640
cggcagcctg	aacgaggaga	agctgttgct	gctgatggcc	cagctcgagg	ccttgaccca	2700
gcgcctgggc	gagctgacc	agcaggtggc	tcagctgcag	gagcagacgc	gggcccgggt	2760
tgccacggtg	aaatccaaat	aaaaaatgaa	tcaataaata	aacggagacg	gttgttgatt	2820
ttaacacaga	gtctgaatct	ttatttgatt	tttcgcgcgc	ggtagggccc	ggaccaccgg	2880
tctcgatcat	tgagcaccgc	gtggatcttt	tccaggaccc	ggtagaggtg	ggcttggaatg	2940
ttgagggtaca	tgggcatgag	cccgctcccg	gggtggaggt	agctccattg	cagggccctcg	3000
tgctcggggg	tggtgtgtga	aatcacccag	tcatagcagg	ggcgacgggc	atggtgttgc	3060
acaatatctt	tgaggaggag	actgatggcc	acgggcagcc	ctttggtgta	ggtgtttaca	3120
aatctgttga	gctgggaggg	atgcctgccc	ggggagatga	gggtgcattt	ggcctggatc	3180
ttgagatttg	cgatgttacc	gcccgatccc	cgcctggggg	tcattgttgtg	caggaccacc	3240
agcaggtgtg	atccggtgca	cttggggaaat	ttatcatgca	acttggaaag	gaaggcgtga	3300
aagaatttgg	cgacgccttt	gtgcccgcgc	agggtttcca	tgcaactcac	catgatgatg	3360
gcgatggggc	cgtgggcggc	ggcctggggc	aagacgtttc	gggggtcgga	cacatcatag	3420
ttgtggtctc	gggtgaggtc	atcataggcc	attttaatga	atttggggcg	gaggggtgcc	3480
gactggggga	caaaaggtacc	ctcgatcccg	ggggcgtagt	ttccctcaca	gatctgcac	3540
ttccaggctt	tgagctcgga	gggggggatc	atgtccacct	gcggggcgat	aaagaacacg	3600
gtttccgggg	tgggggagat	gagctggggc	gaaagcaagt	tcgggagcag	ctgggacttg	3660
ccgcagccgg	cggggcggta	gatgaccccg	atgacccggc	gcagggtgga	gttgagggag	3720
agacagctgc	cgtcctcccg	gaggaggggg	gccacctcgt	tcacatcttc	gcgcacgtgc	3780
atgttctcgc	gcaccagttc	cgccaggagg	cgtctctccc	ccagggatag	gagctctcgg	3840
agcagggcga	agtttttcag	ccgcttgagt	ccgtcgccca	tgggcatttt	ggagaggggt	3900
tgttcgaaga	gttccaggcg	gtcccagagc	tcgggtgatg	gctctacggc	atctcgatcc	3960
agcagacctc	ctcgtttcgc	gggttgggac	ggctgcggga	gtagggcacc	agacgatggg	4020
cgtccagcgc	agccagggtc	cggctccttc	agggtcgagc	cgtcccgctc	agggtgggtc	4080
ccgtcacggg	gaaggggtgc	gcgcggggct	ggggcgttgc	gaggggtcgc	ttcaggctca	4140
tcgggctggt	cgaaaaaccgc	ttccgatcgg	cgccctgcgc	gtccggccagg	tagcaattga	4200
ccatgagttc	gtagttaggc	gcctcggccg	cgtggccctt	ggcgccgagc	ttacctttgg	4260
aagtctgccc	gcaggcgggg	cagaggaggg	acttgagggc	gtagagcttg	ggggcgagga	4320
agacggactc	gggggctgag	gcgtccgcgc	cgcagtgggc	gcagacggtc	tcgcactcca	4380
cgagccaggt	gaggtcgggc	tggtcggggg	caaaaaccag	tttcccgccg	ttctttttga	4440
tgcgtttctt	acctttgggc	ttccatgagc	cgtgtccccc	ctgggtgaca	aagaggctgt	4500
ccgtgtcccc	gtagaccggc	tttatggggc	ggtcctcagc	cgggtgtccg	cggctcctct	4560
cgtagaggaa	ccccgccacc	ttccgagaca	aagcccgggg	ccaggccagc	acgaaggagg	4620
ccacgtggga	cggttagcgc	tcgtttgtcc	ccagcgggtc	caccttttcc	agggtatgca	4680
aaacacatgtc	cccctcgtcc	acatccagga	agggtgattg	cttgtaagtg	taggccacgt	4740
gaccgggggt	cccgccgggg	gggggtataa	agggtgcggg	ttcctgctcg	ttcctactgt	4800
cttcgggac	gctgtccagg	agccgcagct	gttggggtag	gtattccctc	tcgaaggcgg	4860
gcatgaacctc	gggactcagg	ttgtcagttt	ctagaaaacga	ggaggatttg	atattgcagg	4920
tgccggcgga	gatgcctttc	aagagccctc	cgtccatctg	gtcagaaaag	acgatctttt	4980
tggtgtcgag	cttgggtggc	aaggagccgt	agagggcggt	ggagaggagc	ttggcgatgg	5040
agcgcatggg	ctgggttttt	tccttgcggc	gcgcctcctt	ggcggcgagt	ttgagctgca	5100
cgtactcgcg	cgccacgcac	ttccattcgg	ggaagacggg	gggtcagctc	tcgggcacga	5160
ttctgacctg	ccagcccccga	ttatgcaggg	tgatgaggtc	cacactgggt	gccacctcgc	5220
cgcgcagggg	ctcattagtc	cagcagaggc	gtccgccttc	gcgcgagcag	aagggggggc	5280
gggggtccag	catgacctcg	tcgggggggt	cggcatcgat	gggtgaagatg	ccgggcagga	5340
ggtcggggtc	aaagttagctg	atggaagtgg	ccagatcgtc	cagggcagct	tgccattcgc	5400
gcacggccag	cgcgcctcgc	tagggactga	ggggcggtgc	ccagggcgatg	ggatgggtaa	5460
gcgcggaggc	gtacatgccc	cagatgtcgt	agacgtagag	gggtcctcgc	aggatgccga	5520
tgtaggtggg	gtagcagcgc	ccccgcggga	tgctggcgcg	cacgtagtca	tacagctcgt	5580
gcgagggggc	gaggagcccc	gggccaggtg	tggtgcgact	gggcttttcg	gcgcggtaga	5640
cgatctggcg	gaaaaatggca	tgcgagtttg	aggagatggg	gggccttttg	aagatgttga	5700
agtgggctgt	gggcagtcgc	accgagtcgc	ggatgaagtg	ggcgtaggag	ttctgcagct	5760
tggcgacgag	ctcggcggtg	actaggacgt	ccagagcgca	gtagtgcagg	gtctcctgga	5820
tgatgtcata	cttgagctgt	cccttttgtt	ttccacagctc	gcgggtgaga	aggaactcct	5880
cgcggtcctt	ccagtactct	tcgaggggga	accctgcctg	atctgcacgg	taagagccta	5940
gcattgtaga	ctgggttgacg	gccttgtagg	cgcagcagcc	cttctccacg	gggagggcgt	6000
aggcctgggc	ggccttgccg	agggaggtgt	gcgtgagggc	gaaagtgttc	ctgacctatga	6060
ccttgaggaa	ctggtgcttg	aagtcgatat	cgtcgcagcc	ccctgctccc	cagagctgga	6120
agtcgcgtcg	cttcttgtag	gcgggggttg	gcaaaagcgaa	agtaaacatcg	ttgaaggagga	6180
ttctgcccgc	gcggggcata	agtttgcgag	tgatgcggaa	agggtggggc	acctcgggccc	6240
ggttgttgat	gacctggggc	gcgagcacga	tctcgtcgaa	gccgttgatg	ttgtggccca	6300
cgatgtagag	ttccacgaat	cgcggacggc	ccttgacgtg	gggcagtttc	ttgagctcct	6360
cgtaggtgag	ctcgtcgggg	tcgctgagcc	cgtgctgctc	gagcgcccag	tcggcgagat	6420
gggggttggc	gcggaggaag	gaagtccaga	gatccacggc	caggggcggtt	tcgagacggg	6480
cccggtactg	acggaactgc	tgcccagcgg	ccattttttc	gggggtgacg	cagtagaagg	6540

-continued

tgcggggggtc	cccggtgccag	cgatcccatt	tgagctggag	ggcgagatcg	agggcgagct	6600
cgacgagccg	gtcgtccccc	gagagtttca	tgaccagcat	gaaggggacg	agctgcttgc	6660
cgaaggaccc	catccagggtg	taggtttcca	catcgtaggt	gaggaagagc	ctttcgggtgc	6720
gaggatgcga	gccgatgggg	aagaactgga	tctcctgcc	ccaattggag	gaatggctgt	6780
tgatgtgatg	gaagtagaaa	tgccgacggc	gcgccgaaca	ctcgtgcttg	tgtttataca	6840
agcggccaca	gtgctcgcaa	cgctgcacgg	gatgcacgtg	ctgcacagag	tgtacctgag	6900
ttcctttgac	gaggaatttc	agtggaagt	ggagtcgttg	cgctgcctgc	tcgtgctgta	6960
ctacgtcgtg	gtggtcgccc	tggccctctt	ctgctcgat	ggtggctatg	ctgacgagcc	7020
cgccggggag	gcaggtccag	acctcgccgc	gagcgggtcg	gagagcgagg	acgagggcgc	7080
gcaggccgga	gctgtccagg	gtcctgagac	gctgcggagt	caggtcagtg	ggcagcggcg	7140
gcgcgcggtt	gacttgcagg	agtttttcca	gggcgcggcg	gaggtccaga	tggtacttga	7200
tctccaccgc	gccattgggtg	gcgacgtcga	tggttgcag	ggtcccgctg	ccctgggggtg	7260
tgaccaccgt	cccccgtttc	ttcttggggc	gctggggcga	cgggggcggt	gcctcttcca	7320
tggttagaag	cggcgccgag	gacgcgcgcc	gggcggcagg	ggcggtcgg	ggcccgagg	7380
cagggggcgc	agggggcagc	cggcgccgcg	cgcgggtagg	ttctggtact	gcgccggag	7440
aagactggcg	tcgacgcaga	cgcgacggtt	gacgtcctgg	atctgacgcc	tctgggtgaa	7500
ggccacggga	cggctgagtt	tgaacctgaa	agagagtctg	acagaatcaa	tctcggtatc	7560
ggttagcggcg	gcttgcgcga	ggatctcttg	cacgtcgccc	gagttgtcct	ggtaggcgat	7620
ctcggtcctg	aactgtcaga	tctcctcttc	ttgaaggtct	cgcgggccgg	cgcgctccac	7680
ggtggcccgcg	aggtcgttgg	agatgcggcc	catgagctgc	gagaaggcgt	tcatgcccg	7740
ctcgttccag	acgcggctgt	agaccacgac	gccctcggga	tcgcgggcgc	gcatgaccac	7800
ctggggcagg	ttgagctcca	cgtggcgctg	gaagaccgcg	tagttgcaga	ggcgctggta	7860
gaggtagtgt	agcgtggttg	cgatgtgctc	ggtgacgaag	aaatacatga	tccagcggcg	7920
gagcggcatc	tcgctgacgt	cgccacagcg	ctccaaacgt	tccatggcct	cgtaaaagt	7980
cacggcgaa	tgaaaaact	gggagttgcg	cgccgagacg	gtcaactcct	cctccagaag	8040
acggatgagc	tcggcgatgg	tggcgcgcac	ctcgcgctcg	aaggcccccg	ggagtctcct	8100
caactctctc	tcttctctct	ccactaacat	ctcttctact	tctctcctcag	gcggcagtg	8160
tggcggggga	gggggctgct	gtcgccggcg	gcgcacgggc	agacggtcga	tgaagcgctc	8220
gatggtctcg	cgcgcggcg	gtcgcatggt	ctcggtgacg	gcgcgcccgt	cctcgcgggg	8280
ccgcagcgtg	aagacgcgcg	cgcgcctctc	caggtggccc	ggggggctcc	cgttggggcag	8340
ggagagggcg	ctgacgatgc	atcttatcaa	ttgccccgta	gggactccgc	gcaaggacct	8400
gagcgtctcg	agatccacgg	gatctgaaaa	ccgctgaacg	aaggcttcca	gccagtcgca	8460
gtcgcaaggt	aggtcgagca	cgtttctctc	tggcgggtca	tgttgggttg	gagcggggcg	8520
ggcgatgctg	ctggtgatga	agttgaaata	ggcggttctg	agacggcgga	tgggtggcag	8580
gagcaccagg	tctttggggc	cggcttgctg	gatgcgcaga	cggtcggcca	tgccccaggc	8640
gtggtcctga	cacctggcca	ggtccttgta	gtagtcctcg	atgagccgct	ccacggggcag	8700
ctcctcctcg	cccgcgccgc	cgtgcctgct	cgtgagcccg	aagccgcgct	ggggctggac	8760
gagcgccagg	tcggcgacga	cgcgctcgcc	gaggtggctc	tgctggatct	gggtgaggg	8820
ggtctggaag	tcacaaaagt	cgaacgaagc	gtggtaggct	ccggtgttga	tggtgtagga	8880
gcagttggcc	atgacggacc	agttgacggt	ctggtggccc	ggacgcacga	gctcgtggta	8940
cttgaggcgc	gagtaggcgc	gcgtgtcgaa	gatgtagctg	ttgcaggctg	gcaccaggta	9000
ctggtagccg	atgaggaggt	gcggcgccgc	ctggcggtag	agcggccatc	gctcggtggc	9060
ggggggcgccg	ggcgcgaggt	cctcgagcat	ggtgcggttg	tagccgtaga	tgtacctgga	9120
catccagggtg	atgcgcggcg	cgttggtgga	ggcgcgccgg	aaactcgcga	cgcggttcca	9180
gatgttgccg	agcggcagga	agtgttcat	ggtgggcacg	gtctggcccg	tgagcgccgc	9240
gcagtcgtgg	atgctctata	cgggcaaaaa	cgaaagcgg	cagcggtctg	actccgtggc	9300
ctggaggcta	agcgaaacgg	ttgggctgct	cgtgtacccc	gggttcgaatc	tccaatcagg	9360
ctggagccgc	agctaaacgt	gtattggcac	tcccgctctc	accacaagcct	gcaccaaccc	9420
tccaggatag	ggaggcgggt	cgttttgcaa	cttttttttg	gagggcggat	gagactagta	9480
agcggcgaaa	gcggccgacc	gcgatggctc	gctgcccgtg	tctggagaag	aatcgccagg	9540
gttgctgtgc	gggtgtcccc	gggtcgaggg	cggccggatt	ccgcggctaa	cagggcgctg	9600
gctgccccgt	cgtttccaag	accoccatag	cagccgactt	ctccagttat	ggagcgagcc	9660
cctcttttgt	ttttgttgtt	tttgccagat	gcaccccgta	ctgcggcaga	tgccccccca	9720
ccaccctcca	ccgcaacaac	agccccctcc	acagccggcg	cttctgcccc	cgccccagca	9780
gcaacttcca	gtccacgacc	cgccggccgc	cgtgagcggg	gctggacaga	ggttatgatca	9840
ccagctggcc	ttggaagagg	gcgaggggct	ggcgcgccct	ggggcgctcg	cgccggagcg	9900
gcaccgcgcg	gtgcagatga	aaagggacgc	tcgcgagggc	tacgtgcccc	agcagaacct	9960
gttcagagac	aggagcggcg	aggagcccca	ggagatgcgc	gcggcccggt	tccacgcggg	10020
gcccggagctg	cggcgccggc	tggaccgaaa	gaggggtgct	agggacgagg	atttcgaggc	10080
ggacgagctg	acggggatca	gccccgcgcg	cgcgcacgtg	ggcgcgccca	acctggtcac	10140
ggcgtacgag	cagaccgtga	aggaggagag	caacttccaa	aaatccttca	acaaccacgt	10200
gcgcaccctg	atcgccgcgc	aggaggtgac	cctggggcctg	atgcacctgt	gggacctgct	10260
ggaggccatc	gtgcagaacc	ccaccagcaa	gccgctgacg	gcgcagctgt	tcttggtggt	10320
gcagcatagt	cgggacaacg	aagcgttcag	ggaggcgctg	ctgaatatca	ccgagcccca	10380
ggcgcgctgg	ctcctggacc	tggtgaacat	tctgcagagc	atcgtggtgc	aggagcgccg	10440
gctgcccgtg	tccgagaagc	tggcgcccat	caacttctcg	gtgctgagtt	tgggcaagta	10500
ctacgctagg	aagatctaca	agaccocgta	cgtgcccata	gacaaggagg	tgaagatcga	10560
cgggttttac	atgcgcgatg	ccctgaaagt	gctgaccctg	agcgacgatc	tgggggtgta	10620
ccgcaacgac	aggatgcacc	gtgcgggtgag	cgccagcagg	ggcgcgagag	tgagcgacca	10680
ggagctgatg	catagtctgc	agcgggccct	gaccggggcc	gggaccgagg	gggagagcta	10740
ctttgacatg	ggcgcggaac	tgcactggca	gcccagccgc	cgggccttgg	aggcgccggc	10800
aggaccctac	gtagaagagg	tggacgatga	ggtggacgag	gagggcgagt	acctgggaaga	10860
ctgatggcgc	gaccgtatct	ttgctagatg	caacaacaac	agccacctcc	tgatcccgcg	10920
atgcggggcg	cgctgcagag	ccagccgtcc	ggcattaaat	cctcgagaca	ttggaccacg	10980
gcatgcaaac	gcacatggcg	gctgcagacc	cgcaaccccg	aagcctttag	acagcagccc	11040
caggccaacc	ggctctcggc	catcctggag	gccgtggtgc	cctcgcgctc	caacccacg	11100

-continued

cacgagaag	tcctggccat	cgtgaacgcg	ctggtggaga	acaaggccat	ccgcggcgac	11160
gagggccggcc	tgggtgtacaa	cgcgctgctg	gagcgcgctgg	cccgcatacaa	cagcaccac	11220
gtgcagacca	acctggaccg	catggtgacc	gacgtgcgcg	aggccgtggc	ccagcgcgag	11280
cgggtccacc	gcgagtgcaa	cctgggatcc	atggtggcgc	tgaacgcctt	cctcagcacc	11340
cagcccgcca	acgtgccccg	gggcccaggag	gactacacca	acttcacag	cgcctgcgc	11400
ctgatggtga	ccgagggtgcc	ccagagcgag	gtgtaccagt	ccggggcgga	ctactcttc	11460
cagaccagtc	gccagggtct	gcagaccgtg	aacctgagcc	aggctttcaa	gaacttgca	11520
ggcctgtggg	gcgtgcaggc	cccggtcggg	gaccgcgcga	cgggtgcgag	cctgctgacg	11580
ccgaactcgc	gcctgctgct	gctgctggtg	gcccccttca	cggacagcgg	cagcatcaac	11640
cgcaactcgt	acctgggcta	cctgattaac	ctgtaccgcg	aggccatcgg	ccaggcgac	11700
gtggacgagc	agacotacca	ggagatcacc	cacgtgagcc	gcgcctggg	ccaggacgac	11760
ccgggcaacc	tggaaaccac	cctgaacttt	ttgctgacca	accggtcgca	gaagatccc	11820
ccccagtacg	cgtcagcagc	cgaggaggag	cgcctctgc	gttacctgca	gcagagcgtg	11880
ggcctgttcc	tgtgagga	ggggggcacc	cccagcgccg	cgtcgacat	gaccgcgcg	11940
aacatggagc	ccagcatgta	cgcacgcaac	cgccccctca	tcaataaact	gatggactac	12000
ttgcatcggg	cggccgcat	gaactctgac	tatttcacca	acgcatcct	gaatccccac	12060
tggctccgcg	cgcgggggtt	ctacacgggc	gagtagcaca	tgcgcgaccc	caatgacggg	12120
ttcctgtggg	acgatgtgga	cagcagcgtg	ttctccccc	gaccgggtgc	taacgagcgc	12180
cccttgtgga	agaagggaagg	cagcagaccga	cgcctgctct	cggcgctgtc	cggcccgag	12240
ggtgctgcgc	ggcggtgctg	cagggccgcc	agtcctttcc	cagacttgcc	cttctcgctg	12300
aacagtatcc	gcagcagcga	gctgggcagg	atcacgcgcc	cgcgcttgc	ggcgcaagag	12360
gagtacttga	atgactcgct	gctgagaccc	gagcgggaga	agaacttccc	caataacggg	12420
atagaaagcc	tgggtggacaa	gatgagccgc	tggaaagcgt	atgcgaggga	gcacagggac	12480
gatccccggg	cgtcgagagg	ggccacgagc	cggggcagcg	ccgcccgtaa	acgcccgttg	12540
cacgacaggc	agcggggaca	gatgtgggac	gatgaggact	ccgcccagca	cagcagcgtg	12600
ttggacttgg	gtgggagtgg	taaccctgtc	gctcacctgc	gcccccgat	cgggcgcatg	12660
atgtaagaga	aaccgaaaat	aaatgatact	caccaaggcc	atggcgacca	gcgtgctgtc	12720
gtttcttctc	tgttgttgtt	gtatctagta	tgatgaggcg	tgcgtacctg	gagggctctc	12780
ttccctcgta	cagagagcgtg	atgcagcagg	cgatggcgcc	ggcgggcgatg	cagcccccg	12840
tggaggctcc	ttacgtgccc	cgcggtacc	tggcgctcat	ggagggcgcg	aacagcattc	12900
gttactcgga	cgtggcacc	ttgtacgata	ccaccgggtt	gtacctggtg	gacaacaagt	12960
ggcgggacat	gcctcctgctg	aaactaccga	acgaccacag	caacttctctg	accaccgtgg	13020
tgcagaacaa	tgaactcacc	cccacggagg	ccagcaccca	gaccatcaac	tttgacgagc	13080
gctcgcggtg	ggcgggcgag	tcataaacca	tcatagcacac	caacatgccc	aacgtgaacg	13140
agttcatgta	cagcaacaag	ttcaaggcgc	gggtgatggt	ctcccgaag	acccccaatg	13200
gggtgacagt	gacagaggat	tatgatggtg	gtcaggatga	gctgaagtat	gaatgggtgg	13260
aatltgagct	cccggaaggc	aaacttctcg	tgacctgac	catcgacctg	atgaacaacg	13320
ccatcatcga	caattacttg	gcgggtgggc	ggcagaacgg	gggtgctggag	agcgacatcg	13380
gcgtgaagt	cgacactagg	aaactcaggc	tgggtggga	ccccgtgacc	gagctgggtca	13440
tgcccggggt	gtacacacac	gaggttttcc	atccccgat	tgtcttgcg	ccccgctgcg	13500
gggtggactt	caccgagagc	cgctcagca	acctgctggg	cattcgcaag	aggcagccct	13560
tcagggaagg	cttcagatc	atgtacgagg	atctggaggg	gggcaacatc	cccgcgctcc	13620
tggatgtcga	gcctatgac	aaaagcaagg	aggatgcagc	agctgaagca	actgacgagc	13680
tagctaccgc	ctctaccgag	gtcagggcg	ataattttgc	aagcgccgca	gcagtgagc	13740
cgcccgaggc	ggctgaaacc	gaaagtgaag	tagtcattca	gcccgtggag	aaggatagca	13800
agaaaggag	ctacaacgta	ctaccggaca	agataaacac	cgctaccgc	agctgggtacc	13860
tagctacaa	ctatggcgac	cccgaagg	cgctgcgctc	ctggagcgtg	ctcaccacct	13920
ggagcgtcac	ctgcggcgctg	gagcaagtct	actggtcgct	gcccgcacatg	atgcaagacc	13980
cgggtcacctt	cgctctcaacg	gctaagtta	gcaactaccc	ggtggtgggc	gcccagctcc	14040
tgcccgctca	ctccaagagc	ttcttcaacg	agcaggcgct	ctactcgacg	cagctgcgcg	14100
ccttcacctc	gcttacgcac	gtcttcaacc	gcttccccga	gaaccagatc	ctcgtccgcc	14160
cgcccgcgcc	caccattacc	accgtcagtg	aaaacgttcc	tgtctcaca	gatcacggga	14220
ccctgcgct	gcgcagcagtg	atccggggag	tcacgcgctg	gaccgttact	gacgcccagc	14280
gcccgcactg	ccctacgctc	tacaaggccc	tgggcatagt	cgcgcgcgcg	gtcctctcga	14340
gcccgcactt	ctaaatgtcc	attctcatct	cgccagtgaa	taacacgggt	tggggcctgc	14400
gcgcgcccag	caagatgtac	ggaggcgctc	gccaacgctc	cacgcaacac	cccgtgcgcg	14460
tgcgcgggca	cttcgcgctg	ccctggggcg	ccctcaaggg	cgcgctgcgg	tcgcgcacca	14520
ccgtcgacga	cgtgatcgac	cagggtgggtg	ccgacgcgcg	caactacacc	cccgcgcgcg	14580
cgcctgctc	cacgtggac	gcctgcatcg	acagcgtggt	ggccgacgcg	cgcgggtacg	14640
cccgcgccaa	gagccggcgg	cgcgcgcatcg	cccgcgcgca	ccggagcacc	cccgcctatg	14700
gcgcggcgcg	agccttgctg	cgcaggggca	ggcgacggcg	acgaggggac	atgctcaggg	14760
cggccagacg	cgcggcttca	ggcgccagcg	ccggcaggac	ccggagacgc	gcggccacgg	14820
cggcgggcagc	ggcctcgcc	agcatgtccc	gcccgcggcg	agggaaacgtg	tactgggtgc	14880
gcgacgcgcg	caccgggtgtg	cgcgtgccc	tgcgcacccc	ccccctcgc	acttgaagat	14940
gttcaacttcg	cgtgtgtgat	gtgtcccagc	ggcgaggagg	atgtccaaag	gcaaatcaa	15000
ggaagagatg	ctccaggtca	tcgcgcctga	gatctacggc	cctgcggtgg	tgaaggagga	15060
aagaaagccc	cgcaaaatca	agcgggtcaa	aaaggacaaa	aaggaagaag	aaagtgatgt	15120
ggacggattg	gtggagtttg	tgcgcgagtt	cgcccccg	cgcgcgctgc	agtgggcgcg	15180
gcggaagggtg	caaccggtgc	tgagaccggg	caccaccgtg	gtcttcacgc	ccggcgagcg	15240
ctccggcacc	gcttccaaag	gctcctacga	cagagtgatg	ggggatgatg	atattctgga	15300
gcaggcgcc	gagcgctgg	gcgagtttgc	ttacggcaag	cgcagcgtt	ccgcaccgaa	15360
ggaagaggcg	gtgtccatcc	cgttgagcca	cggaacccc	acgcgagcc	tcaagcccgt	15420
gaccttgacg	caggtgctgc	cgaccgcgcg	gcccgcggcg	gggttcaagc	gcgagggcga	15480
ggatctgtac	cccaccatgc	agctgatggt	gcccgaagcg	cagaagctgg	aagacgtgct	15540
ggagaccatg	aaggtggacc	cggagctgca	gcccaggtgc	aaggtgcggc	ccatcaagca	15600
ggtggccccg	ggcctggggc	tgcagaccgt	ggacatcaag	attcccacgg	agcccatgga	15660

-continued

aacgcagacc	gagcccatga	tcaagcccag	caccagcacc	atggaggtgc	agacggatcc	15720
ctggatgcca	tcggtctcta	gtcgaagacc	cggcgcaag	tacggcgcg	ccagcctgct	15780
gatgcccac	tacgcgtgc	atccttccat	catccccacg	cggggtacc	gcggcacgcg	15840
cttctaccgc	ggtcatacca	gcagccgcgc	cgcgaagacc	accactcgcc	gccgcgcgtc	15900
cgcacccgc	gctgcaacca	cccttgcgc	cctggtgcgc	agagtgtacc	gccgcggccg	15960
cgcacctctg	accttgcgc	gcgcgcgcta	ccaccgcgac	atcgccattt	aaactttcgc	16020
ctgctttgca	gatcaatggc	cctcacatgc	cgccttcgcg	ttccattac	gggctaccga	16080
ggaaagaaaac	cgcgcgctag	aagggtggcg	gggaacggga	tgctgcgcca	ccaccaccgc	16140
cggcgcgcg	ccatcagcaa	gcggttgggg	ggaggcttcc	tgcccgcgct	gatccccatc	16200
atcgccgcgc	cgatcggggc	gatccccgc	attgcttccg	tggcggtgca	ggcctctcag	16260
cgcactgag	acacacttgg	aaacatcttg	taataaaacca	atggactctg	acgctcctgg	16320
tcctgtgatg	tggtttcgta	gacagatgga	agacatcaat	ttttcgtccc	tggtccgcgc	16380
acacggcacg	cggcggttca	tggtcacctg	gagcgacatc	ggcaccagcc	aactgaacgc	16440
gggcgccttc	aattggagca	gtctctggag	cgggcttaag	aatttcgggt	ccacgcttaa	16500
aacctatggc	agcaaggcgt	ggaacagcac	cacaggcgag	gcgtgagggg	ataagctgaa	16560
agagcagaaac	ttccagcaga	aggtggtcga	tgggctcgcc	tcgggcatca	acggggtggt	16620
ggacctggcc	aaccagccgc	tgacgcggca	gatcaacagc	cgcctggacc	cgggtgcgcgc	16680
cgcgcgctcc	gtggagatgc	cgcagggtga	ggaggagctg	cctccccctg	acaagcgggg	16740
cgagaagcga	ccccgcggcg	atgcggagga	gacgctgctg	acgcacacgc	acgagccgcgc	16800
ccgtacgcag	gagcggtgta	aactgggtct	gccccaccgc	cggcccatcg	cgccctgggc	16860
caccggggtg	ctgaaacccg	aaaagcccg	gacctggac	ttgcctcctc	cccagccttc	16920
ccgcctctct	acagtggcta	agccctggcc	gcgggtggcc	gtggcccgcg	cgcgaccgcg	16980
gggcaccgcgc	gcctctcatg	cgaactggca	gagcactctg	aacagcatcg	tggtctggg	17040
agtgcagagt	gtgaagcgcc	gccgctgcta	ttaaacctac	cgtagcgctt	aacttgcttg	17100
tcgtgtgtgt	tatgtattat	gtcgcgcgcg	ccgctgtcca	ccagaaggag	gagtgaagag	17160
gcgctgcgc	gagttgcaag	atggccaccc	catcgatgct	gccccagtgg	gcgtacatgc	17220
acatcgccgc	acaggacgct	tcggagtagc	tgagtcggcg	tcgtggtcag	tttgcccgcg	17280
ccacagcac	ctacttcaagt	ctggggaaca	agtttaggaa	ccccacgggtg	gcgccacgc	17340
acgatgtgac	caccgacgcg	agccagccgc	tgacgctgcg	cttcgtgccc	gtggaccgcg	17400
aggacaacac	ctactcgtac	aaagtgcgct	acacgctggc	cgtgggcgac	aaccgcgtgc	17460
tggacatggc	cagcactacc	tttgacatcc	gcggcgtgct	ggatcggggc	cctagcttca	17520
aaacctactc	cggcaccgcgc	tacaacagtc	tgcccccaaa	gggagcaccc	aacacttgct	17580
agtggacata	taaagccgat	gggtgaaactg	ccacagaaaa	aacctataca	tatggaaatg	17640
caaccgtgca	gggcattaac	atcacaaaag	atggtattca	acttgaaact	gacaccgatg	17700
atcagccaat	ctacgcagat	aaaacctatc	agcctgaacc	tcaagtgggt	gatgctgaat	17760
ggcatgacat	cactggtact	gatgaaaagt	atggaggcag	agctcttaag	cctgatacca	17820
aaatgaagcc	tctgttatggt	tcctttggca	agcctactaa	taaagaaggga	ggtcaggcaa	17880
atgtgaaaac	aggaaacaggc	actactaaaag	aatatgacat	agacatggct	ttctttgaca	17940
acagaagtgc	ggctgctgct	ggcctagctc	cagaaattgt	tttgtatact	gaaaatgtgg	18000
atttggaaaac	tccagatacc	catattgtat	acaaagcagg	cacagatgac	agcagctctt	18060
ctattaattt	gggtcagcaa	gccatgccca	acagacctaa	ctacattggt	ttcagagaca	18120
actttatcgg	gctcatgtac	tacaacagca	ctggcaatat	gggggtgctg	gccggtcagg	18180
cttctcagct	gaatgctgtg	gttgacttgc	aagacagaaa	caccgagctg	tcctaccagc	18240
tccttgctga	ctctctgggt	gacagaaccc	ggatattcag	tatgtggaat	caggcggtgg	18300
acagctatga	tcctgatgtg	cgcattattg	aaaatcatgg	tgtggaggat	gaacttccca	18360
actattgttt	ccctctggat	gctgttggca	gaacagatac	ttatcaggga	attaaggcta	18420
atggaaactga	tcaaacacaca	tggaacaaaag	atgacagtgt	caatgatgct	aatgagatag	18480
cgaaagggtaa	tcatttcgcc	atggaaatca	acatccaaag	caacctgtgg	aggaaacttc	18540
tctacgcgcaa	cgtggccctg	taacctgccc	actcttaca	gtacacgcgc	gccaatgtta	18600
ccctgccac	caacaccaa	acctacgatt	acatgaacgc	ccgggtgggtg	gcgccctcgc	18660
tgggtggactc	ctacatacaac	atcggggcgc	gctggtcgct	ggatcccatg	gacaacgtga	18720
accccttcaa	ccaccaccgc	aatgcggggc	tgcgctaccg	ctccatgctc	ctgggcaacg	18780
ggcgctacgt	gcccttccac	atccaggtgc	ccagaaaatt	tttcgcatc	aagagcctcc	18840
tgctcctgcc	cgggtcctac	acctacgagt	ggaacttccg	caaggacgtc	aacatgatcc	18900
tgacagagctc	cctcggcaac	gacctgcgca	cggacggggc	ctccatctcc	ttcaccagca	18960
tcaacctcta	cgccaccttc	ttcccatgg	cgcacaacac	ggcctccacg	ctcagaggca	19020
tgctgcgcaa	cgacaccaac	gaccagtcct	tcaacgacta	cctctcgggc	gccaaactgc	19080
tctaccccat	cccgggccaac	gcccacaaag	tgcccatctc	catccctcgc	cgcactgggg	19140
cgccttccgc	cggttggttc	ttcacgcgtc	tcaagaccaa	ggagacgccc	tcgctgggct	19200
ccgggttcga	ccctacttcc	gtctactcgg	gctccatccc	ctacctcgac	ggcacttctc	19260
acctcaacca	cactttaaag	aaggcttcca	tcaccttcga	ctcctcgcgc	agctggcccg	19320
gcaacgacgc	gctcctgacg	cccaacgagt	tcgaaatcaa	gcgcaccgct	gacggcgagg	19380
gtacaacgt	ggccagtgct	aacatgacca	aggactggtt	cctggtccag	atgctggccc	19440
actacaacat	cggctaccag	ggcttctacg	tgcccagggg	ctacaaggac	cgcagtgtact	19500
ccttcttcgc	caacttccag	cccatgagcc	gccaggtggg	ggacgaggtc	aactacaagg	19560
actaccaggc	cgtcacccctg	gctaccagc	acaacaactc	gggcttcgct	ggctacctcg	19620
cgcaccacat	gcgcacgggc	cagccctacc	ccgccaaacta	cccttaccgc	ctcatcgga	19680
agagcgccgt	caccagcgct	accagaaaaa	agttcctctg	cgacagggtc	atgtggcgca	19740
tcccccttctc	cagcaacttc	atgtccatgg	gcgcgctcac	gcacctcggc	cagaacatgc	19800
tctatgccaa	ctcgcgccac	gcgctagaca	tgaatttcga	agtcgacccc	atggatgagt	19860
ccacccttctc	ctatgttctc	ttcgaagtct	tcgacgtcgt	ccgagtgcac	cagccccacc	19920
ggcgctcat	cgaggcgcgc	tacctgcgca	cccccttctc	ggcgggtaac	gccaccacct	19980
aagctcttgc	ttcttgaag	ccatggccgc	gggctccggc	gagcaggagc	tcagggccat	20040
catccgcgac	ctgggctgct	ggccctactt	cctgggcacc	ttcgataage	gcttccccgg	20100
atctatggcc	cgcacaaag	tggcctgcgc	catcgtaaac	acggccgggc	gcgagaccgc	20160
gggcgagcac	tggttgccct	tcgcctggaa	ccgcgctcgc	aacacctgct	acctcttcga	20220

-continued

ccccctcggg	ttctcggagc	agcgctcaa	gcagatctac	cagttcgagt	acgagggcct	20280
gctgcgccc	agcgccctgg	ccaccgagga	ccgctgcgtc	accctggaaa	agtccaccca	20340
gaccgtgcag	ggtcgcgct	cggccgctg	cgggctcttc	tgtcgtcagt	tctgcacgc	20400
cttctgcac	ggcccgacc	gccccatgga	caagaacccc	accatgaact	tgctgacggg	20460
ggtgcccaac	ggcatgctcc	agtcgcccc	ggtggaaccc	accctgcgcc	gcaaccagga	20520
ggcgctctac	cgtctctca	actccactc	cgcctacttt	cgtccccc	gcgcgcgcat	20580
cgagaaggcc	accgcttcg	accgcatgaa	tcaagacatg	taaaccgtgt	gtgtatgtta	20640
aatgtcttta	ataaacagca	ctttcatgtt	acacatgcat	ctgagatgat	ttatttagaa	20700
atcgaaagg	ttctgcggg	tctcgccatg	gcccgcggcg	agggacacgt	tgcggaactg	20760
gtacttggcc	agccacttga	actcggggat	cagcagtttg	ggcagcgggg	tgtcggggaa	20820
ggagtccgtc	cacagcttcc	gcgtcagttg	cagggcgccc	agcaggtcgg	gcgcgagat	20880
cttgaaatcg	cagttgggac	cgcgcttctg	cgcgcgggag	ttgcggtaca	cggggttgca	20940
gcactggaac	accatcagg	cgggtgctt	caegctcgcc	agcaccgtcg	cgtcggtgat	21000
gctctccag	tcgaagctgc	cggcgctggc	catccgaa	ggggtcatct	tgaggtctg	21060
ccttcccatg	gtgggacgc	acccggtctt	gtggttgcaa	tcgagtgca	gggggatcag	21120
catcatctgg	gcttggtcgg	cgttcacccc	cgggtacatg	gcctcatga	aagcctcaa	21180
ttgctgaac	gctcgtggg	ccttgctcc	ctcggtgaag	aagacccgc	aggacttgt	21240
agagaactgg	ttggtggcgc	acccgcgctc	gtgcacgcag	cagcgcgctg	cgttgtttggc	21300
cagctgcacc	acgctgcgcc	cccagcggtt	ctgggtgatc	ttggcccgtt	cggggtctc	21360
cttcagcgcg	cgtcgccgt	tctcgctcg	cacatccatc	tcgatcatgt	gctcctctg	21420
gatcatgggt	gtcccggtca	ggcaccgcag	cttgccctcg	gcctcggtgc	acccgtcag	21480
ccacagcgcg	acccggtgc	actccagtt	cttggtggcg	atctgggaat	gcgctgcac	21540
gaagccctgc	tcgaagcggc	ccatcatggt	ggtcagggtc	ttgttgctag	tgaaggtcag	21600
cggaatgccg	cgggtgctct	cgttgatgta	caggtggcag	atgcggcggt	acacctcgcc	21660
ctgctcgggc	atcagctgga	agtggcttt	caggtcggtc	tcacgcggt	agcgggtccat	21720
cagcatagtc	atgatttcca	tacctttctc	ccaggccgag	acgatgggca	ggctcatagg	21780
gttcttcacc	atcatcttag	cgttagcagc	cgcggccagg	gggtcgctct	cgtccagggt	21840
ctcaaaagctc	cccttgccgt	ccttctcggt	gatccgcacc	ggggggtagc	tgaagccac	21900
ggccgcccagc	tcctcctcgg	cctgtctttc	gtcctcgctg	tcctgggtga	cgtcctgcag	21960
gaccacatgc	ttggtcttgc	gggggtttct	cttgggcggc	agcggcgcg	gagatgttgg	22020
agatggcgag	ggggagcgcg	agttctcgct	caccactact	atctcttct	cctcttggtc	22080
cagagccacg	cggcggtagg	tatgtctctt	cgggggcaga	ggcgaggcg	acgggctctc	22140
gcccgcgcgc	cttgggcgat	ggctggcaga	gccccttccg	cgttcggggg	tgctctcccg	22200
goggcgctct	gactgacttc	ctcgcggccc	ggcatttggt	ttctcctagg	gaggaacaac	22260
aagcatggag	actcagccat	cgccaaacctc	gccatctgcc	cccaccgccg	acgagaagca	22320
gcagcagcag	aatgaaagct	taaccgcccc	gcccgcacgc	cccgccacct	ccgacgcggc	22380
cgtccagac	atgcaagaga	tggaggaatc	catcgagatt	gacctgggct	atgtgacgcc	22440
cgcggagcac	gaggaggagc	tggcagtgcg	cttttcacaa	gaagagatac	accaagaaca	22500
ccagagcag	gaagcagaga	atgagcagag	tccagctggg	ctcgagcatg	acggcgacta	22560
cctccacctg	agcggggggg	aggacgcgct	catcaagcat	ctggcccggc	aggccacct	22620
cgtcaaggat	gcgctgctcg	accgcaccga	ggtgcccctc	agcgtggagg	agctcagccg	22680
cgcctacag	ttgaacctct	tctcgccgcg	cgtgcccccc	aagcgccagc	ccaatggcac	22740
ctgcgagccc	aaccgcgccc	tcaacttcta	cccggttctc	gcggtgccc	aggccctggc	22800
caacctaccac	atctttttca	agaacaaaa	gatccccctc	tcctgcccgc	ccaaccgcac	22860
cgcgcgcag	gcccttttca	acctgggtcc	cggcgcccgc	ctacctgata	tcgctcctt	22920
ggaagagggt	cccaagctca	tcgagggtct	gggcagcgac	gagactcggg	ccgcgaacgc	22980
tctgcaagga	gaaggaggag	agcatgagca	ccacagcgcc	ctggtcgagt	tggaggcgga	23040
caacgcgcgc	ctggcggtgc	tcaaacgcac	ggtcgagctg	accatttcg	cctaccgcgc	23100
tctgaacctg	cccccaaaag	tcatgagcgc	ggtcatggac	caggtgctca	tcaagcgcg	23160
gtcggccatc	tccgaggagc	agggcagca	agactccgag	gagggcaagc	ccgtggtcag	23220
cgacgagcag	ctggcccggt	ggctgggtcc	taatgctagt	cccagagtt	tggaaagacg	23280
gcgcaaaactc	atgatggccg	tgttctggt	gaccgtggag	ctggagtgcc	tgccgcgctt	23340
cttcgcccag	gcggagaccc	tgcgcaaggt	cgaggagaac	ctgcactacc	tcttcaggca	23400
cgggttcggt	cgccaggcct	gcaagatctc	caacgtggag	ctgaccaacc	tggtctccta	23460
catggggcatc	ttgcacgaga	accgcctggg	gcagaacgtg	ctgcacacca	ccctgcgcg	23520
ggaggcccg	cgcgactaca	tccgcgactg	cgtctacctc	tacctctgcc	acacctggca	23580
gacgggcatg	ggcgtgtggc	agcagtgctc	ggaggagcag	aacctgaaag	agctctgcaa	23640
gctcctcgag	aagaacctca	agggtctgtg	gaccgggttc	gacgagcgca	ccaccgcctc	23700
ggacctggcc	gacctcat	tccccgagcg	cctcaggctg	acgctgcgca	acggcctgcc	23760
cgactttatg	agccaaagca	tgttgcaaaa	ctttcgctct	ttcatcctcg	aacgtcccg	23820
aatcctgcgc	cccacctgct	cgcgctgccc	ctcggaactc	gtgcgctga	ccttcgcgca	23880
gtgccccccg	ccgctgtgga	gccactgcta	cctgctgcgc	ctggccaaact	acctggccta	23940
ccactcggac	gtgatcgagg	agctcagcgg	caggggcctg	ctcgagtgcc	actgccgctg	24000
caacctctgc	acgcgcgacc	gctccctggc	ctgcaacccc	cagctgctga	gcgagaccca	24060
gatcatcggc	accttcgagt	tgcaaggggc	cagcgaaagg	gagggttcag	ccgccaaagg	24120
gggtctgaaa	ctcaccgccg	ggctgtggac	ctcggcctac	ttgcgcaagt	tcgtgcccga	24180
ggactaccat	cccttcgaga	tcaggttcta	cgaggaccaa	tcccatccgc	ccaaggccga	24240
gctgctggcc	tcgctcatca	cccagggggc	gatcctggcc	caattgcaag	ccatccagaa	24300
atccccgcaa	gaattcttgc	tgaaaaagg	ccgcgggggtc	tacctcgacc	cccagaccgg	24360
tgaggagctc	aaccccggt	tccccagga	tgccccgagg	aaacaagaag	ctgaaagtgg	24420
agctgccgcc	cgtggaggat	ttggaggaa	actgggagaa	cagcagtcag	gcagaggagg	24480
aggagatgga	ggaagactgg	gacagactc	aggcagagga	ggacagcctg	caagacagtc	24540
tgagggaaga	cgaggaggag	gcagaggagg	aggtggaaga	agcagccg	gccagaccgt	24600
cgtctcggc	gggggagaaa	gcaagcagca	cggataccat	ctccgctccg	ggtcggggtc	24660
ccgctcgacc	acacagtaga	tcggacgaga	ccggacgatt	cccgaacccc	accacccaga	24720
ccggtaaaga	ggagcggcag	ggatacaagt	cctggcgggg	gcacaaaaac	gcatcgtct	24780

-continued

cctggttgca	ggcctgcggg	ggcaacatct	ccttcaccgg	gcgctacctg	ctcttccacc	24840
gcggggtgaa	ctttcccgcg	aacatcttgc	attactaccg	tcacotccac	agccctact	24900
acttccaaga	agaggcagca	gcagcagaaa	aagaccagca	gaaaaccagc	agctagaaaa	24960
tccacagcgg	cggcagcagg	tggactgagg	atcgcgggca	acgagccggc	gcaaaccggg	25020
gagctgagga	accggatctt	teccaccctc	tatgccatct	tcacgcagag	tcggggggcag	25080
gagcaggaac	tgaagtgtaa	gaaccgttct	ctcgctcgcg	tcaccccgag	ttgtctgtat	25140
cacaagagcg	aagaccaact	tcagcgcact	ctcgaggacg	ccgaggctct	cttcaacaag	25200
tactgcgcgc	tcactcttaa	agagttagcc	gcgcccgccc	agtgcgagaa	aaaggcgggg	25260
attacgtcac	ctgtgccctt	cgccctagcc	gcctccaccc	atcatcatga	gcaaagagat	25320
tcccacgcct	tacatgtgga	gctaccagcc	ccagatgggc	ctggccggcg	gtgccgccca	25380
ggactactcc	accgcgatga	attggctcag	cgccggggcc	gcgatgatct	cacgggtgaa	25440
tgacatccgc	gcccaccgaa	accagatact	cctagaacag	tcagcgctca	ccgccacgcc	25500
ccgcaatcac	ctcaatccgc	gtaattggcc	cgccgcctcg	gtgtaccagg	aaattcccca	25560
gcccacgacc	gtactacttc	cgcgagacgc	ccaggccgaa	gtccagctga	ctaactcagg	25620
tgtccagctg	gcgggcgggc	ccaccctgtg	tcgtcaccgc	cccgctcagg	gtataaagcg	25680
gctgggtgatc	cggggcagag	gcacacagct	caacgacgag	gtggtgagct	cttcgctggg	25740
tctgcgacct	gacggagtct	tcacaactcg	cggatcgggg	agatcttctt	tcacgcctcg	25800
tcaggccgtc	ctgactttgg	agagttcgtc	ctcgcagccc	cgctcgggtg	gcatcggcac	25860
tctccagttc	gtggaggagt	tcactccctc	ggtctacttc	aaccccttct	ccggctcccc	25920
cggccactac	ccggacgagt	tcateccgaa	cttcgacgcc	atcagcgagt	cgggtggacgg	25980
ctacgattga	aactaactcac	ccccttatcc	agtgaataaa	agatcatatt	gatgatgatt	26040
ttacagaaat	aaaaaataat	catttgattt	gaaataaaga	tacaatcata	ttgatgattt	26100
gagtttaaca	aaaaaataaa	gaatcactta	cttgaatact	gataccagggt	ctctgtccat	26160
gtttttctgcc	aacaccactt	cactcccctc	ttcccagctc	tggtactgca	ggccccggcg	26220
ggctgcaaac	ttcctccaca	cgctgaaggg	gatgtcaaat	tcctctgttc	cctcaactct	26280
cattttatct	tctatcagat	gtccaaaaag	cgcgtccggg	tggtatgatga	cttcgacccc	26340
gtctaccctc	acgatgcaga	caacgcaccg	accgtgccct	tcatacaacc	cccctctgct	26400
tcttcagatg	gattccaaaga	gaagcccctg	gggggtgtgt	ccctgcgact	ggccgacccc	26460
gtcaccacca	agaacggggg	aatcacccct	aagctgggag	aggggggtgga	cctcgattcc	26520
tcgggaaaaa	tcctctccaa	cacggccacc	aaggccggcg	cccctctcag	tttttccaac	26580
aaacccattt	cccttaacat	ggatcacccc	ttttacacta	aagatggaaa	attatcotta	26640
caagttttct	caccattaaa	tatactgaga	acaagcattc	taaacacact	agcttttaggt	26700
tttggtatcg	gttttaggact	ccgtggctct	gccttggcag	tacagttagt	ctctccactt	26760
acatttgata	ctgatggaaa	cataaagctt	accttagaca	gaggtttgca	tgttacaaca	26820
ggagatgcaa	ttgaaagcaa	cataaagctg	gctaagaggt	taaaatttga	agatggagcc	26880
atagcaacca	acattggaaa	tggtgttagag	tttggaagca	gtagtacaga	aacaggtggt	26940
gatgatgctt	accaaatcca	agttaaaact	ggatctggcc	ttagctttga	cagtagagga	27000
gccataatgg	ctggttaacaa	agaagacgat	aaactcactt	tgtggacaac	acctgatcca	27060
tcaccaaaact	gtcaaatact	cgcagaaaat	gatgcaaaac	taacactttg	cttgactaaa	27120
tctgggtagt	aaataactgg	cactgtgtca	gtcttagttg	taggaagtgg	aaacctaacc	27180
ccattactg	gcacggtaag	cagtgtctcag	gtgtttctac	gttttgatgc	aaacggtggt	27240
cttttaaacag	aacattctac	actaaaaaaa	tactgggggt	ataggcaggg	agatagcata	27300
gatggcactc	cataatacca	tgctgttagga	ttcatgccca	atttaaaagc	ttatccaaag	27360
tcacaaaagt	ctactactaa	aaataatata	gtaggggcaag	tatacatgaa	tggtgatggt	27420
tcaaaaccta	tgtttctcac	tataaccctc	aatggtactg	atgacagcaa	cagtacatat	27480
tcaatgtcat	tttcatacac	ctggactaat	ggaagctatg	ttggagcaac	atttggggct	27540
aaactctata	cctttctcata	categcccac	gaatgaacac	tgtatcccac	cctgcatgcc	27600
aaaccttccc	acccactctt	gtgggaacaaa	ctctgaaaca	caaaataaaa	taaagttcaa	27660
gtgttttatt	gattcaacag	ttttacagga	ttcagacagt	tatttttctt	ccacctccc	27720
aggacatgga	atacaccacc	ctctcccccc	gcacagcctt	gaacatctga	atgccattgg	27780
tgatggacat	gcttttggtc	tcacagttcc	acacagtttc	agagcgagcc	agtcctgggt	27840
cggtcaggga	gatgaaaccc	tcggggcact	cccgcatctg	cacctcacag	ctcaacagct	27900
gaggatgttc	ctcgggtggtc	gggatcacgg	ttatctggaa	gaagcagaag	agcggcggtg	27960
ggaatcatag	tcgcgcgaacg	ggatcgggcg	gtgggtgtcg	atcaggcccc	gcagcagtcg	28020
ctgcgcgcgc	cgtctcgctca	agctgtctgt	caggggggtcc	gggtccaggg	actccctcag	28080
catgatgccc	acggccctca	gcacagtcg	tctggtgcgg	cgggcgcagc	agcgcagtcg	28140
gatctcgctc	aggctcgctg	agtacgtgca	acacagaacc	accaggttgt	tcaacagtc	28200
atagttcaac	acgctccaga	cgaaactcat	cgcgggaagg	atgctacca	cgtggccgtc	28260
gtaccagatc	ctcaggtaaa	tcaagtgggt	ccccctccag	aacacgtg	ccacgtacat	28320
gatctccttg	ggcatgtggc	ggttcaccac	ctcccgggtac	cacatcaccc	tctggttgaa	28380
catgcagccc	cggatgatcc	tgcggaacca	cagggccagc	accgccccgc	ccgccatgca	28440
gcgaagagac	cccggttccc	ggcaatggca	atggaggacc	caccgctcgt	accggtggat	28500
catctgggag	ctgaacaagt	ctatgttggc	acagcacagg	catatgctca	tgcactctct	28560
cagcactctc	aactcctcgg	gggtcaaaa	catatcccag	ggcacgggga	actcttgacg	28620
gacagcgaac	ccgcgagaac	agggcaatcc	tcgcacagaa	cttacattgt	gcattggacg	28680
ggtatcgcaa	tcaggcagca	ccgggtgatc	ctccaccaga	gaagcgcggg	tctcggtctc	28740
ctcacagcgt	ggttaagggg	ccggccgata	cgggtgatgg	cgggacgcgg	ctgatcgtgt	28800
tcgcgaccgt	gtcatgatgc	agttgctttc	ggacattttc	gtacttgctg	tagcagaacc	28860
tggtccgggc	gctgcacacc	gatcgccggc	ggcgggtctc	gcgcttgga	cgtcgggtgt	28920
tgaatttgta	aaacagccac	tctctcagac	cgtgcagcag	atctagggcc	tcaggagtga	28980
tgaagatccc	atcatgcctg	atggctctga	tcacatcgac	caccgtggaa	tgggccagac	29040
ccagccagat	gatgcaattt	tgttgggttt	cggtgacggc	gggggaggga	agaacaggaa	29100
gaaccatgat	taacttttaa	tccaaacggt	ctcggagtag	ttcaaatgta	agatcgcgga	29160
gatggcacct	ctgcgccccg	ctgtgttggg	ggaaaaataa	agccagggtca	aaggtgatac	29220
ggttctcgag	atgttccacg	gtggcttcca	gcaaagcctc	cacgcgcaca	tcagaaaca	29280
agacaatagc	gaaagcgggg	gggttctcta	attcctcaat	catcatgtta	cactcctgca	29340

-continued

ccatccccag	ataattttca	ttttccagc	cttgaatgat	tcgaactagt	tctgaggtg	29400
aatccaagcc	agccatgata	aagagctcgc	gcagagcgcc	ctccaccggc	attcttaagc	29460
acaccctcat	aattccaaga	tattctgctc	ctgggttcacc	tgacagcagat	tgacaagcgg	29520
aatatcaaaa	tctctgcccgc	gatccctgag	ctctccctc	agcaataact	gtaagtactc	29580
tttcatatcc	tctcogaat	ttttagccat	aggaccacca	ggaataagat	tagggcaagc	29640
cacagtacag	ataaaccgaa	gtctcccca	gtgagcattg	ccaaatgcaa	gactgtcata	29700
agcatgctgg	ctagaccggg	tgatatcttc	cagataactg	gacagaaaat	cgcccaggca	29760
atttttaaga	aaatcaacaa	aagaaaaatc	ctccagggtg	acgttttagag	cctcgggaaac	29820
aacgatgaag	taaatgcaag	cgggtcggtt	cagcatggtt	agtttagctga	tctgtagaaa	29880
aaacaaaaat	gaacattaaa	ccatgctagc	ctggcgaca	ggtgggtaaa	tcgtttctctc	29940
cagcaccagg	caggccacgg	ggtctccggc	gcgaccctcg	taaaaattgt	cgctatgatt	30000
gaaaaccatc	acagagagac	gttcccggtg	gccggcgtag	atgattcgac	aagatgaata	30060
cacccccgga	acattggcgt	ccgcgagtga	aaaaaagcgc	ccgaggaagc	aataaggcac	30120
tacaatgctc	agttctcaag	ccagcaaaagc	gatgccatgc	ggatgaagca	caaaattctc	30180
aggtgcgtac	aaaatgtaat	tactccctc	ctgcacaggc	agcaaaagcc	ccgatccctc	30240
caggtacaca	tacaagcct	cagcgtccat	agcttaccga	gcagcagcac	acaacaggcg	30300
caagagtccg	agaaaggctg	agctctaacc	gttccaccgc	ctctctgtcg	aatatatagc	30360
cagatctac	actgacgtaa	aggccaaaag	ctaaaaaac	ccgccaata	atcacacacg	30420
ccagcacac	gcccagaaa	cggtagacaca	ctcaaaaaa	tacgcgcact	tcctcaaacg	30480
cccaaaaactg	ccgtcatttc	cgggttccca	cgctacgtca	tcaaaacacg	actttcaaat	30540
tcctgcgacc	gttaaaaacg	tcaccgcgcc	cgccctaac	ggtcgcccg	ctctcagcca	30600
atcagcgccc	cgcattccca	aattcaaaaa	cctcatttgc	atattaacgc	gcacaaaaag	30660
tttgaggtat	attattgatg	atgg				30684

SEQ ID NO: 14 moltype = DNA length = 8602
FEATURE Location/Qualifiers
misc_feature 1..8602
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..8602
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 14

atggcgccgc	catgagagaa	gcccagacca	attacctacc	caaaatggag	aaagttcacg	60
ttgacatcga	ggaagacagc	ccattcctca	gagctttgca	gcggagcttc	ccgcagtttg	120
aggtagaagc	caagcaggtc	actgataatg	accatgctaa	tgccagagcg	ttttcgcatc	180
tggtttcaaa	actgactgaa	acggagggtg	acccatccga	cacgactcct	gacattggaa	240
gtgcgcccgc	ccgcagaaatg	tattctaaag	acaagtatac	ttgtatctgt	ccgatgagat	300
gtgcggaaga	tccggacaga	ttgtataagt	atgcaactaa	gctgaagaaa	aactgtaaag	360
aaataactga	taaggaattg	gacaagaaaa	tgaaggagct	cgccgcgctc	atgagcgacc	420
ctgacctgga	aaactgagact	atgtgcctcc	acgacgacga	gtcgtgtcgc	tacgaagggc	480
aagtgcgtgt	ttaccaggat	gtatacgcg	ttgacggacc	gacaagtctc	tatcaccaag	540
ccaataaggg	agttagagtc	gcctactgga	taggctttga	caccacccct	tttatgttta	600
agaacttggc	tggagcatat	ccatcatact	ctaccaactg	ggccgacgaa	accgtgttaa	660
cggtcgttaa	cataggccta	tcagctctg	acgttatgga	gcggtcacgt	agagggtagt	720
ccattcttag	aaagaagtat	ttgaaacct	ccaacaatgt	tctattctct	gttggctcga	780
ccatctacca	cgagaagagg	gacttactga	ggagctggca	cctgcgctct	gtatttctact	840
tacgtggcaa	gcaaaattac	acatgtcgg	gtgagactat	agttagtgtc	gacgggtacg	900
tcgttaaaag	aatagctatc	agtccaggcc	tgtatgggaa	gccttcaggc	tatgctgcta	960
cgatgcaccg	cgagggatc	ttgtgctgca	aagtgcagca	cacattgaac	ggggagaggg	1020
tctcttttcc	cgtgtgcacg	tatgtgccag	ctacattgtg	tgacccaaatg	actggcatac	1080
tggaacacga	tgctagtcgc	cagacgcgcg	aaaaactgct	ggttgggctc	aaccagcgta	1140
tagtgcgtcaa	cggtgcgacc	cagagaaaaa	ccaataccat	gaaaaattac	cttttgccc	1200
tagtggccca	ggcattttgt	agggtgggca	aggaatataa	ggaagatcaa	gaagatgaaa	1260
ggccactagg	actacgagat	agacagttag	tcattggggtg	ttgttgggct	tttagaaggc	1320
acaagataaac	atctatttat	aagcgcccg	atacccaaac	catcatacaa	gtgaacagcg	1380
atttccactc	attcgtgctg	cccaggatag	gcagtaaacac	attggagatc	gggctgagaa	1440
caagaatcag	gaaaatgtta	gaggagcaca	aggagccctc	acctctcatt	accgcgaggg	1500
acgtacaaga	agctaagtgc	gcagccgatg	aggctaagga	ggtgcgtgaa	gccgagggagt	1560
tcgcgcgacg	tctaccacct	ttggcagctg	atgttgagga	gcccactctg	gaagccgatg	1620
tcgacttgat	gttacaagag	gtcggggccg	gctcagtgga	gacacctcgt	ggcttgataa	1680
agggttaccag	ctacgctggc	gaggacaaga	tcggctctta	cgctgtgctt	tctccgcagg	1740
ctgtactcaa	gagtgaaaaa	ttatcttgca	tccacctctc	cgctgaacaa	gtcatagtga	1800
taacacactc	tggccgaaaa	ggcggttatg	ccgtggaacc	ataccatggt	aaagttagtg	1860
tgccagaggg	acatgcaata	cccgccagg	actttcaagc	tctgagtgaa	agtgccacca	1920
ttgtgtacaa	cgaacgtgag	ttcgtaaaca	ggtacctgca	ccatattgcc	acacatggag	1980
gagcgctgaa	cactgatgaa	gaatattaca	aaactgtcaa	gcccagcgag	cacgacggcg	2040
aatacctgta	cgacatcgac	aggaaaacagt	gcgtcaagaa	agaactagtc	actgggctag	2100
ggctcacagg	cgagctgggtg	gactctccct	tccatgaatt	cgctacgag	agtctgagaa	2160
cacgaccagc	cgctcccttac	caagtaccaa	ccataggggt	gtatggcggtg	ccaggatcag	2220
gcaagtctgg	catcaataaa	atcgcagtc	ccaaaaaaga	tctagtgggtg	agcgccaaga	2280
aagaaaaactg	tcagaaatt	ataagggacg	tcaagaaaa	gaaagggtctg	gacgtcaatg	2340
ccagaactgt	ggactcagtg	ctcttgaaatg	gatgcaaa	ccccgtagag	accctgtata	2400
ttgacgaagc	ttttgcttgt	catgcaggta	ctctcagagc	gctcatagcc	attataagac	2460
ctaaaaaggc	agtgctctgc	ggggatccca	aacagtcggg	tttttttaac	atgatgtgcc	2520
tgaaagtgca	ttttaaccac	gagatttgca	cacaagtctt	ccacaaaagc	atctctcgcc	2580

-continued

gttgactaa	atctgtgact	tcggtcgtct	caaccttgtt	ttacgacaaa	aaaatgagaa	2640
cgacgaatcc	gaaagagact	aagattgtga	ttgacactac	cggcagtagc	aaacctaaagc	2700
aggcagatct	cattctcact	tgtttcagag	ggtgggtgaa	gcagttgcaa	atagattaca	2760
aaggcaacga	ataatgacg	gcagctgcct	ctcaagggct	gacctgtaa	ggtgtgtatg	2820
cgttcggtta	caaggtgaat	gaaaatcctc	tgtacgcacc	cacctcagaa	catgtgaacg	2880
tctactgac	ccgcacggag	gaccgcatcg	tgtggaaaac	actagccggc	gacctatgga	2940
taaaaacact	gactgccaag	tacctggga	atttcactgc	cacgatagag	gagtggcaag	3000
cagagcatga	tgccatcatg	aggcacatct	tgagagagacc	ggacctacc	gacgtcttcc	3060
agaataaggc	aaacgtgtgt	tgggccaaag	ctttagtgc	ggtgctgaag	accgtggca	3120
tagacatgac	cactgaacaa	tggaaactg	tggattattt	tgaacggac	aaagctcact	3180
cagcagagat	agattgaac	caactatgcg	tgaggttctt	tgactcgtat	ctggactccg	3240
gtctattttc	tgacccact	gttccgttat	ccattaggaa	taatcactgg	gataactccc	3300
cgtcgccctaa	catgtacggg	ctgaataaag	aagtgggtccg	tcagctctct	cgcaggtacc	3360
cacaactgcc	tcgggcaggt	gccactggaa	gagtcctatga	catgaacact	ggtacactgc	3420
gcaattatga	tccgcgata	aacctagtag	ctgtaaacag	aagactgcct	catgctttag	3480
tctccacca	taatgaacac	ccacagagt	acttttcttc	attcgtcagc	aaattgaagg	3540
gcagaactgt	cctgggtggtc	ggggaaaagt	tgtccgtccc	aggcaaaatg	ggtgactgg	3600
tgtcagaccg	gcctgaggct	accttcagag	ctcggtcgga	tttaggcac	ccagggtgatg	3660
tgcccaata	tgacataata	ttgttaatg	tgaggacccc	atataatac	catcactatc	3720
agcagtgtga	agaccatgcc	attaagctta	gcattgttgac	caagaaagct	tgtctgcac	3780
tgaatcccg	cggaaactgt	gtcagcatag	gttatgggtta	cgctgacagg	gccagcgaaa	3840
gcattcattg	tgtctagcg	cgccagtcca	agttttcccg	ggtatgcaaa	ccgaaatcct	3900
cacttgaaga	gacggaaggt	ctgtttgtat	tcattgggtta	cgatcgcaag	gcccgtagcg	3960
acaatcctta	caagctttca	tcaaccttga	ccaacattta	tacaggttcc	agactccacg	4020
aaagccgatg	tgacacctca	tatcatgtgg	tgccagggga	tattgcccag	gccaccgaag	4080
gagtgattat	aaatgctgct	aacagcaaa	gacaacctgg	cggaggggtg	tgccgagcgc	4140
tgtataagaa	attcccgga	agcttcgatt	tacagccgat	cgaagttaga	aaagcgcgac	4200
tggtcaaaag	tgacgtctaa	catatcattc	atgcccgtagg	accaaacttc	aacaaagtgt	4260
cggagggtga	agggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aaagtgtgca	4320
acgataacaa	ttacaagtca	gtagcgattc	cactgttgtc	caccggcatc	ttttccggga	4380
acaaagatcg	actaacccaa	tcattgaacc	atttgcgtgac	agcttttagac	accactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaaat	gactctcaag	gaagcagtg	4500
ctaggagaga	agcagtgag	gagatatgca	tatccgacga	ctcttcagtg	acagaacctg	4560
atgcagagct	ggtgaggggt	caccgaaga	gttctttggc	tggaaagga	ggctacagca	4620
caagcgatg	caaaacttcc	tcataatttg	aaaggaccaa	gtttaccag	gccgccaagg	4680
atatagcaga	aattaatgcc	atgtggcccg	ttgcaacgga	ggccaatgag	cagggtatgca	4740
tgtatatcct	ccgagaagag	atgagcagta	ttaggtcgaa	atgcccgtc	gaagagtcgg	4800
aagcctccac	accacctagc	acgctgcctt	gcttgtgcat	ccatgccatg	actccagaaa	4860
gagtagacgc	cctaaaagcc	tcacgtccag	aacaaattac	tgtgtgctca	tcctttccat	4920
tgccgaagta	tagaatcact	ggtgtgcaga	agatccaatg	ctcccagcct	atattgttct	4980
caccgaaagt	gcctgcgtat	attcatccaa	ggaagtatct	cgtggaaaca	ccaccggtag	5040
acgagactcc	ggagccatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cacttataac	cgaggatgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tagcataaat	ttgctgtcag	atggcccagc	ccaccagggtg	ctgcaagtcg	5220
aggcagacat	tcacgggccc	ccctctgtat	ctagctcatc	ctggtccatt	cctcatgcat	5280
ccgactttga	gttggaacag	ttatccatac	ttgacacctc	ggaggagct	agcgtgacca	5340
ggggggcaac	gtcagccgag	actaaactct	acttcgcaaa	gagtatggag	tttctggcgc	5400
gaccgggtgc	tgccgctcga	acagatttca	ggaacctccc	acatcccgtc	ccgcgcacaa	5460
gaacaccgtc	acttgcaacc	agcaggccct	gctcgagaac	cagcctagtt	tccaccccgc	5520
caggcgtgaa	taggggtgatc	actagagagg	agctcgaggc	gcttaccctg	tcacgcactc	5580
ctagcaggtc	ggtctcgaga	accagcctgg	tctccaacct	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacgggtt	gatgcccgtg	5700
catatcatct	ttctctcgag	accggtcga	ggcattttca	acaaaaatca	gtaaggcaca	5760
cggtgctatc	cgaagtgggt	ttggagagga	ccgaatttga	gatttcgtat	gcccgcgcgc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagtc	aggaagggtg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcaagg	cctagggcct	tatttgaagg	cagaaggaaa	agtgagatgc	taccgaacct	6000
tgcatcctgt	tcctttgtat	tcactagt	tgaaccgtgc	cttttcaagc	cccaaggctg	6060
cagtgggaagc	ctgtaacgcc	atgttgaaag	agaactttcc	gactgtggct	tcttactgta	6120
ttattccaga	gtacagatgcc	tatttggaca	tgggtgacgg	agcttcatgc	tgcttagaca	6180
ctgcccagtt	ttgcccctgca	aagctgcgca	gctttccaaa	gaaacactcc	tatttggaa	6240
ccacaatacg	atcgccagtg	ccttcagcga	tccagaacac	gctccagaac	gtcctggcag	6300
ctgcccacaaa	aagaaattgc	aatgtcacgc	aaatgagaga	attgcccgtg	ttggattccg	6360
cggcctttaa	tgtggaatgc	ttaagaaat	atgcgtgtaa	taatgaatat	tgggaaacgt	6420
ttaaagaaaa	cccacatcagg	cttactgaag	aaaacgtgg	aaattacatt	accaaataa	6480
aaggacccaaa	agctgctgct	ctttttgcga	agacacataa	tttgaatatg	tgcagggaca	6540
taccaatgga	caggtttgta	atggacttaa	agagagacgt	gaaagtgact	ccagggaaca	6600
aacatactga	agaacggccc	aaggtacagg	tgatccaggc	tgccgatccg	ctagcaacag	6660
cgtatctgtg	cggaaatccac	cgagagctgg	ttaggagatt	aaatgcccgc	ctgcttccga	6720
acattcatac	actgtttgat	atgtcggctg	aagactttga	cgctattata	gccgagcact	6780
tccagcctgg	ggattgtgtt	ctggaaaactg	acatcgcgct	gtttgataaa	agtgaaggacg	6840
acgccatggc	tctgacgcgc	ttaatgattc	tgggaagactt	aggtgtggac	gcagagctgt	6900
tgacgctgat	tgaggcggt	ttcgccgaaa	tttcatcaat	acatttgc	actaaaacta	6960
aattttaaatt	cggagccatg	atgaaatctg	gaatgttctc	cacactgttt	gtgaacacag	7020
tcattaacat	tgtaatcgca	agcagagtgt	tgagagaaacg	gctaaccgga	tcaccatgtg	7080
cagcattcat	tggagatgac	aatatcgtga	aaggagtcaa	atcgacacaa	ttaatggcag	7140

-continued

acaggtg	gcgc	cacctggtt	g	aatatggaag	tcaagattat	agatgctgtg	gtgggcgaga	7200
aagcgctta	tttctgtgga	gggttttattt	tgtgtgactc	cgtgaccggc	acagcgtgcc			7260
gtgtggcaga	ccccctaaaa	aggctgttta	agcttggcaa	acctctggca	gcagacgatg			7320
aacatgatga	tgacaggaga	agggcattgc	atgaagagtc	aacacgctgg	aaccgagtgg			7380
gtattctttc	agagctgtgc	aaggcagtag	aatcaaggta	tgaaccgta	ggaacttcca			7440
tcatagttat	ggccatgact	actctagcta	gcagtgttaa	atcattcagc	tacctgagag			7500
gggcccctat	aactctctac	ggctaaccctg	aatggactac	gactctagaa	tagtctttaa			7560
ttaaagtccg	ccatatgagg	ccaccatgca	gatcttcgtg	aagaccctga	ccggcaagac			7620
catcacccta	gaggtggagc	ccagtgcacac	catcgagaac	gtgaaggcca	agatccagga			7680
taagaggggc	atccccccctg	accagcagag	gctgatcttt	gccggcaagc	agctggaaga			7740
tggcgcgacc	ctctgtgatt	acaacatcca	gaaggagtca	accctgcacc	tggtccttcg			7800
cctgagagggt	ggcgctgctt	acagtataat	caactttgaa	aaactggctg	cttacggcat			7860
cctgggcttt	gtgtttacac	tggtgccta	cctgctgttt	ggctatcctg	tgtacgtggc			7920
cgcttatgga	ctgtgtgacc	tggtggcctat	gctggctgct	tacaactctgg	tgctatgggt			7980
ggccacagtg	ggcgccctatt	gtcttgccg	actgctgaca	atggtggcag	cctacagccc			8040
gagctatgcg	tatcatcagt	ttgcagccta	cggccagga	ccaggcgcta	aatttgtggc			8100
tgccctggaca	ctgaaggccg	ccgctggacc	aggctctgga	cagtacatca	aggccaacag			8160
caagttcatc	ggcatcaccg	aaactggccc	aggaccaggc	tatccctacg	atgtgcctga			8220
ttacgcctga	tagtgcagtg	tcgaacggcc	gtatcacgcc	caaacattta	cagccgcggg			8280
gtcaaaaaacc	cgctggacgt	gggttaacatc	cctgctggga	ggatcagccg	taattattat			8340
aattggcttg	gtgctggcta	ctattgtggc	catgtacgtg	ctgaccaacc	agaacataa			8400
ttgaatacag	cagcaattgg	caagctgctt	acatagaact	cgccggcgatt	ggcatgccgc			8460
cttaaaattt	ttattttatt	ttttcttttc	ttttccgaat	cggattttgt	ttttaattat			8520
tcaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa			8580
aaaaaaaaaa	aaaaaaaaaa	aa						8602

SEQ ID NO: 15 moltype = DNA length = 9595
FEATURE Location/Qualifiers
misc_feature 1..9595
 note = Description of Artificial Sequence: Synthetic
 polynucleotide
source 1..9595
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 15

atggg	cgccg	catgagagaa	gcccagacca	attacctacc	caaaatggag	aaagttcacg	60
ttgacatcga	ggaagacagc	ccatttcctca	gagctttgca	gcggagcttc	ccgcagtttg		120
aggtagaagc	caagcaggtc	actgataatg	acctgctaa	tgccagagcg	ttttcgcac		180
tggcttcaaa	actgatcgaa	acggagggtg	acccatccga	cacgatcctt	gacattggaa		240
gtgcgcccgc	ccgcagaaatg	tattctaagc	acaagtatca	ttgtatctgt	ccgatgagat		300
gtgcggaaga	tccggacaga	ttgtataagt	atgcaactaa	gctgaagaaa	aactgtaagg		360
aaataaactga	taaggaattg	gacaagaaaa	tgaaggagct	cgccgcgcgc	atgagcgacc		420
ctgacctgga	aactgagact	atgtgcctcc	acgacgacga	gtcgtgtcgc	tacgaagggc		480
aagtgcctgt	ttaccaggat	gtatacgcgg	ttgacggacc	gacaagtctc	tatcaccaag		540
ccaataagggt	agtttagagtc	gcctactgga	taggctttga	caccaccctt	tttatgttta		600
agaaacttggc	tggagcatat	ccatcatact	ctaccaactg	ggccgacgaa	accgtgttaa		660
cggtcgttaa	cataggccta	tgcagctctg	acgttatgga	gcggtcacgt	agagggatgt		720
ccattcttag	aaagaagtat	ttgaaacat	ccaacaatgt	tctattctct	gttggctcga		780
ccatctacca	cgagaagagg	gacttactga	ggagctggca	cctgcccgtc	gtatttcact		840
tacgtggcaa	gcaaaattac	acatgtcggg	gtgagactat	agttagttgc	gacgggtacg		900
tcggtaaaaa	aatagctatc	agtcacaggc	tgtatgggaa	gccttcaggc	tatgctgcta		960
cgatgcaccg	caggggattc	ttgtgtgca	aaagtgcaga	cacattgaac	ggggagaggg		1020
tctctttttc	cggtgtgcacg	tatgtgccag	ctacatttgt	tgaccaaatg	actggcatac		1080
tggcaacaga	tgtcagtgcc	gacgacgcgc	aaaaactgct	gggtgggctc	aaccagcgta		1140
tagtgcgtcaa	cggtgcgacc	cagagaaaaa	ccaataccat	gaaaaattac	cttttgcccc		1200
tagtgggccc	ggcatttgct	agggtgggcaa	aggaatataa	ggaagatcaa	gaagatgaaa		1260
ggccactagg	actacgagat	agacagtttag	tcatgggggtg	ttgttgggct	tttagaaggc		1320
acaagataac	atctatttat	aagcgccccg	atacccaaac	catcatcaaa	gtgaacagcg		1380
atttccactc	attcgtgctg	cccaggatag	gcagtaaacac	attggagatc	gggctgagaa		1440
caagaatcag	gaaaaatgta	gaggagcaca	aggagccgtc	acctctcatt	accgcccagg		1500
acgtacaaga	agctaagtgc	gcagccgatg	aggctaaggga	ggtgcgtgaa	gccgaggagt		1560
tgcgcgcagc	tctaccacct	ttggcagctg	atgttgagga	gcccactctg	gaagccgatg		1620
tgcacttgat	gttacaagag	gctggggccg	gctcagtgga	gacacctcgt	ggcttgataa		1680
aggttaccag	ctacgtggc	gaggacaaga	tcggctctta	cgctgtgctt	tctccgcagg		1740
ctgtactcaa	gagtgaaaaa	ttatcttgca	tccacctctc	cgctgaacaa	gtcatagtga		1800
taacacactc	tggccgaaaa	gggcgttatg	ccgtggaacc	ataccatggt	aaagttagtgg		1860
tgccagaggg	acatgcaata	cccgccagg	actttcaagc	tctgagtga	agtgccacca		1920
ttgtgtacaa	cgaacgtgag	ttcgtaaaca	ggtacctgca	ccatattgcc	acacatggag		1980
gagcgctgaa	cactgatgaa	gaatattaca	aaactgtcaa	gcccagcgag	cacgacggcg		2040
aatacctgta	cgacatcgac	aggaaaacagt	gcgtcaagaa	agaactagtc	actgggctag		2100
ggctcacagg	cgagctgggt	gatcctccct	tccatgaatt	cgctacgag	agtcctgagaa		2160
cacgaccagc	cgctccttac	caagtaacca	ccataggggt	gtatggcggtg	ccaggatcag		2220
gcaagtcttg	catcattaaa	agcgcagtc	ccaaaaaaga	tctagtgggtg	agcgcgaaga		2280
aagaaaactg	tgcagaaatt	ataagggacg	tcaagaaaaa	gaaagggcgtg	gacgtcaatg		2340
ccgaactcgt	ggactcagtg	ctcttgaatg	gatgcaaaaca	ccccgtagag	accctgtata		2400
ttgacgaagc	ttttgcttgt	catgcaggta	ctctcagagc	gctcatagcc	attataagac		2460

-continued

ctaaaaaggc	agtgtctctgc	ggggatccca	aacagtgcgg	tttttttaac	atgatgtgcc	2520
tgaaagtgca	ttttaaccac	gagatttgca	cacaagtctt	ccacaaaagc	atctctcgcc	2580
gttgactaa	atctgtgact	tccgtcgtct	caacctgtt	ttacgacaaa	aaaatgagaa	2640
cgacgaatcc	gaaagagact	aagattgtga	ttgacactac	cggcagtagc	aaacctaacg	2700
aggacgatct	cattctcact	tgtttcagag	ggtgggtgaa	gcagttgcaa	atagattaca	2760
aaggcaacga	aataatgacg	gcagctgcct	ctcaagggct	gaccctgaaa	ggtgtgtatg	2820
ccgttcggta	caaggtgaat	gaaaaatcct	tgtagcgcac	cacctcagaa	catgtgaacg	2880
tcctactgac	ccgcacggag	gaccgcacat	tgtagaaaac	actagccggc	gacctatgga	2940
taaaaacact	gactgccaa	tacctcgga	atttactctg	cacgatagag	gagtggaacg	3000
cagagcatga	tgccatcatg	aggcacatct	tggagagacc	ggacctacc	gacgtcttcc	3060
agaataaggc	aaacgtgtgt	tgggccaagg	ctttagtccc	ggtgtctgaag	accgctggca	3120
tagacatgac	cactgaacaa	tggaaacact	tggattat	tgaacaggac	aaagctcact	3180
cagcagagat	agtattgaac	caactatgct	tgaggttctt	tggactcgat	ctggactccg	3240
gtctattttc	tgccacctact	gttccgttat	ccattaggaa	taactactgg	gataaactccc	3300
cgctgcctaa	catgtacggg	ctgaataaag	aagtgggtccg	tcagctctct	cgaggtacc	3360
cacaactgcc	tccggcagtt	gccactggaa	gagttctatga	catgaacact	ggtacactgc	3420
gcaattatga	tcgcgcgata	aacctagtac	ctgtaaacag	aagactgcct	catgctttag	3480
tcctccacca	taatagaacac	ccacagagtg	acttttcttc	attcgtcagc	aaattgaagg	3540
gcagaactgt	ccctgggtgc	ggggaaaaag	tgccgtccc	aggcaaaatg	gttgactggt	3600
tgtagagacc	gctcagagct	accttcagag	ctcggctgga	tttaggcac	ccaggtgatg	3660
tgcccaata	tgacataata	tttgtaatg	tgaggacccc	ataataatc	catcactatc	3720
agcagtgatga	agacctgcgc	attaagctta	gcattgtgac	caagaaagct	tgtctgcac	3780
tgaatcccg	ggaaactgtg	gtcagcatag	gttatgggta	cgctgacagg	gccagcgaaa	3840
gcacatttgg	tgctatagcg	cggcagttca	agttttcccg	ggtagcaaaa	ccgaaatcct	3900
cacttgaaga	caaggaagtt	ctgtttgtat	tcattgggta	cgatcgcaag	gccgtacgc	3960
acaatcctta	gaagctttca	tcacacttga	ccaacattta	tacaggttcc	agactccacg	4020
aagccggatg	tgacacctca	tatcatgtgg	tgccagggga	tattgccacg	gccaccgaag	4080
gagtgattat	aaatgctgtc	aacagcaaa	gacaaactgg	cggagggggtg	tgccgagcgc	4140
tgataagaa	attcccgcaa	agcttcgatt	tacagccgat	cgaagtagga	aaagccgac	4200
tggtcaagg	tgacgttaaa	catatcattc	atgccgtagg	accaaacctc	aaacaaagtt	4260
cggaggttga	aggtgacaaa	cagttggcag	aggcttatga	gtccatcgct	aagattgtca	4320
acgataacaa	ttacaagtca	gtacgatttc	cactgttgtc	caccggcatc	ttttccggga	4380
acaaagatcg	actaacccaa	tcattgaacc	atttctgac	agctttagac	accaactgatg	4440
cagatgtagc	catatactgc	agggacaaga	aatgggaat	gactctcaag	gaagcagtg	4500
ctaggagaga	agcagtgag	gagatatgca	tatccgacga	ctcttcagtg	acagaacctg	4560
atgcagagct	ggtgaggggt	catccgaaga	gttctttggc	tggaaggaag	ggctacagca	4620
caagcgatgg	caaaactttc	tcattttgg	aagggaacaa	gtttaccacg	gcggccaaag	4680
atatagcaga	aaattaatgcc	atgtggcccg	ttgcaacgga	ggccaatgag	cagggtatgca	4740
tgtatatcct	cggagaagac	atgagcagta	ttaggtcgaa	atgcccgcgc	gaagagtcgg	4800
aaagctccac	accactatgc	gcctgtgcat	ccatgcatgc	actccagaaa		4860
gagtagacgc	cctaaaagcc	tcacgtccag	aacaaattac	tgtagtgcac	tcctttccat	4920
tgccgaagta	tgaatacact	ggtgtgcaga	agatccaatg	ctcccagcct	atattgttct	4980
caccgaagtg	atccatccaa	ggaagtatct	cgtggaaaca	ccaccggtag		5040
acgagactcc	ggagccatcg	gcagagaacc	aatccacaga	ggggacacct	gaacaaccac	5100
cacttataac	cagaggtgag	accaggacta	gaacgcctga	gccgatcatc	atcgaagagg	5160
aagaagagga	tgataaagt	tgtctgtcag	atggcccgac	ccaccaggtg	ctgcaagtgc	5220
aggcagacat	tcacgggccc	ccctctgtat	ctagctcatc	ctgggtccat	cctcatgcat	5280
ccgactttga	tgtggacagt	ttatccatac	ttgacacctc	ggagggagct	agcgtgacca	5340
gcggggcaac	gtcagccgac	actaactctt	acttcgcaaa	gagtagggag	tttctggcgc	5400
gaccgggtgc	tgccctctga	acagatttca	ggaacctctc	acatcccgct	ccgcgcacaa	5460
gaacacgctc	acttgacccc	agcagggcct	gctcgagaac	cagcctagtt	tcacccccgc	5520
caggcgtgaa	tagggtagatc	actagagagg	agctcgaggc	gcttaccgcc	tcacgcactc	5580
ctagcaggtc	gggtctcgaga	accagcctgg	tcctcaaccc	gccaggcgta	aatagggtga	5640
ttacaagaga	ggagtttgag	gcgttcgtag	cacaacaaca	atgacgggtt	gatgcgggtg	5700
catacatctt	ttcctccgac	accggtcaag	ggcatttaca	acaaaaatca	gtaaggcaaa	5760
cgggtgctatc	cgaagtgggt	ttggagagga	ccgaattgga	gatttctgat	gccccgcgcc	5820
tcgaccaaga	aaaagaagaa	ttactacgca	agaaattaca	gttaaatccc	acacctgcta	5880
acagaagcag	ataccagtc	aggaaggtgg	agaacatgaa	agccataaca	gctagacgta	5940
ttctgcaagg	cctagggcac	tatttgaagg	cagaaggaaa	agtgagagtc	taccgaaccc	6000
tgcatcctgt	tcctttgtat	tcactatag	tgaacgcgtc	cttttcaagc	cccaaggctg	6060
cagtggaagc	ctgtaacgccc	atgttgaagg	agaactttcc	gactgtggct	tcttactgta	6120
ttattccaga	gtacgatgcc	tatttggaca	tggttgacgg	agcttcatgc	tgcttagaca	6180
ctgccagttt	ttgccctgca	aagctgcgca	gctttccaaa	gaaacactcc	tatttggaac	6240
ccacaatacg	atccgcagtg	ccttcagcga	tccagaacac	gctccagaac	gtcctggcag	6300
ctgccacaaa	aagaaattgc	aatgtcacgc	aatgagagga	attgcccgtg	ttggattcgg	6360
cggcctttaa	tgtggaatgc	ttcaagaaat	atgcgtgtta	taataaatat	tggaagacgt	6420
ttaaagaaaa	cccacatcag	cttactgaag	aaaacgtggt	aaattacatt	accaaattaa	6480
aaggacaaaa	agctgctgct	ctttttcgca	agacacataa	tttgaatatg	ttgcaggaca	6540
taccaatgga	caggtttgta	atggacttaa	agagagacgt	gaaagtgact	ccaggaaaca	6600
aacatactga	agaacgcccc	aaggtacagg	tgatccaggc	tgccgatccg	ctagcaacag	6660
cgtatctgtg	cggaaatccac	cgagagctgg	ttaggagatt	aaatgcggtc	ctgcttccgc	6720
acattcatc	actgtttgat	atgtcggctg	aagactttga	cgctattata	gccagcact	6780
tcacgcctgg	ggatttgtgt	ctggaactg	acatcgctc	gtttgataaa	agtgaggacg	6840
acgccatggc	ctgacccg	ttaatgattc	tggaagactt	aggtgtggac	gcagagctgt	6900
tgacgtgat	ttagggggct	ttccatcaat	acttttgccc	actaaaacta		6960
aattttaaatt	cggagccatg	atgaaatctg	gaatgttctc	cacactgttt	gtgaacacag	7020

-continued

```

tcattaacat tghtaatcgca agcagagtgt tgagagaacg gctaaccgga tcaccatgtg 7080
cagcattcat tggagatgac aatatcgtga aaggagtcaa atcggacaaa ttaatggcag 7140
acaggtgccc caccgtgttg aatatggaag tcaagattat agatgctgtg gtgggcgaga 7200
aagcgcccta tttctgtgga gggtttattt tgtgtgactc cgtgaccggc acagcgtgcc 7260
gtgtggcgaga cccctaaaaa aggctgttta agcttggcaa acctctggca gcagacgatg 7320
aacatgatga tgacaggaga agggcattgc atgaagagtc aacacgctgg aaccgagtgg 7380
gtattcttcc agagctgtgc aaggcagtag aatcaaggta tgaaaccgta ggaactcca 7440
tcatagttaa ggcctgact actctagcta gcagtgttaa atcattcagc tacctgagag 7500
gggcccctat aactctctac ggctaacctg aatggactac gactctagaa tagtctttaa 7560
ttaaagtcgc ccatatgaga tggaaagatgc caaaaacatt aagaaggggc cagcgccatt 7620
ctaccactc gaagacggga cggccggcga gcagctgcac aaagccatga agcgtacgc 7680
cctgtgtccc ggcaccatcg cctttaccga cgcacatata gaggtggaca ttacctacgc 7740
cgagtacttc gagatgagcg ttcggctggc agaagctatg aagcgtatg ggctgaatac 7800
aaacatcgg atcgtgtgtt gcagcgagaa tagcttgagc ttcttcatgc cgtgtgtggg 7860
tgccctgttc atcgggtgtg cgtgtgcccc agctaaccag atctacaacg agcgcgagct 7920
gctgaacagc atgggcatca gccagccccc cgtcgtattc gtgagcaaga aagggtgca 7980
aaagatcctc aacgtgcaaa agaagctacc gatcatacaa aagatcatca tcattggatg 8040
caagaccgac taccagggtc tccaaagcat gtacaccttc gtgacttccc atttgccacc 8100
cggcttcaac gactacgact tctgtcccca gagcttcgac cgggacaaaa ccacgcacct 8160
gatcatgaac agtagtgcca gtaccggatt gcccaagggc gtgacctac cgcaccgcac 8220
cgcttctgtc cgattcagtc atgcccgcga ccccatcttc ggcaaccaga tcatccccga 8280
cacgcctatc ctacgcgtgg tggcatttca ccacggcttc ggcatgttca ccacgcgtgg 8340
ctacttgatc tgcggcttcc gggctgtgct catgtaccgc ttcgaggagg agctattctt 8400
gcgcagcttg caagactata agattcaatc tgccctgtct gtgcccacac tatttagctt 8460
cttcgctaag agcactctca tcgacaagta cgacctaagc aactgcacg agatcgccag 8520
cggcggggag ccgctcagca aggaggtagg tgaggccgtg gccaaacgct tccacctacc 8580
aggcatccgc cagggtctac gctgacagaa aacaaccagc gccattctga tcacccccga 8640
aggggacgac aagcctggcg cagtaggcaa ggtggtgccc ttctcgagg ctaaggtggt 8700
ggacttgagc accggttaaga cactgggtgt gaaccagcgc ggcgagctgt gcgtccgtgg 8760
ccccatgatc atgagcggtc acgttaacaa ccccgaggct acaaacgctc tcatcgacaa 8820
ggacggctgg ctgacagcgc gcgacatcgc ctactgggac gaggacgagc acttcttcat 8880
cgtggaccgg ctgaagagcc tgatcaaaata caagggtac caggtagccc cagccgaact 8940
ggagagcatc ctgctgaac accccaacat cttcgacgccc ggggtcgccc gctgccccga 9000
cgacgatgcc ggcgagctgc ccgcccagc cgtcgtgctg gaacacggta aaaccatgac 9060
cgagaaggag atcgtggact atgtggccag ccaggttaca accgccaaga agctgcgcgg 9120
tggtgttgtt ttctgtgacg aggtgcctaa aggactgacc ggcaagttag acgcccgcga 9180
gatccgcgag attctcatta agcccaagaa gggcggcaag atcgccgtgt aattcgaacg 9240
gccgtatcac gcccaaacat ttacagccgc ggtgtcaaaa accgctgga cgtggttaac 9300
atccctgctg ggaggatcag ccgttaattat tataattggc ttggtgctgg ctactattgt 9360
ggccatgtac gtgctgacca accgaaaaca taattgaata cagcagcaat tggcaagctg 9420
cttacataga actcgcggcg attggcatgc cgccttaaaa tttttatttt attttttctt 9480
ttcttttccg aatcggtatt tgtttttaat atttcaaaaa aaaaaaaaaa aaaaaaaa 9540
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 9595

```

```

SEQ ID NO: 16      moltype = AA length = 139
FEATURE           Location/Qualifiers
REGION            1..139
                  note = Description of Artificial Sequence: Synthetic
                  polypeptide
source            1..139
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 16
PSSLSASVGD RVTITCRASQ SINSYLDWYQ QKPGKAPKLL IYAASSLQSG VPSRFSGSGS 60
GTDFTLTISI LQPEDFATYY CQQYYSTPFT FPGTKVEIK RTVAAPSVFI FPPSDEQLKS 120
GTASVCLLN NFYPREAKV 139

```

```

SEQ ID NO: 17      moltype = AA length = 167
FEATURE           Location/Qualifiers
REGION            1..167
                  note = Description of Artificial Sequence: Synthetic
                  polypeptide
source            1..167
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 17
GVVQPGRLSLR LSCAASGFTF SSYGMHWVRQ APGKGLEWVA VIWYDGSNKY YADSVKGRFT 60
ISRDNKNTL YLQMNSLRAE DTAVYYCARD PRGATLYYYY YGMDVWVGQT TTVTSSASTK 120
GPSVFLAPC SRSTSESTAA LGCLVKDYFP EPVTVSWNSG ALTSGVH 167

```

```

SEQ ID NO: 18      moltype = AA length = 10
FEATURE           Location/Qualifiers
REGION            1..10
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..10
                  mol_type = protein

```

-continued

SEQUENCE: 18	organism = synthetic construct	
GFTFSSYGMH		10
SEQ ID NO: 19	moltype = AA length = 15	
FEATURE	Location/Qualifiers	
REGION	1..15	
	note = Description of Artificial Sequence: Synthetic peptide	
source	1..15	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 19		
VIWYDGSNKY YADSV		15
SEQ ID NO: 20	moltype = AA length = 16	
FEATURE	Location/Qualifiers	
REGION	1..16	
	note = Description of Artificial Sequence: Synthetic peptide	
source	1..16	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 20		
DPRGATLYYY YGMDV		16
SEQ ID NO: 21	moltype = AA length = 11	
FEATURE	Location/Qualifiers	
REGION	1..11	
	note = Description of Artificial Sequence: Synthetic peptide	
source	1..11	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 21		
RASQSINSYL D		11
SEQ ID NO: 22	moltype = AA length = 7	
FEATURE	Location/Qualifiers	
REGION	1..7	
	note = Description of Artificial Sequence: Synthetic peptide	
source	1..7	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 22		
AASSLQS		7
SEQ ID NO: 23	moltype = AA length = 9	
FEATURE	Location/Qualifiers	
REGION	1..9	
	note = Description of Artificial Sequence: Synthetic peptide	
source	1..9	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 23		
QQYYSTPFT		9
SEQ ID NO: 24	moltype = AA length = 108	
FEATURE	Location/Qualifiers	
REGION	1..108	
	note = Description of Artificial Sequence: Synthetic polypeptide	
source	1..108	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 24		
EIVLTQSPGT LSLSPGERAT LSCRASQRVS SSYLAWYQQK PGQAPRLLIY DASSRATGIP		60
DRFSGSGSGT DFTLTISRLE PEDFAVYYCQ QYGSLEPWTFG QGTKVEIK		108
SEQ ID NO: 25	moltype = AA length = 121	
FEATURE	Location/Qualifiers	
REGION	1..121	
	note = Description of Artificial Sequence: Synthetic polypeptide	
source	1..121	
	mol_type = protein	
	organism = synthetic construct	
SEQUENCE: 25		
EVQLVESGGG LVQPGGSLRL SCAASGFTFS RYWSWVRQA PGKGLEWVAN IKQDGSEKYY		60

-continued

VDSVKGRFTI	SRDNAKNSLY	LQMNSLRAED	TAVYYCAREG	GWFGELAFDY	WGQGLVTVS	120
S						121
SEQ ID NO: 26	moltype = AA length = 5					
FEATURE	Location/Qualifiers					
REGION	1..5					
	note = Description of Artificial Sequence: Synthetic peptide					
source	1..5					
	mol_type = protein					
	organism = synthetic construct					
SEQUENCE: 26						
RYWMS						5
SEQ ID NO: 27	moltype = AA length = 17					
FEATURE	Location/Qualifiers					
REGION	1..17					
	note = Description of Artificial Sequence: Synthetic peptide					
source	1..17					
	mol_type = protein					
	organism = synthetic construct					
SEQUENCE: 27						
NIKQDGSEKY YVDSVKG						17
SEQ ID NO: 28	moltype = AA length = 12					
FEATURE	Location/Qualifiers					
REGION	1..12					
	note = Description of Artificial Sequence: Synthetic peptide					
source	1..12					
	mol_type = protein					
	organism = synthetic construct					
SEQUENCE: 28						
EGGWFGELAF DY						12
SEQ ID NO: 29	moltype = AA length = 12					
FEATURE	Location/Qualifiers					
REGION	1..12					
	note = Description of Artificial Sequence: Synthetic peptide					
source	1..12					
	mol_type = protein					
	organism = synthetic construct					
SEQUENCE: 29						
RASQRVSSSY LA						12
SEQ ID NO: 30	moltype = AA length = 7					
FEATURE	Location/Qualifiers					
REGION	1..7					
	note = Description of Artificial Sequence: Synthetic peptide					
source	1..7					
	mol_type = protein					
	organism = synthetic construct					
SEQUENCE: 30						
DASSRAT						7
SEQ ID NO: 31	moltype = AA length = 9					
FEATURE	Location/Qualifiers					
REGION	1..9					
	note = Description of Artificial Sequence: Synthetic peptide					
source	1..9					
	mol_type = protein					
	organism = synthetic construct					
SEQUENCE: 31						
QQYGSLPWT						9
SEQ ID NO: 32	moltype = DNA length = 2019					
FEATURE	Location/Qualifiers					
misc_feature	1..2019					
	note = Description of Artificial Sequence: Synthetic					
	polynucleotide					
source	1..2019					
	mol_type = other DNA					
	organism = synthetic construct					
SEQUENCE: 32						
gccccgggcat ttaaatgcga tcgcacgat tacgactcta gaatagtcta gtccgcaggc						60
caccatgcag atcttcgtga agaccctgac cggcaagacc atcaccctag aggtggagcc						120
cagtgcacacc atcgagaacg tgaaggccaa gatccaggat aaagagggca tccccctga						180
ccagcagagg ctgatctttg ccggcaagca gctggaagat ggccgcaccc tctctgatta						240

-continued

caacatccag	aaggagtcaa	ccctgcacct	ggtccttcgc	ctgagaggtg	ccatgtttca	300
ggcgctgagc	gaaggctgca	cccgtatga	tattaaccag	atgctgaacg	tgctgggcga	360
tcatcaggtc	tcaggccttg	agcagcttga	gagtataatc	aaactttgaa	aaactgactga	420
atggaccagt	tctaagtgtta	tgctatcct	gtctcctctg	acaaagggca	tcctgggctt	480
cgtgtttacc	ctgaccgtgc	cttctgagag	aggacttagc	tgcattagcg	aagcggatgc	540
gaccaccccg	gaaagcgcga	acctgggcga	agaaattctg	agccagctgt	atctttggcc	600
aagggtgacc	taccattccc	ctagttagtc	ttaccaccaa	tttgaaagac	gagccaaata	660
taaaagacac	ttcccccgt	ttggccagag	cctgctgttt	ggctaccctg	tgtacgtgtt	720
cggcgattgc	gtgcaggcgc	attgggatgc	gattcgcttt	cgctattgcg	cgcgcgcggg	780
ctatgcgctg	ctgcgctgca	acgataccaa	ctatagcgct	ctgctggctg	tgggggccct	840
agaaggaccc	aggaatcagg	actggcttgg	tgteccaaaga	caacttgtaa	ctcggatgca	900
ggctattcag	aatgccggcc	tgtgtaccct	ggtggccatg	ctggaagaga	caatcttctg	960
gctgcaagcg	tttctgatgg	cgtgaccga	tagcggcccg	aaaaccaaca	ttattgtgga	1020
tagccagtat	gtgatgggca	ttagcaaaac	gagctttcag	gaattttgtg	attgggaaaa	1080
cgtgagcccg	gaactgaaca	gcaccgatca	gccgttttgg	caagccggaa	tcctggccag	1140
aaatctgggt	cttatgggtg	ccacagtgc	gggcagaaac	ctgaagtacc	agggtcagtc	1200
actagtcac	tctgcttcta	tcattgtctt	caacctgctg	gaactggaag	gtgattatcg	1260
agatgatggc	aacgtgtggg	tgcatacccc	gctgagcccg	cgcaccctga	acgcgtgggt	1320
gaaagcgggtg	gaagaaaaaa	aaggtattcc	agttcaccta	gagctggcca	gtatgaccaa	1380
catggagctc	atgagcagta	ttgtgcatca	gcaggtcaga	acatacggcc	ccgtgttcat	1440
gtgtctcggc	ggactgctta	caatgggtgc	tggtgctgtg	tggtgacagc	tgcgagtgtc	1500
cgagctgttc	cgggcgcgcg	agctggccaa	cgacgtggtc	ctccagatca	tggagctttg	1560
tggtgcagcg	tttcgcgcag	tgtgccatac	caccgtgccc	tggtccgaacg	cgagcctgac	1620
cccgaaatgg	aacaacgaaa	ccaccagacc	ccagatcgcc	aactgcagcg	tgtatgactt	1680
ttttgtgtgg	ctccattatt	attctgttgc	agacacactt	tggccaaggg	tgacctacca	1740
tatgaacaaa	tatgcgtatc	atatgctgga	aagacgagcc	aaatataaaa	gaggaccagg	1800
acctggcgct	aaatttgtgg	cgcctgggac	actgaaagcc	gctgctggtc	ctggacctgg	1860
ccagtacatc	aagggcaaca	gcaagttcat	cggcatcacc	gaactcggac	ccggaccagg	1920
ctgatgattt	cgaattttaa	ataagcttgc	ggccgctagg	gataacaggg	taattatcac	1980
gccccaacat	ttacagccgc	ggtgtcaaaa	accgcgtgg			2019

SEQ ID NO: 33 moltype = AA length = 619

FEATURE Location/Qualifiers

REGION 1..619

 note = Description of Artificial Sequence: Synthetic polypeptide

source 1..619

 mol_type = protein

 organism = synthetic construct

SEQUENCE: 33

MQIFVKTLTG	KTITLEVEPS	DTIENVKAKI	QDKEGIPPDQ	QRLIFAGKQL	EDGRTLSDYN	60
IQKESTLHLV	LRLRGAMFQA	LSEGCTPYDI	NQMLNVLGDH	QVSGLEQLS	IINFELKTEW	120
TSSNVMPILS	PLTKGILGFV	FTLTVPSESG	LSCISEADAT	TPESANLGEE	ILSQLVLWPR	180
VTYHSPSYAY	HQFERRAKYK	RHFPFGQSL	LFGYPVYVFG	DCVQGDWDAI	RFRYCAPPGY	240
ALLRCNDNTY	SALLAVGALE	GPRNQDWLGV	PRQLVTRMQA	IQNAGLCTLV	AMLEETIFWL	300
QAFLLMALTD	GPKTNIIVDS	QYVMGISKPS	FQEFVDWENV	SPELNSTDQP	FWQAGILARN	360
LVPMVATVQG	QNLKYQGQSL	VISASIIVFN	LLELEGDYRD	DGNVWVHTPL	SPRTLNAWVK	420
AVEEKKGIPV	HLELASMTNM	ELMSSIVHQQ	VRTYGPVPMC	LGGLLTVMAG	AVWLTVRVLE	480
LFRAQLAND	VVLQIMELCG	AAPRQVCHTT	VPWPNASLTP	KWNNETTQPO	IANCSDYDF	540
VWLHYYSVRD	TLWPRVTYHM	NKYAYHMLER	RAKYKRGPGP	GAKFVAAWTL	KAAAGPGPGQ	600
YIKANSKFIF	ITELGPGPG					619

SEQ ID NO: 34 moltype = DNA length = 1638

FEATURE Location/Qualifiers

misc_feature 1..1638

 note = Description of Artificial Sequence: Synthetic polynucleotide

source 1..1638

 mol_type = other DNA

 organism = synthetic construct

SEQUENCE: 34

atggccggga	tgttccaggc	actgtccgaa	ggctgcacac	cctatgatat	taaccagatg	60
ctgaatgtcc	tgggagacca	ccaggctctc	ggcctggagc	agctggagag	catcatcaac	120
ttcgagaagc	tgaccgagtg	gacaagctcc	aatgtgatgc	ctatcctgtc	cccactgacc	180
aagggcatcc	tgggtctcgt	gtttaccctg	acagtgcctt	ctgagcgggg	cctgttttgc	240
atcagcgagg	cagacgcaac	cacaccagag	tccgccaatc	tggcgagga	gatcctgtct	300
cagctgtacc	tgtggccccc	gggtgacatat	cactcccctt	cttacgccta	tcaccagttc	360
gagcggagag	caaagtacaa	gagacacttc	ccaggctttg	gccagctctc	gctgttcggc	420
taccgccgtg	acgtgttcgg	cgattgcgtg	cagggcgact	gggatgccat	ccggtttaga	480
tactgcgcac	cacctggata	tgcactgctg	agggtgaacg	acaccaatta	ttccgccctg	540
ctggcagtg	gcgccttgga	gggccttcgc	aatcaggatt	ggctgggcgt	gccaaggcag	600
ctgggtgacac	gcatgcaggc	catccagaac	gcaggcctgt	gcaccctggg	ggcaatgctg	660
gaggagacaa	tcttctggct	gcaggccttt	ctgatggccc	tgaccgacag	cggccccaag	720
acaaacatca	ctgtggatcc	ccagtacgtg	atgggcacat	ccaagccttc	tttccaggag	780
tttgtggact	tgggagaacg	gagcccgag	ctgaattcca	ccgatcagcc	attctggcag	840
gcaggaatcc	tggcaaggaa	cctggtgcct	atggtggcca	cagtgcaggg	ccagaatctg	900

-continued

```

aagtaccagg gccagagcct ggtcatcagc gccctccatca tcgtgtttaa cctgctggag 960
ctggagggcg actatcgagg cgatggcaac gtgtgggtgc acaccccact gagccccaga 1020
acactgaacg cctgggtgaa ggcctgtggag gagaagaagg gcatcccagt gcacctggag 1080
ctggcctcca tgaccaatat ggagctgatg tctagcatcg tgcaccagca ggtgaggaca 1140
tacggaccgg tggtcatgtg cctgggaggg ctgctgacca tgggtggcagg agccgtgtgg 1200
ctgacagtg cgggtgctgga gctgttcaga gccgcccagc tggccaacga tgtggtgctg 1260
cagatcatgg agctgtgagg agcagccttt cgccaggtgt gccacaccac agtgccatgg 1320
cccaatgcct ccccgacccc caagtggaa aatgagacaa cacagcctca gatcgccaac 1380
tgtagcgtgt acgacttctt cgtgtggctg cactactata gcgtgaggga taccctgtgg 1440
ccccgcgtga cataccacat gaataagtac gcctatcaca tgctggagag gcgcgccaag 1500
tataagagag gccctggccc aggcgcaaa tttgtggcag catggaccct gaaggccgcc 1560
gccggccccg gccccggcca gtatatcaag gctaacagta agttcattgg aatcacagag 1620
ctgggaccgg gacctgga                                     1638

```

```

SEQ ID NO: 35      moltype = AA length = 546
FEATURE
REGION            Location/Qualifiers
                  1..546
                  note = Description of Artificial Sequence: Synthetic
                      polypeptide
source            1..546
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 35
MAGMFQALSE GCTPYDINQM LNVLGHDQVS GLEQLESIIN FEKLTWETSS NVMPILSPLT 60
KGILGFVFTL TVPSERGLSC ISEADATTPE SANLGEELIS QLYLWPRVTY HSPSYAYHQF 120
ERRAKYKRHF PGFGQSLFLG YPVYVFGDCV QGDWDAIRFR YCAPPGYALL RCNDTNYSL 180
LAVGALEGPR NQDLGLVPRQ LVTRMQAIQN AGLCTLVAML EETIFWLQAF LMALTDSPGK 240
TNIIVDSQVY MGISKPSFQE FVDWENVSP E LNSTDQPFQW AGILARNLVP MVATVQGQNL 300
KYQGQSLVIS ASIIVFNLE LEGDYRDDGN VWVHTPLSPR TLNAWVKAVE EKKGIPVHLE 360
LASMTNMELM SSIHVQQVRT YGPVFMCLGG LLTMVAGAVW LTVRVLELFR AAQLANDVVL 420
QIMELCGAAF RQVCHTTPV PNASLTPKWN NETTQPQIAN CSVYDFFWL HYYSVRDLTW 480
PRVTYHMNKY AYHMLERRAK YKRGPGPGAK FVAAWTLKAA AGPGPGQYIK ANSKFIGITE 540
LGPGPG                                     546

```

```

SEQ ID NO: 36      moltype = DNA length = 2019
FEATURE
misc_feature      Location/Qualifiers
                  1..2019
                  note = Description of Artificial Sequence: Synthetic
                      polynucleotide
source            1..2019
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 36
gccccggcat ttaaatgcga tcgcctgat tacgactcta gaatagtcta gtccgcaggc 60
caccatgcag atcttcgtga agaccctgac cggcaagacc atcaccctag aggtggagcc 120
cagtgaaccc atcgagaacg tgaaggccaa gatccaggat aaagagggca tccccctga 180
ccagcagagg ctgatctttg ccggcaagca gctggaagat ggccgcaccc tctctgatta 240
caacatccag aaggagtcac cctgcacct ggtccttcgc ctgagagggt ccatgtttca 300
ggcgctgagc gaaggctgca ccccgatga tattaaccag atgctgaacg tgctgggcga 360
tcctcagttt aagcacatca aagcctttga ccggacattt gctaacaacc cagggtcccat 420
ggttgtgttt gccacacctg ggcctatcct gtctcctctg acaaagggca tccctgggct 480
cgtgtttacc ctgaccgtgc cttctgagag aggaacttagc tgcattagcg aagcggatgc 540
gaccaccccg gaaagcgcca acctggggcg agaaattctg agccagctgt atctttggcc 600
aagggtgacc taccattccc ctagttagc ttaccaccaa tttgaaagac gagccaaata 660
taaaagacac ttccccggct ttggccagag cctgctgttt ggctaccctg tgtacgtgtt 720
cggcgattgc gtgcaggcg attgggatgc gattcgcttt cgctattgag cgccgcggg 780
ctatgcgctg ctgcgctgca acgataccaa ctatagcgct ctgctggctg tgggggccct 840
agaaggaccc aggaatcagg actggcttgg tgtcccaaga caacttgtaa ctcgatgca 900
ggctattcag aatgccggcc tgtgtaccct ggtggccatg ctggaagaga caatcttctg 960
gctgcaagcg tttctgatgg cgtgaccga tagcgggccc aaaaccaaca ttattgtgga 1020
tagccagtat gtgatgggca tttagcaaac gagctttcag gaatttgtgg attgggaaaa 1080
cgtgagcccg gaactgaaca gcaccgatca gccgttttgg caagccggaa tccctggccag 1140
aaatctggtg cctatggtgg ccacagtgca gggccagaac ctgaagtacc agggctcagtc 1200
actagtcac tctgtctcta tcattgtctt caacctgctg gaactggaag gtgattatcg 1260
agatgatggc aacgtgtggg tgcatacccc gctgagcccg cgcacctga acgctgggt 1320
gaaagcggtg gaagaaaaaa aaggatttcc agttcaccta gagctggcca gtatgaccaa 1380
catggagctc atgagcagta ttgtgcatca gcaggtcaga acatacggcc cgtgtttcat 1440
gtgtctcgcg ggaactgcta caatggtggc tgggtgctgtg tggctgacag tgcgagtgtc 1500
cgagctgttc cgggcccgcg agctggccaa cgacgtggtc ctccagatca tggagctttg 1560
tgggtgcagc tttcgccagg tgtgccatac caccgtgccg tggccgaacg cgaagcctgac 1620
ccccaaatgg aacaaacaaa ccaccagcc ccagatcgcc aactgcagcg tgtatgactt 1680
ttttgtgtgg tccattatt attctgttcg agacacactt tggccaaggg tgacctacca 1740
tatgaacaaa tatgcgtatc atatgctgga aagacgagcc aaatataaaa gaggaccagg 1800
acctggcgct aaatttgtgg ccgcctggac actgaaagcc gctgctggtc ctggacctgg 1860
ccagtacatc aaggccaaca gcaagttcat cggcatcacc gaactcggac ccggaccagg 1920
ctgatgattt cgaaatttaa ataagcttgc ggcgcgtagg gataacaggg taattatcac 1980

```

-continued

gcccacacat ttacagccgc ggtgtcaaaa accgcgtgg 2019

SEQ ID NO: 37 moltype = AA length = 619
 FEATURE Location/Qualifiers
 REGION 1..619
 note = Description of Artificial Sequence: Synthetic polypeptide
 source 1..619
 mol_type = protein
 organism = synthetic construct

SEQUENCE: 37
 MQIFVKTLTG KTITLEVEPS DTIENVKAKI QDKEGIPPDQ QRLIFAGKQL EDGRTLSDYN 60
 IQKESTLHLV LRLRGAMFQA LSEGCTPYDI NQMLNVLGDH QFKHIKAFDR TFANNPGPMV 120
 VFATPGPILS PLTKGILGFV FTLTVPSESG LSCISEADAT TPESANLGEE ILSQLYLWPR 180
 VTYHSPSYAY HQFERRAKYK RHFPFGGQSL LFGYPVYVFG DCVQGDWDAL RFRYCAPPGY 240
 ALLRCNDTNY SALLAVGALE GPRNQDWLGV PRQLVTRMQA IQNAGLCTLV AMLEETIFWL 300
 QAFLMALTDS GPKNTIIVDS QYVMGISKPS FQEFVDWENV SPELNSTDQP FWQAGILARN 360
 LVPMVATVQG QNLKYQGQSL VISASIIIVFN LLELEGDYRD DGNVWVHTPL SPRTLNAWVK 420
 AVEEKKGIPV HLELASMTNM ELMSSIVHQQ VRTYGPVPMC LGGLLTMVAG AVWLTVRVLE 480
 LPRAAQLAND VVLQIMELCG AAFRQVCHTT VPWPNASLTP KWNNETTQPQ IANCSVYDFP 540
 VWLHYYSVRD TLWPRVTYHM NKYAYHMLER RAKYKRGPGP GAKFVAAWTL KAAAGPGPGQ 600
 YIKANSKFIG ITELGP GPGP 619

SEQ ID NO: 38 moltype = DNA length = 228
 FEATURE Location/Qualifiers
 misc_feature 1..228
 note = Description of Artificial Sequence: Synthetic polynucleotide
 source 1..228
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 38
 atgcagatct tcgtaagac cctgaccggc aagaccatca ccctagagggt ggagcccagt 60
 gacaccatcg agaactgtgaa ggccaagatc caggataaag agggcatccc ccctgaccag 120
 cagaggctga tctttgcccg caagcagctg gaagatggcc gcacctctc tgattacaac 180
 atccagaagg agtcaaccct gcacctgggtc cttcgctga gaggtggc 228

SEQ ID NO: 39 moltype = DNA length = 228
 FEATURE Location/Qualifiers
 misc_feature 1..228
 note = Description of Artificial Sequence: Synthetic polynucleotide
 source 1..228
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 39
 atgcagatct tcgtaagac cctgaccggc aagaccatca ccctagagggt ggagcccagt 60
 gacaccatcg agaactgtgaa ggccaagatc caggataaag agggcatccc ccctgaccag 120
 cagaggctga tctttgcccg caagcagctg gaagatggcc gcacctctc tgattacaac 180
 atccagaagg agtcaaccct gcacctgggtc cttcgctga gaggtggc 228

SEQ ID NO: 40 moltype = DNA length = 78
 FEATURE Location/Qualifiers
 source 1..78
 mol_type = other DNA
 organism = Homo sapiens

SEQUENCE: 40
 atggccgtca tggcgccccg aacctcgctc ctgctactct cgggggctct ggccctgacc 60
 cagacctggg cgggctct 78

SEQ ID NO: 41 moltype = DNA length = 201
 FEATURE Location/Qualifiers
 source 1..201
 mol_type = other DNA
 organism = Homo sapiens

SEQUENCE: 41
 cgtcttccc agcccacat ccccatcgtg ggcacattg ctggcctggt tctctttgga 60
 gctgtgatca ctggagctgt ggtcgctgct gtgatgtgga ggaggaagag ctcagataga 120
 aaaggaggga gctactctca ggctgcaagc agtgacagtg ccaggggctc tgatgtgtct 180
 ctcacagctt gtaaagtgtg a 201

SEQ ID NO: 42 moltype = DNA length = 60
 FEATURE Location/Qualifiers
 misc_feature 1..60
 note = Description of Artificial Sequence: Synthetic oligonucleotide

-continued

```

source          1..60
                 mol_type = other DNA
                 organism = synthetic construct

SEQUENCE: 42
atggagaccg atacactgct gctgtgggtg ctgctcctgt ggggtgccagg aagcacaggc 60

SEQ ID NO: 43    moltype = DNA length = 3178
FEATURE          Location/Qualifiers
source           1..3178
                 mol_type = other DNA
                 organism = Homo sapiens

SEQUENCE: 43
ggcaccgatt cgggggctgc ccggacttcg ccgcacgctg cagaacctcg cccagcgccc 60
accatgcccc ggcagctcag cgcggcggcc gcgctcttcg cgtccctggc cgtaatTTTg 120
cacgatggca gtcaaatgag agcaaaagca ttccagaaa ccagagatta ttctcaacct 180
actgcagcag caacagtaca ggacataaaa aaacctgtcc agcaaccagc taagcaagca 240
cctcaccaaa ctttagcagc aagattcatg gatggtcata tcacctttca aacagcgggc 300
acagtaaaaa ttccaacaac taccacagca actacaaaaa acactgcaac caccagccca 360
attacctaca cctgggtcac aaccaggcc acaccaaca actcacacac agctcctcca 420
gttactgaag ttacagtccg cctagtctta gcccttatt cactgccacc caccatcacc 480
ccaccagctc atacagctgg aaccagttca tcaaccgtca gccacacaac tgggaacacc 540
actcaaccca gtaaccagac cacccttcca gcaactttat cgatagcact gcacaaaagc 600
acaaccggtc agaagcctga tcaaccacc catgccccag gaacaacggc agctgcccac 660
aataccaccc gcacagctgc acctgcctcc acggttcctg ggccccacct tgcacctcag 720
ccatcgctag tcaagactgg aatttatcag gttctaaacg gaagcagact ctgtataaaa 780
gcagagatgg ggatacagct gattgttcaa gacaaggagt cgggtttttc acctcggaga 840
tacttcaaca tcgaccccaa cgcacacgca gcctctggga actgtggcac ccgaaaaatcc 900
aaccttctgt tgaattttca gggcggattt gtgaatctca cattaccaaa ggatgaagaa 960
tcatattata tcaagtgaag gggagcctat ttgaccgtct cagatccaga gacagtttac 1020
caaggaatca aacatcggtt ggtgatgttc cagacagcag tcgggcattc cttcaagtgc 1080
gtgagtgaac agagcctcca gttgtcagcc cacctgcagg tgaacaacac cgatgtccaa 1140
cttcaagcct tgatttttga agatgaccac tttggaaatg tggatgagtg ctgctctgac 1200
tacacaattg tgcctcctgt gattggggcc atcgtgggtg gtctctgctt tatgggtatg 1260
ggtgtctata aaatccgctt aaggtgtcaa tcatctggat accagagaat ctaattgttg 1320
cccgggggga atgaaaaata tggaaatttag agaactcttt catcccttcc aggatggatg 1380
ttgggaaatt ccctcagagt gtgggtcctt caaacaatgt aaaccaccat cttctattca 1440
aatgaagtga gtcatgtgtg atttaagttc aggcagcaca tcaatttcta aatacttttt 1500
gtttatttta tgaagatatg agtgagctgt ttattttcta gtttcttta gaattttta 1560
gccactcaaa gtcaacattt gagtatgttt gaattaacat aatatatgta aagtagaata 1620
agccttcaaa ttataaacca agggtcaatt gtaactaata ctactgtgtg tgcattgaag 1680
attttatttt acccttgatc ttaacaaagc ctttgccttg ttatcaaatg gactttcagt 1740
gcttttacta tctgtgtttt atgggttcat gtaacataca tatctcgtgt gtagcactta 1800
actccttttc cacttttaaa ttgtttttgt tttttgagac ggagtttcac tcttgcacc 1860
caggctggag tacagtggca cgatctcgcc ttatggcaac ctccgctccc cgggttcaag 1920
tgattctcct gcttcagctt cccgagtagc tgggattaca ggcacacact accacgcctg 1980
gctaattttt gtatttttat tatagacggg ttccaccatg ttggccagac tggctctgaa 2040
ctcttgacct cagggtgatc acccacctca gccctccaaa gtgctgggat tacaggcatg 2100
agccattgag cccggcctta aatgtttttt ttaatcatca aaaagaacaa catatctcag 2160
gttgcttaag cgttttttat taaaaccaac aatcagctta tattttttat 2220
cttgatgact cctgctccag aattgctaga ctaagaatta ggtggctaca gatggtagaa 2280
ctaaacaata agcaagagac aataaataat gcccttaatt attaacaaag tgcagagctc 2340
taggctaagc actttatcta tttctcattt cattctcaca acttataagt gaatgagtaa 2400
actgagactt aagggaactg aatcacttaa atgtcacctg gctaactgat ggcagagcca 2460
gagcttgaat tcatgttggt ctgacatcaa ggtcttttgt cttctcccta caccaagtta 2520
cctacaagaa caatgacacc acactctgcc tgaaggctca cacctcatak cagcatacgc 2580
tcaccttaca gggaaatggg tttatccagg atcatgagac attagggtag atgaaaggag 2640
agctttgcag ataacaaat agcctatcct taataaatcc tccactctct ggaaggagac 2700
tgaggggctt tgtaaaacat tagtcagttg ctcatTTTTt tgggattgct tagctgggct 2760
gtaaagatga aggcatacaa taaactcaaa gtatttttaa atttttttga taatagagaa 2820
acttcgctaa ccaactgttc tttcttgagt gtatagcccc atcttgtggt aacttgctgc 2880
ttctgcactt catatcata ttctctattg ttcactttat tctgtagagc agcctgcaa 2940
gaattttatt tctgctgttt tttttgctgc taaagaaaag aactaagtca ggatgttaac 3000
agaaaagtcc acataaccct agaattctta gtcaaggaat aattcaagtc agcctagaga 3060
ccatgttgac tttcctcatg tgtttcctta tgactcagta agttggcaag gtcctgactt 3120
tagtcttaat aaaacattga attgtagtaa aggtttttgc aataaaaact tacttttg 3178

SEQ ID NO: 44    moltype = DNA length = 1858
FEATURE          Location/Qualifiers
source           1..1858
                 mol_type = other DNA
                 organism = Mus sp.

SEQUENCE: 44
attccggagg tgaaaaacaa tggcacaacg tgtataatgg ccagcttctc tgcctccttt 60
ctgaccacct acgagactgc gaatggttct cagatcgtga acatttccct gccagcctct 120
cgagaagtac tgaaaaatgg cagttcttgt ggtaagaaa atgtttctga cccagcctc 180
acaattactt ttggaagagg atatttactg acactcaact tcacaaaaaa tacaacacgt 240

```

-continued

tacagtgtcc	agcatatgta	ttttacatat	aacttgtcag	atacagaaca	ttttcccaat	300
gcoatcagca	aagagatcta	caccatggat	tccacaactg	acatcaaggc	agacatcaac	360
aaagcatacc	gggtgtgcag	tgatatccgg	gtctacatga	agaatgtgac	cgttgtgtctc	420
cgggatgcca	ctatccaggc	ctacctgtcg	agtggcaact	tcagcaagga	agagacacac	480
tgccacacag	atggaccttc	cccaaccact	gggccaccca	gcccctcacc	accacttgtg	540
cccacaaacc	ccactgtatc	caagtacaat	gttacttgta	acaacggaa	ctgcctgtctg	600
gcctctatgg	cactgcaact	gaatatcacc	tacctgaaaa	aggacaacaa	gacgggtgacc	660
agagcgttca	acatcagccc	aaatgacaca	tctagtggga	gttgcggtat	caacttgggtg	720
accctgaaag	tggaagaaca	gaacagagcc	ctggaattgc	agtttgggat	gaatgccagc	780
tctagcctgt	ttttcttgca	aggagtgcgc	ttgaatatga	ctcttctctga	tgccctagtgt	840
cccacattca	gcattctcaa	ccattcactg	aaagctcttc	aggccactgt	gggaaactca	900
tacaagtgca	acactgagga	acacatcttt	gtcagcaaga	tgctctcctc	caatgtcttc	960
agtgtgcagg	tccaggcttt	caagggtggac	agtgcacagt	ttgggtctgt	ggaagagtgt	1020
gttcaggatg	gttaacacat	gttgatcccc	attgctgtgg	gcggtgacct	ggcagggtctg	1080
atcctcatcg	tcctcattgc	ctacctcatt	ggcaggaaga	ggagtccagc	cggctatcag	1140
accatctagc	ctgggtgggca	ggtgcaccag	agatgcacag	gggcctgttc	tcacatcccc	1200
aagcttagat	agggtgtggaa	gggaggcaca	ctttctggca	aactgtttta	aaatctgctt	1260
tatcaaatgt	gaagtctatc	ttgcaacatt	tactatgcac	aaaggaataa	ctattgaaat	1320
gacggtgtta	attttgctaa	ctgggttaaa	tattgatgag	aaggctccac	tgatttgact	1380
tttaagactt	gggttttggg	tcttcattct	tttactcaga	tttaagccta	tcaaaaggat	1440
actctgggtc	agaccttgcc	ctggcaaggg	tggtgtgatg	ttaggtgtgca	cacacttaag	1500
aagcaacggg	agcagggaag	gcttgccac	aggcagcgac	agggccaacc	tctggacact	1560
tggttggg	tacctgggct	tggtggggct	gaactctggc	atctgggtg	gtacacaccc	1620
ccccaatctc	tgtgctctgc	cacccgtgag	ctggcacttt	cctaataaga	aaatggcatt	1680
attttttatt	acttttttgt	aaagtattt	ccagtcttgt	gttggcgctt	aggggtggccc	1740
tgtctctgca	ctgtgtacaa	taatatagatt	acactgctga	cgtgtcttgc	agcgtagggtg	1800
ggtgtgtacac	tggtgcatcag	ctcacgtaat	gcattgcctg	taacgatgct	aataaaaa	1858

SEQ ID NO: 45 moltype = DNA length = 2339
 FEATURE Location/Qualifiers
 source 1..2339
 mol_type = other DNA
 organism = Homo sapiens

SEQUENCE: 45

ggcccaaccg	ccgcccgcgc	ccccgctctc	cgcaccgtac	ccggccgcct	cgcgccatgg	60
cggcccccgg	cagcgcccgg	cgaccctctg	tgtctgctact	gctgttgcgtg	ctgctcggcc	120
tcatgcattg	tgcctcagca	gcaatgttta	tggtgaaaaa	tggaacggg	accgctgca	180
taatggccaa	tctctctgct	gccttctcag	tgaactacga	caccaagagt	ggccctaaga	240
acatgacctt	tgacctgcca	tcagatgcca	cagtggtgct	caaccgcagc	tcctgtggaa	300
aagagaacac	ttctgacccc	attctcgtga	ttgcttttgg	aagaggacat	acactcactc	360
tcaatttcac	gagaaatgca	acacgttaca	gcgtccagct	catgagtttt	gtttataact	420
tgtcagacac	acaccttttc	cccacatgca	gctccaaa	aatcaagact	gtggaatcta	480
taactgacat	cagggcagca	atagataaaa	aatacagatg	tgttagtgcc	accaggtgcc	540
acatgaacaa	cgtgacgta	acgctccatg	atgccaccat	ccaggcgta	ctttccaaca	600
cgagcttcag	caggggagag	acacgctgtg	aacaagacag	gccttcccca	accacagcgc	660
ccccctgcgc	accacgcccc	tcgcccctc	ccgtgccc	gagccccctc	gtggacaagt	720
acaaacgtg	cggaaccaac	gggacctgcc	tgttgccag	catggggctg	cagctgaacc	780
tcacctatga	gagggaagg	aacacgacgg	tgacaaggct	tctcaacatc	aacccaacaa	840
agacctcggc	cagcgggagc	tcggcgcccc	acctggtgac	tctggagctg	cacagcgagg	900
gcaccaccgt	cctgctcttc	cagttcggga	tgaatgcaag	ttctagccgg	tttttctact	960
aaggaaatca	gttgaataca	attcttctct	acgcacagga	ccctgccttt	aaagtgcaca	1020
acggctccct	gcgagcgtg	caggccacag	tcggcaattc	ctacaagtgc	aacgcggagg	1080
agcacgtccg	gtgcacgaag	gcgttttcag	tcaatatatt	caaagtgtgg	gtccaggctt	1140
tcaaggttga	aggtggccag	tttggtctct	tggaaggagt	tctgctggac	gagaacagca	1200
tgtgatcccc	catcgctgtg	ggtggtgccc	tgccggggct	ggtcctcatc	gtcctcatcg	1260
cctacctcgt	cggcaggga	aggagtcacg	caggetacca	gactatctag	cctgggtgac	1320
gcaggcacag	cagctgcagg	ggcctctgtt	cctttctctg	ggcttagggg	cctgtcgaag	1380
gggaggcaca	ctttctggca	aacgtttctc	aaatctgctt	catccaatgt	gaagtctatc	1440
ttgcagcatt	tactatgcac	aacagagtaa	ctatcgaaat	gacggtgtta	attttgctaa	1500
ctgggttaaa	tattttgcta	actggttaaa	cattaatatt	taccaaaagta	ggatttttag	1560
gggtgggggtg	ctctctctga	gggggtgggg	gtgccgctgt	ctctgagggg	tggggggtgc	1620
gctgtctctg	aggggtgggg	gtgccgctct	ctctgagggg	tggggggtgc	cgttttctct	1680
gaggggggtg	gggtgcccgt	ctctctgagg	gggtgggggt	gctgctctct	ccgaggggtg	1740
gaatgccgct	gtctctgagg	ggtgggggtg	ccgctctaaa	ttggctccat	atcatttgag	1800
tttaggggtc	tggtgtttgg	ttctctcatt	ctttactgca	ctcagattta	agccttcaaa	1860
agggaaagcc	tctggccgtc	acacgtagga	cgcacgaagg	tactcgtgg	tgaggctgac	1920
atgctcacac	attacaacag	tagagaggga	aaatcctaag	acagaggaa	tcagagatg	1980
agtgctctga	gcgcttcagt	tcagctttaa	aggccaggac	gggccacacg	tggtcggcgg	2040
cctcgttcca	gtggcggcac	gtccttgggc	gtctctaatg	tctgcagctc	aagggtgggc	2100
acttttttaa	atataaaaat	gggtgttatt	tttatttttt	tttgtaaagt	gatttttggg	2160
cttctgttga	cattcggggg	gatcctgttc	tgccgtgtgt	acaatgtgag	atcgggtcgt	2220
tctcctgatg	ttttgcgctg	gcttggggat	gtacacggg	accagctcac	gtaatgcatt	2280
gcctgtaaca	atgtaataaa	aagcctcttt	cttttaaaaa	aaaaaaaaaa	aaaaaaaaaa	2339

SEQ ID NO: 46 moltype = DNA length = 45
 FEATURE Location/Qualifiers

-continued

```

misc_feature      1..45
                  note = Description of Artificial Sequence: Synthetic
                  oligonucleotide
source            1..45
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 46
cagtacatca aggccaacag caagttcatc ggcatcaccg aactc          45

SEQ ID NO: 47      moltype = AA length = 15
FEATURE            Location/Qualifiers
REGION            1..15
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..15
                  mol_type = protein
                  organism = synthetic construct

SEQUENCE: 47
QYIKANSKFI GITEL          15

SEQ ID NO: 48      moltype = DNA length = 39
FEATURE            Location/Qualifiers
misc_feature      1..39
                  note = Description of Artificial Sequence: Synthetic
                  oligonucleotide
source            1..39
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 48
gctaaatttg tggetgcctg gacactgaaa gccgcccgt          39

SEQ ID NO: 49      moltype = AA length = 13
FEATURE            Location/Qualifiers
REGION            1..13
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..13
                  mol_type = protein
                  organism = synthetic construct

SEQUENCE: 49
AKFVAAWTLK AAA          13

SEQ ID NO: 50      moltype = DNA length = 593
FEATURE            Location/Qualifiers
source            1..593
                  mol_type = other DNA
                  organism = Woodchuck hepatitis virus

SEQUENCE: 50
aatcaacctc tggattacaa aatttgtgaa agattgactg gtattcttaa ctatgttgct 60
ccttttacgc tatgtggata cgtgcttta atgcctttgt atcatgctat tgcttcccgt 120
atggcctttca ttttctcctc ctgtatataa tcctgggtgc tgtctcttta tgaggagtgt 180
tggcccgttg tcaggcaacg tggcgtgggtg tgcactgtgt ttgctgacgc aacccccact 240
ggttggggca ttgccaccac ctgtcagctc ctttcgggga ctttgccttt cccctccct 300
attgccacgg cggaactcat cgccgcctgc cttgcccgtc gctggacagg ggctcggctg 360
ttgggcactg acaattccgt ggtgtgtgtc ggggaagtga cgtcctttcc atggctgctc 420
gcctgtgttg ccacctggat tctgcgcggg acgtccttct gctacgtccc ttcggccctc 480
aatccacggg accttcttc cgcgcggctg ctgcggctc tgcggcctct tccgcgtctt 540
cgcttcgccc ctcagacgag tcggatctcc ctttgggccc cctcccgcgc tgt          593

SEQ ID NO: 51      moltype = DNA length = 589
FEATURE            Location/Qualifiers
misc_feature      1..589
                  note = Description of Artificial Sequence: Synthetic
                  polynucleotide
source            1..589
                  mol_type = other DNA
                  organism = synthetic construct

SEQUENCE: 51
tctccccccc cccctctccc ccccccccc cctaacgtta ctggccgaag ccgcttgga 60
taaggccggt gtgcgtttgt ctatatgtta ttttcacca tattgccgtc ttttggcaat 120
gtgagggccc ggaacctggt cctgtcttc ttgacgagca ttctagggg tctttcccct 180
ctcgcctaaag gaatgcaagg tctgttgaat gtcgtgaagg aagcagttcc tctggaagct 240
tcttgaagac aaacaacgtc tgtagcgacc ctttgcaggc agcggaaacc cccacctggc 300
gacaggtgccc tctgcggcca aaagccacgt gtataagata cacctgcaaa ggccggcaca 360
ccccagtgcc acgttgtgag ttggatagtt gtggaagag tcaaatggct ctctcaagc 420
gtattcaaca aggggctgaa ggaatgccag aaggtacccc attgtatggg atctgatctg 480
gggcctcggt gcacatgctt tacatgtgtt tagtcgaggt taaaaaacg tctaggcccc 540
ccgaaccacg gggacgtggt tttccttga aaaacacgat gataatatg          589

```

-continued

```

SEQ ID NO: 52      moltype = DNA length = 720
FEATURE           Location/Qualifiers
misc_feature       1..720
                   note = Description of Artificial Sequence: Synthetic
                   polynucleotide
source            1..720
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 52
atggtgagca agggcgagga gctgttcacc ggggtggtgc ccatactggt cgagctggac 60
ggcgacgtaa acggccacaa gttcagcgtg tccggcgagg gcgagggcga tgccacctac 120
ggcaagctga ccttgaagtt catctgcacc accggcaagg tgcccggtgcc ctggcccacc 180
ctcgtgacca ccttgacctg cggcgtgcag tgcttcagcc gctacccgga ccacatgaag 240
cagcacgact tcttcaagtc cgccatgccc gaaggctacg tccaggagcg caccatcttc 300
ttcaaggacg acggcaacta caagaccgcg gccgaggtga agttcgaggg cgacaccctg 360
gtgaaccgca tcgagctgaa gggcatcgac ttcaaggagg acggcaacat cctggggcac 420
aagctggagt acaactacaa cagccacaac gtctatatca tggccgacaa gcagaagaac 480
ggcatcaagg tgaacttcaa gatccgccac aacatcgagg acggcagcgt gcagctcgcc 540
gaccactacc agcagaacac ccccatcgcc gacggccccc tgctgctgcc cgacaaccac 600
tacctgagca cccagtcgcg cctgagcaca gaccccaacg agaagcgcga tcacatggtc 660
ctgctggagt tcgtgaccgc cgccgggatc actctcgcca tggacgagct gtacaagtag 720

```

```

SEQ ID NO: 53      moltype = DNA length = 1563
FEATURE           Location/Qualifiers
misc_feature       1..1563
                   note = Description of Artificial Sequence: Synthetic
                   polynucleotide
source            1..1563
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 53
atgctgctgc tgctgctgct gctgggcctg aggtacacgc tctccctggg catcatccca 60
gttgaggagg agaacccgga cttctggaac cgcgaggcag ccgaggccct gggtgccgcc 120
aagaagctgc agcctgcaca gacagccgcc aagaacctca tcatcttccct gggcgatggg 180
atgggggtgt ctacgggtgac agctgccagg atcctaaaaa ggcagaagaa ggacaaactg 240
gggctgaga taccctggc catggaccgc tcccatatg tggctctgtc caagacatac 300
aatgtagaca aacatgtgcc agacagtgga gccacagcca cgccctacct gtgcggggtc 360
aagggcaact tccagacctt tggcttgagt gcagccgccc gctttaacca gtgcaacacg 420
acacgcggca ccagggtcat ctccgtgatg aatcggggcca agaaagcagg gaagtcaagt 480
ggagtggtaa ccaccacagc agtgacgac gcctcgccag ccggcaccta cggccacacg 540
gtgaaccgca actggtactc ggaacgagac gtgcctgcct cggcccgcca ggagggggtg 600
caggacatcg ctacgcagct catctccaac atggacattg acgtgatcct aggtggaggc 660
cgaaagtaca tgtttcgcac ggggaaccca gacctgagt acccagatga ctacagccaa 720
gggtgggacca ggtgggacgg gaagaatctg gtgcaggaaat ggctggcgaa gcgccagggt 780
gcccggatg tggtggaacc cactgagctc atgcaggctt ccttggaacc gtctgtgacc 840
catctcatgg gtctctttga gcctggagac atgaaatacg agatccaccg agactccaca 900
ctggaccctc cctgatggga gatgacagag gctgcccctg gcctgctgag cagggaacccc 960
cgcggttctt tctcttctgt ggaagggtgt cgcacgcacc atggtcatca tgaagcagg 1020
gcttaccggg cactgactga gacgatcatg ttcgacgacg ccattgagag ggcggggccag 1080
ctcaccagcg agggagacac gctgagcctc gtcactgccc accactccca cgtcttctcc 1140
ttcgaggagt acccctcgcg agggagctcc atcttcgggc tggcccttgg caaggcccg 1200
gacagggaag cctacacggt cctcctatac ggaacgggtc caggctatgt gctcaaggac 1260
ggcgcccgcc cggtgtttac cgagagcgag agcgggagcc ccgagtatcg gcagcagtc 1320
gcagtgcgcc tggacgaaga gacccacgca ggcgaggacg tggcggtgtt cgcgcgcggc 1380
ccgcaggcgc acctgggttc cggcgtgcag gagcagacct tcatagcgca cgtcatggcc 1440
ttcgccgctc gcctggagcc ctacaccgcc tgcgacctgg cgccccccgc cggcaccacc 1500
gacgcgcgca acccggttta ctctagagtc ggggcggccg gccgcttcga gcagacatga 1560
taa                                                1563

```

```

SEQ ID NO: 54      moltype = DNA length = 1653
FEATURE           Location/Qualifiers
misc_feature       1..1653
                   note = Description of Artificial Sequence: Synthetic
                   polynucleotide
source            1..1653
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 54
atggaagatg ccaaaaacat taagaagggc ccagcgccat tctaccact cgaagacggg 60
accgcccggc agcagctgca caaagccatg aagcgtacg cctgggtgcc cgccaccatc 120
gcctttaccg acgcacatat cgagggtggc attacctacg ccgagtactt cgagatgagc 180
gttcggcttg cagaagctat gaagcgctat gggtgaata caaacaccatg gatcggtgtg 240
tgcagcgaga atagcttgca gttcttcacg cccgtgtgtg gtgcccctgt catcggtgtg 300
gctgtggccc cagctaacga catctacaac gagcgcgagc tegtgaacag catgggcac 360
agccagccca ccgtcgtatt cgtgagcaag aaagggtcgc aaaagatcct caacgtgcaa 420

```

-continued

```

aagaagctac cgatcatata aaagatcatc atcatggata gcaagaccga ctaccagggc 480
ttocaaagca tgtacacott cgtgacttcc catttgccac ccggttcaa cgagtaogac 540
ttcgtgcccg agagcttcga ccgggacaaa accatcgccc tgatcatgaa cagtagtggc 600
agtaccggat tgcccaaggg cgtagcccta ccgcaaccga ccgcttggtt ccgattcagt 660
catgcccgcg accccatott cggcaaccag atcatccccc acaccgctat cctcagcgtg 720
gtgcatcttc accacgctt cggcatgttc accacgctgg gctacttgat ctgcggtttt 780
cgggtcgtgc tcatgtaccg cttcagaggag gagctattct tgcgcagctt gcaagactat 840
aagattcaat ctgcctgtct ggtgcccaca ctatttagct tcttcgctaa gagcactctc 900
atcgacaagt acgacctaat caacttgcac gagatcgcca gcggcggggc gccgctcagc 960
aaggaggtag gtgaggccgt ggccaaacgc ttccacctac caggcatccg ccaggggctac 1020
ggcctgacag aaacaaccag cgccattctg atcacccccg aaggggacga caagcctggc 1080
gcagtaggca aggtggtgcc cttcttcgag gctaaggtgg tggacttgga caccggtaat 1140
acactgggtg tgaaccagcg cggcgagctg tgcgtccgtg gccccatgat catgagcggc 1200
tacgttaaca accccgaggg taaaaacgct ctcatcgaca aggacggctg gctgcacagc 1260
ggcgacatcg cctactggga cgaggacgag cactcttcca tcgtggaccg gctgaagagc 1320
ctgatcaaat acaaggggcta ccaggtagcc ccagccgaac tggagagcat cctgctgcaa 1380
caccccaaca tcttcgacgc cggggtcgcc ggctgccccg acgacgatgc cggcgagctg 1440
cccgccgcag tcgtcgtgct ggaacacggt aaaaccatga ccgagaagga gatcgtggac 1500
tatgtggcca gccagggttac aaccgccaag aagctgcgcg gtggtgttgt gttcgtggac 1560
gaggtgccta aaggactgac cggcaagttg gacgcccga agatccgca gattctcatt 1620
aaggccaaga agggcggcaa gatcgccgtg taa 1653

```

```

SEQ ID NO: 55      moltype = DNA length = 66
FEATURE           Location/Qualifiers
source            1..66
                  mol_type = other DNA
                  organism = Foot-and-mouth disease virus

```

```

SEQUENCE: 55
gtaaagcaaa cactgaactt tgacctctc aagttggctg gagacgttga gtccaatcct 60
gggccc                                     66

```

```

SEQ ID NO: 56      moltype = AA length = 5
FEATURE           Location/Qualifiers
REGION            1..5
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..5
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 56
GPGPG                                             5

```

```

SEQ ID NO: 57      moltype = AA length = 9
FEATURE           Location/Qualifiers
REGION            1..9
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..9
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 57
KITDFGRAK                                             9

```

```

SEQ ID NO: 58      moltype = AA length = 25
FEATURE           Location/Qualifiers
REGION            1..25
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..25
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 58
KTPQHVKITD FGRAKLLGAE EKEYH                      25

```

```

SEQ ID NO: 59      moltype = AA length = 26
FEATURE           Location/Qualifiers
REGION            1..26
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..26
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 59
KTPQHVKITD FGRAKLLGAE EKEYHA                     26

```

```

SEQ ID NO: 60      moltype = AA length = 43
FEATURE           Location/Qualifiers
REGION            1..43
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..43

```

-continued

```

mol_type = protein
organism = synthetic construct
SEQUENCE: 60
GPGPGAKFVA AWTLKAAAGP GPGQYIKANS KFIGITELGP GPG 43

SEQ ID NO: 61      moltype = AA length = 103
FEATURE           Location/Qualifiers
REGION            1..25
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..103
                  mol_type = protein
                  organism = synthetic construct
SEQUENCE: 61
KTPQHVKITD FGRAKLLGAE EKEYHAKTPQ HVKITDFGRA KLLGAEKEY HAKTPQHVKI 60
TDFGRAKLLG AEEKEYHAKT PQHVKITDFG RAKLLGAEEK EYH 103

SEQ ID NO: 62      moltype = AA length = 207
FEATURE           Location/Qualifiers
REGION            1..25
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..207
                  mol_type = protein
                  organism = synthetic construct
SEQUENCE: 62
KTPQHVKITD FGRAKLLGAE EKEYHAKTPQ HVKITDFGRA KLLGAEKEY HAKTPQHVKI 60
TDFGRAKLLG AEEKEYHAKT PQHVKITDFG RAKLLGAEEK EYHAKTPQHV KITDFGRAKL 120
LGAEKEYHA KTPQHVKITD FGRAKLLGAE EKEYHAKTPQ HVKITDFGRA KLLGAEKEY 180
HAKTPQHVKI TDFGRAKLLG AEEKEYH 207

SEQ ID NO: 63      moltype = DNA length = 309
FEATURE           Location/Qualifiers
source            1..309
                  mol_type = other DNA
                  organism = synthetic construct
SEQUENCE: 63
aaaaacgccac aacacgtcaa gatcacagac ttggtcgtg caaagctatt aggtgccgaa 60
gaaaaagagt accacgccaa aacacctcaa catgtgaaga ttaccgattt tgggcgggag 120
aaactcctag gcgctgaaga gaaggaatac cagcggaaga cgccgcaaca tgttaaaata 180
acggatttcg gccgcgcgaa gtcctctggc gcggaggaga aagaatatca cgcaaagaca 240
ccacagcagc tgaaaatcac tgacttcggg cgcgcgaacac tactgggcgc tgaggaaaag 300
gagtatcac 309

SEQ ID NO: 64      moltype = DNA length = 621
FEATURE           Location/Qualifiers
source            1..621
                  mol_type = other DNA
                  organism = synthetic construct
SEQUENCE: 64
aaaacccctc agcacgtaaa gataacggat ttgcggccgc ccaagttgct ggggtgcagaa 60
gaaaaagagt accatgccaa gacaccacaa catgtcaaaa tcacagactt cggcagagcc 120
aaactcctgg gcgcggagga aaaagaatac cagcctaaga cgccacagca cgttaaaatt 180
acagattttg gtcgtgcaaa gttattgggt gccgaggaaa aggaatacca tgctaaaact 240
ccccagcatg tgaagattac tgactttgga cgcgcaaaag tcctcggggc cgaagagaag 300
gagtagccag ccaaaacacc gcagcacgtc aagattaccg atttcggteg ggctaagtta 360
ctgggagcgg aagagaaaaga atatcacgca aagactccgc aacacgtgaa aatcacggac 420
ttcggacgtg ccaagctgtt gggggctgaa gaaaaggagt atcacgcgaa aacgcctcaa 480
catgttaaga tcaactgatt tggaaagacg aaacttctag gtgctgagga gaaagagtat 540
catgcgaaga cccccaaca tgtaaaaata accgactttg ggcgggcgaa gttgttagga 600
gcagaggaga aggaatatca t 621

SEQ ID NO: 65      moltype = DNA length = 7913
FEATURE           Location/Qualifiers
source            1..7913
                  mol_type = other DNA
                  organism = synthetic construct
SEQUENCE: 65
taatacagact cactataatg ggcggcgcat gagagaagcc cagaccaatt acctacccaa 60
aatggagaaa gttcacgttg acatcgagga agacagccca ttcctcagag ctttcagcgc 120
gagcttcccg cagtttgagg tagaagccaa gcaggtcact gataatgacc atgctaatgc 180
cagagcgttt tcgcatctgg cttcaaaact gatcgaaacg gaggtggacc catccgacac 240
gatccttgac atctggaagt cgcccgcgcg cagaatgtat tctaagcaca agtatcattg 300
tatctgtccg atgagatgtg cggaagatcc ggacagattg tataagtatg caactaagct 360
gaagaaaaac tgtaaggaaa taactgataa ggaattggac aagaaaatga aggagctcgc 420
cgccgtcatg agcgcacctg acctggaaac tgagactatg tgctccacg acgacgagtc 480
gtgtcgctac gaagggcaag tcgctgttta ccaggatgta tacgcggttg acggaccgac 540
aagtctctat caccaagcca ataagggagt tagagtcgcc tactggatag gctttgacac 600

```

-continued

caccctttt	atgtttaaga	acttggtg	agcatatcca	tcatactcta	ccaactgggc	660
cgacgaaacc	gtgttaacgg	ctcgtaacat	aggcctatgc	agctctgacg	ttatggagcg	720
gtcacgtaga	gggatgtcca	ttcttagaaa	gaagtatttg	aaaccatcca	acaatgttct	780
attctctgtt	ggctcgacca	tctaccacga	gaagagggac	ttactgagga	gctggcacct	840
gccgtctgtg	tttcaacttac	gtggcaagca	aaattacaca	tgtcgggtgtg	agactatagt	900
tagttgcgac	gggtacgtcg	ttaaaagaat	agctatcagt	ccaggcctgt	atgggaagcc	960
ttcaggctat	gctgctacga	tgcaccgcga	gggattcttg	tgctgcaaa	tgacagacac	1020
attgaacggg	gagagggtct	cttttcccg	gtgcacgtat	gtgccagcta	catgtgtgga	1080
ccaaatgact	ggcactactgg	caacagatgt	cagtgcggac	gacgcgcaaa	aactgctggt	1140
tgggctcaac	cagcgtatag	tctgcaacgg	tgcgaccag	agaaacacca	ataccatgaa	1200
aaattacctt	ttgcccgtag	tggcccaggc	atttgctagg	tgggcaagg	aatataagga	1260
agatcaagaa	gatgaaaggc	cactaggact	acgagataga	cagttagtca	tggggtgtt	1320
ttgggctttt	agaaggcaca	agataacatc	tatttataag	cgcccggata	cccaaaccat	1380
catcaaaagt	gagagcgatt	tccactcatt	cgtgctgccc	aggataggca	gtaaacatt	1440
ggagatcggg	ctgagaacaa	gaatcaggaa	aatgttagag	gagcacaagg	agcgtcacc	1500
tctcattacc	gccgaggagc	tacaagaagc	taagtgcga	gccgatgagg	ctaaggagg	1560
gcgtgaagcc	gaggagttgc	gcgcagctct	accacotttg	gcagctgatg	ttgaggagcc	1620
cactctggaa	gccgatgtcg	acttgatgtt	acaagaggct	ggggccggct	cagtgaggac	1680
acctcgtggc	ttgataaagg	ttaccagcta	cgctggcgag	gacaagatcg	gctcttaccg	1740
tgtgctttct	ccgagggtg	tactcaagag	tgaaaaatta	tcttgcatcc	acctctcgc	1800
tgaaacaagt	atagtgtata	cacactctgg	ccgaaaaggg	cgttatgccg	tggaaaccata	1860
ccatggtaaa	gtagtgtgtc	cagagggaca	tgcaataccc	gtccaggact	ttcaagctct	1920
gagtgaaggt	gccaccattg	tgtacaacga	acgtgagttc	gtaaacagg	acctgcacca	1980
tattgccaca	catggaggag	cgctgaacac	tgtatgaaga	tattacaaaa	ctgtcaagcc	2040
cagcgagcac	gacggcgaat	acctgtacga	catcgacagg	aaacagtgcc	tcaagaaaga	2100
actagtcact	gggtctaggc	tccacggcga	gctggtggat	cctcccttcc	atgaattcgc	2160
ctacgagagt	ctgagaacac	gaccagccgc	tctttaccaa	gtaccaacca	taggggtgt	2220
tggcgtgcc	ggatcaggca	agtctggcat	cattaaaaag	gcagtaccca	aaaaagatct	2280
agtggtgagc	gccaaagaa	aaaactgtgc	agaaattata	agggacgtca	agaaaaatgaa	2340
agggctggag	gtcaatgcc	gaactgtgga	ctcagtgctc	ttgaatggat	gcaaacaccc	2400
cgtagagacc	ctgtatattg	acgaagcttt	tgcttgtcat	gcaggtaact	tcagagcgct	2460
catagccatt	ataagacct	aaaaggcagt	gctctgcggg	gatcccaaac	agtgcgggtt	2520
ttttaacatg	atgtgcctga	aagtgcattt	taaccacgag	atttgcacac	aagtcttcca	2580
caaaagcatt	tctgcgcgtt	gcactaaatc	tgtgacttcg	gtcgtctcaa	ccttgtttta	2640
cgacaaaaaa	atgagaacga	gcaatccgaa	agagactaag	attgtgattg	acactaccgg	2700
cagtaccaaa	cctaagcagg	acgatctcat	tctcacttgt	ttcagagggg	gggtgaagca	2760
gttgcaaaata	gattacaaag	tcaacgaaat	aatgacggca	gctgcctctc	aagggctgac	2820
ccgtaaaagt	gtgtatgccg	ttccgtacaa	ggtgaatgaa	aatcctctgt	acgcacccac	2880
ctcagaacat	gtgaacgtcc	tactgaccgc	cacggaggac	cgcatcgtgt	ggaaaacact	2940
agccggcgac	ccatggataa	aaacactgac	tgccaaagt	cctgggaatt	tcactgccac	3000
gatagaggag	tggcaagcag	agcatgatgc	catcatgagg	cacatcttgg	agagaccgga	3060
ccctaccgac	gtcttccaga	ataaggcaaa	cgtgtgttgg	gccaaaggct	tagtgccgg	3120
gctgaagacc	gtcggcatag	acatgaccac	tgaaacaatg	aacactgttg	attattttga	3180
aacggacaaa	gctcactcag	cagagatagt	attgaaccaa	ctatgcgtga	gggtcttttg	3240
actcgatctg	gactccgggt	tattttctgc	ccccactgtt	ccgttatcca	ttaggaataa	3300
tcactgggat	aactccccgt	gcctaaacat	gtacgggctg	aataaagaag	tggtccgtca	3360
gctctctcgc	aggtaccacc	aaactgcctc	ggcagttgcc	actggaagag	tctatgacat	3420
gaacactggt	acactgcgca	attatgatcc	gcgcataaac	ctagtacctg	taaacagaa	3480
actgcctcat	gcttttagtc	tccaccataa	tgaaacacca	cagagtgaat	tttcttcatt	3540
cgtcagcaaa	tgaaggggca	gaactgtcct	ggtggtcggg	gaaaagtgtg	ccgtcccagg	3600
caaaatggtt	gactgggtgt	cagaccggcc	tgaggctacc	ttcagagctc	ggctggattt	3660
aggcatccca	gggtgatgtc	ccaaatatga	cataaatatt	gttaatgtga	ggaccccata	3720
taaaatccat	cactatcagc	agtgtgaaga	ccatgccatt	aagcttagca	tggtgaccaa	3780
gaaagcttgt	ctgcatctga	atccccggcg	aacctgtgtc	agcatagggt	atgggtacgc	3840
tgacaaggcc	agcgaaagca	tcattggtgc	tatagcggcg	cagttcaagt	tttccggggt	3900
atgcaaaacc	aaatcctcac	ttgaagagac	ggaagtcttg	tttgtattca	ttgggtacga	3960
tgcgaaggcc	cgtacgcaca	atccttacaa	gctttcatca	accttgacca	acatttatac	4020
aggttccaga	ctccacgaag	ccggatgtgc	acctcattat	catgtggtgc	gaggggatat	4080
tgccacggcc	accgaaggag	tgattataaa	tgtctgctaac	agcaaggagc	aaactggcgg	4140
aggggtgtgc	ggagcgctgt	ataagaaatt	cccggaaaag	ttcgatttac	agccgatcga	4200
agtaggaaaa	gcgcgactgg	tcaaagggtc	agctaaacat	atcattcatg	ccgtaggacc	4260
aaacttcaac	aaagtttcgg	aggttgaagg	tgacaaacag	tggcagagg	cttatgagtc	4320
catcgctaag	attgtcaacg	ataacaatta	caagtcaag	gcgattccac	tgttgtccac	4380
cggcatcttt	tccgggaaca	aagatcgcat	aaaccaatca	ttgaaccatt	tgctgacagc	4440
tttagacacc	actgatcgag	atgtagccat	atactgcagg	gacaagaaat	gggaaatgac	4500
tctcaaggaa	gcagtggtcta	ggagagaagc	agtgaggag	atatgcatat	ccgacgactc	4560
ttcagtgaca	gaacctgatg	cagagctggt	gaggggtgat	ccgaagagt	ctttggtctg	4620
aaggaaaggc	tacagacaaa	ccgatggcaa	aaactttcta	tatttggaa	ggaccaaagt	4680
tcaccaggcg	gccaaggata	tagcagaaat	taatgccatg	tggcccgttg	caaccggagg	4740
caatgagcag	gtatgcattg	atatcctcgg	agaaagcatg	agcagattta	ggtcgaaagt	4800
ccccgtcgaa	gagtcggaag	ctccacacc	acctagcacg	ctgccttgct	tgtgcatcca	4860
tgccatgact	ccagaaaagag	tacagcgct	aaaagcctca	cgctccagaac	aaattactgt	4920
gtgctcatcc	tttccattgc	cgaagtatag	aatcactggt	gtgcagaaga	tccaatgctc	4980
ccagcctata	ttgtttctac	cgaagtgtcc	tgcgtatatt	catccaagga	agtatctcgt	5040
ggaaaacacca	ccggtagacg	agactccgga	gccatcgcca	gagaaccaat	ccacagaggg	5100
gacacctgaa	caaccaccac	ttataaccga	ggatgagacc	aggactagaa	cgctgagcc	5160

-continued

```

gatcatcatc gaagaggaag aagaggatag cataagtttg ctgtcagatg gcccgaccca 5220
ccaggtgctg caagtcgagg cagacattca cgggcccggc tctgtatcta gctcatcctg 5280
gtccattcct catgcaccg actttgatgt ggacagttta tccatacttg acaccctgga 5340
gggagctagc gtgaccagcg gggcaacgtc agccgagact aactcttact tgcgaaagag 5400
tatggagttt ctggcgcgac cgggtgcctgc gcctcgaaaca gtattcagga accctccaca 5460
tcccgcctcg cgcacaagaa caccgtcact tgcacccagc agggcctgct cgagaaccag 5520
cctagtttcc accccgccag gcgtgaatag ggtgatcact agagaggagc tcgaggcgct 5580
taccocgtca cgcactccta gcaggtcggt ctcgagaacc agcctggtct ccaaccggcc 5640
aggcgtaaat aggggtgatta caagagagga gtttgaggcg ttcgtagcac aacaacaatg 5700
acggtttgat gcgggtgcac acatcttttc ctccgacacc ggtcaagggc atttacaaca 5760
aaaaacagta aggcacacgg tgctatccga agtggtgttg gagaggaccg aattggagat 5820
ttcgtatgcc ccgcgcctcg accaagaaaa agaagaatta ctacgcaaga aattacagtt 5880
aaatcccaca cctgctaaca gaagcagata ccagtcaggg aaggtggaga acatgaaagc 5940
cataacagct agcactatc tgcaaggcct agggcattat ttgaaggcag aaggaaaagt 6000
ggagtgtcat cgaaccctgc atcctgttcc tttgtattca tctagtgtga accgtgcctt 6060
ttcaagcccc aaggtcgcag ttgaagcctg taacgccatg ttgaaagaga actttccgac 6120
tgttgcttct tactgtatta tcccagagta ccatgcctat ttggacatgg ttgacggagc 6180
ttcatgctgc ttagacactc ccagtttttg ccctgcaaaag ctgcgcagct ttccaaagaa 6240
acactcctat ttggaaccca caatacgatc ggcagtgctc tcagcgatcc agaacacgct 6300
ccagAACgtc ctggcagctg ccacaaaaag aaattgcaat gtcacgcaaa tgagagaatt 6360
gcccgtattg gattcggcgg cctttaatgt ggaatgcttc aagaatatg cgtgtaataa 6420
tgaatattgg gaaacgttta agaaaaaccc catcaggctt actgaagaaa acgtggtaaa 6480
ttacattacc aaattaaaag gacccaaaagc tgcgtgctct tttgcgaaga cacataaatt 6540
gaatatgttg caggacatac caatggacag gttttgtaatg gacttaaaaga gagacgtgaa 6600
agtgaactca ggaacaaaac ataactgaaga acggcccaag gtacagggtga tccaggctgc 6660
cgatccgcta gcaacagcgt atctgtgcgg aatccaccga gagctggtta ggagattaaa 6720
tgccgtcctg cttccgaaca ttcatacact gtttgatagc tcggctgaag actttgacgc 6780
tattatagcc gagcacttcc agcctgggga ttgtgttctg gaaactgaca tcgcgtcgtt 6840
tgataaaaag gaggacgacg ccatggctct gaccgcgtta atgattcttg aagacttagg 6900
tgtggacgca gagctgttga cgtgatgga ggccgcttcc ggccgaaatt catcaataca 6960
tttgccactc aaaactaaat ttaaatccgg agccatgatg aaatctggaa tgttcctcac 7020
actgtttgtg aacacagtc aatacattgt aatcgcaagc agagtgttga gagaacggct 7080
aaccggatca ccatgtgcag cattcattgg agatgacaat atcgtgaaaag gactcaaatc 7140
ggacaaaatta atggcagaca ggtgcgccac ctggttgaat atggaagtca agattataga 7200
tgctgtggtg ggcgagaaag cgcttatttt ctgtggaggg tttattttgt gtgactccgt 7260
gaccggcaca gcgtgcctgt tggcagaccc cctaaaaagg ctgtttaagc ttggcaaac 7320
tctggcagca gagatgaac atgatgatga caggagaagg gcattgcatg aagagtcaac 7380
acgttgaaac cagagtgggt tttcttcaga gctgtgcaag gcagtgaat caaggatga 7440
aaccgtagga actccatca tagttatggc catgactact ctactgacga gtgttaaatc 7500
attcagctac cctgaggggg cccctataac tctctacggc taacctgaat ggactacgac 7560
tgtatcacgc ccaaacattt acagccgcgg tgtcaaaaac cgcgtggagc tggttaacat 7620
ccctgctggg aggatcagcc gtaattatta taattggcct ggtgctggct actattgtgg 7680
ccatgtacgt tctgacacac cagaacata attgaataca gcagcaattg gcaagctgct 7740
tacatagaac gcgcggcgat tggcatgcgg ccttaaaatt tttattttat tttttctttt 7800
cttttccgaa tcggattttg tttttaatat ttcaaaaaaa aaaaaaaa aa 7860
aaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa aa 7913

```

```

SEQ ID NO: 66      moltype = DNA length = 19
FEATURE
source            Location/Qualifiers
                  1..19
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 66
tccttatcag tgatagaga 19

```

```

SEQ ID NO: 67      moltype = DNA length = 627
FEATURE
source            Location/Qualifiers
                  1..627
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 67
gacattgatt attgactagt tgtaaatagt aatcaattac ggggtcatta gttcatagcc 60
catatatgga gttccgcgtt acataactta cggtaaatgg cccgcctggc tgaccgcccc 120
acgacccccg cccattgacg tcaataatga cgtatgttcc catagtaacg ccaataggga 180
ctttccattg acgtcaatgg gtggagtatt tacggtaaac tgcccacttg gcagtacatc 240
aagtgtatca tatgccaagt ccgcccccta ttgacgtcaa tgacggtaaa tggcccgct 300
ggcattatgc ccagtacatg accttacggg actttcctac ttggcagtac atctacgtat 360
tagtcatcgc tattaccatg gtgatgcggt ttggcagta caccaatggg cgtggatagc 420
ggtttgactc acggggattt ccaagtctcc accccattga cgtcaatggg agtttgtttt 480
ggcaccacaaa tcaacgggac ttccaaaat gtcgtaataa cccgcgcccc ttgacgcaaa 540
tgggcggtag gcgtgtacgg tgggaggtct atataagcag agctctccct atcagtgata 600
gagatctccc taccagtgat agagatc 627

```

```

SEQ ID NO: 68      moltype = AA length = 559
FEATURE
REGION           Location/Qualifiers
                  1..559

```

-continued

```

note = Description of Artificial Sequence: Synthetic
      polypeptide
source 1..559
      mol_type = protein
      organism = synthetic construct

SEQUENCE: 68
ALLAVGALEGP PRNQDWLGVP RQLVTVTNTE MFVTAPDNLG YMYEVQWPGQ TQPQIANCSV 60
YDFFVWLHYH SVRDTPSKPS FQEFVDWENV SPELNSTDQP FLEFKHIKAF DRTFANNPGP 120
MVVFATPGMA LLAVGALEGP RNQDWLGVP RQLVTVTNTE MFVTAPDNLG YMYEVQWPGQ 180
QPQIANCSVY DFFVWLHYYS VRDTPSKPSF QEFVDWENVS PELNSTDQPF LEFKHIKAFD 240
RTFANNPGPM VVFATPGMAL LAVGALEGP RQDWLGVP RQLVTVTNTE MFVTAPDNLGYM 300
YEVQWPGQTQ PQIANCSVYD FFWWLHYYSV RDTPSKPSFQ EFVDWENVS ELNSTDQPF 360
EFKHIKAFDR TFANNPGPMV VFATPGMALL AVGALEGP RNQDWLGVP RQLVTVTNTE MFV 420
TAPDNLGYM EVQWPGQTQ PQIANCSVYD FFWWLHYYSV RDTPSKPSFQ EFVDWENVS EL 480
LNSTDQPFLE FKHIKAFDR TFANNPGPMV VFATPGMALL AVGALEGP RNQDWLGVP RQL 540
YKANSKFIG ITELGP GPG 559

SEQ ID NO: 69      moltype = AA length = 213
FEATURE           Location/Qualifiers
REGION            1..213
note = Description of Artificial Sequence: Synthetic
      polypeptide
source 1..213
      mol_type = protein
      organism = synthetic construct

SEQUENCE: 69
LGICLTSTVQ LIMQLMPFGC LLDYVRKTPQ HVKITDFGRA KLLGAEKEY HCRLLGICLT 60
STVQLIMQLM PFGCLLDYVR KTPQHVKITD FGRAKLLGAE EKEYHCRLLG ICLTSTVQLI 120
MQLMPFGCLL DYVRKTPQHV KITDFGRAKL LGAEKEYHC RLLGICLTST VQLIMQLMPF 180
GCLLDYVRKT PQHVKITDFG RAKLLGAEK EYH 213

SEQ ID NO: 70      moltype = DNA length = 639
FEATURE           Location/Qualifiers
source            1..639
      mol_type = other DNA
      organism = synthetic construct

SEQUENCE: 70
cttggtattt gccttacatc gaccgtccaa ctcataatgc aacttatgcc gttcggatgt 60
ctgctggatt atgtgcggaa aactccacaa catgtgaaaa taacggactt tggctcgtag 120
aaactattgg gcgcggaaga aaaagagtag cattgccgtc tccttgggat ttgtcttacg 180
tctacgggtc agttgattat gcaattgatg ccttccggtc gtctccctga ctatgtcagg 240
aaaacccctc agcatgttaa aatcactgat ttcggaagag ccaaacctct aggtgcagaa 300
gagaaagaat accactgtgc ccttttgggt atatgtctca cgagcaccgt tcagctgtagc 360
atgcagttaa tgccattcgg gtgtctactc gactacgtcc ggaagactcc ccaacacgtc 420
aaaattacgg attttggcgg tgcaaaagta cttggcgccg aggaaaagga atatcactgc 480
aggctgttgg gaattctgtc aacgtcgact gtacaactaa ttatgcagct catgcccttt 540
ggctgttgc tcgattacgt gcgtaaaacg cccagcacg ttaagatcac agacttcggg 600
cgggcaaaac tactcggtgc ggaggagaag gagtatcac 639

SEQ ID NO: 71      moltype = AA length = 429
FEATURE           Location/Qualifiers
REGION            1..118
note = Description of Artificial Sequence: Synthetic
      polypeptide
source 1..429
      mol_type = protein
      organism = synthetic construct

SEQUENCE: 71
LGICLTSTVQ LIMQLMPFGC LLDYVRKTPQ HVKITDFGRA KLLGAEKEY HCRLLGICLT 60
STVQLIMQLM PFGCLLDYVR KTPQHVKITD FGRAKLLGAE EKEYHCRLLG ICLTSTVQLI 120
MQLMPFGCLL DYVRKTPQHV KITDFGRAKL LGAEKEYHC RLLGICLTST VQLIMQLMPF 180
GCLLDYVRKT PQHVKITDFG RAKLLGAEK EYHCRLLGIC LTSTVQLIMQ LMPFGCLLDY 240
VRKTPQHVKI TDFGRAKLLG AEEKEYHCRL LGICLTSTVQ LIMQLMPFGC LLDYVRKTPQ 300
HVKITDFGRA KLLGAEKEY HCRLLGICLT STVQLIMQLM PFGCLLDYVR KTPQHVKITD 360
FGRAKLLGAE EKEYHCRLLG ICLTSTVQLI MQLMPFGCLL DYVRKTPQHV KITDFGRAKL 420
LGAEKEYH 429

SEQ ID NO: 72      moltype = DNA length = 1287
FEATURE           Location/Qualifiers
source            1..1287
      mol_type = other DNA
      organism = synthetic construct

SEQUENCE: 72
ttgggcattt gcttgacctc tactgtccag ctcattatgc agttaatgcc cttcgggtgc 60
ctactcgatt acgtacggaa aacgccacaa cactgaaaaa ttacagattt cggacgcgct 120
aagttgctag gacgagaaga gaaagaatac cattgtagat tgcttggtat ttgcctcacc 180

```

-continued

```

agtactgtac aacttataat gcagttgatg ccgttcggat gcctgctgga ttatgtcaga 240
aagacgcccgc agcacgttaa aataaccgat tttgggcgcg ccaagttact cggagccgag 300
gaaaaggaat atcactgcag actgctaggg atttgtttga catccactgt gcagctaate 360
atgcaattaa tgccattcgg ttgctcttta gattatgtgc gcaagacacc acagcacgtc 420
aaaattactg attttggcgc ggctaagcta ctgcgcgctg aagaaaagga gtaccactgc 480
cgactgttgg gaattttgtct gacaagcacg gtgcaattga tcatgcagct tatgcctttt 540
ggctgcctcc ttgattacgt gcgtaaaacc cccagcacg taaaaatcac ggatttcggc 600
cgagcaaaaac tgctgggcgc cgaagaaaaa gagtatcatt gtcggctgct cggaatatgc 660
ctgacctcca cagttcagct cataatgcaa ctcatgccgt ttgggtgtct gttggactac 720
gtcaggaaaa caccacaaca tgtgaagatt accgactttg gcagagccaa gcttctaggg 780
gcagaggaga aagagtacca ttgccgcctc ctccgggatct gtctcacgtc tacggtcag 840
ttaattatgc agctcatgcc ctttggttgt ctccctcgact acgtgagaaa aactcctcag 900
catgtcaaga tcacagactt cggcagggca aagctcctgg gggctgagga gaaggaatac 960
actgtcgcgt atgtcttacc agcacgcgtc aactcatcat gcaactgatg 1020
ccatttggat gcttacttga ctatgtccgg aagactccgc aacatgttaa gataacggac 1080
ttcggtcgag cgaatttgct cggggcggaa gagaaggagt atcactgtag gcttctgggc 1140
atctgcctta cctcaaccgt acagctgatt atgcaactaa tgcctttcgg ctgtctgcta 1200
gactatgtga ggaagacccc tcaacatgta aagatcactg acttcgggcg gcggaagctg 1260
ttaggagcgg aggaaaaaga atatcat 1287

```

```

SEQ ID NO: 73      moltype = AA length = 733
FEATURE           Location/Qualifiers
REGION            1..10
                  note = Description of Artificial Sequence: Synthetic peptide
source            1..733
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 73
LGICLTSTVQ LIMQLMPFGC LLDYVRKTPQ HVKITDFGRA KLLGAEKEY HAEGGKVPEK 60
VKIPVAIKTS PKANKEILDE AYMASVDNP HVCGRGICLS TVQLIMQLMP FGCLLDYVRK 120
TPQHVKITDF GRAKLLGAE KEYHAEGGKV PEKVKIPVAI KTSPPKANKEI LDEAYMASV 180
DNPHVCRGIC LTSTVQLIMQ LMPFGCLLDY VRKTPQHVKI TDFGRAKLLG AEEKEYHAEG 240
GKVPEKVKIP VAIKTSPPKAN KEILDEAYVM ASVDNPHVCR GICLTSTVQL IMQLMPFGCL 300
LDYVRKTPQH RKITDFGRAK LLGAEKEYH AEGGKVPEKV KIPVAIKTSP KANKEILDEA 360
YMASVDNPH VCRGICLTST VQLIMQLMPF GCLLDYVRKT PQHVKITDFG RAKLLGAEEK 420
EYHAEGGKVP EKVKIPVAIK TSPKANKEIL DEAYMASVD NPHVCRGICL TSTVQLIMQL 480
MPFGCLLDYV RKTPQHVKIT DFGRAKLLGA EEKEYHAEGG KVPEKVKIPV AIKTSPPKAN 540
EILDEAYVMA SVDNPHVCRG ICLTSTVQLI MQLMPFGCLL DYVRKTPQHV KITDFGRAKL 600
LGAEKEYHA EGGKVPEKVK IPVAIKTSPK ANKEILDEAY VMASVDNPHV CRGICLTSTV 660
QLIMQLMPFG CLLDYVRKTP QHVKITDFGR AKLLGAEEKE YHAEGGKVPE KVKIPVAIKT 720
SPKANKEILD EAY 733

```

```

SEQ ID NO: 74      moltype = AA length = 32
FEATURE           Location/Qualifiers
source            1..32
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 74
KTPQHVKITD FGRAKLLGAE EKEYHAEGGK VP 32

```

```

SEQ ID NO: 75      moltype = AA length = 9
FEATURE           Location/Qualifiers
source            1..9
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 75
STVQLIMQL 9

```

```

SEQ ID NO: 76      moltype = AA length = 9
FEATURE           Location/Qualifiers
source            1..9
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 76
LTSTVQLIM 9

```

```

SEQ ID NO: 77      moltype = AA length = 25
FEATURE           Location/Qualifiers
source            1..25
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 77
LGICLTSTVQ LIMQLMPFGC LLDYV 25

```

```

SEQ ID NO: 78      moltype = AA length = 25
FEATURE           Location/Qualifiers

```

-continued

source	1..25 mol_type = protein organism = synthetic construct	
SEQUENCE: 78		
GICLTSTVQL IMQLMPFGCL LDYVR		25
SEQ ID NO: 79	moltype = AA length = 26	
FEATURE	Location/Qualifiers	
source	1..26 mol_type = protein organism = synthetic construct	
SEQUENCE: 79		
LGICLTSTVQ LIMQLMPFGC LLDYVR		26
SEQ ID NO: 80	moltype = length =	
SEQUENCE: 80		
000		
SEQ ID NO: 81	moltype = AA length = 29	
FEATURE	Location/Qualifiers	
source	1..29 mol_type = protein organism = synthetic construct	
SEQUENCE: 81		
CRLGICLTS TVQLIMQLMP FGCLLDYVR		29
SEQ ID NO: 82	moltype = AA length = 9	
FEATURE	Location/Qualifiers	
source	1..9 mol_type = protein organism = synthetic construct	
SEQUENCE: 82		
PVAIKTSPK		9
SEQ ID NO: 83	moltype = AA length = 8	
FEATURE	Location/Qualifiers	
source	1..8 mol_type = protein organism = synthetic construct	
SEQUENCE: 83		
VAIKTSPK		8
SEQ ID NO: 84	moltype = AA length = 11	
FEATURE	Location/Qualifiers	
source	1..11 mol_type = protein organism = synthetic construct	
SEQUENCE: 84		
KIPVAIKTSP K		11
SEQ ID NO: 85	moltype = AA length = 24	
FEATURE	Location/Qualifiers	
source	1..24 mol_type = protein organism = synthetic construct	
SEQUENCE: 85		
EKVKIPVAIK TSPKANKEIL DEAY		24
SEQ ID NO: 86	moltype = AA length = 25	
FEATURE	Location/Qualifiers	
source	1..25 mol_type = protein organism = synthetic construct	
SEQUENCE: 86		
GEKVKIPVAI KTSPKANKEI LDEAY		25
SEQ ID NO: 87	moltype = AA length = 36	
FEATURE	Location/Qualifiers	
source	1..36 mol_type = protein organism = synthetic construct	
SEQUENCE: 87		
EKVKIPVAIK TSPKANKEIL DEAYVMASVD NPHVCR		36
SEQ ID NO: 88	moltype = AA length = 8	
FEATURE	Location/Qualifiers	

-continued

```

source                1..8
                      mol_type = protein
                      organism = synthetic construct

SEQUENCE: 88
ITDFGRAK                                     8

SEQ ID NO: 89                moltype = AA length = 10
FEATURE                      Location/Qualifiers
source                      1..10
                      mol_type = protein
                      organism = synthetic construct

SEQUENCE: 89
KITDFGRAKL                                     10

SEQ ID NO: 90                moltype = AA length = 9
FEATURE                      Location/Qualifiers
source                      1..9
                      mol_type = protein
                      organism = synthetic construct

SEQUENCE: 90
ITDFGRAKL                                     9

SEQ ID NO: 91                moltype = AA length = 8
FEATURE                      Location/Qualifiers
source                      1..8
                      mol_type = protein
                      organism = synthetic construct

SEQUENCE: 91
TVQLIMQL                                     8

SEQ ID NO: 92                moltype = AA length = 10
FEATURE                      Location/Qualifiers
source                      1..10
                      mol_type = protein
                      organism = synthetic construct

SEQUENCE: 92
AKTSPKANK                                     10

SEQ ID NO: 93                moltype = DNA length = 2199
FEATURE                      Location/Qualifiers
source                      1..2199
                      mol_type = other DNA
                      organism = synthetic construct

SEQUENCE: 93
ttagggatat gcctcacttc gaccgttcag cttataatgc agttgatgcc ttccggctgc 60
cttctagatt acgtacgtaa aacaccacaa cactgaaaga taacggactt tggtcgcgcg 120
aaattattag gagctgagga gaaggagtag catgcggaag ggggggaaagt tccggaaaaa 180
gtaaaaattc ctgtcgccat caagaccagc ccgaaagcga acaagagat cctagatgaa 240
gcttatgtga tggcttcggg agataatccc cactctgtgc ggggcatttg cctaactagc 300
acggttcaat tgattatgca gctcatgcca ttcgggtgtc tgctagacta tgttagaaaa 360
acgcgcgaac acgttaaaat tacggatttc ggcctgtcca aattgctggg cgtgaagag 420
aaagaatata atgctgaagg cgaaaggta ccggagaaag ttaaaatccc ggttgctata 480
aagacttcgc ctaaaagcaa taaggagatt ctggacgagg cttacgtaat ggcgagtggt 540
gataaccctc acgtatgcag ggggatttgc ttgacatcca ctgtgcaact aattatgcaa 600
ttgatgccat ttgggtgctt gttggactac gtcaggaaga caccceaaca cgtgaagatt 660
actgacttcg gaagagcgaa gttacttggt gcagaggaga aagagtacca cgcgaggggc 720
ggcaagggtc cagaaaaagg aaagatccca gtggccatta aaacctctcc aaaggcgaat 780
aaagagatac ttgacgaagc atactgatg gcgtcgggtg acaatccgca tgtatgccgg 840
ggaaatctgc tgacgtccac cgtacagctc atcatgcagt taatgccttt tggctgtctc 900
ctggactatg tacgaaagac tcacacgacg gtcaaaaatca ccgattttgg gcgcgccaa 960
ctgcttgggg ccgaagagaa ggaataccat gccgagggag ggaagggtgc tgaagggtt 1020
aagattcccg ttgccataaa aacgtcgcca aaagctaata aggaaatcct tgatgaggcc 1080
tatgtaattg catcgtcga caaccacac gtttgtcgcg gcatatgtct tacaagtact 1140
gtccaactga tcatgcaact catgcccgtt ggatgtctgt tggattatgt gcggaaaacc 1200
ccgcagcatg tcaagattac cgacttcggc agggcgaaag tcctaggagc cgaggaaaag 1260
gagtatcacg ctgagggtgg aaaagtcccc gagaaggtca agatccccgt cgcgatcaaa 1320
accagtccca aagcaaaaca ggagatcttg gacgaagcct acgttatggc cagcgtagac 1380
aatccacatg tgtgtcgtgg gatctgtctc accagtacgg tacaattgat aatgcaactt 1440
atgccctttg gatgctcct tgactatgtc cggaagacgc ctcagcatgt aaaaataaca 1500
gactttggac gtgcgaaact gctggggggc gagggaaaaa aataccacgc ggaggggggc 1560
aaagtgcagc agaaggtgaa aattccggtc gcaatcaaaa caggtccgaa ggcaaaataa 1620
gaaaattttg acgagcggtg cgtcatggcc tctgtcgata accgcacgt gtgccgtggt 1680
atatgcttaa cgtcaacagt tcaactcata atgcagctga tgcccttcgg ttgtctctta 1740
gactacgttc gcaaaactcc ccagcatgtt aagatcactg atttcggacg ggcaaaattg 1800
ttgggagcgg aagaaaaaga gtatcacgca gagggcggta aagtacctga gaaagtcaag 1860
ataccctggt cgattaagac ctgcaccaag gctaacaaag aaataactaga cgaagcgtat 1920

```

-continued

```

gtcatggcaa gcgttgacaa ccccatgtc tgcgcggaa tttgtctgac cagcaccgtg 1980
caattaatca tgcagctaatt gccgttttgt tgcctgctcg actacgtgcg caagaccct 2040
caacatgtga agatcacaga tttcggggcg gccaaagttat tggggggcaga agaaaaggaa 2100
tatcacgccg aaggaggtaa ggttcccgaa aaagtgaata taccggtagc gataaagacg 2160
agccctaagg ccaacaaggaa aattctcgac gaggcataat 2199

```

```

SEQ ID NO: 94      moltype = AA length = 609
FEATURE           Location/Qualifiers
source            1..609
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 94
LGICLTSTVQ LIMQLMPFGC LLDYTPQHVK ITDFGRAKLL GAEEKEYHAE GGGEKVKIPV 60
AIKTSPPKANK EILDEAYGIC LTSTVQLIMQ LMPFGCLLDY TPQHVKITDF GRAKLLGAEE 120
KEYHAEGGGE KVKIPVAIKT SPKANKEILD EAYGICLTST VQLIMQLMPF GCLLDYTPQH 180
VKITDFGRAK LLGAEEKEYH AEKGGEKVKI PVAIKTSPKA NKEILDEAYG ICLTSTVQLI 240
MQLMPFGCLL DYTPQHVKIT DFGRAKLLGA EEKEYHAEGG GEKVKIPVAI KTSPPKANKEI 300
LDEAYGICLT STVQLIMQLM PFGCLLDYTP QHVKITDFGR AKLLGAEEKE YHAEGGGEKV 360
KIPVAIKTSP KANKEILDEA YGICLTSTVQ LIMQLMPFGC LLDYTPQHVK ITDFGRAKLL 420
GAEEKEYHAE GGGEKVKIPV AIKTSPPKANK EILDEAYGIC LTSTVQLIMQ LMPFGCLLDY 480
TPQHVKITDF GRAKLLGAEE KEYHAEGGGE KVKIPVAIKT SPKANKEILD EAYGICLTST 540
VQLIMQLMPF GCLLDYTPQH VKITDFGRAK LLGAEEKEYH AEKGGEKVKI PVAIKTSPKA 600
NKEILDEAY 609

```

```

SEQ ID NO: 95      moltype = DNA length = 1827
FEATURE           Location/Qualifiers
source            1..1827
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 95
cttgaatct gcttgacttc aaccgtgcag ttgataatgc aacttatgcc gttcggttgc 60
ttgctagatt acacgccgca gcatgttaag atcactgact ttggaagagc aaagcttcta 120
ggggccgaag agaagagta ccatgccgaa ggaggcgggg aaaaggtcaa gattcccgta 180
gccatcaaaa caagtccaaa gccaataaaa gaaatccttg atgaggctta cgcatatgc 240
ctaacaatcaa cagtccaatt aataatgcag ttaatgcctt tcgggtgcct gctcgattat 300
acgccccaac acgtcaaaat tacagacttt ggcaggggcaa aattgctggg agcggaggaa 360
aaagagtatc acgcagaggg gggcggagaa aagggttaaaa tcccggtggc aataaaaacc 420
agcccggaag cgaacaaaaga aatactggat gaagcgtagc ggattttgtc cactagcacc 480
gtacagttaa tcattgcaat gatgcccttc ggtgtctctc tggattatac cctcagcac 540
gtgaaaaatca cagatttttg ccgcgcaaaa ctactaggag ccgaggagaa ggaataccat 600
gcagaagggg gtggtgaaaa agtgaagata ccagttgcga ttaagacgag ccctaagact 660
aacaagaga ttcttgacga agcttatggg atctgcctca cctctaccgt ccagctgatt 720
atgcagctca tgccttttgg ttgtttatta gactacaccc cacaacatgt aaaaataacg 780
gacttcggca gagctaaact attaggggca gaggagaaag aataccacgc tgaaggtggc 840
ggcgagaaag taaagatccc cgtcgcaatt aaaacttcac ccaagcaaaa taaggagatt 900
ttagatgagg catacgggat ctgtctaacc tcgacgggtc aacttattat gcaattgatg 960
ccgtttgggt gtctcctgga ctacactcca cagcacgtaa agataaccga tttcggtcgg 1020
gcgaagtta cttggcgcgga agaaaaggag taccacgccg agggcggggg cgaagggtta 1080
aagattccgg ttgcaatcaa gactgcacct aaggctaata aggaatatt ggatgaggcg 1140
tatggtatct gtttgacatc gactgtgcag cttataatgc agctgatgcc atttgatgt 1200
ttactcgact ataactcccc gcatgtcaaa ataactgatt tcggcggggc caaattattg 1260
ggcgagaaag aaaaggaaata tcacgcggag ggtggagggg agaaagttaa aattccagtc 1320
gctatcaaga cctctccaaa agccaacaag gaaatcttgg acgaggccta cggaatatgt 1380
cttacgtcta ctgtacaact gatcatgcag ctaatgccat tcggatgcct ccttgactac 1440
acacctaaca acgttaagat tacggatttt ggtcgagcca aactgctcgg agctgaggag 1500
aaggagtatc atgcggaagg cggcgggtgag aaagtcaaaa tccctgttgc cataaagact 1560
agccccaagg caaacaaggga gatactagat gaagcctatg gcatttgcct gactagtaca 1620
gtgcaactaa ttatgcaact catgcctttt ggctgccttc ttgattatac accgcaacat 1680
gtgaaaatta ccgacttttg gcgtgcgaaa ctcttaggtg ctgaagaaaa agaataatcat 1740
gctgagggag gaggagagaa ggtgaaaata cccgtggcta taaaaacgct gccgaaagcg 1800
aataaagaga tcctcgatga agcatac 1827

```

```

SEQ ID NO: 96      moltype = AA length = 8
FEATURE           Location/Qualifiers
source            1..8
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 96
LSTVQLIM 8

```

```

SEQ ID NO: 97      moltype = AA length = 1210
FEATURE           Location/Qualifiers
source            1..1210
                  mol_type = protein
                  organism = synthetic construct

```

```

SEQUENCE: 97

```

-continued

MRPSGTAGAA	LLALLAALCP	ASRALEEKV	COGTSNKLTQ	LGTFEDHFLS	LQRMFNCEV	60
VLGNLEITYV	QRNYDLSFLK	TIQEVAGYVL	IALNTVERIP	LENLQIIRGN	MYYENSYALA	120
VLSNYDANKT	GLKELPMRNL	QEILHGAVRF	SNNPALCNVE	SIQWRDIVSS	DFLSNMSMDF	180
QNHGSCQKC	DPSCPNGSCW	GAGEENCQKL	TKIICAQCS	GRCRGKSPSD	CCHNQCAAGC	240
TGPRESDCLV	CRKFRDEATC	KDTCPLMLY	NPTTYQMDVN	PEGKYSFGAT	CVKKCPRNYV	300
VTDHGSCVRA	CGADSYEMEE	DGVRCKCKCE	GPCRKVCNGI	GIGEFKDSLS	INATNIKHPK	360
NCTSIGSDLH	ILPVAFRGDS	FTHTPPLDPQ	ELDILKTVE	ITGFLLIQAW	PENRTDLHAF	420
ENLEIIRGRT	KQHGQFSLAV	VSLNITSLGL	RLSKEISDGD	VIISGNKNLC	YANTINWKKL	480
FGTSGQKTKI	ISNRGENSCK	ATGQVCHALC	SPEGCWGPEP	RDCVSCRNV	RGRECVDKCN	540
LLEGEPRFV	ENSECIQCHP	ECLPQAMNIT	CTGRGPDNCI	QCAHYIDGPH	CVKTCPAGVM	600
GENNTLVWKY	ADAGHVCHLC	HPNCTYGCCT	PGLEGCPNTG	PKIPSIATGM	VGALLLLLVV	660
ALGIGLFMR	RHIVRKRTL	RLQERELVE	PLTPSGEAPN	QALLRILKET	EFKKIKVLGS	720
GAFGTVYKGL	WIPEGEKVKI	PVAIKELREA	TSPKANKEIL	DEAYVMASVD	NPHVCRLGI	780
CLTSTVQLIT	QLMPFGCLLD	YVREHKDNIG	SQYLLNWCVQ	IAKGMNYLED	RLVHRDLAA	840
RNVLVKTPQH	VKITDFGLAK	LLGAEKEYH	AEGGKVPIKW	MALESILHRI	YTHQSDVWSY	900
GVTVWELMTF	GSKPYDGIPI	SEISSILEKG	ERLPQPPICT	IDVYMIMVKC	WMIDADSRPK	960
FRELIIEFSK	MARDPQRYLV	IQGDERMHL	SPTDSNFYRA	LMDEEDMDV	VDADEYLIPQ	1020
QGFSSPSTS	RTPLLSLSA	TSMNSTVACI	DRNGLQSCPI	KEDSFLQYS	SDPTGALTED	1080
SDDTFLPVP	EYINQSVPKR	PAGSVQNPVY	HNQPLNPAPS	RDPHYQDPHS	TAVGNPEYLN	1140
TVQPTCVNST	FDSPAHAQK	GSHQISLDNP	DYQQDFFPKE	AKPNGIFKGS	TAENAEYLRV	1200
APQSSEFIGA						1210
SEQ ID NO: 98						
FEATURE						
source						
moltype = AA length = 100						
Location/Qualifiers						
1..100						
mol_type = protein						
organism = synthetic construct						
SEQUENCE: 98						
VTNTEMFVTA	PDNLGYMYEV	QWPGQTQPI	ANCSVYDFV	WLHYYSVRDT	VTNTEMFVTA	60
PDNLGYMYEV	QWPGQTQPI	ANCSVYDFV	WLHYYSVRDT			100
SEQ ID NO: 99						
FEATURE						
source						
moltype = AA length = 25						
Location/Qualifiers						
1..25						
mol_type = protein						
organism = synthetic construct						
SEQUENCE: 99						
VTNTEMFVTA	PDNLGYMYEV	QWPGQ				25
SEQ ID NO: 100						
FEATURE						
source						
moltype = AA length = 25						
Location/Qualifiers						
1..25						
mol_type = protein						
organism = synthetic construct						
SEQUENCE: 100						
TQPQIANCSV	YDFFVWLHY	SVRDT				25
SEQ ID NO: 101						
FEATURE						
source						
moltype = AA length = 10						
Location/Qualifiers						
1..10						
mol_type = protein						
organism = synthetic construct						
SEQUENCE: 101						
YVYADVAAK						10
SEQ ID NO: 102						
FEATURE						
source						
moltype = DNA length = 17						
Location/Qualifiers						
1..17						
mol_type = other DNA						
organism = synthetic construct						
SEQUENCE: 102						
taatacgact	cactata					17

1. An antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises:

- (i) a nucleic acid sequence A (E_A); and
 - (ii) a nucleic acid sequence B (E_B),
- wherein E_A and E_B each encode one MHC epitope, wherein the MHC epitope encoded by E_A and the MHC epitope encoded by E_B are distinct and non-identical, wherein the cassette comprises at least two iterations of E_A and at least two iterations of E_B ,

wherein each iteration of E_A and E_B , respectively, comprises identical nucleic acid sequences, and wherein E_A encodes an EGFR-associated MHC class I neoepitope.

2. The cassette of claim 1, wherein:

- a) the EGFR-associated MHC class I neoepitope encoded by E_A is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof;

- (b) the EGFR-associated MHC class I neoepitope encoded by E_A comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), ITDFGRAKL (SEQ ID NO: 90), STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), LTSTVQLIM (SEQ ID NO: 76), PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84);
- (c) the EGFR-associated MHC class I neoepitope encoded by E_A comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), KITDFGRAKL (SEQ ID NO: 89), STVQLIMQL (SEQ ID NO: 75), or LSTVQLIM (SEQ ID NO: 96);
- (e) the EGFR-associated neoepitope encoded by E_B comprises an MHC class I neoepitope;
- (f) the EGFR-associated neoepitope encoded by E_B is selected from the group consisting of: a EGFR L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof;
- (g) the EGFR-associated neoepitope encoded by E_B comprises the amino acid sequence

KITDFGRAK,	(SEQ ID NO: 57)
ITDFGRAK,	(SEQ ID NO: 88)
KITDFGRAKL,	(SEQ ID NO: 89)
ITDFGRAKL;	(SEQ ID NO: 90)
STVQLIMQL,	(SEQ ID NO: 75)
TVQLIMQL,	(SEQ ID NO: 91)
LTSTVQLIM,	(SEQ ID NO: 76)
PVAIKTSPK,	(SEQ ID NO: 82)
AIKTSPKANK,	(SEQ ID NO: 92)
VAIKTSPK,	(SEQ ID NO: 83)
or	
KIPVAIKTSPK;	(SEQ ID NO: 84)

- (h) the EGFR-associated neoepitope encoded by E_B comprises the amino acid sequence

KITDFGRAK,	(SEQ ID NO: 57)
KITDFGRAKL,	(SEQ ID NO: 89)
STVQLIMQL,	(SEQ ID NO: 75)

-continued

or

(SEQ ID NO: 96)

LSTVQLIM;

and/or

- (i) E_A and E_B together comprise each of a EGFR L858R MHC class I epitope and a EGFR T790M MHC class I epitope.

3.-10. (canceled)

11. The cassette of claim 1, wherein the cassette encodes:

- (a) at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of one or both of E_A and E_B ;
- (b) the cassette encodes at least 8 iterations of each of E_A and E_B ; and/or

- (c) the cassette encodes two or more iterations of the unit E_A - E_B , optionally wherein E_A and E_B are concatenated by a linker-encoding nucleic acid, optionally wherein the cassette encodes 8 iterations of the unit E_A - E_B , optionally wherein the epitope encoded by E_A comprises a EGFR L858R MHC class I epitope and the epitope encoded by E_B comprises a EGFR T790M MHC class I epitope, optionally wherein the cassette encodes the amino acid sequence of SEQ ID NO: 71.

12.-16. (canceled)

17. The cassette of claim 1, wherein the antigen-encoding cassette further comprises a nucleic acid sequence C (E_C), wherein E_C encodes one MHC epitope, wherein the MHC epitope encoded by E_C is and distinct and non-identical with respect to the MHC epitope encoded by E_A and the MHC epitope encoded by E_B , wherein the cassette comprises at least two iterations of E_C and, and wherein each iteration of E_C comprises an identical nucleic acid sequence, optionally wherein:

- (a) E_C encodes an EGFR-associated MHC class I neoepitope;
- (b) E_C encodes a non-identical EGFR-associated neoepitope with respect to both E_A and E_B ;
- (c) the EGFR-associated neoepitope encoded by E_C comprises an MHC class I neoepitope;
- (d) the EGFR-associated MHC class I neoepitope encoded by E_C is selected from the group consisting of: a EGFR L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof;
- (e) the EGFR-associated neoepitope encoded by E_C comprises the amino acid sequence

KITDFGRAK,	(SEQ ID NO: 57)
ITDFGRAK,	(SEQ ID NO: 88)
KITDFGRAKL,	(SEQ ID NO: 89)
ITDFGRAKL;	(SEQ ID NO: 90)
STVQLIMQL,	(SEQ ID NO: 75)
TVQLIMQL,	(SEQ ID NO: 91)

-continued

LTSTVQLIM,	(SEQ ID NO: 76)
PVAIKTSPK,	(SEQ ID NO: 82)
AIKTSPKANK,	(SEQ ID NO: 92)
VAIKTSPK, or	(SEQ ID NO: 83)
KIPVAIKTSPK;	(SEQ ID NO: 84)
(f) the EGFR-associated neoepitope encoded by E _C comprises the amino acid sequence	
KITDFGRAK,	(SEQ ID NO: 57)
KITDFGRAKL,	(SEQ ID NO: 89)
STVQLIMQL, or	(SEQ ID NO: 75)
LSTVQLIM;	(SEQ ID NO: 96)

- (g) E_A, E_B, and E_C are together comprise each of a EGFR L858R MHC class I epitope, a EGFR T790M MHC class I epitope, and a EGFR E746-A750 deletion MHC class I epitope;
- (h) the cassette encodes at least 3, at least 4, at least 5, at least 6, at least 7, or at least 8 iterations of one or each of E_A, E_B, and E_C;
- (i) the cassette encodes at least 8 iterations of each of E_A, E_B, and E_C; and/or
- (j) the cassette encodes two or more iterations of the unit E_A-E_B-E_C, optionally wherein E_A, E_B, and E_C are concatenated by a linker-encoding nucleic acid, optionally wherein:
- (i) the cassette encodes 8 iterations of the unit E_A-E_B-E_C,
 - (ii) the epitope encoded by E_A comprises a EGFR L858R MHC class I epitope and the epitope encoded by E_B comprises a EGFR T790M MHC class I epitope, and/or
 - (iii) the cassette encodes the amino acid sequence of SEQ ID NO: 94.

18.-30. (canceled)**31.** The cassette of claim 1,

wherein the EGFR-associated MHC class I neoepitope comprises:

- (a) a EGFR_L858R MHC class I epitope; optionally wherein the EGFR L858R MHC class I epitope:
 - (i) comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90);
 - (ii) is the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90); or

- (iii) is the amino acid sequence KITDFGRAK (SEQ ID NO: 57) or KITDFGRAKL (SEQ ID NO: 89);
- (b) a T790M MHC class I epitope; optionally wherein the T790M MHC class I epitope:
 - (i) comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76);
 - (ii) is the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76); or
 - (iii) the T790M MHC class I epitope is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76); and/or
- (c) a E746-A750 deletion MHC class I epitope; optionally wherein the E746-A750 deletion MHC class I epitope:
 - (i) comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84); or
 - (ii) is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84).

32.-41. (canceled)

42. The cassette of claim 1, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least each of the EGFR_L858R MHC class I epitope and the T790M MHC class I epitope; optionally wherein antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least:

- (a) 4 iterations of each of the EGFR L858R MHC class I epitope and the T790M MHC class I epitope; or
- (b) 8 iterations of each of the EGFR L858R MHC class I epitope and the T790M MHC class I epitope.

43.-44. (canceled)

45. The cassette of claim 1, wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least each of the EGFR_L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope; optionally wherein the antigen-encoding cassette comprises at least one antigen-encoding nucleic acid sequence that encodes at least:

- (a) 4 iterations of each of the EGFR L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope; or
- (b) 8 iterations of each of the EGFR L858R MHC class I epitope, the T790M MHC class I epitope, and the E746-A750 deletion MHC class I epitope.

46.-47. (canceled)

48. The cassette of claim 17, wherein one or both of E_A and E_B, and optionally E_C, are described, from 5' to 3', by the formula (L5_b-N_c-L3_d),

wherein N comprises a distinct epitope-encoding nucleic acid sequence that encodes the MHC epitope associated with each of E_A, E_B, and/or E_C, where c=1, L5 comprises a 5' linker sequence, where b=0 or 1, and L3 comprises a 3' linker sequence, where d=0 or 1 optionally wherein each N encodes an epitope 7-15 amino acids in length,

L5 is a native 5' linker sequence that encodes a native N-terminal amino acid sequence of the epitope, and wherein the 5' linker sequence encodes a peptide that is at least 2 amino acids in length, and optionally between 2-20 amino acids in length, and

L3 is a native 3' linker sequence that encodes a native C-terminal amino acid sequence of the epitope, and wherein the 3' linker sequence encodes a peptide that is at least 2 amino acids in length, and optionally between 2-20 amino acids in length, and

optionally wherein each of E_A, E_B, and/or E_C encodes a polypeptide that is between 12 and 35 amino acids in length.

49. (canceled)

50. The cassette of claim 17, wherein each of E_A and E_B, and optionally E_C:

- (a) encodes an epitope at least 7 amino acids in length;
- (b) encodes an epitope 7-15 amino acids in length;
- (c) is a nucleotide sequence at least 21 nucleotides in length; and/or
- (d) is a nucleotide sequence 75 nucleotides in length.

51.-53. (canceled)

54. A composition for delivery of an antigen expression system, comprising:

the antigen expression system,

wherein the antigen expression system comprises one or more vectors,

the one or more vectors comprising:

- (a) a vector backbone, wherein the backbone comprises:
 - (i) at least one promoter nucleotide sequence, and
 - (ii) at least one polyadenylation (poly(A)) sequence; and

- (b) a cassette, wherein the cassette comprises:

- (i) at least one antigen-encoding nucleic acid sequence, comprising:

- (I) an epitope-encoding nucleic acid sequence encoding a EGFR-associated MHC class I neoepitope, the EGFR-associated MHC class I neoepitope is selected from the group consisting of: a EGFR_L858R MHC class I epitope, a EGFR T790M MHC class I epitope, a EGFR E746-A750 deletion MHC class I epitope, and combinations thereof, and

wherein each of the epitope-encoding nucleic acid sequences comprises;

- (A) optionally, a 5' linker sequence, and
- (B) optionally, a 3' linker sequence;

- (ii) optionally, a second promoter nucleotide sequence operably linked to the antigen-encoding nucleic acid sequence;

- (iii) optionally, at least one MHC class II epitope-encoding nucleic acid sequence;

- (iv) optionally, at least one nucleic acid sequence encoding a GPGPG amino acid linker sequence (SEQ ID NO:56); and

- (v) optionally, at least one second poly(A) sequence, wherein the second poly(A) sequence is a native poly(A) sequence or an exogenous poly(A) sequence to the vector backbone,

wherein if the second promoter nucleotide sequence is absent, the antigen-encoding nucleic acid sequence is operably linked to the at least one promoter nucleotide sequence, and

wherein the at least one antigen-encoding nucleic acid sequence comprises at least two iterations of the epitope-encoding nucleic acid sequences encoding the EGFR-associated MHC class I neoepitope.

55. The composition of claim 54, wherein:

- (a) the EGFR_L858R MHC class I epitope:

- (i) comprises the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90),

- (ii) is the amino acid sequence KITDFGRAK (SEQ ID NO: 57), ITDFGRAK (SEQ ID NO: 88), KITDFGRAKL (SEQ ID NO: 89), or ITDFGRAKL (SEQ ID NO: 90), or

- (iii) is the amino acid sequence KITDFGRAK (SEQ ID NO: 57) or KITDFGRAKL (SEQ ID NO: 89);

- (b) the T790M MHC class I epitope:

- (i) comprises the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76),

- (ii) is the amino acid sequence STVQLIMQL (SEQ ID NO: 75), TVQLIMQL (SEQ ID NO: 91), or LTSTVQLIM (SEQ ID NO: 76), or

- (iii) is the amino acid sequence STVQLIMQL (SEQ ID NO: 75) or LTSTVQLIM (SEQ ID NO: 76);

- (c) the E746-A750 deletion MHC class I epitope:

- (i) comprises the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84), or

- (ii) is the amino acid sequence PVAIKTSPK (SEQ ID NO: 82), AIKTSPKANK (SEQ ID NO: 92), VAIKTSPK (SEQ ID NO: 83), or KIPVAIKTSPK (SEQ ID NO: 84); and/or

- (d) the at least two iterations:

- (i) are separated by at least one separate distinct epitope-encoding nucleic acid sequence,

- (ii) are separated by at least 2 separate distinct epitope-encoding nucleic acid sequences, or

- (iii) inclusive of the optional 5' linker sequence and/or the optional 3' linker sequence, are separated by at least 75 nucleotides.

56.-69. (canceled)

70. The composition of claim 54, wherein:

- (a) the composition further comprises a nanoparticulate delivery vehicle;

- (b) the cassette is integrated between the at least one promoter nucleotide sequence and the at least one poly(A) sequence;

- (c) the second promoter is absent and the at least one promoter nucleotide sequence is operably linked to the antigen-encoding nucleic acid sequence;

- (d) the one or more vectors comprise:

- (i) one or more +-stranded RNA vectors;

- (ii) a 5' 7-methylguanosine (m7g) cap;

- (iii) RNA vectors produced by in vitro transcription; and/or

- (iv) vectors that are self-replicating within a mammalian cell;

- (e) the backbone comprises at least one nucleotide sequence of a Venezuelan equine encephalitis virus, optionally wherein:

- (i) the vector backbone comprises at least sequences for nonstructural protein-mediated amplification, a 26S

- promoter sequence, and a poly(A) sequence encoded by the nucleotide sequence of a Venezuelan equine encephalitis virus, wherein sequences for nonstructural protein-mediated amplification are selected from the group consisting of: an alphavirus 5' UTR, a 51-nt CSE, a 24-nt CSE, a 26S subgenomic promoter sequence, a 19-nt CSE, an alphavirus 3' UTR, or combinations thereof, and/or wherein the backbone does not encode structural virion proteins capsid, E2 and E1, and/or
- (ii) the Venezuelan equine encephalitis virus comprises the sequence of SEQ ID NO:3 or SEQ ID NO:5 further comprising a deletion between base pair 7544 and 11175, wherein the antigen cassette is inserted at position 7544 to replace the deletion between base pairs 7544 and 11175 as set forth in the sequence of SEQ ID NO:3 or SEQ ID NO:5;
 - (f) the backbone comprises at least one nucleotide sequence of a chimpanzee adenovirus vector, optionally wherein the chimpanzee adenovirus vector is a ChAdV68 vector, optionally wherein the ChAdV68 vector comprises a ChAdV68 vector backbone comprising:
 - (i) the sequence set forth in SEQ ID NO:1;
 - (ii) the sequence set forth in SEQ ID NO:1, except that the sequence is fully deleted or functionally deleted in at least one gene selected from the group consisting of the chimpanzee adenovirus E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence set forth in SEQ ID NO:1, optionally wherein the sequence is fully deleted or functionally deleted in: (1) E1A and E1B; (2) E1A, E1B, and E3; or (3) E1A, E1B, E3, and E4 of the sequence set forth in SEQ ID NO:1;
 - (iii) a gene or regulatory sequence obtained from the sequence of SEQ ID NO:1, optionally wherein the gene is selected from the group consisting of the chimpanzee adenovirus inverted terminal repeat (ITR), E1A, E1B, E2A, E2B, E3, E4, L1, L2, L3, L4, and L5 genes of the sequence set forth in SEQ ID NO:1;
 - (iv) a partially deleted E4 gene comprising a deleted or partially-deleted E4orf2 region and a deleted or partially-deleted E4orf3 region, and optionally a deleted or partially-deleted E4orf4 region;
 - (v) at least nucleotides 2 to 36,518 of the sequence set forth in SEQ ID NO:1 and further comprising: (1) an E1 deletion of at least nucleotides 577 to 3403 of the sequence shown in SEQ ID NO:1, (2) an E3 deletion of at least nucleotides 27,125 to 31,825 of the sequence shown in SEQ ID NO:1, and (3) an E4 deletion of at least nucleotides 34,916 to 35,642 of the sequence shown in SEQ ID NO:1; optionally wherein the antigen cassette is inserted within the E1 deletion;
 - (vi) the sequence set forth in SEQ ID NO:68, optionally wherein the antigen cassette is inserted within the E1 deletion;
 - (vii) one or more deletions between base pair number 577 and 3403 or between base pair 456 and 3014, and optionally wherein the vector further comprises one or more deletions between base pair 27,125 and 31,825 or between base pair 27,816 and 31,333 of the sequence set forth in SEQ ID NO:1; or
 - (viii) one or more deletions between base pair number 3957 and 10346, base pair number 21787 and 23370, and base pair number 33486 and 36193 of the sequence set forth in SEQ ID NO:1, and optionally wherein the cassette is inserted in the ChAdV vector backbone at the E1 region, E3 region, and/or any deleted AdV region that allows incorporation of the cassette;
 - (g) the at least one promoter nucleotide sequence is the native 26S promoter nucleotide sequence encoded by the backbone;
 - (h) the second promoter nucleotide sequence comprises multiple 26S promoter nucleotide sequences, wherein each 26S promoter nucleotide sequence provides for transcription of one or more of the separate open reading frames;
 - (i) the at least one promoter sequence is a regulatable promoter, optionally wherein the regulatable promoter is a tetracycline (TET) repressor protein (TET_r) controlled promoter, optionally wherein the regulatable promoter comprises multiple TET operator (TET_o) sequences 5' or 3' of a RNA polymerase binding sequence of the promoter; and/or
 - (j) the EGFR-associated MHC class I neoepitope is validated to be capable of presentation by at least one HLA allele, wherein each antigen/HLA pair has an antigen/HLA prevalence of at least 1% in a population, 10%, and/or 14% in a population, optionally wherein the at least one HLA allele is HLA A*03:01, HLA C*15:02 and/or HLA A*11:01, optionally wherein the population is a Chinese Hubei Han population.
- 71.-81. (canceled)**
- 82.** The composition of claim **54**, wherein the antigen-encoding cassette encodes a peptide comprising the amino acid sequence of;
- (a) SEQ ID NO: 71;
 - (bb) SEQ ID NO: 61,
 - (c) SEQ ID NO: 62; and/or
 - (d) SEQ ID NO: 94.
- 83.-90. (canceled)**
- 91.** A pharmaceutical composition comprising the cassette of claim **1** and a pharmaceutically acceptable carrier.
- 92.** An isolated nucleotide sequence or set of isolated nucleotide sequences comprising the cassette of claim **1**, and optionally one or more elements obtained from the sequence of SEQ ID NO:3 or SEQ ID NO:5, optionally wherein the one or more elements are selected from the group consisting of the sequences necessary for nonstructural protein-mediated amplification, the 26S promoter nucleotide sequence, the poly(A) sequence, and the nsP1-4 genes of the sequence set forth in SEQ ID NO:3 or SEQ ID NO:5, and optionally wherein the nucleotide sequence is cDNA.
- 93.** A vector or set of vectors comprising the nucleotide sequence of claim **92**.
- 94.** An isolated cell comprising the nucleotide sequence or set of isolated nucleotide sequence of claim **92**, optionally wherein the cell is a BHK-21, CHO, HEK293 or variants thereof, 911, HeLa, A549, LP-293, PER.C6, or AE1-2a cell.
- 95.** A kit comprising the cassette of claim **1** and instructions for use.
- 96.-106. (canceled)**
- 107.** A method of manufacturing comprising:
- (A) manufacturing the one or more vectors of the composition of claim **54**, the method comprising:

- (a) obtaining a linearized DNA sequence comprising the backbone and the cassette;
 - (b) in vitro transcribing the linearized DNA sequence by addition of the linearized DNA sequence to an in vitro transcription reaction containing all the necessary components to transcribe the linearized DNA sequence into RNA, optionally further comprising in vitro addition of the m7g cap to the resulting RNA; and
 - (c) isolating the one or more vectors from the in vitro transcription reaction, or
 - (B) manufacturing the composition of claim 54 for delivery of the antigen expression system, the method comprising:
 - (a) providing components for the nanoparticulate delivery vehicle;
 - (b) providing the antigen expression system; and
 - (c) providing conditions sufficient for the nanoparticulate delivery vehicle and the antigen expression system to produce the composition for delivery of the antigen expression system.
108. (canceled)
109. A method for treating a subject with a disease, optionally wherein the disease is cancer or an infection, the method comprising administering to the subject an antigen-based vaccine to the subject, wherein the antigen-based vaccine comprises an antigen-encoding cassette, or a polypeptide sequence encoded by the cassette, wherein the antigen-encoding cassette comprises:
- (a) a nucleic acid sequence A (E_A); and
 - (b) a nucleic acid sequence B (E_B),
- wherein E_A and E_B each encode one MHC epitope, wherein the MHC epitope encoded by E_A and the MHC epitope encoded by E_B are distinct and non-identical, wherein the cassette comprises at least two iterations of E_A and at least two iterations of E_B ,

wherein each iteration of E_A and E_B , respectively, comprises identical nucleic acid sequences, and wherein E_A encodes an EGFR-associated MHC class I neoepitope;

optionally wherein:

- (i) the antigen-based vaccine is administered as a priming dose, and/or
- (ii) the antigen-based vaccine is administered as one or more boosting doses, optionally wherein: the boosting dose is:
 - (A) different than the priming dose, optionally wherein:
 - (I) the priming dose comprises a chimpanzee adenovirus vector and the boosting dose comprises an alphavirus vector, or
 - (II) the priming dose comprises an alphavirus vector and the boosting dose comprises a chimpanzee adenovirus vector
 - (B) the same as the priming dose;

optionally wherein the injection site of the one or more boosting doses is as close as possible to the injection site of the priming dose further optionally wherein the method comprises determining or having determined the HLA-haplotype of the subject, optionally wherein the HLA-haplotype determined of the subject comprises an HLA allele predicted or validated to present at least one of the EGFR-associated MHC class I neoepitopes encoded by the antigen-encoding cassette, optionally wherein the HLA allele is HLA A*03:01, HLA C*15:02 and/or HLA A*11:01.

110.-118. (canceled)

* * * * *