

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent
Kind Code
Date of Patent
Inventor(s)

12402599
B2
September 02, 2025
Teychene; Bruno et al.

Gripper for manipulating a device for identifying an animal and/or removing tissue from an animal comprising holding means with remote actuation

Abstract

The present invention relates to a clamp (3) for handling a device for identifying an animal and/or sampling animal tissue, said clamp (3) comprising two jaws (32, 33), a handle (31) for moving said jaws (32, 33) together, and means (321) for securing an element of said identification and/or sampling device to one of said jaws (32, 33), said securing means (321) being movable between: a release position, and a securing position. According to the invention, said clamp (3) comprises actuation means (73) for moving said securing means (321) from one to the other position thereof, said actuation means (73) being actuatable via said handle (31).

Inventors:	Teychene; Bruno (Mouzieys-Teulet, FR), Blanc-Tailleur; Philippe (Toulouse, FR)
Applicant:	ALLFLEX EUROPE SAS (Vitre, FR)
Family ID:	65443974
Assignee:	ALLFLEX EUROPE SAS (Vitre, FR)
Appl. No.:	17/282004
Filed (or PCT Filed):	October 02, 2019
PCT No.:	PCT/EP2019/076775
PCT Pub. No.:	WO2020/070227
PCT Pub. Date:	April 09, 2020

Prior Publication Data

Document Identifier

US 20210345583 A1

Publication Date

Nov. 11, 2021

Foreign Application Priority Data

FR

1859184

Oct. 03, 2018

Publication Classification

Int. Cl.: A01K11/00 (20060101); A61B10/02 (20060101)

U.S. Cl.:

CPC A01K11/002 (20130101); A01K11/003 (20130101); A61B10/0233 (20130101); A01K11/001 (20130101); A61B10/02 (20130101); A61B2503/40 (20130101)

Field of Classification Search

CPC: A01K (11/002); A01K (11/003); A01K (11/001); A61B (10/0233); A61B (2503/40); A61B (10/0266); A61B (10/02)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
85575	12/1868	Drake	N/A	N/A
377588	12/1887	Walsh, Jr.	N/A	N/A
584121	12/1896	Sanders	N/A	N/A
818783	12/1905	Philippi	N/A	N/A
823079	12/1905	Rais	N/A	N/A
1016752	12/1911	Leith	N/A	N/A
1188510	12/1915	Timson	N/A	N/A
1364137	12/1920	Pannier	N/A	N/A
1759400	12/1929	Hobbs	N/A	N/A
1843314	12/1931	Berntson et al.	N/A	N/A
1863037	12/1931	Archbold	N/A	N/A
2078827	12/1936	Ketchum	N/A	N/A
2420020	12/1946	Snell	N/A	N/A
2553400	12/1950	Blair	N/A	N/A
2570048	12/1950	Cooke et al.	N/A	N/A
3091770	12/1962	McMurray et al.	N/A	N/A
3261243	12/1965	Ellison	N/A	N/A
3596541	12/1970	Bieganski	N/A	N/A
3812859	12/1973	Murphy et al.	N/A	N/A
3884100	12/1974	Fideldy	N/A	N/A
3981209	12/1975	Caroff	N/A	N/A

4030506	12/1976	McDonald	N/A	N/A
4120303	12/1977	Villa-Massone et al.	N/A	N/A
4121591	12/1977	Hayes	N/A	N/A
4281657	12/1980	Ritchey	N/A	N/A
4323183	12/1981	Duchin	N/A	N/A
4497321	12/1984	Fearing et al.	N/A	N/A
4516577	12/1984	Scott et al.	N/A	N/A
4531520	12/1984	Reggers et al.	N/A	N/A
4552147	12/1984	Gardner	N/A	N/A
4666436	12/1986	McDonald et al.	N/A	N/A
4672966	12/1986	Haas, Jr.	N/A	N/A
4696119	12/1986	Giulie	N/A	N/A
4716899	12/1987	Huenefeld et al.	N/A	N/A
4819639	12/1988	Gardner	N/A	N/A
4821683	12/1988	Veldman	N/A	N/A
4943294	12/1989	Knapp	N/A	N/A
5022253	12/1990	Parlatore	N/A	N/A
5056385	12/1990	Petersen	N/A	N/A
5141514	12/1991	van Amelsfort	N/A	N/A
5154721	12/1991	Perez	N/A	N/A
5267464	12/1992	Cleland	N/A	N/A
5509291	12/1995	Nilsson et al.	N/A	N/A
5651791	12/1996	Zavlodaver et al.	N/A	N/A
5778820	12/1997	van der Lely et al.	N/A	N/A
6007548	12/1998	Ritchey	N/A	N/A
6016769	12/1999	Forster	N/A	N/A
6043748	12/1999	Touchton et al.	N/A	N/A
6053926	12/1999	Luehrs	N/A	N/A
6095915	12/1999	Battista et al.	N/A	N/A
6099482	12/1999	Brune et al.	N/A	N/A
6100804	12/1999	Brady et al.	N/A	N/A
6113539	12/1999	Ridenour	N/A	N/A
6114957	12/1999	Westrick et al.	N/A	N/A
6145225	12/1999	Ritchey	N/A	N/A
6166643	12/1999	Janning et al.	N/A	N/A
6172640	12/2000	Durst et al.	N/A	N/A
6232880	12/2000	Anderson et al.	N/A	N/A
6235036	12/2000	Gardner et al.	N/A	N/A
6271757	12/2000	Touchton et al.	N/A	N/A
6297739	12/2000	Small	N/A	N/A
6310553	12/2000	Dance	N/A	N/A
6402692	12/2001	Morford	N/A	N/A
6497197	12/2001	Huisma	N/A	N/A
6502060	12/2001	Christian	N/A	N/A
6510630	12/2002	Gardner	N/A	N/A
6535131	12/2002	Bar-Shalom et al.	N/A	N/A
6569092	12/2002	Booker	N/A	N/A
6659039	12/2002	Larsen	N/A	N/A
6868804	12/2004	Huisma et al.	N/A	N/A

7016730	12/2005	Ternes	N/A	N/A
7046152	12/2005	Peinetti et al.	N/A	N/A
7137359	12/2005	Braden	N/A	N/A
7296539	12/2006	Iljas	N/A	N/A
7380518	12/2007	Kates	N/A	N/A
7442170	12/2007	Chiu	600/564	A61B 10/0266
7705736	12/2009	Kedziora	N/A	N/A
7843350	12/2009	Geissler et al.	N/A	N/A
7937861	12/2010	Zacher	N/A	N/A
8005624	12/2010	Starr	N/A	N/A
8266990	12/2011	Janson	N/A	N/A
8305220	12/2011	Gibson	N/A	N/A
8478389	12/2012	Brockway et al.	N/A	N/A
8622929	12/2013	Wilson et al.	N/A	N/A
8763557	12/2013	Lipscomb	N/A	N/A
8955462	12/2014	Golden et al.	N/A	N/A
9215862	12/2014	Bladen et al.	N/A	N/A
9392767	12/2015	Johnson, III et al.	N/A	N/A
9392946	12/2015	Sarantos et al.	N/A	N/A
9449487	12/2015	Spitalny	N/A	N/A
9648849	12/2016	Vivathana	N/A	N/A
9654925	12/2016	Solinsky et al.	N/A	N/A
9693536	12/2016	Dana	N/A	N/A
9717216	12/2016	Schlachta et al.	N/A	N/A
9743643	12/2016	Kaplan et al.	N/A	N/A
9848577	12/2016	Brandao et al.	N/A	N/A
9861080	12/2017	Hathway et al.	N/A	N/A
10021857	12/2017	Bailey et al.	N/A	N/A
10039263	12/2017	Teychene et al.	N/A	N/A
10045511	12/2017	Yarden et al.	N/A	N/A
10064391	12/2017	Riley	N/A	N/A
10091972	12/2017	Jensen et al.	N/A	N/A
10231442	12/2018	Chang et al.	N/A	N/A
10242547	12/2018	Struhsaker et al.	N/A	N/A
10264762	12/2018	Lamb	N/A	N/A
10352759	12/2018	Jensen	N/A	N/A
10446006	12/2018	Johnson, Jr. et al.	N/A	N/A
10512430	12/2018	Hladio	N/A	N/A
10588295	12/2019	Riley	N/A	N/A
10628756	12/2019	Kuper et al.	N/A	N/A
10638726	12/2019	Makarychev et al.	N/A	N/A
10691674	12/2019	Leong et al.	N/A	N/A
2001/0027751	12/2000	van den Berg	N/A	N/A
2002/0010390	12/2001	Guice et al.	N/A	N/A
2002/0021219	12/2001	Edwards	N/A	N/A
2002/0091326	12/2001	Hashimoto et al.	N/A	N/A
2002/0095828	12/2001	Koopman et al.	N/A	N/A
2002/0154015	12/2001	Hixson	N/A	N/A
2002/0158765	12/2001	Pape et al.	N/A	N/A

2003/0004652	12/2002	Brunner et al.	N/A	N/A
2003/0023517	12/2002	Marsh et al.	N/A	N/A
2003/0062001	12/2002	Hakan	N/A	N/A
2003/0066491	12/2002	Stampe	N/A	N/A
2003/0144926	12/2002	Bodin et al.	N/A	N/A
2003/0146284	12/2002	Schmit et al.	N/A	N/A
2003/0149526	12/2002	Zhou et al.	N/A	N/A
2003/0177025	12/2002	Curkendall et al.	N/A	N/A
2003/0201931	12/2002	Durst et al.	N/A	N/A
2003/0208157	12/2002	Eidson et al.	N/A	N/A
2003/0221343	12/2002	Volk et al.	N/A	N/A
2003/0229452	12/2002	Lewis	N/A	N/A
2004/0066298	12/2003	Schmitt et al.	N/A	N/A
2004/0078390	12/2003	Saunders	N/A	N/A
2004/0118920	12/2003	He	N/A	N/A
2004/0123810	12/2003	Lorton et al.	N/A	N/A
2004/0177011	12/2003	Ramsay et al.	N/A	N/A
2004/0201454	12/2003	Waterhouse et al.	N/A	N/A
2005/0010333	12/2004	Lorton et al.	N/A	N/A
2005/0026181	12/2004	Davis et al.	N/A	N/A
2005/0097997	12/2004	Hile	N/A	N/A
2005/0108912	12/2004	Bekker	N/A	N/A
2005/0115508	12/2004	Little	N/A	N/A
2005/0128086	12/2004	Brown et al.	N/A	N/A
2005/0139168	12/2004	Light et al.	N/A	N/A
2005/0145187	12/2004	Gray	N/A	N/A
2005/0273117	12/2004	Teychene	N/A	N/A
2005/0279287	12/2004	Kroeker	N/A	N/A
2005/0284381	12/2004	Bell et al.	N/A	N/A
2006/0011145	12/2005	Kates	N/A	N/A
2006/0052986	12/2005	Rogers et al.	N/A	N/A
2006/0064325	12/2005	Matsumoto et al.	N/A	N/A
2006/0087440	12/2005	Klein	N/A	N/A
2006/0106289	12/2005	Elser	N/A	N/A
2006/0117619	12/2005	Costantini	N/A	N/A
2006/0155172	12/2005	Rugg	N/A	N/A
2006/0170561	12/2005	Eyal	N/A	N/A
2006/0173367	12/2005	Stuart et al.	N/A	N/A
2006/0185605	12/2005	Renz et al.	N/A	N/A
2006/0201436	12/2005	Kates	N/A	N/A
2006/0207515	12/2005	Palett	N/A	N/A
2006/0241521	12/2005	Cohen	N/A	N/A
2006/0282274	12/2005	Bennett	N/A	N/A
2006/0290514	12/2005	Sakama et al.	N/A	N/A
2007/0006494	12/2006	Hayes et al.	N/A	N/A
2007/0008155	12/2006	Trost et al.	N/A	N/A
2007/0021660	12/2006	DeLonzor et al.	N/A	N/A
2007/0027375	12/2006	Melker et al.	N/A	N/A
2007/0027377	12/2006	DeLonzor et al.	N/A	N/A
2007/0027379	12/2006	DeLonzor et al.	N/A	N/A

2007/0029381	12/2006	Braiman	N/A	N/A
2007/0044317	12/2006	Critelli	N/A	N/A
2007/0044732	12/2006	Araki et al.	N/A	N/A
2007/0062457	12/2006	Bates et al.	N/A	N/A
2007/0069899	12/2006	Shih et al.	N/A	N/A
2007/0103296	12/2006	Paessel et al.	N/A	N/A
2007/0149871	12/2006	Sarussi et al.	N/A	N/A
2007/0152825	12/2006	August et al.	N/A	N/A
2007/0222624	12/2006	Eicken et al.	N/A	N/A
2007/0255124	12/2006	Pologe et al.	N/A	N/A
2007/0258625	12/2006	Mirtsching	N/A	N/A
2007/0283791	12/2006	Engvall et al.	N/A	N/A
2007/0298421	12/2006	Jiang et al.	N/A	N/A
2008/0001815	12/2007	Wang et al.	N/A	N/A
2008/0004798	12/2007	Troxler et al.	N/A	N/A
2008/0017126	12/2007	Adams et al.	N/A	N/A
2008/0018481	12/2007	Zehavi	N/A	N/A
2008/0021352	12/2007	Keegan et al.	N/A	N/A
2008/0036610	12/2007	Hokuf et al.	N/A	N/A
2008/0047177	12/2007	Hilpert	N/A	N/A
2008/0055155	12/2007	Hensley et al.	N/A	N/A
2008/0059263	12/2007	Stroman et al.	N/A	N/A
2008/0061990	12/2007	Milnes et al.	N/A	N/A
2008/0076988	12/2007	Sarussi et al.	N/A	N/A
2008/0076992	12/2007	Hete et al.	N/A	N/A
2008/0085522	12/2007	Meghen et al.	N/A	N/A
2008/0097726	12/2007	Lorton et al.	N/A	N/A
2008/0110406	12/2007	Anderson et al.	N/A	N/A
2008/0146890	12/2007	LeBoeuf et al.	N/A	N/A
2008/0173255	12/2007	Mainini et al.	N/A	N/A
2008/0190202	12/2007	Kulach et al.	N/A	N/A
2008/0190379	12/2007	Mainini et al.	N/A	N/A
2008/0215484	12/2007	Oldham	N/A	N/A
2008/0227662	12/2007	Stromberg et al.	N/A	N/A
2008/0228105	12/2007	Howell et al.	N/A	N/A
2008/0262326	12/2007	Hete et al.	N/A	N/A
2008/0272908	12/2007	Boyd	N/A	N/A
2008/0312511	12/2007	Osler et al.	N/A	N/A
2009/0009388	12/2008	Wangrud	N/A	N/A
2009/0020613	12/2008	Chang et al.	N/A	N/A
2009/0025651	12/2008	Lalor	N/A	N/A
2009/0058730	12/2008	Geissler et al.	N/A	N/A
2009/0094869	12/2008	Geissler et al.	N/A	N/A
2009/0102668	12/2008	Thompson et al.	N/A	N/A
2009/0139462	12/2008	So	N/A	N/A
2009/0149727	12/2008	Truitt et al.	N/A	N/A
2009/0187392	12/2008	Riskey et al.	N/A	N/A
2009/0255484	12/2008	Muelken	N/A	N/A
2009/0312667	12/2008	Utsunomiya et al.	N/A	N/A
2010/0018363	12/2009	Chervenak et al.	N/A	N/A

2010/0030036	12/2009	Mottram et al.	N/A	N/A
2010/0045468	12/2009	Geissler	N/A	N/A
2010/0113902	12/2009	Hete et al.	N/A	N/A
2010/0139575	12/2009	Duncan et al.	N/A	N/A
2010/0160809	12/2009	Laurence et al.	N/A	N/A
2010/0175625	12/2009	Klenotiz	N/A	N/A
2010/0217102	12/2009	LeBoeuf et al.	N/A	N/A
2010/0250198	12/2009	Lorton et al.	N/A	N/A
2010/0289639	12/2009	Gibson et al.	N/A	N/A
2010/0315241	12/2009	Jow	N/A	N/A
2010/0321182	12/2009	Wangrud	N/A	N/A
2010/0321189	12/2009	Gibson et al.	N/A	N/A
2010/0331739	12/2009	Maltz et al.	N/A	N/A
2011/0018717	12/2010	Takahashi et al.	N/A	N/A
2011/0061605	12/2010	Hardi et al.	N/A	N/A
2011/0095089	12/2010	Kolton et al.	N/A	N/A
2011/0121356	12/2010	Krawinkel et al.	N/A	N/A
2011/0137185	12/2010	Hete et al.	N/A	N/A
2011/0152876	12/2010	Vandeputte	N/A	N/A
2011/0178423	12/2010	Hatch	N/A	N/A
2011/0203144	12/2010	Junek et al.	N/A	N/A
2011/0258130	12/2010	Grabiner et al.	N/A	N/A
2011/0272470	12/2010	Baba et al.	N/A	N/A
2011/0313264	12/2010	Hete et al.	N/A	N/A
2012/0009943	12/2011	Greenberg et al.	N/A	N/A
2012/0068848	12/2011	Campbell et al.	N/A	N/A
2012/0089152	12/2011	Lynd et al.	N/A	N/A
2012/0092132	12/2011	Holme et al.	N/A	N/A
2012/0111286	12/2011	Lee et al.	N/A	N/A
2012/0112917	12/2011	Menachem et al.	N/A	N/A
2012/0160181	12/2011	So et al.	N/A	N/A
2012/0175412	12/2011	Grabiner et al.	N/A	N/A
2012/0204811	12/2011	Ryan	N/A	N/A
2012/0236690	12/2011	Rader et al.	N/A	N/A
2012/0291715	12/2011	Jiang et al.	N/A	N/A
2012/0299731	12/2011	Triener	N/A	N/A
2012/0326862	12/2011	Kwak et al.	N/A	N/A
2012/0326874	12/2011	Kwak et al.	N/A	N/A
2013/0006065	12/2012	Yanai et al.	N/A	N/A
2013/0014706	12/2012	Menkes	N/A	N/A
2013/0046170	12/2012	Haynes	N/A	N/A
2013/0113622	12/2012	Pratt et al.	N/A	N/A
2013/0119142	12/2012	McCoy et al.	N/A	N/A
2013/0175347	12/2012	Decaluwe et al.	N/A	N/A
2013/0192526	12/2012	Mainini	N/A	N/A
2013/0204159	12/2012	Destoumieux	600/564	A61B 10/0266
2013/0211773	12/2012	Loeschinger et al.	N/A	N/A
2013/0222141	12/2012	Rhee et al.	N/A	N/A
2013/0237778	12/2012	Rouquette et al.	N/A	N/A

2013/0239904	12/2012	Kim et al.	N/A	N/A
2013/0239907	12/2012	Laurence et al.	N/A	N/A
2013/0265165	12/2012	So et al.	N/A	N/A
2013/0285815	12/2012	Jones, II	N/A	N/A
2014/0073486	12/2013	Ahmed et al.	N/A	N/A
2014/0122488	12/2013	Jung et al.	N/A	N/A
2014/0123912	12/2013	Menkes et al.	N/A	N/A
2014/0135596	12/2013	LeBoeuf et al.	N/A	N/A
2014/0135631	12/2013	Brumback et al.	N/A	N/A
2014/0171762	12/2013	LeBoeuf et al.	N/A	N/A
2014/0174376	12/2013	Touchton et al.	N/A	N/A
2014/0196673	12/2013	Menkes et al.	N/A	N/A
2014/0230755	12/2013	Trenkle et al.	N/A	N/A
2014/0232541	12/2013	Trenkle et al.	N/A	N/A
2014/0253709	12/2013	Bresch et al.	N/A	N/A
2014/0261235	12/2013	Rich et al.	N/A	N/A
2014/0267299	12/2013	Couse	N/A	N/A
2014/0275824	12/2013	Couse	N/A	N/A
2014/0276089	12/2013	Kirenko et al.	N/A	N/A
2014/0290013	12/2013	Eidelman et al.	N/A	N/A
2014/0302783	12/2013	Aiuto et al.	N/A	N/A
2014/0331942	12/2013	Sarazyn	N/A	N/A
2014/0333439	12/2013	Downing et al.	N/A	N/A
2014/0347184	12/2013	Triener	N/A	N/A
2014/0352632	12/2013	McLaughlin	N/A	N/A
2014/0368338	12/2013	Rettedal et al.	N/A	N/A
2015/0025394	12/2014	Hong et al.	N/A	N/A
2015/0039239	12/2014	Shuler et al.	N/A	N/A
2015/0057963	12/2014	Zakharov et al.	N/A	N/A
2015/0097668	12/2014	Toth	N/A	N/A
2015/0099472	12/2014	Ickovic	N/A	N/A
2015/0100245	12/2014	Huang et al.	N/A	N/A
2015/0107519	12/2014	Rajkondawar et al.	N/A	N/A
2015/0107522	12/2014	Lamb	N/A	N/A
2015/0122893	12/2014	Warther	N/A	N/A
2015/0128873	12/2014	Prescott et al.	N/A	N/A
2015/0130617	12/2014	Triener	N/A	N/A
2015/0148811	12/2014	Swope et al.	N/A	N/A
2015/0157435	12/2014	Chasins et al.	N/A	N/A
2015/0182322	12/2014	Couse et al.	N/A	N/A
2015/0245592	12/2014	Sibbald et al.	N/A	N/A
2015/0282457	12/2014	Yarden	N/A	N/A
2015/0334994	12/2014	Prasad	N/A	N/A
2015/0342143	12/2014	Stewart	N/A	N/A
2015/0351885	12/2014	Kool et al.	N/A	N/A
2015/0366166	12/2014	Mueller	N/A	N/A
2016/0000045	12/2015	Funaya et al.	N/A	N/A
2016/0021506	12/2015	Bonge, Jr.	N/A	N/A
2016/0058379	12/2015	Menkes et al.	N/A	N/A
2016/0066546	12/2015	Borchersen et al.	N/A	N/A

2016/0100802	12/2015	Newman	N/A	N/A
2016/0106064	12/2015	Bladen et al.	N/A	N/A
2016/0113524	12/2015	Gross et al.	N/A	N/A
2016/0120154	12/2015	Hill et al.	N/A	N/A
2016/0128637	12/2015	LeBoeuf et al.	N/A	N/A
2016/0135431	12/2015	Sheldon et al.	N/A	N/A
2016/0148086	12/2015	Clarke et al.	N/A	N/A
2016/0150362	12/2015	Shaprio et al.	N/A	N/A
2016/0151013	12/2015	Atallah et al.	N/A	N/A
2016/0165851	12/2015	Harty et al.	N/A	N/A
2016/0165852	12/2015	Goldfain	N/A	N/A
2016/0166761	12/2015	Piehl et al.	N/A	N/A
2016/0198957	12/2015	Arditi et al.	N/A	N/A
2016/0210841	12/2015	Huang et al.	N/A	N/A
2016/0213317	12/2015	Richardson et al.	N/A	N/A
2016/0278712	12/2015	Sagara et al.	N/A	N/A
2016/0286757	12/2015	Armstrong	N/A	N/A
2016/0287108	12/2015	Wei et al.	N/A	N/A
2016/0317049	12/2015	LeBoeuf et al.	N/A	N/A
2016/0345881	12/2015	Sarantos et al.	N/A	N/A
2016/0360733	12/2015	Triener	N/A	N/A
2016/0367495	12/2015	Miller et al.	N/A	N/A
2017/0000090	12/2016	Hall	N/A	N/A
2017/0006836	12/2016	Torres	N/A	N/A
2017/0042119	12/2016	Garrity	N/A	N/A
2017/0067770	12/2016	Sun	N/A	N/A
2017/0079247	12/2016	Womble et al.	N/A	N/A
2017/0095206	12/2016	Leib et al.	N/A	N/A
2017/0156288	12/2016	Singh	N/A	N/A
2017/0164905	12/2016	Pinney Wood et al.	N/A	N/A
2017/0193208	12/2016	Ashley et al.	N/A	N/A
2017/0196203	12/2016	Huisma et al.	N/A	N/A
2017/0202185	12/2016	Trumbull et al.	N/A	N/A
2017/0245797	12/2016	Quinn	N/A	N/A
2017/0258039	12/2016	Lauterbach	N/A	N/A
2017/0272842	12/2016	Touma	N/A	N/A
2017/0280675	12/2016	MacNeil et al.	N/A	N/A
2017/0280688	12/2016	Deliou et al.	N/A	N/A
2017/0318781	12/2016	Noertker et al.	N/A	N/A
2017/0360004	12/2016	Carver	N/A	N/A
2017/0372583	12/2016	Lamkin et al.	N/A	N/A
2018/0000045	12/2017	Bianchi et al.	N/A	N/A
2018/0007863	12/2017	Bailey et al.	N/A	N/A
2018/0014512	12/2017	Arabani et al.	N/A	N/A
2018/0055016	12/2017	Hsieh et al.	N/A	N/A
2018/0064068	12/2017	McKee et al.	N/A	N/A
2018/0070559	12/2017	So	N/A	N/A
2018/0098522	12/2017	Steinfort	N/A	N/A
2018/0110205	12/2017	Czarnecky et al.	N/A	N/A

2018/0131074	12/2017	Wilkinson et al.	N/A	N/A
2018/0132455	12/2017	Pradeep et al.	N/A	N/A
2018/0206455	12/2017	Thiex et al.	N/A	N/A
2018/0242860	12/2017	LeBoeuf et al.	N/A	N/A
2018/0249683	12/2017	Borchersen et al.	N/A	N/A
2018/0260976	12/2017	Watanabe et al.	N/A	N/A
2018/0271058	12/2017	Valdez	N/A	N/A
2018/0279582	12/2017	Yajima et al.	N/A	N/A
2018/0288968	12/2017	Cisco	N/A	N/A
2018/0295809	12/2017	Yajima et al.	N/A	N/A
2018/0303425	12/2017	Wordham et al.	N/A	N/A
2018/0310526	12/2017	Birch et al.	N/A	N/A
2018/0325382	12/2017	Brandao et al.	N/A	N/A
2018/0332989	12/2017	Chiu et al.	N/A	N/A
2018/0333244	12/2017	Hanks et al.	N/A	N/A
2019/0008118	12/2018	Keegan	N/A	N/A
2019/0008124	12/2018	Komatsu et al.	N/A	N/A
2019/0029226	12/2018	Triener	N/A	N/A
2019/0053469	12/2018	Mardirossian	N/A	N/A
2019/0053470	12/2018	Singh et al.	N/A	N/A
2019/0059335	12/2018	Crider, Jr. et al.	N/A	N/A
2019/0059337	12/2018	Robbins	N/A	N/A
2019/0059741	12/2018	Crider, Jr. et al.	N/A	N/A
2019/0069512	12/2018	Eriksson et al.	N/A	N/A
2019/0075945	12/2018	Strassburger et al.	N/A	N/A
2019/0082654	12/2018	Robbins	N/A	N/A
2019/0090754	12/2018	Brandao et al.	N/A	N/A
2019/0110433	12/2018	Myers	N/A	N/A
2019/0110436	12/2018	Gardner et al.	N/A	N/A
2019/0125509	12/2018	Hotchkin	N/A	N/A
2019/0130728	12/2018	Struhsaker et al.	N/A	N/A
2019/0133086	12/2018	Katz et al.	N/A	N/A
2019/0159428	12/2018	Bolen	N/A	N/A
2019/0166802	12/2018	Seltzer et al.	N/A	N/A
2019/0183091	12/2018	Betts-LaCroix et al.	N/A	N/A
2019/0183092	12/2018	Couse et al.	N/A	N/A
2019/0208358	12/2018	de Barros Chapiewski et al.	N/A	N/A
2019/0213860	12/2018	Shaprio et al.	N/A	N/A
2019/0254599	12/2018	Young et al.	N/A	N/A
2019/0287429	12/2018	Dawson et al.	N/A	N/A
2019/0290133	12/2018	Crider et al.	N/A	N/A
2019/0290847	12/2018	Veyrent et al.	N/A	N/A
2019/0298226	12/2018	Filipowicz	N/A	N/A
2019/0298924	12/2018	Gibson et al.	N/A	N/A
2019/0327939	12/2018	Sharpe et al.	N/A	N/A
2019/0335715	12/2018	Hicks et al.	N/A	N/A
2019/0350168	12/2018	Shi	N/A	N/A
2019/0365324	12/2018	Chang	N/A	N/A

2019/0373857	12/2018	Leigh-Lancaster et al.	N/A	N/A
2019/0380311	12/2018	Crouthamel et al.	N/A	N/A
2019/0385037	12/2018	Robadey et al.	N/A	N/A
2019/0385332	12/2018	Yajima et al.	N/A	N/A
2020/0015740	12/2019	Alnofeli et al.	N/A	N/A
2020/0037886	12/2019	Greer et al.	N/A	N/A
2020/0068853	12/2019	Radovcic	N/A	N/A
2020/0085019	12/2019	Gilbert et al.	N/A	N/A
2020/0100463	12/2019	Rooda et al.	N/A	N/A
2020/0107522	12/2019	Kersey et al.	N/A	N/A
2020/0110946	12/2019	Kline et al.	N/A	N/A
2020/0113728	12/2019	Spector et al.	N/A	N/A
2020/0170222	12/2019	Gotts	N/A	N/A
2020/0178505	12/2019	Womble et al.	N/A	N/A
2020/0178800	12/2019	Geissler et al.	N/A	N/A
2020/0205381	12/2019	Wernimont et al.	N/A	N/A
2020/0229391	12/2019	De Groot	N/A	N/A
2020/0229707	12/2019	Donnelly	N/A	N/A
2020/0242551	12/2019	Lau et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
199534570	12/1993	AU	N/A
2003239832	12/2001	AU	N/A
2003238759	12/2003	AU	N/A
2004263067	12/2004	AU	N/A
2004305403	12/2004	AU	N/A
2011210083	12/2010	AU	N/A
2016266101	12/2015	AU	N/A
2017100469	12/2016	AU	N/A
2018220079	12/2017	AU	N/A
MU8701673	12/2008	BR	N/A
112012018909	12/2010	BR	N/A
2267812	12/1999	CA	N/A
2493331	12/2004	CA	N/A
2788153	12/2010	CA	N/A
2880138	12/2012	CA	N/A
2858905	12/2012	CA	N/A
2875637	12/2013	CA	N/A
2875578	12/2013	CA	N/A
2915843	12/2013	CA	N/A
2990620	12/2015	CA	N/A
2916286	12/2016	CA	N/A
3007296	12/2016	CA	N/A
1989895	12/2006	CN	N/A
201171316	12/2007	CN	N/A
101578516	12/2008	CN	N/A
101816290	12/2009	CN	N/A

101875975	12/2009	CN	N/A
101875976	12/2009	CN	N/A
102781225	12/2010	CN	N/A
102142116	12/2010	CN	N/A
102485892	12/2011	CN	N/A
102682322	12/2011	CN	N/A
203313865	12/2012	CN	N/A
203689049	12/2013	CN	N/A
203523519	12/2013	CN	N/A
204047531	12/2013	CN	N/A
204305813	12/2014	CN	N/A
204331349	12/2014	CN	N/A
105191817	12/2014	CN	N/A
106125648	12/2015	CN	N/A
106172068	12/2015	CN	N/A
106197675	12/2015	CN	N/A
106719037	12/2016	CN	N/A
205919898	12/2016	CN	N/A
106472347	12/2016	CN	N/A
106845598	12/2016	CN	N/A
206431665	12/2016	CN	N/A
107201409	12/2016	CN	N/A
207201674	12/2016	CN	N/A
107251851	12/2016	CN	N/A
107667898	12/2017	CN	N/A
108353810	12/2017	CN	N/A
207100094	12/2017	CN	N/A
207249710	12/2017	CN	N/A
108651301	12/2017	CN	N/A
108656996	12/2017	CN	N/A
108684549	12/2017	CN	N/A
108118096	12/2017	CN	N/A
108308055	12/2017	CN	N/A
109006541	12/2017	CN	N/A
109008529	12/2017	CN	N/A
108617533	12/2017	CN	N/A
108717668	12/2017	CN	N/A
108766586	12/2017	CN	N/A
109006550	12/2017	CN	N/A
208273869	12/2017	CN	N/A
109355402	12/2018	CN	N/A
109937904	12/2018	CN	N/A
109937905	12/2018	CN	N/A
109823691	12/2018	CN	N/A
110073995	12/2018	CN	N/A
110059781	12/2018	CN	N/A
110106261	12/2018	CN	N/A
110106262	12/2018	CN	N/A
110506656	12/2018	CN	N/A
210076292	12/2019	CN	N/A

633742	12/1935	DE	N/A
2850438	12/1979	DE	N/A
19629166	12/1996	DE	N/A
19826348	12/1997	DE	N/A
29906146	12/1998	DE	N/A
19911766	12/1999	DE	N/A
20018364	12/2000	DE	N/A
10001176	12/2000	DE	N/A
102004027978	12/2004	DE	N/A
20201000832	12/2011	DE	N/A
202013011075	12/2013	DE	N/A
202016101289	12/2015	DE	N/A
140001	12/1978	DK	N/A
55127	12/1981	EP	N/A
125915	12/1983	EP	N/A
0499428	12/1991	EP	N/A
513525	12/1991	EP	N/A
743043	12/1995	EP	N/A
938841	12/1997	EP	N/A
898449	12/1998	EP	N/A
1076485	12/2000	EP	N/A
1445723	12/2003	EP	N/A
1479338	12/2003	EP	N/A
1521208	12/2004	EP	N/A
1907816	12/2007	EP	N/A
1961294	12/2007	EP	N/A
2028931	12/2008	EP	N/A
2172878	12/2009	EP	N/A
2453733	12/2011	EP	N/A
2465344	12/2011	EP	N/A
2488237	12/2011	EP	N/A
2528431	12/2011	EP	N/A
2534945	12/2011	EP	N/A
2657889	12/2012	EP	N/A
2664234	12/2012	EP	N/A
2728995	12/2013	EP	N/A
2879615	12/2014	EP	N/A
2955998	12/2014	EP	N/A
3153098	12/2016	EP	N/A
3164855	12/2016	EP	N/A
3210531	12/2016	EP	N/A
3217566	12/2016	EP	N/A
3218865	12/2016	EP	N/A
3225106	12/2016	EP	N/A
3316680	12/2017	EP	N/A
3346422	12/2017	EP	N/A
3385886	12/2017	EP	N/A
3593634	12/2019	EP	N/A
3627856	12/2019	EP	N/A
3660855	12/2019	EP	N/A

2046912	12/1993	ES	N/A
2206009	12/2003	ES	N/A
2215152	12/2003	ES	N/A
1072416	12/2009	ES	N/A
2391341	12/2011	ES	N/A
1194609	12/2016	ES	N/A
20165318	12/2016	FI	N/A
2106705	12/1971	FR	N/A
2297565	12/1975	FR	N/A
2342024	12/1982	FR	N/A
2601848	12/1987	FR	N/A
2779153	12/1998	FR	N/A
2834521	12/2002	FR	N/A
2964777	12/2011	FR	N/A
3046332	12/2015	FR	N/A
3024653	12/2015	FR	N/A
3085249	12/2017	FR	N/A
588870	12/1946	GB	N/A
641394	12/1949	GB	N/A
865164	12/1960	GB	N/A
1072971	12/1966	GB	N/A
1267830	12/1971	GB	N/A
1415650	12/1974	GB	N/A
2044684	12/1979	GB	N/A
2067121	12/1980	GB	N/A
2055670	12/1982	GB	N/A
2114045	12/1982	GB	N/A
2125343	12/1983	GB	N/A
2142812	12/1984	GB	N/A
2392138	12/2003	GB	N/A
2469326	12/2009	GB	N/A
2554636	12/2015	GB	N/A
2570340	12/2018	GB	N/A
2571404	12/2018	GB	N/A
201103443	12/2010	IN	N/A
200802272	12/2015	IN	N/A
57173562	12/1981	JP	N/A
7177832	12/1994	JP	N/A
2001178692	12/2000	JP	N/A
2004292151	12/2003	JP	N/A
2005102959	12/2004	JP	N/A
5659243	12/2010	JP	N/A
2011067178	12/2010	JP	N/A
2011087657	12/2010	JP	N/A
2013247941	12/2011	JP	N/A
2017112857	12/2016	JP	N/A
2017002170	12/2017	JP	N/A
2003061157	12/2002	KR	N/A
2005046330	12/2004	KR	N/A
780449	12/2006	KR	N/A

101747418	12/2010	KR	N/A
20130019970	12/2012	KR	N/A
20130057683	12/2012	KR	N/A
2013138899	12/2012	KR	N/A
2019061805	12/2016	KR	N/A
101827311	12/2017	KR	N/A
20180035537	12/2017	KR	N/A
2018109451	12/2017	KR	N/A
20190081598	12/2018	KR	N/A
2019091708	12/2018	KR	N/A
9600754	12/1996	MX	N/A
356331	12/2010	MX	N/A
2017104	12/2017	NL	N/A
2019186	12/2018	NL	N/A
2020275	12/2018	NL	N/A
198486	12/1985	NZ	N/A
199494	12/1985	NZ	N/A
203924	12/1985	NZ	N/A
335702	12/2000	NZ	N/A
507129	12/2001	NZ	N/A
582984	12/2010	NZ	N/A
2178711	12/2001	RU	N/A
2265324	12/2004	RU	N/A
4567	12/1892	SE	N/A
5549	12/1893	SE	N/A
123213	12/1947	SE	N/A
188102	12/1963	SE	N/A
1766336	12/1991	SU	N/A
1984000468	12/1983	WO	N/A
1991011956	12/1990	WO	N/A
199302549	12/1992	WO	N/A
199822028	12/1997	WO	N/A
1998039475	12/1997	WO	N/A
1999017658	12/1998	WO	N/A
2000062263	12/1998	WO	N/A
9945761	12/1998	WO	N/A
2000013393	12/1999	WO	N/A
2000061802	12/1999	WO	N/A
2001033950	12/2000	WO	N/A
WO0172117	12/2000	WO	N/A
2001087054	12/2000	WO	N/A
2002031629	12/2001	WO	N/A
2002085106	12/2001	WO	N/A
2003001180	12/2002	WO	N/A
2004092920	12/2002	WO	N/A
2003087765	12/2002	WO	N/A
2003094605	12/2002	WO	N/A
2004015655	12/2003	WO	N/A
2005104775	12/2003	WO	N/A
2006078943	12/2004	WO	N/A

2005104930	12/2004	WO	N/A
2005073408	12/2004	WO	N/A
2006021855	12/2005	WO	N/A
2006134197	12/2005	WO	N/A
2006135265	12/2005	WO	N/A
2007034211	12/2006	WO	N/A
2007095684	12/2006	WO	N/A
2007122375	12/2006	WO	N/A
2008033042	12/2007	WO	N/A
2008041839	12/2007	WO	N/A
2008052298	12/2007	WO	N/A
2008075974	12/2007	WO	N/A
2010091686	12/2007	WO	N/A
2009034497	12/2008	WO	N/A
2009062249	12/2008	WO	N/A
2009076325	12/2008	WO	N/A
2009089215	12/2008	WO	N/A
2009117764	12/2008	WO	N/A
WO2009127541	12/2008	WO	N/A
2009153779	12/2008	WO	N/A
2010008620	12/2009	WO	N/A
2010048753	12/2009	WO	N/A
2010053811	12/2009	WO	N/A
2010068713	12/2009	WO	N/A
2010140900	12/2009	WO	N/A
2012075480	12/2009	WO	N/A
2011039112	12/2010	WO	N/A
2011076886	12/2010	WO	N/A
2011154949	12/2010	WO	N/A
WO2012013429	12/2011	WO	N/A
2012071670	12/2011	WO	N/A
2013008115	12/2012	WO	N/A
2013038326	12/2012	WO	N/A
2013082227	12/2012	WO	N/A
2015001537	12/2012	WO	N/A
2013118121	12/2012	WO	N/A
2015024050	12/2012	WO	N/A
2013179020	12/2012	WO	N/A
2013190423	12/2012	WO	N/A
2014020463	12/2013	WO	N/A
2014095759	12/2013	WO	N/A
2014107766	12/2013	WO	N/A
2014118788	12/2013	WO	N/A
2014125250	12/2013	WO	N/A
2016027271	12/2013	WO	N/A
2014140148	12/2013	WO	N/A
2014141084	12/2013	WO	N/A
2014194383	12/2013	WO	N/A
2014197631	12/2013	WO	N/A
2014199363	12/2013	WO	N/A

2015009167	12/2014	WO	N/A
2015030832	12/2014	WO	N/A
2015055709	12/2014	WO	N/A
2015086338	12/2014	WO	N/A
2016207844	12/2014	WO	N/A
2015107354	12/2014	WO	N/A
2017001717	12/2014	WO	N/A
2017031532	12/2014	WO	N/A
2015140486	12/2014	WO	N/A
2015158787	12/2014	WO	N/A
2015175686	12/2014	WO	N/A
2015176027	12/2014	WO	N/A
2015197385	12/2014	WO	N/A
2016037190	12/2015	WO	N/A
2017149049	12/2015	WO	N/A
2016053104	12/2015	WO	N/A
2016108187	12/2015	WO	N/A
2016166748	12/2015	WO	N/A
2017001538	12/2016	WO	N/A
2017027551	12/2016	WO	N/A
2017037479	12/2016	WO	N/A
2017066813	12/2016	WO	N/A
2017089289	12/2016	WO	N/A
2017096256	12/2016	WO	N/A
2017121834	12/2016	WO	N/A
2018006965	12/2017	WO	N/A
2018011736	12/2017	WO	N/A
2018019742	12/2017	WO	N/A
2020022543	12/2017	WO	N/A
2018172976	12/2017	WO	N/A
2020060248	12/2017	WO	N/A
2018203203	12/2017	WO	N/A
2019009717	12/2018	WO	N/A
2019025138	12/2018	WO	N/A
2019046216	12/2018	WO	N/A
2019048521	12/2018	WO	N/A
2019058752	12/2018	WO	N/A
2019071222	12/2018	WO	N/A
2019132803	12/2018	WO	N/A
2019207561	12/2018	WO	N/A
2019235942	12/2018	WO	N/A
2019245978	12/2018	WO	N/A
2020003310	12/2019	WO	N/A
2020096528	12/2019	WO	N/A
2020140013	12/2019	WO	N/A

OTHER PUBLICATIONS

Christian Pahl, Eberhard Hartung, Anne Grothmann, Katrin Mahlkow-Nerge, Angelika Haeussermann, Rumination activity of dairy cows in the 24 hours before and after calving, Journal of Dairy Science, vol. 97, Issue 11, 2014, pp. 6935-6941. cited by applicant

Steensels, Machteld; Maltz, Ephraim; Bahr, Claudia; Berckmans, Daniel; Antler, Aharon; et al., Towards practical application of sensors for monitoring animal health: The effect of post-calving health problems on rumination duration, activity and milk yield, *The Journal of Dairy Research*; Cambridge vol. 84, Iss. 2, (May 2017): 132-138. cited by applicant

Clark, C., Lyons, N., Millapan, L., Talukder, S., Cronin, G., Kerrisk, K., & Garcia, S. (2015), Rumination and activity levels as predictors of calving for dairy cows, *Animal*, 9(4), 691-695. cited by applicant

K. Koyama, T. Koyama, M. Sugimoto, N. Kusakari, R. Miura, K. Yoshioka, M. Hirako, Prediction of calving time in Holstein dairy cows by monitoring the ventral tail base surface temperature, *The Veterinary Journal*, vol. 240, 2018, pp. 1-5, ISSN 1090-0233. cited by applicant

L. Calamari, N. Soriani, G. Panella, F. Petrera, A. Minuti, E. Trevisi, Rumination time around calving: An early signal to detect cows at greater risk of disease, *Journal of Dairy Science*, vol. 97, Issue 6, 2014, pp. 3635-3647, ISSN 0022-0302. cited by applicant

S. Benaissa, F.A.M. Tuytens, D. Plets, J. Trogh, L. Martens, L. Vandaele, W. Joseph, B. Sonck, Calving and estrus detection in dairy cattle using a combination of indoor localization and accelerometer sensors, *Computers and Electronics in Agriculture*, vol. 168, 2020, 105153, ISSN 0168-1699. cited by applicant

N. Soriani, E. Trevisi, L. Calamari, Relationships between rumination time, metabolic conditions, and health status in dairy cows during the transition period, *Journal of Animal Science*, vol. 90, Issue 12, Dec. 2012, pp. 4544-4554. cited by applicant

The role of sensors, big data and machine learning in modern animal farming; Suresh Neethirajan; Received Jun. 2, 2020; Received in revised form Jun. 30, 2020; Accepted Jul. 3, 2020 *Sensing and Bio-Sensing Research* 29 (2020) 1003672214-1804/ © 2020 The Author. Published by Elsevier B.V. cited by applicant

A Review on Determination of Computer Aid Diagnosis and/or Risk Factors Using Data Mining Methods in Veterinary Field Pinar Cihan, Erhan Gökçe, Oya Kalipsiz; Tekirdağ Namık Kemal University, Çorlu Faculty of Engineering, Department of Computer Engineering, Tekirdağ, Turkey. 2019. cited by applicant

Big Data Analytics and Precision Animal Agriculture Symposium: Data to decisions B. J. White, D. E. Amrine, and R. L. Larson Beef Cattle Institute, Kansas State University, Manhattan, KS; © The Author(s) 2018. Published by Oxford University Press on behalf of American Society of Animal Science. cited by applicant

Gasteiner, J.; Boswerger, B.; Guggenberger, T., Practical use of a novel ruminal sensor on dairy farms, *Praktische Tierärzt* 2012 vol. 93 No. 8 pp. 730 . . . 739 ref.45. cited by applicant

Drying up Cows and The Effect of Different Methods Upon Milk Production; Ralph Wayne, C. H. Eckles, and W. E. Peterson; Division of Dairy Husbandry, University of Minnesota, St. Paul; *Research-Article*|vol. 16, Issue 1, p. 69-78, Jan. 1, 1933. cited by applicant

Primary Examiner: Robertson; Jennifer

Assistant Examiner: Moroneso; Jonathan Drew

Background/Summary

1. FIELD OF THE INVENTION

(1) The invention relates to the field of design and manufacture of clamps allowing to secure, to the ear of an animal, an identification device bearing visual and/or electronic identification information relating to this animal. It also relates to the field of clamps allowing to handle a device for sampling

an animal tissue.

(2) More specifically, the invention relates to the manner for holding secured to the jaws of the clamp the elements that compose such an identification and/or tissue sampling device.

2. PRIOR ART

(3) In order to ensure animal identification in particular to meet sanitary and traceability requirements, identification devices are placed on farm animals in particular pigs, cattle, sheep/goats or others.

(4) Among these identification devices, mention may be made to earrings.

(5) Conventionally, these earrings comprise a female element and a male element intended to be placed on either side of an ear and to cooperate together to hold the earring secured to the ear.

(6) As represented in FIGS. **1a** and **1b**, respectively illustrating a front view and a side view of an example of a female element, such an element **1** herein comprises an information carrier plate **10** prolonged at one of its end by a locking housing **11** closed by a cap **110**.

(7) As represented in FIGS. **2a** and **2b**, respectively illustrating a front view and a side view of an example of a male element, such an element **2** herein comprises a plate **20** prolonged at one of its ends by a locking tip **21** intended to cooperate with the locking housing **11** of the female element **1**.

(8) At least one, or both, of the female and male elements may carry information enabling in particular the identification of the animal. For example, this information may consist of visually legible markings (alphanumeric markings, barcode . . .) and/or of information recorded on an electronic medium such as an RFID tag or others.

(9) The set-up of such an earring implies the use of a clamp designed to this end as illustrated in FIG. **3**.

(10) A clamp **3** of this type comprises a handle **31** comprising two arms **310**, **311** hinged to one another and each prolonged by a jaw **33**, **32** respectively.

(11) The jaw **33** carries a punch **34** along which a male element **2** can be forcibly fitted by inserting the punch **34** into a housing with a complementary shape **210** formed inside the locking tip **21**.

(12) The jaw **32** comprises a receptacle **320** suitable for housing the cap **110** of a female element **1**. It also carries a flange **321** (also called pedal) intended to hold a female element **1** secured to the jaw **32**.

(13) This flange **321** comprises a fork-like shaped end **3210** with a front opening enabling the passage of the locking tip **21** of a male element **2**. It extends towards the joint area of the arms **310**, **311** by an actuation tab **3211** on which an operator can act to bring the fork **3210** away from or close to the end of the jaw **32**, a spring tending to bring the fork **3210** close to the end of the jaw **32**.

(14) The set-up of such an identification earring on the ear of an animal is achieved in the following way.

(15) An operator seizes with his first hand the handle **31**, then fits with his second hand a male element **2** along the punch **34**. Afterwards, he seizes a female element **1** in his second hand and brings it close to the jaw **32** in order to insert the cap **110** into the receptacle **320**. For this purpose, he displaces his first hand so as to seize the clamp no longer by the handle **31** but at the jaw **32** so as to be able to act on the actuation tab **3211** to raise the fork **3210** with his first hand and thus clear access to the receptacle **320**. The operator can then position the female element **1** with his second hand between the jaw **32** and the flange **321** by inserting the cap **110** into the housing **320**. Finally, the operator releases the actuation tab **3211** such that the flange **321** gets close to the jaw **32** by the effect of the spring to hold the female element **1** secured to the jaw **32**.

(16) Afterwards, the operator places an ear **0** between the two jaws **32**, **33**, then actuates the handle **31** to bring the jaws close to one another until the locking tip **21** fits into the locking housing **11**.

(17) Thus, the female element **1** and the male element **2** grip the ear **0** such that the earring is irreversibly secured therein, as represented in FIG. **4**.

(18) Although effective and relatively simple to implement, this technique may nevertheless be

improved even more.

(19) Indeed, it is not always obvious for the operator to hold the clamp and handle the flange **321** with one hand and handle the female element **1** with the other hand. For this purpose, in general, the operator seizes the clamp with one hand, not by the handle **31** but in the region of the joint of the two arms **310**, **311**, so as to be able to hold the clamp and handle the actuation tab **3211** of the flange **321** with the same hand and handle the female element **1** with the other hand. Nonetheless, this practice is not optimal to the extent that the operator does not then hold the clamp comfortably by its handle **31**, which has a negative impact on productivity. Hence, there is a need to improve in particular the ergonomics of clamps enabling the set-up of identification earrings. This need also exists for clamps enabling handling a device for sampling an animal tissue, such a device comprising a sampling tube (receptacle) having to be reversibly secured to one of the jaws of the clamp during sampling.

3. OBJECTIVES OF THE INVENTION

(20) In particular, it is an objective of the invention to provide an effective solution to at least some of these different problems.

(21) In particular, according to at least one embodiment, it is an objective of the invention to provide a clamp for handling a device for identifying an animal and/or sampling an animal tissue which allows to facilitate the work of an operator performing this task, and in particular to improve ergonomics.

(22) In particular, it is an objective of the invention, according to at least one embodiment, to provide such a clamp which enables the operator to comfortably hold the clamp by its handle throughout the set-up of an identification earring on the ear of an animal, and in particular during the set-up of the male and/or female elements on the clamp, or the completion of a tissues sampling.

(23) It is another objective of the invention, according to at least one embodiment, to provide such a clamp that has a simple and/or robust and/or economical design and/or whose use contributes to improving productivity.

4. DISCLOSURE OF THE INVENTION

(24) For this purpose, the invention provides Clamp for handling a device for identifying an animal and/or sampling animal tissue, said clamp comprising two jaws, a handle for moving said jaws together, and means for securing an element of said identification and/or sampling device to one of said jaws, said securing means being movable between: a release position wherein they do not secure said element of said identification and/or sampling device to said jaw, and a securing position wherein they secure said element of said identification and/or sampling device to said jaw.

(25) According to the invention, said clamp comprises actuation means for moving said securing means from one to the other position thereof, said actuation means being actuatable via said handle.

(26) Thus, according to this aspect of the invention, an operator can comfortably grip the handle and act on the actuation means with the same hand to achieve securing of one of the elements of an identification earring. Thus, he can set the element of the identification earring in place with the other hand to secure it in the clamp. In the case of a sampling device, the operator can thus comfortably handle the clamp with one hand while he brings the sampling tube close with the other hand to hold it secured to the clamp.

(27) Thus, the ergonomics are improved by enabling the operator to handle the clamp comfortably with one hand and handle the portions of the earring or of the sampling tube with the other hand.

(28) Thus, the technique according to the invention allows go improve comfort of the operator and to improve productivity by helping him save time.

(29) According to a possible variant, said identification device comprises a female element and a male element intended to be placed on either side of an animal's ear and to be moved together to engage with one another and secure said identification device to said ear, said female and male elements being each intended to be supported by one of said jaws, said securing means being

movable between: a release position wherein said securing means are moved away from said corresponding jaw, and a securing position wherein said securing means are moved towards said corresponding jaw to secure if necessary said male element or said female element between said securing means and said corresponding jaw.

(30) In this case, an element of an identification device may be effectively secured between the securing means and the corresponding jaw.

(31) According to a possible variant, said securing means are movably mounted about a first axis of rotation between the securing position thereof and the release position thereof.

(32) According to a possible variant, said securing means are movably mounted along an axis of translation between the securing position thereof and the release position thereof.

(33) According to a possible variant, said handle comprises two arms rotatably mounted along a second axis of rotation, said first axis of rotation (Z) being essentially parallel with said second axis of rotation or said axis of translation (B) being essentially orthogonal to said second axis of rotation.

(34) In some variants, the axis of rotation of the securing means may be coincident with that of the arms or the axis of translation of the securing means may be secant to the axis of rotation of the branches. The axis of rotation of the securing means may be coincident with that of the arms or the axis of translation of the securing means may also be remote from the axis of rotation of the arms.

(35) A clamp according to the invention may comprise elastic return means tending to return said securing means to one position thereof, the actuation means being used to move same to the other position thereof.

(36) According to a possible variant, said securing means comprise a flange movable between: said release position wherein said flange and said corresponding jaw are moved apart to release said male element or said female element, and a securing position wherein said flange and said corresponding jaw are moved together to grip said male element or said female element between said flange and said corresponding jaw.

(37) According to a possible variant, said actuation means comprise at least one lever extending to the end of said handle situated on the side of said jaws so as to be suitable for being actuated by a finger of a hand grasping said handle.

(38) This allows to improve ergonomics.

(39) According to a possible variant, said at least one lever is connected to a flank to which said flange is connected.

(40) According to a possible variant, said lever forms with said flank and said flange a one-piece assembly.

(41) According to a possible variant, said flank bears at least two slots stretching along a same circle wherein the centre passes via the first axis of rotation of the securing means, said slots housing mounting axis for engaging said flank with the rest of said clamp.

(42) According to a possible variant, said flank bears at least two oblong slots stretching along said axis of translation of the securing means, said oblong slots housing mounting axis for engaging said flank with the rest of said clamp.

(43) According to a possible variant, said slots or said oblong slots are laterally offset from said first axis of rotation towards said handle.

(44) This allows to clear more space between the jaws to accommodate an ear therein.

(45) According to a possible variant, said sampling device comprises a receptacle suitable for receiving a sample, said securing means comprising two grips placed facing one another movably mounted between: a release position wherein said grips are moved apart to release said receptacle, and a securing position wherein said grips are moved together to secure said receptacle to said corresponding jaw.

(46) According to at least one embodiment, the securing means comprise at least one securing element (for example a flange or a pair of grips) movable between: a release position in which it

does not hold said element of said identification and/or sampling device secured to said jaw, and a securing position in which it holds said element of said identification and/or sampling device secured to said jaw by gripping.

(47) According to this embodiment, said clamp comprises actuation means to displace said at least one securing element from one to the other position thereof, said actuation means comprising at least one actuation element (for example a lever or a button) that can be manually actuated from the handle by means of a hand gripping the handle.

Description

5. LIST OF FIGURES

(1) Other features and advantages of the invention will appear on reading the following description of particular embodiments, provided simply as illustrative and non-limiting examples, and from the appended drawings amongst which:

- (2) FIGS. **1a** and **1b** illustrate front and side views of a female element of an identification earring;
- (3) FIGS. **2a** and **2b** illustrate front and side views of a male element of an identification earring;
- (4) FIG. **3** illustrates a clamp according to the prior art for the set-up of an identification earring;
- (5) FIG. **4** illustrates securing of an identification earring to the ear of an animal;
- (6) FIG. **5** illustrates a side view of a clamp according to the invention, in the closed position, on which an identification earring is set in place, and whose securing means are in the securing position;
- (7) FIG. **6** illustrates a partial longitudinal sectional view of the clamp of FIG. **5**;
- (8) FIGS. **7** and **8** illustrate perspective views of a clamp according to the invention;
- (9) FIG. **9** illustrates a side view of a clamp according to the invention in the closed position, in which an identification earring is set in place, with the flange in the release position;
- (10) FIG. **10** illustrates a side view of a clamp according to the invention in the open position, on which an identification earring is set in place, with the flange in the release position;
- (11) FIG. **11** illustrates a side view of a clamp according to the invention in the open position, on which an identification earring is set in place, with the clamp in the securing position;
- (12) FIG. **12** illustrates a detail view of FIGS. **10** and **11**;
- (13) FIGS. **13** and **14** illustrate side views of a clamp in the closed position with securing means displaceable in translation respectively in the securing position and in the release position;
- (14) FIG. **15** illustrates a detail of the oblong slots of the clamp illustrated in FIGS. **13** and **14**;
- (15) FIGS. **16** and **17** illustrate a variant of a clamp for handling a tissue sampling device.

6. DESCRIPTION OF PARTICULAR EMBODIMENTS

(16) 6.1. Architecture of a Clamp

(17) An embodiment of a clamp according to the invention for the set-up of an identification earring on the ear of an animal is presented with reference to FIGS. **5** to **12**.

(18) Conventionally, such a clamp **3** comprises a handle **31** comprising two arms **310**, **311** each prolonged by a jaw **32**, **33**.

(19) Conventionally, the two arms **310**, **311** are linked by a joint **35** comprising a pivot connection such that bringing the arms **310**, **311** close to one another by displacing one of them relative to the other according to the axis of this pivot connection is accompanied by bringing the jaws **32**, **33** together, and vice versa.

(20) The jaw **32** carries a punch **34** along which a male element **2** can be forcibly fitted by inserting the punch **34** into a housing with a complementary shape **210** formed inside the locking tip **21**.

(21) In this embodiment, the punch **34** is mounted on a support **340** movably mounted in the jaw **33** according to the axis **341** of a pivot connection essentially parallel to the axis of the joint **35** of the arms **310**, **311**. In one variant, the pivot **34** may be fixed relative to the jaw **33** to which it is

secured.

(22) The jaw **32** comprises a receptacle **320** suitable for housing the cap **110** of a female element **1**. It also carries a flange **321** (also called pedal) intended to hold a female element **1** secured to the jaw **32**.

(23) This flange **321** comprises a fork-like shaped end **3210** with a front opening **3212**.

(24) The flange **320** is secured, at its end opposite to that of the fork **3210**, to two flanks **7** essentially parallel and distant from one another to form an internal space **70**.

(25) Each of these two flanks **7** is prolonged by an extension **72** at the end of which they are linked by a bridge **71**. A boss **72** is formed on the bridge **71**.

(26) An actuation lever **73** is formed at the surface of each flank **7**. In this instance, more particularly, it consists of an actuation boss. Implementing an actuation boss **73** on each flank enables actuation by a right-handed as well as by a left-handed or actuation by two different fingers (for example the thumb and the index). In another variant, one single flank may be implemented. The surface of the actuation bosses **73** intended to be in contact with a finger may be curved to substantially conform to the shape of the finger and thus improve ergonomics.

(27) The internal space **70** is intended to house the rest of said clamp **1** at the joint **35** of the arms **310**, **311**.

(28) The two flanks **7**, the extensions **72** and the bridge **71** are formed from a stamped and folded sheet metal to which the flange **320** is secured by crimping at the end of the extensions **72** to form a one-piece assembly. A fastening means other than crimping, such as welding, screwing, gluing or others may be implemented to ensure securing of the flange. In one variant, the flange may also be formed from the sheet metal of the flanks and folded.

(29) Each flank **7** is crossed by two slots **74** (it is nonetheless possible to implement only one). These slots **74** are oblong and stretch along a circle C with a centre A. They are essentially shaped like a ring portion (crescent portion). They house axes **75** for securing the flanks **7** to the rest of the clamp **1**.

(30) Thus, the flange **320** is mounted movable in rotation about a first axis of rotation **2** passing via the centre A of the circle C and essentially parallel with the axis of the pivot connection **35** of the joint of the arms **310**, **311**.

(31) In this case, the axes of rotation of the flange **320** and of the arms **310**, **311** are different. Nonetheless, they may be coincident.

(32) The oblong slots **74** are laterally offset from the first axis of rotation Z towards the handle **31**, which allows clearing more space between the jaws **32**, **33** to accommodate an ear therein.

(33) Thus, the flange **321** is movable between: a release position in which the flange **320** and the jaw **32** are moved apart to release the female element placed therebetween, and a securing position in which the clamp **320** and the jaw **32** are moved together to hold the female element gripped between the flange and the jaw **32**.

(34) A compression spring **61** placed on the boss **73** between the bridge **71** and the jaw **32** tends to return the flange **320** back to its securing position.

(35) An operator can act on the actuation bosses **73** to modify the position of the flange **320**.

(36) The actuation bosses **73** are placed such that when an operator grips the handle **31** with one hand, these actuation bosses “fall” beneath a finger of this hand, in particular the thumb or the index. Thus, the actuation bosses **73** can be actuated by one finger of the hand gripping the handle **31**.

(37) In one variant, illustrated in FIGS. **13** to **15**, the flange **320** is movably mounted between its positioned along an axis of translation B essentially orthogonal to a midplane PM of the clamp extending between its jaws and its arms when the clamp is closed and passing via the axis of rotation of the joint **35** of the arms **32**, **33**.

(38) In this case, the oblong slots **74'** stretch according to this axis of translation B.

(39) Of course, the axis of translation may be directed differently (for example it may be inclined

with respect to the midplane PM, or else extend in this plane—in this case the displacement of the flange from one to the other position thereof may be done by sliding from the right to the left in the figures—, and orthogonal to the axis of the joint of the arms) provided that it will allow to carry out a displacement of the flange from one to the other position thereof. In the case of a sliding in the plane PM or in a plane essentially parallel therewith, indicating that in the release position, the securing means are away from the corresponding jaw, and that in the securing position, they are close to the corresponding jaw, means that they are brought respectively close to or away from the end of the jaw.

(40) 6.2. Operation of a Clamp

(41) The set-up of an identification earring on the ear of an animal is achieved in the following way.

(42) An operator seizes with his first hand the handle **31**, then fits with his second hand a male element **2** along the punch **34**.

(43) The flange **321** lies in its securing position in which it is secured by the effect of the spring **61**. The flange **320** is then brought close to the jaw **32**.

(44) Afterwards, the operator acts on an actuation boss **73** with a finger of the hand with which he comfortably grips the handle **31** so as to place the flange **321** in its release position in which it is moved apart from the jaw **32** through a rotational or translational movement (cf. the arrows F in FIGS. **9** and **13**). Access to the housing **320** is then cleared.

(45) Afterwards, the operator seizes a female element **1** in his second hand, brings it close to the jaw **32** and then positions the female element **1** between the jaw **32** and the flange **321** by inserting the cap **110** into the housing **320** with this hand.

(46) The operator releases the actuation boss **73** such that the flange **321** returns back in its securing position by the effect of the spring **61**. The female element **1** is then gripped between the flange and the jaw **32** and is thus secured in position.

(47) Afterwards, the operator places an ear **0** between the two jaws **32**, **33**, then actuates the handle **31** to bring the jaws close to one another until the locking tip **21** fits into the locking housing **11**.

(48) Thus, the female element **1** and the male element **2** grip the ear **0** such that the earring is irreversibly secured therein, as represented in FIG. **4**.

(49) Afterwards, the operator releases the handle **31** to open the clamp and then clear it from the animal.

(50) A system for automatically opening the clamp may also be provided. At the end of the closure stroke of the arms **310**, **311**, such a system allows to obtain a reopening of the jaws **32**, **33** without opening the arms **310**, **311**.

(51) 6.3. Variants

(52) In the above-described embodiment, the elastic return means tend to return the flange to its securing position and the actuation means are actuated to place them in their release position. This operation may be reversed.

(53) The implementation of securing means with a remote control has just been described in the context of a clamp for handling a device for identifying an animal. Nonetheless, such securing means with a remote control may also be implemented in the context of a clamp for handling a device for sampling a tissue of an animal such that illustrated in FIGS. **16** and **17**.

(54) In this case, one of the jaws, in this case the jaw **32**, is fixed whereas the other jaw **33** is movable so as to be brought close to or away from the jaw **32**.

(55) The jaw **32** has an end lateral opening **322** into which a sampling tube **4** (receptacle) can be laterally inserted.

(56) In this instance, the jaw **33** is a piston which allows cutting and pushing a tissue of an animal in the sampling tube **4**.

(57) The sampling tube **4** may be held secured to the jaw **32** by means of a pair of grips **5**, **6** placed facing one another on either side of the opening **322**.

- (58) These grips **5, 6** are movably mounted between: a release position in which their free ends are moved apart from one another to clear the opening **322** and thus enable the lateral introduction of a sampling tube **4** into the latter or else extract a sampling tube **4** from the latter; a securing position in which their free ends are moved together to close the opening **322** and thus keep a sampling tube **4** gripped therein.
- (59) An actuation button **8**, shifted at the end of the arms **310, 311** allows to actuate the grips **5, 6** remotely to make them move from one to the other position thereof.
- (60) This actuation button **8** is linked to the grips **5, 6** by means of a transmission **160** so that the actuation of the button **8** allows to displace the grips **5, 6** from one to the other position thereof. For example, it may consist of a flexible and/or rigid transmission. For example, it may consist of a transmission with one or more rod(s), cable(s), etc.
- (61) To perform a sampling, an operator seizes the clamp with one hand and, while the jaws **32, 33** are away from one another, he acts on the actuation button **8** to place the grips **5, 6** in their release position. Then, he can position with the other hand a sampling tube **4** in the lateral opening **322** and hold it therein and then acts on the actuation button **8** with the other hand to place the grips **5, 6** in their securing position. Afterwards, the operator can place a portion of an animal, such as an ear, between the jaws **32, 33**. Afterwards, he actuates the arms **310, 311** so as to bring the jaws **32, 33** close to one another. The jaw **33** then cuts a piece of the ear and pushes it in the sampling tube **4**. Afterwards, the operator releases the clamp to bring the jaws away from one another and clear the clamp from the animal and then acts on the actuation button **8** to place the grips **5, 6** in their release position and thus recover the sampling tube **4**.
- (62) In one variant, the actuation button **8** will enable an operator to place the grips **5, 6** in their securing position against the effect of elastic return means. In this case, releasing the actuation button **8** will enable the grips **5, 6** to return back to their release position by the effect of the elastic return means. This operation may be reversed.
- (63) Some sampling devices also enable the placement of an identification device.

Claims

1. A Clamp for handling an identification device for identifying an animal, said clamp comprising two jaws; a handle comprising two arms linked by a joint for moving said two jaws together and; securing means for securing an element of said identification device to one of said two jaws; said securing means comprising a flange, at least one flank connected to the flange, said at least one flank extending to the joint, and at least one actuation means connected to the at least one flank said securing means being movable between at least two positions: a release position wherein said securing means does not secure said element of said identification device to the one of said two jaws, and a securing position wherein said securing means holds said element of said identification device secured to the one of said two jaws by gripping, characterized in that said actuation means actuates said securing means from one of said at least two positions to the other position, said at least one actuation means being manually actuatable by means of a hand gripping one of the arms of the handle.
2. The Clamp according to claim 1, wherein said securing means are movable between: said release position wherein said securing means are moved away from a corresponding jaw, and said securing position wherein said securing means are moved towards said corresponding jaw.
3. The Clamp according to claim 2, wherein said securing means comprise the flange movable between: said release position wherein said flange and the corresponding jaw are moved apart to release a male element or a female element, and said a securing position wherein said flange and said corresponding jaw are moved together to grip said male element or said female element between said flange and said corresponding jaw.
4. The Clamp according to claim 1, wherein said at least one actuation means comprise at least one

- lever extending to an end of said handle situated on a side of said two jaws so as to be suitable for being actuated by a finger of said hand gripping one of the arms of said handle, said at least one lever is-being connected to the at least one flank to which said flange is connected.
5. The Clamp according to claim 1, wherein said securing means are movably mounted about a first axis of rotation between the securing position thereof and the release position thereof.
6. The Clamp according to claim 5, wherein said two arms of said handle are rotatably mounted along a second axis of rotation, said first axis of rotation being essentially parallel with said second axis of rotation.
7. The Clamp according to claim 5, wherein said at least one flank includes at least two slots stretching along a circle wherein a center of said circle lies on the first axis of rotation of the securing means.
8. The Clamp according to claim 7, wherein said slots are laterally offset from said first axis of rotation towards said handle.
9. The Clamp according to claim 1, wherein said securing means are movably mounted along an axis of translation between the securing position thereof and the release position thereof.
10. The Clamp according to claim 5 wherein said at least one flank bears at least two oblong slots stretching along said axis of translation of the securing means.
11. The Clamp according to claim 10, wherein said oblong slots are laterally offset from said first axis of rotation towards said handle.
12. The Clamp according to claim 1, comprising elastic return means configured to return said securing means to one of said at least two positions, the at least one of actuation means configured to move said securing means to the other of said at least two positions.
13. The Clamp according to claim 1, wherein said at least one actuation means comprise at least one lever.
14. The Clamp according to claim 13, wherein said lever is suitable for being actuated by a finger of said hand gripping at least one of the arms of said handle.
15. The Clamp according to claim 1, wherein said securing means is a one-piece assembly.
16. The Clamp according to claim 5, wherein said securing means comprises a one-piece assembly, and said at least one flank includes at least two slots stretching along a circle wherein a center of said circle lies on said first axis of rotation.
17. The Clamp according to claim 16, wherein said slots are laterally offset from said first axis of rotation towards said handle.
18. The Clamp according to claim 1, wherein the at least one actuation means is suitable for being actuated by a finger of said hand gripping at least one of the arms of said handle.
-