



US0D1093324S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,093,324 S**
Ye (45) **Date of Patent:** **** Sep. 16, 2025**

(54) **LEAK ELECTRICITY PROTECTIVE
BREAKER**

(71) Applicant: **Schneider Electric (China) Co., Ltd.,**
Beijing (CN)

(72) Inventor: **Ying Ye, Shanghai (CN)**

(73) Assignee: **Schneider Electric (China) Co., Ltd.,**
Beijing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/920,955**

(22) Filed: **Dec. 14, 2023**

(30) **Foreign Application Priority Data**

Dec. 6, 2023 (CN) 202330803244.3

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/160**

(58) **Field of Classification Search**

USPC D13/110, 123, 158, 159, 160, 168, 169,
D13/170, 171, 173, 184, 199

CPC H01H 9/00; H01H 9/02; H01H 71/00;
H01H 71/02; H01H 71/04; H01H 71/08;
H02H 3/00; H02H 3/16

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D510,319 S * 10/2005 Tuomola D13/110
D541,745 S * 5/2007 Virolainen D13/110
D552,039 S * 10/2007 Liao D13/164
D691,558 S * 10/2013 Helosvuori D13/158
D772,161 S * 11/2016 Saarivirta D13/110
D811,327 S * 2/2018 Mueller D13/110
D815,041 S * 4/2018 Viman D13/123
D821,323 S * 6/2018 Viman D13/123

D856,936 S * 8/2019 Poikolainen D13/139.4
D947,790 S * 4/2022 Reese D13/162
D947,791 S * 4/2022 Reese D13/162
D1,003,831 S * 11/2023 Chang D13/110
D1,004,547 S * 11/2023 Chang D13/110
D1,004,548 S * 11/2023 Chang D13/110
D1,020,658 S * 4/2024 Aro D13/163
D1,051,859 S * 11/2024 Bräunlich D13/162
D1,051,861 S * 11/2024 Fanton D13/164
D1,073,627 S * 5/2025 Hughes D14/140.4
2025/0038492 A1 * 1/2025 Li H02B 11/10

* cited by examiner

Primary Examiner — Amber R Stiles

Assistant Examiner — Leah E Hoeferkamp

(74) *Attorney, Agent, or Firm* — Troutman Pepper Locke
LLP


(57) **CLAIM**

The ornamental design for a leak electricity protective
breaker, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a leak electricity protective breaker;
FIG. 2 is a rear view of a leak electricity protective breaker;
FIG. 3 is a left side view of a leak electricity protective
breaker;
FIG. 4 is a right side view of a leak electricity protective
breaker;
FIG. 5 is a top plan view of a leak electricity protective
breaker;
FIG. 6 is a bottom view of a leak electricity protective
breaker;
FIG. 7 is a first perspective view of a leak electricity
protective breaker;
FIG. 8 is a second perspective view of a leak electricity
protective breaker; and,
FIG. 9 is a third perspective view of a leak electricity
protective breaker.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG. 4




FIG.5




FIG.6




FIG.7




FIG. 8




FIG. 9