



US0D1093701S

(12) **United States Design Patent**
Santoro et al.

(10) **Patent No.: US D1,093,701 S**

(45) **Date of Patent: ** Sep. 16, 2025**

(54) **LUMINAIRE**

(71) Applicant: **LMPG Inc.**, Longueuil (CA)

(72) Inventors: **Scott Santoro**, Delta (CA); **Aaron Prosch**, Burnaby (CA)

(73) Assignee: **LMPG INC.**, Longueuil (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/921,095**

(22) Filed: **Dec. 14, 2023**

(51) **LOC (15) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/74**

(58) **Field of Classification Search**
USPC D26/72, 74, 75, 76, 77, 78, 85, 88, 89,
D26/118, 138, 141

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,922,030 A * 1/1960 Bobrick F21V 21/30
362/366
D490,930 S * 6/2004 Snead D26/152
(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Oyen Wiggs Green & Mutala LLP

(57) **CLAIM**

The ornamental design for a luminaire as shown and described.

DESCRIPTION

FIG. 1 is a perspective bottom view of a first embodiment of a luminaire in a closed/closed configuration;
FIG. 2 is a bottom view thereof in the closed/closed configuration;

FIG. 3 is a bottom view thereof in an open/open configuration;

FIG. 4 is a front side view thereof in the open/open configuration;

FIG. 5 is a rear side view thereof in the open/open configuration;

FIG. 6 is a left side view thereof in the open/open configuration;

FIG. 7 is a right side view thereof in the open/open configuration;

FIG. 8 is a bottom view thereof in an open/closed configuration;

FIG. 9 is a front side view thereof in the open/closed configuration;

FIG. 10 is a rear side view thereof in the open/closed configuration;

FIG. 11 is a left side view thereof in the open/closed configuration;

FIG. 12 is a right side view thereof in the open/closed configuration;

FIG. 13 is a bottom view thereof in a closed/open configuration;

FIG. 14 is a front side view thereof in the closed/open configuration;

FIG. 15 is a rear side view thereof in the closed/open configuration;

FIG. 16 is a left side view thereof in the closed/open configuration;

FIG. 17 is a right side view thereof in the closed/open configuration;

FIG. 18 is a perspective bottom view of a second embodiment of a luminaire in a closed/closed configuration;

FIG. 19 is a bottom view thereof in the closed/closed configuration;

FIG. 20 is a bottom view thereof in an open/open configuration;

FIG. 21 is a front side view thereof in the open/open configuration;

FIG. 22 is a rear side view thereof in the open/open configuration;

FIG. 23 is a left side view thereof in the open/open configuration;

(Continued)




FIG. 24 is a right side view thereof in the open/open configuration;

FIG. 25 is a bottom view thereof in an open/closed configuration;

FIG. 26 is a front side view thereof in the open/closed configuration;

FIG. 27 is a rear side view thereof in the open/closed configuration;

FIG. 28 is a left side view thereof in the open/closed configuration;

FIG. 29 is a right side view thereof in the open/closed configuration;

FIG. 30 is a bottom view thereof in a closed/open configuration;

FIG. 31 is a front side view thereof in the closed/open configuration;

FIG. 32 is a rear side view thereof in the closed/open configuration;

FIG. 33 is a left side view thereof in the closed/open configuration; and,

FIG. 34 is a right side view thereof in the closed/open configuration.

The broken lines in FIGS. 1-34 represent portions of the luminaire that form no part of the claimed design.

1 Claim, 34 Drawing Sheets

(58) Field of Classification Search

CPC F21V 7/06; F21V 21/044; F21V 21/047;
F21S 8/02; F21S 8/026; F21S 8/022;
F21S 8/024

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D544,128	S *	6/2007	Carro		D26/74
D568,522	S *	5/2008	Engel		D26/74
D570,537	S *	6/2008	Chan		D26/152
D570,538	S *	6/2008	Chan		D26/152
D570,539	S *	6/2008	Chan		D26/152
D571,038	S *	6/2008	Chan		D26/152
D571,039	S *	6/2008	Chan		D26/152
D586,942	S *	2/2009	Chan		D26/118
D587,394	S *	2/2009	Pickard		D26/118
D599,951	S *	9/2009	Pickard		D26/138
D627,913	S *	11/2010	Gielen		D26/74
D636,105	S *	4/2011	Gielen		D26/63
D646,416	S *	10/2011	Wauters		D26/74
D646,417	S *	10/2011	Wauters		D26/74
D648,240	S *	11/2011	Kim		D10/111
D663,064	S *	7/2012	Couvreux		D26/72
D697,650	S *	1/2014	Maxik		D26/74
D699,880	S *	2/2014	Szoke		D26/74
D769,503	S *	10/2016	Van Lierde		D26/74
D773,097	S *	11/2016	Zhao		D26/74
10,907,813	B1 *	2/2021	Wang		F21V 21/30
2014/0223753	A1 *	8/2014	Yaphe		F21V 15/01 33/566
2019/0226667	A1 *	7/2019	Dietrich		B60Q 3/76
2022/0034495	A1 *	2/2022	Chen		F21V 21/30
2023/0100581	A1 *	3/2023	Cohen		F21V 21/04 362/341
2024/0255128	A1 *	8/2024	Hoffman		F21V 21/096
2024/0418331	A1 *	12/2024	Beck		F21V 21/043
2025/0027639	A1 *	1/2025	Hu		F21V 29/713

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

FIG. 19





FIG. 20






FIG. 21




FIG. 22




FIG. 23





FIG. 24

FIG. 25






FIG. 26




FIG. 27




FIG. 28





FIG. 29

FIG. 30






FIG. 31




FIG. 32




FIG. 33




FIG. 34