



US012398403B2

(12) **United States Patent**
Godia-Casablanacas et al.

(10) **Patent No.:** **US 12,398,403 B2**

(45) **Date of Patent:** **Aug. 26, 2025**

(54) **METHODS FOR THE MANUFACTURE OF
RECOMBINANT VIRAL VECTORS**

USPC 435/320.1
See application file for complete search history.

(71) Applicants: **ESTEVE PHARMACEUTICALS,
S.A.**, Barcelona (ES); **UNIVERSITAT
AUTÓNOMA DE BARCELONA**,
Cerdanyola del Vallès (ES)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,622,856 A 4/1997 Natsoulis

FOREIGN PATENT DOCUMENTS

EP 3101125 12/2016
WO WO2011154520 12/2011
WO WO2014144486 9/2014

OTHER PUBLICATIONS

Kisselev L., (Structure, 2002, vol. 10: 8-9.*
Witkowski et al., (Biochemistry 38:11643-11650, 1999.*
Whisstock et al., (Quarterly Reviews of Biophysics 2003, vol. 36
(3): 307-340.*
Devos et al., (Proteins: Structure, Function and Genetics, 2000, vol.
41: 98-107.*
Alexopoulos, Annika, N., et al., "The CMV early enhancer/chicken
β actin (CA6) promoter can be used to drive transgene expression
during the differentiation of murine embryonic stem cells into
vascular progenitors", BMC Cell Biology, www.biomedcentral.com/
1471-212/9/2.
Aponte-Ubillus, Juan Jose, et al., "Molecular design for recombi-
nant adeno-associated virus (rAAV) vector production", Applied
Microbiology and Biotechnology, vol. 102, 2017, pp. 1045-1054.
Ayuso, E, et al., "High AAV vector purity results in serotype- and
tissue-independent enhancement of transduction efficiency", Gene
Therapy, 17, 2010, pp. 503-510.
Cervera, Laura, et al., "Extended gene expression by medium
exchange and repeated transtext transfection for recombinant pro-
tein production enhancement", Biotechnology and Bioengineering,
vol. 112: 1-13, 2015.
Grieger, Jostiva, C., et al., "Production of recombinant adeno-
associated virus vectors using suspension HEK293 cells and con-
tinuous harvest of vector from the culture media for GMP FIX and
FLTI clinical vector", Molecular Therapy, vol. 24, pp. 287-297,
2016.
Grimm, Dirk, "Production methods for gene transfer vectors based
on adeno-associated virus serotypes", Methods, Academic Press,
vol. 28(2), pp. 146-157, 2002.
International Search Report for PCT/EP2020/058527 dated May 26,
2020.
Niwa, Hitosti, et al., "Efficient selection for high-expression a novel
eukaryotic vector", Gene, vol. 108, 1991, pp. 193-200.

(Continued)

Primary Examiner — Robert B Mondesi

Assistant Examiner — Mohammad Y Meah

(74) *Attorney, Agent, or Firm* — HUESCHEN AND
SAGE

(57) **ABSTRACT**

The present invention relates to methods for the production
of high titer recombinant viral vectors, more particularly
recombinant AAV vectors, so that the methods can be
effectively employed on a scale that is suitable for the
practical application of gene therapy techniques.

10 Claims, 7 Drawing Sheets

Specification includes a Sequence Listing.

(72) Inventors: **Francesc Godia-Casablanacas**, Sabadell
(ES); **Maria-Fàtima Bosch-Tubert**,
Cerdanyola del Vallès (ES); **Miguel
Garcia-Martinez**, Terrassa (ES); **Laura
Cervera-Gracia**, Barcelona (ES);
Xavier Leon-Madrenas, Sant Feliu de
Guixols (ES); **Maria Molas-Laplana**,
Barcelona (ES); **Sonia
Gutierrez-Granados**, Sabadell (ES)

(73) Assignees: **ESTEVE PHARMACEUTICALS,
S.A.**, Barcelona (ES); **UNIVERSITAT
AUTÓNOMA DE BARCELONA**,
Cerdanyola del Vallès (ES)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 885 days.

(21) Appl. No.: **17/598,503**

(22) PCT Filed: **Mar. 26, 2020**

(86) PCT No.: **PCT/EP2020/058527**

§ 371 (c)(1),

(2) Date: **Sep. 27, 2021**

(87) PCT Pub. No.: **WO2020/193698**

PCT Pub. Date: **Oct. 1, 2020**

(65) **Prior Publication Data**

US 2022/0186255 A1 Jun. 16, 2022

(30) **Foreign Application Priority Data**

Mar. 28, 2019 (EP) 19382220

(51) **Int. Cl.**
C12N 15/80 (2006.01)
C12N 7/02 (2006.01)
C12N 15/86 (2006.01)

(52) **U.S. Cl.**
CPC **C12N 15/86** (2013.01); **C12N 7/02**
(2013.01); **C12N 2750/14143** (2013.01); **C12N**
2750/14152 (2013.01)

(58) **Field of Classification Search**
CPC **C12N 15/86**; **C12N 2750/14143**; **C12N**
2750/14152; **C12N 7/02**

(56)

References Cited

OTHER PUBLICATIONS

Reed, Sharon, E., et al., "Transfection of mammalian cells using linear polyethylenimine is a simple and effective means of producing recombinant adeno-associated virus vectors", *Journal of Virological Methods*, 138, 2006, pp. 85-98.

Sharon, David, et al., "Advancements in the design and scalable production of viral gene transfer vectors", *Biotechnology and Bioengineering*, 115, 2018, pp. 25-40.

Xiao, Xiao, et al., "Production of high-titer recombinant adeno-associated virus vectors in the absence of helper adenovirus", *Journal of Virology*, 72:2224-2232, 1998.

* cited by examiner

FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6





FIGURE 7



1

METHODS FOR THE MANUFACTURE OF RECOMBINANT VIRAL VECTORS

INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ELECTRONICALLY

Incorporated by reference in its entirety herein is a computer-readable nucleotide/amino acid sequence listing submitted concurrently herewith and identified as follows: One 73,728 Bytes ASCII (Text) file named "SEQUENCE_LISTING.TXT," created on 16 Sep. 2021.

FIELD OF THE INVENTION

The present invention relates to methods for the production of high titer recombinant viral vectors, more particularly recombinant AAV vectors, so that the methods can be effectively employed on a scale that is suitable for the practical application of gene therapy techniques.

BACKGROUND OF THE INVENTION

Gene delivery is a promising method for the treatment of acquired and inherited diseases. A number of viral-based systems for gene transfer purposes have been described, including Adeno-Associated Virus (AAV)-based systems.

AAVs have unique features that make them attractive as vectors for gene therapy. AAV infect a wide range of cell types. However, they are non-transforming, and are not implicated in the etiology of any human disease. Introduction of DNA to recipient host cells generally leads to long-term persistence and expression of the DNA without disturbing the normal metabolism of the cell.

AAV particles are comprised of a proteinaceous capsid having three capsid proteins, VP1, VP2 and VP3, which enclose a ~4.7 kb linear single-stranded DNA genome containing the Rep and Cap genes flanked by the viral inverted terminal repeats (ITRs). Individual particles package only one DNA molecule strand, but this may be either the plus or minus strand. Particles containing either strand are infectious, and replication occurs by conversion of the parental infecting single strand to a duplex form, and subsequent amplification, from which progeny single strands are displaced and packaged into capsids.

AAV vectors can be engineered to carry a heterologous nucleotide sequence of interest (e.g., a selected gene, anti-sense nucleic acid molecule, ribozyme, or the like) by deleting the internal portion of the AAV genome and inserting the DNA sequence of interest between the ITRs. The ITRs are the only sequences required in cis for replication and packaging of the vector genome containing the heterologous nucleotide sequence of interest. The heterologous nucleotide sequence is also typically linked to a promoter sequence capable of driving gene expression in the patient's target cells under certain conditions. Termination signals, such as polyadenylation sites, are usually included in the vector.

The rep and cap AAV gene products provide functions for replication and encapsidation of the vector genome, respectively, and it is sufficient for them to be present in trans.

Despite the potential benefits of gene therapy as a treatment for human genetic diseases, serious practical limitations stand in the way of its widespread use in the clinic. In this sense, it is necessary to produce big amounts of rAAV particles in order to produce clinically effective doses. Production of a large number of particles using current technology requires a large number of producer cells. At a

2

laboratory scale, it would require thousands of tissue culture flasks. At a commercial scale, more efficient and intensive production platforms are needed to reach clinical application. The benefits of improving both, the number of producing cells and the particle yield per cell, will be very significant from a commercial production standpoint.

Accordingly, in the development of recombinant AAV vectors such as those for use in gene therapy, there is a need for strategies that achieve a high titer of AAV so that the methods can be effectively employed on a scale that is suitable for the practical application of gene therapy techniques.

The present disclosure provides methods for achieving these competing goals and demonstrates that such techniques can be employed for the large-scale production of recombinant AAV vector preparations.

SUMMARY OF THE INVENTION

The inventors of the present invention have found that, surprisingly, recombinant viral production, more particularly rAAV production, can be significantly improved by performing repeated transfections. As it is shown in the Examples below, a sustained level of gene expression over time is obtained when repeated rounds of transfection are performed, as opposed to the conventional approach which entails a single transfection round.

Thus, in a first aspect, the invention refers to a method for the production of a recombinant viral vector said method comprising the steps of:

- a) co-transfecting a suitable cell culture with at least two plasmid vectors, said plasmid vectors comprising a heterologous nucleotide sequence and replication and packaging gene sequences;
- b) culturing said cells under conditions allowing viral replication and packaging;
- c) recovering the viral vectors produced in step b) and retaining the cells in the cell culture under conditions allowing further division and growth;
- d) re-transfecting the cells according to step c) with the plasmid vectors according to step a); and
- e) repeating steps b) to c).

Furthermore, the inventors have found that the combination of optimized plasmids for the transfection, results in higher yield of rAAV than production with the standard plasmids commonly used for AAV vector production. Moreover, as it is shown in the Examples below, the inventors have surprisingly found that the use of the optimized plasmids according to the invention results in lower reverse packaging of bacterial sequences.

It is thus a further aspect of the present invention a method for h production of a recombinant AAV said method comprising the steps of:

- a) co-transfecting a suitable cell with
 - i) a first plasmid vector comprising a heterologous nucleoli sequence flanked by ITRs;
 - ii) a second plasmid vector comprising from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising an AAV p5 promoter region, and
 - iii) a third plasmid vector comprising adenovirus helper functions including VA-RNA, E2A and E4 sequences, wherein said plasmid does not contain E3, pTB (E2B), Ad ITR and protease sequences;
- b) culturing said cell under conditions allowing AAV replication and packaging; and
- c) recovering the AAVs produced in step b).

The inventors have surprisingly found that by using a combination of optimized plasmids in the transfection, reverse packaging is greatly reduced and higher vector genome yield is obtained.

Thus, in another aspect, the invention refers to a plasmid vector comprising:

- a) a heterologous nucleotide sequence flanked by ITRs; and
- b) a stuffer DNA sequence located outside said ITRs and adjacent to one ITR, wherein said stuffer sequence has a length between 4400 Kb and 4800 Kb so that the plasmid backbone size is above 5 Kb, preferably between 7000 bp and 7500 bp;

wherein said plasmid vector does not contain a FIORI nucleotide sequence in the backbone sequence.

In a further aspect, the invention refers to a plasmid vector comprising adenovirus helper functions including VA-RNA, E2A and E4 sequences, wherein said plasmid does not contain E3, pTB(E2B), and Ad ITR protease sequences.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1. Yields of AAV9-CAG-cohSgsh expressed in total vg produced by triple transfection with a set of standard plasmids or a set of optimized plasmids.

FIG. 2. Copies of bacterial sequence present in AAV9-CAG-cohSgsh produced by triple transfection with a set of standard plasmids or a set of optimized plasmids.

FIG. 3. Effect of the optimized plasmid pcOHsGsh-900 alone or in combination with the other optimized helper plasmids (pRepCap9-809 and pAdHelper861) on the AAV vector yield (total vg).

FIG. 4. Reverse packaging of bacterial sequences. Effect of the optimized oversized plasmid pcOHsGsh-900 alone or in combination with the other optimized helper plasmids (pRepCap9-809 and pAdHelper861).

FIG. 5. Reverse packaging of bacterial sequences. Effect of the optimized oversized plasmid pcOHsGsh-900 when combined with the other optimized helper plasmids (pRepCap9-809 and pAdHelper861).

FIG. 6. Total vg recovered after transient transfection with pohlDS-874 plasmid. Cell lysis and total vg recovered in the culture supernatant after performing several re-transfection rounds. Time is represented in hours post transfection (hpt).

FIG. 7. Total vg recovered after transient transfection with pcOHsGSH-900 plasmid. Cell lysis and total vg recovered in the culture supernatant after performing several re-transfection rounds. Time is represented in hours post transfection (hpt).

DEPOSIT OF MICROORGANISMS

The plasmid pAdHelper861 was deposited on Dec. 5, 2018, under access number DSM 32965 at the DSMZ—Deutsche Sammlung von Mikroorganismen und Zellkulturen, Inhoffenstraße 7 B, D-38124 Braunschweig, Federal Republic of Germany.

The plasmid pcOHsGsh-827 was deposited on Dec. 5, 2018, under access number DSM 32966 at the DSMZ—Deutsche Sammlung von Mikroorganismen und Zellkulturen, Inhoffenstraße 7 B, D-38124 Braunschweig, Federal Republic of Germany.

The plasmid pcOHsGsh-900 was deposited on Dec. 5, 2018, under access number DSM 32967 at the DSMZ—Deutsche Sammlung von Mikroorganismen und Zellkulturen, Inhoffenstraße 7 B, D-38124 Braunschweig, Federal Republic of Germany.

The plasmid pohlDS-874 was deposited on Dec. 5, 2018, under access number DSM 32968 at the DSMZ—Deutsche Sammlung von Mikroorganismen und Zellkulturen, Inhoffenstraße 7 B, D-38124 Braunschweig, Federal Republic of Germany.

The plasmid pRepCap9-809 was deposited on Dec. 5, 2018, under access number DSM 32969 at the DSMZ—Deutsche Sammlung von Mikroorganismen und Zellkulturen, Inhoffenstraße 7 B, D-38124 Braunschweig, Federal Republic of Germany.

Definitions

A “vector” as used herein refers to a macromolecule or association of macromolecules that comprises or associates with a polynucleotide and which can be used to mediate delivery of the polynucleotide to a cell. Illustrative vectors include, for example, plasmids, viral vectors, liposomes and other gene delivery vehicles.

The terms “adeno-associated virus”, “AAV virus”, “AAV virion,” “AAV viral particle” and “AAV particle”, used as synonyms herein, refer to a viral particle composed of at least one capsid protein of AAV (preferably composed of all capsid proteins of a particular AAV serotype) and an encapsulated polynucleotide corresponding to the AAV genome. The wild-type AAV refers to a virus that belongs to the genus Dependovirus, family Parvoviridae. The wild-type AAV genome is approximately 4.7 Kb in length and consists of a single stranded deoxyribonucleic acid (ssDNA) that can be positive or negative-sensed. The wild-type genome includes inverted terminal repeats (ITR) at both ends of the DNA strand, and three open reading frames (ORFs). The ORF encodes for four Rep proteins necessary for AAV lifecycle. The ORF cap contains nucleotide sequences encoding capsid proteins: VP1, VP2 and VP3, which interact to form a capsid of icosahedral symmetry. Finally, the AAP ORF, which overlaps with the Cap ORF, encodes for the AAP protein that appears to promote capsid assembly. If the particle comprises a heterologous polynucleotide (i.e. a polynucleotide different from a wild-type AAV genome, such as a transgene to be delivered to a mammalian cell) flanked by AAV ITRs, then it is typically known as “AAV vector particle” or “AAV viral vector” or “AAV vector” or “recombinant AAV vectors”. The invention also encompasses the use of double stranded AAV or self-complementary AAV, also called dsAAV or scAAV.

The term “adeno-associated virus ITRs” or “AAV ITRs”, as used herein, refers to the inverted terminal repeats present at both ends of the DNA strand of the genome of an AAV. The ITR sequences are required for efficient multiplication of the AAV genome. Another property of these sequences is their ability to form a hairpin. This characteristic contributes to their self-priming, which allows the primase-independent synthesis of the second DNA strand. The ITRs have also been shown to be required for both integration of the wild-type AAV DNA into the host cell genome (e.g. in the human 19th chromosome for serotype 2 MV) and rescue from it, as well as for efficient encapsidation of the MV DNA into a fully assembled, deoxyribonuclease-resistant AAV particle. The ITR sequences are about 145 bp in length. Preferably, the entire sequences of the ITRs are used in the genome of the AAV viral vector, although some degree of minor modification of these sequences is permissible. A wild-type ITR sequence may be altered by insertion, deletion or truncation, as long as the ITR mediates the desired functions, e.g. replication, nicking, virus packaging, integration, and/or provirus rescue. Procedures for modifying

these ITR sequences are well known in the art. The ITR may be from any wild-type AAV, including but not limited to serotypes 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 or any other AAV known or later discovered. The AAV comprises two ITRs, which may be the same or different. Further, the two AAV ITRs can be from the same AAV serotype as the AAV capsid, or can be different. In a preferred embodiment, the 5' and 3' AAV ITRs derive from AAV1, AAV2, AAV4, AAV5, AAV7, AAV8 and/or AAV9. Preferably ITRs are from AAV2, AAV8 and/or AAV9 being AAV2 the most preferred. In one embodiment, the AAV2 ITRs are selected to generate a pseudotyped AAV (i.e. an AAV having capsid and ITRs derived from different serotypes).

The expression "recombinant viral genome", as used herein, refers to an MV genome in which at least one extraneous polynucleotide is inserted into the naturally occurring AAV genome. The genome of the AAV according to the invention typically comprises the cis-acting 5' and 3' inverted terminal repeat sequences (ITRs) and an expression cassette. A "rAAV vector" as used herein refers to an AAV vector comprising a polynucleotide sequence not of AAV origin (i.e., a polynucleotide heterologous to AAV), typically a sequence of interest for the genetic transformation of a cell. In preferred vector constructs of this invention, the heterologous polynucleotide is flanked by two AAV inverted terminal repeat sequences (ITRs).

An "AAV virus" or "AAV viral particle" refers to a viral particle composed of at least one AAV capsid protein (preferably by all of the capsid proteins of a wild-type AAV) and an encapsidated polynucleotide. If the particle comprises a heterologous polynucleotide (i.e. a polynucleotide other than a wild-type AAV genome such as a transgene to be delivered to a mammalian cell), it is typically referred to as a "rAAV vector particle" or simply a "rAAV vector".

"Packaging" refers to a series of intracellular events that result in the assembly of the capsid proteins and encapsidation of the vector genome to form an AAV particle.

AAV "rep" and "cap" genes refer to polynucleotide sequences encoding replication and encapsidation proteins of adeno-associated virus. They have been found in all AAV serotypes examined, and are described below and in the art. AAV rep and cap are referred to herein as AAV "packaging genes".

The term "GAG promoter" refers to the combination formed by the cytomegalovirus early enhancer element, chicken β -actin promoter and 3' splice sequence derived from the rabbit beta-globin gene (See Alexopoulou A, et al., BMC Cell Biology 2008; 9(2): 1-11, Niwa et al, Gene. 1991 Dec. 15; 108(2):193-9).

The term "polynucleotide" refers to a polymeric form of nucleotides of any length, including deoxyribonucleotides or ribonucleotides, or analogs thereof. A polynucleotide may comprise modified nucleotides, such as methylated nucleotides and nucleotide analogs, and may be interrupted by non-nucleotide components. If present, modifications to the nucleotide structure may be imparted before or after assembly of the polymer. The term polynucleotide, as used herein, refers interchangeably to double- and single-stranded molecules. Unless otherwise specified or required, any embodiment of the invention described herein that is a polynucleotide encompasses both the double-stranded form and each of two complementary single-stranded forms known or predicted to make up the double-stranded form.

A "gene" refers to a polynucleotide containing at least one open reading frame that is capable of encoding a particular protein after being transcribed and translated, or polynucleotide containing at least one non-coding RNA.

The term "nucleotide sequence" refers to a nucleic acid molecule, either DNA or RNA, containing deoxyribonucleotides or ribonucleotides. The nucleic acid may be double stranded, single stranded, or contain portions of both double stranded or single stranded sequence.

The term "codify" refers to the genetic code that determines how a nucleotide sequence is translated into a polypeptide, or a protein. The order of the nucleotides in a sequence determines the order of amino acids along a polypeptide or a protein.

"Recombinant", as applied to a polynucleotide, means that the polynucleotide is the product of various combinations of cloning, restriction or ligation steps, and other procedures that result in a construct that is distinct from a polynucleotide found in nature. A recombinant virus is a viral particle comprising a recombinant polynucleotide. The terms respectively include replicates of the original polynucleotide construct and progeny of the original virus construct.

A "control element" or "control sequence" is a nucleotide sequence involved in an interaction of molecules that contributes to the functional regulation of a polynucleotide, including replication, duplication, transcription, splicing, translation, or degradation of the polynucleotide. The regulation may affect the frequency, speed, or specificity of the process, and may be enhancing or inhibitory in nature. Control elements known in the art include, for example, transcriptional regulatory sequences such as promoters and enhancers. A promoter is a DNA region capable under certain conditions of binding RNA polymerase and initiating transcription of a coding region usually located downstream (in the 3' direction) from the promoter.

"Operatively linked" or "operably linked" refers to a juxtaposition of genetic elements, wherein the elements are in a relationship permitting them to operate in the expected manner. For instance, a promoter is operatively linked to a coding region if the promoter helps to initiate transcription of the coding sequence. There may be intervening residues between the promoter and coding region so long as this functional relationship is maintained.

An "expression vector" is a vector comprising a region, which encodes a polypeptide of interest, and is used for effecting the expression of the protein in an intended target cell. An expression vector also comprises control elements operatively linked to the encoding region to facilitate expression of the protein in the target. The combination of control elements and a gene or genes to which they are operably linked for expression is sometimes referred to as an "expression cassette," a large number of which are known and available in the art or can be readily constructed from components that are available in the art.

"Heterologous" means derived from a genotypically distinct entity from that of the rest of the entity to which it is being compared. For example, a polynucleotide introduced by genetic engineering techniques into a plasmid or vector derived from a different species is a heterologous polynucleotide. A promoter removed from its native coding sequence and operatively linked to a coding sequence with which it is not naturally found linked is a heterologous promoter. In particular, the term "heterologous nucleotide sequence" as used herein includes coding as well as non-coding nucleotide sequences.

"Genetic alteration" refers to a process wherein a genetic element is introduced into a cell other than by mitosis or meiosis. The element may be heterologous to the cell, or it may be an additional copy or improved version of an element already present in the cell. Genetic alteration may

be effected, for example, by transfecting a cell with a recombinant plasmid or other polynucleotide through any process known in the art, such as electroporation, calcium phosphate precipitation, or contacting with a polynucleotide-liposome complex. Genetic alteration may also be effected, for example, by transduction or infection with a DNA or RNA virus or viral vector. Preferably, the genetic element is introduced into a chromosome or mini-chromosome in the cell; but any alteration that changes the phenotype and/or genotype of the cell and its progeny is included in this term.

The terms "polypeptide", "peptide" and "protein" are used interchangeably herein to refer to polymers of amino acids of any length. The terms also encompass an amino acid polymer that has been modified; for example, disulfide bond formation, glycosylation, lipidation, or conjugation with a labeling component.

An "isolated" plasmid, virus, or other substance refers to a preparation of the substance devoid of at least some of the other components that may also be present where the substance or a similar substance naturally occurs or is initially prepared from. Thus, for example, an isolated substance may be prepared by using a purification technique to enrich it from a source mixture. Enrichment can be measured on an absolute basis, such as weight per volume of solution, or it can be measured in relation to a second, potentially interfering substance present in the source mixture. Increasing enrichments of the embodiments of this invention are increasingly more preferred. Thus, for example, a 2-fold enrichment is preferred, 10-fold enrichment is more preferred, 100-fold enrichment is more preferred, 1000-fold enrichment is even more preferred.

An "individual" or "subject" treated in accordance with this invention refers to vertebrates, particularly members of a mammalian species, and includes but is not limited to domestic animals, sports animals, and primates, including humans.

"Treatment" of an individual or a cell is any type of intervention in an attempt to alter the natural course of the individual or cell at the time the treatment is initiated. For example, treatment of an individual may be undertaken to decrease or limit the pathology caused by any pathological condition, including (but not limited to) an inherited or induced genetic deficiency, infection by a viral, bacterial, or parasitic organism, a neoplastic or aplastic condition, or an immune system dysfunction such as autoimmunity or immunosuppression. Treatment includes (but is not limited to) administration of a composition, such as a pharmaceutical composition, and administration of compatible cells that have been treated with a composition. Treatment may be performed either prophylactically or therapeutically; that is, either prior or subsequent to the initiation of a pathologic event or contact with an etiologic agent.

The term "effective amount" refers to an amount of a substance sufficient to achieve the intended purpose. For example, an effective amount of an expression vector to increase sulfamidase activity is an amount sufficient to reduce glycosaminoglycan accumulation. A "therapeutically effective amount" of an expression vector to treat a disease or disorder is an amount of the expression vector sufficient to reduce or remove the symptoms of the disease or disorder. The effective amount of a given substance will vary with factors such as the nature of the substance, the route of administration, the size and species of the animal to receive the substance and the purpose of giving the substance. The

effective amount in each individual case may be determined empirically by a skilled artisan according to established methods in the art.

The term "gene therapy" refers to the transfer of genetic material (e.g. DNA or RNA) of interest into a host to treat or prevent a genetic or acquired disease or condition. The genetic material of interest encodes a product (e.g. a protein polypeptide, peptide or functional RNA) whose production in vivo is desired. For example, the genetic material of interest can encode an enzyme, hormone, receptor, or polypeptide of therapeutic value.

DETAILED DESCRIPTION OF THE INVENTION

It is an object of this invention to provide methods for generating high titer preparations of recombinant viral vectors, in particular, recombinant adeno-associated viral vectors (rAAV) so that the methods can be effectively employed on a scale that is suitable for the practical application of gene therapy procedures.

As it is shown in the Examples accompanying the present invention, the inventors have found that, surprisingly, rAAV production can be significantly improved by performing repeated rounds of transfection, i.e. by re-transfections, of the cell culture with the plasmid vectors used for triple or double transfection.

Thus, in a first aspect, the invention refers to a method for the production of a recombinant viral vector said method comprising the steps of:

- a) co-transfecting a suitable cell culture with at least two plasmid vectors, said plasmid vectors comprising a heterologous nucleotide sequence and replication and packaging gene sequences;
- b) culturing said cells under conditions allowing viral replication and packaging;
- c) recovering the viral vectors produced in step b) and retaining the cells in the cell culture under conditions allowing further division and growth;
- d) re-transfecting the cells according to step c) with the plasmid vectors according to step a); and
- e) repeating steps b) to c).

In a particular embodiment of the invention, said recombinant viral vector is selected from the group consisting of an adenovirus, adeno-associated virus (AAV), alphavirus, flavivirus, herpes simplex virus (HSV), measles virus, rabdovirus, retrovirus, lentivirus, Newcastle disease virus (NDV), poxvirus, and picornavirus. In a particular embodiment, said viral vector is selected a retroviral vector, an adenoviral vector or an AAV vector.

In a preferred embodiment, said viral vector is an AAV vector.

AAV according to the present invention include any serotype of the AAV known serotypes. In general, the different serotypes of AAV have genomic sequences with a significant homology, providing an identical series of genetic functions, produce virions that are essentially equivalent in physical and functional terms, and replicate and assemble through practically identical mechanisms. In particular, the AAV of the present invention may belong to the serotype 1 of AAV (AAV1), AAV2, AAV3 (including types 3A and 3B), AAV4, AAV5, AAV6, AAV7, AAV8, AAV9, AAV10, AAV11, avian AAV, bovine AAV, canine AAV, equine AAV, ovine AAV, and any other AAV. Examples of the sequences of the genome of the different AAV serotypes may be found in the literature or in public databases such as GenBank. See GenBank accession num-

bers AF028704.1 (AAV6), NC006260 (AAV7), NC006261 (AAV8), and AX753250.1 (AAV9). In a preferred embodiment, the AAV vector of the invention is of a serotype selected from the group consisting of the AAV2, AAV5, AAV7, AAV8, AAV9, AAV10 and AAVrh10 serotypes. In a preferred embodiment, said AAV vector of the invention is of serotype 9.

In a particular embodiment, the invention refers to a method for the production of a recombinant AAV said method comprising the steps of:

- a) co-transfecting a suitable cell culture with at least two plasmid vectors said vectors comprising a heterologous nucleotide sequence flanked by ITRs, AAV rep and AAV cap gene sequences, and adenovirus helper functions sequences;
- b) culturing said cells under conditions allowing AAV replication and packaging;
- c) recovering the AAVs produced in step b) and retaining the cells in the cell culture under conditions allowing further division and growth,
- d) re-transfecting the cells according to step c) with the plasmid vectors according to step a), and
- e) repeating steps b) to c).

As it is described in the art, genetic material can be introduced into cells using any of a variety of means to transform or transduce such cells. By way of illustration, such techniques include, for example, transfection with bacterial plasmids. Indeed, the plasmid vectors according to step a) of the method of the invention can be introduced into a cell using a variety of transfection techniques. Such transfection methods have been described in the art and include, for example, calcium phosphate co-precipitation, direct micro-injection into cultured cells, electroporation, liposome mediated gene transfer, lipid-mediated transfection or nucleic acid delivery using high-velocity microprojectiles. Other suitable transfection media include strontium phosphate, polycationic polymers, e.g., Superfect (QIAGENTM) liposomes, and cationic polymers such as polyethylenimine (PEI). In a preferred embodiment, the plasmid vectors according to the method of the invention are transfected using PEI. In this case, PEI/DNA complexes are formed by adding PE to plasmid DNA prior to its addition to the cell culture.

Any of these techniques can be used to introduce one or more, exogenous DNA moieties, such as vector constructs, into suitable host cells. Generally, the exogenous DNA must traverse the host cell plasma membrane in order to be exposed to the cell's transcription and replication machinery.

The resulting cell can be transiently transfected with the exogenous nucleic acid molecule, i.e., the exogenous DNA will not be integrated into the genome of a transfected cell, but rather will exist episomally. Alternatively, the resulting cell can be stably transfected, i.e., the nucleic acid molecule will become covalently linked with the host cell genome or will be maintained and replicated as an episomal unit which can be passed on to progeny cells (e.g., capable of extra-chromosomal replication at a sufficient rate).

According to the method of the invention, the plasmid vectors to be transfected comprise a heterologous nucleotide sequence flanked by the ITRs. AAV rep and AAV cap gene sequences, and adenovirus helper functions sequences.

The heterologous nucleotide sequence or polynucleotide is typically of interest because of a capacity to provide a function to a target cell in the context of gene therapy, such as up- or down-regulation of the expression of a certain phenotype. Such a heterologous polynucleotide or "trans-

gene" will generally be of sufficient length to provide the desired function or encoding sequence.

Where transcription of the heterologous polynucleotide is desired in the intended target cell, it can be operably linked to its own or to a heterologous promoter, depending for example on the desired level and/or specificity of transcription within the target cell, as is known in the art. Various types of promoters and enhancers are suitable for use in this context. Constitutive promoters provide an ongoing level of gene transcription, and are preferred when it is desired that the therapeutic polynucleotide be expressed on an ongoing basis. Inducible promoters generally exhibit low activity in the absence of the inducer, and are up-regulated in the presence of the inducer. They may be preferred when expression is desired only at certain times or at certain locations, or when it is desirable to titrate the level of expression using an inducing agent. Promoters and enhancers may also be tissue-specific, that is, they exhibit their activity only in certain cell types, presumably due to gene regulatory elements found uniquely in those cells.

Illustrative examples of promoters are the SV40 late promoter from simian virus 40, the Baculovirus polyhedron enhancer/promoter element, Herpes Simplex Virus thymidine kinase (HSV tk), the immediate early promoter from cytomegalovirus (CMV), the CMV early enhancer/chicken β actin (CAG) promoter and various retroviral promoters including LTR elements. Inducible promoters include heavy metal ion inducible promoters (such as the mouse mammary tumor virus (mMTV) promoter or various growth hormone promoters), and the promoters from T7 phage which are active in the presence of T7 RNA polymerase. By way of illustration, examples of tissue-specific promoters include various surfactant proteins promoters (for expression in the lung), myosin promoters (for expression in muscle), and albumin promoters or human α 1-antitrypsin hAAT (for expression in the liver). A large variety of other promoters are known and generally available in the art, and the sequences for many such promoters are available in sequence databases such as the GenBank database. In a preferred embodiment, the CAG promoter is used.

Where translation is also desired in the intended target cell, the heterologous polynucleotide will preferably also comprise control elements that facilitate translation (such as a ribosome binding site or "RBS" and/or a polyadenylation signal). Accordingly, the heterologous polynucleotide will generally comprise at least one coding region operatively linked to a suitable promoter, and may also comprise, for example, an operatively linked enhancer, ribosome binding site and/or poly-A signal. The heterologous polynucleotide may comprise one coding region, or more than one coding regions under the control of the same or different promoters. The entire unit, containing a combination of control elements and coding or non-coding region, is often referred to as an expression cassette. In a particular embodiment, the heterologous polynucleotide according to the method of the invention contains a poly-A signal.

The heterologous polynucleotide is integrated by recombinant techniques into or preferably in place of the AAV genomic coding region and is generally flanked on either side by AAV inverted terminal repeat (ITR) regions. Alternatively, vector constructs with only one ITR can be employed. In a particular embodiment, said heterologous nucleotide sequence is flanked by two ITRs.

Given the encapsidation size limit of the AAV particles, insertion of a large heterologous polynucleotide into the genome necessitates removal of a portion of the AAV sequence. Removal of one or more AAV genes is in any case

11

desirable, to reduce the likelihood of generating replication-competent AAV ("RCA"). Accordingly, encoding or promoter sequences for rep, cap, or both, are preferably removed, since the functions provided by these genes can be provided in trans.

In one embodiment, the heterologous nucleotide sequence is flanked by AAV ITRs, and the AAV packaging genes to be provided in trans, are introduced into the host cell in separate vector plasmids.

The rep gene is expressed from two promoters, p5 and p19, and produces four proteins designated Rep78, Rep68, Rep52 and Rep40. Only Rep78 and Rep68 are required for AAV duplex DNA replication, but Rep52 and Rep40 appear to be needed for progeny, single-strand DNA accumulation. Rep68 and Rep78 bind specifically to the hairpin conformation of the AAV ITR and possess several enzyme activities required for resolving replication at the AAV termini. Rep78 and Rep68, also exhibit pleiotropic regulatory activities including positive and negative regulation of AAV genes and expression from some heterologous promoters, as well as inhibitory effects on cell growth.

The cap gene encodes capsid proteins VP1, VP2, and VP3. These proteins share a common overlapping sequence, but VP1 and VP2 contain additional amino terminal sequences transcribed from the p40 promoter by use of alternate initiation codons. All three proteins are required for effective capsid production.

Packaging of an AAV vector into viral particles still relies on the presence of a suitable helper virus for AAV or the provision of helper virus functions. According to the method of the present invention, helper virus function gene sequences are provided in plasmid vectors. The presence of significant quantities of infectious helper virus in a preparation of AAV vectors is problematic in that the preparation is intended for use in human administration.

In a particular embodiment of the method of the invention, transfection is performed using two plasmid vectors wherein one of said plasmid vectors comprises a heterologous nucleotide sequence flanked by ITRs and the second plasmid vector comprises the AAV rep and AAV cap gene sequences and adenovirus helper functions sequences. In a preferred embodiment, said second plasmid vector comprises from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising an AAV p5 promoter region.

In a preferred embodiment of the method of the invention, transfection is performed using three plasmid vectors, i.e. the host cells are triple-transfected with at least one vector encoding a heterologous nucleotide sequence of interest, at least one vector encoding AAV rep and cap genes, and at least one vector encoding, adenoviral accessory functions.

Selection of suitably altered cells may be conducted by any technique in the art. For example, the polynucleotide sequences used to alter the cell may be introduced simultaneously with or operably linked to one or more detectable or selectable markers as is known in the art. By way of illustration, one can employ a drug resistance gene as a selectable marker. Drug resistant cells can then be picked and grown, and then tested for expression of the desired sequence—i.e., a packaging gene product, or a product of the heterologous polynucleotide, as appropriate. Testing for acquisition, localization and/or maintenance of an introduced polynucleotide can be performed using DNA hybridization-based techniques (such as Southern blotting and other procedures as known in the art). Testing for expression can be readily performed by Northern analysis of RNA

12

extracted from the genetically altered cells, or by indirect immunofluorescence for the corresponding gene product.

According to step b) of the method of the invention, the transfected cells are thus cultured under conditions allowing viral vector replication and packaging. In a particular embodiment, the cells are cultured under conditions allowing rAAV replication and packaging.

Several criteria influence selection of cells for use in producing rAAV particles as described herein. The more preferred cells and cell lines are those that can be easily grown in culture so as to facilitate large-scale production of recombinant AAV vector preparations. Where large-scale production is desired, the choice of production method will also influence the selection of the host cell. For example, some production techniques and culture vessels or chambers are designed for growth of adherent or attached cells, whereas others are designed for growth of cells in suspension. In the latter case, the host cell would thus preferably be adapted or adaptable to growth in suspension. According to the present invention, large-scale production of rAAVs is desired.

A variety of cells lines are contemplated for use in the large-scale production of rAAV. Particularly suitable for cell culture of rAAV are Human Embryo Kidney (HEK) 293 cell lines, either adherent or selected for growth in suspension. Examples of other suitable cell lines to produce rAAV include: Vero cells, HeLa cells, and CHO cell lines. As used herein, the term "cell line" refers to a population of cells capable of continuous or prolonged growth and division in vitro. Often, cell lines are clonal populations derived from a single progenitor cell. It is known in the art that spontaneous or induced changes can occur in karyotype during storage or transfer of such clonal populations. Therefore, cells derived from the cell line referred to may not be precisely identical to the ancestral cells or cultures. Nevertheless, the term "cell line" includes such variants.

Once a cell line is selected, the cell culture device of choice is seeded with cells at a density suitable to support cell culture. The density of cells used to seed a particular device will depend on the size of the device. A variety of volumes may be used to grow the cells in the culture device of choice. The volume of medium used will vary according to the size of the culture device used to grow the culture cells. Large-scale production methods such as suspension culture may be used. AAV particles are then collected, and isolated from the cells used to prepare them.

Cells are cultured under conditions that are permissive for the replication AAV and packaging of the rAAV vector. Culture time is preferably adjusted to correspond to peak production levels. Preferably, at least 100 viral particles are produced per cell; more preferably at least about 1000 per cell, still more preferably at least about 10,000 per cell. Preferably, at least 0.5×10^6 , more preferably at least about 1×10^6 , even more preferably at least about 2×10^6 RU/ml AAV vectors are produced per 2×10^5 cells during the culture period.

Various growth media may be used in the disclosed invention to achieve large-scale cell growth and AAV production. The selection of growth medium varies depending on the type of cells being cultured. In a particular embodiment, said cells are mammalian cells. In a preferred embodiment, said cell is Human Embryo Kidney (HEK) 293 cell lines. More preferably, said cells are cells suitable for being grown in suspension.

For the culture of adherent cells, roller bottles (cylindrical tissue culture flasks rotated at a given velocity) are used in order to provide the necessary surface for cell attachment.

13

Alternatively, micro-carriers are also a suitable system to support adherent cell cultures. For the culture of suspension cells, stirred tank bioreactors are the most indicated systems, since they enable to reach high cell density cultures that in turn can provide large amounts of rAAV after purification.

In a particular embodiment of the invention, a rocking-motion-type bioreactor is used. In another particular embodiment a stirred tank bioreactor could also be used. Once the cell culture in the reactor reaches a given point, transfection of cells is performed as mentioned above.

According to the method of the invention, step c) comprises recovering the AAVs produced in step b) and maintaining the cells in the cell culture under conditions allowing further division and growth. In a preferred embodiment of the method, step b) is performed culturing said cell in suspension in agitated liquid medium.

According to a particular embodiment of the method of the invention, in step b) the AAVs produced are secreted to the supernatant of the cell culture. Thus, according to step c) of the method of the invention, the rAAVs are harvested from the supernatant and the cells are kept in the cell culture for further division and growth. The spent media or supernatant is then collected together with the rAAVs so produced since, as it is shown in the Examples below, AAVs are secreted to the supernatant of the cell culture without the need of cell lysis.

In a particular embodiment, the cell media of the cell culture is exchanged before re-transfection is performed, i.e. before step d). In a particular embodiment, the cell media exchange is performed by centrifugation. In a preferred embodiment, media exchange is performed by perfusion. In a more preferred embodiment, continuous media exchange is performed by perfusion. More preferably, said culture medium is automatically exchanged by a perfusion system. By this system, the culture is replenished with fresh medium while cell-free supernatant is removed using a cell retention device. This process is preferably performed at a constant harvest flow rate. In this regard, in a preferred embodiment, new, fresh, culture media is added to the retained cells in order to allow them to further divide and grow. The constant addition of nutrients and removal of toxic metabolites allows perfusion cultures to reach and sustain high cell densities over many weeks.

The inventors have found that surprisingly, it is possible to re-transfect the retained cells in the cell culture with the plasmid vectors as described above for step a) so that the production of AAVs can be prolonged. In this sense, more rAAVs are produced using the cells retained in the cell culture device which are allowed to further divide and grow. Thus, the inventors have found that by performing repeated rounds of transfection, production of rAAVs can be extended over time using the same cell culture. Moreover, as it can be seen in the Examples accompanying the present invention, the inventors have found that by doing these medium exchanges, AAVs are secreted to the supernatant of the cell culture without the need of cell lysis and can be harvested every time the medium exchange is performed before each re-transfection round. Another advantage of the proposed methodology is that rAAVs are recovered from the supernatant, this being an advantage from the purification point of view as cells do not need to be lysed to harvest the AAVs and thus, less contamination with host cell DNA and host cell protein occurs.

Hence, the method of the invention comprises a step d) of re-transfecting the retained cells according to step c) with the plasmid vectors according to step a).

14

According to step d) of the method of the invention, re-transfection or repeated rounds of transfection are performed in the cell culture, as opposed to the conventional transient gene expression (TGE) approach which entails a single transfection round without medium exchange.

Moreover, the inventors have found that surprisingly said re-transfection and recovering steps can be repeated more than two times using the same cell culture, in a particular embodiment of the method of the invention, steps d), b) and c) are repeated at least one more time after recovering step c). In another particular embodiment steps d), b) and c) are repeated at least twice after recovering step c). In a more particular embodiment, steps d), b) and c) are repeated at least three times after recovering step c). In a preferred embodiment, steps d), b) and c) are repeated at least four times after recovering step c). In a more particular embodiment, steps d), b) and c) are repeated between one and three times after recovering step c). In a more particular embodiment, steps d), b) and c) are repeated between one and two times after recovering step c). In a preferred embodiment, the method of the invention includes one repetition of steps d), b) and c) after recovering step c). In a preferred embodiment of the method of the invention, steps d), b) and c) are repeated one more time after recovering step c).

As mentioned before, in a particular embodiment of the method of the invention, continuous media exchange is performed by perfusion. In a preferred embodiment, every time transfection is to be performed, perfusion stands. This allows plasmid vectors to enter the cell. In a more preferred embodiment, perfusion stands for a period of time of at least 1.5 hours, more preferably, of at least 2 hours, more preferably of at least 3 hours, even more preferably of at least 4 hours. In a preferred embodiment, there is a minimum interval of time between each re-transfection round. In a more preferred embodiment, said re-transfections are performed after an interval of time of at least 36 hours, more preferably, of at least 48 hours.

In another particular embodiment, said method comprises an additional step of lysing the cells in the supernatant after all rounds of re-transfection and recovering are finished.

There are several well-known techniques in the state of the art that can be used for cell disruption or cell lysis. Although freeze-thawing and/or sonication can be used to disrupt the cells, such techniques are not very suitable to large-scale preparations. Mechanical lysis techniques are thus preferable in those regards. Detergents and other chemical agents can also be employed to mediate or facilitate lysis. Treatment of lysates with nucleases (such as benzonase) has been found to be helpful for reducing viscosity and improving filterability. Clarification, e.g. by microfiltration to separate vector from at least some portion of the cellular debris, is also helpful for promoting recovery and purification. In a particular embodiment of the invention, said lysing step according to the method of the invention comprises using a nuclease, more preferably, said nuclease is benzonase.

In a particular embodiment of the method of the invention, the supernatant collected containing the rAAVs of the invention as described above is further processed so that the rAAVs are purified. In this regard, in another particular embodiment, the process is performed in a bioreactor coupled to a cell retention membrane, so that the cells are retained inside the reactor system while the AAVs are collected via the membrane, in a clean supernatant, free of cellular debris and therefore making purification much easier.

In order to be particularly useful for the production of AAV for gene therapy, it is most desirable for the techniques

to be “scalable”, i.e. applicable in conjunction with large-scale manufacturing devices and procedures.

By way of illustration, the AAVs can be loaded on a positively charged anion-exchange column, such as an N-charged amino or imino resin (e.g. POROS or any DEAE, TMAE, tertiary or quaternary amine, or PEI-based resin) or a negatively charged cation-exchange column (such as HS, SP, CM or any sulfo-, phospho- or carboxy-based cationic resin). The column can be washed with a buffer. The column can be eluted with a gradient of increasing NaCl concentration or a gradient of decreasing pH and fractions can be collected and assayed for the presence of AAV and/or contaminants.

Other procedures can be used in place of or, preferably, in addition to the above-described anion and cation exchange procedures, based on inter-molecular associations mediated by features other than charge as is known in the art. Such other procedures include intermolecular associations based on ligand-receptor pairs (such as antibody-antigen or lectin-carbohydrate interactions), as well as separations based on other attributes of the molecules, such as molecular sieving chromatography based on size and/or shape.

The pool of AAV-containing fractions eluted from a column as described above can be concentrated and purified by tangential flow filtration (TFF). The preparation is filtered through a membrane, and the product is retained. The retained material can be diafiltered using the membrane with successive washes of a suitable buffer. The final sample is highly enriched for the product and can be filtered and stored for use.

Transfection with the vector plasmids can occur on the day cell seeding is performed, or may be done on day one, day two, day three, day four, or day five post cell seeding depending on the cell seeding density.

In one embodiment of the invention, the host cells of choice are triple-transfected with at least one vector encoding a heterologous nucleotide sequence of interest, at least one vector encoding AAV rep and cap genes, and at least one vector encoding adenoviral accessory functions. In a particular embodiment, triple-transfection is performed using PEI transfection.

Packaging of plasmid backbone sequences (reverse packaging) during rAAV production by transient transfection is a common problem well known in the art. The term “reverse packaging” as used herein refers to the encapsidation of the backbone of the ITR containing plasmid instead of the heterologous sequence. Indeed, for AAV vectors, the predominant species of packaged DNA impurities are the plasmid sequences adjacent to the ITR flanking the expression cassette, likely generated by reverse packaging from the ITR. The presence of these particles in the rAAV stocks may represent a safety issue for clinical applications.

As shown in Example 1 below, the combination of optimized plasmids for the transfection, results in higher yield than production with the standard plasmids commonly used for AAV vector production and lower reverse packaging of bacterial sequences. In particular, the inventors have found that when cells are transfected with three plasmid vectors wherein a first plasmid vector i) comprises an heterologous nucleotide sequence flanked by ITRs and a stuffer DNA sequence located outside said ITRs, wherein said stuffer sequence has a length between 4400 Kb and 4800 Kb so that the plasmid backbone size is above 5 Kb; a second plasmid vector ii) comprising from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising a AAV p5 promoter region, and a third plasmid vector iii) comprising adenovirus helper func-

tions including VA-RNA, E2A y E4 sequences, wherein said plasmid does not contain E3, pTB(E2B), and Ad ITR, protease sequences, rAAV production is significantly increased. In this regard, according to the results shown below, AAV yield is augmented by three times when the combination of these three optimized plasmids is used instead of a combination of standard plasmids. Moreover, reverse packaging is also significantly reduced when compared with a triple transfection using standard plasmids well-known for the skilled person in the art, i.e. a non-oversized plasmid comprising the heterologous nucleotide sequence, a pRepCap vector, for example a pRep2Cap9 vector, and a plasmid containing adenoviral sequences required for AAV production (VA-RNA, E2A y E4). As mentioned before, the optimized helper plasmid used in the present invention contains the adenovirus helper functions including VA-RNA, E2A y E4 sequences required for AAV production. Said plasmid has been modified so that it does not contain certain sequences including E3, pTB(E2B), and Ad ITR sequences.

As it is clearly shown in FIG. 3, the use of an optimized plasmid containing an heterologous nucleotide sequence, wherein said plasmid is an oversized plasmid containing a stuffer DNA sequence, does not improve vector genome yield when used in combination with non-optimized plasmids i.e. with the standard vectors used for triple transfection. Thus, the use of an optimized oversized plasmid alone does not result in improvement of vector genome yield by triple transfection.

However, the combination of this optimized oversized plasmid with an optimized plasmid containing adenovirus helper functions (pAdhelper861) or an optimized plasmid containing AAV rep coding region and AAV cap coding region (pRepCap9-809) improved vector genome yield (see FIG. 3). Furthermore, when the three optimized vectors are combined, vector genome yield is greatly enhanced (see FIG. 3).

Moreover, the inventors have surprisingly found a reduction of reverse packaging of bacterial sequences when co-transfection of the optimized oversized plasmid (pcohSgsh-900) with either one or both optimized helper plasmids, pRepCap9-809 and/or pAdhelper861 is performed (FIG. 4). In particular, the use of the triple combination of these optimized plasmids results in a greater reduction in reverse packaging (FIGS. 4 and 5). Indeed, the reduction in the percentage of bacterial sequences due to the use of optimized helper plasmids (pAdhelper861) and/or (pRepCap9-809) was more pronounced when the optimized plasmid containing an oversized backbone (pcohSgsh-900) was co-transfected (FIG. 5).

The term “oversized backbone” as used herein refers to a plasmid backbone with a size in base pairs above the limit of encapsidation of the AAV vectors (approx. 4700 bp).

In a preferred embodiment, said second plasmid vector used in the method of the invention comprises an AAV Rep2 and an AAV Cap9 coding regions. In a preferred embodiment, said plasmid vector is pRepCap-809 with accession number DSM 32 as set forth in SEQ ID NO: 5.

Thus, in a particular embodiment of the method of the invention, in step a) the following three-plasmid vectors are used:

- i) a first plasmid vector comprising a heterologous nucleotide sequence flanked by ITRs and a stuffer DNA sequence located outside said ITRs, wherein said stuffer sequence has a length between 4400 Kb and 4800 Kb so that the plasmid backbone size is above 5 Kb;

17

- ii) a second plasmid vector comprising from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising an AAV p5 promoter region; and
- iii) a third plasmid vector comprising adenovirus helper functions including VA-RNA, E2A y E4 sequences, wherein said plasmid does not contain E3, pTB(E2B), and Ad ITR protease sequences.

In a particular embodiment, the stuffer DNA sequence is located adjacent to one of the ITRs in the first plasmid vector composing the heterologous nucleotide sequence.

In another particular embodiment, the plasmid backbone size is between 7000 bp and 7500 bp. In a more particular embodiment, the plasmid backbone size is between 7000 bp and 7200 bp.

In a preferred embodiment, said first plasmid vector does not contain an F1Ori nucleotide sequence in the backbone sequence.

In a more preferred embodiment, said first plasmid vector is pcohSgsh-900 with accession number DSM 32967, as set forth in SEQ ID NO: 2.

According to another embodiment of the method of the invention, it is possible to re-transfect the remaining cells in the cell culture with two plasmid vectors so that the production of AAVs can be prolonged as explained above.

Thus, the invention also refers to a method according to the invention wherein in step a) the following two plasmid vectors are used:

- i) a first plasmid vector comprising a heterologous nucleotide sequence flanked by ITRs and a stuffer DNA sequence located outside said ITRs, preferably, adjacent to one ITR, wherein said stuffer sequence has a length between 4400 Kb and 4800 Kb so that the plasmid backbone size is above 5 Kb, preferably between 7000 bp and 7500 bp, more preferably between 7000 bp and 7200 bp; and
- ii) a second plasmid vector comprising an AAV rep coding region, an AAV cap coding region, a nucleotide sequence comprising an AAV p5 promoter region, and adenovirus helper functions including VA-RNA, E2A and E4 sequences, wherein said plasmid does not contain E3, pTB(E2B), and Ad ITR Protease sequences.

In another particular embodiment, said second plasmid vector comprises from 5' to 3' the adenovirus helper functions including VA-RNA, E2A and E4 sequences, an AAV rep coding region, an AAV cap coding region, a nucleotide sequence comprising an AAV p5 promoter region.

In a particular embodiment, said first plasmid vector does not contain an F1Ori nucleotide sequence in the backbone sequence.

In another particular embodiment, said second plasmid vector comprises AAV Rep2 and AAV Cap9 coding regions.

As mentioned before, the combination of optimized plasmids for the transfection, results in higher yield than production with the standard plasmids commonly used for AAV vector production and lower reverse packaging of bacterial sequences.

In the Examples below it is shown that when production of rAAVs is performed using i) a plasmid vector comprising the heterologous nucleotide sequence flanked by ITRs; ii) a plasmid vector comprising from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising an AAV p5 promoter region; and iii) a plasmid vector comprising adenovirus helper functions including VA-RNA, E2A y E4 sequences, wherein said plasmid does not contain E3, pTB(E2B), and Ad ITR protease sequences,

18

reverse packaging is significantly reduced and moreover, productivity is increased, when compared with standard plasmids used for the production of AAVs by triple transfection.

Thus, in another aspect the invention refers to a method for the production of a recombinant AAV said method comprising the steps of:

- a) co-transfecting a suitable cell with
 - i) a first plasmid vector comprising a heterologous nucleotide sequence flanked by ITRs;
 - ii) a second plasmid vector composing from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising an AAV p5 promoter region; and
 - iii) a third plasmid vector comprising adenovirus helper functions including VA-RNA, E2A y E4 sequences, wherein said plasmid does not contain E3, pTB(E2B), and Ad ITR protease sequences;
- b) culturing said cell under conditions allowing AAV replication and packaging; and
- c) recovering the AAVs produced in step b).

In a preferred embodiment, said first plasmid vector i) is characterized in that the plasmid backbone size is above 5000 pb, preferably between 7000 bp and 7500 bp, more preferably, between 7000 bp and 7200 bp, and that it comprises a stuffer DNA sequence located outside said ITRs, preferably adjacent to one of the ITRs, and wherein said stuffer sequence has a length between 4400 pb and 4800. In a more preferred embodiment, said first plasmid vector i) does not contain an F1Ori nucleotide sequence in the backbone sequence. In a more preferred embodiment of the invention, said first plasmid is pcohSgsh-900 with accession number DSM 32967, as set forth in SEQ ID NO: 2.

In another preferred embodiment, said second plasmid vector ii) comprises AAV Rep2 and AAV Cap9 coding regions. In a preferred embodiment, said plasmid vector is pRepCap-809 with accession number DSM 32969 as set forth in SEQ ID NO: 5.

In another preferred embodiment, said third plasmid vector iii) is pAdHelper861 with accession number DSM 32965 as set forth in SEQ ID NO: 6.

As mentioned above, in another particular embodiment of the invention, step b) is performed culturing said cell in suspension in agitated liquid medium.

In another aspect, the invention also refers to a plasmid vector comprising:

- a) a heterologous nucleotide sequence flanked by ITRs; and
- b) a stuffer DNA sequence located outside said ITRs and adjacent to one ITR, wherein said stuffer sequence has a length between 4400 Kb and 4800 Kb, more preferably, between 4500 Kb and 4700 Kb, even more preferably between 4600 Kb and 4700 Kb, so that the plasmid backbone size is above 5 Kb, preferably between 7000 bp and 7500 bp; more preferably, between 7000 bp and 7200 bp;

wherein said plasmid vector does not contain a F1Ori nucleotide sequence in the backbone sequence. In a more preferred embodiment of the invention, said plasmid is pcohSgsh-900 with accession number DSM 32967, as set forth in SEQ ID NO: 2.

In another particular aspect, the invention refers to a helper plasmid vector containing the adenoviral sequences E2, E4 and VA-RNA wherein said plasmid vector does not contain E3, pTB(E2B), and Ad ITR Protease sequences. More particularly, this plasmid, contains a region of 731 bp that includes the VA genes, a 5346 bp region that includes

the E2A gene and the E4 genes and their regulatory regions are included into a 3181 bp fragment. The plasmid backbone contains a high copy number bacterial origin of replication. In a more preferred embodiment, the invention refers to the plasmid vector of SEQ ID NO: 6 which corresponds to pAdHelper861 deposited under accession number DSM 32965.

Use of rAAV for Gene Therapy

The rAAV viral vectors of this invention can be used for administration to an individual for purposes of gene therapy. Suitable diseases for gene therapy include but are not limited to those induced by viral, bacterial, or parasitic infections, various malignancies and hyperproliferative conditions, autoimmune conditions, and congenital deficiencies. In a preferred embodiment, the rAAV vectors produced according to the method of the invention are used for the treatment of lysosomal storage diseases (LSDs). More preferably, said vectors are helpful for the treatment of mucopolysaccharidoses (MPS). In a preferred embodiment, said heterologous nucleotide sequence is a sequence that codifies for an enzyme useful for the treatment of MPS. In particular, said sequence is selected from the group consisting of human α -L-iduronidase, human heparan sulfamidase, human N-sulfoglucosamine sulfohydrolase, human N-acetylglucosaminidase, alpha, human heparan-o-glucosaminide, human N-acetyltransferase, human Iduronate 2-sulfatase (IDS), human N-acetylglucosamine 6-sulfatase, human galactose-6-sulfate sulfatase, human β -galactosidase, human N-acetylglucosamine-4-sulfatase, β -glucuronidase, and human hyaluronidase.

Gene therapy can be conducted to enhance the level of expression of a particular protein either within or secreted by the cell. Vectors of this invention may be used to genetically alter cells either for gene marking, replacement of a missing or defective gene, or insertion of a therapeutic gene. Alternatively, a polynucleotide may be provided to the cell that decreases the level of expression. This may be used for the suppression of an undesirable phenotype, such as the product of a gene amplified or overexpressed during the course of a malignancy, or a gene introduced or overexpressed during the course of a microbial infection. Expression levels may be decreased by supplying a therapeutic polynucleotide comprising a sequence capable, for example, of forming a stable hybrid with either the target gene or RNA transcript (antisense therapy), capable of acting as a ribozyme to cleave the relevant mRNA or capable of acting as a decoy for a product of the target gene.

Pharmaceutical compositions can be supplied as liquid solutions or suspensions, as emulsions, or as solid forms suitable for dissolution or suspension in liquid prior to use. The carrier is, for instance, water, or a buffered saline solution, with or without a preservative.

The pharmaceutical compositions may be lyophilized for re-suspension at the time of administration or in solution. In a preferred embodiment, the pharmaceutical composition of the invention is a suspension for injection. The final product is then formulated in a suitable buffer, filled in vials and stored until use.

Although not required, pharmaceutical compositions may optionally be supplied in unit dosage form suitable for administration of a precise amount.

Having described the invention in general terms, it will be more easily understood by reference to the following examples which are presented as an illustration and are not intended to limit the present invention in any way.

EXAMPLES

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of molecular biology, virology, animal cell culture and biochemistry

which are within the skill of the art. Such techniques are explained fully in the literature.

Example 1

Triple Transfection Using Standard Plasmid Vectors vs Optimized Vectors

1.1. Plasmid Description

10 Plasmid pcOHsgsh-827 (SEQ ID NO: 1)

Plasmid containing a 1512 bp codon optimized cDNA that codifies for the human N-sulfoglucosamine sulfohydrolase under the control of the 1756 bp CAG promoter and a 519 bp fragment corresponding to the rabbit b-globin pA. These three elements are flanked by the AAV 2 ITR sequences. The plasmid backbone size is 3156 bp (standard backbone size) and comprises a 966 bp ampicillin resistance gene, a 514 bp bacteriophage origin of replication and a 589 bp high copy number bacterial origin of replication.

15 Plasmid pcOHsgsh-900 (SEQ ID NO: 2)

Oversized plasmid containing a 1512 bp codon optimized cDNA that codifies for the human N-sulfoglucosamine sulfohydrolase under the control of the 1756 bp CAG promoter and a 519 bp fragment corresponding to the rabbit b-globin pA. These three elements are flanked by the AAV 2 ITR sequences. The plasmid backbone is 7073 bp, comprises the 1043 bp kanamycin resistance gene, a 589 bp high copy number bacterial origin of replication and additionally includes a 4657 bp random sequence.

20 Plasmid pOHIDS-874 (SEQ ID NO: 3)

Oversized plasmid containing a 1653 bp codon optimized cDNA that codifies for the human Iduronate 2-sulfatase under the control of the 1756 bp CAG promoter and a 519 bp fragment corresponding to the rabbit b-globin pA. These three elements are flanked by the AAV 2 ITR sequences. The plasmid backbone is 7073 bp and comprises the 1043 bp kanamycin resistance gene, a 589 bp high copy number bacterial origin of replication and additionally includes a 4657 bp random sequence.

25 Plasmid pRepCap9-808 (SEQ ID NO: 4)

Plasmid encoding the rep2 and the cap9 proteins with the P5 promoter in its original position. This plasmid includes a 1866 bp fragment corresponding to the AAV2 Rep gene followed by a sequence of 2211 bp encoding the AAV9 Cap gene. The 130 bp AAV2 P5 promoter is located on its original position upstream of the Rep gene. The plasmid backbone comprises the ampicillin resistance gene and a high copy number bacterial origin of replication.

30 Plasmid pRepCap9-809 (SEQ ID NO: 5)

Plasmid encoding the rep2 and the cap9 proteins with the P5 promoter after the Cap9 gene. This plasmid includes a 1866 bp fragment corresponding to the AAV2 Rep gene followed by a sequence of 2211 bp encoding the AAV9 Cap gene. A sequence of 130 bp corresponding to the AAV2 P5 promoter is located downstream of the Cap gene. The plasmid backbone comprises the kanamycin resistance gene and a high copy number bacterial origin of replication.

35 Plasmid pXX6

Plasmid containing the adenoviral sequences (E2, E4 and VA-RNA) which are required for the AAV production. The plasmid backbone comprises the ampicillin resistance gene and a high copy number bacterial origin of replication (Xiao et al. J Virol. 1998 March; 72(3): 2224-2232). Plasmid pXX6-80 derives from pXX6 where only the backbone was changed. pXX6-80 map and sequence are well described in the literature.

40 Plasmid pAdHelper861 (SEQ ID NO: 6)

Plasmid containing the adenoviral sequences (E2, E4 and VA-RNA) which are required for the AAV production, it contains a region of 731 bp that includes the VA genes, a 5346 bp region that includes the E2A gene and the E4 genes

and their regulatory regions are included into a 3181 bp fragment. The plasmid backbone comprises the kanamycin resistance gene and a high copy number bacterial origin of replication.

1.2. AAV9-CAG-cohSgsh Vector Production by Triple Transfection

Materials and Methods

AAV9-CAG-cohSgsh vectors were produced by transient triple-transfection using PEI-MAX as transfection agent as previously described (Ayuso E, et al. Gene Ther, 2010 April; 17(4):503-10). Briefly, HEK293 adherent cells at confluency were transfected with equimolar quantities of three plasmids: pcohSgsh-827, pRepCap9-808 and pXX6 (standard plasmids) or pcohSgsh-900, pRepCap9-809 and pAdHelper861 (optimized plasmids). PEI-MAX was used at a PEI:DNA ratio of 2:1. Cells were harvested 72 hours post-transfection and lysed by three cycles of freeze and thaw to release rAAV vectors from inside the cells (see Example 2 below). Production of rAAV vectors using suspension HEK293 cells has also been described (Joshua C Grieger, et al. Mol Ther. 2016 February; 24(2):1287-297).

Vector genomes were quantified by Taqman qPCR as previously described (Ayuso et al. cited supra) using primers and probe specific for the rabbit beta-globin poly A sequence present in the expression cassette. Also, reverse packaging was quantified by Taqman qPCR with primers and probe specific for the antibiotic resistant promoter sequence present in all the plasmid backbones used.

Statistical analyses were performed with GraphPad Prism 7.00.

TABLE 1

List of plasmids used for the triple-transfection.	
Name	Plasmid type
pcohSgsh-827	Standard
pRepCap9-808	Standard
pXX6	Standard
pcohSgsh-900	Optimized
pRepCap9-809	Optimized
pAdHelper861	Optimized

Results

Production of recombinant AAV9 vectors AAV9-CAG-cohSgsh by triple transfection using optimized plasmids, as described above, results in higher yield than production with the standard plasmids commonly used for AAV vector production (FIG. 1).

AAV9-CAG-cohSgsh vectors produced by triple transfection with the optimized plasmids result in lower reverse packaging of bacterial sequences than those obtained with the standard plasmids commonly used for AAV production (FIG. 2).

The use of an optimized plasmid containing an heterologous nucleotide sequence, wherein said plasmid is an oversized plasmid containing a stuffer DNA sequence (pcohSgsh-900), does not improve vector genome yield when used in triple transfection in combination with non-optimized plasmids, i.e. with the standard vectors used for triple transfections. Thus, the use of an optimized oversized plasmid alone does not result in improvement of vector genome yield by triple transfection (FIG. 3).

However, the combination of this optimized oversized plasmid with an optimized plasmid containing adenovirus helper functions (pAdHelper861) or an optimized plasmid containing AAV rep coding region and AAV cap coding region (pRepCap9-809) improved vector genome yield (see

FIG. 3). Furthermore, when the three optimized vectors are combined, vector genome yield is greatly enhanced (see FIG. 3).

Moreover, the inventors have surprisingly found a reduction of reverse packaging of bacterial sequences when co-transfection of the optimized oversized plasmid (pcohSgsh-900) with either one or both optimized helper plasmids, pRepCap9-809 and/or pAdHelper861 is performed (FIG. 4). In particular, the use of the triple combination of these optimized plasmids results in a greater reduction in reverse packaging (FIGS. 4 and 5) Indeed, the reduction in the percentage of bacterial sequences due to the use of optimized helper plasmids (pAdHelper861) and/or (pRepCap9-809) was more pronounced when the optimized plasmid containing an oversized backbone (pcohSgsh-900) was co-transfected (FIG. 5).

Example 2

Triple Transfection and Extended Gene Expression (EGE)

2.1. Cell Line, Media, and Culture Conditions

The cell line used is a serum-free suspension-adapted HEK 293 cell line (HEK 293SF-3F6) provided by the Biotechnology Research Institute of National Research Council of Canada (Montreal, Canada). Cells are cultured in Freestyle F17 medium (Invitrogen, Carlsbad, CA) supplemented with, Glutamax 8 mM, 0.1% Pluronic1 (Invitrogen) and 0.05 ng/L IGF. Cells are routinely maintained in 125-mL disposable polycarbonate erlenmeyer flasks (Corning, Steubenville, NY) in 20 mL of culture medium. Flasks are shaken at 130 rpm using an orbital shaker (Kuhner shakers, Switzerland) placed in an incubator maintained at 37° C. in a humidified atmosphere of 5% CO₂ in air. Cell count and viability are determined using Nucleocounter NC-3000 (ChemoMetec, Denmark).

2.2. Transient Transfection (TGE)

HEK 293 suspension cells are transiently transfected using PEIPro (Polysciences, Warrington, PA). HEK 293 cells are seeded at 0.5·10⁶ cells/mL in 125-mL disposable flasks, grown to 2·10⁶ cells/mL and transfected with 0.76 µg of pAdHelper861/mL of culture, 0.77 µg of pRepCap9-809/mL of culture and 0.38 µg of pcohSgsh-900/mL of culture and a DNA to PEI mass ratio of 1.2. PEI/DNA complexes are formed by rapidly adding PEI to DNA, both diluted in fresh culture media to attain the same volume (complex mixture volume is 5% of the total volume of the culture to be transfected). The mixture is incubated for 15 min at room temperature to allow complex formation poor to its addition to the cell culture.

2.3. Extended Gene Expression Methodology for coh-IDS Gene

The Extended Gene Expression (EGE) production strategy consists in performing repeated rounds of transfection to achieve a sustained level of gene expression over time as opposed to the conventional TGE approach which entails a single transfection round. After the first transfection, using the same plasmids and conditions as described above in 2.2, retransfection rounds were performed every 48 hours using the same plasmid and PEI concentrations after a complete medium exchange performed by centrifugation (at 300×g during 5 minutes). By doing these medium exchanges, AAVs are secreted to the supernatant of the culture and can be harvested every time the medium exchange before each retransfection is performed.

The results show (See FIG. 3) a 3-fold increase in total vg harvested from the supernatant when EGE methodology is performed. Total vg recovered after Batch (single transfection) was 8E11 vg obtained after cell lysis. Total vg recovered after EGE strategy was 2.5E12 vg from the supernatant,

this being an advantage from the purification point of view as cells do not need to be lysed to harvest the AAVs and thus less contamination with host cell DNA and host cell protein is expected.

2.4. Extended Gene Expression Methodology for cob-Sgsh Gene

The EGE methodology has also been tested for the gene coh-Sgsh as explained above in 2.3.

The results show (See FIG. 4) a 1.7-fold increase in total vg harvested from the supernatant when EGE methodology is performed. Total vg recovered after Batch (single transfection) was 1.9E12 vg obtained after cell lysis. Total vg recovered after EGE strategy was 3.18E12 vg from the supernatant. AAV production followed similar patterns that for phIDS (see 2.3 above) thus, supporting the general applicability of the EGE strategy.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 6

<210> SEQ ID NO 1

<211> LENGTH: 7771

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Plasmid pcshSgsh-827

<400> SEQUENCE: 1

```

gctgcgcgct cgctcgctca ctgaggccgc ccgggcaaaag cccgggcgctc gggcgacatt      60
tggctgcccc gcctcagtga gcgagcgagc gcgcagagag ggagtggcca actccatcac      120
taggggttcc ttgtagttaa tgattaacct gccatgctac ttatctactc gacattgatt      180
attgactagt tattaatagt aatcaattac ggggtcatta gttcatagcc catatatgga      240
gttccgcggt acataactta cggtaaatgg cccgcctggc tgaccgcca acgacccccg      300
cccattgacg tcaataatga cgtatgttcc catagtaacg ccaataggga ctttccattg      360
acgtcaatgg gtggagtatt tacggtaaac tgcccacttg gcagtacatc aagtgtatca      420
tatgccaagt acgcccccta ttgacgtcaa tgacggtaaa tggcccgctt ggcattatgc      480
ccagtacatg accttatggg actttcctac ttggcagtac atctacgtat tagtcatcgc      540
tattaccatg gtcgaggtga gccccacgtt ctgcttcact ctccccatct cccccccctc      600
cccccccca attttgtatt tatttatatt ttaattattt tgtgcagcga tgggggcggg      660
gggggggggg gggcgcgcg caggcggggc ggggcggggc gaggggcggg gcggggcgag      720
gcggagaggt gcggcggcag ccaatcagag cggcgcgctc cgaaagtctt cttttatggc      780
gaggcggcgg cggcggcggc cctataaaaa gcgaagcgcg cggcgggcgg gagtcgctgc      840
gcgctgcctt cgccccgtgc cccgctcgc cgccgcctcg cgcgccccgc cccggctctg      900
actgaccgcg ttactcccac aggtgagcgg gcgggacggc ctttctctc cgggctgtaa      960
ttagcgcttg gtttaatgac ggcttgttct tttctgtgg ctgcgtgaaa gccttgaggg      1020
gctccgggag ggccttttgt gcggggggag cggctcgggg ggtgcgtgcg tgtgtgtgtg      1080
cgtggggagc gccgcgtgcg gctccgcgct gcccgcggc tgtgagcgt gcgggcgcgg      1140
cgcggggctt tgtgcgctcc gcagtgtgcg cgaggggagc gcggccgggg gcggtgcccc      1200
gcggtgcggg gggggctgcg aggggaacaa aggctgcgtg cggggtgtgt gcgtgggggg      1260
gtgagcaggg ggtgtgggag cgctcggtcg gctgcaaccc cccctgcacc cccctccccg      1320
agttgctgag cacggcccg cttcgggtgc ggggctcgt acggggcgtg gcgcggggct      1380
cgccgtgccg ggcggggggg ggcggcaggt ggggggtccg gcgggggcgg ggcgcctcgc      1440
ggccggggag ggctcggggg aggggcgcgg cggcccccg agcgccggcg gctgtcgagg      1500
cgcggcgagc cgcagccatt gccttttatg gtaatcgtgc gagaggcgcg agggacttcc      1560
tttgtcccaa atctgtgagg agccgaaatc tgggaggcgc cgcgcacccc cctctagcgg      1620
gcgcggggcg aagcgggtgc gcgcggcag gaaggaaatg gcgggggagg gccttcgtgc      1680

```

-continued

gtgcgcgcgc	cgcgcgcgc	ttctccctct	ccagcctcgg	ggctgtccgc	gggggacgg	1740
ctgccttcgg	gggggacggg	gcagggcggg	gttcggcttc	tggcgtgtga	ccggcggctc	1800
tagagcctct	gctaaccatg	ttcatgcctt	cttctttttc	ctacagctcc	tgggcaacgt	1860
gctggttatt	gtgctgtctc	atcatttttg	caaagaattg	attaattcga	gcgaacgcgt	1920
gccaccatga	gctgccctgt	gcccgctgt	tgtgccctgc	tgctggtgct	gggactgtgc	1980
agagccagac	cccggaaacg	tctgctgctg	ctggccgacg	atggcggatt	tgagagcggc	2040
gcctacaaca	acagcgccat	tgccaccctc	catctggacg	ccctggccag	aagaagcctg	2100
ctgttcgcga	acgccttcac	cagcgtgtcc	agctgcagcc	ctagcagagc	ttccctgctg	2160
acaggcctgc	cccagcatca	gaatggcatg	tacggcctgc	accaggatgt	gcataccttc	2220
aacagcttcg	acaaagtgcg	gagcctgcc	ctgctcctgt	cacaggctgg	cgtgagaacc	2280
ggcatcatcg	gcaagaaaca	cgtgggcccc	gagacagtgt	accccttcga	cttcgcctac	2340
accgaagaga	acggcagcgt	gctgcaggtc	ggccggaaca	tcaccgggat	caagctgctc	2400
gtgcggaagt	ttctccagac	ccaggacgac	cggcccttct	tctgtacgt	ggccttcac	2460
gaccctcaca	gatcgggcca	cagccagccc	cagtacggca	ccttctgcga	gaagtccggc	2520
aacggcgaga	gcggcatggg	cagaatcccc	gactggaccc	cccaggcata	cgacctctg	2580
gacgtgctgg	tgccctactt	cgtgcccaac	acccctgccg	ccagagctga	tctggccgcc	2640
cagtacacca	ccgtgggcag	aatggatcag	ggcgtgggcc	tggtgctgca	ggaactgagg	2700
gacgtggcgg	tgtgaacga	caccctggtc	atcttcacct	ccgacaacgg	catcccatc	2760
cccagcggcc	ggaccaatct	gtactggccc	ggcacagccg	aacctctgct	ggtgtccagc	2820
cccagacacc	ctaagagatg	gggccagggtg	tccgaggcct	acgtgtccct	gctggacctg	2880
acccccacca	tctggactg	gttcagcctc	ccctacccca	gctacgccat	ctttggaagc	2940
aagaccatcc	acctgaccgg	cagatctctg	ctgctgccc	tggaaagctga	gcctctgtgg	3000
gccaccgtgt	tggcagacca	gagccaccac	gaagtgaacca	tgagctaccc	catgcggagc	3060
gtgcagcacc	ggcacttcgg	gctggtgcac	aacctgaact	tcaagatgcc	cttcccaatc	3120
gaccaggact	tttacgtgtc	ccccaccttc	caggacctgc	tgaacagaac	cacagccggc	3180
cagccccaccg	gctggtacaa	ggacctgcgg	cactactact	accgggcccag	atgggagctg	3240
tacgacagaa	gccgggaccc	ccacgagaca	cagaacctgg	ccaccgaccc	cagattcgcc	3300
cagctcctgg	aaatgctgcg	ggaccagctg	gccaaagtggc	agtgggagac	acacgaccct	3360
tgggtctcgc	ctcccgacgg	cgtgctggaa	gagaagctgt	ccccccagtg	ccagccactg	3420
cacaacgagc	tgtgatgaga	attcgagctc	ggtaccgggg	aatcaattca	ctctcagggt	3480
gcaggctgcc	tatcagaagg	tgggtggctgg	tgtggccaat	gccctggctc	acaaatacca	3540
ctgagatctt	tttccctctg	ccaaaaatta	tggggacatc	atgaagcccc	ttgagcatct	3600
gacttctggc	taataaagga	aatttatatt	cattgcaata	gtgtgttgga	attttttgtg	3660
tctctcactc	ggaaggacat	atgggagggc	aaatcattta	aaacatcaga	atgagtattt	3720
ggttttagagt	ttggcaacat	atgcccatat	gctggtgcc	atgaacaaag	gttggctata	3780
aagaggtcat	cagtatatga	aacagcccc	tgctgtccat	tccttatctc	atagaaaagc	3840
cttgacttga	ggttagattt	tttttatatt	ttgttttgtg	ttattttttt	ctttaacatc	3900
cctaaaattt	tccttacatg	ttttactagc	cagatttttc	ctctctctct	gaactactcc	3960
agtcataget	gtccctcttc	tcttatggag	atccctcgac	ctgcagccca	agctgtagat	4020
aagtagcatg	gcgggttaat	cattaactac	aaggaacccc	tagtgatgga	gttggccact	4080

-continued

ccctctctgc ggcctcgcgc gctcactgag gccgggcccac caaaggctgc ccgacgccc	4140
ggctttgccc gggcgccctc agtgagcgag cgagcgcgca gctgcattaa tgaatcgccc	4200
aacgcgcggg gagaggcggt ttgcgtattg ggcgctcttc cgcttctctg ctactgact	4260
cgctgcgcgc ggtcgttcgg ctgcggcgag cggatcacgc tactcaaaag gcggtaatac	4320
ggttatccac agaatacagg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa	4380
agggcaggaa ccgtaaaaag gccgcgttgc tggcgttttt ccatagctgc cgccccctg	4440
acgagcatca caaaaatcga cgctcaagtc agaggtggcg aaacccgaca ggactataaa	4500
gataccaggc gtttccccct ggaagctccc tcgtgcgcgc tctgttctcg accctgcgc	4560
ttaccggata cctgtccgcc tttctccctt cgggaagcgt ggcgctttct catagctcac	4620
gctgtaggta tctcagttcg gtgtaggctg ttgcgtccaa gctgggctgt gtgcacgaac	4680
cccccgttca gcccgaccgc tgcgccttat ccggtaacta tcgtcttgag tccaaccgg	4740
taagacacga cttatcgcca ctggcagcag ccaactggtaa caggattagc agagcgagg	4800
atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagaa	4860
cagtatttgg tatctgcgct ctgctgaagc cagttacctt cggaaaaaga gttggtagct	4920
cttgatccgg caaaaaaac accgctggta gcggtgggtt tttgtttgc aagcagcaga	4980
ttacgcgcag aaaaaaagga tctcaagaag atcctttgat cttttctacg gggctctgacg	5040
ctcagtggaa cgaaaactca cgtaaggga ttttggctat gagattatca aaaaggatct	5100
tcacctagat ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt	5160
aaacttggtc tgacagttac caatgcttaa tcagtgggc accatatctca gcgatctgtc	5220
tatttcgttc atccatagtt gcctgactcc ccgtcgtgta gataactacg atacgggagg	5280
gcttaccatc tggccccagt gctgcaatga taccgcgaga cccacgctca ccggctccag	5340
atztatcagc aataaaccag ccagccggaa gggccgagcg cagaagtggc cctgcaactt	5400
tatccgcctc catccagtct attaattggt gccgggaagc tagagtaagt agttcgccag	5460
ttaatagttt gcgcaacggt gttgccattg ctacaggcat cgtgggtgta cgctcgtcgt	5520
ttggtatggc ttcattcagc tccggttccc aacgatcaag gcgagttaca tgatccccca	5580
tgttgtgcaa aaaagcgggt agtcctctcg gtccctccgat cgttgcgaga agtaagtgg	5640
ccgcagtgtt atcactcatg gttatggcag cactgcataa ttctcttact gtcatgcat	5700
ccgtaagatg cttttctgtg actggtgagt actcaaccaa gtcattctga gaatagtgt	5760
tgccggcgacc gagttgctct tgcccggcgt caatacggga taataccgcg ccacatagca	5820
gaactttaaa agtgctcatc attggaaaac gttcttcggg gcgaaaactc tcaaggatct	5880
taccgctgtt gagatccagt tcgatgtaac ccaactcgtc acccaactga tcttcagcat	5940
cttttacttt caccagcgtt tctgggtgag caaaaacagg aaggcaaaat gccgcaaaa	6000
aggggaataag ggcgacacgg aaatgttgaa tactcatact cttccttttt caatattatt	6060
gaagcattta tcagggttat tgtctcatga gcggatacat atttgaatgt atttagaaaa	6120
ataaacaaat aggggttccg cgcacatttc cccgaaaagt gccacctgac gtctaagaaa	6180
ccattattat catgacatta acctataaaa ataggcgtat cagcaggccc tttcgtctcg	6240
cgcgtttcgg tgatgacggg gaaaacctct gacacatgca gctcccggag acggtcacag	6300
cttgtctgta agcggatgcc gggagcagac aagcccgta gggcgcgta gcgggtgttg	6360
gcgggtgtcg gggctggctt aactatgcgg catcagagca gattgtactg agagtgcacc	6420

-continued

atatgcgggtg tgaataaccg cacagatgcg taaggagaaa ataccgcatc aggcgattcc	6480
aacatccaat aaatcataca ggcaaggcaa agaattagca aaattaagca ataaagcctc	6540
agagcataaa gctaaatcgg ttgtaccaa aacattatga ccctgtaata cttttgcggg	6600
agaagccttt atttcaacgc aaggataaaa atttttagaa ccctcatata ttttaaatgc	6660
aatgcctgag taatgtgtag gtaaagattc aaacgggtga gaaaggccgg agacagtcaa	6720
atcaccatca atatgatatt caaccgttct agctgataaa ttcatgcggg agagggtagc	6780
tatttttgag aggtctctac aaaggctatc aggtcattgc ctgagagtct ggagcaaaca	6840
agagaatcga tgaacggtaa tcgtaaaact agcatgtcaa tcatatgtac cccggttgat	6900
aatcagaaaa gccccaaaa caggaagatt gtataagcaa atatttaaat tgtaagcgtt	6960
aatattttgt taaaattcgc gttaaatttt tgtaaataca gctcattttt taaccaatag	7020
gccgaaatcg gcaaaatccc ttataaatca aaagaataga ccgagatagg gttgagtgtt	7080
gttccagttt ggaacaagag tccactatta aagaacgtgg actccaacgt caaagggcga	7140
aaaacgctct atcagggcga tggcccacta cgtgaaccat caccctaate aagttttttg	7200
gggtcgaggt gccgtaaagc actaaatcgg aaccctaaag ggagcccccg atttagagct	7260
tgacggggaa agcggcgcaa cgtggcgaga aagggaagga agaaagcgaa aggagcgggc	7320
gctagggcgc tggcaagtgt agcggtcacg ctgcgcgtaa ccaccacacc cgccgcgctt	7380
aatgcgccgc tacagggcgc gtactatggt tgctttgacg agcacgtata acgtgctttc	7440
ctcgttagaa tcagagcggg agctaacag gaggcgatt aaagggtatt tagacaggaa	7500
cggtacgcca gaatcctgag aagtgttttt ataatcagtg aggccaccga gtaaaagagt	7560
ctgtccatca cgcaaattaa ccgttgctgc aatacttctt tgattagtaa taacatcact	7620
tgctgagta gaagaactca aactatcggc cttgctggta atatccagaa caatattacc	7680
gccagccatt gcaacggaat cgccattcgc cattcaggct gcgcaactgt tgggaagggc	7740
gatcgggtgcg ggcctcttcg ctattacgcc a	7771

<210> SEQ ID NO 2

<211> LENGTH: 11255

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Plasmid pcohSgsh-900

<400> SEQUENCE: 2

attacgccag ctgcgcctc gctcgctcac tgaggccgcc cgggcaaagc cggggcgtcg	60
ggcgaccttt ggtcgcccg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa	120
ctccatcact aggggttcct ttagttaat gattaacccg ccatgctact tatctactcg	180
acattgatta ttgactagtt attaatagta atcaattacg gggtcattag ttcatagccc	240
atatatggag ttccgcgtta cataacttac ggtaaatggc ccgcctgggt gaccgcccac	300
cgacccccgc ccattgacgt caataatgac gtatgttccc atagtaacgc caatagggac	360
tttccattga cgtcaatggg tggagtattt acggtaaaact gccacttg cagtacatca	420
agtgtatcat atgccaagta cgcacctat tgacgtcaat gacggtaaat ggccgcctg	480
gcattatgcc cagtacatga cttatggga ctttctact tggcagtaca tctacgtatt	540
agtcacgct attaacatgg tcgaggtgag cccacgctt tgcttcaact tccccatctc	600
ccccccctcc ccacccccaa ttttgtattt atttattttt taattatttt gtgcagcgat	660
gggggcgggg gggggggggg ggcgcgcgcc aggcggggcg gggcggggcg aggggcgggg	720

-continued

cggggcgagg	cgagagagtg	cgccggcagc	caatcagagc	ggcgcgctcc	gaaagtttcc	780
ttttatggcg	aggcggcggc	ggcggcggcc	ctataaaaag	cgaagcgcg	ggcgggcggg	840
agtcgctg	cgctgccttc	gccccgtgcc	ccgctccgcc	gccgcctcgc	gccgccccgc	900
ccggctctga	ctgaccgcgt	tactcccaca	ggtgagcggg	cgggacggcc	cttctcctcc	960
gggctgtaat	tagcgcttgg	tttaatgacg	gcttgtttct	tttctgtggc	tgctgaaaag	1020
ccttgagggg	ctccgggagg	gcccttctgt	cggggggagc	ggctcggggg	gtgctgctgt	1080
gtgtgtgtgc	gtggggagcg	ccgcgtgcgg	ctccgcgctg	cccgccggct	gtgagcgtg	1140
cgggcgcggc	gcggggcttt	gtgcgctccg	cagtgtgcgc	gaggggagcg	cgcccggggg	1200
cggtgccccg	cggtgcgggg	ggggctgcga	ggggaacaaa	ggctgcgtgc	ggggtgtgtg	1260
cgtggggggg	tgagcagggg	gtgtgggcgc	gtcggtcggg	ctgcaacccc	ccctgcaccc	1320
ccctccccga	gttctgagc	acggccccgc	ttcgggtgcg	gggctccgta	cggggcgtgg	1380
cgcggggctc	gccgtgccgg	gcgggggggt	gcggcaggtg	ggggtgccgg	gcggggcggg	1440
gccgcctcgg	gccggggagg	gctcggggga	ggggcgcgcc	ggcccccgga	gcgccggcgg	1500
ctgtcgaggc	gcggcgagcc	gcagccattg	ccttttatgg	taatcgtgcg	agaggcgca	1560
gggacttcct	ttgtcccaaa	tctgtgcgga	gccgaaatct	gggaggcgcc	gccgcacccc	1620
ctctagcggg	gcggggcgga	agcgggtgcg	cgccggcagg	aaggaaatgg	gcggggaggg	1680
ccttcgtgcg	tcgcgcgcgc	gccgtccctt	tctccctctc	cagcctcggg	gctgtccgcg	1740
gggggacggc	tgccctcggg	ggggacgggg	cagggcgggg	ttcggcttct	ggcgtgtgac	1800
cggcggctct	agagcctctg	ctaaccatgt	tcattgcctt	ttctttttcc	tacagctcct	1860
gggcaacgtg	ctggttattg	tgctgtctca	tcattttggc	aaagaattga	ttaattcgag	1920
cgaacgcgtg	ccaccatgag	ctgccctgtg	cccgcctgtt	gtgccctgct	gctgggtgctg	1980
ggactgtgca	gagccagacc	ccggaacgct	ctgctgtgcg	tgggcgacga	tgggcgattt	2040
gagagcggcg	cctacaacaa	cagcgccatt	gccacccctc	atctggacgc	cctggccaga	2100
agaagcctgc	tgttccggaa	cgccttcacc	agcgtgtcca	gctgcagccc	tagcagagct	2160
tccctgctga	caggcctgcc	ccagcatcag	aatggcatgt	acggcctgca	ccaggatgtg	2220
catcaattca	acagcttcga	caaagtgcgg	agcctgccac	tgctcctgtc	acaggctggc	2280
gtgagaaccg	gcacatcctg	caagaaacac	gtgggccccg	agacagtgtg	ccccctcgac	2340
ttcgccctaca	ccgaagagaa	cggcagcgtg	ctgcaggctg	gccgggaacat	cacccgggatc	2400
aaagtgcctg	tgcggaagtt	tctccagacc	caggacgacc	ggcccttctt	cctgtaacgtg	2460
gccttcacag	accctcagag	atgcggccac	agccagcccc	agtacggcac	cttctgcgag	2520
aagttcggca	acggcgagag	cggcattggc	agaatccccg	actggacccc	ccaggcatac	2580
gacctctctg	acgtgctggg	gccctaactc	gtgcccacaa	cccctgcgcg	cagagctgat	2640
ctggccgccc	agtacaccac	cgtgggcaga	atggatcagg	gcgtgggcct	ggtgctgcag	2700
gaactgaggg	acgtggcgtg	gctgaacgac	accctgggtc	tcttcacctc	cgacaacggc	2760
atcccatctc	ccagcggccg	gaccaatctg	tactggcccg	gcacagccga	acctctgctg	2820
gtgtccagcc	ccgagcacc	taagagatgg	ggccaggtgt	ccgaggccta	cgtgtccctg	2880
ctggacctga	ccccaccat	cctggactgg	ttcagcatcc	cctaccccag	ctacgccatc	2940
tttgaagca	agaccatcca	cctgacgggc	agatctctgc	tgctgcctcc	ggaagctgag	3000
cctctgtggg	ccaccgtgtt	cggcagccag	agccaccacg	aagtgaacct	gagctacccc	3060

-continued

atgcggagcg	tgcagcaccg	gcacttcg	ctggtgcaca	acctgaactt	caagatgccc	3120
ttcccaatcg	accaggactt	ttacgtgtcc	cccaccttcc	aggacctgct	gaacagaacc	3180
acagccggcc	agcccaccg	ctggtacaag	gacctgcggc	actactacta	ccgggccaga	3240
tgggagctgt	acgacagaag	ccgggacccc	cacgagacac	agaacctggc	caccgacccc	3300
agattcgccc	agctcctgga	aatgctgcgg	gaccagctgg	ccaagtggca	gtgggagaca	3360
cacgaccctt	gggtctgcgc	tcccgcggc	gtgctggaag	agaagctgtc	ccccagtg	3420
cagccactgc	acaacgagct	gtgatgagaa	ttcgagctcg	gtacccggga	atcaattcac	3480
tcctcagggt	caggctgcct	atcagaaggt	ggtggctggt	gtggccaatg	ccctggctca	3540
caaataccac	tgagatcttt	ttccctctgc	caaaaattat	ggggacatca	tgaagccct	3600
tgagcatctg	acttctggct	aataaaggaa	atttattttc	attgcaatag	tgtgttgaa	3660
ttttttgtgt	ctctcactcg	gaaggacata	tgggagggca	aatcatttaa	aacatcagaa	3720
tgagtatttg	gtttagagtt	tggcaacata	tgcccatatg	ctggctgcca	tgaacaaagg	3780
ttggctataa	agaggtcatc	agtatatgaa	acagccccct	gctgtccatt	ccttattcca	3840
tagaaaagcc	ttgacttgag	gttagatttt	ttttatat	tgttttgtgt	tatttttttc	3900
tttaacatcc	ctaaaatttt	ccttacatgt	tttactagcc	agatttttcc	tcctctctcg	3960
actactccca	gtcatagctg	tcctcttct	cttatggaga	tcctcgacc	tgcagcccaa	4020
gctgtagata	agtagcatgg	cgggttaatc	attaactaca	aggaacccct	agtgatggag	4080
ttggccactc	cctctctg	cgctcgctcg	ctcactgagg	ccgggcgacc	aaaggctg	4140
cgacgcccg	gctttgccc	ggcgccctca	gtgagcgagc	gagcgcgag	ctgcattaat	4200
gaatcgccca	acgcgcggg	agaggcggtt	tgcgtattgg	gcgctcttcc	gcttcctcg	4260
tcactgactc	gctgcgctcg	gtcgttcggc	tgcggcgagc	ggtatcagct	cactcaaagg	4320
cggaataacg	gttatccaca	gaatcagggg	ataacgcagg	aaagaacatg	tgagcaaaag	4380
gccagcaaaa	ggccaggaac	cgtaaaaaag	ccgcgttgct	ggcgtttttc	cataggctcc	4440
gccccctga	cgagcatcac	aaaaatcgac	gctcaagtca	gaggtggcga	aaccgcagag	4500
gactataaag	ataccaggcg	tttccccctg	gaagctccct	cgtagcgctct	cctgttccga	4560
ccctgcgcgt	taccggatac	ctgtccgcct	ttctcccttc	gggaagcggtg	gcgctttctc	4620
atagctcacg	ctgtagggtat	ctcagttcgg	tgtaggctgt	tcgctccaag	ctgggctgtg	4680
tgcacgaacc	ccccgttcag	ccgcaccgct	gcgccttata	cggtaaactat	cgtcttgagt	4740
ccaacccggt	aagacacgac	ttatcgccac	tggcagcagc	cactggtaac	aggattagca	4800
gagcgaggta	tgtaggcggt	gctacagagt	tcttgaaagt	gtggcctaac	tacggctaca	4860
ctagaagaac	agtatttggt	atctgcgctc	tgctgaagcc	agttaccttc	ggaaaaagag	4920
ttggtagctc	ttgatccggc	aaacaaacca	ccgctggtag	cggtgggtttt	ttgtttgca	4980
agcagcagat	tacgcgcaga	aaaaaaggat	ctcaagaaga	tcctttgatc	ttttctacgg	5040
ggtctgacgc	tcagtggaac	gaaaactcac	gttaagggat	tttggctcatg	agattatcaa	5100
aaaggatctt	cacctagatc	cttttaaatt	aaaaatgaag	ttttaaatca	atctaaagta	5160
tatatgagta	aacttggtct	gacagttacc	aatgcttaat	cagtgaggca	cctatctcag	5220
cgatctgtct	atttcgttca	tccatagttg	cctgactccc	cgctggttag	ataactacga	5280
tacgggaggg	cttaaccatct	ggccccagtg	ctgcaatgat	accgggggta	acgcgaattt	5340
taacaaaata	ttaacgctta	caatttaggt	ggcacttttc	ggggaaatgt	gcgcggaacc	5400
cctatttggt	tatttttcta	aatacattca	aatatgtatc	cgctcatgag	acaataaacc	5460

-continued

tgataaatgc ttcaataata ttgaaaaagg aagagtatga ttgaacagga tggcctgcat	5520
gcgggtagcc cggcagcgtg ggtggaacgt ctgtttggct atgattgggc gcagcagacc	5580
attggtcgtc ctgatgcggc ggtgtttcgt ctgagcgcgc agggctcgtcc ggtgctgttt	5640
gtgaaaaccg atctgagcgg tgcgtgaac gagctgcagg atgaagcggc gcgtctgagc	5700
tggctggcca ccaccggtgt tccgtgtgcg gcggtgctgg atgtggtgac cgaagcgggc	5760
cgtgattggc tgctgctggg cgaagtgcg ggtcaggatc tgctgtctag ccattcggcg	5820
ccggcagaaa aagtgagcat tatggcggat gccatgcgtc gtctgcatac cctggaccgc	5880
gcgacctgtc cgtttgatca tcaggcgaac catcgtattg aacgtgcgcg taccctgatg	5940
gaagcgggcc tgggtgatca ggatgatctg gatgaagaac atcagggcct ggcaccggca	6000
gagctgtttg cgcgtctgaa agcagcatg ccggatggcg aagatctggt ggtgacctat	6060
ggtgatgcgt gcctgccgaa cattatggtg gaaaatggcc gttttagcgg ctttattgat	6120
tcgggccgtc tgggcgtggc ggatcgttat caggatattg cgcctggccac ccgtgatatt	6180
gcggaagaac tgggcggcga atgggcggat cgttttctgg tgctgtatgg cattgcggca	6240
ccggatagcc agcgtattgc gttttatcgt ctgctggatg aatttttcta ataactgtca	6300
gaccaagttt actcatatat actttagatt gatttaaac ttcattttta atttaaaaca	6360
attggatggg caattggata tcgtcatctt tgagacacaa tctccacct cactggaatt	6420
tagttctctc tataattagc ctctctcata agttgacta cttcagcgtc ccattatgcac	6480
ccttaccacg aagacagggt tgtccaatcc catattgcga ccttggcagg gggttcgcaa	6540
gtccaccocg aaacgttgct gaaggtcag gtttctgagc gacaaaagg taatacgcga	6600
gttcccgctc ataacctgga ccgaatgcg aatcatgcat cgttcactg tgtttgtctc	6660
atgtaggacg ggcgcaaagc atacttagtt caatctttaa taccttatat tattgtacac	6720
ctaccggtca ccagccaaca atgtgcggac ggcgttgcaa ctttcagggc ctaactctgac	6780
cgttgtagat accgcactct gggcaatacg aggtaatgcc agtcaccagc tgcgaacaa	6840
cacctgacct aacggtaaga ggctcacata atggctctgc cggcgtgccc agggatatatt	6900
aggtcagcat cagatggact gacatgaatc ttacaccga agcggaaacg ggtgcgtgga	6960
ctagcgagga gcaaacgaaa attcctggcc tgcttgatgt ctcgtaatct tcttagagat	7020
ggacgaaatg tttcacgacc taggaaaagg tcgcctaca aaatagattt gcgttactct	7080
cttcatagga tccccggtgt agcgaagat caaggcgacc ctaggtagca accgcggct	7140
tcggcggtaa ggtatcactc aagaagcaga ctacgtaaga cacggtctag ctgactgtct	7200
atcgctagg tcaaataggg agctttgatt ctgcatgtcc agcttttagat tcactttagc	7260
gcgcagatct gggctgagat aaaatcacca gtacccaaga ccaggggggc tcgccgcgtt	7320
ggctaactct ggtacatctt gtaatgaata ttcagtagaa aatttggtgtt agaaggacga	7380
gtcccatgt accaaaagcg ataacgatcg gtgggagtat tcattgtggt gaagacgctg	7440
ggtttacgtg ggaaagggtc ttgtgtccca acaggctagg atataatgct gaagcccttc	7500
cccaagcgtt cagggtggga tttgtacaa cttccgagtc caacgtgtcc gtgttcattgt	7560
tatatatgca caaggccgag aattggacgt agctttcgtg ttagtacgta gcatggtcac	7620
acaagcacag tagatcctgc ccgcgcattc tatatattaa gtttaattcta atggaatacg	7680
atgacatgtg gatgggcagt ggcgggtgtg tacacgccta ccgcgatgct gaatgacccg	7740
gactaaagtg gcgaaaatta tggcgtgtga cccgttatgc tcagttcgg tcagtgggtc	7800

-continued

attgcaagta gtcgattgca ttgtcaatct ccgagtgatt tagcgtgaca gccgcaggga	7860
accataaaaa tgcgatcgta gtccatccga tcgtacatag aaatgagggc ccccatacgc	7920
ccacgcacct gttcactcgt cgtttgcatt taagagccgc acgaaccaca gagcataaag	7980
aggacctcta gctcctttac aaagtggggc cgaccgatcg cttgcgcaac ttgtgaagtg	8040
tctaccatcc ctaagcccat ttcccgcata ttaaccctcg attgtatccg catctgatgc	8100
taccgtggtt gagttagcgt cgagcacgcg ggacttattg catgagtaga gttgactaag	8160
agccgttaga tggctcgtcg agctaatagt tgccgacaga tcgtcaagat tagaaaaagg	8220
ttgtagcatt atcggagggt ctctaactag tatcgatagc cgtgtcttca ctgtgccgcg	8280
gtacacctat gccgaaaaac cagttgggtg taaggggtcc cctgtccagg accccaccgc	8340
tagtgagaca tacacgttcg ttgggttcac cgcggtcggc cctgagtga ccaaggacac	8400
actgcagctc cgacccttac tgcgagaaaa ttgttatccc gccccgcag cttgccagct	8460
ctttcagtat catggagccc atgggtgaat gagtccaata acgaacttcg acatgataaa	8520
atccccccct cgcgacttcc agagaagaag actactgact tgagcgttcc cagcacttca	8580
gccaaggaag ttaccaatct ttgtttccg aatgacaccg gtctccttgc gggtagatcg	8640
ccgaccgcag aacttacgag ccaggggaaa cagtaaggcc taattaggta aaggagtaga	8700
gtgctcgaa ccttcagatg taacctata cttacgctgg atcttctccc gcgaatttta	8760
accctcacca actacgagat ttgaggtaaa ccaaataagc acgtagtggc gctatccgac	8820
tgttcccaaa ttgtaactta tcgttcctg aaggccagag ttacttccc gccctttcca	8880
tgccgcacc atacctcct agttccccg ttatctctcc gaggaggag tgagcgatcc	8940
tcggtttacg tttgttacc aatgacgtag ctatgtatct tgtacagggt gccaacgggt	9000
ttcacaatc acagatagtg gggtaaccgc caaaggccct atatttgccg tccaacttag	9060
gcgtaacta cgatggtacc tactcagacc cagctcgcgc ggcgtaata acgcactcat	9120
cccagctgat tctcggcgat ctacgcagcg acatgattat caacagctgt ctggcagctc	9180
taatctttta ccatggctgt aaaagcctcc aagagttaga tcatacctaa cgcacaaaaa	9240
gtgacacgac gccgatgggt accggacttt aggtgcacca cagttcggtg agggagaggc	9300
cctgcggcgt acttcatttt gtatatgcaa cgtgcccagg tggcgccagg caagtctcag	9360
ctggttccgt tgtagctgc aggttaggca tgggagctga ttgaacatgg gttgggggcc	9420
tcgaaccgtc gaggaccca tagtacgttt aaaccaagt agggcagcct atagtttgaa	9480
gcagtactat ttcagggggg gagccctcat ggtctcttct actgatgact caacacgcta	9540
gggacgtgaa gtcgattcct tcgatgggta taaatcaaa gctcagagtg cagtctggag	9600
cgcccatcta acggtacgca tctcgattgc tcggtcgcct ttcacactcc gcgaaaattc	9660
ataccgctca ttcactaggt tgcgaagcct aactgatata atgaatcaa gctagagcag	9720
ggctcttaaa attcggagtt gtagatgctc aatactccaa tcgggtttttt cgtgcaccac	9780
cgcgggtggc tgacaagggc ttgacatga gaaacaaggc agttccgggc tgaaagtagc	9840
gcgggtaag gtacgcgcct ggtatggcag gactatgaag ccaatacaaa ggctacatcc	9900
tactcgggt ggacggaaac gcagaattat ggttactttt tggatacgtg aaacatgtcc	9960
catggtagcc caaagacttg ggagtctatc acccctaggg cccatttctg gatatagacg	10020
ccagggtgaa tccgtatttg gaggtacgat ggatcagctc ggggtgggacg tgctccattt	10080
ataccctgcg caggctggac cgaggaccgc aagatgcgac ggtgcacaag taattgacaa	10140
caaaccatcg tgttttcatt atggtagcag gatcttcaag ccgagtcaat caagctcggc	10200

-continued

```

ttacagtgtt tacgcgctct tgcggttact cacaaactgt aatccaccac aagtcaagcc 10260
attgcctctc tgagagcgcc tatgaattaa tatgtaaact ttgcgcgggt tcactgcgat 10320
cggttcagtc tegtccaagg gcacaatcga attcccattt gtatgttcgg ctaacttcta 10380
cccatccccc gaagtttagc aggtcgtgag gtgtcatgga ggcctcgtt catcccgtag 10440
gacatcggtt aaacgccttg ataaagcacc ccgctcgggt gtagcagaga agacgcctac 10500
tgaattgtgc gatccctcca cctcagctaa ggtagctacc aatatttagt tttttagcct 10560
tgcgacagac ctctactta gattgccacg cattgagcta gcgagtcagc gataagcatg 10620
acgcgcttcc aagcgtcgcg agtatgtgaa ccaaggctcc ggacaggact atatacttgg 10680
gtttgatctc gccccgacaa ctgcaaacct caacatttat agattataag gtttagccgaa 10740
attgcacgtg gtggcgcccg ccgactgctc ccgagtggtg gctctttgat ctgacaacgc 10800
gcgacctcca tcgcggccga ttgtttctgc ggaccatgtc gtcctcatag tttgggcgatg 10860
tttccgttgt aggagtgaag ccacttagct ttgcgccgta gtcccaatga aaaacctatg 10920
gactttgttt tgggtagcat caggaatctg aacctgtgta atgtgggggt cgcgcgcata 10980
gacctttatc tccggttcaa gttaggcatg aggtgtcga cccctaatca gtgaggccac 11040
cgagtaaaag agtctgtcca tcacgcaaat taaccgttgt cgcaatactt ctttgattag 11100
taataacatc acttgctga gtagaagaac tcaaatatc ggcttgtctg gtaatatcca 11160
gaacaatatt accgccagcc attgcaacgg aatcgccatt cgccattcag gctgcgcaac 11220
tgttgggaag ggcgatcggg gcgggcctct tcgct 11255

```

```

<210> SEQ ID NO 3
<211> LENGTH: 11396
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Plasmid pohIDS-874

<400> SEQUENCE: 3

```

```

attacgccag ctgcgcctc gctcgctcac tgaggccgcc cgggcaaagc ccgggcgtcg 60
ggcgaccttt ggtcgcccg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa 120
ctccatcact aggggttctt tgtagttaat gattaacccg ccatgctact tatctactcg 180
acattgatta ttgactagtt attaatagta atcaattacg gggtcattag ttcatagcc 240
atatatggag ttccgcgtta cataacttac ggtaaatggc ccgcctgggt gaccgcccac 300
cgacccccgc ccattgacgt caataatgac gtatgttccc atagtaacgc caatagggac 360
tttcattga cgtcaatggg tggagtattt acggtaaaact gcccacttgg cagtacatca 420
agtgtatcat atgccaagta cgcgccctat tgacgtcaat gacggtaaat ggcccgcctg 480
gcattatgcc cagtacatga cttatggga ctttcctact tggcagtaca tctacgtatt 540
agtcacgct attaccatgg tcgaggtgag cccacgcttc tgettcactc tccccatctc 600
ccccccctcc ccacccccaa ttttgatttt atttattttt taattatttt gtgcagcgat 660
gggggcgggg gggggggggg ggcgcgcgcc aggcggggcg ggcggggcg aggggcgggg 720
cggggcgagg cggagagggt cggcggcagc caatcagagc ggcgcgctcc gaaagtttcc 780
ttttatggcg aggcggcggc ggcggcggcc ctataaaaag cgaagcgcgc ggcgggcggg 840
agtcgctgcg cgctgccttc gccccgtgcc ccgctccgcc gccgcctcgc gccgcgccgc 900
ccggctctga ctgaccgcgt tactcccaca ggtgagcggg cgggacggcc cttctcctcc 960

```

-continued

gggctgtaat tagcgcttgg ttaaatgacg gcttgtttct tttctgtggc tgcgtgaaag	1020
ccttgagggg ctccgggagg gccctttgtg cggggggagc ggctcggggg gtgcgtgcgt	1080
gtgtgtgtgc gtggggagcg ccgcgtgcgg ctccgcgctg cccggcggtc gtgagcgctg	1140
cgggcgcggc gcggggcttt gtgcgtccg cagtgtgcgc gaggggagcg cggccggggg	1200
cggtgccccg cggtgccggg ggggctgcga ggggaacaaa ggctgcgtgc ggggtgtgtg	1260
cgtggggggg tgagcagggg gtgtgggcgc gtcggtcggg ctgcaacccc cctgcacccc	1320
ccctccccga gttgctgagc acggcccggc ttcgggtgcg gggtccgta cggggcgtgg	1380
cgcggggctc gccgtgccg gcggggggtg gcggcagggt ggggtgccgg gcggggcggg	1440
gccgcctcgg gccggggagg gctcggggga ggggcgcggc ggcccccgga gcgccggcgg	1500
ctgtcgaggc gcggcgagcc gcagccattg ccttttatgg taatcgtgcg agaggcgca	1560
gggacttcct ttgtcccaaa tctgtgcgga gccgaaatct gggaggcgcc gccgcacccc	1620
ctctagcggg cgcggggcga agcgggtcgg ccgcggcagg aaggaaatgg gcggggaggg	1680
ccttcgtgcg tcgcgcgcgc gccgtccct tctccctctc cagcctcggg gctgtccgcg	1740
gggggacggc tgccctcggg ggggacgggg cagggcgggg ttcggcttct ggcgtgtgac	1800
cggcggtctc agagcctctg ctaaccatgt tcatgccttc ttcttttcc tacagctcct	1860
gggcaacgtg ctggttattg tgctgtctca tcattttggc aaagaattga ttaattcgag	1920
cgaacgcgtg ccaccatgcc ccacactaga accggaagag gattgctctg gctcggactt	1980
gtgtgttcca gcgtgtgtgt ggccttgggc tcggaacccc aggccaacag caccaccgac	2040
gccctgaatg tgctgtgat tatcgtggac gatctccggc cttcgctggg ctgctacggg	2100
gataagctgg tccgctcccc gaatatcgac caactggctt cacatagcct gcttttccaa	2160
aacgcattcg cccaacaagc cgtgtgcgcc ccgagccggg tgtcttctc caccggccgg	2220
cgcctgata ctacccggct ctacgacttc aacagctact ggagagtga cgcaggaaac	2280
ttctccacca ttctcagta ctttaaggag aacggttacg tcaccatgag cgtggggaag	2340
gtgttcacc ctggaatttc ctccaaccac accgacgact cgcatactc ctggtccttt	2400
cccccttacc acccatcatc cgagaagtac gagaacacca agacgtgcag gggcccagac	2460
ggggaactgc acgcgaacct cctctgcccg gtcgatgtgc tggatgtgcc cgaaggcacc	2520
ctccctgaca aacagagcac cgaacaggcc atccagctcc tcgagaagat gaaaacttca	2580
gcctccccgt tctttctggc cgtgggatac cacaagccgc atatccctt ccggtaccca	2640
aaggagttec agaagctgta ccgcgtggag aacattaccc tggctcctga tcccgaagt	2700
ccggacggcc tgccgcccg ggcatacaac ccttggtagg acatccgcca gagggaggat	2760
gtgcaagccc tgaacatctc cgtgccatac ggtccgatcc cggtcgactt ccagcggaag	2820
attaggcagt catatttcgc gtcctgtgcc tacttgga caacaggtcgg acgcctcctc	2880
tccgctctcg acgatctgca gctggccaac tcgaccatta tcgcgttcac ctcggaacct	2940
ggttgggctc tggggaacaa cggagaatgg gccaaagtaca gcaatttcga tgtcgcgact	3000
cacgtgcccc tgatcttcta cgtgcccgga cgcacagcca gcttgccctga agcgggggaa	3060
aagctgttec cttacctgga tcccttcgac tccgcctctc aacttatgga gccaggcaga	3120
cagtcgatgg acctggtgga actcgtgtca ctgttcccta ccctcgcggg tctggccgga	3180
cttcaggtec cgcctcgggt cccggtgcgg tccctccacg tggagctgtg tcgcgaggga	3240
aagaacctcc tgaaacactt ccggttcgcg gacctggagg aagatcccta cttgccgggc	3300
aacccgagag aacttatcgc ataactccag taccctcgcc cctccgacat cccgcagtgg	3360

-continued

aactccgaca agccgagcct gaaggacatt aagatcatgg ggtactccat cgggactatt	3420
gactatcggg acaactgtgtg ggtcgggttc aaccagatg agtttctggc caacttctcc	3480
gatatccatg ccggagagct gtacttcgtg gactcggacc cgctgcagga ccacaacatg	3540
tacaacgact cacagggcgg cgacctgttc cagttgtga tgcctgaga attcgagctc	3600
ggtaccggg aatcaattca ctctcaggt gcaggtgcc tatcagaagg tggtagctgg	3660
tgtggccaat gccctggctc acaaatacca ctgagatctt ttccctctg ccaaaaatta	3720
tggggacatc atgaagcccc ttgagcatct gacttctggc taataaagga aatttatatt	3780
cattgcaata gtgtgttgga attttttgtg tctctcactc ggaaggacat atgggagggc	3840
aaatcattta aaacatcaga atgagtattt ggttttagagt ttggcaacat atgcccatat	3900
gctggtgcc atgaacaaag gttggctata aagaggatc cagtatatga aacagcccc	3960
tgtgtccat tccttattcc atagaaaagc cttgacttga ggtagattt ttttatatt	4020
ttgttttgtg ttattttttt ctttaacatc cctaaaattt tccttacatg tttactagc	4080
cagatttttc ctctctctc gactactccc agtcataget gtccctcttc tttatggag	4140
atccctcgac ctgcagcca agctgtagat aagtagcatg gcgggttaat cattaactac	4200
aaggaaaccc tagtgatgga gttggccact ccctctctgc gcgtcgtc gctcactgag	4260
gcccggcgac caaaggctgc ccgacgccg ggctttgccc gggcgccctc agtgagcgag	4320
cgagcgcgca gctgcattaa tgaatcggcc aacgcgcggg gagaggcggg ttgcgtattg	4380
ggcgtctctc cgtctctctg ctactgact cgctcgtc ggtagctcg ctgcggcgag	4440
cggtatcagc tcaactcaaag gcggtaatac ggttatccac agaatacagg gataacgcag	4500
gaaagaacat gtgagcaaaa ggccagcaaa aggcagga ccgtaaaaag gccgcgttgc	4560
tggcggtttt ccataggctc cgtccctctg acgagcatca caaaaatcga cgtcaagt	4620
agaggtggcg aaaccgaca ggactataaa gataccagcg gtttccctc ggaagctccc	4680
tcgtcgtcctc tctgttctc accctgccgc ttaccggata cctgtccgc tttctccct	4740
cgggaagcgt ggcgtttct catagctcac gctgtaggta tctcagttcg gttaggtcg	4800
ttcgtccaa gctgggtgt gtgcacgaac ccccggttc gcccgaccg tgcgcttat	4860
ccggtacta tcgtcttgag tccaaccgg taagacacga cttatcgcca ctggcagcag	4920
ccactggtaa caggattagc agagcgaggt atgtaggcgg tgctacagag ttctgaagt	4980
ggtggcctaa ctacggctac actagaagaa cagtatttgg tatctgcgt ctgctgaagc	5040
cagttacctt cggaaaaaga gttggtagct cttgatccgg caaaaaagga tctcaagaag	5100
gcggtggttt tttgtttgc aagcagcaga ttacgcgcag aaaaaagga tctcaagaag	5160
atcctttgat cttttctacg ggtctgacg ctcaaggaa cgaaaactca cgttaaggga	5220
ttttggtcat gagattatca aaaaggatct tcacctagat ctttttaaat taaaaatgaa	5280
gttttaaatc aatctaaagt atatatgagt aaacttggtc tgacagttac caatgcttaa	5340
tcagtggagc acctatctca gcgatctgtc tatttcttc atccatagtt gctgactcc	5400
ccgtcgtgta gataactacg atacgggagg gcttaccatc tggccccagt gctgcaatga	5460
taccggggtt aacgcgaatt ttaacaaaat attaacgctt acaatttagg tggcactttt	5520
cggggaaatg tgcgggaac ccctatttgt ttattttctc aaatacttc aaatatgtat	5580
ccgtcatga gacaataacc ctgataaatg cttcaataat attgaaaaag gaagagtatg	5640
attgaacagg atggcctgca tgcgggtagc ccggcagcgt ggggtggaacg tctgtttggc	5700

-continued

tatgattggg	cgcagcagac	cattggctgc	tctgatgcgg	cggtgtttcg	tctgagcgcg	5760
caggggtcgtc	cggtgctgtt	tgtgaaaacc	gatctgagcg	gtgcgctgaa	cgagctgcag	5820
gatgaagcgg	cgcgtctgag	ctggctggcc	accacgcgtg	ttecgtgtgc	ggcgggtgctg	5880
gatgtggtga	cgaagcggg	cgtgattgg	ctgctgctgg	gcgaagtgcc	gggtcaggat	5940
ctgctgtcta	gccatctggc	gccggcagaa	aaagtgagca	ttatggcgga	tgccatgcgt	6000
cgtctgcata	ccttgaccc	ggcgacctgt	cgtttgatc	atcaggcgaa	acatcgtatt	6060
gaacgtgcgc	gtacccgtat	ggaagcgggc	ctggtggatc	aggatgatct	ggatgaagaa	6120
catcagggcc	tggcaccggc	agagctgttt	gcgctctga	aagcgagcat	gccggatggc	6180
gaagatctgg	tggtagccca	tggtagtcg	tgctgcccga	acattatggt	ggaaaatggc	6240
cgttttagcg	gctttattga	ttgcggccgt	ctgggcgtgg	cggatcgta	tcaggatatt	6300
gcgctggcca	cccgtgatat	tgccgaagaa	ctgggcggcg	aatgggcgga	tcgttttctg	6360
gtgctgatg	gcattgcggc	accggatagc	cagcgtattg	cgttttatcg	tctgctggat	6420
gaatttttct	aataactgtc	agaccaagtt	tactcatata	tactttagat	tgatttaaaa	6480
cttcattttt	aatttaaaac	aattggatgg	gcaattggat	atcgtcatct	ttgagacaca	6540
atctcccacc	tactggaat	ttagttctcg	ctataattag	ccttctcat	aagttgcact	6600
acttcagcgt	cccatatgca	cccttaccac	gaagacaggt	ttgtccaatc	ccatattgcg	6660
accttggcag	ggggttcgca	agtcaccacc	gaaacgttgc	tgaaggctca	ggtttctgag	6720
cgaacaaaag	ttaatacgcg	agttcccgct	cataacctgg	accgaatgcg	gaatcatgca	6780
tcgttcact	gtgtttgtct	catgtaggac	gggcgcaaag	catacttagt	tcaatcttga	6840
ataccttata	ttattgtaca	cctaccggtc	accagccaac	aatgtgcgga	cggcgttgca	6900
actttcaggg	cctaacttga	cgttgtaga	taccgcactc	tggaataac	gaggtaatgc	6960
cagtcaccca	gtgtogaaca	acacctgacc	taacggtaag	aggctcacat	aatggctctg	7020
cggcgtgcc	cagggatat	taggtcagca	tcagatggac	tgacatgaat	ctttacaccg	7080
aagcggaaac	gggtgcgtgg	actagcgagg	agcaaacgaa	aattcctggc	ctgcttgatg	7140
tctcgtaatc	ttcttagaga	tggacgaaat	gtttcacgac	ctaggaaaag	gtcgcctac	7200
aaaatagatt	tgcgttactc	tcttcatagg	atccccggtg	tagcgaaaga	tcaaggcgac	7260
cctaggtagc	aaccgccggc	ttcgccggta	aggatcact	caagaagcag	actcagtaag	7320
acacggtcta	gctgactgtc	tatgcctag	gtcaaatagg	gagctttgat	tctgcatgtc	7380
cagctttaga	ttcacttttag	cgcgcagatc	tgggtcgaga	taaaatcacc	agtacccaag	7440
accagggggg	ctgcgcgcgt	tggctaatac	tggtacatct	tgtaatgaat	attcagtaga	7500
aaatttgtgt	tagaaggacg	agtcaccatg	tacccaaaagc	gataacgac	ggtgggagta	7560
ttcattgtgg	tgaagacgct	gggtttacgt	gggaaagggtg	cttgtgtccc	aacaggctag	7620
gatataatgc	tgaagccctt	ccccaaagct	tcagggtggg	atttgcata	acttccgagt	7680
ccaacgtgtc	cgtgttcattg	ttatatatgc	acaaggccga	gaattggacg	tagctttcgt	7740
gttagtacgt	agcatggtca	cacaagcaca	gtagatcctg	cccgcgcac	ctatatatta	7800
agttaattct	aatggaatac	gatgacatgt	ggatgggcag	tggccggttg	ttacacgcct	7860
accgcgatgc	tgaatgaccc	ggactaaagt	ggcgaaaatt	atggcgtgtg	acccgttatg	7920
ctccagttcg	gtcagtgggt	cattgcaagt	agtcgattgc	attgtcaate	tccgagtgat	7980
ttagcgtgac	agccgcaggg	aaccataaaa	atgcgatcgt	agtcacatccg	atcgtacata	8040
gaaatgaggg	tccccatacg	cccacgcacc	tggttactcg	tcgtttgcat	ttaagagccg	8100

-continued

cacgaaccac agagcataaa gaggacctct agctccttta caaagtgggg tcgaccgatc	8160
gcttgcgcaa cttgtgaagt gtctaccatc cctaagccca tttcccgcat attaacccct	8220
gattgtatcc gcattctgatg ctaccgtggt tgagttagcg tcgagcacgc gggacttatt	8280
gcatgagtag agttgactaa gagccgttag atggctcgct gagctaatag ttgccgacag	8340
atcgtcaaga ttagaaaaag gttgtagcat tatcggaggt tctctaacta gtatcgatag	8400
ccgtgtcttc actgtgccgc ggctacctat cgcccgaaaa ccagttgggtg ttaaggggtc	8460
ccctgtccag gacgccaccg gtagtgagac atacacgttc gttgggttca ccgcggtcgg	8520
acctgagtgc accaaggaca cactgcagct ccgaccctta ctgtcgagaa atttgtatcc	8580
cgcccccgca gcttgccagc tctttcagta tcatggagcc catggttgaa tgagtccaat	8640
aacgaacttc gacatgataa aatccccccc tcgcgacttc cagagaagaa gactactgac	8700
ttgagcggtc ccagcacttc agccaaggaa gttaccaatt ttttgtttcc gaatgacacc	8760
ggtctccttg cgggtagatc gccgaccgca gaacttacga gccaggggaa acagtaaggc	8820
ctaattaggt aaagggagta agtgcctgaa cgcttcagat gtaaccatat acttacgctg	8880
gatctttccc cgcaattttt aacctcacc aactacgaga tttgaggtaa accaaataag	8940
cacgtagtgg cgctatccga ctgttcccaa attgtaactt atcgttccgt gaaggccaga	9000
gttacttccc ggccctttcc atgcgcgcac cataacctcc tagttccccg gttatctctc	9060
cgaggaggga gtgagcgatc ctccgtttac gttttgttac caatgacgta gctatgtatt	9120
ttgtacaggt tgccaacggg ttccacaatt cacagatagt ggggtacccg gcaaagggcc	9180
tatatattcg gtccaactta ggcgtaaaact acgatggtag ctactcagac ccagctcgcg	9240
cggcgtaaat aacgcactca tcccagctga ttctcggcga tctacgcagc gacatgatta	9300
tcaacagctg tctggcagct ctaatctttt acctgggtcg taaaagcctc caagagttag	9360
atcataccta acgcccacaa agtgacacga cgcgatggg taccggaactt taggtgcacc	9420
acagttcggg aaggagaggg ccctgcggcg tacttcattt tgtatatgca acgtgcccga	9480
gtggcgccag gcaagtctca gctgggtcct gtgttagctg caggctaggc atgggagctg	9540
attgaacatg ggttgggggc ctcgaaacct cgaggacccc atagtacgtt taaacccaag	9600
tagggcagcc tatagtttga agcagtacta tttcaggggg ggagccctca tgggtctctc	9660
tactgatgac tcaacacgct agggacgtga agtcgattcc ttcgatgggt ataaatcaaa	9720
ggctcagagt gcagttctga gcgcccatct aacggtacgc atctcgattg ctcggtcgcc	9780
tttcacactc cgcgaaaatt cataccgctc attcaactagg ttgcgaagcc tacactgata	9840
tatgaatcca agctagagca gggctcttaa aattcggagt tgtagatgct caatactcca	9900
atcggttttt tcgtgcacca ccgcgggtgg ctgacaaggg tttgacatcg agaaacaagg	9960
cagttccggg ctgaaagtag cgcggggtaa ggtacgcgcc tggtagggca ggactatgaa	10020
gccaatacaa aggtacatc ctcaactcggg tggacggaaa cgcagaatta tggttacttt	10080
ttggatacgt gaaacatgct ccatggtagc ccaaagactt gggagtctat caccctagg	10140
gcccatttct ggatatagac gccaggttga atccgtattt ggaggtacga tggatcagtc	10200
tgggtgggac gtgtccatt tataccctgc gcaggtgga ccgaggaccg caagatgcga	10260
cgggtgcacaa gtaattgaca acaaaccatc gtgttttcat tatggtacca ggatcttcaa	10320
gccaggtcaa tcaagctcgg attacagtgt ttaccgcgtc ttgcggttac tcacaaactg	10380
taatccacca caagtcaagc cattgcctct ctgagacgcc gtatgaatta atatgtaaac	10440

-continued

```

tttgcgctggg ttcactgcga tccgttcagt ctctgccaaagg ggcacaaatcg aattccatt 10500
tgtatgttgc gctaacttct acccatcccc cgaagtttag caggtcgtga ggtgcatgg 10560
aggctctcgt tcataccgtg ggacatcgtt taaacgcctt gataaagcac cccgctcggg 10620
tgtagcagag aagaagccta ctgaattgtg cgatccctcc acctcagcta aggtagctac 10680
caatatttag ttttttagcc ttgcgacaga cctcctactt agattgccac gcattgagct 10740
agcgagtcag cgataagcat gacgcgcttt caagcgtcgc gagtatgtga accaaggctc 10800
cggacaggac tataacttgg ggtttgatct cgcgccgaca actgcaaac tcaacattta 10860
tagattataa ggtagccga aattgcacgt ggtggcgccc gccgactgct ccccgagtgt 10920
ggctctttga tctgacaacg cgcgacctcc atcgcggcgg attgtttctg cggacctgt 10980
cgtcctcata gtttgggcat gtttccgttg taggagtga gccacttagc tttgcgcgt 11040
agtcccaatg aaaaacctat ggactttgtt ttgggtagca tcaggaatct gaacctgtg 11100
aatgtggggg tcgcgcgcgt agacctttat ctccgggttca agttaggcat gaggtgtcg 11160
acccctaact agtgaggcca ccgagtaaaa gagtctgtcc atcacgcaa ttaaccgttg 11220
tcgcaatact tctttgatta gtaataacat cacttgccctg agtagaagaa ctcaactat 11280
cggccttgct ggtaatatcc agaacaatat taccgccagc cattgcaacg gaatcgccat 11340
tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg tgcgggcctc ttcgct 11396

```

```

<210> SEQ ID NO 4
<211> LENGTH: 6630
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Plasmid pRepCap9-808

```

```

<400> SEQUENCE: 4

```

```

ctaaattgta agcgttaata ttttgtaaa attcgcgtta aatttttgtt aaatcagctc 60
attttttaac caataggcgg aaatcggcaa aatcccttat aaatcaaaag aatagaccga 120
gataggggtg agtggcgcgt acagggcgcgt cccattcgcc attcaggctg cgcaactgtt 180
gggaaggcgg tttcgggtcg ggcctcttcg ctattacgcc agctggcgaa agggggatgt 240
gtgcaaggc gattaagtgt ggtaacgcca ggggtttccc agtcacgacg ttgtaaaacg 300
acggccagtg agcgcgacgt aatacgaact actataggcg gaattggcgg aaggcgtca 360
aggccgcatc cggggcggcg cgcgaggtcc tgtattagag gtcacgtgag tgttttgca 420
cattttgcga caccatgtgg tcacgctggg tatttaagcc cgagtgaaga cgcagggtct 480
ccattttgaa cggggagggt tgaacgcgca gccgccatcg cgggggttta cgagattgtg 540
attaagggtc ccagcgacct tgacgagcat ctgcccgca tttctgacag ctttgtgaac 600
tgggtggccc agaaggatg ggagttgcgg ccagattctg acatggatct gaactgtatt 660
gagcaggcac ccctgaccgt ggcggagaag ctgcagcgcg actttctgac ggaatggcgc 720
cgtgtgagta agggcccgga ggcccttttc tttgtgcaat ttgagaaggg agagagctac 780
ttccacatgc acgtgctcgt ggaaccacc ggggtgaaat ccatgggtttt gggacgtttc 840
ctgagtcaga ttgcgaaaa actgattcag agaatttacc gcgggatcga gccgactttg 900
ccaaactggt tcgcggtcac aaagaccaga aatggcgccg gaggcgggaa caagggtgtg 960
gatgagtgtc acatcccaaa ttacttgctc cccaaaaccc agcctgagct ccagtggcgg 1020
tggaactaata tggaacagta ttaagcgcc tgtttgaatc tcacggagcg taaacgggtg 1080
gtggcgagc atctgacgca cgtgtcgcag acgcaggagc agaacaaaga gaatcagaat 1140

```

-continued

cccaattctg atgcgccggt gatcagatca aaaacttcag ccaggtacat ggagctggtc	1200
gggtggctcg tggacaaggg gattacctcg gagaagcagt ggatccagga ggaccaggcc	1260
tcatacatct ccttcaatgc ggccctcaac tcgcggtccc aaatcaaggc tgccttgga	1320
aatgcgggaa agattatgag cctgactaaa accgcccccg actacctggt gggccagcag	1380
cccgtaggag acatttccag caatcggatt tataaaattt tggaactaaa cgggtacgat	1440
ccccaatatg cggcttcctg ctttctggga tgggccacga aaaagttcgg caagaggaa	1500
accatctggc tgtttgggcc tgcaactacc gggaagacca acatcgcgga ggccatagcc	1560
cacctgtgc ccttctacgg gtgcgtaaac tggaccaatg agaactttcc ctccaacgac	1620
tgtgtcgaca agatgggat ctggtgggag gaggggaaga tgaccgcaa ggtcgtggag	1680
tcggccaaag ccattctcgg aggaagcaag gtgcgctgg accagaaatg caagtcctcg	1740
gccagatag acccgactcc cgtgatcgtc acctccaaca ccaacatgtg cgcctgatt	1800
gacgggaact caacgacctt cgaacaccag cagccgttgc aagaccgat gttcaaat	1860
gaactcacc gccgtctgga tcatgacttt gggaaggta ccaagcagga agtcaaagac	1920
tttttcctg gggcaaagga tcacgtggtt gaggtggagc atgaattcta cgtcaaaaag	1980
ggtggagcca agaaaagacc cgcctccagt gacgcagata taagtgagcc caaacgggtg	2040
cgcgagtcag ttgcgcagcc atcgacgtca gacgcggaag cttcgatcaa ctacgcagac	2100
aggtacaaa acaaatgttc tcgtcacgtg ggcattgaatc tgatgctgtt tccctgcaga	2160
caatcgaga gaattgaatc gaattcaaat atctgcttca ctcacggaca gaaagactgt	2220
ttagagtgtc ttccctgttc agaattctca cccgtttctg tcgtcaaaaa ggcgtatcag	2280
aaactgtgct acattcatca tatcatggga aaggtgccag acgcttgac tgcctgcgat	2340
ctggtcaatg tggatttggga tgactgcac tttgaacaat aaatgactta aaccaggat	2400
ggctgccgat ggttatcttc cagattggct cgaggacaac cttagtgaag gaattcgca	2460
gtggtgggct ttgaaacctg gagccctca acccaaggca aatcaacaac atcaagacaa	2520
cgtcagaggt cttgtgcttc cgggttacaa ataccttga cccggcaacg gactcgacaa	2580
gggggagccg gtcaacgcag cagacgcggc ggcctcgag cagacaagg cctacgacca	2640
gcagctcaag gccggagaca acccgtaact caagtacaac cagccgacg ccgagttcca	2700
ggagcggctc aaagaagata cgtcttttgg gggcaacctc gggcgagcag tcttccaggc	2760
caaaaagagg cttcttgaac ctcttgggtc ggttgaggaa gcggctaaga cggctcctgg	2820
aaagaagagg cctgtagagc agtctcctca ggaaccggac tcctccgagg gtattggcaa	2880
atcgggtgca cagcccgtc aaaagagact caatttcggt cagactggcg acacagagtc	2940
agtcccagac cctcaaccaa tcggagaacc tcccgagcc ccctcagggt tgggatctct	3000
tacaatggct tcaggtgggt gcgcaccagt ggcagacaat aacgaagggt ccgatggagt	3060
gggtagttcc tcgggaaatt ggcattgca tttccaatgg ctgggggaca gagtcacac	3120
caccagcacc cgaacctggg cctgcccac ctacaacaat cacctctaca agcaaatctc	3180
caacagcaca tctggaggat cttcaaatga caacgcctac ttcggctaca gcacccctg	3240
gggtattttt gacttcaaca gattccactg ccacttctca ccacgtgact ggcagcgact	3300
catcaacaac aactggggat tccggcctaa gcgactcaac ttcaagctct tcaacattca	3360
ggtcaagag gttacggaca acaatggagt caagaccatc gccataaacc ttaccagcac	3420
ggtccaggtc ttcacggact cagactatca gctcccgtag gtgctcgggt cggctcacga	3480

-continued

gggtgcctc cgcgcgttc cagcggacgt ttcatgatt cctcagtag ggtatctgac	3540
gttaaatgat ggaagccagg ccgtgggtcg ttgcctctt tactgcctgg aatatttccc	3600
gtcgcaaatg ctaagaacgg gtaacaactt ccagttcagc tacgagtttg agaacgtacc	3660
tttccatagc agctacgctc acagccaaag cctggaccga ctaatgaatc cactcatcga	3720
ccaatacttg tactatctct caaagactat taacggttct ggacagaatc aacaaacgct	3780
aaaattcagt gtggccggac ccagcaacat ggctgtccag ggaagaaact acatacctgg	3840
accagctac cgacaacaac gtgtctcaac cactgtgact caaaacaaca acagcgaatt	3900
tgcttgccct ggagcttctt cttgggctct caatggacgt aatagcttga tgaatcctgg	3960
acctgctatg gccagccaca aagaaggaga ggaccgttct ttctcttctg ctggatcttt	4020
aatttttggc aaacaaggaa ctggaagaga caacgtggat gcggacaaag tcatgataac	4080
caacgaagaa gaaattaaaa ctactaaccc ggtagcaacg gagtccatg gacaagtggc	4140
cacaaaccac cagagtgcct aagcacaggc gcagaccggc tgggttcaaa accaaggaa	4200
acttcgggt atggtttggc aggacagaga tgtgtacctg caaggaccca ttggggccaa	4260
aattcctcac acggacggca actttcaccc ttctcgcgtg atgggagggt ttggaatgaa	4320
gcaccgcct cctcagatcc tcatcaaaaa cacacctgta cctgcggatc ctccaacggc	4380
cttcaacaag gacaagctga actctttcat caccagtat tctactggcc aagtcagcgt	4440
ggagatcgag tgggagctgc agaaggaaaa cagcaagcgc tggaaaccgg agatccagta	4500
cacttccaac tattacaagt ctaataatgt tgaatttgc gttaatactg aagggtgata	4560
tagtgaacct cgcccatctg gcaccagata cctgactcgt aatctgtaac tgcttgtaaa	4620
tcaataaacc gtttaatttc tagagcggcc gccccgggct gggcctcatg ggcttccgc	4680
tcactgcccg ctttcagtc gggaaacctg tcgtgccagc tgcattaaca tggatcatgc	4740
tgtttctctg cgtattgggc gctctccgct tctcgcctca ctgactcgt gcgctcggc	4800
gttcgggtaa agcctggggt gcctaagtag caaaaggcca gcaaaaggcc aggaaccgta	4860
aaaaggccgc gttgctggcg tttttccata ggctccgccc ccctgacgag catcacaaaa	4920
atcgacgctc aagtcagagg tggcgaaacc cgacaggact ataaagatac caggcgtttc	4980
ccctggaag ctcctcgtg cgtctcctg ttccgacct gccgcttacc ggatacctgt	5040
ccgcctttct cccttcggga agcgtggcgc tttctcatag ctacgcgtg aggtatctca	5100
gttcgggtga ggtcgttcgc tccaagctgg gctgtgtgca cgaaccccc gttagcccg	5160
accgctgcgc cttatccggt aactatcgtc ttgagtcaca cccggaaga cagcacttat	5220
cgcactggc agcagccact ggtaacagga ttagcagagc gaggtatgta ggcgggtgta	5280
cagagttctt gaagtggtag cctaactacg gctacactag aagaacagta ttgggtatct	5340
gcgctctgct gaagccagtt accttcggaa aaagagttgg tagctcttga tccggcaaac	5400
aaaccaccgc tggtagcgggt ggtttttttg tttgcaagca gcagattacg cgcagaaaaa	5460
aaggatctca agaagatcct ttgatcttt ctacggggtc tgacgctcag tggaacgaaa	5520
actcagctta agggattttg gtcagagat tatcaaaaag gatcttcacc tagatccttt	5580
taaaataaaa atgaagtttt aaatcaatct aaagtatata tgagtaaac tggctctgaca	5640
gttaccaatg cttaatcagt gaggcacctc tctcagcgat ctgtctatct cgttcaccca	5700
tagttgcctg actccccgc gtgtagataa ctacgatacg ggagggtta ccatctggcc	5760
ccagtgctgc aatgataccg cgagaaccac gctcaccggc tccagattta tcagcaataa	5820
accagccagc cggaagggcc gagcgcagaa gtggtcctgc aactttatcc gcctccatcc	5880

-continued

```

agtctattaa ttgttgccgg gaagctagag taagtagttc gccagttaat agtttgcgca 5940
acgttggtgc cattgtaca ggcacgtgg tgtcacgctc gtcgtttggt atggcttcat 6000
tcagctccgg ttcccaacga tcaaggcgag ttacatgac ccccatgttg tgcaaaaaag 6060
cggttagctc cttcggctct cgcacgttg tcagaagtaa gttggccgca gtgttatcac 6120
tcatgggtat ggcagcactg cataattctc ttactgtcat gccatccgta agatgctttt 6180
ctgtgactgg tgagtactca accaagtcac tctgagaata gtgtatgcgg cgaccgagtt 6240
gctcttgccc ggcgtcaata cgggataata ccgcgccaca tagcagaact ttaaaagtgc 6300
tcacatttgg aaaacgttct tcggggcgaa aactctcaag gatcttaccg ctgttgagat 6360
ccagttcgat gtaaccact cgtgcacca actgatcttc agcatctttt actttacca 6420
gcgtttctgg gtgagcaaaa acaggaaggc aaatgccgc aaaaaaggga ataagggcga 6480
cacgaaatg ttgaatactc atactcttc tttttcaata ttattgaagc atttatcagg 6540
gttattgtct catgagcgga tacatatttg aatgtattta gaaaaataa caaatagggg 6600
ttccgcgcac atttcccga aaagtgccac 6630

```

```

<210> SEQ ID NO 5
<211> LENGTH: 6684
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Plasmid pRepCap9-809

```

```

<400> SEQUENCE: 5

```

```

ctaaattgta agcgttaata ttttgtaaa attcgcgtta aatttttgtt aaatcagctc 60
attttttaac caataggccg aaatcggcaa aatcccttat aaatcaaaag aatagaccga 120
gataggggtg agtggccgct acagggcgct cccattcgcc attcagctg cgcaactgtt 180
gggaaggcg tttcgggtcg ggcctcttcg ctattacgcc agctggcgaa agggggatgt 240
gtgcaaggc gattaagttg ggtaacgcca gggttttccc agtcacgacg ttgtaaaacg 300
acggccagt agcgcgacgt aatacgactc actatagggc gaattgaagg aaggccgtca 360
agggccgatg atatctgagc gcgcgtaata cgactcacta tagggcgaaat tgatatcggg 420
tcccggggcg gccgccgag ggtctccatt ttgaagcggg aggtttgaac gcgcagccgc 480
catgccggg ttttacgaga ttgtgattaa ggtcccccgc gaccttgacg agcatctgcc 540
cggcatttct gacagctttg tgaactgggt ggcgcgagaag gaatgggagt tgccgccaga 600
ttctgacatg gatctgaatc tgattgagca ggcacccctg accgtggccg agaagctgca 660
gcgcgacttt ctgacggaat ggcgcggtgt gagtaaggcc ccggaggccc ttttctttgt 720
gcaatttgag aaggagaga gctactcca catgcacgtg ctctgggaaa ccaccggggt 780
gaaatccatg gttttgggac gtttctgag tcagattcgc gaaaaactga ttacagagaat 840
ttaccgggg atcgagccga ctttgccaaa ctggttcgcg gtcacaaaga ccagaaatgg 900
cgccggaggc gggaacaagg tggtggatga gtgctacatc cccaattact tgctcccaa 960
aaccagcct gagctccagt ggcgtgggac taatatggaa cagtatttaa gcgcctgttt 1020
gaatctcacg gagcgtaaac ggttggtggc gcagcatctg acgcacgtgt cgcagacgca 1080
ggagcagaac aaagagaatc agaatcccaa ttctgatgag ccggtgatca gatcaaaaac 1140
ttcagccagg tacatggagc tggtcgggtg gctcgtggac aaggggatta cctcgagaaa 1200
gcagtggatc caggaggacc aggcctcata catctcctc aatgcggcct ccaactcgcg 1260

```

-continued

gtcccaaattc	aaggctgctt	tgacaaatgc	gggaaagatt	atgagcctga	ctaaaaccgc	1320
ccccgactac	ctgggtggcc	agcagcccg	ggaggacatt	tccagcaatc	ggatttataa	1380
aattttggaa	ctaaacgggt	acgatcccca	atatgcggt	tccgtctttc	tgggatgggc	1440
cacgaaaaag	ttcggcaaga	ggaacacccat	ctggctgttt	gggcctgcaa	ctaccgggaa	1500
gaccaacatc	gcggaggcca	tagcccacac	tgtgcccttc	tacgggtgcg	taaaactggac	1560
caatgagaac	tttcccttca	acgactgtgt	cgacaagatg	gtgatctggt	gggaggagg	1620
gaagatgacc	gccaaggctc	tggagtcggc	caaagccatt	ctcggaggaa	gcaaggtgcg	1680
cgtggaccag	aaatgcaagt	cctcgcccca	gatagaccgc	actcccgtga	tcgtcacctc	1740
caacaccaac	atgtgcgcgc	tgattgacgg	gaactcaacg	accttcgaac	accagcagcc	1800
gttgcaagac	cggatgttca	aatttgaact	caccgcgcgt	ctggatcatg	actttgggaa	1860
ggtcaccaag	caggaagtca	aagacttttt	cgggtgggca	aaggatcacg	tggttgaggt	1920
ggagcatgaa	ttctactgca	aaaaggggtg	agccaagaaa	agaccgcgcc	ccagtgcgc	1980
agatataagt	gagcccaaac	gggtgcgcga	gtcagttgcg	cagccatcga	cgtcagacgc	2040
ggaagcttcg	atcaactacg	cagacaggta	ccaaaacaaa	tgtctcgtc	acgtgggcat	2100
gaatctgatg	ctgtttccct	gcagacaatg	cgagagaatg	aatcagaatt	caaatatctg	2160
cttcaactac	ggacagaaag	actgtttaga	gtgctttccc	gtgtcagaat	ctcaaccggt	2220
ttctgtcgtc	aaaaaggcgt	atcagaaact	gtgtacatt	catcatatca	tgggaaaggt	2280
gccagacgct	tgcactgctt	gcgatctggt	caatgtggat	ttggatgact	gcattcttga	2340
acaataaatg	acttaaacca	ggtatggctg	ccgatgggta	tcttcagat	tggctcgagg	2400
acaaccttag	tgaagggaat	cgcgagtggt	gggctttgaa	acctggagcc	cctcaaccga	2460
aggcaaatca	acaacatcaa	gacaacgctc	gaggctctgt	gcttcgggt	tacaaatacc	2520
ttggaccgcg	caacggactc	gacaaggggg	agccgggtca	cgcagcagac	gcggcggccc	2580
tcgagcacga	caaggcctac	gaccagcagc	tcaaggccgg	agacaaccgc	tacctcaagt	2640
acaaccacgc	cgacgcccag	ttccaggagc	ggctcaaaga	agatacgtct	tttgggggca	2700
acctcgggcg	agcagctctc	caggccaaaa	agagcttctt	tgaacctctt	ggtctgggtg	2760
aggaagcggc	taagacggct	cctggaaaga	agaggcctgt	agagcagctc	cctcagggaac	2820
cggactcctc	cgcgggtatt	ggcaaatcgg	gtgcacagcc	cgctaaaaag	agactcaatt	2880
tcggtcagac	tggcgacaca	gagtcagtcc	cagaccctca	accaatcgga	gaacctcccg	2940
cagccccctc	agggttgggg	tctcttaca	tggcttcagg	tgggtggcga	ccagtggcag	3000
acaataacga	agggtccgat	ggagtgggta	gttcctcggg	aaattggcat	tgcgattccc	3060
aatggctggg	ggacagagtc	atcaccacca	gcaccgaac	ctgggccctg	cccacctaca	3120
acaatcacct	ctacaagcaa	atctccaaca	gcacatctgg	aggatcttca	aatgacaacg	3180
cctacttcgg	ctacagcacc	cctgggggt	atcttgactt	caacagattc	cactgccact	3240
tctcaccacg	tgactggcag	cgactcatca	acaacaactg	gggattccgg	cctaagcgac	3300
tcaacttcaa	gctcttcaac	atcaggtca	aagagggtac	ggacaacaat	ggagtcaaga	3360
ccatcgccaa	taaccttacc	agcacggtcc	aggctctcac	ggactcagac	tatcagctcc	3420
cgtacgtgct	egggtcggct	cacgagggct	gcctcccgc	gttcccagcg	gacgttttca	3480
tgattctcga	gtacgggtat	ctgacgttta	atgatggaag	ccaggccgtg	ggtcgttcgt	3540
ccttttactg	cctggaatat	ttcccgtcgc	aaatgctaag	aacgggtaac	aacttccagt	3600
tcagctacga	gtttgagaac	gtacctttcc	atagcagcta	cgctcacagc	caaagcctgg	3660

-continued

accgactaat gaatocactc atcgaccaat acttgacta tctctcaaag actattaacg	3720
gttctggaca gaatcaacaa acgctaaaat tcagtgtggc cggaccacgc aacatggctg	3780
tccagggaaag aaactacata cctggaccca gctaccgaca acaacgtgtc tcaaccactg	3840
tgactcaaaa caacaacagc gaatttgctt ggccctggagc ttcttcttgg gctctcaatg	3900
gacgtaatag cttgatgaat cctggacctg ctatggccag ccacaaagaa ggagaggacc	3960
gtttctttcc tttgtctgga tctttaattt ttggcaaaac aggaactgga agagacaacg	4020
tggatgcgga caaagtcatg ataaccaacg aagaagaaat taaaactact aaccggtag	4080
caacggagtc ctatggacaa gtggccacaa accaccagag tgcccaagca caggcgcaga	4140
cgggtcgggt tcaaaaccaa ggaatacttc cgggtatggt ttggcaggac agagatgtgt	4200
acctgcaagg acccatttgg gccaaaattc ctcacacgga cggcaacttt cacccttctc	4260
cgtgatggg agggtttggga atgaagcacc cgctctctca gatcctcatc aaaaacacac	4320
ctgtacctgc ggatcctcca acggccttca acaaggacaa gctgaactct ttcacaccc	4380
agtattctac tggccaagtc agcgtggaga tcgagtggga gctgcagaag gaaaacagca	4440
agcgtggaa cccggagatc cagtacactt ccaactatta caagtcta atgttgaat	4500
ttgctgttaa tactgaaggt gtatatagtg aaccccgccc cattggcacc agatacctga	4560
ctcgtaatct gtaattgctt gttaatcaat aaaccgttta attaggacta gtgaggtcct	4620
gtattagagg tcacgtgagt gttttgcgac attttgcgac accatgtggt cacgctgggt	4680
atttaagccc gagtgagcac gcagggtctc cattttgaag cgggaggttt gaacgcgcag	4740
cgcctctcca tttgtctag agcggccgccc cggggtggg cctcatgggc cttcctttca	4800
ctgcccgtt tccagtcggg aaacctgtcg tgccagctgc attaacatgg tcatagctgt	4860
ttccttgctt attgggctt ctcgcttcc tcgctcactg actcgtgctg ctcggctggt	4920
cgggtaaagc ctggggtgcc taatgagcaa aaggccagca aaaggccagg aaccgtaaaa	4980
aggccgctt gctggcggtt ttccataggc tcgcgcccc tgacgagcat cacaaaaatc	5040
gacgctcaag tcagaggtgg cgaaacccga caggactata aagataccag gcgtttcccc	5100
ctggaagctc cctcgtgcgc tctcctgttc cgacctgcc gcttaccgga tactgtccg	5160
cctttctccc ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt	5220
cgggtgtagt cgctcgtcc aagctgggct gtgtgcacga acccccgtt cagcccgacc	5280
gctgcgcctt atccggtaac tategtcttg agtccaaccc ggtaagacac gacttatcgc	5340
cactggcagc agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag	5400
agttcttgaa gtggtggcct aactacggct acactagaag aacagtattt ggtatctgcg	5460
ctctgctgaa gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaaaaa	5520
ccaccgctgg tagcgggtgt tttttgttt gcaagcagca gattacgcgc agaaaaaag	5580
gatctcaaga agatccttgg atcttttcta cggggtctga cgctcagtg aacgaaaact	5640
cacgttaagg gattttgttc atgagattat caaaaaggat cttcacctag atccttttaa	5700
attaaaaatg aagttttaaa tcaatctaaa gtatatatga gtaaaccttg tctgacagtt	5760
attagaaaaa ttcacccagc agacgataaa acgcaatacg ctggctatcc ggtgccgcaa	5820
tgccatacag caccagaaaa cgatccgccc attcgcgcc cagttcttcc gcaatatcac	5880
gggtggccag cgcaatatcc tgataacgat ccgccacgcc cagacggccc caatcaataa	5940
agccgctaaa acggccattt tccaccataa tgttcggcag gcacgcacaa ccatgggtca	6000

-continued

```

ccaccagatc ttcgccatcc ggcattgctcg ctttcagacg cgcaaacagc tctgccggtg 6060
ccaggccctg atgtttcttca tccagatcat cctgatccac caggcccgtt tccatacggg 6120
tacgcgcacg ttcaatacga tgtttcgctt gatgatcaaa cggacaggtc gccgggtcca 6180
gggtatgcag acgacgcatt gcatccgcca taatgctcac tttttctgcc ggcgccagat 6240
ggctagacag cagatcctga cccggcactt cgcccagcag cagccaatca cggcccgtt 6300
cggtcaccac atccagcacc gccgcacacg gaacaccggt ggtggccagc cagctcagac 6360
gcgcgcgttc atcctgcagc tctttcagcg caccgctcag atcggttttc acaaacagca 6420
ccggacgacc ctgcgcgttc agacgaaaca ccgcgcctc agagcagcca atggtctgct 6480
gcgcccattc atagccaaac agacgttcca cccacgtcgc cgggctaccc gcattgcaggc 6540
catcctgttc aatcatactc ttcctttttc aatattattg aagcatttat cagggttatt 6600
gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata ggggttcgcg 6660
gcacatttcc ccgaaaagtg ccac 6684

```

```

<210> SEQ ID NO 6
<211> LENGTH: 11584
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Plasmid pAdHelper861

```

```

<400> SEQUENCE: 6

```

```

ctaaattgta agcgttaata ttttgtaaa attcgcgtta aatttttgtt aaatcagctc 60
attttttaac caataggccg aaatcggcaa aatcccttat aaatcaaaag aatagaccga 120
gataggggtg agtggccgct acagggcgct cccattcgcc attcaggctg cgcaactgtt 180
gggaaggggc tttcgggtcg ggcctcttcg ctattacgcc agctggcgaa agggggatgt 240
gtgcaaggc gattaagttg ggtaacgcca gggttttccc agtcacgacg ttgtaaaacg 300
acggccagtg agcgcgacgt aatacgactc actatagggc gaattgaagg aaggccgtca 360
agggcgcatg cggcgccagt actatccgta gatgtacctg gacatccagg tgatgccggc 420
ggcgggtggt gaggcgcgcg gaaagtcgcg gacgcgggtc cagatgttgc gcagcggcaa 480
aaagtgtccc atggtcggga cgctctggcc ggtcaggcgc gcgcaactgt tgacgtctta 540
gaccgtgcaa aaggagagcc tgtaagcggg cactcttcgg tggctcgggtg gataaattcg 600
caagggtatc atggcggacg accgggggtc gagccccgta tccggccgct cgccgtgatc 660
catgcgggta cgcgcccgct gtcgaacca ggtgtgcgac gtcagacaac gggggagtg 720
tccttttggc ttccttccag gcgcggcggc tgcgtcgcta gcttttttgg ccactggccg 780
cgcgacagct aagcgggttag gctggaaagc gaaagcatta agtggctcgc tccctgtagc 840
cggaggggta ttttccaagg gttgagtcgc gggacccccg gttcagagtct cggaccggcc 900
ggactgcggc gaacgggggt ttgcctcccc gtcattgcaag accccgcttg caaatctctc 960
cgaaaacagg gacgagcccc ttttttgett tcccagatg catccgggtg tgcggcagat 1020
gcgccccctt cctcagcagc ggcaagagca agagcagcgg cagacatgca gggcaccctc 1080
ccctcctcct acccgctcag gagggcgac atcctcgca ggtacccaac tccatgctca 1140
acagtcccca ggtacagccc accctgcgtc gcaaccagga acagctctac agcttctctg 1200
agcgccactc gccctacttc cgcagccaca gtgcgcagat taggagcgcc acttcttttt 1260
gtcacttgaa aaacatgtaa aaataatgta ctagagacac tttcaataaa ggcaaatgct 1320
tttatttgta cactctcggg tgattattta cccccaccct tgccgtctgc gccgtttaaa 1380

```

-continued

aatcaaagg	gttctgcgc	gcctcgtat	gcgcactgg	caggacacg	ttgcgatact	1440
ggtgtttagt	gtccactta	aactcaggca	caaccatccg	cggcagctcg	gtgaagtttt	1500
cactccacag	gctgcgcacc	atcaccaacg	cgttttagcag	gtcgggcgc	gatatcttga	1560
agtcgcagtt	ggggcctccg	cctgcgcgc	gcgagttgcg	atacacagg	ttgcagcact	1620
ggaacactat	cagcgccggg	tggcgcacgc	tggccagcac	gctcttgctg	gagatcagat	1680
ccgcgtccag	gtcctccgcg	ttgctcagg	cgaacggagt	caactttggt	agctgccttc	1740
cctctcagg	ggcgttgcga	ggcgttgcga	ccgtagtggc	atcaaaagg		1800
gacgtgccc	ggctggggc	ttaggataca	gcgcctgcat	aaaagccttg	atctgcttaa	1860
aagccacctg	agcctttgcg	ccttcagaga	agaacatgcc	gcaagacttg	ccggaact	1920
gattggccg	acaggccgcg	tcgtgcacgc	agcaccttgc	gtcgggtgtg	gagatctgca	1980
ccacatttcg	gccccaccg	ttcttcacga	tcttggcctt	gctagactgc	tccttcagcg	2040
cgcgtgccc	gtttctgcgc	gtcacatcca	tttcaatcac	gtgctcctta	tttatcataa	2100
tgcttcctg	tagacactta	agctgcctt	cgatctcagc	gcagcgggtg	agccacaacg	2160
cgcagcccg	gggctcgtga	tgcttgtagg	tcacctctgc	aaacgaactgc	aggtacgcct	2220
gcaggaatcg	ccccatcatc	gtcacaaagg	tcttggtgct	ggtgaaggtc	agctgcaacc	2280
cgcgtgctc	ctcgttcagc	caggcttgc	atacggccgc	cagagcttcc	acttggtcag	2340
gcagtagttt	gaagttcgc	tttagatcgt	tatccacgtg	gtacttgctc	atcagcgcgc	2400
gcgcagcctc	catgcccttc	tcccacgcag	acacgatcgg	cacactcagc	gggttcacat	2460
ccgtaatttc	actttccgct	tcgctgggct	cttctctctc	ctcttgctgc	cgcataccac	2520
gcgcactgg	gtcgtcttca	ttcagccgc	gcactgtgcg	cttacctcct	ttgccatgct	2580
tgattagcac	cgggtgggtg	ctgaaaccca	ccatttgtag	cgccacatct	tctctttctt	2640
cctcgtctgc	cacgattacc	tctggtgatg	gcgggcgcgc	gggcttggga	gaagggcgct	2700
tctttttctt	cttgggcgca	atggccaaat	ccgcgcgcga	ggtcgatggc	cgcgggctgg	2760
gtgtgcgcgg	caccagcgcg	tcttgtagtg	agtcttctct	gtcctcggac	tcgatacgcc	2820
gcctcatccg	cttttttggg	ggcgcccg	gaggcgccg	cgacggggac	ggggacgaca	2880
cgtcctccat	ggttggggga	cgtcgcgcgc	caccgcgtcc	gcgctcgggg	gtggtttcgc	2940
gctgctctc	ttcccgactg	gccatttctt	tctctatag	gcagaaaaag	atcatggagt	3000
cagtcgagaa	gaaggacagc	ctaaccgccc	cctctgagtt	cgccaccacc	gcctccaccg	3060
atgcgcgcaa	cgcgcctacc	accttccccg	tcgaggcacc	cccgttgag	gaggaggaag	3120
tgattatcga	gcaggaccca	ggttttgtaa	gcgaagacga	cgaggaccgc	tcagtaccaa	3180
cagaggataa	aaagcaagac	caggacaacg	cagaggcaaa	cgaggacaaa	gtcgggcggg	3240
gggacgaaa	gcattggcgac	tacctagatg	tgggagacga	cgtgctgttg	aagcatctgc	3300
agcgcagtg	cgccattatc	tcgcagcgt	tgcaagagcg	cagcgatgtg	cccctcgcca	3360
tagcggatgt	cagccttgcc	tacgaacgcc	acctattctc	accgcgcgta	cccccaaac	3420
gccaagaaaa	cggcacatgc	gagcccaacc	cgcgcctcaa	cttctacccc	gtatttgccg	3480
tgccagaggt	gcttgccacc	tatcacatct	ttttccaaaa	ctgcaagata	cccctatcct	3540
gcggtgcaa	cgcagccga	gcggacaagc	agctggcctt	gcggcagggc	gctgtcatac	3600
ctgatatcgc	ctcgtcaac	gaagtgcgaa	aaatctttga	gggtcttgga	cgcgacgaga	3660
agcgcgcgcg	aaacgctctg	caacaggaaa	acagcgaaaa	tgaaagtcac	tctggagtgt	3720

-continued

tggtggaact	cgaggggtgac	aacgcgcgc	tagccgtact	aaaacgcagc	atcgagggtca	3780
cccactttgc	ctaccccgca	cttaacctac	cccccaaggt	catgagcaca	gtcatgagtg	3840
agctgatcgt	gcgcggtg	cagcccctgg	agagggatgc	aaatttgcaa	gaacaaacag	3900
aggagggcct	acccgcagtt	ggcgacgagc	agctagcgcg	ctggcttcaa	acgcgcgagc	3960
ctgccgactt	ggaggagcga	cgcaactaa	tgatggccgc	agtgctcgtt	accgtggagc	4020
ttgagtgc	gcagcggttc	tttctgacc	cggagatgca	gcgcaagcta	gaggaacat	4080
tgcactacac	ctttcgacag	ggctacgtac	gccaggcctg	caagatctcc	aacgtggagc	4140
tctgcaacct	ggtctctac	cttgggaattt	tgcacgaaaa	ccgccttggg	caaaacgtgc	4200
ttcattccac	gctcaagggc	gaggcgcgcc	gcgactacgt	ccgcgactgc	gtttacttat	4260
ttctatgcta	cacctggcag	acggccatgg	gcgtttggca	gcagtgttg	gaggagtga	4320
acctcaagga	gctgcagaaa	ctgctaaagc	aaaacttgaa	ggacctatgg	acggccttca	4380
acgagcgctc	cgtggcgcg	cacctggcgg	acatcathtt	ccccgaacgc	ctgcttaaaa	4440
ccctgcaaca	gggtctgcca	gacttcacca	gtcaaagcat	gttgcaaac	tttaggaact	4500
ttatcctaga	gcgctcagga	atcttgccc	ccacctgtg	tgcacttct	agcgactttg	4560
tgccattaa	gtaccgcgaa	tgcctccgc	cgtttgggg	ccactgtac	cttctgcagc	4620
tagccaacta	ccttgctac	caactctgaca	taatggaaga	cgtgagcgg	gacggtctac	4680
tggagtgtca	ctgtcgctgc	aacctatgca	ccccgcaccg	ctccctggtt	tgcaattcgc	4740
agctgcttaa	cgaaagtcaa	attatcggt	cctttgagct	gcagggtccc	tcgctgacg	4800
aaaagtccgc	ggctccgggg	ttgaaactca	ctccggggct	gtggacgtcg	gcttaccttc	4860
gcaaatttgt	acctgaggac	taccacgccc	acgagattag	gttctacgaa	gaccaatccc	4920
gcccgcacaa	tgccgagctt	accgctcg	tcattacc	ggggcacatt	cttggccaat	4980
tgcaagccat	caacaaagcc	cgccaagagt	ttctgtctacg	aaagggaagg	ggggtttact	5040
tggaccccca	gtccggcgag	gagctcaacc	caatcccccc	gccgcgcgag	ccctatcagc	5100
agcagcccg	ggcccttct	tcccaggatg	gcacccaaaa	agaagctgca	gctgcgcgcg	5160
ccaccacagg	acgaggagga	atactgggac	agtcaggcag	aggaggtttt	ggacgaggag	5220
gaggaggaca	tgatggaaga	ctgggagagc	ctagacgagg	aagcttccga	ggtcgaaagag	5280
gtgtcagacg	aaacacgctc	accctcggtc	gcattcccct	cgcggcgcc	ccagaaatcg	5340
gcaaccggtt	ccagcatggc	tacaacctcc	gctcctcagg	cgcgcgcggc	actgcccgtt	5400
cgcgcaccca	accgtagatg	ggacaccact	ggaaccaggg	cggtaagtc	caagcagccg	5460
ccgcggttag	cccaagagca	acaacagcgc	caaggctacc	gctcatggcg	cgggcacaa	5520
aacgccatag	ttgcttgctt	gcaagactgt	gggggcaaca	tctccttcgc	ccgccgttt	5580
cttctctacc	atcacggcgt	ggccttcccc	cgtaacatcc	tgcattacta	ccgtcatctc	5640
tacagcccat	actgcaccgg	cggcagcggc	agcggcagca	acagcagcgg	ccacacagaa	5700
gcaaaggcga	ccgtagatga	agactctgac	aaagcccaag	aaatccacag	cggcggcagc	5760
agcaggagga	ggagcgctgc	gtctggcgcc	caacgaacct	gtatcgacct	gcgagcttag	5820
aaacaggatt	tttccactc	tgtatgtat	atttcaacag	agcaggggccc	aagaacaaga	5880
gctgaaaata	aaaaacaggt	ctctgcgac	cctcaccgcc	agctgcctgt	atcacaaaag	5940
cgaagatcag	cttcggcgca	cgtggaaga	cgggaggct	ctcttcagta	aatactgcgc	6000
gctgactctt	aaggactagt	ttcgcgccct	ttctcaaatt	taagcgcgaa	aactacgtca	6060
tctccagcgg	ccacaccggg	cgcacgacc	tgctgctcagc	gccattatga	gcaaggaaat	6120

-continued

tcccacgccc	tacatgtgga	gttaccagcc	acaaatggga	cttgcggtcg	gagctgccc	6180
agactactca	acccgaataa	actacatgag	cgcgggaccc	cacatgatat	cccgggtcaa	6240
cggaatccgc	gcccaccgaa	accgaattct	cttggaacag	gcggctatta	ccaccacacc	6300
tcgtaataac	cttaatcccc	gtagttggcc	cgtgccctg	gtgtaccagg	aaagtcccg	6360
tcccaccact	gtggtacttc	ccagagacgc	ccaggccgaa	gttcagatga	ctaactcagg	6420
ggcgcagctt	gcgggcggct	tctgtcacag	ggtgcggctg	cccggtcgc	gagtttaaac	6480
tacacaggaa	acaggagaca	caactccaag	tgcatactct	atgtcatttt	catgggactg	6540
gtctggccac	aactacatta	atgaaatatt	tgcacatcc	tcttacactt	tttcatacat	6600
tgcccagaa	taaagaatcg	tttgtgttat	gtttcaacgt	gtttattttt	caattgcaga	6660
aaatttcaag	tcatttttca	ttcagtagta	tagccccacc	accacatagc	ttatacagat	6720
caccgtacct	taatcaaaact	cacagaaccc	tagtattcaa	cctgccacct	ccctcccaac	6780
acacagagta	cacagtccct	tctccccggc	tggccttaaa	aagcatcata	tcatgggtaa	6840
cagacatatt	cttaggtgtt	atattccaca	cggtttctctg	tcgagccaaa	cgtcatcag	6900
tgatattaat	aaactccccg	ggcagctcac	ttaagttcat	gtcgtgttcc	agctgctgag	6960
ccacaggctg	ctgtccaact	tgcggttgct	taacggggcg	cgaaggagaa	gtccacgcct	7020
acatgggggt	agagtcataa	tctgtcatca	ggataggcg	gtggtgctgc	agcagcgcgc	7080
gaataaactg	ctgccgcgc	cgtccgttcc	tgcaggaata	caacatggca	gtggtctcct	7140
cagcgatgat	tcgcaccgcc	cgcagcataa	ggcgcttgt	cctccgggca	cagcagcgca	7200
ccctgatctc	acttaaatca	gcacagtaac	tgcagcacag	caccacaata	ttgttcaaaa	7260
tcccacagtg	caaggcgctg	tatccaaagc	tcatggcggg	gaccacagaa	cccacgtggc	7320
catcatacca	caagcgcagg	tagattaagt	ggcgacccct	cataaacacg	ctggacataa	7380
acattaccto	ttttggcatg	ttgtaattca	ccacctcccg	gtacatata	aacctctgat	7440
taaacatggc	gccatccacc	accatcctaa	accagctggc	caaaacctgc	ccgccggcta	7500
tacactgcag	ggaaccggga	ctggaacaat	gacagtggag	agcccaggac	tcgtaaccat	7560
ggatcatcat	gctcgtcatg	atatcaatgt	tggcacaaca	caggcacacg	tgcataact	7620
tcctcaggat	tacaagctcc	tcccgcgtta	gaaccatata	ccagggaaca	accattcct	7680
gaatcagcgt	aatcccaca	ctgcagggaa	gacctcgcac	gtaactcacg	ttgtgcattg	7740
tcaaagtgtt	acattcgggc	agcagcggtg	gatcctccag	tatggtagcg	cgggtttctg	7800
tctcaaaagg	aggtagacga	tccctactgt	acggagtgcg	ccgagacaac	cgagatcgtg	7860
ttggtcgtag	tgtcatgcca	aatggaacgc	cggacgtagt	catatttctt	gaagcaaaac	7920
caggtgcggg	cgtgacaaac	agatctgcgt	ctccggtctc	gccgcttaga	tcgctctgtg	7980
tagtagttgt	agtatatcca	ctctctcaaa	gcattccaggc	gccccctggc	ttcgggttct	8040
atgtaaaact	cttcatgcgc	cgtgcctctg	ataacatcca	ccaccgcaga	ataagccaca	8100
cccagccaac	ctacacatct	gttctgcgag	tcacacacgg	gaggagcggg	aagagctgga	8160
agaaccatgt	tttttttttt	attccaaaag	attatccaaa	acctcaaaat	gaagatctat	8220
taagtgaacg	cgtccccctc	cgttggcgtg	gtcaaaactct	acagccaaag	aacagataat	8280
ggcatttgta	agatgttgca	caatggcttc	caaaaggcaa	acggccctca	cgtccaagtg	8340
gacgtaaagg	ctaaccctt	caggttgaat	ctcctctata	aacattccag	caccttcaac	8400
catgcccata	taattctcat	ctcgccacct	tctcaatata	tctctaagca	aatcccgaat	8460

-continued

attaagtcg	gccattgtaa	aaatctgctc	cagagcgccc	tcacacctca	gcctcaagca	8520
gcgaatcatg	attgcaaaaa	ttcaggttcc	tcacagacct	gtataagatt	caaaagcgga	8580
acattaacaa	aaataccgcg	atcccgtagg	tcccttcgca	gggccagctg	aacataatcg	8640
tgcaggctctg	cacggaccag	cgcgggccact	tccccgccag	gaaccatgac	aaaagaaccc	8700
acactgatta	tgacacgcat	actcggagct	atgctaacca	gcgtagcccc	gatgtaagct	8760
tgttgcatgg	gcggcgatat	aaaatgcaag	gtgctgctca	aaaaatcagg	caaagcctcg	8820
cgcaaaaaag	aaagcacatc	gtagtcatgc	tcatgcagat	aaaggcaggt	aagctccgga	8880
accaccacag	aaaagacac	cattttttctc	tcaaacatgt	ctgcgggttt	ctgcataaac	8940
acaaaataaa	ataacaaaaa	aacatttaaa	cattagaagc	ctgtcttaca	acaggaaaaa	9000
caacccttat	aagcataaga	cggactacgg	ccatgccggc	gtgaccgtaa	aaaaactggt	9060
caccgtgatt	aaaagcacc	accgacagct	cctcgggtcat	gtccggagtc	ataatgtaag	9120
actcggtaaa	cacatcaggt	tgattcacat	cggtcagtgc	taaaaagcga	ccgaaatagc	9180
ccgggggaat	acatacccg	aggcgtagag	acaacattac	agccccata	ggaggataaa	9240
caaaattaat	aggagagaaa	aacacataaa	cacctgaaaa	accctcctgc	ctaggcaaaa	9300
tagcacccctc	cgctccaga	acaacataca	gcgtctccac	agcggcagcc	ataacagtca	9360
gccttaccag	taaaaaagaa	aacctattaa	aaaaacacca	ctcgacacgg	caccagctca	9420
atcagtcaca	gtgtaaaaaa	gggccaaagt	cagagcaggt	atatatagga	ctaaaaaatg	9480
acgtaacggt	taaagtccac	aaaaaacacc	cagaaaaccg	cacgcgaacc	tacgccccaga	9540
aacgaaagcc	aaaaaaccca	caacttctc	aaatcgtcac	ttccgttttc	ccacgttacg	9600
taacttccca	ttttaagaaa	actacaattc	ccaacacata	caagttactc	cgccctaaaa	9660
cgttaacgcg	gccgcctggg	cctcatgggc	cttcttttca	ctgcccgtt	tccagtcggg	9720
aaacctgtcg	tgccagctgc	attaacatgg	tcatagctgt	ttccttgct	attgggcgct	9780
ctccgcttcc	tcgctcactg	actcgtcg	ctcggctcgt	cggtgaaagc	ctggggtgcc	9840
taatgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	aggccgcgtt	gctggcggtt	9900
ttccataggc	tccgcccccc	tgacgagcat	cacaaaaatc	gacgtcaag	tcagaggtgg	9960
cgaaaccga	caggactata	aagataccag	gcgtttcccc	ctggaagctc	cctcgtgcgc	10020
tctctgttc	cgacctgcc	gcttaccgga	tacctgtccg	cctttctccc	ttcggaagc	10080
gtggcgcttt	ctcatagctc	acgtgttagg	tatctcagtt	cgggtgtaggt	cgttcgtccc	10140
aagctgggct	gtgtgcacga	acccccggt	cagcccgacc	gctgcgcctt	atccggtaac	10200
tatcgtcttg	agtccaaacc	ggtaagacac	gacttatcgc	cactggcagc	agccactggt	10260
aacaggatta	gcagagcgag	gtatgtaggc	ggtgctacag	agttcttgaa	gtggtggcct	10320
aactacggct	acactagaag	aacagtattt	ggtatctcgc	ctctgctgaa	gccagttacc	10380
ttcggaaaaa	gagttggtag	ctcttgatcc	ggcaaacaaa	ccaccgctgg	tagcgggtgg	10440
ttttttgttt	gcaagcagca	gattacgcgc	agaaaaaaag	gatctcaaga	agatcctttg	10500
atcttttcta	cggggctetga	cgctcagtg	aacgaaaact	cacgttaagg	gattttggtc	10560
atgagattat	caaaaaggat	cttcacctag	atccttttaa	attaaaaatg	aagtttttaa	10620
tcaatctaaa	gtatatatga	gtaaaacttg	tctgacagtt	attagaaaaa	ttcatccagc	10680
agacgataaa	acgcaatagc	ctggctatcc	ggtgcgcgaa	tgccatacag	caccagaaaa	10740
cgatccgccc	attcgcgcgc	cagttcttcc	gcaatatacc	gggtggccag	cgcaatatcc	10800
tgataacgat	ccgccacgcc	cagacggccg	caatcaataa	agccgctaaa	acggccattt	10860

-continued

```

tccaccataa tgttggcag gcacgcatca ccatgggtca ccaccagatc ttegccatcc 10920
ggcatgctcg ctttcagacg cgcaaacagc tctgccgggtg ccaggccctg atgtttctca 10980
tccagatcat cctgatccac caggcccgct tccatacggg tacgcgcacg ttcaatacga 11040
tgtttcgct gatgatcaaa cggacaggtc gccgggtcca gggtatgcag acgacgcatg 11100
gcatccgcca taatgtcac tttttctgcc ggcccgagat ggctagacag cagatcctga 11160
cccgcaactt cgcccagcag cagccaatca cggcccgctt cggtcaccac atccagcacc 11220
gcgcacacg gaacaccggt ggtggccagc cagctcagac gcgcgccttc atcctgcagc 11280
tcgttcagcg caccgctcag atcggttttc acaaacagca ccggacgacc ctgcgcgctc 11340
agacgaaaca ccgccgcatc agagcagcca atggtctgct gcgcccaatc atagccaaac 11400
agacgttcca cccacgtgc cgggtaccc gcattgcaggc catcctgttc aatcatactc 11460
ttcctttttc aatattattg aagcatttat cagggttatt gtctcatgag cggatacata 11520
tttgaatgta tttagaaaaa taaacaaata ggggttcgcg gcacatttcc ccgaaaagtg 11580
ccac 11584

```

25

The invention claimed is:

1. A method for the production of a recombinant Adeno-Associated Virus (AAV) vector, the method comprising the steps of:

a) co-transfecting a suitable cell culture with three plasmid vectors:

i) a first plasmid vector characterized in that the plasmid backbone size is above 5000 bp, and comprising a heterologous nucleotide sequence flanked by inverted terminal repeats (ITRs) and a stuffer DNA sequence located outside said ITRs, wherein said stuffer sequence has a length between 4400 bp and 4800 bp, wherein said plasmid vector does not contain an F1Ori nucleotide sequence in the backbone sequence, and wherein said plasmid vector is pcOHsqsh-900 with accession number DSM 32967 having the sequence as set forth in SEQ ID NO: 2;

ii) a second plasmid vector comprising from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising a AAV p5 promoter region; and

iii) a third plasmid vector comprising adenovirus helper functions including VA-RNA, E2A and E4 sequences, wherein said plasmid does not contain E3, pTB (E2B), and Ad ITR and protease sequences, and wherein said plasmid vector is pAdHelper-861 having accession number DSM 32965 having the sequence as set forth in SEQ ID NO: 6;

b) culturing said cells under conditions allowing AAV replication and packaging;

c) recovering recombinant AAVs produced in step b) and retaining the cells in the cell culture under conditions allowing further division and growth;

d) re-transfecting the cells according to step c) with the plasmid vectors according to step a); and

e) repeating steps b) to c).

2. The method of claim 1, wherein in step b) recombinant AAVs are secreted to the supernatant of the cell culture.

3. The method of claim 1, wherein the cell media of the cell culture is exchanged before step d).

4. The method of claim 3, wherein cell media exchange is performed by perfusion.

5. The method of claim 1, wherein steps d), b) and c) are repeated at least one more time after recovering step c).

6. The method of claim 1, wherein step b) is performed culturing said cell in suspension in agitated liquid medium.

7. A method for the production of a recombinant AAV vector the method comprising the steps of:

a) co-transfecting a suitable cell with

i) a first plasmid vector characterized in that the plasmid backbone size is above 5000 bp, and comprising a heterologous nucleotide sequence flanked by ITRs and a stuffer DNA sequence located outside said ITRs, wherein said stuffer sequence has a length between 4400 bp and 4800 bp, wherein said plasmid vector does not contain an F1Ori nucleotide sequence in the backbone sequence, and wherein said plasmid vector is pcOHsgsh-900 with accession number DSM 32967 having the sequence as set forth in SEQ ID NO: 2;

ii) a second plasmid vector comprising from 5' to 3' an AAV rep coding region, an AAV cap coding region and a nucleotide sequence comprising an AAV p5 promoter region; and

iii) a third plasmid vector comprising adenovirus helper functions including VA-RNA, E2A and E4 sequences, wherein said plasmid does not contain E3, pTB (E2B), and Ad ITR and protease sequences, and wherein said plasmid vector is pAdHelper-861 having accession number DSM 32965 having the sequence as set forth in SEQ ID NO: 6;

b) culturing said cell under conditions allowing AAV replication and packaging; and

c) recovering recombinant AAVs produced in step b).

8. The method of claim 7, wherein said second plasmid vector (ii) comprises AAV Rep2 and AAV Cap9 coding regions.

9. A plasmid vector comprising:

a) a heterologous nucleotide sequence flanked by inverted terminal repeats (ITRs); and

b) a stuffer DNA sequence located outside said ITRs and adjacent to one ITR, wherein said stuffer sequence has a length between 4400 bp and 4800 bp so that the plasmid backbone size is above 5 Kb;

wherein said plasmid vector does not contain an F1Ori nucleotide sequence in the backbone sequence, and wherein said plasmid vector is pcohSgsh-900 with accession number DSM 32967 having the sequence as set forth in SEQ ID NO: 2.

10. A plasmid vector comprising adenovirus helper function sequences selected from the group consisting of VA-RNA, E2A and E4 sequences, wherein said plasmid does not contain E3, pTB (E2B), and Ad ITR and protease sequences, and wherein said plasmid vector is pAdHelper-861 having accession number DSM 32965 and having the sequence as set forth in SEQ ID NO: 6.

* * * * *