

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent Application Publication

20250279174

Kind Code

A1

Publication Date

September 04, 2025

Inventor(s)

Jaime; Manuel et al.

---

### Remote Access For Medical Device Therapy

---

#### Abstract

Disclosed herein are systems and methods for remotely monitoring and/or controlling medical therapy of a patient. Embodiments of the current disclosure provide a remote monitoring and/or control architecture that can establish a predetermined set of permissions for real-time monitoring of patient data and/or notifications and/or control of medical device therapy. The system can include permissions to determine who, how, and when information and/or control is shared that can consider factors, such as time, location, and relationship with the patient.

---

**Inventors:** Jaime; Manuel (Solana Beach, CA), Juster; Josh (San Diego, CA), Lowrey; Larkin (Naples, FL), Kruse; Geoffrey A. (San Diego, CA), Marin; Garrett (San Diego, CA), Michaud; Michael (San Diego, CA)

**Applicant:** Tandem Diabetes Care, Inc. (San Diego, CA)

**Family ID:** 82322973

**Appl. No.:** 19/211785

**Filed:** May 19, 2025

#### Related U.S. Application Data

parent US continuation 18397808 20231227 parent-grant-document US 12308104 child US 19211785

parent US continuation 17573705 20220112 parent-grant-document US 11869650 child US 18397808

us-provisional-application US 63136422 20210112

---

#### Publication Classification

**Int. Cl.:** G16H20/17 (20180101); G16H40/67 (20180101)

## Background/Summary

RELATED APPLICATIONS [0001] This application is a continuation of U.S. patent application Ser. No. 18/397,808 (filed Dec. 27, 2023), which is a continuation of U.S. patent application Ser. No. 17/573,705 (filed Jan. 12, 2022), which claims the benefit of U.S. Provisional App. No. 63/136,422 (filed Jan. 12, 2021). Each of these patent and provisional applications is hereby incorporated in its entirety.

### TECHNICAL FIELD

[0002] The present invention relates generally to medical device therapy and, more particularly, to remote monitoring and/or control of medical device therapy.

### BACKGROUND

[0003] People with diabetes can treat the disease in a number of different ways, including with insulin pumps, insulin pens and regular injections with a syringe. Regardless of the method of treatment, it is important for the user to be able to track and review data relating to therapy in order to aid the user in better managing the user's diabetes. A number of different data management software programs, mobile applications, etc. have therefore been developed that enable a user to review therapy data.

[0004] Because the typical age of diagnosis of type 1 diabetes is 14 years old or younger, often a parent or other caregiver may need to monitor diabetes therapy provided to a child using one or more of the data management applications noted above. However, a parent or other regular caregiver cannot always be around a child or other patient to monitor and initiate therapy for the patient. Even if the parent or other caregiver can monitor the patient's therapy remotely, it may be difficult for the caregiver to contact a qualified individual who is with or near the patient to ensure any therapy needs are addressed. Similar considerations are also relevant to medical therapy for other conditions.

### SUMMARY

[0005] Disclosed herein are systems and methods for remotely monitoring and/or controlling medical therapy of a patient. Embodiments of the current disclosure provide a remote monitoring and/or control architecture that can establish a predetermined set of permissions for real time monitoring of patient data and/or notifications and/or control of medical device therapy. The system can include permissions to determine who, how and when information and/or control is shared that can consider factors such as time, location and relationship with the patient.

[0006] In an embodiment, a method of providing real-time access to a medical device includes storing a set of permissions for one or more followers of a user of a medical device, the set of permissions for each follower defining one or more times on one or more days during which a follower device of the follower may be provided access to the medical device. A location vicinity of the follower device can be determined at the times and days when the follower device may be provided access to the medical device. The follower device can be automatically provided with access to the medical device at the times and days when the follower device may be provided access to the medical device if the location vicinity of the follower device is in a predetermined location vicinity stored in the set of permissions. Access by the follower device to the medical device can be automatically prevented if the location of the follower device is not in the predetermined location vicinity and on days and times when the set of permissions does not indicate that the follower device may be provided access to the medical device.

[0007] In an embodiment, a method of providing real-time access to a medical device can include determining at a given time whether a follower device of a follower of a user of a medical device may be provided access to the medical device based on stored days and times when the follower device may be provided such access. A location vicinity of the follower device can also be determined at the given time. The follower device can automatically be provided with access to the medical device if the follower device may be provided access to the medical device at the given time and if the location vicinity of the follower device is in a predetermined location vicinity at the given time.

---

## Description

### BRIEF DESCRIPTION OF THE DRAWINGS

[0008] The invention may be more completely understood in consideration of the following detailed description of various embodiments of the invention in connection with the accompanying drawings, in which:

[0009] FIG. 1 is a user interface of a diabetes therapy monitoring application according to an embodiment.

[0010] FIG. 2 is a user interface of a diabetes therapy monitoring application according to an embodiment.

[0011] FIG. 3 is a schematic representation of a remote monitoring and/or control system according to an embodiment.

[0012] FIG. 4 is a schematic representation of a remote monitoring and/or control system according to an embodiment.

[0013] While the invention is amenable to various modifications and alternative forms, specifics thereof have been shown by way of example in the drawings and will be described in detail. It should be understood, however, that the intention is not to limit the invention to the particular embodiments described. On the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention.

### DETAILED DESCRIPTION

[0014] The following detailed description should be read with reference to the drawings in which similar elements in different drawings are numbered the same. The drawings, which are not necessarily to scale, depict illustrative embodiments and are not intended to limit the scope of the invention.

[0015] Referring to FIG. 1, a user interface for real time monitoring of medical therapy such as diabetes therapy is depicted. In embodiments, the user interface can be displayed on a mobile device such as a smartphone operating a software application that receives and displays therapy data. In other embodiments, the user interface can be displayed on any other display device, such as, for example, a tablet computer, desktop computer or laptop. In the example of diabetes therapy, the therapy can be provided in any manner, including, for example, with an ambulatory infusion pump, an insulin pen and multiple daily injections. User interface can provide information on any number of aspects of therapy. For example, the disclosed interface directed to diabetes therapy depicts a current glucose level of the user, a glucose level trend arrow, a current level of insulin on board, an amount of battery life remaining for an insulin pump, an amount of insulin remaining in a reservoir of an insulin pump, historical glucose levels in graphical form including blood glucose measurement values, and basal rate and bolus amounts delivered to the user. FIG. 2 depicts another user interface for monitoring medical therapy such as diabetes therapy that can enable tracking of therapy over a number of previous days or other time period, including blood glucose daily averages, daily time in range, daily total insulin and daily total carbs consumed.

[0016] In addition to viewing of current and past data, diabetes and other medical monitoring

applications can provide a number of additional functions. For example, applications can display alerts, alarms, reminders and other notifications. For example, in the context of diabetes therapy if a user has a current or predicted low or high glucose level, a low battery level of an insulin pump, a low amount of insulin remaining in an insulin pump, an infusion set, CGM transmitter or CGM receiver that is set to expire, etc. the diabetes monitoring application can provide a notification to a user of the application alternatively to or in addition to a notification provide by an insulin pump or other device of the patient. Such notifications can further include food events, exercise events, etc. In addition, a user may grant one or more parents, teachers or other caregiver access to the patient's data through the diabetes monitoring application such that any notifications can be provided to a plurality of individuals that may be in a position to aid the patient in addressing the reason for the notification.

[0017] However, a caregiver such as a teacher, school nurse, camp counselor, etc. will only be around a patient user a limited amount of time and on limited days such that a patient may not want to share and a caregiver does not need access to the patient's data and/or notifications at all times. Embodiments of the current disclosure therefore provide a remote monitoring and/or control architecture that can establish a predetermined set of permissions for real time monitoring of patient data and may also include an ability to remotely control some or all aspects of medical therapy for the patient. The system can include permissions to determine who, how and when information is shared that can consider factors such as time, location and relationship with the patient.

[0018] For example, for a child patient attending a summer camp, a parent may want to give a camp counselor or other supervisory adult access to the patient's data and/or notifications in order to be able to help the patient address any treatment issues. The parent may also want to give the supervisory adult an ability to control the medical therapy as needed. However, the counselor would not need constant access to the data or control, and it would be impractical for the parent to manually turn on and turn off access and/or control for the counselor repeatedly throughout the week. In addition, there may be days or times when the counselor is away from camp and therefore also would not need access to the patient's data or control of therapy. The remote monitoring and/or control architecture described herein can therefore enable the parent to set a conditional set of permissions for one or more individuals based on day, time and geographic location of caregiver such as a camp counselor. For example, the counselor can be granted on the days and times of the camp, e.g., Monday, Wednesday and Friday from 8:00 am to 4:00 pm and data access and/or control can be automatically activated during those times and automatically revoked at all other times. The permissions can also require that the counselor be present in a prescribed geographical area, as evidenced, for example, by a location vicinity (i.e., one or more GPS locations) of, e.g., a smartphone or other device of the counselor operating the monitoring application. Similarly, the geographic permissions can also require that a patient device be present in the geographic area and/or be within a certain distance of the caregiver device to also ensure the child is at the camp at the prescribed time. Permissions can be set in this way for any number of caregivers.

[0019] In some embodiments, permissions need not be based on both day/time and geographic location, but can be based on only day/time or geographic location. For example, if a child with divorced parents has a set custody schedule, the parents may have differing levels of access and/or control according to the schedule with the parent who has custody of the child at a given day or time having a greater level of access and/or control. Similarly, a greater level of access and/or control may be granted solely on the basis of the child being geographically located at a given parent's house or when the child's device is in a same location or within a given distance of a parent's device, for example. In embodiments, permissions can also be based on other parameters known about a user or a user's device.

[0020] Geographical location of a patient's or follower's device can also be used to automatically modify a level of access and functionality for the follower. For example, regulatory or data privacy

constraints in a region or country may allow for some functions in some regions that are restricted in others. The system could track a predetermined set of permissions that are enabled for a given region and automatically activate or disable functions based on a location of the patient's and/or follower's device.

[0021] The nature of the data that is shared and/or level of control can further be set to varying levels based on the individual receiving the data, including, for example, notifications only, read only access to all data, bolus control only, full pump control, etc. For example, a teacher may only be provided with urgent notifications whereas a school nurse may be given full read only access to all data when the time and geographic conditions for access are satisfied. Similarly, a teacher may not be provided with any ability to program and control device therapy whereas a nurse may be provided with the ability to program and deliver boluses or to fully control all aspects of therapy. In addition, sharing and control can further be based on severity and/or urgency of a notification. For example, a teacher may only be notified of the most severe or urgent notifications whereas a school nurse may be provided with a greater set of notifications or a teacher or school nurse may be provided with expanded control functions based on how urgently a therapy modification is needed.

[0022] In some embodiments, data may only be shared and/or control granted when necessary for treatment. For example, data may not be shared when a patient's glucose level is maintained within a predetermined safe range, but a notification may automatically be sent to one or more authorized followers and/or control granted if the patient's glucose level goes lower or higher than the range, the user is exercising or eating requiring a modification to therapy, etc. In some embodiments only the notification may be shared while in other embodiments the out of range notification may trigger an automatic data share for a predetermined period of time. For some followers the notification can only be given if the follower is in a defined geographic area or near the patient device, while some followers may be automatically given the notification regardless of geographic area.

[0023] In addition, a follower's schedule can impact the manner in which data and notifications are shared and/or control granted. For example, the system may have access to an electronic calendar of a user from a user's smartphone, tablet, etc. If a user has a meeting, appointment, or other event scheduled, the system can automatically cancel any non-urgent notifications that would occur during the scheduled event and only issue critical notifications that may require immediate attention.

[0024] Referring to FIG. 3, a schematic representation of a system **200** for a remote monitoring and/or control architecture is depicted. Remote monitoring architecture can be managed by a remote server **202** via the cloud. A user such as a patient or a parent of a patient can program a set of permissions as disclosed herein for a plurality of followers, which are then stored on the remote server **202**. The remote server **202** may continuously or periodically receive data from the patient device **204**. The remote server **202** can then automatically grant and revoke access to the data and/or send notifications to a plurality of devices **206** of followers based on the stored sets of permissions. In some embodiments, followers may download and view data and notifications with a software application operating on the followers' devices **206**. Alternatively or additionally, devices **206** can be provided with notifications through phone calls, text messages, and/or emails without needing any particular software application. In some examples, a data link can be emailed or texted to a follower with the link providing access only when predefined conditions such as those described herein are met. In some embodiments, control commands for control of patient device **204** can be transmitted to the patient device **204** from the one or more remote devices **206** via the remote server **202**. FIG. 4 depicts a similar system **201** in which a remote control device **208**, such as a smart phone, that is local to the patient device **204** receives the data from the patient device **204** and facilitates the data transfer to the remote server **202** and/or receives the control commands from the remote server **202** and transmits the commands to the patient device **204**.

[0025] In some embodiments, rather than all access and/or control being defined from the patient side of the system, followers may be able to directly grant access and/or control to other followers.

In some examples, a patient can agree to enable individual or all followers to set permissions for other followers. A patient could also grant access and/or control to an organization such as a school that can set permissions for individuals affiliated with the organization as needed.

[0026] The system can also track each follower's use of the application. For example, the system may be able to determine when followers have viewed notifications, accessed patient data, controlled therapy and/or otherwise aided the patient with the patient's therapy based on the shared data or notifications. This record of follower use of the patient's data can then be employed on the patient end of the system to help determine which followers should be granted access and/or control and what level of access should be granted to a given follower. In some embodiments, followers who have not accessed the patient's data or interacted with the application for a given period of time or in response to a given number of notifications can automatically have follower access revoked.

[0027] Systems described herein can have additional or alternative uses beyond data and notification sharing and therapy control. For example, retroactive analysis of the geographic and time-based data can provide insights that can be used to make suggestions or predictions for improving the patient's therapy. For example, the system can track abnormal events or other events requiring changes to therapy such as high and low blood glucose excursions including the time such events occur, the location of the user when such events occur and/or which followers are near the user when such events occur. If a user frequently requires changes to therapy at a certain time, in a certain location and/or in the company of a certain follower, the system can suggest that the user modify therapy in those circumstances proactively and/or when the system detects that the user is in a circumstance tied to elevated levels of abnormal events.

[0028] Although embodiments described herein may be discussed in the context of the controlled delivery of insulin, delivery of other medicaments, singly or in combination with one another or with insulin, including, for example, glucagon, pramlintide, etc., as well as other applications are also contemplated. Device and method embodiments discussed herein may be used for pain medication, chemotherapy, iron chelation, immunoglobulin treatment, dextrose or saline IV delivery, treatment of various conditions including, e.g., pulmonary hypertension, or any other suitable indication or application. Non-medical applications are also contemplated.

[0029] With regard to the above detailed description, like reference numerals used therein may refer to like elements that may have the same or similar dimensions, materials, and configurations. While particular forms of embodiments have been illustrated and described, it will be apparent that various modifications can be made without departing from the spirit and scope of the embodiments herein. Accordingly, it is not intended that the invention be limited by the forgoing detailed description.

[0030] The entirety of each patent, patent application, publication, and document referenced herein is hereby incorporated by reference. Citation of the above patents, patent applications, publications and documents is not an admission that any of the foregoing is pertinent prior art, nor does it constitute any admission as to the contents or date of these documents.

[0031] Also incorporated herein by reference in their entirety are commonly owned U.S. Pat. Nos. 6,999,854; 8,133,197; 8,287,495; 8,408,421; 8,448,824; 8,573,027; 8,650,937; 8,986,523; 9,173,998; 9,180,242; 9,180,243; 9,238,100; 9,242,043; 9,335,910; 9,381,271; 9,421,329; 9,486,171; 9,486,571; 9,492,608; 9,503,526; 9,555,186; 9,565,718; 9,603,995; 9,669,160; 9,715,327; 9,737,656; 9,750,871; 9,867,937; 9,867,953; 9,940,441; 9,993,595; 10,016,561; 10,201,656; 10,279,105; 10,279,106; 10,279,107; 10,357,603; 10,357,606; 10,492,141; 10,541,987; 10,569,016; 10,736,037; 10,888,655; 10,994,077; and 11,116,901 commonly owned U.S. Patent Publication Nos. 2009/0287180; 2012/0123230; 2013/0053816; 2014/0276423; 2014/0276569; 2014/0276570; 2018/0071454; 2019/0240398; 2019/0307952; 2020/0114076; 2020/0206420; 2020/0261649; 2020/0306445; 2020/0329433; 2020/0368430; 2020/0372995; 2021/0001044; 2021/0113766; 2021/0154405; and 2021/0353857 and commonly owned U.S.

patent application Ser. Nos. 17/368,968; 17/459,129; and 17/517,885.

[0032] Modifications may be made to the foregoing embodiments without departing from the basic aspects of the technology. Although the technology may have been described in substantial detail with reference to one or more specific embodiments, changes may be made to the embodiments specifically disclosed in this application, yet these modifications and improvements are within the scope and spirit of the technology. The technology illustratively described herein may suitably be practiced in the absence of any element(s) not specifically disclosed herein. The terms and expressions which have been employed are used as terms of description and not of limitation and use of such terms and expressions do not exclude any equivalents of the features shown and described or portions thereof and various modifications are possible within the scope of the technology claimed. Although the present technology has been specifically disclosed by representative embodiments and optional features, modification and variation of the concepts herein disclosed may be made, and such modifications and variations may be considered within the scope of this technology.

## **Claims**

1. A method of providing real-time access to a medical device, comprising: storing a set of permissions for one or more followers of a user of a medical device, the set of permissions for each follower of the one or more followers defining one or more times on one or more days during which a follower device of the follower may be provided access to the medical device; determining a location vicinity of the follower device at the times and days when the follower device may be provided access to the medical device; automatically providing the follower device with access to the medical device at the times and days when the follower device may be provided access to the medical device if the location vicinity of the follower device is in a predetermined location vicinity stored in the set of permissions; and automatically preventing access by the follower device to the medical device if the location vicinity of the follower device is not in the predetermined location vicinity and on days and times when the set of permissions does not indicate that the follower device may be provided access to the medical device.

---