

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent

12387274

Kind Code

B1

Date of Patent

August 12, 2025

Inventor(s)

Abburi; Madhusudhana Rao et al.

Systems and methods for continuously updating policy data based on dynamically acquired image data

Abstract

A method may include receiving, via at least one processor, a plurality of images representative of a property and determining whether two or more images of the plurality of images correspond to reference image data associated with the property. The method may then involve combining the images to generate a digitally stitched image that corresponds to the reference image data in response to the images corresponding to the reference image data and comparing the digitally stitched image to the reference image data to identify features associated with the property. The method may also involve updating a model representative of the property based on the features and generating an updated insurance policy associated with the property based on the model. Afterwards, the method may send a notification indicative of the updated insurance policy to a computing device.

Inventors: Abburi; Madhusudhana Rao (San Antonio, TX), Callis; Shayla Leigh (Simi Valley, CA), Jain; Neetu (Coppell, TX), Pena; Ric M. (Boerne, TX), Thomas; Anto Chirayil (Coppell, TX)

Applicant: United Services Automobile Association (USAA) (San Antonio, TX)

Family ID: 91668563

Assignee: United Services Automobile Association (USAA) (San Antonio, TX)

Appl. No.: 18/746900

Filed: June 18, 2024

Related U.S. Application Data

continuation parent-doc US 17514428 20211029 US 12026783 child-doc US 18746900

Publication Classification

Int. Cl.: G06Q40/08 (20120101); **G06F18/25** (20230101); **G06V10/75** (20220101); **G06V20/10** (20220101)

U.S. Cl.:

CPC G06Q40/08 (20130101); **G06F18/251** (20230101); **G06V10/751** (20220101); **G06V20/176** (20220101);

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
10062118	12/2017	Bernstein	N/A	G06Q 40/08
10176527	12/2018	Freeman	N/A	H04N 13/254
10713726	12/2019	Allen	N/A	G06Q 40/08
11113766	12/2020	Baker	N/A	G06F 18/2415
11538240	12/2021	Matowitz	N/A	G06V 20/176
12026783	12/2023	Abburi	N/A	G06Q 40/08
2015/0149454	12/2014	Hieronymus	707/728	G06F 16/24578
2018/0089763	12/2017	Okazaki	N/A	G06N 3/045
2023/0377078	12/2022	Cardona	N/A	G06Q 50/26

Primary Examiner: Shin; Soo

Attorney, Agent or Firm: Fletcher Yoder, P.C.

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION (1) The present application is a continuation of U.S. patent application Ser. No. 17/514,428, entitled “SYSTEMS AND METHODS FOR CONTINUOUSLY UPDATING POLICY DATA BASED ON DYNAMICALLY ACQUIRED IMAGE DATA,” filed Oct. 29, 2021, which is hereby incorporated by reference in its entirety.

BACKGROUND

(1) The present disclosure relates generally to systems and methods for continuously detecting and updating visual representations of property for insurance determination. More specifically, the present disclosure relates to employing image editing technology to create a visual model of a property and analyzing the model for updating insurance policies.

(2) This section is intended to introduce the reader to various aspects of art that may be related to various aspects of the present disclosure, which are described and/or claimed below. This discussion is believed to be helpful in providing the reader with background information to facilitate a better understanding of the various aspects of the present disclosure. Accordingly, it should be understood that these statements are to be read in this light, and not as admissions of prior art.

(3) Insurance providers may use various techniques and methods to provide competitive property

insurance policies for insurance customers. For example, the insurance providers may determine property insurance policies based on data related to the property being insured. However, after the property insurance policy is determined, the insurance customer may remodel or change the property, and the updates to the property may not be adequately covered in existing insurance policies. As such, improved systems and methods for updating an insurance policy for a property are desired.

SUMMARY

(4) A summary of certain embodiments disclosed herein is set forth below. It should be understood that these aspects are presented merely to provide the reader with a brief summary of these certain embodiments and that these aspects are not intended to limit the scope of this disclosure. Indeed, this disclosure may encompass a variety of aspects that may not be set forth below.

(5) In one embodiment, a system may include a storage component and a processor. The processor may receive a plurality of images representative of at least a portion of a property and determine whether two or more images of the plurality of images correspond to reference image data associated with the at least a portion of the property. The processor may then store the two or more images in the storage component in response to the two or more images corresponding to the reference image data and combine the two or more images to generate a digitally stitched image that corresponds to the reference image data. The processor may also compare the digitally stitched image to the reference image data to identify one or more features associated with the at least a portion of the property. Afterwards, the processor may update a model representative of the at least a portion of the property based on the one or more features and generate an updated insurance policy associated with the at least a portion of the property based on the model. The processor may then send a notification indicative of the updated insurance policy to a computing device.

(6) In another embodiment, a method may include receiving, via at least one processor, a plurality of images representative of at least a portion of a property and determining whether two or more images of the plurality of images correspond to reference image data associated with the at least a portion of the property. The method may include combining the two or more images to generate a digitally stitched image that corresponds to the reference image data in response to the two or more images corresponding to the reference image data and comparing the digitally stitched image to the reference image data to identify one or more features associated with the at least a portion of the property. Afterwards, the method may include updating a model representative of the at least a portion of the property based on the one or more features and generating an updated insurance policy associated with the at least a portion of the property based on the model. The method may then include sending a notification indicative of the updated insurance policy to a computing device.

(7) In yet another embodiment, a non-transitory computer-readable medium comprising computer-executable instructions that, when executed by at least one processor, may cause the at least one processor to perform operations comprising receiving a plurality of images representative of at least a portion of a property and determining whether two or more images of the plurality of images correspond to reference image data associated with the at least a portion of the property. The a non-transitory computer-readable medium may include instructions comprising combining the two or more images to generate a digitally stitched image that corresponds to the reference image data in response to the two or more images corresponding to the reference image data and comparing the digitally stitched image to the reference image data to identify one or more features associated with the at least a portion of the property. The non-transitory computer-readable medium may also include instructions comprising updating a model representative of the at least a portion of the property based on the one or more features and generating an updated insurance policy associated with the at least a portion of the property based on the model. Afterwards, the non-transitory computer-readable medium may include instructions comprising sending a notification indicative of the updated insurance policy to a computing device.

(8) Various refinements of the features noted above may exist in relation to various aspects of the present disclosure. Further features may also be incorporated in these various aspects as well. These refinements and additional features may exist individually or in any combination. For instance, various features discussed below in relation to one or more of the illustrated embodiments may be incorporated into any of the above-described aspects of the present disclosure alone or in any combination. The brief summary presented above is intended only to familiarize the reader with certain aspects and contexts of embodiments of the present disclosure without limitation to the claimed subject matter.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) These and other features, aspects, and advantages of the present disclosure will become better understood when the following detailed description is read with reference to the accompanying drawings in which like characters represent like parts throughout the drawings, wherein:
- (2) FIG. 1 illustrates a block diagram of a system communicatively coupled to a number of data sources, in accordance with embodiments described herein;
- (3) FIG. 2 illustrates a flow chart of an example method for digitally stitching image data associated with a property to generate a model of a property based on the data acquired from the data sources of FIG. 1, in accordance with embodiments described herein;
- (4) FIG. 3 illustrates two example images acquired by the data sources of FIG. 1 before the images are digital stitched together, in accordance with aspects of the present disclosure;
- (5) FIG. 4 illustrates a model of the property created from the two images presented in FIG. 3, in accordance with aspects of the present disclosure;
- (6) FIG. 5 illustrates a flow diagram of an example method for selecting certain features to filter or remove from image data that may be used to update the model created in FIG. 2, in accordance with embodiments described herein; and
- (7) FIG. 6 illustrates a display of a system prompting a user to select certain features acquired from the data sources of FIG. 1 to filter from the acquired image data or add to the model, in accordance with embodiments described herein.

DETAILED DESCRIPTION

(8) One or more specific embodiments will be described below. In an effort to provide a concise description of these embodiments, not all features of an actual implementation are described in the specification. It should be appreciated that in the development of any such actual implementation, as in any engineering or design project, numerous implementation-specific decisions must be made to achieve the developers' specific goals, such as compliance with system-related and enterprise-related constraints, which may vary from one implementation to another. Moreover, it should be appreciated that such a development effort might be complex and time consuming, but would nevertheless be a routine undertaking of design, fabrication, and manufacture for those of ordinary skill having the benefit of this disclosure.

(9) When introducing elements of various embodiments of the present disclosure, the articles “a,” “an,” “the,” and “said” are intended to mean that there are one or more of the elements. The terms “comprising,” “including,” and “having” are intended to be inclusive and mean that there may be additional elements other than the listed elements.

(10) Some property insurance policies are determined at a particular time for an applicant based on certain information regarding the applicant and a type of coverage that the applicant is seeking. For instance, when determining a property insurance policy for an applicant, a computing system of an insurance provider may analyze features of the property, such as physical characteristics, possessions, location, age, and the like, along with a risk profile (e.g., claim history, credit score,

rental history) of the applicant. Using this information, the computing system may generate a property insurance policy to cover the property from damages and a premium rate associated with the property insurance policy.

(11) However, as the applicant adds items to the property, updates the property, or remodels the property, the insurance provider may be unaware of the updates that the existing insurance policy may not provide adequate coverage for the updated property. As such, it is presently recognized that the insurance provider may collect and monitor (e.g., using the computing system) sensor data (e.g., image data) associated with the property to better assess the state of the property and to provide updated insurance policies based on any detected change. For example, a computing system may use sensor data to develop a model representative of the property and continuously collect sensor data over time that may be used to update the model of the property. That is, in some embodiments, the computing system may use the recently collected sensor data to update the model by digitally stitching previously acquired images with more recently acquired images. The resulting model may be compared to a stored model (e.g., 3D representation of property) to determine changes to the property. The computing system may then analyze the updated model to generate an adjusted property insurance policy for the user to cover the additional updates included in the property.

(12) With the foregoing in mind, some applicants may wish to review image data or sensor data collected by the sensors prior to the data being used to update the model. That is, for example, the applicant may wish to protect the privacy of the individuals represented in the image, filter objects presented in the image, or remove certain details from the images collected by image sensors. As such, prior to generating the model of the property, the computing device may solicit information (e.g., sounds, temperatures, images) from the user that may be used to generate the model of the property. In some embodiments, the computing system may identify certain features that are present in the collected data that may be new features that may be added to the model, features that are unrelated to the property and thus not to be included when building the model, or the like. After identifying these features, the computing system may present these features to the user and prompt the user to select the features to be added, removed, or filtered from the collected data. The user's selections may then be used to generate the model of the property. That is, after the user selects certain features to be added or removed, the computing system may update the model to include the added features and ensure that the removed features are not included in the updated model. The updated model may then be used to determine whether an updated insurance policy will be beneficial to the user.

(13) With the foregoing in mind, the computing system may continuously update the model and determine whether the property insurance should be updated based on the collected data over time. However, in order to collect data without prompting a user to obtain certain types of data, the computing system may continuously receive image data regarding the property by having access to the user's image data storage component (e.g., cloud). After a threshold amount of time passes since the time when the existing model is generated, the computing system may use the recently acquired image data to determine the changes that are present in the property. In some cases, the image data may not directly correspond to counterpart image data representative of a certain view (e.g., reference view) of the property stored in a database and used to generate the existing model. That is, the updated image data may be acquired at different angles, during an event where a number of objects (e.g., decorations, guests) obscure certain parts of the image data, and the like. As such, although the image data may be representative of the property, each individual image or video may represent a portion of the reference view of the property. To obtain a more comprehensive view of the entire property, the computing system may digitally stitch the recently acquired images together to create a single image that represents a view in the property that may be used for comparison to the reference view. By comparing the digitally stitched images with the reference view, the computing system may identify new features within the property, prompt the user to select a subset

of the new features to include in the model, and update the model accordingly. Moreover, the computing system may update the model without prompting the user to obtain image data that matches previously acquired image data or requests input data from the user. Instead, the computing system may discreetly monitor the property via the acquired image data. Then, the computing system may analyze the updated model to adjust the property insurance policy. As such, the computing system may generate a better suited property insurance policy for both the insurance provider and the insurance customer.

(14) By way of introduction, FIG. 1 is a block diagram of a system communicatively coupled to a number of data sources. The system may include a computing system **10** communicatively coupled to a variety of data sources that may assist the computing system **10** in determining a property insurance policy for a user (e.g., an insurance customer). Data from the variety of data sources may include insurance data (e.g., existing insurance coverage and premium) related to the user, physical data related to the physical features of the property (e.g., temperature, humidity, air quality, noise), visual and image data acquired by smart devices or appliances (e.g., videos, images, security footage) related to possessions within the property (e.g., furniture), behavior data of the user, and the like. Specifically, sensor data **34** may include image data regarding the property represented in the user's image data stored in the databases **30**, the cloud storage **32**, or any suitable storage component. In some embodiments, sensor data **34** may be gathered from a variety of data sources such as smart devices (e.g., smart plugs, smart thermostat, smart lights, smart cleaners), security appliances (e.g., smart doorbells, cameras, smart locks), mobile devices **38** (e.g., smart phones, laptops, video game consoles), image sensors, and the like.

(15) The computing system **10** may include various types of components that may assist the computing system **10** in performing various types of computer tasks and operations. For example, the computing system **10** may include a communication component **12**, a processor **14**, a memory **16**, a storage **18**, input/output (I/O) ports **20**, a display and the like.

(16) The communication component **12** may be a wireless or wired communication component that may facilitate communication between the computing system **10** and various other computing systems and devices via a network, the Internet, or the like. For example, the communication component **12** may allow the computing system **10** to obtain the data from the variety of data sources, such as databases **30** (e.g., insurance database, sensor data database), cloud storages **32**, mobile devices **38** (e.g., smart phones, laptops, security devices), or any suitable storage component. The communication component **12** may receive and send notifications to the smart devices and the mobile devices **38**. The communication component **12** may use a variety of communication protocols, such as Open Database Connectivity (ODBC), TCP/IP Protocol, Distributed Relational Database Architecture (DRDA) protocol, Database Change Protocol (DCP), HTTP protocol, other suitable current or future protocols, or combinations thereof.

(17) The processor **14** may process instructions for execution within the computing system **10**. The processor **14** may include single-threaded processor(s), multi-threaded processor(s), or both. The processor **14** may process instructions stored in the memory **16**. The processor **14** may also include hardware-based processor(s) each including one or more cores. The processor **14** may include general purpose processor(s), special purpose processor(s), or both. The processor **14** may be communicatively coupled to other internal components (such as the communication component **12**, the storage **18**, the I/O ports **20**, and the display **22**).

(18) The memory **16** and the storage **18** may be any suitable articles of manufacture that can serve as media to store processor-executable code, data, or the like. These articles of manufacture may represent computer-readable media (e.g., any suitable form of memory or storage) that may store the processor-executable code used by the processor **14** to perform the presently disclosed techniques. As used herein, applications may include any suitable computer software or program that may be installed onto the computing system **10** and executed by the processor **14**. The memory **16** and the storage **18** may represent non-transitory computer-readable media (e.g., any suitable

form of memory or storage) that may store the processor-executable code used by the processor **14** to perform various techniques described herein. It should be noted that non-transitory merely indicates that the media is tangible and not a signal.

(19) The I/O ports **20** may be interfaces that may couple to other peripheral components such as input devices (e.g., keyboard, mouse), sensors, input/output (I/O) modules, and the like. The display **22** may operate as a human machine interface (HMI) to depict visualizations associated with software or executable code being processed by the processor **14**. In one embodiment, the display **22** may be a touch display capable of receiving inputs from an operator of the computing system **10**. The display **22** may be any suitable type of display, such as a liquid crystal display (LCD), plasma display, or an organic light emitting diode (OLED) display, for example. Additionally, in one embodiment, the display **22** may be provided in conjunction with a touch-sensitive mechanism (e.g., a touch screen) that may function as part of a control interface for the computing system **10**.

(20) It should be noted that the components described above with regard to the computing system **10** are examples. Indeed, the computing system **10** may include additional or fewer components relative to the illustrated embodiment.

(21) In certain embodiments, the computing system **10** may be communicatively coupled to a network **24**, which may include collections of computing systems, the Internet, an Intranet system, or the like. The network **24** may facilitate communication between the computing system **10** and various other data sources. For example, the network **24** may be communicatively coupled to sensors **28** in a property **26**. In some embodiments, the sensors **28** may correspond to one or more respective smart devices located within the property **26**. In some embodiments, the network **24** may also be communicatively coupled to one or more databases **30**, which may store data regarding the property, such as physical characteristics, possessions, location, age, risk profile of the applicant (e.g., claim history, credit score, rental history), sensor data, and other information that may be relevant for determining a property insurance policy. In other embodiments, the network **24** may further be communicatively coupled to one or more cloud storages **32**, which may store additional information regarding the property, such as physical characteristics, possessions, location, age, risk profile of the applicant (e.g., claim history, credit score, rental history), sensor data, and other information that may be relevant for determining a property insurance policy.

(22) In certain embodiments, the computing system **10** may receive data from the user and a plurality of sensors **28**. The user may be a customer of an insurance provider and may submit data (e.g., list of possessions, insurance premium) regarding the property **26**. In some embodiments, the user may use an application (e.g., insurance application from the insurance provider) operating on mobile devices **38** (e.g., desktop computers, laptops, smart phones, tablets) to create data (e.g., list of possessions, age and location of property) regarding the property **26**. As an example, a user may be given an application by the insurance provider with questions regarding the property **26** and the type of coverage the user desires. The computing system **10** may store the user's completed application in the databases **30**, the cloud storage **32**, or any suitable storage component. In some embodiments, the user may also generate data via their mobile devices **38** or via smart devices that may operate on the property **26**. The user may provide an indication to the computing system **10** that the sensor data **34** has been uploaded and prepared for analysis. In some embodiments, the computing system **10** may automatically detect the sensor data **34** by monitoring data acquired by or generated by the sensors **28** and/or the mobile devices **38**. The computing system **10** may extract information from the sensors **28** regarding the data collected, such as time, location, smart device associated, MAC address, or the like. For example, a first portion of the MAC address may indicate that a particular vendor (e.g., manufacturer) is associated with the smart device, and a second portion of the MAC address may indicate that the smart device belongs to a particular type (e.g., lightbulb). As such, the MAC address may indicate to the computing system **10** that the particular smart device is located within the property **26**.

(23) Referring back to the sensors **28**, in certain embodiments, the sensors **28** may monitor visual and physical characteristics of the property **26**. By way of example, the sensors **28** may correspond with devices (e.g., pet camera, security camera, smart doorbell, smart lock) which may be disposed of inside or outside of the property **26** and may capture sensor data **34** corresponding with the property **26**. In another example, the sensors **28** may correspond with one or more devices (e.g., smart plugs, smart lights) which monitor certain qualities about the property **26**, such as electricity usage, air quality, living habits, and the like. In some embodiments, the sensors **28** may be communicatively coupled to other computing devices such as mobile devices **38** (e.g., mobile phones, tablet devices), which may allow the user to monitor and control operations of the sensors **28**. The computing system **10** may use the communication component **12** to receive sensor data **34** generated by the sensors **28** and may store the sensor data **34** in the database **30** or the cloud storage **32**. The sensor data **34** acquired by the sensors **28** may be used to determine visual and physical characteristics of the property **26**, possessions within the property **26**, new features related to the property **26**, and the like.

(24) Although the sensors **28** are described as being communicatively coupled to the computing system **10** via the network **24**, it should also be noted that, in other embodiments, the sensors **28** may be communicatively coupled directly to the computing system **10**. As such, the sensors **28** may provide data to the computing system **10** in real time or near-real time to enable the computing system **10** to efficiently perform the operations described herein.

(25) In certain embodiments, the computing system **10** may be communicatively coupled to mobile devices **38** of the user. For example, the mobile devices **38** may include a smart phone that enables the user to generate sensor data **34** (e.g., videos and images) of the property **26**. Additionally or alternatively, the user may use other mobile devices **38** (e.g., desktop computers, laptops, tablets, video game consoles) to generate the sensor data **34** for model creation, as will be described below. The mobile devices **38** may automatically store the sensor data **34** in the cloud storages **32** or the databases **30** for future analysis. In some embodiments the user may prompt the mobile devices **38** to upload the sensor data **34** to the databases **30**, the cloud storage **32**, or any suitable storage component for the computing system **10** to analyze in model creation. For example, the user may use their mobile device **38** (e.g., smart phone) to generate the sensor data **34** (e.g., photos) while documenting an event taking place on the property **26**, such as a birthday party, a holiday, or the like. The user may take photos or videos of their friends or family on the property **26** that include a certain view of the property **26**. In another example, the user may use a mobile device **38** to generate the sensor data **34** while texting friends or family members, such as showing newly acquired possessions or updating friends and family on home improvement projects. The user may employ the mobile device **38** to upload the sensor data **34** to the databases **30**, the cloud storage **32**, or any suitable storage component after the event or conversation. Still, in other embodiments, the mobile devices **38** may automatically upload the new sensor data **34** to the databases **30**, the cloud storage **32**, or any suitable storage component.

(26) In some embodiments, based on the collected sensor data **34**, the computing system **10** may generate a model representative of various objects present in the property **26**, conditions of structures in the property **26**, and the like. After the model is generated, the computing system may wait a threshold amount of time and collect updated sensor data **34** stored in the databases **30**, the cloud storage **32**, or any suitable storage component to determine changes in the property, such as the presence of new possessions, remodeling, or the like. For instance, in some embodiments, the computing system **10** may receive the sensor data **34**, such as images, stored in the databases **30**, the cloud storage **32**, or any suitable storage component and digitally stitch the recently acquired images together to create a single image that represents a view in the property **26**. That is, the computing system **10** may receive recently acquired images from an event taking place in a living room and digitally stitch them together to create a single image that represents the living room of the property **26**. The computing system **10** may compare the digitally stitched image with a certain

view (e.g., reference view) of the property **26** and may determine if there are new features present in the property **26**. In some embodiments, the comparison may identify new features and the computing system **10** may isolate the new features, send the new features to the mobile device **38** for display, and prompt the user to select a subset of the new features to include in an updated view of the reference view of the property **26**. For example, the user may have acquired a new television in the living room. Based on a number of images acquired via the sensor data **34**, the computing system **10** may digitally stitch together an updated image that corresponds to the reference image. Using the digitally stitched image, the computing system **10** may identify the television as a new feature by comparing the digitally stitched image to the reference view of the property **26**. The computing system **10** may then isolate the television from the digitally stitched image of the living room and present the image of the television to the mobile device **38** of the user for verification. In response to receiving an user selection confirming that the television is a new feature, the computing system **10** may update the model representative of the property **26** to include the television. The computing system **10** may also update a list of possessions in the living room to include the television.

(27) In some embodiments, the computing system **10** may update the model without prompting the user to obtain sensor data **34**, rather the computing system **10** may discreetly monitor the property **26** using machine learning to analyze the sensor data **34** stored in the databases **30**, the cloud storage **32**, or any suitable storage component. That is, the computing system **10** may use machine learning to analyze the sensor data **34** stored in the databases **30**, the cloud storage **32**, or any suitable storage component and may determine that a manner in which to digitally stitch images together based on the updated sensor data **34**. For example, the computing system **10** may detect features that have been added to the property **26** using a machine learning circuitry communicatively coupled to the computing system **10**, a machine learning algorithm implemented by the computing system **10**, or the like. The machine learning algorithm may access saved models, reference images, and the like and compare newly acquired sensor data **34** to identify new features present in the property **26**. After detecting a possible new feature, the machine learning algorithm may retrieve related images (e.g., images of same view at different angles), request updated views from image sensor devices present at the property **36**, and the like. Using the additionally received data, the computing device **10** may employ the machine learning algorithm to digitally stitch the updated image of the property **26** that corresponds to the reference view.

(28) As used herein, machine learning may refer to algorithms and statistical models that computer systems use to perform a specific task with or without using explicit instructions. For example, a machine learning process may generate a mathematical model based on a sample of clean data, known as “training data,” in order to make predictions or decisions without being explicitly programmed to perform the task. As such, the computing system **10** may passively update the model and send a visualization of the model to the mobile devices **38** of the user for user verification.

(29) With the foregoing in mind, the computing system **10** may recognize that the sensor data **34** contains one or more different angles missing from a certain view in the model (e.g., reference view). The computing system **10** may then digitally stitch the images acquired from the different angles to create an updated image that corresponds to the reference view in order to create a more accurate representation of the property **26**. After digitally stitching the images together, the computing system **10** may determine that the updated image of the property **26** may contain a number of objects (e.g., decorations, guests) that obscure the view of certain parts of the property **26**. As such, the image (e.g., updated image, reference image) of the property **26** may have a number of gaps in the view. As such, the computing system **10** may digitally stitch the images acquired at the different angles together and update the model to ensure that the updated view accurately represents a current state (e.g., current objects, conditions) of the property **26**. As a result, the model of the property **26** may be continuously updated without requesting that the user

provide a specific image (e.g., at certain angle, with obstruction removed), thereby allowing the user to passively (e.g., without active updates) maintain an updated account of the state of the property **26** and an updated policy covering the property **26**. In some embodiments, the computing system **10** may recognize that the sensor data **34** does not contain any new information to add to the model. As such, the computing system **10** may delete all of the sensor data **34** from the databases **30**, the cloud storage **32**, or any suitable storage component to make space for latter acquired sensor data **34**.

(30) For privacy purposes, the computing system **10** may prompt the user via the mobile devices **38** to select images, portions of images, objects within images, and other types of features present in images that are part of the sensor data **34** to remove from the acquired images from the databases **30**, the cloud storage **32**, or any suitable storage component. Based on the user's selection, the computing system **10** may delete or remove the selected objects from the digitally stitched images, thereby preventing the selections from being used in updating the model, saved in the databases **30**, the cloud storages **32**, or the like.

(31) After receiving the filtered digitally stitched image that excludes any user selected objects, the computing system **10** may generate an updated model of the property **26** and generate or update a property insurance policy by analyzing the updated model and the corresponding list of possessions. In some embodiments, the computing system **10** may analyze the updated model, list of possessions, physical characteristics, location, age, risk profile (e.g., claim history, credit score, rental history) of the applicant, or a combination thereof to generate an updated property insurance policy to cover any updated conditions or objects that are present at the property **26**. The computing system **10** may send the user a notification via the mobile devices **38** regarding the updated list of possessions, model, and property insurance policy.

(32) With the foregoing in mind, FIG. 2 illustrates an example method **50** for digitally stitching image data associated with the property **26** to collected updated data related to the property **26** and used to generate a model. The computing system **10** may perform operations described below via the processor **14** based on processor-executable code stored in the memory **16** and the storage **18**. The processor **14** may execute the processor-executable code to perform sensor data analysis and model creation. Based on the monitoring and analysis, the processor **14** may communicate with the computing system **10** to generate or update the property insurance policy for the property **26**.

(33) Although the example method described in FIG. 2 is described in a particular order, it should be noted that the example method **50** may be performed in any suitable order and is not limited to the order presented herein. It should also be noted that although each processing block is described below is the example method **50** as being performed by the computing system **10**, other suitable computing systems may perform the methods described herein.

(34) By way of operation, the computing system **10** may receive image data that may represent portions of the property **26**. The images may be acquired over a period of time during certain events (e.g., birthdays, first day of school). Although the intent of the captured image is unrelated to tracking the objects present in the property or the conditions of the property, the images may be used to identify whether the property **26** should be covered with an updated insurance policy based on the update data available in the recently acquired images.

(35) With this in mind and referring to FIG. 2, at block **52**, the computing system **10** may receive image data that may represent or correspond to a portion of the property **26** or the like. As mentioned above, the image data may be acquired via an image sensor or other sensor **28**.

(36) In response to receiving the image data, the computing system **10** may, at block **54**, determine whether the image data corresponds to reference image data related to the property **26**. That is, a user of the device that acquired the image data may be related to one or more properties. As such, after receiving the image data, the computing system **10** may analyze the image data to determine whether the image data corresponds to the property or reference image data related to the property. In one embodiment, the computing system **10** may query metadata associated with the acquired

image data to determine a location that corresponds to where the image data was acquired. If the location indicated in the metadata corresponds to the location of the property, the computing system **10** may determine that the image data corresponds to the property **26**.

(37) In addition, the computing system **10** may determine whether the image data received at block **52** corresponds to reference image data of the property. The reference image data may include information regarding a reference view of the property **26**. The reference image data may be stored in the databases **30**, the cloud storage **32**, or any suitable storage component. In some embodiments, the reference view may be a certain view (e.g., angle, position) relative to a portion (e.g., room) of the property **26**. For example, the reference view of the property **26** may correspond to a kitchen, a living room, a bedroom, or the like. In some embodiments, the reference view may include multiple images that correspond to a complete model of the property **26**.

(38) In some embodiments, the reference view may be created with two or more images acquired from different time periods. That is, the computing system **10** or other suitable computing device may receive multiple images of the property during a process in which the reference view(s) are being created. As multiple images are designated as part of a reference view of a particular portion of the property **26**, the computing system **10** may identify matching features in two or more of the images and generate updated image data that combines each of the images that have matching features. That is, the computing device **10** may digitally stitch the images together to create a larger scope of a reference view. In some embodiments, after the computing system **10** generates the reference view, the computing system **10** may prompt the user to verify that the reference view accurately represents a current state (e.g., objects, condition) of the property **26**.

(39) As used herein, digitally stitching images together may involve analyzing two or more images, videos, or other types of image data media to identify common features. The common features may be identified based on the location associated with the image data, the user associated with the storage in which the image data is stored, and the like. The common features may also be identified by comparing images to each other and identifying common objects, structure, colors, fixtures, and the like. In some embodiments, to digitally stitch images together, the computing system **10** may model or predict a shape or form of an unviewable part of an object depicted in a first image based the shape or form of the same object that is visible in a second image. As such, the computing system **10** may angle, stretch, model, fit, flatten, and perform other suitable types of image data processing techniques to connect images together to form a single view of the property **26** (e.g., to match a reference view). To determine that the received image data corresponds to some reference image data, the computing system **10** may compare the location data present in the metadata of the image data and the reference image data stored in a storage component, perform image recognition analysis to determine that the two sets of image data include similar properties (e.g., objects depicted in the image), or the like. By way of example, the computing system **10** may analyze the image data to determine if the image data is related to the reference image received at block **52**. In some embodiments, the computing system **10** may use machine learning to determine where the user took the image data and whether it may be related to the reference view of the property **26**. In some embodiments, the computing system **10** may look at the extracted information within the image data (e.g., location, time, smart device, MAC address) and compare it to characteristics of the reference view of property **26** (e.g., location, time, smart devices) to determine if the image data is related to respective reference view.

(40) In some embodiments, the computing system **10** may prompt the user to indicate whether the image data is related to the reference view of the property **26** via the display on the mobile devices **38**. Still in other embodiments, the computing system **10** may determine whether a known smart device (e.g., smart lights) is present in the image data based on the location of the corresponding smart device. The cross-referenced locations of the smart devices and the location of the image data may provide insight into the position of the image data within the property **26**.

(41) If the computing system **10** determines that the image data is related to reference view of the

property **26**, the computing system **10** may proceed to block **56** and store the image data in storage (e.g., databases **30**, the cloud storage **32**) for future analysis. As such, the computing system **10** may continuously store additional image data in the in the databases **30**, the cloud storages **32**, or any suitable storage component to maintain updated image data related to the reference image data. (42) If, at block **54**, the computing system **10** determines that the image data **34** is not related to reference view of the property **26**, the computing device **10** may return to block **52** and receive additional image data. In this way, the storage component may be limited for use to include updated image data that corresponds to the reference image data.

(43) At block **58**, the computing system **10** may determine whether a threshold amount of time has expired since the time when an existing model of the property **26** was generated. As mentioned above, the reference image data may be used to generate a model (e.g., two-dimensional, three-dimensional) that represents various conditions (e.g., cracks in wall, age of appliances) and objects (e.g., pieces of equipment, artwork, electronics) that may be present at the property **26**. In some embodiments, the computing system **10** may prompt the user to set the threshold amount of time. For example, an insurance provider may want updates of the property every six months to receive notification of any changes in order to provide an adequate property insurance policy for the property **26**. As such, the insurance provider may set a six month threshold time period for the computing system **10** to analyze the stored image data, update the model, and generate an adjusted property insurance policy to cover any new features in the property **26**. In some embodiments, the computing system **10** may determine that the threshold amount of time since the time when the existing model was generated has expired due to one or more special circumstances (e.g., selection by user, no storage space, significant property changes) and may send a notification to the user regarding analysis of the image data. For example, the computing system **10** may analyze sensor data **34** and may find significant changes (e.g., changes that increase value of policy more than threshold amount) to the property **26** requiring a modification to the property insurance policy. However, if the threshold amount of time since the model was generated has not expired, the computing system **10** may return to block **52** and continue to receive the image data.

(44) After the threshold amount of time expires, the computing system **10** may use the recently acquired image data to determine if new features are present in the property **26**. At block **60**, the computing system **10** may retrieve the stored image data from storage (e.g., database, cloud storage), organize it according to a particular attribute (e.g., date, location), and digitally stitch together multiple images into a single image that represents a view in the property **26**. The digitally stitched image may then be used for comparison to the model (e.g., reference view) to identify updated objects, equipment (e.g., electronics, jewelry, furniture), conditions, and the like within the property **26**. For example, the computing system **10** may organize image data according to date of capture to identify changes in the property **26** over time. For example, the user may capture multiple images or videos on a certain date when documenting a special occasion. As such, the computing system **10** may retrieve the corresponding image data and may digitally stitch together an image containing the certain view of the property **26** that corresponds to the reference view. That is, each individual image may not provide a representative view of the reference image. However, by combining the images received by the computing system **10**, the computing system **10** may generate a single image that mirrors the reference image for image analysis. For example, the computing system **10** may initially have image data showing only half of the bedroom. The computing system **10** may continue to analyze the stored image data and may later receive image data showing the other half of the bedroom. As such, the computing system **10** may stitch together the image data to generate a complete image representative of the bedroom.

(45) At block **62**, the computing system **10** may compare the digitally stitched image with the current model (e.g., reference view) of the property **26** to determine if there are new features present in the property **26**. In some embodiments, the computing system **10** may use machine learning to identify new features within the property, prompt the user to select a subset of new

features to include in the model, and update the model accordingly. For example, the computing system **10** may find that the user recently changed the floors of the property **26** by identifying that the floors in the digitally stitched image are different from the floors in the reference view. As such, the computing system **10** may present a visualization to allow the user to verify that the change in floors occurred. In some embodiments, the computing system **10** may prompt the user to answer some questions regarding the detected change (e.g., floors), such as look, quality, and quantity and include these physical properties with the updated model. That is, the computing system **10** may send the new features to the mobile device **38** to allow the user to verify the addition of new features detected in the image data based on the comparison to the reference image data before updating the model to ensure an accurate representation of the property **26**.

(46) The computing system **10** may update the model with the subset of new features selected by the user. In some embodiments, updating the model may include digitally stitching or replacing the reference view with an image having the same perspective as the reference view and including the subset of new features selected by the user or any features identified based on the comparison with the reference image. In some embodiments, the computing system **10** may use machine learning to identify portions of missing parts of the property **26** in the current model and supplement or add to the missing parts with the digitally stitched image created based on recently acquired image data. For example, the computing system **10** may find that the model is missing a door in the living room due to the reference image having the door left open. The computing system **10** may subsequently identify the missing door in the digitally stitched image generated based on the recently acquired images. As such, the computing system **10** may update the model with the missing door and send the updated model to the user via the mobile devices **38** for verification. As such, the computing system **10** may prompt the user to provide inputs to verify the subset of new features or include some additional information to fill in the missing parts of the current model after the model has been updated. In some embodiments, the computing system **10** may send a prompt the mobile devices **38** asking the user to provide additional data regarding the property, such as images, list of possessions, or the like. The computing system **10** may update the model with the new features or additional data by digitally stitching them to the reference view, which may be used to update the current model.

(47) At block **66**, the computing system **10** may analyze the updated model representative of the property **26** to update the property insurance property. In some embodiments, the computing system **10** may analyze the subset of new features added to the model to determine a new property insurance policy that covers any additional objects or updates detected within the property **26**. For example, the customer may acquire a new television, video game console, and a new dining table that the customer may want insured by the property insurance policy. As such, the computing system **10** may update the model to include these new features and analyze the updated model to adjust the property insurance policy to include the new features. In another example, the customer may remove a television from the property and the digitally stitched image may indicate that the television is no longer present. The property insurance policy may then be adjusted to reflect the changes. In some embodiments, the computing system **10** may present multiple new policies for the user to select based on different factors (e.g., levels of insurance premiums, user preferences, updates detected). The computing system **10** may allow the user to select different factors for property insurance policy determination and the computing system **10** may take these factors into account when generating a new property insurance policy.

(48) At block **68**, the computing system **10** may update the storage (e.g., databases **30**, cloud storages **32**) with the new model of the property **26** and the updated property insurance policy. In some embodiments, the computing system **10** may replace the current model with the new model including the subset of new features. To protect the privacy of the user, the computing system **10** may delete the digitally stitched images that were generated in the process of updating the model. Additionally or alternatively, the computing system **10** may automatically erase the sensor data **34**

used in creating the model from the databases **30**, the cloud storage **32**, or any suitable storage component to make space in the databases **30**. In some embodiments, the computing system **10** may send a prompt to the mobile device **38** confirming that the user wishes for the image data stored in the databases **30**, the cloud storage **32**, or any suitable storage component to be erased. For example, the user may want to delete all image data used in the model creation for privacy reasons or in order to increase storage space in the databases **30**, the cloud storage **32**, or any suitable storage component.

(49) At block **70**, the computing system **10** may send a notification to a computing device associated with the user. The notification may include information regarding the updated model of the property **26** and the updated property insurance policy. For example, the computing system **10** may present a visualization of the updated model on the display of the mobile devices **38** to the user and may prompt the user to verify the accuracy of the model before updating it in the databases **30**, the cloud storage **32**, or any suitable storage component. The computing system **10** may display the new property insurance policy on the mobile device **38** for the user to verify before storing the updated property insurance policy in the databases **30**, the cloud storage **32**, or any suitable storage component. Such automatic notification may be beneficial for the user because it allows the user to maintain an accurate and complete property insurance policy.

(50) In some embodiments, the notification may be sent to the user's computing device (e.g., mobile device **38**) and the computing device may automatically open or execute an application to visually present the notification. The notification may be accompanied by an alert, such as an audible, visual, or haptic alert to enable the user to become aware of the update. The notification may cause the computing device to perform operations (e.g., execute, present visualization) even while the computing device is in a low power or sleep mode. Indeed, the notification may cause the computing device to open an application that is currently inactive to enable the computing device to present the notification.

(51) By performing the method **50**, the user may dynamically update an insurance policy for the property **26** without actively providing information to an insurance policy provider. That is, individuals often do not realize that policies should be updated to include renovations, damage, new equipment, loss of equipment, and the like. By passively monitoring the image data associated with the property and digitally stitching the images together, the computing system **10** described herein may continuously update a model representing the property **26**. Indeed, the digitally stitched image may be generated to match the reference image, such that comparisons between the two images may yield accurate results with regard to the changes or updates within the property **26**. Moreover, by comparing the same image view, the computing system **10** may yield more accurate results while using less processing power given that the comparisons are performed using like images. As a result, the updates or changes are detected more efficiently (e.g., processing power, time) and the insurance policy is updated dynamically while limiting user input.

(52) With the preceding in mind, FIG. **3** is an embodiment of a display on the mobile devices **38** that illustrates two example images acquired by sensors **28** or mobile devices **38** before the computing system **10** digitally stitches them together. In other words, FIG. **3** shows two pre-stitched images **80** and **82** that may represent different portions or views of the property **26**. In some embodiments, the computing system **10** may receive sensor data **34** (e.g., image data) from the mobile devices **38** of the user automatically uploading image data to the databases **30**, the cloud storage **32**, or any suitable storage component. For example, the user may acquire image data (e.g., photos or videos) during a birthday party and save the photos to their mobile device **38**. The image data may provide different angles of a certain view of the property **26** for personal purposes rather than for property insurance policy determination. The mobile devices **38** may upload the image data to the databases **30**, the cloud storage **32**, or any suitable storage component for future analysis.

(53) In some embodiments, the computing system **10** may also receive sensor data **34** (e.g., image

data) from sensors **28** that correspond to smart devices within the property **26**. For example, the property **26** may contain cameras (e.g., pet cameras, security cameras, smart doorbells) that are disposed of outside and inside of the property **26**. The cameras **84** may continuously generate sensor data **34** (e.g., videos, images, sounds) regarding the property **26**. In some embodiments, the camera **84** may be fixed to the property, or kept in one position on the property.

(54) In the example presented in FIG. 3, the camera **84** may capture data corresponding to a certain view of the property, or image **80**. However, the computing system **10** may also receive image **82** from additional sensor data **34** acquired with other sensor devices located within the same area of the property **26**. Based on the properties (e.g., location, shared objects) of the images **80** and **82**, the computing system **10** may connect, overlay, or digitally stitch the images **80** and **82** together to form a complete image **86** to the user to perform comparison operations, update insurance policies, and other tasks described above with reference to FIG. 2. In some embodiments, the sensor data **34** may not have been created on the same day, rather the computing system **10** may find relevant sensor data **34** acquired at any time after the existing images in the databases **30**, the cloud storage **32**, or any suitable storage component were acquired to create a model representative of the property **26**.

(55) With the foregoing in mind, FIG. 4 illustrates the digitally stitched image **86** that has may be used to update a model representative of the property **26**. In other words, FIG. 4 shows a digitally stitched image created by the computing system **10** based on the sensor data **34** (e.g., image data) from sensors **28**. In some embodiments, the computing system **10** may take two or more images and digitally stitch them together to create a single image that represents a view in the property **26**. The digitally stitched image **86** may provide a view of the property **26** that may enable the computing system **10** to more quickly identify differences or new additions as compared to the current model of the property **26**.

(56) After the computing system **10** digitally stitches together an image representative of a view of the property **26**, the computing system **10** may update the current model to add new features depicted in the digitally stitched image **86**, remove some features no longer present, update conditions of objects in the digitally stitched image **86**, and the like for property insurance policy determination. FIG. 5 illustrates a flow chart of an example method **100** for isolating features identified from the digitally stitched image **86** and adding or removing identified features to the current model. Although the example method **100** described in FIG. 5 is described in a particular order, it should be noted that the example method **100** may be performed in any suitable order and is not limited to the order presented herein. It should also be noted that although each processing block is described below in the method **100** as being performed by the computing system **10**, other suitable computing systems may perform the methods described herein.

(57) Referring now to FIG. 5, at block **102**, the computing system **10** may receive a digitally stitched image associated with the property **26** from storage (e.g., databases **30**, cloud storages **32**). For example, the computing system **10** may retrieve a digitally stitched image **86** and use it for comparison to the current model in order to identify features or updated features regarding the property **26**. In some embodiments, the computing system **10** may send a prompt to the mobile devices **38** of the user requesting that the user identify a digitally stitched image **86** to provide to the computing system **10**. For example, the user may have recently remodeled the kitchen and may want to update the model representative of the kitchen. As such, the user may select a digitally stitched image **86** representative of the kitchen to provide to the computing system **10**.

(58) Alternatively, the computing system **10** may continuously receive digitally stitched image data in response to the digitally stitched image **86** being created, stored, or the like. As such, the present embodiments may enable the user to protect the privacy or manage the content of the data being provided to the computing system **10**.

(59) At block **104**, the computing system **10** may retrieve the current model of the property **26** from storage in response to receiving the digitally stitched image. The computing system **10** may retrieve

the model by user indication, machine learning, or any other suitable methods. As discussed above, the user may have remodeled the kitchen and want to update the model of the kitchen for property insurance policy purposes. As such, the user may indicate to the computing system **10** through their mobile devices **38** to retrieve the current model of the kitchen.

(60) In other embodiments, the computing device **10** may use machine learning algorithms to analyze the digitally stitched image **86** and identify a reference image or portion of a model of the property **26** that corresponds to the digitally stitched image **86**. As mentioned above, since the digitally stitched image **86** may be created according to a format or view that matches a reference image, a portion of the model, or the like. In some embodiments, the digitally stitched image **86** may include metadata that identifies a reference image, a portion of the model, or both that corresponds to the digitally stitched image. The computing system **10** may retrieve the model of the property in response to receiving the digitally stitched image **86** or upon request received from a user via the mobile devices **38**.

(61) After retrieving the digitally stitched image **86** and the current model of the property **26**, at block **106**, the computing system **10** may identify features present in the digitally stitched image **86** that may be identified as being new, missing, updated, or the like, as compared to the current model of the property **26**. That is, the computing system **10** may compare the digitally stitched image **86** to the current model to identify the differences between the two. In some embodiments, the computing system **10** may perform the comparison and identify new features present in the digitally stitched image **86**, missing features in the digitally stitched image **86**, and the like. The computing system **10** may isolate these features from the digitally stitched image **86** and send images of the features to the mobile device **38**, such that they may be displayed for the user. The computing system **10** may prompt the user to select a subset of the features to use in updating the current model. For example, the user may acquire new furniture that appears in the digitally stitched image **86**. As such, the user may want to update the model with the new furniture to ensure that they have adequate property insurance protection for their possessions. In some embodiments, the computing system **10** may compare the digitally stitched image **86** to the model generated based on the reference image and may not be able to identify any different features in the property **26**. That is, the digitally stitched image **86** may not present different features because there may not be any changes made to the property **26** during the threshold hold period of time since the model was last updated. As such, the model in the databases **30** may remain an accurate representation of the property **26**. The computing system **10** may send a prompt to the mobile devices **38** asking the user to verify that the current model remains the most accurate representation of the property **26** in case the user wishes to manually add or subtract features covered by an existing policy.

(62) After identifying the features, at block **108**, the computing system **10** may isolate or remove the identified features from the digitally stitched image **86** and present them to the user via the mobile device **38** or other suitable computing device for user verification. In some embodiments, the computing system **10** may compare the digitally stitched image **86** to the current model, the reference image, or the like, and identify the features, based on the detected differences. As mentioned above, the image comparison processing may be performed efficiently using limited computing resources by comparing the digitally stitched image or the corresponding model that matches the reference view. In some embodiments, the computing system **10** may overlay the two or more images over each other to quickly ascertain the differences between the images.

(63) After isolating and removing the identified images from the digitally stitched image **86**, the computing system **10** may display the isolated features in a window or portion of a display adjacent to the digitally stitched image **86**. That is, at block **110**, the computing system **10** may display the isolated features on a display with the altered digitally stitched image **86** having the features removed. In some embodiments, the computing system **10** may send data regarding the isolated features to the mobile device **38** or other suitable computing device associated with the user to notify the user that the comparison between the digitally stitched image **90** and the model has been

completed and may be ready for user verification. The mobile device **38**, in response to receiving the notification, may automatically execute an application or generate a prompt visualization for the user to select any or none of the features of digitally stitched image **86** to include or exclude in the model. That is, the mobile device **38** may present an image of the digitally stitched image **86** with the isolated features separated from the digitally stitched image **86**. The mobile device **38** may also display the isolated image with a shading, outline lining, or other visual effect to denote that the features are different from the previous model. For example, the mobile devices **38** may place the isolated new features next to the altered digitally stitched image **86** to allow the user to more quickly view the features that have been isolated by the computing system **10**, such that the user may select the features that may be added to the model.

(64) In some embodiments, the digitally stitched image **86** may be presented on top of the current model of the property **26** that may be used as a background. In some embodiments, the background image may be the digitally stitched image **86** with the isolated features lifted from the digitally stitched image **86**.

(65) The prompt displayed to the user via the mobile device **38**, the computing system **10**, or the like, may request that the user select the features to be added, removed, or filtered from the digitally stitched image **86**, the collected sensor data **34**, or the like. The prompt visualization may include checkbox or other selection visualization tools next to the isolated new features for the user to select the corresponding feature to include in the digitally stitched image **86**, the model, or the like. The user may select none, one, or more features to be added or removed from the digitally stitched image **86**, which may be updated based on the selection and used to create an updated model representative of the property **26**. As such, the user may filter out features that may not be representative of items stored at the property **26** (e.g., equipment from guests) and prevent the computing system **10** from adding unrelated features to the model.

(66) At block **112**, the computing system **10** may determine whether any indication to remove or keep features in the digitally stitched image **86** is received. If the indication is received (e.g., after the user provides her selection to the mobile device **38**, the computing system **10**, or other suitable computing device that received the data related to the isolated features), the computing system **10** may proceed to block **114** and remove or censor the features selected for removal from the digitally stitched image **86**. For example, the computing system **10** may identify humans as the features and the user may want to censor or remove the humans from the digitally stitched image **86** rather than include them in the model or the stored image data to protect the privacy of the humans. In another example, the computing system **10** may identify decorations as the features and the user may not want to include the decorations in the model since they may not be permanent fixtures of the property **26**.

(67) In some embodiments, the computing system **10** may allow the user to pick certain aspects of the features to include in the model. For example, the computing system **10** may detect a person holding an item (e.g., beer) inside of the property **26** that may be part of a list of items that the user, a machine learning algorithm, or the like may be previously identified as being censored from stored image data. The user may indicate via the check boxes to the computing system **10** to censor remove the item (e.g., beer) from the digitally stitched image **86** and include the person in the digitally stitched image. As such, the final digitally stitched image **86** may include the person but a visualization effect that censors the portion of the image that corresponds to the hand of the person.

(68) In some embodiments, a machine learning algorithm may monitor the selection of features, items, and other portions of image data that is selected to be censored or removed from images. The machine learning algorithm may collect the selection data and the resulting decisions from the user to better understand the likelihood that the user will wish to include the features in the digitally stitched image **86**. That is, the computing system **10** may incorporate the machine learning algorithm to track the selection of the user and preemptively select or recommend to the user to remove certain features via the prompt presented to the user. In this case, the user may more

quickly identify and remove features from the digitally stitched image **86** to increase the user's ability to use and operate the embodiments described herein.

(69) After removing the selected features from the digitally stitched image **86**, at block **116**, the computing system **10** may update the model based on the altered digitally stitched image **86**. At block **118**, the computing system **10** may upload the updated model and the digitally stitched image **86** to the databases **30**, the cloud storages **32**, or any suitable storage component. In some embodiments, the computing system **10** may permanently delete (e.g., delete and store over corresponding memory with pseudo random data) previously saved versions of the digitally stitched images **86**, the sensor data **34** or the image data used to generate the digitally stitched image **86**, or the like. In some embodiments, the computing system **10** may send the mobile device **38** or other suitable computing device a prompt that may allow the user to select whether to permanently delete any data (e.g., digitally stitched images **86** or stored sensor data **34**) from the databases **30**, the cloud storages **32**, or any suitable storage component.

(70) In some embodiments, the computing system **10** may analyze the updated model to make a property insurance policy determination as described above with reference to FIG. **2**. For example, the computing system **10** may identify new features in the model and generate the property insurance policy to include the new features. In another embodiment, the computing system **10** may send a prompt to the user via the mobile devices **38** asking if the user would like a new property insurance policy.

(71) The computing system **10** may then update the databases **30**, cloud storages **32**, or the like with the model of the property **26**, property insurance policy, and the digitally stitched images **86**. In some embodiments, the computing system **10** may replace the current model with the new model representative of the property **26** in the databases **30**, cloud storages **32**, or any suitable storage component. Additionally or alternatively, the computing system **10** may store the new property insurance policy in the databases **30**, the cloud storage **32**, or any suitable storage component.

(72) At block **120**, the computing system **10** may send a notification to the mobile device **38** or other suitable computing device associated with the user similar to the notification described above with reference to FIG. **2**. The computing system **10** may notify the user via the mobile devices **38** that the databases **30** have been updated with a new model, property insurance policy, digitally stitched images, or a combination thereof. The computing system **10** may, in some embodiments, send a notification to the mobile devices **38** that may cause the mobile devices **38** to generate audio alerts, present images, vibrational alerts, or other methods to inform the user that the databases **30** may have been updated even while a corresponding application that presents the prompts and data described herein is a sleep mode, a low power mode, a background mode, inactive (e.g., unexecuted), and the like. Additionally or alternatively, the computing system **10** may use a push notification through the display of the mobile device **38** to tell the user that the property insurance policy has been updated and ready for review.

(73) As discussed above, by employing the embodiments described herein, the computing system **10** may determine a new or updated property insurance policy based on the updated model and notify the user of the changes. For example, the computing system **10** may evaluate the possessions, the current property insurance policy, the updated model, and the like to determine whether an updated property insurance policy will be beneficial to the user. By monitoring new features of the property **26**, the computing system **10** may provide real time updates to the user regarding property insurance policy determination. After updating the property insurance policy, the computing system **10** may send one or more property insurance policies to the mobile devices **38** for user review and selection. In some embodiments, the user may select one or more of the policies for an in-depth review and may determine the most suitable policy for the property **26**. As such, the user may select their preferred property insurance policy on the display of the mobile devices **38** which may send the indication to the computing system **10**. In some embodiments, the

user may modify some of the property insurance policy offers by selecting different features. For example, the user may modify the features of the model, the information about the new features, and other relevant variables to change the property insurance policy. In some cases, the user may include additional data points that may have been missed by the computing system **10** which may also change the final property insurance policy determination.

(74) With the preceding in mind, FIG. **6** is an embodiment of a display on a mobile device **38** prompting a user to select features for the computing system **10** to add in updating the current model. The computing system **10** may compare the digitally stitched image **86** representing a view of the property **26** with the current model to identify features in the property **26**, isolate the features from the digitally stitched image **86**, and display the features for user selection.

(75) By way of example, the mobile device **38** may use the model retrieved from the databases **30** as a first image **200**. The mobile device **38** may place the identified features (e.g., **202**, **204**, **206**, **208**, and **210**) next to the image **200** for the user to view. The mobile device **38** may include checkboxes corresponding to each feature for the user to select whether the feature may be included in updating the model. In some embodiments, the mobile device **38** may identify decorations **202** and the user may not want to include the decorations **202** in the model since they may not be permanent fixtures of the property **26**. As such, the user may indicate to the mobile device **38** via the mobile devices **38** that the decorations **202** may not be included in the model by placing an 'X' in the corresponding checkbox.

(76) In some embodiments, the mobile device **38** may allow the user to pick certain aspects of the features to include in updating the current model. For example, the mobile device **38** may detect a person as feature **212** and feature **214** as a feature of the property **26**. However, the user may want to censor objects (e.g., beer, cigarette), the face of the person, or the like but still include the person in the updated model. As such, the user may pick the option 'censor object' or 'censor face' and indicate to the mobile device **38** that only certain aspects of the feature **212** or the feature **214** may be included in updated model.

(77) In some embodiments, the mobile device **38** may provide a tool that allows the user to select a portion of the identified feature to exclude or censor. The machine algorithm, over time, may recognize patterns (e.g., more than threshold amount of time, percentage of selections) of the portions of the feature to exclude and may automatically update the prompt presented to the user via the mobile device **38** to preemptively indicate a portion of the digitally stitched image **86** or isolated feature selected for censorship or removal.

(78) Referring to the isolated features (e.g., **202**, **204**, **206**, **208**, and **210**), the mobile device **38** may allow the user to select the features to be added, removed, or filtered from the updated model. In some embodiments, the mobile device **38** may identify a feature that is representative of a non-permanent fixture **202** to the property **26**. For example, the image data may contain humans, pets, objects, and the like, and the mobile device **38** may identify these humans, pets, objects, or the like as a feature. As such, the user may choose to censor part of the feature, censor all the feature, include part of the feature, or include all of the feature. In some embodiments, the mobile device **38** may identify a feature that the user may want to include in the updated model representative of the property **26**. For example, the user may buy new furniture **204** for the property **26** and indicate to the mobile device **38** that the new furniture **204** may be used in the model of the property **26**. In another example, the user may alter the property **26** by removing furniture or permanent fixtures (e.g., cabinets, floors, countertops) and indicate to the mobile device **38** that the furniture or permanent fixtures should be removed from the model of the property **26**.

(79) Although the techniques and methods described herein are described as being performed by various computing devices, it should be noted that any suitable computing device described herein may be used to perform various portions of the methods detailed herein. For example, although FIG. **6** is described as being performed by the mobile device **38**, it should be understood that the computing system **10** may perform the tasks described above with reference to FIG. **6** if the user

uses and is associated with the computing system **10**, such that notifications and other data relevant to the embodiments described herein as accessible to the user.

(80) While this specification contains many specifics, these should not be construed as limitations on the scope of the disclosure or of what may be claimed, but rather as descriptions of features specific to particular implementations. Certain features that are described in this specification in the context of separate implementations may also be implemented in combination in a single implementation. Conversely, various features that are described in the context of a single implementation may also be implemented in multiple implementations separately or in any suitable sub-combination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more features from a claimed combination may in some examples be excised from the combination, and the claimed combination may be directed to a sub-combination or variation of a sub-combination.

(81) Similarly, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be advantageous. Moreover, the separation of various system components in the implementations described above should not be understood as requiring such separation in all implementations, and it should be understood that the described program components and systems may generally be integrated together in a single software product or packaged into multiple software products.

(82) The specific embodiments described above have been shown by way of example, and it should be understood that these embodiments may be susceptible to various modifications and alternative forms. It should be further understood that the claims are not intended to be limited to the particular forms disclosed, but rather to cover all modifications, equivalents, and alternatives falling within the spirit and scope of this disclosure.

(83) The techniques presented and claimed herein are referenced and applied to material objects and concrete examples of a practical nature that demonstrably improve the present technical field and, as such, are not abstract, intangible or purely theoretical. Further, if any claims appended to the end of this specification contain one or more elements designated as “means for [perform] ing [a function] . . . ” or “step for [perform] ing [a function] . . . ”, it is intended that such elements are to be interpreted under 35 U.S.C. 112 (f). However, for any claims containing elements designated in any other manner, it is intended that such elements are not to be interpreted under 35 U.S.C. 112 (f).

Claims

1. A system, comprising: a storage component; and a processor configured to: retrieve a model associated with a portion of a property from the storage component; retrieve a plurality of images representative of the portion of the property from the storage component; determine whether two or more images of the plurality of images correspond to reference image data associated with the portion of the property; combine the two or more images to generate a digitally stitched image that corresponds to the reference image data; compare the digitally stitched image to the reference image data to identify one or more features associated with the portion of the property in response to a lapse of a threshold amount of time after the model was generated or updated; update the model associated with the portion of the property based on the one or more features; and update a list of user possessions associated with the portion of the property based on the updated model to generate an updated list of user possessions; and store the updated list of user possessions in the storage component.

2. The system of claim 1, wherein the processor is configured to: transmit the list of user possessions to a mobile device; receive an indication for adjusting one or more possessions of the

list of user possessions from the mobile device; and generate the updated list of user possessions based on the indication.

3. The system of claim 1, wherein the processor is configured to update an insurance policy associated with a user account and associated with the property based on the updated model and the updated list of user possessions.

4. The system of claim 3, wherein the processor is configured to update the insurance policy based on the updated model, the updated list of user possessions, and a user risk profile, wherein the user risk profile comprises a claim history, a credit score, a rental history, or any combination thereof.

5. The system of claim 1, wherein the processor is configured to determine whether the two or more images correspond to the reference image data based on metadata respectively associated with the two or more images.

6. The system of claim 1, wherein the processor is configured to identify the two or more images of the plurality of images for digital stitching based on matching features within the two or more images.

7. The system of claim 1, wherein the processor is configured to: store the plurality of images in the storage component in response to receiving the plurality of images from a mobile device prior to lapse of the threshold amount of time; or retrieve the plurality of images representative of the portion of the property from an additional storage component, wherein the plurality of images is transmitted to the additional storage component by the mobile device.

8. The system of claim 7, wherein the plurality of images is generated by the mobile device during an event on the property, generated by uploading the plurality of images to the additional storage component, or any combination thereof.

9. The system of claim 1, comprising a plurality of sensors within the property, wherein the plurality of sensors is configured to generate sensor data associated with the portion of the property, wherein the processor is configured to: determine updated conditions of the portion of the property based on the sensor data; and update the model associated with the portion of the property based on the updated conditions.

10. The system of claim 9, wherein the plurality of sensors comprises a smart plug, a smart thermostat, a smart light, a smart cleaner, a smart doorbell, a smart lock, a mobile device, a camera, or any combination thereof.

11. The system of claim 1, wherein the processor is configured to delete the plurality of images from the storage component in response to updating the portion of the model.

12. The system of claim 1, wherein the processor is configured to: combine two or more additional images to generate an additional digitally stitched image that corresponds to the reference image data; compare the additional digitally stitched image to the reference image data; and delete the two or more additional images and the additional digitally stitched image based on identifying the same features in the digitally stitched image and the reference image data.

13. A method, comprising: retrieving, via a processor, a model associated with a portion of a property; retrieving, via the processor, a plurality of images representative of the portion of the property; determining, via the processor, whether two or more images of the plurality of images correspond to reference image data associated with the portion of the property; combining, via the processor, the two or more images to generate a digitally stitched image that corresponds to the reference image data; comparing, via the processor, the digitally stitched image to the reference image data to identify one or more features associated with the model in response to a threshold amount of time passing since the model was generated or updated; updating, via the processor, the model based on the one or more features; and updating, via the processor, a list of user possessions associated with the portion of the property based on the updated model.

14. The method of claim 13, wherein the plurality of images representative of the portion of the property is retrieved from an image storage component.

15. The method of claim 13, comprising: receiving, via the processor, sensor data associated with

the portion of the property, determining, via the processor, updated conditions of the portion of the property based on the sensor data; updating, via the processor, the model associated with the portion of the property based on the updated conditions of the portion of the property; and generating, via the processor, an updated insurance policy associated with the portion of the property based on the updated model, the updated list of user possessions, and the updated conditions of the portion of the property.

16. The method of claim 13, wherein combining, via the processor, the two or more images to generate the digitally stitched image comprises: identifying a common feature in the two or more images; and modeling a portion of the common feature depicted in a first image of the two or more images based on the portion of the common feature in a second image of the two or more images, wherein the portion of the common feature is not visible in the first image and the portion of the common feature is visible in the second image.

17. The method of claim 13, wherein combining, via the processor, the two or more images to generate the digitally stitched image comprises performing an angle operation, a stretch operation, a modeling operation, a fit operation, a flatten operation, or any combination thereof.

18. A tangible, non-transitory, machine-readable medium comprising machine-readable instructions that, when executed by a processor, cause the processor to perform operations comprising: retrieving a model associated with a portion of a property; retrieving a plurality of images representative of the portion of the property; determining whether two or more images of the plurality of images correspond to reference image data associated with the portion of the property; combining the two or more images to generate a digitally stitched image that corresponds to the reference image data; comparing the digitally stitched image to the reference image data to identify one or more features associated with the portion of the property in response to a lapse of a threshold amount of time passing since the model was generated or updated; updating the model associated with the portion of the property based on the one or more features; and updating a list of user possessions associated with the portion of the property based on the updated model.

19. The tangible, non-transitory, machine-readable medium of claim 18, wherein the machine-readable instructions, when executed by the processor, cause the processor to perform operations comprising: receiving sensor data associated with the portion of the property; determining updated conditions of the portion of the property based on the sensor data; updating the model associated with the portion of the property based on the one or more identified features, the updated list of possessions, and the updated conditions of the portion of the property; and generating or updating an insurance policy associated with the portion of the property based on the updated model, the updated list of user possessions, and the updated conditions of the portion of the property.

20. The tangible, non-transitory, machine-readable medium of claim 18, wherein the machine-readable instructions, when executed by the processor, cause the processor to perform operations comprising: retrieving a risk profile of a user associated with the model from a storage component; and generating or updating an insurance policy associated with the portion of the property based on the updated model, the updated list of user possessions, and the risk profile.
