



US012417323B2

(12) **United States Patent**
Mosnier et al.

(10) **Patent No.:** **US 12,417,323 B2**

(45) **Date of Patent:** ***Sep. 16, 2025**

(54) **METHOD OF MAKING IT POSSIBLE TO PRODUCE AND IDEAL CURVATURE OF A ROD OF VERTEBRAL OSTEOSYNTHESIS MATERIAL DESIGNED TO SUPPORT A PATIENT'S VERTEBRAL COLUMN**

(71) Applicant: **Medicrea International**,
Rillieux-la-Pape (FR)

(72) Inventors: **Thomas Mosnier**, Rochetaillée sur
Saône (FR); **David Ryan**, Rochetaillée
sur Saone (FR); **Vincent Fiere**, Lyons
(FR)

(73) Assignee: **MEDICREA INTERNATIONAL** (FR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **18/752,014**

(22) Filed: **Jun. 24, 2024**

(65) **Prior Publication Data**

US 2024/0346191 A1 Oct. 17, 2024

Related U.S. Application Data

(63) Continuation of application No. 17/188,261, filed on
Mar. 1, 2021, now Pat. No. 12,019,955, which is a
(Continued)

Foreign Application Priority Data

Sep. 18, 2013 (FR) 1358988

(51) **Int. Cl.**

G06F 30/00 (2020.01)

A61B 17/56 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **G06F 30/00** (2020.01); **A61B 17/7011**
(2013.01); **A61B 34/10** (2016.02);
(Continued)

(58) **Field of Classification Search**

CPC A61B 17/7011; A61B 34/10; A61B
2017/568; A61B 2034/105; A61B
2034/108

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,382,438 A 5/1983 Jacobs

5,006,984 A 4/1991 Steele

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2015258176 A1 12/2015

AU 2015202416 B2 3/2017

(Continued)

OTHER PUBLICATIONS

Aurouer et al. "Computerized preoperative planning for correction
of sagittal deformity of the spine", Surg Radiol Anat 31, 2009, pp.
781-792. (Year: 2009).

(Continued)

Primary Examiner — Bijan Mapar


(74) *Attorney, Agent, or Firm* — FOX ROTHSCHILD
LLP

(57)

ABSTRACT

A method and system for producing a curvature of a rod of
vertebral osteosynthesis material designed to support a ver-
tebral column of a patient is provided. A production unit
receives a model defining the curvature of the rod. The
curvature of the rod is based on a preoperative X-ray of the
vertical column and defined by a simulated correction to be
applied to the lumbar segment to be treated, a deduced
curved segment representing the curvature of the rod based

(Continued)



at least in part on one or more of a lumbar lordosis or a first curvature above a repositioned apex point and the second curvature below the repositioned apex point, and a translated curved segment representative of the deduced curved segment being translated away from a mean line of the vertebral column. The production unit uses computer aided design to produce the rod.

14 Claims, 4 Drawing Sheets

Related U.S. Application Data

continuation of application No. 16/389,348, filed on Apr. 19, 2019, now Pat. No. 10,970,426, which is a continuation of application No. 14/914,474, filed as application No. PCT/IB2014/064586 on Sep. 17, 2014, now Pat. No. 10,318,655.

- (51) **Int. Cl.**
A61B 17/70 (2006.01)
A61B 34/10 (2016.01)
- (52) **U.S. Cl.**
 CPC ... *A61B 2017/568* (2013.01); *A61B 2034/105* (2016.02); *A61B 2034/108* (2016.02)

(56) References Cited

U.S. PATENT DOCUMENTS

- | | | | | | |
|--------------|---------|----------------------|--------------|---------|--------------------|
| 5,011,484 A | 4/1991 | Breard | 7,674,293 B2 | 3/2010 | Kuiper et al. |
| 5,163,440 A | 11/1992 | DeLuca et al. | 7,715,602 B2 | 5/2010 | Richard |
| 5,209,752 A | 5/1993 | Ashman et al. | 7,763,054 B2 | 7/2010 | Clement et al. |
| 5,224,035 A | 6/1993 | Yamashita et al. | 7,824,413 B2 | 11/2010 | Varieur et al. |
| 5,251,127 A | 10/1993 | Raab | 7,835,778 B2 | 11/2010 | Foley et al. |
| 5,291,901 A | 3/1994 | Graf | 7,840,253 B2 | 11/2010 | Tremblay et al. |
| 5,305,203 A | 4/1994 | Raab | 7,862,593 B2 | 1/2011 | Clement et al. |
| 5,312,405 A | 5/1994 | Korotko et al. | 7,918,887 B2 | 4/2011 | Roche |
| 5,366,455 A | 11/1994 | Dove et al. | 7,953,471 B2 | 5/2011 | Clayton et al. |
| 5,413,116 A | 5/1995 | Radke et al. | 7,981,158 B2 | 7/2011 | Fitz et al. |
| 5,514,180 A | 5/1996 | Heggeness et al. | 7,996,061 B2 | 8/2011 | Mollard et al. |
| 5,609,634 A | 3/1997 | Voydeville | 7,996,064 B2 | 8/2011 | Simon et al. |
| 5,667,506 A | 9/1997 | Sutterlin | 8,000,926 B2 | 8/2011 | Roche et al. |
| 5,748,767 A | 5/1998 | Raab | 8,038,716 B2 | 10/2011 | Duggal et al. |
| 5,785,663 A | 7/1998 | Sarvazyan | 8,046,050 B2 | 10/2011 | Govari et al. |
| 6,015,409 A | 1/2000 | Jackson | 8,066,708 B2 | 11/2011 | Lang et al. |
| 6,086,590 A | 7/2000 | Margulies et al. | 8,077,950 B2 | 12/2011 | Tsougarakis et al. |
| 6,213,958 B1 | 4/2001 | Winder | 8,083,778 B2 | 12/2011 | Clement et al. |
| 6,277,120 B1 | 8/2001 | Lawson | 8,105,330 B2 | 1/2012 | Fitz et al. |
| 6,282,437 B1 | 8/2001 | Franck et al. | 8,142,842 B2 | 3/2012 | Sugita et al. |
| 6,302,888 B1 | 10/2001 | Mellinger et al. | 8,196,825 B2 | 6/2012 | Turner et al. |
| 6,364,849 B1 | 4/2002 | Wilcox | 8,211,109 B2 | 7/2012 | Groiso |
| 6,385,475 B1 | 5/2002 | Cinquin et al. | 8,211,153 B2 | 7/2012 | Shaolian et al. |
| 6,409,684 B1 | 6/2002 | Wilk | 8,234,097 B2 | 7/2012 | Steines et al. |
| 6,443,953 B1 | 9/2002 | Perra et al. | 8,241,296 B2 | 8/2012 | Wasielowski |
| 6,499,488 B1 | 12/2002 | Hunter et al. | 8,246,680 B2 | 8/2012 | Betz et al. |
| 6,565,519 B2 | 5/2003 | Benesh | 8,265,790 B2 | 9/2012 | Amiot et al. |
| 6,585,666 B2 | 7/2003 | Suh et al. | 8,270,253 B1 | 9/2012 | Roche et al. |
| 6,711,432 B1 | 3/2004 | Krause et al. | 8,275,594 B2 | 9/2012 | Lin et al. |
| 6,716,213 B2 | 4/2004 | Shitoto | 8,308,772 B2 | 11/2012 | Clement et al. |
| 6,746,449 B2 | 6/2004 | Jones et al. | 8,308,775 B2 | 11/2012 | Clement et al. |
| 6,786,930 B2 | 9/2004 | Biscup | 8,337,501 B2 | 12/2012 | Fitz et al. |
| 7,066,938 B2 | 6/2006 | Slivka et al. | 8,357,111 B2 | 1/2013 | Caillouette et al. |
| 7,338,526 B2 | 3/2008 | Steinberg | 8,357,166 B2 | 1/2013 | Aram et al. |
| 7,509,183 B2 | 3/2009 | Lin et al. | 8,372,075 B2 | 2/2013 | Groiso |
| 7,534,263 B2 | 5/2009 | Burdulis, Jr. et al. | 8,377,073 B2 | 2/2013 | Wasielowski |
| 7,606,613 B2 | 10/2009 | Simon et al. | 8,394,142 B2 | 3/2013 | Bertagnoli et al. |
| 7,611,522 B2 | 11/2009 | Gorek | 8,398,681 B2 | 3/2013 | Augustino et al. |
| 7,618,451 B2 | 11/2009 | Berez et al. | 8,400,312 B2 | 3/2013 | Hotokebuchi et al. |
| 7,634,119 B2 | 12/2009 | Tsougarakis et al. | 8,414,592 B2 | 4/2013 | Quirno |
| 7,635,367 B2 | 12/2009 | Groiso | 8,442,621 B2 | 5/2013 | Gorek et al. |
| 7,639,866 B2 | 12/2009 | Pomero et al. | 8,465,527 B2 | 6/2013 | Clement |
| 7,660,623 B2 | 2/2010 | Hunter et al. | 8,494,805 B2 | 7/2013 | Roche et al. |
| | | | 8,506,632 B2 | 8/2013 | Ganem et al. |
| | | | 8,532,806 B1 | 9/2013 | Masson |
| | | | 8,535,337 B2 | 9/2013 | Chang et al. |
| | | | 8,556,983 B2 | 10/2013 | Bojarski et al. |
| | | | 8,562,653 B2 | 10/2013 | Alamin et al. |
| | | | 8,588,892 B2 | 11/2013 | Hladio et al. |
| | | | 8,636,776 B2 | 1/2014 | Rosenberg et al. |
| | | | 8,672,948 B2 | 3/2014 | Lemaitre |
| | | | 8,685,093 B2 | 4/2014 | Anderson et al. |
| | | | 8,690,888 B2 | 4/2014 | Stein et al. |
| | | | 8,718,820 B2 | 5/2014 | Amiot et al. |
| | | | 8,740,941 B2 | 6/2014 | Thramann |
| | | | 8,758,357 B2 | 6/2014 | Frey |
| | | | 8,777,877 B2 | 7/2014 | Stein et al. |
| | | | 8,784,339 B2 | 7/2014 | Stein et al. |
| | | | 8,801,786 B2 | 8/2014 | Bernard et al. |
| | | | 8,814,877 B2 | 8/2014 | Wasielowski |
| | | | 8,814,915 B2 | 8/2014 | Hess et al. |
| | | | 8,845,689 B2 | 9/2014 | Douget et al. |
| | | | 8,852,237 B2 | 10/2014 | Kalfas et al. |
| | | | 8,855,389 B1 | 10/2014 | Hoffmann et al. |
| | | | 8,864,764 B2 | 10/2014 | Groiso |
| | | | 8,870,889 B2 | 10/2014 | Frey |
| | | | 8,900,316 B2 | 12/2014 | Lenz et al. |
| | | | 8,911,448 B2 | 12/2014 | Stein |
| | | | 8,926,673 B2 | 1/2015 | Clement et al. |
| | | | 8,945,133 B2 | 2/2015 | Stein et al. |
| | | | 8,956,416 B2 | 2/2015 | McCarthy |
| | | | 8,974,467 B2 | 3/2015 | Stone |
| | | | 8,983,813 B2 | 3/2015 | Miles et al. |
| | | | 8,998,962 B2 | 4/2015 | Birch |
| | | | 9,011,448 B2 | 4/2015 | Roche et al. |
| | | | 9,034,037 B2 | 5/2015 | Fiere et al. |
| | | | 9,039,772 B2 | 5/2015 | Park et al. |
| | | | 9,056,017 B2 | 6/2015 | Kotlus |
| | | | 9,066,701 B1 | 6/2015 | Finley et al. |

(56)

References Cited

U.S. PATENT DOCUMENTS

9,066,734 B2	6/2015	Schoenefeld et al.	9,547,897 B2	1/2017	Parent et al.
9,078,755 B2	7/2015	Mahfouz	9,549,782 B2	1/2017	Park et al.
9,101,492 B2	8/2015	Mangione et al.	9,554,411 B1	1/2017	Hall et al.
9,107,706 B2	8/2015	Alamin et al.	9,554,910 B2	1/2017	Vanasse et al.
9,115,998 B2	8/2015	Proulx et al.	9,561,115 B2	2/2017	Elahinia et al.
9,119,572 B2	9/2015	Gorek et al.	9,566,075 B2	2/2017	Carroll et al.
9,119,671 B2	9/2015	Kast	9,579,043 B2	2/2017	Chien et al.
9,125,680 B2	9/2015	Kostrzewski et al.	9,585,597 B2	3/2017	McCaulley et al.
9,144,470 B2	9/2015	Proulx et al.	9,597,096 B2	3/2017	Aghazadeh
9,168,153 B2	10/2015	Bettenga	9,597,156 B2	3/2017	Amiot et al.
9,173,661 B2	11/2015	Metzger et al.	9,603,613 B2	3/2017	Schoenefeld et al.
9,180,015 B2	11/2015	Fitz et al.	9,603,623 B2	3/2017	Brooks et al.
9,192,412 B2	11/2015	Meyrat et al.	9,603,711 B2	3/2017	Bojarski et al.
9,198,678 B2	12/2015	Frey et al.	9,610,086 B2	4/2017	Park et al.
9,232,955 B2	1/2016	Bonin, Jr. et al.	9,615,834 B2	4/2017	Agnihotri et al.
9,233,001 B2	1/2016	Miles et al.	9,622,712 B2	4/2017	Munro et al.
9,237,952 B2	1/2016	Kurtz	9,629,723 B2	4/2017	Parisi et al.
9,248,023 B2	2/2016	Ries et al.	9,636,181 B2	5/2017	Isaacs
9,250,620 B2	2/2016	Kotlus	9,642,633 B2	5/2017	Frey et al.
9,278,010 B2	3/2016	Gibson et al.	9,649,170 B2	5/2017	Park et al.
9,283,048 B2	3/2016	Kostrzewski et al.	9,655,729 B2	5/2017	Parisi et al.
9,289,221 B2	3/2016	Gelaude et al.	9,662,214 B2	5/2017	Li et al.
9,289,270 B2	3/2016	Gielen et al.	9,668,748 B2	6/2017	McKinnon et al.
9,295,482 B2	3/2016	Fitz et al.	9,668,873 B2	6/2017	Winslow et al.
9,295,497 B2	3/2016	Schoenefeld et al.	9,675,471 B2	6/2017	Bojarski et al.
9,295,561 B2	3/2016	Ball et al.	9,693,831 B2	7/2017	Mosnier et al.
9,301,768 B2	4/2016	Buza et al.	9,757,072 B1	9/2017	Urbalejo
9,308,050 B2	4/2016	Kostrzewski et al.	9,782,228 B2	10/2017	Mosnier et al.
9,308,091 B2	4/2016	Lang	9,848,922 B2	12/2017	Tohmeh et al.
9,314,275 B2	4/2016	Clement et al.	9,968,408 B1	5/2018	Casey et al.
9,314,343 B2	4/2016	Parisi et al.	9,987,048 B2	6/2018	Mosnier et al.
9,320,547 B2	4/2016	Augustino	9,993,177 B2	6/2018	Chien et al.
9,320,604 B2	4/2016	Miles et al.	10,045,824 B2	8/2018	Mosnier et al.
9,326,780 B2	5/2016	Wong et al.	10,064,656 B2	9/2018	Mundis, Jr. et al.
9,339,277 B2	5/2016	Jansen et al.	10,188,480 B2	1/2019	Scholl et al.
9,345,492 B2	5/2016	Stein et al.	10,201,320 B2	2/2019	Saget et al.
9,358,051 B2	6/2016	Sournac et al.	10,219,865 B2	3/2019	Jansen et al.
9,358,130 B2	6/2016	Livorsi et al.	10,314,657 B2	6/2019	Mosnier et al.
9,358,136 B2	6/2016	Stein et al.	10,318,655 B2	6/2019	Mosnier et al.
9,364,370 B2	6/2016	Kuhnel	10,413,365 B1	9/2019	Mosnier et al.
9,381,085 B2	7/2016	Axelson, Jr. et al.	10,420,615 B1	9/2019	Mosnier et al.
9,387,015 B2	7/2016	Taylor	10,433,912 B1	10/2019	Mosnier et al.
9,392,953 B1	7/2016	Gharib	10,433,913 B2	10/2019	Mosnier et al.
9,393,052 B2	7/2016	Berg et al.	10,441,363 B1	10/2019	Mosnier et al.
9,402,726 B2	8/2016	Linderman et al.	10,456,174 B2	10/2019	Mickiewicz et al.
9,408,615 B2	8/2016	Fitz et al.	10,456,211 B2	10/2019	McAfee
9,408,642 B2	8/2016	Wong et al.	2002/0035321 A1	3/2002	Bucholz et al.
9,408,698 B2	8/2016	Miles et al.	2002/0038118 A1	3/2002	Shoham
9,414,940 B2	8/2016	Stein et al.	2002/0045812 A1	4/2002	Ben-Haim et al.
9,433,443 B2	9/2016	Montello et al.	2002/0068936 A1	6/2002	Burkus et al.
9,439,659 B2	9/2016	Schoenefeld et al.	2002/0103432 A1	8/2002	Kawchuk
9,439,767 B2	9/2016	Bojarski et al.	2003/0191383 A1	10/2003	Ben-Haim et al.
9,439,781 B2	9/2016	Gibson	2003/0204189 A1	10/2003	Cragg
9,445,913 B2	9/2016	Donner et al.	2004/0120781 A1	6/2004	Luca et al.
9,452,022 B2	9/2016	McIntosh et al.	2004/0143243 A1	7/2004	Wahrburg
9,452,023 B2	9/2016	Boillot et al.	2004/0152972 A1	8/2004	Hunter
9,452,050 B2	9/2016	Miles et al.	2004/0167637 A1	8/2004	Biscup
9,452,064 B2	9/2016	Trautwein et al.	2004/0171924 A1	9/2004	Mire et al.
9,468,436 B2	10/2016	Groiso	2004/0172020 A1	9/2004	Beaurain et al.
9,468,502 B2	10/2016	Wiebe, III et al.	2004/0215190 A1	10/2004	Nguyen et al.
9,491,415 B2	11/2016	Deitz et al.	2004/0243148 A1	12/2004	Wasielewski
9,492,183 B2	11/2016	Wilkinson et al.	2004/0267279 A1	12/2004	Casutt et al.
9,495,483 B2	11/2016	Steines et al.	2005/0149050 A1	7/2005	Stifter et al.
9,495,509 B2	11/2016	Amiot et al.	2005/0177239 A1	8/2005	Steinberg
9,498,260 B2	11/2016	Funk et al.	2005/0182320 A1	8/2005	Stifter et al.
9,504,502 B2	11/2016	Kuiper et al.	2005/0182454 A1	8/2005	Gharib et al.
9,510,771 B1	12/2016	Finley et al.	2005/0203531 A1	9/2005	Lakin et al.
9,510,864 B2	12/2016	Devito	2005/0203532 A1	9/2005	Ferguson
9,517,134 B2	12/2016	Lang	2005/0262911 A1	12/2005	Dankowicz et al.
9,517,143 B2	12/2016	Prevost et al.	2006/0015018 A1	1/2006	Jutras et al.
9,526,514 B2	12/2016	Kelley et al.	2006/0015030 A1	1/2006	Poulin et al.
9,532,730 B2	1/2017	Wasielewski	2006/0036259 A1	2/2006	Carl et al.
9,539,031 B2	1/2017	Fauth	2006/0069324 A1	3/2006	Block et al.
9,539,116 B2	1/2017	Claypool et al.	2006/0074431 A1	4/2006	Sutton et al.
9,539,760 B2	1/2017	Stahl et al.	2006/0136058 A1	6/2006	Pietrzak
			2006/0142657 A1	6/2006	Quaid et al.
			2006/0285991 A1	12/2006	McKinley
			2006/0287627 A1	12/2006	Johnson
			2007/0021682 A1	1/2007	Gharib et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0118243	A1	5/2007	Schroeder et al.	2015/0100066	A1	4/2015	Kostrzewski et al.
2007/0173818	A1	7/2007	Hestad et al.	2015/0100091	A1	4/2015	Tohmeh et al.
2007/0225731	A1	9/2007	Couture et al.	2015/0105782	A1	4/2015	D'Lima et al.
2008/0009866	A1	1/2008	Alamin et al.	2015/0127055	A1	5/2015	Dvorak et al.
2008/0058945	A1	3/2008	Hajaj et al.	2015/0150646	A1	6/2015	Pryor et al.
2008/0108991	A1	5/2008	von Jako	2015/0164657	A1	6/2015	Miles et al.
2008/0177203	A1	7/2008	von Jako	2015/0182292	A1	7/2015	Hladio et al.
2008/0245972	A1	10/2008	Drapeau	2015/0223900	A1	8/2015	Wiebe, III et al.
2008/0255575	A1	10/2008	Justis et al.	2015/0245844	A1	9/2015	Kennedy et al.
2008/0262549	A1	10/2008	Bennett et al.	2015/0250597	A1	9/2015	Lang et al.
2008/0281332	A1	11/2008	Taylor	2015/0265291	A1	9/2015	Wilkinson
2009/0024164	A1	1/2009	Neubardt	2015/0305878	A1	10/2015	O'Neil et al.
2009/0076615	A1	3/2009	Duggal et al.	2015/0305891	A1	10/2015	Bergin et al.
2009/0194206	A1	8/2009	Jeon et al.	2015/0313723	A1	11/2015	Jansen et al.
2009/0204159	A1	8/2009	Justis et al.	2015/0328004	A1	11/2015	Mafhouz
2009/0248080	A1	10/2009	Wilcox et al.	2015/0366630	A1	12/2015	Gorek et al.
2009/0249851	A1	10/2009	Isaacs	2016/0000571	A1	1/2016	Mahfouz
2009/0254326	A1	10/2009	Isaacs	2016/0007983	A1	1/2016	Frey et al.
2009/0264932	A1	10/2009	Alamin et al.	2016/0015465	A1	1/2016	Steines et al.
2010/0042157	A1	2/2010	Trieu	2016/0022176	A1	1/2016	Le Huec et al.
2010/0100011	A1	4/2010	Roche	2016/0022370	A1	1/2016	Pavlovskaja et al.
2010/0191071	A1	7/2010	Anderson et al.	2016/0038161	A1	2/2016	Gibson
2010/0191088	A1	7/2010	Anderson et al.	2016/0038238	A1	2/2016	Kostrzewski et al.
2010/0217270	A1	8/2010	Polinski et al.	2016/0038242	A1	2/2016	Lo Iacono et al.
2010/0217336	A1	8/2010	Crawford et al.	2016/0038293	A1	2/2016	Slamin et al.
2011/0004309	A9	1/2011	Holm	2016/0038307	A1	2/2016	Bettenga
2011/0071802	A1	3/2011	Bojarski et al.	2016/0045230	A1	2/2016	Lowery et al.
2011/0106163	A1	5/2011	Hochschul et al.	2016/0045317	A1	2/2016	Lang et al.
2011/0118740	A1	5/2011	Rabiner et al.	2016/0045326	A1	2/2016	Hansen et al.
2011/0137345	A1	6/2011	Stoll et al.	2016/0058320	A1	3/2016	Chien et al.
2011/0172566	A1	7/2011	Kawchuk	2016/0058523	A1	3/2016	Chien et al.
2011/0214279	A1	9/2011	Park et al.	2016/0074052	A1	3/2016	Keppler et al.
2011/0224796	A1	9/2011	Weiland et al.	2016/0074202	A1	3/2016	Reed et al.
2011/0257653	A1	10/2011	Hughes et al.	2016/0081754	A1	3/2016	Kostrzewski et al.
2011/0257657	A1	10/2011	Turner et al.	2016/0095710	A1	4/2016	Juszczuk et al.
2011/0295159	A1	12/2011	Shachar et al.	2016/0100907	A1	4/2016	Gomes
2011/0295378	A1	12/2011	Bojarski et al.	2016/0106483	A1	4/2016	Mayer et al.
2011/0306873	A1	12/2011	Shenai et al.	2016/0128847	A1	5/2016	Kurtaliaj et al.
2012/0022357	A1	1/2012	Chang et al.	2016/0143744	A1	5/2016	Bojarski et al.
2012/0035611	A1	2/2012	Kave	2016/0157751	A1	6/2016	Mahfouz
2012/0123301	A1	5/2012	Connor et al.	2016/0199101	A1	7/2016	Sharifi-Mehr et al.
2012/0143090	A1	6/2012	Hay et al.	2016/0228192	A1	8/2016	Jansen et al.
2012/0150243	A9	6/2012	Crawford et al.	2016/0235447	A1	8/2016	Mundis, Jr. et al.
2012/0165872	A1	6/2012	Alamin et al.	2016/0235480	A1	8/2016	Scholl et al.
2012/0172884	A1	7/2012	Zheng et al.	2016/0235493	A1	8/2016	LeBoeuf et al.
2012/0203289	A1	8/2012	Beerens et al.	2016/0242819	A1	8/2016	Simpson et al.
2013/0079678	A1	3/2013	Stein et al.	2016/0242857	A1	8/2016	Scholl
2013/0079679	A1	3/2013	Roche et al.	2016/0242934	A1	8/2016	van der Walt et al.
2013/0079790	A1	3/2013	Stein et al.	2016/0256279	A1	9/2016	Sanders et al.
2013/0131486	A1	5/2013	Copf et al.	2016/0256285	A1	9/2016	Jansen
2013/0211531	A1	8/2013	Steines et al.	2016/0262800	A1	9/2016	Scholl et al.
2013/0245631	A1	9/2013	Bettenga	2016/0262895	A1	9/2016	Shea et al.
2013/0253599	A1	9/2013	Gorek et al.	2016/0270802	A1	9/2016	Fang et al.
2013/0268007	A1	10/2013	Rezach et al.	2016/0270931	A1	9/2016	Trieu
2013/0303883	A1	11/2013	Zehavi et al.	2016/0274571	A1	9/2016	Lavallee et al.
2013/0345718	A1	12/2013	Crawford et al.	2016/0283676	A1	9/2016	Lyon et al.
2014/0058407	A1	2/2014	Tsekos et al.	2016/0287395	A1	10/2016	Khalili et al.
2014/0100579	A1	4/2014	Kelman et al.	2016/0296285	A1	10/2016	Chaoui et al.
2014/0135658	A1	5/2014	Hladio et al.	2016/0310221	A1	10/2016	Bar et al.
2014/0180415	A1	6/2014	Koss	2016/0331417	A1	11/2016	Trautwein et al.
2014/0194889	A1	7/2014	Chang et al.	2016/0354009	A1	12/2016	Schroeder
2014/0228670	A1	8/2014	Justis et al.	2016/0354161	A1	12/2016	Deitz
2014/0228860	A1	8/2014	Steines et al.	2016/0360997	A1	12/2016	Yadav et al.
2014/0244220	A1	8/2014	McKinnon et al.	2017/0000568	A1	1/2017	O'Neil et al.
2014/0257402	A1	9/2014	Barsoum	2017/0007145	A1	1/2017	Gharib et al.
2014/0272881	A1	9/2014	Barsoum	2017/0007328	A1	1/2017	Cattin et al.
2014/0277149	A1	9/2014	Rooney et al.	2017/0007408	A1	1/2017	Fitz et al.
2014/0296860	A1	10/2014	Stein et al.	2017/0027590	A1	2/2017	Amiot et al.
2014/0303672	A1	10/2014	Tran et al.	2017/0027617	A1	2/2017	Strnad
2014/0316468	A1	10/2014	Keiser et al.	2017/0035580	A1	2/2017	Murphy
2015/0057756	A1	2/2015	Lang et al.	2017/0056179	A1	3/2017	Lorio
2015/0066145	A1	3/2015	Rogers et al.	2017/0056196	A1	3/2017	Kuiper et al.
2015/0080901	A1	3/2015	Stein	2017/0071503	A1	3/2017	Wasielowski
2015/0081029	A1	3/2015	Bojarski et al.	2017/0119472	A1	5/2017	Herrmann et al.
2015/0088030	A1	3/2015	Taylor	2017/0132389	A1	5/2017	McCaulley et al.
				2017/0135706	A1	5/2017	Frey et al.
				2017/0135707	A9	5/2017	Frey et al.
				2017/0135770	A1	5/2017	Scholl et al.
				2017/0143426	A1	5/2017	Isaacs et al.

(56)	References Cited			EP	3 431 032	A1	1/2019
	U.S. PATENT DOCUMENTS			FR	1358988	A	4/1964
				FR	1360208	A	5/1964
				JP	2016-537036	A	12/2016
				JP	2016-540610	A	12/2016
2017/0143494	A1	5/2017	Mahfouz	SU	1497721	A1	7/1989
2017/0143502	A1	5/2017	Yadin et al.	SU	1704102	A1	1/1992
2017/0156798	A1	6/2017	Wasielewski	WO	9855038	A1	12/1998
2017/0189121	A1	7/2017	Frasier et al.	WO	00/53077	A2	9/2000
2017/0231661	A1	8/2017	Bannigan et al.	WO	04/017836	A2	3/2004
2017/0231709	A1	8/2017	Gupta et al.	WO	04/030559	A1	4/2004
2017/0252107	A1	9/2017	Turner et al.	WO	04/089224	A2	10/2004
2017/0273718	A1	9/2017	Metzger et al.	WO	04/111948	A2	12/2004
2017/0360493	A1	12/2017	Zucker et al.	WO	05/074368	A2	8/2005
2018/0078286	A1	3/2018	Le Couedic	WO	06/075331	A2	7/2006
2018/0178148	A1	6/2018	Mazor et al.	WO	06/084193	A2	8/2006
2018/0256067	A1	9/2018	Chien et al.	WO	07/035925	A2	3/2007
2018/0289396	A1	10/2018	McGahan et al.	WO	07/038290	A2	4/2007
2018/0295584	A1	10/2018	Gliner et al.	WO	08/002588	A2	1/2008
2018/0301213	A1	10/2018	Zehavi et al.	WO	08/079546	A2	7/2008
2018/0303552	A1	10/2018	Ryan et al.	WO	08/124079	A1	10/2008
2018/0310993	A1	11/2018	Hobeika et al.	WO	09/119181	A1	10/2009
2019/0015136	A1	1/2019	Kraemer	WO	09/124245	A1	10/2009
2019/0029733	A1	1/2019	Mickiewicz et al.	WO	10/044880	A1	4/2010
2019/0046269	A1	2/2019	Hedblom et al.	WO	10/064234	A2	6/2010
2019/0046287	A1	2/2019	Fallin et al.	WO	10/121147	A1	10/2010
2019/0059951	A1	2/2019	Barrus	WO	10/147972	A1	12/2010
2019/0060086	A1	2/2019	Krause et al.	WO	11/021192	A1	2/2011
2019/0069956	A1	3/2019	Ryan et al.	WO	12/012863	A1	2/2012
2019/0083144	A1	3/2019	Sharifi-Mehr et al.	WO	12/113030	A1	8/2012
2019/0099221	A1	4/2019	Schmidt et al.	WO	12/131660	A1	10/2012
2019/0103190	A1	4/2019	Schmidt et al.	WO	13/003435	A1	1/2013
2019/0110819	A1	4/2019	Triplett et al.	WO	14/191790	A1	12/2014
2019/0117278	A1	4/2019	Chin	WO	15/040552	A1	3/2015
2019/0122364	A1	4/2019	Zhang et al.	WO	15/054543	A1	4/2015
2019/0142599	A1	5/2019	Thibodeau	WO	15/056131	A1	4/2015
2019/0167314	A1	6/2019	Mosnier et al.	WO	15/079011	A1	6/2015
2019/0201013	A1	7/2019	Siccardi et al.	WO	15/089118	A1	6/2015
2019/0201155	A1	7/2019	Gupta et al.	WO	15/185219	A1	12/2015
2019/0216507	A1	7/2019	Bannigan et al.	WO	15/195843	A2	12/2015
2019/0223916	A1	7/2019	Barrus et al.	WO	2015200720	A2	12/2015
2019/0231435	A1	8/2019	Zucker et al.	WO	16/012726	A1	1/2016
2019/0231443	A1	8/2019	McGinley et al.	WO	16/019424	A1	2/2016
2019/0231557	A1	8/2019	Sutterlin, III et al.	WO	16/019425	A1	2/2016
2019/0239935	A1	8/2019	Willis et al.	WO	16/019426	A1	2/2016
2019/0247100	A1	8/2019	Mundis, Jr. et al.	WO	16/026053	A1	2/2016
2019/0254719	A1	8/2019	Gandhi et al.	WO	16/032875	A1	3/2016
2019/0262015	A1	8/2019	Siccardi et al.	WO	16/044352	A1	3/2016
2019/0269463	A1	9/2019	Mosnier et al.	WO	16/048800	A1	3/2016
2019/0380782	A1	12/2019	McAfee et al.	WO	16/088130	A1	6/2016
2020/0060768	A1	2/2020	Mosnier et al.	WO	16/094826	A1	6/2016
2020/0121394	A1	4/2020	Mosnier et al.	WO	16/102026	A1	6/2016
2020/0170676	A1	6/2020	Grob	WO	16/137347	A1	9/2016
2020/0315708	A1	10/2020	Mosnier et al.	WO	16/148675	A1	9/2016
				WO	16/165030	A1	10/2016
				WO	17/001851	A1	1/2017
				WO	17/039596	A1	3/2017
AU	2019200740	A1	2/2019	WO	17/064719	A1	4/2017
AU	2019200888	A1	2/2019	WO	17/066518	A1	4/2017
AU	2014363945	B2	4/2019	WO	17/077356	A1	5/2017
AU	2019203557	A1	6/2019	WO	17/079655	A2	5/2017
CA	2872845	A1	11/2013	WO	17/127838	A1	7/2017
CA	2927955	A1	4/2014	WO	17/151949	A1	9/2017
CN	1816134	A	8/2006	WO	17/221257	A1	12/2017
CN	102805677	A	12/2012	WO	18/045086	A1	3/2018
CN	104127229	A	11/2014	WO	18/055494	A1	3/2018
CN	205073000	U	3/2016	WO	18/055518	A1	3/2018
CN	103892953	B	5/2016	WO	18/078636	A1	5/2018
CN	104323843	B	1/2017	WO	18/087758	A1	5/2018
CN	104434287	B	1/2017	WO	18/131044	A1	7/2018
CN	105078555	B	9/2018	WO	18/131045	A1	7/2018
EP	1 570 781	A1	9/2005	WO	18/183314	A1	10/2018
EP	2 053 580	A1	4/2009	WO	18/185755	A1	10/2018
EP	2 749 235	A1	7/2014	WO	18/193316	A2	10/2018
EP	2 754 419	A2	7/2014	WO	18/193317	A1	10/2018
EP	2 496 183	B1	9/2015	WO	18/203101	A1	11/2018
EP	3 000 443	A2	3/2016	WO	2019014452	A1	1/2019
EP	2 608 749	B1	8/2016	WO	2019036039	A2	2/2019
EP	2 403 434	B1	4/2017	WO	2019043426	A1	3/2019
EP	3 395 281	A1	10/2018	WO			

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2019068085	A1	4/2019
WO	2019070729	A1	4/2019
WO	2019118844	A1	6/2019
WO	2019140240	A1	7/2019

OTHER PUBLICATIONS

Abe et al. "Scoliosis corrective force estimation from the implanted rod deformation using 3 D FEM analysis", 2015, *Scoliosis* 10(Suppl 2):52, 6 pages.

Aubin et al. "Preoperative Planning Simulator for Spinal Deformity Surgeries", *Spine* 2008, 33(20):2143-2152.

Reinshagen et al. "A novel minimally invasive technique for lumbar decompression, realignment, and navigated interbody fusion", *J Clin Neurosci.* 2015, 22(9):1484-1490: XP055503028.

Rickert et al., "Posterior lumbar interbody fusion implants", *Orthopaede.* Springer Verlag, Berlin, DE vol. 44, No. 2 dated Jan. 28, 2015 pp. 162-169.

Spontech Medical AG Vertaplan—die Software für Wirbelsäulenchirurgen, Aug. 29, 2013 Retrieved from the Internet: URL: <<https://www.youtube.com/watch?v=q0qhWIT1cp8>> in 1 page.

Barton et al., Mar./Apr. 2016, Early experience and initial outcomes with patient-specific spine rods for adult spinal deformity, *Trending in Orthopedics*, 39(2):79-86.

Fiere et al., Jul. 2016, 40. Preoperative planning and patient-specific rods for surgical treatment of thoracolumbar sagittal imbalance, in *Surgery of the Spine and Spinal Cord. A Neurosurgical Approach*, Van de Kalf ed., Springer International Publishing, Switzerland, pp. 645-662.

Foroozandeh et al., Summer 2012, 3D reconstruction using cubic Bezier spline curves and active contours (case study), *Iranian Journal of Medical Physics*, 9(3):169-176.

Galbusera et al., Feb. 2019, Artificial intelligence and machine learning in spine research, *JOR Spine*, 2:E1044, 20 pp.

Grove, 2011, Heterogeneous modeling of medical image data using B-spline functions, doctoral dissertation, Department of Computer Science and Engineering, University of South Florida, 212 pp.

Lazarus, Jun. 21, 2013, An introduction to splines, 29 pp.

Li et al., 2009, Modeling and measurement of 3D deformation of scoliotic spine using 2D x-ray images, *Lecture Notes in Computer Science*, 8 pp.

Lin, Sep. 17-21, 2003, The simplified spine modeling by 3-D Bezier curve based on the orthogonal spinal radiographic images, *Proceedings of the 25th Annual International Conference of the IEEE EMBS*, Cancun, Mexico, pp. 944-946.

Pasha et al., 2018, Data-driven classification of the 3D spinal curve in adolescent idiopathic scoliosis with an applications in surgical outcome prediction, *Scientific Reports*, 8:16296, 10 pp.

Poredos et al., 2015, Determination of the human spine curve based on laser triangulation, *BMC Medical Imaging* 15(2):1-11.

Prautzsch et al., Mar. 26, 2001, Bezier- and B-spline techniques, 58 pp.

Ratnakar et al. 2011, Predicting thoracic spinal postures in finite element model with Bezier technique, *Ircobe Conference 2011*, IRC-11-57, 4 pp.

Solla et al., Mar. 2019, Patient-specific rods for surgical correction of sagittal imbalance in adults: Technical aspects and preliminary results: *Clin Spine Surg*, 32(2): 7 pp.

International Search Report in PCT Application PCT/IB2014/064586, dated Dec. 23, 2014, in 2 pages.

International Search Report in POT Application PCT/US2016/060676, dated Nov. 5, 2017 in 7 pages.

International Search Report and Written Opinion in PCT Application PCT/IB2018/000551, dated Dec. 12, 2018 in 9 pages.




FIG. 1




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

1

METHOD OF MAKING IT POSSIBLE TO PRODUCE AND IDEAL CURVATURE OF A ROD OF VERTEBRAL OSTEOSYNTHESIS MATERIAL DESIGNED TO SUPPORT A PATIENT'S VERTEBRAL COLUMN

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. application Ser. No. 17/188,261, filed Mar. 1, 2021, which is a continuation of U.S. application Ser. No. 16/389,348, filed Apr. 19, 2019, now U.S. Pat. No. 10,970,426, which is a continuation of U.S. application Ser. No. 14/914,474, filed Feb. 25, 2016, now U.S. Pat. No. 10,318,655, which is a national stage entry of PCT/IB2014/064586 filed Sep. 17, 2014, under the International Convention claiming priority over French Patent Application No. 1358988 filed Sep. 18, 2013, all of which are incorporated herein by reference in their entirety.

FIELD OF THE INVENTION

The present invention relates to a method making it possible to produce the ideal curvature of a rod of vertebral osteosynthesis material designed to support a patient's vertebral column.

BACKGROUND OF THE INVENTION

It is known to analyze a patient's vertebral column in reference to so-called "pelvic" parameters and different morphotypes of a vertebral column, documented in the scientific literature. The appended FIG. 1 very diagrammatically shows the base of the vertebral column, i.e., part of the lumbar vertebrae L and the sacrum S, as well as the femoral heads TF; the aforementioned pelvic criteria are:

the SS (sacral slope) criterion, which is the incline angle of the plate of S1 (first vertebra of the sacrum), relative to the horizontal;

the PV (pelvic version) criterion, which is the angle formed by the straight segment connecting the center of the femoral heads TF and the center of the plate of S1 with the vertical;

the P1 (pelvic incidence) criterion, which is the angle formed by the straight segment connecting the center of the femoral heads TF and the center of the plate of S1 with the perpendicular to the plate of S1.

FIGS. 2A to 2D respectively show:

a so-called "type 1" morphotype, in which the apex (i.e., the forwardmost point of the vertebral column) is situated at the median plane of L5 (fifth lumbar vertebra), and the SS criterion corresponds to an angle smaller than 35°;

a so-called "type 2" morphotype, in which the apex is situated at the base of L4 (fourth lumbar vertebra), and the SS criterion corresponds to an angle smaller than 35°;

a so-called "type 3" morphotype, in which the apex is situated at the median plane of L4, and the SS criterion corresponds to an angle comprised between 35° and 45°;

a so-called "type 4" morphotype, in which the apex is situated at the base of L3 (third lumbar vertebra), and the SS criterion corresponds to an angle larger than 45°.

It is accepted that an individual will adopt a natural vertebral column posture, called "economic", avoiding pain and other pathologies, if his pelvic parameters in particular

2

are in agreement with his back morphotype. If this is not the case, surgical treatment may be considered in order to reestablish proper posture of the vertebral column, in which that agreement exists.

It is well known to perform this type of recovery using rigid vertebral rods, in particular made of metal, fastened to the vertebrae using anchor members such as pedicle screws or laminar hooks, which rods must be curved suitably based on the correction to be done. The publication of patent application No. WO 98/55038 illustrates material of this type.

It has been shown that imparting the appropriate curvature to a straight rod may be very difficult for a surgeon, the curvature being more or less pronounced in any given location of the rod. Currently, such a curvature is done at the surgeon's discretion and calls greatly on the latter's experience and dexterity. The trial and error necessary to obtain an appropriate curvature have the significant drawback of extending the operation time, which is not desirable for the patient, and the risk of implanting a rod with a non-ideal curvature cannot be ruled out.

OBJECTS OF THE INVENTION

The present invention aims to resolve this essential drawback.

The patent application publications No. WO 2004/017836 A2, WO 2009/254326 A1 and US 2008/079546 A2 describe methods that do not achieve this goal satisfactorily.

SUMMARY OF THE INVENTION

To that end, the method according to the invention comprises the following steps:

a) taking a sagittal preoperative x-ray of the vertebral column of the patient to be treated, extending from the cervical vertebrae to the femoral heads;

b) on that x-ray, identifying: the so-called "pelvic" parameters, i.e., the sacral slope, the pelvic version and the pelvic incidence, the lumbar lordosis, the position of the apical lumbar vertebra, i.e., that situated furthest forward on the x-ray,

at least one of the following measurements:

the distance, called SVA, from the vertical of the posterior upper point of the plate of the first vertebra of the sacrum, called S1, to the vertical passing through the center of the 7th cervical vertebra;

the distance, called SFD, from the vertical of the posterior upper point of the plate of S1 to the vertical passing through the center of the femoral heads;

the angle, called T1/SPI, formed between the segment going from the center of the first dorsal vertebra, called T1, to the center of the femoral heads and the vertical to the center of T1, a cloud of points defining the curvature of the patient's vertebral column, including one point per vertebral level, positioned at the center of the upper plate of an affected vertebra, and a point defining the noted preoperative apex;

c) deducing, among predetermined vertebral column morphotypes and from the noted value of the sacral slope, the morphotype to which the treated vertebral column corresponds and deducing the desired postoperative apex point after performing the correction therefrom,

3

- and defining the vertebrae in which the anchor members for the vertebral rod to be anchored to the vertebrae will be implanted;
- d) performing a wire modeling of the patient's vertebral column, for example using CAD software;
- e) defining, from said pelvic parameters, a reference centered at the plate of S1, the origin point of which is the central point of that plate;
- f) positioning the different points of said cloud of points, attached to each vertebra, in that reference, and drawing arcs step by step between the identified points, all of the arcs being tangent to each other and the arc extending from S1 being tangent to the straight line perpendicular to the plate of S1;
- g) reading the values of the arc lengths;
- h) simulating the correction to be applied to the lumbar segment to be treated as follows:
- h1) drawing a straight line tangent to the desired postoperative apex point, moving that straight line to a vertical position such that the arc attached to that straight line is tangent to the desired postoperative apex point, the latter thus being repositioned so as to become the apex point of the modeled vertebral column segment,
- h2) defining, as co-radial to each other, the arcs situated below that apex point and defining as co-radial to each other the arcs situated above that same apex point, so as to obtain two different curvatures, one above that apex point and the other below the apex point,
- h3) defining the lumbar lordosis as being equal to plus or minus ten degrees of the pelvic incidence, and defining one of the following three values as desired: SVA distance smaller than 5 cm; SVA/SFD ratio comprised between -1.9 and $+0.1$; the value of this ratio is positive on the side of the vertical of the posterior upper point of the plate of S1 situated toward the femoral heads and is negative on the side of the vertical situated opposite the femoral heads;
- T1/SPI angle comprised between -9° and 0° , that angle being negative on the side of the vertical at the center of T1 located toward the femoral heads;
- h4) defining two arcs concentric to the two curvatures obtained during step h2 above, which are tangent to each other at the apex point, those arcs forming a curved segment representing the ideal curvature of the rod to be implanted in order to obtain the correction of the vertebral segment to be treated,
- h5) translating that curved segment away from the mean line of the vertebral column, over an evaluated mean distance going from the center of the vertebrae to the anchor points of the anchor members for anchoring the rod to the vertebrae of said vertebral segment to be treated, such that the position of said curved segment corresponds to the position the rod will assume once implanted;
- i) defining the diameter of the rod to be implanted;
- j) defining a two- or three-dimensional model of the rod, curved along said curved segment, and
- k) from a straight rod, producing the curvature of that rod according to said model.
- Preferably, said predetermined vertebral column morphotypes comprise:
- a so-called "type 1" morphotype, in which the apex (i.e., the forwardmost point of the vertebral column) is

4

- situated at the median plane of L5 (fifth lumbar vertebra), and the SS criterion corresponds to an angle smaller than 35° ;
- a so-called "type 2" morphotype, in which the apex is situated at the base of LA (fourth lumbar vertebra), and the SS criterion corresponds to an angle smaller than 35° ;
- a so-called "type 3" morphotype, in which the apex is situated at the median plane of LA, and the SS criterion corresponds to an angle comprised between 35° and 45° ;
- a so-called "type 4" morphotype, in which the apex is situated at the base of L3 (third lumbar vertebra), and the SS criterion corresponds to an angle larger than 45° .
- Preferably, the two- or three-dimensional modeling done in step j) consists of establishing a drawing or a plan of the rod to be produced.
- Preferably, the curvature produced in step k) is done by cold bending.
- Preferably, the method comprises, after step h5) or step i) or step j), the transfer of data relative to the rod to be produced to a service provider responsible for producing the curvature of the rod.
- Thus, a practitioner, having determined the shape of the rod to be implanted using the method according to the invention, transfers the data relative to the rod to be produced to a service provider responsible for producing the curvature of the rod. Once that curvature is produced, the service provider will deliver the curved rod to the practitioner, who will be able to operate on the patient with his vertebral rod that is ready to be implanted.
- The invention will be well understood, and other features and advantages thereof will appear, in reference to the appended diagrammatic drawing, showing, as a non-limiting example, different values used to carry out the method in question and different operations performed in the context of that implementation.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 very diagrammatically shows the base of the vertebral column;

FIG. 2A shows a so-called "type 1" morphotype, in which the apex is situated at the median plane of L5 and the SS criterion corresponds to an angle smaller than 35° ;

FIG. 2B shows a so-called "type 2" morphotype, in which the apex is situated at the base of LA and the SS criterion corresponds to angle smaller than 35° ;

FIG. 2C shows a so-called "type 3" morphotype, in which the apex is situated at the median plane of L4 and the SS criterion corresponds to angle comprised between 35° and 45° ;

FIG. 2D shows a so-called "type 4" morphotype, in which the apex is situated at the base of L3 and the SS criterion corresponds to angle larger than 45° ;

FIG. 3 is a very diagrammatic view of a vertebral column, on which the definition points of an SVA value used to implement the method according to the invention are shown;

FIG. 4 is a view similar to FIG. 3, which shows the definition points of the SVA value and an SFD value, those two values being used to define a ratio employed to carry out the method according to the invention;

FIG. 5 is a view similar to FIG. 3, showing the definition points of a so-called T1/SPI value used to carry out the method according to the invention;

5

FIGS. 6 to 11 are very diagrammatic views of reference points, segments, arcs of circle and curves used during the different successive steps of this method; and

FIG. 12 is, on the left side of that figure, a view of a drawing or plan P of the curved vertebral rod to be obtained, the shape of which has been defined by the preceding steps of the method and, on the right side of that figure, a view of the curved vertebral rod TV, obtained from that drawing P.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIG. 3 very diagrammatically shows a vertebral column CV, and includes the following information:

LL: vertebral segment to be treated;

L1, L2, L3, L4, L5, S1, C7: the first, second, third, fourth and fifth lumbar vertebrae, the first vertebra of the sacrum and the seventh cervical vertebra, respectively; Apex: the forward most point of the vertebral column; SS,

PV, P1: the aforementioned pelvic criteria;

TF: the femoral heads, shown by a circle;

H1 and V1: the horizontal and vertical, respectively, at the posterior upper point of the plate of S1;

V2: the vertical passing through the center of the 7th cervical vertebra (C7).

FIG. 4 also mentions a so-called "SFD" value, going from the vertical V1 to the vertical passing through the center of the femoral heads TF.

FIG. 5 also mentions a so-called "T1/SPI" value, which is the angle formed between the T1-TF segment going from the center of the first dorsal vertebra, called T1, to the center of the femoral heads TF and the vertical V3 to the center of T1.

The various steps of the method are illustrated in FIGS. 6 to 11 as follows.

FIG. 6: on a sagittal preoperative x-ray of the vertebral column of the patient to be treated, extending from the cervical vertebrae to the femoral heads, the following are identified:

the pelvic parameters,

the lumbar lordosis, the position of the apical lumbar vertebra, i.e., that situated furthest forward on the x-ray, as desired, the SVA distance only, or the SVA distance and the SFD distance,

a cloud of points defining the curvature of the patient's vertebral column, including one point per vertebral level, positioned at the center of the upper plate of an affected vertebra, and a point defining the noted pre-operative apex.

The morphotype to which the treated vertebral column corresponds is deduced on the noted points, among the vertebral column morphotypes shown in FIGS. 2A to 2D, from the value of the noted sacral slope; the desired post-operative apex point after performing the correction is deduced therefrom; the vertebrae in which the anchoring members for the vertebral rod to be anchored to the vertebrae will be implanted are also defined in this step.

FIGS. 7 and 8: a wire model of the vertebral column of the patient is done, for example using CAD software;

FIG. 9: a reference centered at the plate of S1 is defined from said pelvic parameters, the origin point of that reference being the central point of that plate, then the different points of said cloud of points, attached to each vertebra, are positioned in that reference, and arcs between the identified points are drawn step by step, all of the arcs being tangent to each other and the arc extending from S1 being tangent to the straight line perpendicular to the plate of S1;

6

FIG. 10: the values of the arc lengths are read, and the correction to be applied to the lumbar segment to be treated is simulated as follows:

drawing a straight line tangent to the desired postoperative apex point, moving that straight line to a vertical position such that the arc attached to that straight line is tangent to that desired postoperative apex point, the latter thus being repositioned so as to become the apex point of the modeled vertebral column segment,

defining, as co-radial to each other, the arcs situated below that apex point and defining, as co-radial to each other, the arcs situated above that same apex point, so as to obtain two different curvatures, one above that apex point and the other below that apex point,

defining the lumbar lordosis as being equal to plus or minus ten degrees of the pelvic incidence, and defining, as desired, one of the three following values:

SVA distance smaller than 5 cm;

SVA/SFD ratio comprised between -1.9 and +0.1; the value of this ratio is positive on the side of the vertical V1 situated toward the femoral heads TF and is negative on the side of that vertical V1 situated opposite the femoral heads TF;

T1/SPI angle comprised between -9° and 0°; this angle is negative on the side of the vertical V3 at the center of T1 located toward the femoral heads TF;

defining two arcs concentric to the two curvatures obtained in the above step, which are tangent to each other at the apex point, those arcs forming a curved segment SC representing the ideal curvature of the rod to be implanted in order to obtain the correction of the vertebral segment to be treated.

FIG. 11: the curved segment SC is translated away from the mean line of the vertebral column, over an evaluated mean distance going from the center of the vertebrae to the anchoring points of the anchoring members OA (FIG. 10, it is a pedicle screw) for anchoring the rod to the vertebrae of said vertebral segment to be treated, such that the position of said curved segment SC corresponds to the position that the rod will assume once implanted; the diameter of the rod to be implanted being defined, a two- or three-dimensional model of that rod is then established, curved along said arcs.

FIG. 12: a drawing or plan P is established from that model, then the vertebral rod TV to be obtained is arranged from that drawing P, in particular by cold bending.

The method according to the invention thus has the decisive advantage of making it possible to produce the ideal curvature of a rod for vertebral osteosynthesis material designed to support a patient's vertebral column.

What is claimed is:

1. A system for producing a desired curvature of a customized spinal rod to support a vertebral column of a patient, the system comprising:

an interface comprising a computer processor and an electronic storage medium, the interface configured to analyze a preoperative image of a vertebral column of a patient by:

identifying on the preoperative image one or more of an apex point or one or more lordosis parameters, wherein the apex point comprises a forwardmost point of the vertebral column on the preoperative image, and wherein the one or more lordosis parameters comprises a difference between pelvic incidence and lumbar lordosis;

the interface further configured to:

7

simulate a correction to be applied to a lumbar segment to be treated, wherein simulating the correction comprises one or more of:

repositioning the apex point and obtaining a first curvature above the repositioned apex point and a second curvature below the repositioned apex point; or

redefining the lumbar lordosis;

deduce a curved segment representing a desired curvature of the customized spinal rod based at least in part on one or more of the redefined lumbar lordosis or the first curvature above the repositioned apex point and the second curvature below the repositioned apex point; and

transfer data relating to the desired curvature of the customized spinal rod to a service provider, causing a production unit to bend a straight rod to have the desired curvature.

2. The system of claim 1, wherein the lumbar lordosis is redefined as being within ten degrees of a pelvic incidence.

3. The system of claim 1, wherein the preoperative image is further analyzed by identifying one or more pelvic parameters on the preoperative image.

4. The system of claim 3, wherein the one or more pelvic parameters comprises one or more of a sacral slope, pelvic version, or pelvic incidence.

5. The system of claim 1, wherein the preoperative image comprises a sagittal x-ray image.

6. The system of claim 1, wherein the preoperative image comprises an image of cervical vertebrae.

7. The system of claim 1, wherein the customized spinal rod comprises vertebral osteosynthesis material.

8. The system of claim 1, wherein the preoperative image is further analyzed by identifying on the preoperative image one or more of:

a SVA distance from a vertical of a posterior upper point of a plate of a first vertebra of a sacrum (S1) to a vertical passing through a center of a seventh cervical vertebra;

a SFD distance from the vertical of the posterior upper point of the plate of S1 to a vertical passing through a center of a femoral head; or

a T1/SPI angle formed between a segment going from a center of a first dorsal vertebra (T1) to the center of the femoral head and a vertical line extending from the center of T1.

8

9. The system of claim 1, wherein the interface is further configured to generate a two-dimensional or three-dimensional model of the customized spinal rod.

10. The system of claim 1, wherein the interface is further configured to generate a desired diameter of the customized spinal rod.

11. A method for producing a desired curvature of a customized spinal rod to support a vertebral column of a patient, the method comprising:

identifying, on a preoperative image, one or more of an apex point or one or more lordosis parameters, wherein the apex point comprises a forwardmost point of the vertebral column on the preoperative image, and wherein the one or more lordosis parameters comprises a difference between pelvic incidence and lumbar lordosis;

simulating a correction to be applied to a lumbar segment to be treated, wherein simulating the correction comprises one or more of:

repositioning the apex point and obtaining a first curvature above the repositioned apex point and a second curvature below the repositioned apex point; or

redefining the lumbar lordosis;

deducing a curved segment representing a desired curvature of the customized spinal rod based at least in part on one or more of the redefined lumbar lordosis or the first curvature above the repositioned apex point and the second curvature below the repositioned apex point; and

transferring data relating to the desired curvature of the customized spinal rod to a service provider, causing a production unit to bend a straight rod to have the desired curvature.

12. The method of claim 11, further comprising generating a two-dimensional or three-dimensional model of the customized spinal rod.

13. The method of claim 11, further comprising generating a desired diameter of the customized spinal rod.

14. The method of claim 11, wherein redefining the lumbar lordosis comprises redefining the lumbar lordosis to be within ten degrees of a pelvic incidence.

* * * * *