



US0D1090290S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,290 S**
Altonen et al. (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **SENSOR**

(71) Applicant: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(72) Inventors: **Gregory Altonen**, Easton, PA (US);
Nikhil V. Bhate, East Norriton, PA
(US); **Jason C. Killo**, Emmaus, PA
(US)

(73) Assignee: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/925,595**

(22) Filed: **Jan. 25, 2024**

Related U.S. Application Data

(63) Continuation of application No. 29/837,646, filed on
May 6, 2022, now Pat. No. Des. 1,018,330.

(51) **LOC (15) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70; D10/106.6**

(58) **Field of Classification Search**

USPC D10/70, 106.6, 106.8
CPC .. G01P 13/00; G01P 13/0006; G01P 13/0013;
G01P 13/002; G01P 13/0026; G01P
13/80033; G01P 13/004; G01P 13/0046;
G01P 13/0053; G01P 13/006; G01P
13/0066; G01P 13/0073; G01P 13/008;
G01P 13/0086; G01P 13/0093; G08B
21/00; G08B 21/02; G08B 21/0202;
G08B 21/0205; G08B 21/0208; G08B
21/0211; G08B 21/0213; G08B 21/0216;
G08B 21/0219; G08B 21/0222; G08B
21/0225; G08B 21/0227; G08B 21/023;
G08B 21/0233; G08B 21/0236; G08B
21/0238; G08B 21/0241; G08B 21/0244;
G08B 21/0247; G08B 21/025; G08B
21/0252; G08B 21/0258; G08B 21/0261;

G08B 21/0263; G08B 21/0266; G08B
21/0269; G08B 21/0272; G08B 21/0275;
G08B 21/0277; G08B 21/028; G08B
21/0283; G08B 21/0286; G08B 21/0288;
G08B 21/0291; G08B 21/0194; G08B
21/0297; G08B 21/04; G08B 21/0407;
(Continued)

(56)

References Cited

U.S. PATENT DOCUMENTS

D374,189 S * 10/1996 Hubben D10/106.6
D561,630 S 2/2008 Bandringa et al.
(Continued)

OTHER PUBLICATIONS

Lutron Electronics Co., Inc., Dual Technology Ceiling Mount
Sensor Specification Submittal, Feb. 7, 2013, 9 pages.

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw
Group, LLC

(57)


CLAIM

The ornamental design for a sensor as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sensor showing our design;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a rear view thereof.
The dashed broken lines depict structure or features which
form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC G08B 21/0415; G08B 21/0423; G08B 21/043; G08B 21/0438; G08B 21/0446; G08B 21/0453; G08B 21/0461; G08B 21/0469; G08B 21/0476; G08B 21/0484; G08B 21/0492; G08B 21/06; G08B 21/08; G08B 21/082; G08B 21/084; G08B 21/086; G08B 21/088; G08B 21/10; G08B 21/12; G08B 21/14; G08B 21/16; G08B 21/18; G08B 21/182; G08B 21/185; G08B 21/187; G08B 21/20; G08B 21/22; G08B 21/24; G08B 21/245; G08B 23/00; G08B 13/00; G08B 13/02; G08B 13/04; G08B 13/06; G08B 13/08; G08B 13/10; G08B 13/12; G08B 13/122; G08B 13/124; G08B 13/126; G08B 13/028; G08B 13/14; G08B 13/1409; G08B 13/1418; G08B 13/1427; G08B 13/1436; G08B 13/1445; G08B 13/1454; G08B 13/1463; G08B 13/1472; G08B 13/1481; G08B 13/149; G08B 13/16; G08B 13/1609; G08B 13/1618; G08B 13/1627; G08B 13/1636; G08B 13/1645; G08B 13/1654; G08B 13/1663; G08B 13/1672; G08B 13/1681; G08B 13/169; G08B 13/18; G08B 13/181; G08B 13/183; G08B 13/184; G08B 13/186; G08B 13/187; G08B 13/189; G08B 13/1895; G08B 13/19; G08B 13/191; G08B 13/193; G08B 13/194; G08B 13/196; G08B 13/19602; G08B 13/19604; G08B 13/19606; G08B 13/19608; G08B 13/1961; G08B 13/19613; G08B 13/19615; G08B 13/19617; G08B 13/19619; G08B 13/19621; G08B 13/19623; G08B 13/19626; G08B 13/19628; G08B 13/1963; G08B 13/19632; G08B 13/19634; G08B 13/19636; G08B 13/19639; G08B 13/19641; G08B 13/19643; G08B 13/19645; G08B 13/19647; G08B 13/1965; G08B 13/19652; G08B 13/19654; G08B 13/19656; G08B 13/19658; G08B 13/1966; G08B 13/19663; G08B 13/19665; G08B 13/19667; G08B 13/19669; G08B 13/19671; G08B 13/19673; G08B 13/19676; G08B 13/19678; G08B 13/1968; G08B 13/19682; G08B 13/19684; G08B 13/19686; G08B 13/19689; G08B 13/19691; G08B 13/19693; G08B 13/19695; G08B 13/19697; G08B 13/20; G08B 13/22; G08B 13/24; G08B 13/2402; G08B 13/2405; G08B 13/2408; G08B 13/2411; G08B 13/2414; G08B 13/2417; G08B 13/242; G08B 13/2422; G08B 13/2425; G08B 13/2428; G08B 13/2431; G08B 13/2434; G08B 13/2437; G08B 13/244; G08B 13/2442; G08B 13/2445; G08B 13/2448; G08B 13/2451; G08B 13/2454; G08B 13/2457; G08B 13/246; G08B 13/2462; G08B 13/2465; G08B 13/2468; G08B 13/2471; G08B 13/2474; G08B 13/2477; G08B 13/248; G08B 13/2482; G08B 13/2485; G08B 13/2488; G08B 13/2491; G08B 13/2494; G08B 13/2497; G08B 13/26

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D573,053	S	7/2008	Bandringa et al.	
D588,484	S	3/2009	Bandringa et al.	
D597,430	S	8/2009	Sloan et al.	
D603,284	S	11/2009	Sloan et al.	
D668,164	S *	10/2012	Cowles	D10/70
D939,979	S *	1/2022	Fu	D10/70
D962,532	S *	8/2022	He	D26/104
D971,751	S *	12/2022	Harvey	D10/49
D971,752	S *	12/2022	Harvey	D10/49
11,694,538	B2 *	7/2023	Sorias	G08B 21/24 340/573.1

OTHER PUBLICATIONS

Lutron Electronics Co., Inc., Ultrasonic Ceiling Mount Sensor Specification Submittal, Jun. 4, 2014, 7 pages.
 Hubbell Control Solutions, Omni Low Voltage Acoustic And Pir Ceiling Sensor Product Specification, Jan. 21, 2020, 4 pages.
 Hubbell Control Solutions, Omni® Low Voltage Ultrasonic And Pir Ceiling Sensor Product Specification, Feb. 8, 2021, 4 pages.
 Hubbell Control Solutions, Omni® Low Voltage Ultrasonic Ceiling Sensor Product Specification, Mar. 15, 2021, 4 pages.
 Acuity Brands Lighting, Inc., nLight rCMS Sensor Ceiling/Surface Mount Sensor Installation Instructions, Apr. 29, 2021, 1 page.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7