



US0D1090302S

(12) **United States Design Patent**
Lin

(10) **Patent No.:** **US D1,090,302 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **SOIL TESTER**

(71) Applicant: **Kaiming Lin**, Guangdong (CN)

(72) Inventor: **Kaiming Lin**, Guangdong (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/922,398**

(22) Filed: **Dec. 21, 2023**

(51) **LOC (15) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/56; D10/53; D10/81**

(58) **Field of Classification Search**

USPC D10/53, 56, 81

CPC G01N 33/24; G01N 33/246; G01N

2033/243; G01N 2033/245; G01N

2033/248; G01N 15/08; G01N 15/0806;

G01N 2203/0623; G01N 2203/0617;

G01N 2203/06; G01N 2203/0605; G01N

2203/0641; G01N 2203/0647; G01N

2203/0658; G01N 33/241

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,968,428 A * 7/1976 Numoto G01R 27/14
324/696
D491,822 S * 6/2004 Holbein D10/56
D526,914 S * 8/2006 Holbein D10/56
D584,969 S * 1/2009 Nies D10/56
D609,588 S * 2/2010 Morton D10/56
D632,596 S * 2/2011 Marsden D10/56
D632,597 S * 2/2011 Marsden D10/56
D681,487 S * 5/2013 Lee D10/81
8,656,759 B2 * 2/2014 Hughes G01N 3/40
73/78
D756,249 S * 5/2016 Xiao D10/53
D837,071 S * 1/2019 Yu H04Q 9/02
D10/53

D868,605 S * 12/2019 Tang G01R 27/14
D10/56

D894,763 S * 9/2020 Yu G01N 3/40
D10/56

D961,413 S * 8/2022 Yu D10/53

D968,976 S * 11/2022 Lin D10/53

D968,986 S * 11/2022 Choi D10/74

D968,987 S * 11/2022 Lin D10/81

D974,202 S * 1/2023 Yu D10/53

D1,000,974 S * 10/2023 Lin D10/56

D1,006,652 S * 12/2023 Chen D10/53

D1,006,653 S * 12/2023 Lu D10/53

D1,021,655 S * 4/2024 Huang D10/53

D1,040,670 S * 9/2024 Mu D10/53

D1,057,576 S * 1/2025 Chen D10/53

D1,060,070 S * 2/2025 Fu D10/81

2011/0043230 A1 * 2/2011 Morton G01N 33/246
324/694

2011/0226044 A1 * 9/2011 Hughes G01N 3/42
73/54.02

2017/0241923 A1 * 8/2017 Chan A01G 20/00

2019/0037787 A1 * 2/2019 Kumar G01K 3/005

2021/0258661 A1 * 8/2021 Murray H04Q 9/00

* cited by examiner

Primary Examiner — Antoine Duval Davis

(57)

CLAIM

The ornamental design for a soil tester as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a soil tester showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view thereof; and,

FIG. 8 is another perspective view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8