



US0D1090407S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,407 S**
Bolzoni et al. (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **CAR TIRE**

(71) Applicant: **Pirelli Tyre S.p.A.**, Milan (IT)

(72) Inventors: **Roberto Bolzoni**, Milan (IT); **Diego Ettore Speziari**, Milan (IT)

(73) Assignee: **PIRELLI TYRE S.p.A.**, Milan (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/919,731**

(22) Filed: **Dec. 6, 2023**

Related U.S. Application Data

(62) Division of application No. 29/810,144, filed on Oct. 1, 2021, now Pat. No. Des. 1,012,826.

(30) **Foreign Application Priority Data**

Apr. 2, 2021 (EM) 008483739

(51) **LOC (15) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/523**

(58) **Field of Classification Search**

USPC D12/500–532, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D795,163 S *	8/2017	Digman		D12/519
D830,952 S *	10/2018	Kujime		D12/505
D894,095 S *	8/2020	Nakamura		D12/523
D895,532 S *	9/2020	Nakamura		D12/523
D949,775 S *	4/2022	Bolzoni		D12/523
D1,010,553 S *	1/2024	Koizumi		D12/523
D1,012,826 S *	1/2024	Bolzoni		D12/519

(Continued)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.

(57) **CLAIM**

The ornamental design for a car tire, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a car tire, it being understood that the tread pattern is repeated throughout the circumference of the tire;

FIG. 2 is a left side view of the first embodiment of the tire; FIG. 3 is a perspective view of the first embodiment of the tire;

FIG. 4 is a right side view of the first embodiment of the tire; FIG. 5 is an enlarged view of FIG. 1, showing a portion thereof;

FIG. 6 is a front view of a second embodiment of the tire, it being understood that the tread pattern is repeated throughout the circumference of the tire;

FIG. 7 is a left side view of the second embodiment of the tire;


FIG. 8 is a perspective view of the second embodiment of the tire;

FIG. 9 is a right side view of the second embodiment of the tire; and,

FIG. 10 is an enlarged view of FIG. 6, showing a portion thereof.

The portions depicted in broken dashed lines of uneven length mark the boundaries of the claimed design. The portions depicted in broken dashed lines of even length illustrate portions of the tire that form no part of the claimed design. The broken “dot-dot” lines in FIGS. 1, 5, 6, and 10 illustrate the boundary of the enlarged portion of the front views.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,035,560	S	*	7/2024	Bolzoni		D12/523
D1,066,217	S	*	3/2025	Bolzoni		D12/604
D1,066,228	S	*	3/2025	Bolzoni		D12/604
2023/0286322	A1	*	9/2023	Bolzoni		B60C 11/033
2024/0198730	A1	*	6/2024	Bolzoni		B60C 11/0304

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10