



US0D1090693S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,090,693 S**
Nishimura et al. (45) **Date of Patent:** **** Aug. 26, 2025**

(54) **LIGHT SOURCE FOR PRINTER**

OTHER PUBLICATIONS

(71) Applicant: **KYOCERA CORPORATION**, Kyoto (JP)

G5HN Technical Data Sheet, global.kyocera.com, produced Sep. 2021, retrieved May 13, 2025, U.S. Appl. No. 29/926,507—https://global.kyocera.com/prdct/printing-devices/led-uv/design/pdf/G5HN_en_Sep2021.pdf (Year: 2021).*

(72) Inventors: **Takuya Nishimura**, Omihachiman (JP); **Shinya Uchida**, Moriyama (JP)

(Continued)

(73) Assignee: **KYOCERA CORPORATION**, Kyoto (JP)

Primary Examiner — Holly E Thurman

Assistant Examiner — Danielle Nichole Bowly

(**) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — HAUPTMAN HAM, LLP

(21) Appl. No.: **29/926,507**

(22) Filed: **Jan. 31, 2024**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a light source for printer as shown and described.

Nov. 30, 2023 (JP) 2023-024945D

(51) **LOC (15) Cl.** **18-02**

(52) **U.S. Cl.**
USPC **D18/56; D26/1**

(58) **Field of Classification Search**

USPC D15/75, 122, 138, 144, 1, 45, 146, 78,
D15/68, 69, 70, 72; D18/14, 16, 19, 36,
D18/40, 43, 50, 53, 54, 56, 55; D14/300,
D14/301, 302, 303, 308, 314, 321, 365,
D14/420, 424; D24/158, 159, 176;
D26/1

CPC B82Y 10/00; G03B 27/73
See application file for complete search history.

DESCRIPTION

FIG. 1 is a front-top-right perspective view of a light source for printer according to our new design;
FIG. 2 is a rear-top-right perspective view thereof;
FIG. 3 is a bottom-right-rear perspective view thereof;
FIG. 4 is a bottom-left-rear perspective view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a right side view thereof;
FIG. 10 is a left side view thereof;
FIG. 11 is an enlarged view of a portion of the light source for printer shown in rectangle 11 in FIG. 3; and,
FIG. 12 is an enlarged view of a portion of the light source for printer shown in rectangle 12 in FIG. 4.
The dashed lines show portions of the light source for printer that form no part of the claimed design. The dashed-dotted lines depict the boundaries of the enlarged views that form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,777	S	*	9/1997	Solero		D18/56
D506,273	S	*	6/2005	Matsui		D26/1
D508,573	S	*	8/2005	Matsui		D26/1
D787,589	S	*	5/2017	Sakano		D18/56
D788,844	S	*	6/2017	Sakano		D18/56
D931,934	S	*	9/2021	Kapsis		D18/56
D989,857	S	*	6/2023	Donoth		D18/53
D1,034,800	S	*	7/2024	Hirano		D18/56

(Continued)

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,060,493 S * 2/2025 Hioki D18/56
D1,066,757 S * 3/2025 Hirano D26/1

OTHER PUBLICATIONS

Kyocera Light Source, YouTube, published May 8, 2020, retrieved
May 13, 2025, U.S. Appl. No. 29/926,507—https://www.youtube.com/watch?v=oedP8u5Q_9A&t=31s (Year: 2020).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12