



US0D1090970S

(12) **United States Design Patent**
Tapia

(10) **Patent No.:** **US D1,090,970 S**

(45) **Date of Patent:** **** Aug. 26, 2025**

(54) **LIGHTING FIXTURE**

(71) Applicant: **Wangs Alliance Corporation**, Port
Washington, NY (US)

(72) Inventor: **Nicholas Tapia**, Rancho Cucamonga,
CA (US)

(73) Assignee: **WANGS ALLIANCE**
CORPORATION, Port Washington,
NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/921,727**

(22) Filed: **Dec. 19, 2023**

(51) **LOC (15) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/142**

(58) **Field of Classification Search**
USPC D26/24, 60, 61, 63, 65, 66, 72, 74, 75,
D26/76, 79, 80, 81, 82, 83, 84, 85, 86,
D26/87, 88, 90, 3, 113, 118, 119, 138,
D26/141, 142, 153, 154, 155
CPC F21V 21/10; F21V 21/104; F21V 19/0075;
F21V 19/008; F21Y 2103/00; F21Y
2103/10; F21Y 2105/16; F21S 4/20; F21S
4/28; F21S 8/00; F21S 8/02; F21S 8/024;
F21S 8/026; F21S 8/03; F21S 8/031;
F21S 8/04; F21S 8/06; F21S 8/061; F21S
8/063; F21S 8/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D400,287	S *	10/1998	Littman		D26/88
D563,022	S *	2/2008	Hetfield		D26/88
D563,590	S *	3/2008	Hetfield		D26/88
D598,158	S *	8/2009	Watanabe		D26/113
7,645,055	B2 *	1/2010	Neeld		F21V 3/00 362/268

D614,340	S *	4/2010	Thun		D26/88
D622,438	S *	8/2010	Sasada		D26/113
D655,851	S *	3/2012	Sabernig		D26/88
D739,070	S *	9/2015	Wilson		D26/104
D800,959	S *	10/2017	Sonneman		D26/138
D863,653	S *	10/2019	Bouroullec		F21V 5/02 D26/88
D869,000	S *	12/2019	Sonneman		D26/113
D869,689	S *	12/2019	Sonneman		D26/113
D869,741	S *	12/2019	Sonneman		D26/138

(Continued)

OTHER PUBLICATIONS

Nicholas Tapia, design U.S. Appl. No. 29/921,730, filed Dec. 19, 2023, entitled "Lighting Fixture".

Primary Examiner — Richard Edgar

Assistant Examiner — Audris Park

(74) *Attorney, Agent, or Firm* — Heslin Rothenberg
Farley & Mesiti P.C.

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.


DESCRIPTION

FIG. 1 is a front, right, and bottom perspective view of a lighting fixture according to the new design;
FIG. 2 is a rear, left, and top perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

The broken lines in the drawings illustrate portions of the lighting fixture that form no part of the claimed design.

The long dash-short dash lines in the drawings represent a boundary of the claimed design and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D869,742	S	*	12/2019	Sonneman	D26/138
D991,534	S	*	7/2023	Liang	D26/88
D1,002,090	S	*	10/2023	Meneghello	D26/88
D1,009,313	S	*	12/2023	Cascia	D26/24

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8